This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Rq
42
Sw3

J.P

JP

Sweet's Hortus Britannicus:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures; with numerous Synonyms.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.

London:

PRINTED FOR JAMES RIDGWAY, 169, PICCADILLY.

1827.

Ra
42
Sw3
BJJ5[illegible]5

TILLING, PRINTER, CHELSEA.

Sweet's Hortus Britannicus:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures; with numerous Synonyms.

PART I.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.

London:

JAMES RIDGWAY, 169, PICCADILLY.

1826.

ADVERTISEMENT.

THE adoption of the arrangement of Plants according to the Natural method, is continually increasing; and under the very prevalent impression that it will, ere long, be brought into general use, the Author has been induced to compile the present Work according to the Natural System; at the same time, there is prefixed to each genus, the Linnean Class and Order to which it belongs; and it will be seen that, not unfrequently, Plants of one genus will belong to several of the Linnean Classes and Orders. Natural Orders are also of more real service to the cultivator, as it brings together the groups of Plants that are nearest related, and which very generally require nearly the same sort of management; and Plants that are difficult to propagate, may very frequently be readily increased, by grafting or inarching on some other belonging to the same Natural Order, but will seldom or never do any good on Plants that are not so related.

Besides the adopted names of the Plants, and references to the Books where they are figured or described, numerous of the most essential Synonyms are given, so that any Plant is known as well by its different names, as by the adopted one; the want of this has of late been much complained of by Cultivators.

Tilling, Printer, Chelsea.

TO THE PUBLIC.

THE applications for "SWEET'S HORTUS BRITANNICUS" having been so numerous and incessant, and the inconvenience (not to say distress) represented to be so generally felt from the want of it, especially among the Profession, that it has been thought advisable, in some measure to remedy it, to deviate from the original intention of publishing the whole in One Volume, to the present of Two Parts.

This mode, it is apprehended, will not be without its advantages, and which must be too evident to need particularizing, further than the few weeks gained by this arrangement will enable the Author to form an "*Addenda*" of those Plants which have become known too late for incorporation among their proper Orders, besides some alterations in the arrangement of some of the Genera, &c. that has been obtained from Publications procured since the printing of the First Part, thereby rendering the Work as complete as is possible.

The Second Part will appear in a few weeks.

London, August 1, 1826.

ABBREVIATIONS.

A.B. Annals of Botany.
Afz. Afzelius.
A.G. Andrews's Geraniums.
A.H. Andrews's Heaths.
A.R. Andrews's Botanist's Repository.
All. Allioni.
Aub. Aublet.
B.C. Loddiges' Botanical Cabinet.
B.F.G. Sweet's British Flower Garden.
B.M. Botanical Magazine.
B.P. Brown's Prodromus Floræ Novæ Hollandiæ.
B.R. Botanical Register.
B.T. Burchell's Travels.
C. Cav. Cavanilles.
C.C. Colvill's Catalogue.
C.I. Cavanilles Icones.
C.L.T. Colebrooke in Linnean Transactions.
DC. Decandolle.
D.D. David Don.
Desf. Desfontaines.
Desv. (Dv.) Desvaux.
D.F. Dufresne Valerianees.
D.P. Don's Prodromus Floræ Nepalensis.
E.B. Smith's English Botany.
E.F. —— English Flora.
Ex.B. —— Exotic Botany.
F. Fischer.
F.D. Flora Danica.
F.G. Flora Græca.
F.I. Flora Indica.
G. Gærtner.
G.D. George Don.
H.B. Hortus Bengalensis.
H.E.F. Hooker's Exotic Flora.
H.G. Hoare's Geraniaceæ.
H.K. Hortus Kewensis.
H.M.N. Haworth's Miscellanea Naturalia.
H.P. —— in Taylor's Philosophical Magazine.
H.R. —— Saxifrages and Revisions of Succulent plants.
H.S. —— Synopsis Plantarum Succulentarum.
H.S.S. —— Supplementum Plantarum Succulentarum.
H.S.L. Hortus Suburbanus Londinensis.
H.T. Horticultural Society's Transactions.
J. Jussieu.
Jac. Jacquin.
J.S. Jacquin, Stapeliæ.
K.S. Kunth's Synopsis.
L. Linnæus.
Lag. Lagasca.
Lam. Lamarck.
L.C. Loddiges' Catalogue.
L.col. Lindley, Collectanea Botanica.
L.en. Link's Enumeratio Plantarum.
L'H. L'Heritier.
L.R. Lindley, Rosarum Monographia.
L.T. Transactions of the Linnean Society.
M. Michaux, Flora Boreali-Americana.
M.B. Marschall de Bieberstein, Flora Taurico-Caucasica.
N. Nuttall's genera of American plants.
N.L.F. News of Literature and Fashion.
Ph. Pursh, Flora Americæ Septentrionalis.
P.L. Salisbury, Paradisus Londinensis.
P.S. Persoon's Synopsis Plantarum.
R. (Rox.) Roxburgh.
R.C. Roxburgh's plants of the coast of Coromandel.
R.P. Ruiz and Pavon, Flora Peruviana.
R.S. Rœmer et Schultes Systema Vegetabilium.
R.U. (Rch.) Reichenbach Ubersicht der gattung Aconitum.
Sch. (Schl.) Schleicher.
S.C. Sweet's Cistineæ.
S.G. —— Geraniaceæ.
S.M. Sole's Mints.
S.S. Sprengel's Systema Vegetabilium.
S.T. Savi, Observationes in varias Trifolorum species.
Sw. Swartz.
T.C. Tenore, Catalogus plantarum Horti Regii Neapolitani.
T.N. —— Flora Neapolitana.
T.P. —— Floræ Neapolitanæ Prodromi.
T.S. —— Synopsis Floræ Neapolitanæ.
Th. Thunberg.
V. Ventenat.
V.M. —— Jardin de Malmaison.
Viv. Viviani.
W. Willdenow, Species Plantarum.
W.en. —— Enumeratio Plantarum Horti Bot. Berolinensis.
W.A. —— Historia Amaranthorum.
Wall. Wallich.
W.C. Wendland, Collectio Plantarum.
W.D. Watson's Dendrologia Britannica.
W.K. Waldstein et Kitaibel.
ψ New plants from New Holland in Mr. Mackay's Nursery, with the MS. names, not published.
1. 2. &c. Flowering the first and second month, &c.
1. 12. Flowering all the year.
—— Same as the line above it.
•–•–• Uncertain.
H. ♄. Hardy Shrub or Tree.
F. ♄. Shrubs requiring the protection of a Frame or Mats.
G. ♄. Greenhouse Shrub.
S. ♄. Stove Shrub.
D.S. ♄. Dry Stove Shrub, requiring very little water.
♄. Suffruticose, or a dwarf Shrub.
♃. Herbaceous Perennial, enduring several years.
w. ♃. Water Perennial.
☽. Biennial, enduring only 2 years.
⊙. Annual.
b. Bulbous-rooted.
⌣. Climbing plants.
C. B. S. Cape of Good Hope.
N. S. W. New South Wales.
N. Holl. New Holland.
V. Diem. Isl. Van Diemen's Island.

POSTSCRIPT.

THE Author now feels it a duty incumbent on him to acknowledge his obligations for the information he has received from various friends, since the commencement of the present publication; particularly to A. B. Lambert, Esq. whose extensive Library and Herbarium has been always open to his inspection, and which is, from its richness, and the liberality of its owner, of more real service to science than any other collection in this country.

To Miss Lousada he has to return his best thanks for the kind interest she has taken in this work; also to Mr. George Charlwood, both for the loan of Books, and for information that was of much importance. He feels also obliged to Messrs. George and David Don, for interesting communications, and the use of Monographs, &c.; and to many other friends, who have rendered him more or less assistance;—to the whole of whom he returns his most grateful acknowledgments.

Not having received the second Volume of M. Decandolle's Prodromus before that part of the present work was printed, he has made the alterations necessary in the Addenda, with the addition of many other Plants, that he has seen or heard of, since the former Part of the work has been printed.

ABBREVIATIONS in addition to those in PART I.

B.A. Barton's American Flora.
C.R. Colla's Hortus Ripulensis.
D. Desfontaines.
Ell. Elliot's Flora of South Carolina, &c.
F.T. Cunningham's Appendix to Baron Field's Travels.
G.C. Catalogue of the Botanic Garden of Glasgow.
H.A. Herbert's Appendix.
H.G.W. } Sinclair's Hortus Gramineus
S. G.W. } Woburnensis.
I. ½. Intermediate House between Hothouse and Greenhouse.
K.P. Knight's Proteeæ.
K.R. Ker's Review of the Amaryllideæ.
L.P. Lambert's Pinus.
M.P. Martius's Palms.
P.B. Palisot de Beauvois, Agrostographiæ.
R.L. Redoute's Liliaceæ.
R.Sc. Roscoe's Scitamineæ.
Sc. Schrader.
S.A.B. Salisbury in Annals of Botany.
S.P. Salisbury's Prodromus.
Tr. Trinius.

BOOKS QUOTED.

Abb. ins. The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.

Act. Stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.

All. auct. Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.

All. m. taur. Car. Allionii Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.

All. ped. Car. Allionii Flora Pedemontana.

Alp. Ægypt. Alpinus (Prosper.) De Plantis Ægypti liber. 1 vol. 4to.

Alp. ex. Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.

Amm. ruth. Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.

And. bot. rep. Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.

And. geran. Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.

Amen. ac. Caroli Linnæi Amoenitates academicæ. 8vo.

And. heaths. Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.

Ann. bot. Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.

Ann. mus. Annales du Museum d' Histoire naturelle, par les Professeurs de cet etablissement. 1802. seq. 4to.

Ap. to B. Field's trav. Appendix to Baron Field's Travels. 4to.

Ard. mem. Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.

Ard. sag. pad. Arduino (Pietro.) Saggi di Padova.

Ard. spec. Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.

Asso. arrag. De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.

Aub. Thou. obs. Aubert Du Petit Thouars Plantes des iles de l'Afrique australe. 4to. 1804.

Aub. gui. Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.

Balb. act. taur / *Balb. misc. taur.* Miscellanea Botanica. 4to. ex Actis Academiæ Taurinensis exserta. 1804.

Balb. h. taur. Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.

Banks. ic. Kæmp. Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.

Banks. rel. Hous. Reliquia Houstonnianæ. 4to. 1781.

Barr. ic. / *Barr. rar.* Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus æneis exhibitæ a Jac. Barreliero. 1714. fol.

Bartr. it. / *Bartr. trav.* Bartram (William.) Travels through North and South Carolina, Georgia, Florida. 8vo. Philadelphia. 1791.

Bauer. n. hol. Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.

Bauh. hist. Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.

Bauh. prodr. Caspar Bauhini Προδρομος Theatri Botanici. Basileæ. 1671. 4to.

Beau. fl. ow. Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.

Bell. act. taur. Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.

Berg. act. holm. Bergius (Pehr. Jonas.) Kongl Vetanskaps Academiens Handlingar. 8vo. 1739.

Berg. cap. Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.

Berg. phyt. Bergeret Phytonomatotechnie universelle. fol.

Berr. in. As. res. Berry in Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.

Besl. eyst. Besler (Basilius.) Hortus Eystettensis. fol. 1612.

Big. med. bot. Bigelow (Jac.) American Medical Botany. 4to. 1817.

Biv. Bern. st. rar. Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientieum Descriptiones. 4to. 1813.

Biv. cent. pl. Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

Blackw. Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.

Boc. Mus. Boccone (Paolo.) Museo di Piante rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.

Boc. sic. rar. Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galiæ et Italiæ. 4to. 1674.

Boer. lugd. Herm. Boerhaave Index alter Plantarum quæ in horto Academiæ Lugduno Batavæ aluntur. 4to. 1720.

Boiss. fl. eur. De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

Bolt. fil. Bolton (James.) Filices Britannicæ. 4to. 1785.

Bondp. mon. Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.

Bondp. nav. Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.

Bory. it. / *Bory. voy.* Bory de St. Vincent (J. B. M.) A Voyage en Espagne a travers les royaumes de Galice, Leon, etc. 8vo.

Bot. mag. Curtis's Botanical Magazine, continued by James Sims and J. Bellenden Ker. 8vo.

Bot. reg. Edwards (Sydenham.) The Botanical Register. descr. by Bellenden Ker. 8vo. 1815. et seq.

Bot. rep. Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.

Bradl. Suc. Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.

Braun. Salz. De Braune (Franz. Ant.) Salzburgische flora. 8vo. 1791.

Breyn. cent. Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.

Breyn. ic. Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.

Brot. phyt. Brotero (Felix Avellar.) Phytographia Lusitaniæ selectior. fol. 1801.

Brown. gen. rem. Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.

Br. Jam. / *Brown. Jam.* Browne (Patrick.) The Civil and Natural History of Jamaica. fol. 1756.

Bruces. tr. Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.

Buchoz. ic. col. Buchoz (Pierre Joseph.) Collection des fleures qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.

Bull. herb. Bulliard. Herbier de la France. fol. 1780.

Burm. afr. / *Burm. dec.* Burmann (Johannes.) Rariorum Africanarum Plantarum. 4to. 1738.

Burm. Ind. Nic. Laur. Burmanni Flora Indica. 4to. 1768.

Burm. zeyl. Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.

Buxb. cent. Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.

Camer. hort. Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.

Cates. car. Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.

Cav. diss. Cavanilles (Ant. Jos.) Monadelphiæ classis Dissertationes decem. 4to. 1785.

Cav. ic. Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.

Chabr. sci. Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.

Chois. p. hyp. / *Chois. m. h.* Choisy (J. D.) Prodromus d'une monographie de la famille des Hypericinees. 4to. 1821.

Clus. hist. Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.

Col. ecphr. Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.

Col. phyt. Columna (Fabius.) Phytobasanos. 4to. 1592.

Col. h. rip. Colla Hortus Ripulensis. 4to.

Com. hort. Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.

Comm. petrop. Commelyn (Casp.) Commentarii Academiæ Scientiarum imperialis Petropolitanæ. 4to. 1728.

Comm. prael. Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.

Comm. rar. Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.

Cook. et. Cook (J.) Voyages, 2 vols. 4to. 1777.

Corn. can. Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.

Crantz. Aust. Crantz (Henr. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.

Cup. pan. Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.

Curt. lond. Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.

Cyril. ic. fasc. / *Cyr. neap.* Cyrilli (Dom.) Plantarum rariorum regni Neapolitani fasciculus. 1778. fol.

Dalech. lug. Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.

Dard. trait. ren. D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.

DC. an. mus. De Candolle (Augustin Pyramus). Annales du Museum d'histoire naturelle. 4to. 1802.

DC. astr. De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.

DC. h. mons. De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspeliensis addito observationum circa species novas aut non satis cognitas fasciculo. 8vo. 1813.

DC. ic. gall. rar. De Candolle (Augustin Pyramus). Icones plantarum Galliæ rariorum. 4to. 1808.

DC. leg. mem. De Candolle (Augustin Pyramus.) Memoires sur la famille des Leguminosis. 4to. 1826.

DC. mem. mus. De Candolle (Augustin Pyramus). Memoires du Museum d'histoire naturelle. 4to. 1815.

DC. plant. grass. De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.

Debr. flor. nov. De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.

BOOKS QUOTED.

Delil. ægyp. / *Del. fl. æg.* — Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.

De la Roch. dis. De La Roche (Daniel). Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.

Deless. ic. sel. Delessert (Benj.) Icones selectæ plantarum in system, univers. descriptarum. 4to. 1820.

Descrip. de Egyp. Description de l'Egypt on Recueil des observations et des recherches faites pendant l'expedition de l'armée Francaise. 4to. et fol. 1810.

Desf. act. par. Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.

Desf. atl. Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.

Desv. j. bot. Desvaux. Journal de Botanique. 8vo. 1808.

D. et. H. Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.

Dill. elt. Dillenius (Joh. Jac.) Hortus eltha-mensis. fol. 1732.

Dill. musc. Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.

Dodart mem. Dodart (Denys.) Mémoires pour servir a l'Histoire des Plantes. fol. 1676.

Dod. pemp. Dodart (Denys.) Stirpium historiæ pemptades. fol. 1583.

Du Fresn. Val. Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianees. 4to. 1811.

Duh. arb. Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.

Duham. ed. nov. Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.

Dun. mon. Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.

Dunal. solan. Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.

Ehret pict. Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.

Eng. bot. English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.

Exot. bot. Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.

Ferr. hesp. Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.

Feuil. obs. / *Feuill. per.* — Feuillee (Louis.) Journal des observationes Physiques, Mathématiques et Botaniqyes faites dans l'Amerique meridionale. 4to. 1814.

Fl. dan. Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Fl. lap. Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.

Flor. græ. Flora Græca J. E. Smith. fol. 1552.

Fl. per. Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.

Flugg. an. mus. Flugge (Johan). Annales du Museum d'Histoire naturelle. 4to.

Fraser mon. Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.

Forsk. egyp. / *Forsk. dis.* — Forskaol (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.

Forst. gen. Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.

Fourc. j. bot. Fourcroy (Ant. Franc.) La Médecine eclairee par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.

Froel. gent. Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.

Fuchs. hist. Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.

Guert. carp. Gaertner (Car. Frid.) Supplementum Carpologiæ. 4to. 1805.

Gaert. fr. / *Gaert. sem.* — Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.

Garid. aix / *Garid. prov.* — Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.

Gerard. gal. / *Ger. prov.* — Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.

Ger. emac. Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.

Ger. herb. Gerard (John.) The Herbal, or general history of Plants. fol. 1797.

Giorn. pis. Giornale Pisano. 8vo. 1801.

Giseck. ic. Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

Gmel. fl. bad. Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.

Gmel. sib. Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.

Gou. fl. mons. Gouan (Anton.) Flora Monspeliaca. 8vo. 1765.

Gouan. ill. Gouan (Anton.) Illustrationes botanicæ. fol. 1773.

Hacq. pl. alp. car. Hacquet (Balth.) Plantæ alpinæ Carniolicæ. 4to. 1782.

Hall. all. Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.

Hall. helv. / *Hall. hist.* — Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.

Hayn. term. bot. Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.

Hayne in ust. an. Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.

H. et. B. n. gen. Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.

H. et B. pl. aeq. Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantes equinoxiales. fol. 1808.

Herbert. append. Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.

Herm. lugd. Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.

BOOKS QUOTED.

Herm. parad. Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.

Hills. veg. syst. Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.

Hoff. c. gott. Hoffmann (Georg. Franz.) Programma Hortus Goettingensis. fol. 1793.

Hoff. deut. fl. Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.

Hoff. phyt. Hoffmann (Georg. Franz.) Phytographische Blætter. 8vo.

Hoffm. salic. Hoffmann (Georg. Franz.) Historia salicum iconibus illustro. fol. 1785.

Hoff. umb. Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.

Hoff. et. Lk. fl. lus. } Hoffmansegg et Link.
Hoff. f. port. } Flore portugaise. fol. 1806

Hook. ex. flor. Hooker (W. J.) Exotic flora. 8vo.

Hop. in. sturm. fl. fas. Hoppe in Sturm Deutschland flora. 4to. 1798.

Horn. fl. dan. Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Hort. Kew. Aiton (William.) Hortus Kewensis, editio prima. 8vo. 1789.

Hort. trans. Transactions of the Horticultural Society of London. 4to.

Host. gram. Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.

Hout. pflanz. Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.

Hout. syst. Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.

Icon. Kæmpf. } Kæmpfer (Engelbert.) Icones selectæ plantarum. fol. 1791.
Kæmpf. Icon. }

Icon. Hort. Kew. Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.

Isn. act. par. Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathematique et de Physique.

Jacq. amer. Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.

Jacq. am. pict. Jacquin (N.J.) Stirpium Americanarum Historia.

Jacq. aust. Von Jacquin (Nicol Jos.) Floræ Austriacæ Icones. fol. 1773.

Jacq. coll. Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.

Jacq. f. ecl. Von Jacquin (Jos. Franc.) Eclogæ Botanicæ. fol. 1811.

Jacq. frag. Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.

Jacq. h. vind. Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.

Jacq. ic. Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.

Jacq. misc. Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.

Jacq. obs. Von Jacquin (Nicol. Jos.) Observationes botanicæ. fol. 1764.

Jacq. ox. Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.

Jacq: schoenb. Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cæsari Schœnbrunensis. fol. 1797.

Jacq. stap. Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.

J. mem. ac. sci. par. Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.

Journ. sc. Ker (J. B.) Journal of Science and the Arts. 8vo.

Jung. ic. rar. Junghans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.

Juss. an. Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.

Kæmp. am. Kæmpfer (Engelbert.) Amœnitates exoticæ. 4to. 1712.

Kalm. it. Kalm (Pehr.) Resatil norra America. 8vo. 1753.

Ker's review. Ker's (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.

Ker's strelitz. Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.

Knight's prot. Knight (Joseph.) Horticultural Essays on the natural order of Proteeæ. 4to. 1809.

Knor. del. Knorr (Georg. Wolfgang.) Deliciæ naturæ selectæ oder auserlesene. fol. 1766.

Knorr. thes. Knorr (Georg. Wolfgang.) Thesaurus rei herbariæ hortensisque universalis. fol. 1770.

Kon. an. bot. Annals of Botany, by C. Konig and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.

Krock. siles. Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.

Kth. mim. Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.

Lab. nov. hol. Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.

Lab. ic. pl. Syr. } Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.
Labil. Syr. }

Lab. voy. Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.

Lamb. cinch. Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.

Lamb. pin. Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.

Lam. ill. Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.

Lap. pyr. ic. ined. Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenees. fol. 1795.

Laroch. eryng. De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.

Leers. fl. herb. Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.

Lehm. nicot. Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.

BOOKS QUOTED.

L. Herit. ger. L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.

L. Her. sert. ang. L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.

L. Her. stirp. L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.

Lind. als. Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.

Lindl. coll. Lindley (John.) Collectanea Botanica. fol.

Lind. digit. Lindley (John.) Digitalium Monographia. fol.

Lindl. ros. Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.

Lin. amœn. ac. Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss, antehac seorsim editæ. 8vo. 1749.

Lin. fl. lap. Linnæus (Carolus.) Flora Lapponica. 1 vol. 8vo. 1737.

Linn. hort. clif. Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.

Lin. f. dec. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.

Linn. fl. fasc. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.

Linn. sup. Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.

Linn. trans. Transactions of the Linnean Society of London. vol. 1. to 14. 4to.

Link et Ot. h. ber. Link et Otto. Hortus Berolinensis. fol.

Lobel. adv. De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.

Lob. ic. Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.

Lodd. bot. cab. Botanical Cabinet, by Messrs. Loddiges'. 4to.

Loef. it. rar. / *Loef. hisp.* Loefling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.

Loes. prus. Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.

Loisel. gal. Loiselenr-Deslonchamps (J.L.A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.

Magn. b. mons. Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.

Marcg. bras. Marcgravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.

Mart. cent. / *Mart. dec.* Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.

Mart. fl. rust. Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.

Mart. n. pl. bras. Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, per Brasiliam ann. 1817-1820. 4to.

Mass. Stap. Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.

Math. com. Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.

Meerb. ic. Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.

Mentz. pug. Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.

Merian. surin. Merian (Maria Sibylla.) De metamorphosibus insectorum Surinamensium. 1 vol. fol. 1726.

Michx. amer. Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.

Mich. arb. Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.

Mich. querc. Michaux (André) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.

Mich. gen. Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol, 1729.

Mill. ic. Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.

J. Mill. ic. Seven coloured Plates of Plants, by John Miller.

J. F. Mill. ic. Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.

Miss Laur. ros. / *M. L. R.* A Collection of Roses from Nature, by Miss Lawrance (*now Mrs. Kearse*). 90 plates.

Moret. fl. vicent. Moretti (Gius.) Notizia supra diverse piante da aggungiarsi alla flora Vicentina. 4to. 1813.

Moris. hist. / *Moris. s.* / *Moris. ox.* Morison (Robert J.) Plantarum historia universalis Oxoniensis. 2 vol. fol. 1680.

Moris. umb. Morison (Robert). Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.

Munt. phyt. cur. Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.

Murr. com. / *Mur. c. got.* Murray (Joh. Andr.) Commentarii Societatis regiæ Scientiarum Gœttingensis. 4to.

Neetoux voy. Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de seué. fol. 1808.

N. et Mart. ac. b. Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.

Nees. hor. ber. Nees von Esembeck (G.G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.

Niss. act. par. Nissole in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.

Nov. act. pet. Nova Acta Academiæ Scientiarum Imperialis Petropolitanæ.

Nov. com. pet. Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Oed. fl. dan. Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.

Ort. dec. De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.

Osb. it. Osbeck (Pehr.) Dagbock œf'er en ostendyck resa. 1 vol. 8vo.

Palisot d'owar. / *Pal. fl. d'ow.* Palisot de Beauvois. Flore des royaumes d'Oware et de Benin. fol. 1805 et seq.

Pall. act. pet. Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanæ. 4to.

Pall. it. ed. germ. Pallas (P.S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.

Pall. it. ed. gal. Voyages dans l'Empire Russe. 8 vol. 8vo.

Pall. ross. Pallas (P.S.) Flora Rossica. fol. 2 vol. 1784, 1788.

Par. lond. / *Sal. par. lond.* Salisbury (Rich. Anth.) Paradisus Londinensis. 2 vol. 4to.

Park. par. Parkinson (John.) Paradisi in sole paradisus terrestris, or a garden of flowers. 1 vol. fol. 1629.

Park. theat. Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.

Patters. iter. A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.

Pet. eng. herb. / *Pet. h. brit.* Petiver (James.) Herbarii Britannici Catalogus. fol.

Pet. guz. Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.

Pio viol. Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.

Pis. bras. Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.

Piso. lib. Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.

Plenck. ic. Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.

Pl. rar. hung. / *W. et K. hung.* Waldstein (Franc.) et Kitaibel (Paul.) Descriptiones et Icones plantarum rariorum Hungariæ. 3 vol. fol.

Pluk. alm. Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.

Pluk. am. Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.

Pluk. mant. Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.

Pluk. phyt. Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.

Plum. amer. Plumier (Charles.) Description des plantes de l'Amerique. 1 vol. fol. 1693 et 1713.

Plum. ed. B. / *Pl. ed. Burm.* Plantæ Americanæ à C. Plumier detectæ et à J. Burmanno editæ. 5 fasc. fol. 1755

Plum. fil. Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.

Plum. gen. Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.

Plum. ic. Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantes quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.

Pollich Palat. Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.

Poit. et T. fl. Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.

Pursh amer. Flora Americæ Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.

Quer. hisp. Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.

Raii syn. / *Ray. syn.* Ray (Joh.) Synopsis Stirpium Britannicarum. 1 vol. 8vo.

Rauw. it. Rauwolf (Leonh.) Etlicher Schoner Ausslandischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.

Red. lil. / *Redoute lil.* Redoute (P.J.) Les Liliacées. 8 vol. fol. 1802—1816.

Redout. ros. Redoute (P.J.) Les Roses. 4to. et fol. 1817, et seq.

Reliq. Houst. Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

Renealm. spec. Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.

Retz. obs. Retzius (And. Joh.) Observationes Botanicæ. 6 fasc. fol. 1774—1791.

Rheed. mal. / *Rhe. hort. mal.* Van Rheede (Henricus.) Hortus Indicus Malabaricus. 12 vol. fol.

Rivin. monop. Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.

Riv. tetr. Rivinus (A.Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.

Riv. pent. Rivinus (A.Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.

Rob. ic. Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.

Rœm. arch. Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.

Rœm. script. Rœmer (J. J.) Scriptores de Plantis Hispanicis, Lusitanicis, et Brasiliensibus. 1 vol. 8vo. 1796.

Rosc. scitam. Roscoe's Figures of the order of Scitamineæ. fol.

Roth. abh. Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.

Rottb. gram. / *Rottb. desc. rar.* Descriptiones et Icones Plantarum rariorum, etc. 1 vol. fol. 1773.

Roxb. corom. Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.

Rudg. gui. Rudge (Edward.) Plantarum Guianeæ rariorum Icones et desc. fol. 1805.

Ruiz et P. prod. Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianeæ et Chilensis prodromus. fol.

Rumph. amb. Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750-1755.

Russ. alep. Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.

Sabb. hort. / *Sabb. h. rom.* Sabbati (Liberatus.) Hortus Romanus. fol. vol. 3. 8vo. 1772, 1774, 1805.

Sal. stirp. rar. Salisbury (R.A.) Icones stirpium rariorum. 1 fasc. fol. 1791.

San. viag. Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.

Savi fl. pis. Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.

Scheuch. gram. Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.

Scheuch. it. Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.

Schk. caric. Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.

Schkuhr filic. Schkuhr (Christ.) Abbildungen der Farrnkräuter. 4to.

Schk. hand. Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.

Schm. arb. / *Schmid. arb.* Schmidt (Franz.) Œsterreichs allegemeine Baumzucht 2 Band. fol. 1792—1794.

Schm. ic. Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.

Schousb. maroc. Schousboe (P.K.A.) Iagttagelser over voextriget i Marocco. 1 vol. 4to. 1800.

Schrad. d. hal. Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.

Schrad. gen. nov. Schrader (H.A.) Nova Plantarum genera. 1 fasc. fol. 1797.

Shrad. germ. Schrader (H.A.) Flora Germanica. 8vo. 1806.

Schr. s. han. Schrader (H.A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.

Schrad. verb. Schrader (H.A.) Monographia generis verbasci. 4to. 1813.

Schrad. ver. Schrader (H.A.) Commentatis de Veronicis spicatis. 8vo. 1808.

Schrank h. mon. / *Schrank pl. rar.* Schrank (Fr. von Paula.) Plantæ rariores horti Monacensis. 1817, 1818, 1819.

Schreb. a. ups. Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.

Sch. gram. Schreber (J.C.D.) Beschreibung der Græser. fol. 1769—1779.

Scop. carn. Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.

Scop. del. / *Scop. ins.* Scopoli (J.A.) Deliciæ floræ Insubricæ. 3 vol. fol. 1786, 1788.

Seb. mus. / *Seb. thes.* Seba (Alb.) Locupletissimi Rerum naturalium Thesauri Descriptio. 4 vol. fol. 1734—1765.

Second. d. chen. De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.

Segu. ver. Segnier (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.

Ser. m. helv. Seringe (N.C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.

Shaw afric. / *Shaw barb.* Shaw (Thomas.) Travels in Barbary and the Levant. 1 vol. fol. 1738.—Supplement. 1746.

Sinc. gr. wob. Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.

Sln. hist. / *Sloan. j.* Sloane (Hans.) A Voyage to the Islands Madeira, Barbadoes, Nieves, St. Christopher's, and Jamaica; with the Natural History of the last of those Islands. 2 vol. fol. 1707.

Sm. exot. bot. Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.

Sm. ic. ined. Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.

Smith ic. pict. Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.

Sm. nov. hol. Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

Smith spic. Smith (J. E.) Spicilegium Botanicum. 2 fasc. fol. 1791, 1792.

Smith. tracts. Smith (J. E.) Tracts relating to Natural History. 1 vol. 8vo. 1798.

Sole's mints. Sole (William.) Menthæ Britannicæ; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.

Sonner. it. Sonnerat (P.) Voyage aux Indes orientales et à la Chine. 2 vol. 4to.

Sonner. n. guin. Voyage à la nouvelle Guinée. 1 vol. 4to. 1776.

Sparm. a. st. Sparrman (Andr.) Kongl. VetenskapsAcademiens Handlingar. Stockholm. 1739. seq. 8vo.

Spr. anl. Sprengel (Kurt.) Anleitung zur Kentniss der Gewachse. 2 theil. 8vo. 1817, 1818.

Spreng. crypt. Sprengel (K.) Introduction to the study of Cryptogamous Plants, translated from the German. 8vo. 1813.

Spr. fl. hall. Sprengel (K.) Floræ halensis Tentamen novum. 1 vol. 8vo. 1806.

Spreng. umb. Sprengel (K.) Species umbelliferarum minùs cognitarum illustratæ. 1 vol. 4to. 1813.

Sternb. saxif. Sternberg (Graf. Casp.) Revisio Saxifragarum Iconibus illustrata. 1 vol. fol. 1810.

Stær. lib. de. stram. Stœrck (Ant.) Libellus de Stramonio, Hyosciamo. Aconito. 8vo. 1763.

Sturm. deut. Sturm (Jacob.) Deutschland flora. 4to.

Swartz ic. Swartz (Olof.) Icones Plantarum Indiæ occidentalis. 1 fasc. fol. 1794.

Swart. obs. Swartz (O.) Observationes botanicæ. 1 vol. 8vo. 1791.

Sw. syn. fil. Swartz (O.) Synopsis filicum earum genera et species compl. 1 vol. 8vo. 1806.

Swt. br. fl. gar. Sweet (Robert.) The British Flower Garden, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 2 vol. royal 8vo.

Swt. cist. Sweet (R.) Cistineæ. The natural Order of Cistus, or Rock-Rose, to be completed in one volume, a number published every alternate month, each number containing 4 beautifully coloured figures of this interesting tribe of plants. No. 1. to 9. to be continued, royal. 8vo.

Sweet ger. Sweet (R.) Geraniaceæ, or the natural order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, & their mode of culture. royal 8vo.

Swert. flor. Swertius (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.

Tab. ic. Tabernæmontanus (Jac. Theod.) Eicones Plantarum cur N. Bassæo. 4to. 1590.

Tabern. kraut. Tabernæmontanus (Jac. Theod.) Krænterbuch. fol. 1588.

Tenor. fl. nap. Tenore (Michel.) Flora Napolitana. fol. 1811.

Thunb. cris. Thunberg (Car. Petr.) de Erica. 4to.

Thunb. ir. Thunberg (Car. Petr.) Dissertatis de Iris. 4to. 1782.

Thunb. jap. Thunberg (Car. Petr.) Flora Japonica. 8vo. 1784.

Thunb. voy. Thunberg (Car. Petr.) Voyage au Japon, etc. 8vo. 1796.

Till. pis. Tilli (Mich. Ang.) Catalogus horti Pisani. fol. 1723.

Tourn. voy. Pitton De Tournefort (Joseph.) Relation d'un voyage du Levant. 4to. 1717.

Trat. arch. Trattinick (Leop.) Archiv der Gewæchskunde. 4to. 1811.

Trattin. fl. aust. Trattnick (Leop.) Flora Austriaca sicca. fol. 1792.

Tratt. tab. Trattinick (Leop.) Observationes botanicæ Tabularium rei herbariæ illustrates. 4to. 1811.

Tratt. thes. bot. Trattinick (Leop.) Thesaurus Botanicus. fol. 1819.

Trev. delph. Treviranus (Lud. Christ.) De Delphinio et Aquilegia observationes. 4to. 1817.

Trew. ehret. Trew (Christ. Jac.) Plantæ selectæ ab Ehret pictæ. fol. 1750.

Trew. pl. rar. Trew (Christ. Jac.) Plantæ rariores, ed. J. C. Keller. fol. 1763.

Triumf. obs. Triumfetti (Joh. Bapt.) Observationes de ortu et vegetatione Plantarum. 4to. 1685.

Ust. N. ann. Usteri (Paul). Neue annalen der Botanik. 8vo. 1794.

Vahl. ecl. Vahl (Martinus). Eclogæ Americanæ. fol. 1796.

Vahl. ic. rar. Vahl (Martinus). Icones Plantarum in eclogis descriptarum. fol. 1798.

Vahl. symb. Vahl (Martinus.) Symbolæ botanicæ. fol. 1790.

Vail par. Vaillant (Sebastien.) Botanicon Parisiense. fol. 1727.

Vent. cels. Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.

Vent. choix. Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.

Vent. malm. Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.

Vill. c. stras. Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.

Vill. dauph. } Villars (D.) Histoire des Plantes
Vill. delph. } du Dauphine. 8vo. 1786.

Viv. frag. } Viviani (Dom.) Floræ Ita-
Vivian. fr. fl. it. } licæ fragmenta. 4to. 1808.

Volck. norib. Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.

Wahl. helv. Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.

Wahl. lap. Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.

Wal. as. res. Wallich Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.

Walth. hort. Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.

Wang. amer. Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.

Wats. dend. brit. Watson (W.) Dendrologia Britannica. 2 vol. 8vo.

Weig. obs. Weigel (Christ. Ehret.) Observationes Botanicæ. 4to. 1772.

Weinm. phyt. Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.

Wend. ac. Wendeland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.

Wendl. col. Wendeland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.

Wendl. er. Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.

Wend. h. herr. Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.

Wend. s. han. Wendland (J. C.) Sertum Hannoveranum. 4 fasc. fol.

Willd. arb. Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.

W. ber. mag. Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.

Willd. hort. ber. Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.

Woodv. med. bot. Woodville (William.) Medical Botany. 3 vol. 4to. 1790.

Zanon. hist. Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.

Zorn. ic. Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

BOTANY, HORTICULTURE, *Agriculture, &c.*

In Royal 8vo. No. XI, for Sept. (to be continued Monthly), price 5s.

I.

The POMOLOGICAL MAGAZINE, conducted by two Gentlemen intimately connected with the Horticultural Society of London; containing four Plates, (one of which is double,) coloured to equal Drawings, representing Specimens of the finest Varieties of Fruit cultivated in Great Britain for the Dessert; accompanied by an accurate Account of their History, and as full a Description of their Wood, Flowers, Leaves, and Fruit, as may be necessary to enable the Public to distinguish the Varieties from each other; pointing out the best Aspects, with any information tending to improve the Cultivation, &c.

No. XII. will be published on the 1st of October.

II.

The BOTANICAL REGISTER; or Ornamental Flower Garden and Shrubbery. No. VII. for September, 1828. Price 4*s*.

Each Number contains Eight finely coloured Plates, to equal Drawings, taken from Life, of the handsomest Plants and Shrubs grown in the Public and Private Establishments of this Country, accompanied by their History, Mode of Treatment in Cultivation, Propagation, &c.

By SYDENHAM EDWARDS, F.L.S. and others.

The thirteen Volumes completed, may be had either together or separately, price 2*l*. 9*s*. each.

"What we consider the most valuable feature of this Work, and what distinguishes it peculiarly in its class, is the judicious selection of its subjects, and the constant introduction of greenhouse and hardy flowers and shrubs, in preference to those which are to be preserved only in the hot-house; of which, however, a sufficient proportion is retained to render the Register useful to all classes of readers. Thus, in the last volume, we find, of the subjects which are represented, twenty-four stove plants, twenty-three green-house plants, and thirty-eight hardy shrubs and flowers."—*Literary Gazette, March* 15, 1828.

"Mr. Douglas has sent home, to the Horticultural Society, more new and beautiful hardy herbaceous plants, from North America, than were ever before introduced by an individual from any country. These are beautifully figured in the Botanical Register, and are the more valuable as being fit for the open garden in every part of the Island. * * * * * The Botanical Register, from containing most or all of the new plants introduced by the Horticultural Society, from the great care with which its plates are executed, and the judicious remarks on culture and general habit by Mr. Lindley, is, in consequence, the superior publication." * * —*Loudon's Magazine of Natural History, No. I. for May* 1.

III.

IRIDEARUM GENERA, cum Ordinis Charactere Naturali, Specierum Enumeratione, Synonymisque. Auctore JOHN BELLENDEN KER, Esq. price 6*s*. 6*d*.

IV.

ROSARUM MONOGRAPHIA; or, a Botanical History of Roses. To which is added an Appendix, for the Use of Cultivators, in which the most remarkable Garden Varieties are systematically arranged: with nineteen Plates; eighteen beautifully coloured. By JOHN LINDLEY, Esq. F.L.S. royal 8vo. 1*l*. 1*s*.

V.

GERANIACEÆ; or Natural Order of the beautiful Family of Geraniums. No. III. for September 1, 1828, (being the third of a New Series,) containing four coloured figures, highly and correctly finished from living Plants, with their scientific and English names, mode of Culture, &c. By ROBERT SWEET, F.L.S. price 3*s*.

Also, by Mr. R. SWEET,

1. CISTINEÆ; the Natural Order of Cistus, or Rock Rose. No. XX. for Sept. 1, continued every alternate month, and to be completed in one Volume. Coloured plates, 3*s*.

2. FLORA AUSTRALASICA, or the Plants of New Holland and the South Sea Islands. These Plants are chiefly Evergreens, and are of easy cultivation; many are sweet-scented, and particularly adapted for Conservatories, &c. completed in fourteen Numbers, 1 vol. royal 8vo. price 2*l*. 2*s*. Coloured plates.

3. The FLORIST'S GUIDE, and CULTIVATOR'S DIRECTORY. No. XV. for Sept. 1, 3*s*. Each Number contains four correctly and highly finished coloured figures of the choicest Flowers cultivated by Florists, including TULIPS, HYACINTHS, CARNATIONS, PINKS, RANUNCULUS', ROSES, AURICULAS, &c.; each subject will be accompanied by its name, history, best method of cultivation, &c. The most valued sorts will be selected from the various collections, and each collection specified from which the Drawings are made. As the greatest possible attention will be paid to the correctness both of engraving and colouring of the plates, the Work will be found a great acquisition for Ladies Schools, combining, as will be observed, extraordinary fidelity to nature with the beauties of a finished Drawing.

4. SWEET'S HORTUS BRITANNICUS; or a CATALOGUE of all PLANTS CULTIVATED in the GARDENS of GREAT BRITAIN, whether exotic or indigenous, arranged according to the NATURAL ORDERS to which they belong, with a reference to the Linnæan Classes and Orders; their Scientific and English Names, with references to the best Authorities; where native, when introduced, their times of flowering, how long continue blooming, and references to the books in which they are figured; with numerous other improvements. The whole brought down to the present time, and contains many thousands of Plants not yet published in any Catalogue of this Country. One thick volume, 8vo. Price 1*l*. 1*s*.

5. The HOT-HOUSE and GREENHOUSE MANUAL, or BOTANICAL CULTIVATOR; giving full Practical Instructions for the Management of all the Plants cultivated in the Hot-houses, Greenhouses, and Borders, in the Gardens of Great Britain; with plain Directions for the Management of Plants in Rooms, &c. Third Edition. 12*s*.

"Indeed, what Mr. Sweet has said on the culture of Bulbs and Epiphates in the last edition of his Botanical Cultivator, may be considered as the *ultimatum* on this subject for the British Gardener."—*Gardener's Magazine, No. 2, April* 1826.

VI.

THE FRUIT GROWER'S INSTRUCTOR; or a Practical Treatise on Fruit Trees, from the Nursery to Maturity; to which is added an effectual Remedy for, and Prevention from the American Blight, which causes the Canker in Apple Trees. By G. BLISS, Nurseryman. 6*s*.

"This is a Practical Treatise on the Culture and Preservation of Fruit Trees in general, and more particularly the Apple Tree, by one of the most extensive growers in the kingdom. The best modes of Grafting, Pruning, and Budding, are laid down with the utmost clearness. A very ample Catalogue of our Fruit Trees, and a description of the appearance, flavour, and qualities of their production, is also given." * * * * "But the most valuable part of this volume is that which relates to the Canker, and the remedy which Mr. Bliss has discovered for this destructive blight." * * *—*Monthly Critical Gazette.*

VII.

The GARDENER'S REMEMBRANCER, & APIARIAN'S MONTHLY CALENDAR; The Gardener's Vegetable Seed Calendar, and Fruit Calendar; beautifully printed in Typolithography, and ornamented, on imperial drawing paper. It shews, at one view, every thing necessary to be done in Rural Affairs, to ensure a proper succession of Crops, &c. with proper directions for the Management and Propagation of Bees, &c. &c. Price 7*s*.

VIII.

THE PRESENT STATE OF THE TENANCY OF LAND IN GREAT BRITAIN, showing the principal Customs and Practices between Incoming and Outgoing Tenants, and the most usual method under which Land is now held in the several Counties. Collected from a Survey made in the years 1827, and 1828. By the Authors, L. KENNEDY, and I. B. GRAINGER. 1 vol. 8vo. price 15*s*.

IX.

HORTUS GRAMINEUS WOBURNENSIS; or, an Account of the Results of various Experiments on the Produce and Fattening Properties of different Grasses, and other Plants, used as the Food of the more valuable domestic Animals; carried on for a number of years at Woburn Abbey, by command of the Duke of Bedford, and, being now matured, are presented for the benefit of the agricultural community. Illustrated with numerous Specimens of the Plants and Seeds, in Sixty Plates, with Practical Observations on their natural habits, the Soils best suited to their Growth, with Instructions for the Preservation of their Seed; pointing out the kinds most profitable for Permanent Pasture, Irrigated Meadows, Dry or Upland Pasture, and the Alternate Husbandry. Accompanied with the discriminating Character of the Species and Varieties. By G. SINCLAIR, F.L.S. and F.H.S., Gardener to his Grace the Duke of Bedford, &c. &c. Third Edition. Price 1*l.* 10*s.* plain; and coloured, 2*l.* 2*s.*, under the Author's immediate inspection.

"The Hortus Gramineus Woburnensis does honour to our country."***—*Monthly Critical Gazette, Jan.* 1825.

X.

AN ESSAY ON THE WEEDS OF AGRICULTURE; with Practical Remarks on their Destruction. By the late B. HOLDICH, Esq. and G. SINCLAIR, F.L.S. F.H.S. Author of Hortus Gramineus Woburnensis. Second edition. 3*s.* 6*d.*

"If we were at liberty to follow our inclinations, we should treat this pamphlet, not according to its bulk, but its importance, and follow Mr. Holdich, and his editor, (for it is only the 1st chap. that is strictly, in its present form at least, attributable to the former,) through their respective chapters on "Weeds which infest Samples of Corn; Fallow Weeds; Weeds which are principally objectionable, as they encumber the Soil, or whose Roots are annual, and whose Seeds pass the corn-sieve; Weeds that never rise in the crop, nor come into the sickle; Pasture Weeds, &c. &c." * * * The passages we have marked in our progress, as worthy of quotation, might form a valuable little Manual for the Practical Farmer." * * *—*Monthly Magazine for December*, 1825.

XI.

PONTEY'S PROFITABLE PLANTER; a Practical Treatise on Planting Forest Trees in every description of Soil and Situation. 1 vol. 8vo. plates, 10*s.* 6*d.* boards. Fourth edition.

XII.

PONTEY'S FOREST PRUNER, or Timber Owner's Assistant. 1 vol. 8vo. plates, 12*s.* Fourth edition.

XIII.

PONTEY'S RURAL IMPROVER; a Practical Treatise on the Management of such Rural Scenes and Objects as are necessary to promote the Comfort, Convenience, and Embellishment of the Residences of the higher Ranks of Society. With plates, 1 vol. 4to. 2*l.* 2*s.*

*** The above three Works are by W. PONTEY, Planter and Forest Pruner to the Duke of Bedford.

XIV.

THE BRITISH FARMER'S QUARTERLY MAGAZINE. Number VIII. for August 1, 1826, Price 4*s.*; illustrated with a finely executed Engraving, by LANDSEER, of the improved Short-Horned Heifer, "Miss Baints," bred by Charles Champion, Esq. The Work is exclusively devoted to Agricultural and Rural Affairs.

Conducted by H. FLEMING, late Editor and Proprietor of the "*British Farmer's Chronicle.*"

Contents:—Brambil. Original Communications—Biographical Sketches of Emi-

nent Agriculturalists—Reviews, &c.—Branch 2. Agricultural Intelligence—Agricultural Reports—Agricultural Obituary.—Branch 3. Sporting Intelligence, &c.

No. IX. will be published on the 1st of November, and continued Quarterly.

Volume I. neatly half bound, price 1*l.* 2*s.*

XV.

A SYSTEM FOR MANAGING HEAVY AND WET LANDS WITHOUT SUMMER FALLOWS; under which a considerable Farm in Hertfordshire is kept perfectly clean, and made productive. By THOMAS GREG, Esq. Third Edition, with an Appendix, pointing out how the infant Turnip may be protected from Insects. To which are added, Extracts from some Letters written by the Earl of Thanet, proving the infallibility of the Plan; as presented to the Board of Agriculture, and now published at their request; price 5*s.* with Plates.

XVI.

ELLIOT'S FARMER'S ACCOUNT BOOK; being the result of many years extensive practice. By Double Entry in one Book, the arrangements are clear and concise; printed and ruled ready for filling up, under the heads of Day Labour, Task Labour, Bills, Debts owing and owed, Live Stock, Green Crops, Corn, Hay, and Straw, Rent, Taxes, Cash, &c. Illustrated by a Michaelmas Valuation, and a Weekly Account, filled up for examples, &c. Price 1*l.* 1*s.* for one year, and 10*s.* 6*d.* for a half year.

"No Farmer desirous of knowing the exact state of his expences, ought to be without this Work."

XVII.

A PRACTICAL TREATISE on BREEDING, REARING, and FATTENING DOMESTIC POULTRY, &c. After Plans pursued with advantage and profit in France. Second edition. 5*s.*

XVIII.

A PRACTICAL TREATISE, explaining the Art and Mystery of Brewing PORTER, ALE, TWOPENNY, and TABLE BEER; recommending and proving the Ease and Possibility of every Man's Brewing his own Beer in any quantity, from One Peck to a Hundred Quarters of Malt. Intended to reduce the expenses of Families. By SAMUEL CHILD, Brewer. A new Edition, carefully revised. 1*s.*

XIX.

THE VETERINARY TABLET; or a Concise View (in a tabular form) of all the Diseases of the Horse; with their Causes, Symptoms, and most approved and effectual Modes of Cure. By a Veterinary Surgeon. 1*s.* 6*d.*

XX.

A TREATISE ON THE CARE, TREATMENT, AND TRAINING, OF THE ENGLISH RACE HORSE; with details also applicable to Horses in general. By R. DARVILL, V. S. Seventh Hussars, with Plates, 1 Vol. 1*l.* 1*s.*

XXI.

The YOUNG HORSEWOMAN'S COMPENDIUM OF THE MODERN ART OF RIDING. In progressive Lessons; designed to give a secure and graceful Seat on Horseback; at the same time so effectually to form the Hand, that, in a short time, perfect command of the Horse may be obtained. By EDWARD STANLEY, late of the Royal Artillery, and of Vernon's Establishment, near Hyde Park; with illustrative Plates, 10*s.* boards.

The Author may be consulted at his Residence, No. 7, Coleshill Street, King's Road, near Sloane Street.

"But we have said enough of this Manual, and have only to add, that it is a very sensible and judicious Publication."—*Literary Gazette.*

Classis 1.

DICOTYLEDONEÆ seu EXOGENÆ.

* Subclassis 1. THALAMIFLORÆ.

ORDO 1.

RANUNCULACEÆ. *DC. syst. nat.* 127.

Tribus 1. *CLEMATIDEÆ.*

CLEMATIS. W.	Virgin's Bower.	Polyandria Polygynia. L.					
1 erecta. DC.	upright.	Austria.	1597.	6. 8.	H. ♃.	Jacq. aust. 3. t. 291.
γ *hispanica.*	*Spanish.*					
2 flammula. DC.	sweet-scented.	S. Europe.	1596.	7. 10.	H. ♄. ⌣.	Lob. ic. 627. f. 1.
α *rotundifolia.*	*round-leaved.*	———	——	——	H. ♄. ⌣.	Ten.fl.neap.pr.v.1.t.48
β *vulgaris.*	*oblong-leaved.*	———	——	——	H. ♄. ⌣.	
γ *maritima.*	*narrow-leaved.*	———	——	——	H. ♄. ⌣.	
3 Massoniana. DC.	Masson's.	C. B. S.	....	....	G. ♄. ⌣.	
4 orientalis. DC.	oriental.	Levant.	1731.	7. 10.	H. ♄. ⌣.	Dill. elt. t. 119. f. 145.
5 glauca. W.	glaucous.	Siberia.	....	7. 8.	H. ♄. ⌣.	Willd. arb. 65. t. 4. f. 1.
6 chinensis. DC.	Chinese.	China.	1820.	....	H. ♄. ⌣.	Retz. obs. 2. n. 53. t. 2.
7 Vitalba. DC.	Traveller's Joy.	England.	....	7. 9.	H. ♄. ⌣.	Eng. bot. 612.
8 virginiana. DC.	Virginian.	N. Amer.	1767.	6. 8.	H. ♄. ⌣.	Wats. dend. brit. t. 74.
9 brasiliana. DC.	Brasilian.	Brasil.	1820.	....	S. ♄. ⌣.	Deless. ic. sel. 1. t. 1.
10 dioica. DC.	Jamaica.	Jamaica.	1733.	5. 6.	S. ♄. ⌣.	Sl. hist. 1. t. 128. f. 1.
11 americana. DC.	West-Indian.	W. Ind.	....	....	S. ♄. ⌣.	
12 coriacea. DC.	leathery-lvd.	N. S. W.	1821.	....	G. ♄. ⌣.	
13 aristata. DC.	awned-anther'd	———	1812.	5. 8.	G. ♄. ⌣.	Bot. reg. 288.
14 hedysarifolia. DC.	Hedysarum-lvd.	Nepaul.	1819.	7. 2.	G. ♄. ⌣.	Bot. reg. 599.
15 triternata. DC.	triternate-lvd.	.....	1806.	....	H. ♄. ⌣.	
16 brachiata. DC.	armed.	C. B. S.	1804.	10.12.	G. ♄. ⌣.	Bot. reg. 97.
17 grandiflora. DC.	great-flowered.	SierraLeon.	1822.	....	S. ♄. ⌣.	
18 dahurica. DC.	Dahurian.	Dahuria.	1822.	....	H. ♄. ⌣.	
19 angustifolia. DC.	narrow-leaved.	Siberia.	1787.	5. 9.	H. ♃.	Jacq. ic. 1. t. 104.
20 diversifolia. DC.	various-leaved.	.....	....	9. 10.	H. ♄. ⌣.	Deless. ic. sel. 1. t. 4.
21 Viorna. DC.	leathery-flow'd.	N. Amer.	1730.	6. 9.	H. ♄. ⌣.	Jacq. ecl. 1. t. 32.
22 cylindrica. DC.	long-flowered.	———	1802.	7. 9.	H. ♄. ⌣.	Bot. mag. 1160.
23 Simsii.	Sims's.	———	1812.	6. 9.	H. ♄. ⌣.	Bot. mag. 1816.
cordata. B.M. *nec aliorum.*						
24 reticulata. DC.	netted.	———	——	——	H. ♄. ⌣.	Wats. dend. brit. t. 72.
25 integrifolia. DC.	entire-leaved.	Hungary.	1596.	6. 8.	H. ♃.	Bot. mag. 65.
β *? angustifolia.*	*narrow entire lvd.*	Siberia.	....	——	H. ♃.	
γ *? elongata.* DC.	*long-leaved.*	———	1823.	——	H. ♃.	Tratt. tab. 4. t. 178.
26 ochrolenca. DC.	silky.	N. Amer.	1767.	6. 7.	H. ♃.	Bot. mag. 1175.
27 florida. DC.	large-flowered.	Japan.	1776.	4. 9.	H. ♄. ⌣.	Bot. mag. 834.
β *flore pleno.*	*double-flowered.*					
28 Viticella. DC.	smooth-seeded.	Spain.	1569.	6. 9.	H. ♄. ⌣.	Bot. mag. 565.
α *purpurea.*	*purple-flowered.*					
β *rubra.*	*red-flowered.*					
γ *pulchella.* P.S.	*double-flowered.*	———	——	——	H. ♄. ⌣.	Chabr. sci. p. 117. f. 5.

29	crispa. B.M.	curled-flower'd.	N. Amer.	1726.	7.	9.	H. ♄. ⌣.	Bot. mag. 1892.
30	cirrhosa. DC.	tendriled.	S. Europe.	1596.	3.	4.	H. ♄. ⌣.	Flor. græc. t. 517.
31	pedicellata.	pedicled.	Majorca.	....	——		H. ♄. ⌣.	Bot. mag. 1070.
	cirrhosa. B.M. *nec aliorum.*							
	cirrhosa β *pedicellata.* DC.							
32	calycina. H.K.	evergreen.	Minorca.	1783.	2.	3.	H. ♄. ⌣.	Bot. mag. 959.
	balearica. DC.							
ATRAGENE. W.		ATRAGENE.	Polyandria Polygynia. L.					
1	austriaca. B.M.	Austrian.	Austria.	1792.	5.	7.	H. ♄. ⌣.	Bot. rep. 180.
	Clematis alpina. DC.							
2	sibirica. B.M.	Siberian.	Siberia.	1753.	3.	5.	H. ♄. ⌣.	Bot. mag. 1951.
	Clematis sibirica. DC.							
3	ochotensis. Pall.	linear-petaled.	——	1822.	——		H. ♄. ⌣.	
	Clematis ochotensis. DC.							
4	americana. B.M.	American.	N. Amer.	1797.	5.	6.	H. ♄. ⌣.	Bot. mag. 887.
	Clematis verticillaris. DC.							
5	occidentalis. Horn.	shining-leaved.	.....	1824.	....		H. ♄. ⌣.	
NARAVELIA. DC.		NARAVELIA.	Polyandria Polygynia. L.					
	zeylanica. DC.	Ceylon.	Ceylon.	1796.	....		S. ♄. ⌣.	
	β *Roxburghii.* DC.	*Roxburgh's.*	Coromandel.	——	....		S. ♄. ⌣.	Roxb. cor. 2. t. 188.

Tribus II. *ANEMONEÆ.*

THALICTRUM. DC.		MEADOW-RUE.	Polyandria	Polygynia. L.				
1	contortum. DC.	crook-seeded.	Siberia.	1796.	6.	7.	H. ♃.	
2	aquilegifolium. DC.	Columbine-ld.	Europe.	1731.	5.	7.	H. ♃.	
	α album.	*white-stamened.*	——	——	——		H. ♃.	Jacq. aust. t. 318.
	β *atropurpureum.*	*purple.*	——	——	——		H. ♃.	Bot. mag. 1818.
	γ *formosum.* B.M.	*Sabine's.*	——	——	——		H. ♃.	Bot. mag. 2025.
3	corynellum. DC.	clubbed-stamd.	N. Amer.	....	——		H. ♃.	
4	revolutum. DC.	revolute.	——	1806.	6.	7.	H. ♃.	
	pubescens. Ph. non. DC.							
5	dioicum. DC.	dicœcious.	——	1759.	——		H. ♃.	Deles. ic. sel. 1. t. 8.
6	carolinianum. DC.	Carolina.	——	....	——		H. ♃.	
7	purpurascens. DC.	dwarf purple.	——	1699.	——		H. ♃.	
8	petaloideum. DC.	Dahurian.	Dahuria.	1799.	——		H. ♃.	Deles. ic. sel. 1. t. 9.
9	alpinum. DC.	Alpine.	Britain.	....	5.	7.	H. ♃.	Eng. bot. 262.
10	fœtidum. DC.	fœtid.	Europe.	1640.	——		H. ♃.	W. et K. hung. 2. t. 174.
11	pubescens. DC.	pubescent.	——	——	——		H. ♃.	
12	acutilobum. DC.	acute-lobed.	Siberia.	....	——		H. ♃.	Deles. ic. sel. 1. t. 10.
13	squarrosum. DC.	squarrose.	——	1806.	——		H. ♃.	
14	sibiricum. DC.	Siberian.	——	1775.	——		H. ♃.	Gært. fruct. 1. t. 74.
15	minus. DC.	lesser.	Britain.	....	6.	7.	H. ♃.	Eng. bot. t. 11.
16	collinum. DC.	hill.	Germany.	1823.	——		H. ♃.	
17	saxatile. DC.	rock.	Europe.	....	5.	7.	H. ♃.	
18	elatum. DC.	tall.	Hungary.	1794.	6.	8.	H. ♃.	Jacq. vind. 3. t. 95.
19	majus. DC.	greater.	England.	....	——		H. ♃.	Eng. bot. 611.
20	nutans. DC.	nodding.	Italy.	....	——		H. ♃.	
21	medium. DC.	middle.	Hungary.	1789.	——		H. ♃.	Jacq. vind. 3. t. 96.
22	conciunum. DC.	neat.	.....	....	6.		H. ♃.	
23	flexuosum. Jac.	flexuose.	.....	....	6.	8.	H. ♃.	
24	acuminatum. Spr.	acuminate.	.....	....	——		H. ♃.	
25	calabricum. Spr.	Calabrian.	Naples.	1802.	——		H. ♃.	
26	trigynum. DC.	three-styled.	Dahuria.	1823.	——		H. ♃.	
27	glaucescens. DC.	loose-flowered.	Russia.	——	6.		H. ♃.	
28	galioides. DC.	Galium-leaved.	Europe.	1816.	5.	7.	H. ♃.	Deles. ic. sel. 1. t. 11.
29	angustifolium. DC.	narrow-leaved.	Germany.	1739.	6.	7.	H. ♃.	Jacq. vind. 3. t. 43.
30	cynapiifolium. F.	Fool's-parsleyld	Siberia.	1821.	——		H. ♃.	
31	oligospermum. F.	few-seeded.	——	——	——		H. ♃.	
32	divaricatum. L. en.	spreading.	.....	——	——		H. ♃.	
33	diffusum. Sch.	diffuse.	.....	——	——		H. ♃.	
34	laserpitiifolium. W.	Laserwort-ld.	.....	1823.	——		H. ♃.	
35	divergens. L. en.	divergent.	Siberia.	1820.	6.	7.	H. ♃.	
	divaricatum. Spr.							
36	lucidum. DC.	shining.	Spain.	1739.	5.	7.	H. ♃.	Pluk. alm., t. 65. f. 5.
37	nigricans. DC.	black.	Austria.	1798.	——		H. ♃.	Jacq. aust. 5. t. 421.

38 **flavum.** DC.	common.	Britain.	....	——	H.4.	Eng. bot. 367.
39 **vaginatum.** Desf.	sheathed.	Europe.	....	——	H.4.	
40 **simplex.** DC.	simple-stalked.	Sweden.	1778.	5. 6.	H.4.	
41 **cinereum.** DC.	ash-coloured.	.....	....	——	H.4.	
42 **glaucum.** DC.	glaucous.	S. Europe.	1798.	6. 7.	H.4.	
43 **rugosum.** DC.	rugged.	N. Amer.	1774.	7.	H.4.	
44 **ranunculinum.** DC.	Ranunculus-l^d.	N. Amer.	1806.	6. 7.	H.4.	
45 **tuberosum.** DC.	tuberous-rooted.	Spain.	1713.	6.	H.4.	Mill. ic. t. 265. f. 2.
46 **anemonoides.** DC.	Anemone-like.	N. Amer.	1768.	4. 5.	H.4.	Bot. mag. 866.
Anemone thalictroides. W.						
β flore pleno.	*double-flowered.*	——	1822.	——	H.4.	
PULSATILLA. W.en.	PASQUE-FLOWER. Polyandria Polygynia.					
1 **vernalis.** W. en.	spring.	N. Europe.	1752.	4.	H.4.	Fl. dan. t. 29.
2 **Halleri.** W. en.	Haller's.	Switzerland	1816.	4. 5.	H.4.	All. ped. t. 80. f. 2.
3 **cernua.** W.	drooping.	Japan.	1806.	4. 6.	H.4.	
4 **patens.** W. en.	spreading.	Siberia.	1752.	6. 7.	H.4.	Breyn. ic. t. 61.
β ochroleuca. B.M.	*straw-coloured.*	——	——	5. 7.	H.4.	Bot. mag. 1994.
5 **vulgaris.** W. en.	common.	England.	....	——	H.4.	Eng. bot. 51.
6 **pratensis.** W. en.	meadow.	Germany.	1731.	5.	H.4.	Fl. dan. t. 611.
7 **obsoleta.**	pale-flowered.	——	——	——	H.4.	Bot. mag. 1863.
8 **dahurica.** DC.	Dahurian.	Dahuria.	1823.	....	H.4.	
9 **alpina.**	Alpine.	Europe.	1658.	7.	H.4.	Bot. mag. 2007.
10 **apiifolia.**	Parsley-leaved.	——	....	——	H.4.	Jacq. misc. 2. t. 4.
Anemone alpina β flavescens. DC.						
ANEMONE. W.en.	ANEMONE. Polyandria Polygynia. L.					
1 **capensis.** DC.	Cape.	C. B. S.	1795.	3. 7.	G.h.	Bot. mag. 716.
Atragene capensis. W.						
2 **coronaria.** DC.	Poppy.	Levant.	1596.	1. 12.	H.4.	Bot. mag. 841.
β flore-pleno.	*double-flowered.*					
3 **pavonina.** DC.	acute-petaled.	——	....	4. 5.	H.4.	
β flore-pleno.	double-scarlet.	——	....	——	H.4.	Clus. hist. 1. p. 261. ic.
4 **stellata.** DC.	star.	Italy.	1597.	——	H.4.	Bot. mag. 123.
hortensis. B.M. 123.						
5 **palmata.** DC.	palmated.	Portugal.	1597.	5. 6.	H.4.	Bot. reg. 200.
6 **parviflora.** DC.	small-flowered.	Labrador.	1823.	3. 5.	H.4.	Juss.ann.mus.3.t.21.f.1
cuneifolia. Ph.						
7 **caroliniana.** DC.	slender.	Carolina.	——	5.	H.4.	
tenella. Ph.						
8 **apennina.** DC.	blue mountain.	England.	....	3. 4.	H.4.	Eng. bot. 1062.
9 **baldensis.** DC.	Strawberry-like.	Switzerland.	1792.	5.	H.4.	Jac. ic. 1. t. 103.
fragifera. Jacq.						
10 **nemorosa.** DC.	wood.	Britain.	....	3. 5.	H.4.	Eng. bot. 355.
β flore-pleno.	*double-flowered.*					
11 **lancifolia.** DC.	lance-leaved.	N. Amer.	1823.	5. 7.	H.4.	
12 **trifolia.** DC.	three-leaved.	France.	1597.	4. 5.	H.4.	Lob. ic. 281. f. 1.
13 **ranunculoides.** DC.	yellow wood.	England.	....	3. 4.	H.4.	Eng. bot. 1484.
14 **sylvestris.** DC.	Snowdrop.	Europe.	1596.	4. 5.	H.4.	Bot. mag. 54.
15 **alba.** DC.	five-sepaled.	Dahuria.	1818	4. 5.	H.4.	—— 2167.
ochotensis. F.						
16 **virginiana.** DC.	Virginian.	N. Amer.	1722.	5. 6.	H.4.	Herm. par. t. 18.
17 **pensylvanica.** DC.	Pensylvanian.	——	1766.	——	H.4.	
18 **dichotoma.** DC.	forked.	——	1768.	——	H.4.	Lin. f. dec. 29. t. 15.
19 **narcissiflora.** DC.	Narcissus-fl'd.	Europe.	1773.	5.	H.4.	Bot. mag. 1120.
20 **sibirica.** DC.	Siberian.	Siberia.	1804.	6.	H.4.	
HEPATICA. DC.	HEPATICA. Polyandria Polygynia. L.					
1 **americana.** B. reg.	American.	N. Amer.	1819.	3. 4.	H.4.	Bot. reg. 387.
2 **triloba.** DC.	three-lobed.	Europe.	1573.	2. 4.	H.4.	
α cærulea.	*blue.*					
β cæruleo-plena.	*double-blue.*					
γ rubra.	*red.*	——	——	——	——	Bot. mag. 10.
δ rubro-plena.	*double-red.*					
ε alba.	*red-anthered white.*					
ζ nivea.	*snowy-white.*					
HYDRASTIS. DC.	YELLOW-ROOT. Polyandria Polygynia. L.					
canadensis. DC.	Canadian.	Canada.	1759.	5. 6.	H.4.	Pict. hort. par. 37. t. 17.
KNOWLTONIA. DC.	KNOWLTONIA. Polyandria Polygynia. L.					
1 **rigida.** DC.	thick-leaved.	C. B. S.	1780.	3. 5.	G.4.	Vent. malm. 22.
2 **vesicatoria.** DC.	blistering.	——	1691.	2. 4.	G.4.	Bot. mag. 775.
3 **gracilis.** DC.	slender.	——	1820.	——	G.4.	Deles. ic. sel. 1. t. 19.

4 hirsuta. DC.	hairy-leaved.	——	——	——	G.4.	Burm. afr. t. 51.
5 daucifolia. DC.	Carrot-leaved.	——	1822.	....	G.4.	
ADONIS. DC.	Adonis. Polyandria Polygynia. L.					
1 autumnalis. DC.	Pheasant's-eye.	Britain.	....	5. 10.	H.⊙.	Eng. bot. 308.
2 flava. DC.	yellow.	France.	....	6. 7.	H.⊙.	Tab. ic. 790. f. 1.
3 citrina. DC.	Citron-colour'd.	——	1822.	5. 6.	H.⊙.	
4 flammea. DC.	flame-coloured.	Austria.	1800.	6. 7.	H.⊙.	Jac. aust. 4. t. 355.
5 æstivalis. DC. *miniata. Jac. aust. t. 354.*	tall.	S. Europe.	1629.	——	H.⊙.	Weinm. phyt. t. 27.
6 vernalis. DC.	vernal.	Europe.	1629.	3. 4.	H.4.	Bot. mag. 184.
7 apennina. W. en. *vernalis β Mentzelii.* DC.	Apennine.	——	....	——	H.4.	Mentz. pug. t. 3. f. 1.
8 pyrenaica. DC.	Pyrenean.	Pyrenees.	1820.	6. 7.	H.4.	Deless. ic. sel. 1. t. 21.

Tribus III. *RANUNCULEÆ.*

MYOSURUS. DC.	Mouse-tail. Pentandria Polygynia. L.					
minimus. DC.	small.	Britain.	....	4. 5.	H.⊙.	Eng. bot. 435.
CERATOCEPHALUS.	Ceratocephalus. Pentandria Polygynia.					
1 falcatus. DC.	sickle-seeded.	S. Europe.	1739.	5.	H.⊙.	Jac. aust. t. 48.
2 orthoceras. DC.	straight-seeded.	Siberia.	1823.	——	H.⊙.	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC.	Crow-foot. Polyandria Polygynia. L.					
1 hederaceus. DC.	Ivy-leaved.	Britain.	....	5. 8.	H.w.4.	Eng. bot. 2003.
2 tripartitus. DC.	three-parted.	——	....	——	H.w.4.	DC. ic. g. rar. 1. t. 49.
β *obtusiflorus.* DC.	*blunt-flowered.*	——	....	——	H.w.4.	Pet.eng.herb. t.39. f.1.
3 aquatilis. DC.	water.	——	....	4. 8.	H.w.4.	Eng. bot. 101.
α *heterophyllus.* DC.	*various-leaved.*	——	....	——	H.w.4.	Tab. ic. 54. f. 2.
β *peltatus.* DC.	*peltate-leaved.*	——	....	——	H.w.4.	Lob. ic. 2. p. 35. f. 2.
4 pantothrix. DC.	divided-leaved.	——	....	——	H.w.4.	
α *capillaceus.* DC.	*fine-leaved.*	——	....	——	H.w.4.	Pet.eng.herb. t.39. f.4.
β *cæspitosus.* DC.	*tufted.*	——	....	——	H.w.4.	—— t.39. f. 3.
γ *peucedanifolius.* DC. *fluviatilis.* W.	*Fennel-leaved.*	——	....	——	H.w.4.	—— t.39. f. 2.
5 rutæfolius. DC.	Rue-leaved.	Austria.	1759.	5. 7.	H.4.	Jac. coll. 1. t. 6 et 7.
6 glacialis. DC.	two-flowered.	Lapland.	1775.	6. 8.	H.4.	Flor. dan. t. 19.
7 Seguieri. DC.	Seguier's.	Switzerland.	1820.	——	H.4.	Vill. dauph. 4. t. 49.
8 alpestris. DC.	Alpine.	Scotland.	....	——	H.4.	Eng. bot. 2390.
9 crenatus. DC.	crenate-leaved.	Hungary.	1822.	——	H.4.	W. et K. hung. 1. t. 10.
10 aconitifolius. DC.	Aconite-leaved.	Europe.	1596.	5. 6.	H.4.	
α *humilis.* DC.	*dwarf.*	——	....	——	H.4.	Lob. adv. 300. f. 2.
β *crassicaulis.* DC.	*thick-stalked.*	——	....	——	H.4.	
11 platanifolius. W.	Plane-tree-l^d.	Germany.	1769.	6. 7.	H.4.	Flor. dan. t. 111.
β *flore-pleno.* *aconitifolius.* B. M. 204.	*double-flowered.*	——	——	——	H.4.	Bot. mag. 204.
12 lacerus. DC.	torn-leaved.	Piedmont.	....	——	H.4.	Bell. act. taur. 5. t. 8.
13 pyrenæus. DC.	Pyrenean.	Pyrenees.	....	4. 6.	H.4.	Deles.ic.sel.1.t.27.f.B.
β *bupleurifolius.* DC.	*one-flowered.*	——	....	——	H.4.	Jac. misc. 1. t. 18. f. 1.
14 angustifolius. DC.	narrow-leaved.	——	1822.	——	H.4.	Deles.ic.sel.1.t.27.f.C.
15 amplexicaulis. DC.	Plantain-leav^d.	——	1633.	4. 5.	H.4.	Bot. mag. 266.
16 parnassifolius. DC.	Parnassia-leav^d.	——	1769.	6. 7.	H.4.	—— 386.
17 gramineus. DC.	grass-leaved.	Wales.	....	4. 6.	H.4.	Eng. bot. 2306.
β *flore-pleno.*	*double-flowered.*	.....	....	——	H.4.	Lob. ic. 671. f. 2.
18 Lingua. DC.	great spear-wort	Britain.	....	6. 8.	H.w.4.	Eng. bot. 100.
19 Flammula. DC.	less spear-wort.	——	....	6. 9.	H.w.4.	—— 387.
β *serrata.* DC.	*saw-leaved.*	——	....	——	H.w.4.	Lob. ic. 670. f. 2.
γ *ovata.* DC.	*oval-leaved.*	——	....	——	H.w.4.	
20 reptans. DC.	least spear-wort.	——	....	——	H.w.4.	Flor. dan. t. 108.
21 ophioglossifolius. DC.	fistulous-stalk^d.	S. Europe.	1822.	6.	H.w.⊙.	Vill. dauph. 4. t. 49.
22 nodiflorus. DC.	knot-flowered.	France.	1714.	5. 7.	H.w.⊙.	
β *dentatus.* DC.	*toothed.*	Hungary.	——	——	H.w.⊙.	Bot mag. 2171.
23 salsuginosus. DC. *ruthenicus.* Jac. vind. 3. t. 31.	Russian.	Russia.	1821.	——	H.4.	Jac. vind. 3. t. 31.
24 bullatus. DC.	blistered.	S. Europe.	1640.	5. 8.	H.4.	
α *parviflorus.* DC.	*small-flowered.*	——	——	——	H.4.	Clus. hist. 1. f. 2.
β *grandiflorus.* DC.	*large-flowered.*	——	——	——	H.4.	—— 1. f. 1.

	γ flore pleno.	*double-flowered.*	———	——	——	H. 4.	Corn. can. 95. ic.
25	chærophyllos. DC.	Chervil-leaved.	———	....	4. 6.	H. 4.	Barr. ic. t. 581.
	α vulgaris. DC.	*common.*	———	....	——	H. 4.	
	β gregarius. DC.	*villous.*	———	....	——	H. 4.	
26	fumariæfolius. DC.	Fumitory-leav^{d}.	.....	....	——	H. 4.	Desf.ic.pict.h.par.t.74.
27	oxyspermus. DC.	awned-seeded.	Tauria.	1822.	5.	H. 4.	
28	pedatus. DC.	pedate.	Hungary.	1806.	5. 6.	H. 4.	Pl. rar. hung. 2. t. 108.
29	illyricus. DC.	Illyrian.	Europe.	1596.	——	H. 4.	Jac. aust. t. 222.
30	monspeliacus. DC.	Montpelier.	Montpelier.	1816.	——	H. 4.	Swt. br. fl. gar. 94.
	α angustilobus. DC.	*narrow-lobed.*	———	....	——	H. 4.	Besl. eyst. 1. t. 13. f. 1.
	β cuneatus. DC.	*wedge-lobed.*	———	....	——	H. 4.	DC. ic. gall. rar. t. 50.
	γ rotundifolius. DC.	*round-leaved.*	———	....	——	H. 4.	
31	asiaticus. DC.	garden.	Levant.	1596.	——	H. 4.	Dard. trait. ren. 1. t. 6.
	α vulgaris. DC.	*common.*	———	——	——	H. 4.	Mill. ic. t. 216.
	β sanguineus. DC.	*Turban.*	———	——	——	H. 4.	Lob. ic. 672. f. 2.
	γ tenuilobus. DC.	*slender-lobed.*	———	——	——	H. 4.	Debr. flor. nov. t. 31.
32	creticus. DC.	Cretan.	Candia.	1659.	4. 5.	H. 4.	Clus. hist. 1. p. 239. f. 1.
33	Thora. DC.	kidney-leaved.	AlpsEurope.	1710.	5. 6.	H. 4.	Jac. aust. 5. t. 442.
34	scutatus. DC.	shield-leaved.	Hungary.	1822.	4. 5.	H. 4.	Pl. rar. hung. 2. t. 187.
35	hybridus. DC.	hybrid.	Austria.	——	6. 7.	H. 4.	Jac. obs. 1. t. 13?
36	auricomus. DC.	Goldilocks.	Britain.	....	3. 5.	H. 4.	Eng. bot. 624.
37	cassubicus. DC.	Cassubian.	Siberia.	1794.	6. 7.	H. 4.	Bot. mag. 2267.
38	abortivus. DC.	three-flowered.	N. Amer.	1713.	5. 8.	H. 4.	
39	sceleratus. DC.	Celery-leaved.	Britain.	....	——	H.w.⊙.	Eng. bot. 681.
40	hyberboreus. DC.	northern.	Siberia.	1822.	6. 8.	H. 4.	Flor. dan. t. 331.
41	nivalis. DC.	snowy.	Lapland.	1775.	——	H. 4.	Fl. lap. ed. 1. t. 8. f. 2.
42	montanus. DC.	mountain.	Austria.	——	——	H. 4.	Jac. aust. t. 325 et 6.
43	Villarsii. DC.	Villars's.	France.	....	5. 7.	H. 4.	Crantz. aust. 2. t. 4. f. 2?
44	Gouani. DC.	Gouan's.	Pyrenees.	1818.	——	H. 4.	Gouan ill. t. 17. f. 1. 2.
45	acris. DC.	upright.	Britain.	....	6. 7.	H. 4.	Eng. bot. 652.
	β flore pleno.	*double-flowered.*	———	....	——	H. 4.	Bot. mag. 215.
	γ sylvaticus. DC.	*wood.*	———	....	——	H. 4.	
	δ multifidus. DC.	*multifid.*	———	....	——	H. 4.	
46	polyanthemos. DC.	many-flowered.	N. Europe.	1596.	5. 6.	H. 4.	Cran. an. 2. t. 4. f. 1. s.
47	nemorosus. DC.	wood.	Switzerland.	1818.	5. 7.	H. 4.	
	α multiflorus. DC.	*numerous-flower'd*	———	——	——	H. 4.	
	β pauciflorus. DC.	*few-flowered.*	———	——	——	H. 4.	
	aureus. Schl. *villosus.* St. Am. fl. ag. 227.		bon. t. s.				
48	lanuginosus. DC.	woolly-leaved.	S. Europe.	1683.	6. 7.	H. 4.	Flor. dan. t. 397.
49	repens. DC.	creeping.	Britain.	....	5. 9.	H. 4.	Eng. bot. 516.
	β flore pleno.	*double-flowered.*	———	....	——	H. 4.	Tab. ic. 53. f. 1.
	γ glabratus. DC.	*shining-leaved.*	———	....	——	H.w. 4.	
50	lappaceus. DC.	New Holland.	N. S. W.	1822.	——	G. 4.	
51	pensylvanicus. DC. *canadensis.* Jac.	Pensylvanian.	N. Amer.	1785.	6. 7.	H. 4.	Jac. ic. 1. t. 105.
52	marylandicus. DC.	Maryland.	———	1811.	5. 7.	H. 4.	
53	tomentosus. DC.	tomentose.	———	1820.	——	H. 4.	
54	bulbosus. DC.	bulbous.	Britain.	....	4. 6.	H. 4.	Eng. bot. 515.
	β flore pleno.	*double-flowered.*	———	....	——	H. 4.	Lob. ic. 666. f. 2.
	γ bracteatus. Schl.	*bracted.*	Pyrenees.	....	——	H. 4.	
55	hirsutus. H.K.	pale hairy.	Britain.	....	6. 10.	H.⊙.	Eng. bot. 1504.
56	parvulus. Sm.	little upright.	England.	....	——	H.⊙.	Col. ecphr. t. 316.
57	arvensis. DC.	corn.	Britain.	....	——	H.⊙.	Eng. bot. 135.
58	muricatus. DC.	prickly seeded.	S. Europe.	1683.	7. 8.	H.⊙.	Lam. ill. t. 498.
59	echinatus. Ph.	American.	N. Amer.	....	6. 7.	H.⊙.	Vent. cels. t. 73.
60	parviflorus. DC.	small-flowered.	England.	....	5. 6.	H.⊙.	Eng. bot. 120.
61	sessiliflorus. DC.	sessile-flowered	N. S. W.	1822.	——	H.⊙.	
FICARIA. DC.		PILEWORT.	Polyandria Polygynia. L.				
	ranunculoides. DC. *verna.* P. S.	vernal. *Ranunculus Ficaria.* W.	Britain.	....	3. 5.	H. 4.	Eng. bot. 584.
	β flore pleno.	*double-flowered.*	———	....	——	H. 4.	

Tribus IV. *HELLEBOREÆ.*

CALTHA. DC.	**Marsh-Marygold. Polyandria Polygynia. L.**						
1 palustris. DC.	common.	Britain.	....	3. 5.	H.w.4.	Eng. bot. 506.
β *flore-pleno.*	*double-flowered.*	———	....	——	H.w.4.	Tab. ic. 751. f. 1.
2 minor. Mill.	small.	———	....	——	H.w.4.	——— 750. f. 2.
3 radicans. DC.	creeping.	Scotland.	....	——	H.w.4.	Linn. trans. 8. t. 17.
4 flabellifolia. DC.	fan-leaved.	N. Amer.	1818.	7. 8.	H.w.4.	
5 natans. DC.	floating.	Siberia.	1823.	4. 5.	H.w.4.	Gmel. sib. 4. t. 82.
TROLLIUS. DC.	**Globe-flower. Polyandria Polygynia. L.**					
1 europæus. DC.	European.	Britain.	....	5. 6.	H.4.	Eng. bot. t. 28.
α *altissimus.*	*tall.*	———	....	——	H.4.	
β *humilis.* DC.	*dwarf.*	———	....	——	H.4.	
2 napellifolius. DC.	intermediate.	.....	....	——	H.4.	
3 caucasicus. DC.	Caucasean.	Caucasus.	....	——	H.4.	
4 asiaticus. DC.	Asiatic.	Siberia.	1759.	——	H.4.	Bot. mag. 235.
5 americanus. DC.	American.	N. Amer.	1805.	5. 7.	H.4.	——— 1988.
luxus. Ph. *Gaissenia verna.* Raf.						
ERANTHIS. DC.	**Winter-Aconite. Polyandria Polygynia. L.**					
1 hyemalis. DC.	common.	Europe.	1596.	1. 3.	H.4.	Bot. mag. 3.
2 sibirica. DC.	Siberian.	Siberia.	1824.	....	H.4.	
HELLEBORUS. DC.	**Hellebore. Polyandria Polygynia. L.**					
1 niger. DC.	Christmas-Rose.	Europe.	1596.	1. 3.	H.4.	
α *latifolius.*	*broad-leaved.*	———	——	——	H.4.	Bot. mag. 8.
β *angustifolius.*	*narrow-leaved.*	———	——	——	H.4.	
2 purpurascens.	purplish.	Hungary.	1817.	3. 4.	H.4.	Pl. rar. hung. 2. t. 101.
3 odorus. DC.	sweet-scented.	———	——	——	H.4.	
4 viridis. DC.	green-flowered.	Britain.	....	4. 6.	H.4.	Eng. bot. 200.
5 atrorubens. DC.	dark-red.	Hungary.	1822.	1. 3.	H.4.	Pl. rar. hung. 3. t. 271.
6 dumetorum. DC.	bush.	———	1817.	3. 4.	H.4.	Swt. br. fl. gar. 109.
7 fœtidus. DC.	Bear's-foot.	England.	....	2. 4.	H.4.	Eng. bot. 613.
8 lividus. DC.	three-leaved.	Corsica.	1710.	1. 5.	H.4.	Bot. mag. 72.
β *integrilobus.* DC.	*entire-lobed.*	———	——	——	H.4.	
COPTIS. DC.	**Coptis. Polyandria Polygynia. L.**					
trifolia. DC.	three-leaved.	N. Amer.	1783.	6. 7.	H.4.	Big. med. bot. 1. t. 5.
ISOPYRUM. DC.	**Isopyrum. Polyandria Polygynia. L.**					
1 thalictroides. DC.	Meadow-Rue-l^d.	Italy.	1759.	3. 4.	H.4.	Jac. anst. 2. t. 105.
2 fumarioides. DC.	Fumitory-l^d.	Siberia.	1741.	6. 7.	H.⊙.	Schkuhr hand. 2. t. 153.
3 grandiflorum. F.	large-flowered.	Altay.	1804.	——	H.4.	
GARIDELLA. DC.	**Garidella. Decandria Trigynia. L.**					
Nigellastrum. DC.	Nigella-leaved.	S. Europe.	1736.	6. 7.	H.⊙.	Bot. mag. 1266.
NIGELLA. DC.	**Fennel-flower. Polyandria Pentagynia. L.**					
1 corniculata. DC.	horned.	.....	1822.	6. 9.	H.⊙.	
2 orientalis. DC.	yellow.	Syria.	1699.	——	H.⊙.	Bot. mag. 1264.
3 hispanica. DC.	Spanish.	Spain.	1629.	——	H.⊙.	——— 1265.
4 arvensis. DC.	field.	Europe.	1683.	——	H.⊙.	Bull. herb. t. 126.
5 sativa. DC.	small.	Egypt.	1548.	——	H.⊙.	Flor. græc. t. 511.
β *cretica.* DC.	*Cretan.*	Crete.	——	——	H.⊙.	Math. com. 581. f. IV.
γ *citrina.* DC.	*yellow-seeded.*	.....	——	——	H.⊙.	Lob. ic. 741. f. 1.
6 damascena. DC.	common.	S. Europe.	1570.	——	H.⊙.	Bot. mag. 22.
β *flore-pleno.*	*double-flowered.*	———	——	——	H.⊙.	Clus. hist. 2. p. 208. f. 1.
7 coarctata. DC.	dwarf.	.....	1793.	——	H.⊙.	
AQUILEGIA. DC.	**Columbine. Polyandria Pentagynia. L.**					
1 vulgaris. DC.	common.	Britain.	....	5. 7.	H.4.	Eng. bot. 297.
β *corniculata.* DC.	*downward-spur'd*	.....	....	——	H.4.	Barr. ic. 614. 615. 616. &c.
γ *inversa.* DC.	*upward-spurred.*	.....	....	——	H.4.	——— 613.
δ *stellata.* DC.	*starry.*	.....	....	——	H.4.	——— 619. 620. &c.
ε *degener.* DC.	*green-flowered.*	.....	....	——	H.4.	——— 608.
2 viscosa. DC.	clammy.	S. Europe.	1752.	5. 6.	H.4.	Gou. ill. t. 19.
3 sibirica. DC.	Siberian.	Siberia.	....	——	H.4.	Deles. ic. sel. 1. t. 47.
4 glandulosa. F.	glandulous.	Altay.	1821.	——	H.4.	
5 alpina. DC.	Alpine.	Switzerland.	1731.	——	H.4.	Deles. ic. sel. 1. t. 48.
6 pyrenaica. DC.	Pyrenean.	Pyrenees.	1821.	——	H.4.	Trev. delph. 23. t. 2.
7 canadensis. DC.	Canadian.	N. Amer.	1640.	4. 5.	H.4.	Bot. mag. 246.

8 formosa. F.	handsome.	Kamtschatka	1824.	——	H.4.		
9 viridiflora. DC.	green-flowered.	Siberia.	1780.	5. 6.	H.4.	Jac. ic. 1. t. 102.	
10 atropurpurea. DC.	dark-purple.	———	....	5. 6.	H 4.		
11 hybrida. DC.	hybrid.	.....	....	——	H.4.	Bot. mag. 1221.	
DELPHINIUM. DC.	LARKSPUR.	Polyandria Trigynia. L.					
1 Ajacis. DC.	Rocket.	Tauria.	1573.	6. 9.	H.⊙.	Sprengeh.1.t.24.f.1-5	
β flore-pleno.	double-flowered.	———	——	——	H.⊙.	Clus. hist. 2. f. 2.	
2 Consolida. DC.	field.	England.	....	——	H.⊙.	Eng. bot. 1839.	
β flore-pleno.	double-flowered.	———	....	——	H.⊙.	Besl. eyst. 2. t. 14. f. 1.	
3 pubescens. DC.	pubescent.	S. France.	....	——	H.⊙.	Flor. græc. t. 504.	
4 Aconiti. DC.	Aconite-like.	Levant.	1801.	——	H.⊙.	Vahl symb. 1. 40. t. 13.	
5 junceum. DC.	Rush-like.	———	1629.	——	H.⊙.	Flor. græc. t. 506.	
peregrinum. Lin. non Lam.							
6 cardiopetalum. DC.	heart-petaled.	Pyrenees.	1822.	——	H.⊙.	Math. com. 557. ic.	
peregrinum. Lam. non Lin.							
7 ambiguum. DC.	doubtful.	Barbary.	1759.	7. 9.	H.⊙.		
8 grandiflorum. DC.	great-flowered.	Siberia.	1741.	6. 9.	H.4.	Bot. mag. 1686.	
β chinense. F.	Chinese.	China.	1816.	——	H.4.	Bot. reg. 472.	
γ album.	white-flowered.	———	——	——	H.4.		
δ flore pleno.	double-flowered.	Siberia.	1741.	——	H.4.		
9 cheilanthum. DC.	hairy-leaved.	Dahuria.	1820.	——	H.4.	Bot. reg. 473.	
10 puniceum. DC.	dark-purple.	Tartary.	1785.	7. 9.	H.4.		
11 ochroleucum. DC.	sulphur-coloured.	Iberia.	1817.	——	H.4.		
12 hybridum. DC.	hairy.	Siberia.	1794.	6. 9.	H.4.		
13 fissum. P.S.	cloven.	Hungary.	1816.	——	H.4.	Pl. rar. hung. 1. t. 81.	
14 velutinum. DC.	velvetty.	Italy.	1824.	——	H.4.		
15 pentagynum. DC.	five-styled.	Portugal.	1820.	——	H.4.	Pict. hort. par. t. 30.	
16 elegans. DC.	elegant.	N. Amer.?	1824.	——	H.4.		
17 tricorne. DC.	three-horned.	N. Amer.	1806.	4. 6.	H.4.	Lodd. bot. cab. 306.	
18 amœnum. DC.	pretty.	Siberia.	....	——	H.4.	Gmel. sib. 4. t. 77.	
19 azureum. DC.	azure.	Carolina.	1805.	5. 7.	H.4.		
20 exaltatum. DC.	tall.	N. Amer.	1758.	7. 8.	H.4.	Mill. ic. t. 250. f. 2?	
21 urceolatum. DC.	hollow-leaved.	———	1806.	6. 7.	H.4.	Jac. ic. 1. t. 101.	
22 revolutum. DC.	revolute.	....	....	7. 9.	H.4.		
23 palmatifidum. DC.	palmate.	Siberia.	....	6. 9.	H.4.		
α hispidum. DC.	hispid.	———	....	——	H.4.	Gmel. sib. 4. t. 79?	
β glabellum. DC.	smooth.	———	....	——	H.4.	——— 4. t. 75?	
24 intermedium. DC.	intermediate.	Europe.	1710.	7. 8.	H.4.		
α pilosissimum. DC.	villous.	———	....	——	H.4.	Gmel. sib. 4. t. 80?	
β alpinum. DC.	Alpine.	———	....	——	H.4.	Pl. rar. hung. 3. t. 246.	
γ leptostachyum. DC.	slender-spiked.	———	....	——	H.4.		
δ ranunculifolium. DC.	Ranunculus-lf.	———	....	——	H.4.		
ε laxum. DC.	loose-flowered.	———	....	——	H.4.	Mill. ic. t. 119?	
25 mesoleucum. L.en.	notched-lipped.	.....	....	——	H.4.		
26 cuneatum. DC.	wedge-leaved.	Siberia.	1815.	——	H.4.	Bot. reg. 327.	
27 villosum. DC.	villous.	.....	1819.	——	H.4.		
28 dyctiocarpum. DC.	netted-capsuled.	Siberia.	——	——	H.4.		
29 laxiflorum. DC.	loose-flowered.	———	——	6. 8.	H.4.		
30 montanum. DC.	mountain.	Pyrenees.	——	——	H.4.		
β bracteosum. DC.	large-bracted.	Switzerland	——	——	H.4.		
31 dasycarpum. DC.	thick-capsuled.	Caucasus.	1824.	——	H.4.		
32 speciosum. DC.	large-flowered.	Caucasus.	1822.	8. 10.	H.4.	Gmel. sib. 4. t. 79.	
33 flexuosum. DC.	flexuose.	———	1817.	7. 9.	H.4.	Trev. delph. t. 1. et 2.	
34 triste, DC.	dark-flowered.	Siberia.	1822.	——	H.4.		
35 Requienii. DC.	Requien's.	S. Europe.	1819.	6. 7.	F.♂.	Deles. ic. sel. 1. t. 68.	
36 pictum. DC.	painted.	———	1816.	——	F.♂.	Woodv.med.bot. t.154.	
37 Staphysagria. DC.	Stavesacre.	———	1596.	5. 6.	F.♂.	Flor. græc. t. 508.	
ACONITUM. DC.	MONKSHOOD.	Polyandria Trigynia. L.					
1 Anthora. L.	wholesome.	Pyrenees.	1596.	6. 8.	H.4.		
2 Pallasii. R.U.	Pallas's.	Caucasus.	1824.	——	H.4.	Rch. ac. 72. t. 6. f. A. B.	
3 Jacquini. R.U.	Jacquin's.	Austria.	....	——	H.4.	Jac. aust. t. 262.	
4 inclinatum. DC.	inclined.	Jurasso.	....	——	H.4.	Ser. m. helv. 1. t. 15. f. 2.	
anthoroideum. R.U.	ac. t. 4. non. DC.						
5 eulophum. R.U.	eatable.	Caucasus.	1824.	——	H.4.	Rch. ac. 69. t. 5.	
anthoroideum. DC.							
6 lycoctonum. L.	great-yellow.	Alps.	1596.	7. 8.	H.4.		
7 pyrenaicum. DC.	Pyrenean.	Pyrenees.	1739.	6. 7.	H.4.		
8 tragoctonum. R.U.	Goat's-bane.	Alps.	....	——	H.4.		
9 theriophonum. R.U.	Park-bane.	———	....	——	H.4.		

10	lupicida. R.U.	Wolf's-bane.	Switzerland.	1824.	——	H.¾.	
11	thelyphonum. R.U.	Elwert's.	Alps.	——	——	H.¾.	
12	Vulparia. R.U.	Fox-bane.	———	——	——	H.¾.	Jac. aust. 4. t. 350.
13	altissimum. R.U.	tallest.	France.	....	——	H.¾.	
14	rectum. R.U.	upright.	———	1824.	——	H.¾.	
15	cynoctonum. R.U.	Dogs-bane.	———	——	——	H.¾.	
16	laxiflorum. R.U.	loose-flowered.	Switzerland.	——	——	H.¾.	
17	rubicundum. F.	rubicund.	Russia.	1822.	6. 8.	H.¾.	
18	australe. R.U.	Carpathian.	Carp.mount.	1815.	——	H.¾.	Bot. mag. 2196.
	septentrionale. β *carpathicum.* B.M.						
19	septentrionale. W.	northern.	N. Europe.	1800.	7. 8.	H.¾.	Flor. dan. t. 128.
20	ochroleucum. DC.	pale-white.	Caucasus.	1794.	6. 9.	H.¾.	
21	album. H.K.	white.	Levant.	1752.	7. 8.	H.¾.	
22	barbatum. DC.	bearded.	Siberia.	1807.	6. 7.	H.¾.	Deles. ic. sel. 1. t. 64.
23	Gmelini. R.U.	Gmelin's.	———	....	——	H.¾.	
24	variegatum. DC.	variegated.	S. Europe.	1597.	6. 8.	H.¾.	Ser. m. 1. t.15. f.12.13.
25	hamatum. R.U.	hooked.	———	1804.	——	H.¾.	
26	rhynchanthum. R.U.	beaked.	Italy.	——	——	H.¾.	
	β *bicolor.* R.U.	*two-coloured.*	———	——	——	H.¾.	
27	Cammarum. Jac.	purple.	Austria.	1752.	6. 7.	H.¾.	Jac. aust. 5. t. 424.
28	gibbosum. DC.	gouty.	Caucasus.	1823.	——	H.¾.	Ser. m. 1. t.15. f.14.15.
29	rostratum. DC.	rostrate.	Switzerland.	....	——	H.¾.	Lodd. b. cab. 208.
30	gracile. R.U.	slender.	———	1824.	——	H.¾.	
31	hebegynum. DC.	downy-capsul'd.	———	....	——	H.¾.	Ser. m. 1. t.15. f.18.19.
32	paniculatum. DC.	panicled.	———	....	——	H.¾.	—— 1. t. 15. f. 20. 21.
33	cernuum. R.U.	drooping.	Ratisbon.	1824.	——	H.¾.	
34	acuminatum. R.U.	acuminate.	Switzerland.	——	——	H.¾.	
35	Stœrkianum. R.U.	Stoerk's.	———	——	——	H.¾.	Stor.lib.de stram.69. ic.
36	molle. R.U.	soft.	Alps.	1824.	6. 7.	H.¾.	Ser. m. 1. t.15. f.35.36.
37	Clusii. R.U.	Clusius's.	Ratisbon.	....	——	H.¾.	Clus. hist. 2. f. 1.
38	japonicum. Th.	Japan.	Japan.	1790.	6. 9.	H.¾.	Ser. m. 1. t.15. f.22.23.
39	uncinatum. L.	American.	N. Amer.	1768.	7. 8.	H.¾.	
	β *Michauxianum.* DC.	*Michaux's.*	———	——	7. 8.	H.¾.	Bot. mag. 1119.
40	speciosum. DC.	specious.	.....	1804.	——	H.¾.	Ser. m. 1. t.15. f.26.27.
41	tortuosum. DC.	twisted.	.....	1812.	——	H.¾.	—— t. 15. f. 28. 29.
42	illinitum. R.U.	besmeared.	Switzerland.	1823.	——	H.¾.	
43	volubile. W.	twining.	Siberia.	1799.	——	H.¾.	
44	flaccidum. R.U.	flaccid.	———	....	——	H.¾.	Deles. ic. sel. 1. t. 65.
	ciliare β *polytrichum.* DC.						
45	maximum. DC.	large.	Kamtschatka	1823.	——	H.¾.	Ser. m. 1. t.15. f.31. 32.
46	productum. R.U.	long-lipped.	Siberia.	1824.	——	H.¾.	—— t. 15. f. 33. 34.
47	exaltatum. DC.	high.	.....	——	——	H.¾.	—— t. 15. f. 37. 38.
48	Napellus. L.	common.	Europe.	....	5. 7.	H.¾.	—— t. 15. f. 41. 42.
49	tauricum. R.U.	Taurian.	Tauria.	1752.	6. 7.	H.¾.	Rch. ac. t. 12. f. 2. 3.
50	Kœlleanum. R.U.	Kœlle's.	.....	....	——	H.¾.	—— t. 11. f. 1.
51	Braunii. R.U.	Braune's.	Switzerland.	1824.	——	H.¾.	
52	commutatum. R.U.	changeable.	Siberia.	——	——	H.¾.	Rch. ac. t. 18. f. 3.
53	callybotryon. R.U.	long-spiked.	Moravia.	——	——	H ¾.	—— t. 16. f. 1.
54	Halleri. R.U.	Haller's.	Switzerland.	——	——	H.¾.	
	β *bicolor.* R.U.	*two-coloured.*	———	——	——	H.¾.	
55	virgatum. R.U.	weak.	.....	——	——	H.¾.	
56	eriostemum. DC.	woolly-stamen'd	.....	——	6. 9.	H.¾.	
57	amœnum. R.U.	delightful.	.....	——	——	H.¾.	Rch. ac. t. 14. f. 1.
58	Hoppii. R.U.	Hoppe's.	Carinthia.	——	——	H.¾.	
59	semigaleatum. R.U.	half-helmeted.	Kamtschatka	——	——	H.¾.	Rch. ac. 77. t. 8.
60	formosum. R.U.	handsome.	.....	——	——	H.¾.	—— t. 18. f. 2.
61	venustum. R.U.	beautiful.	Switzerland.	1823.	——	H.¾.	
62	meloctonum. R.U.	Badger-bane.	.....	——	——	H.¾.	
63	elatum. R.U.	tall.	Europe.	....	——	H.¾.	
64	neubergense. DC.	Styrian.	Styria.	....	——	H.¾.	
65	strictum. DC.	straight.	Siberia.	....	——	H.¾.	Rch. ac. t. 15. f. 1.
66	Sprengelii. R.U.	Sprengel's.	.....	1823.	——	H.¾.	
67	Bernhardianum. R.U.	Bernhard's.	.....	——	——	H.¾.	
68	Schleicheri. R.U.	Schleicher's.	Switzerland.	——	——	H.¾.	
69	amplifiorum. R.U.	large-flowered.	Austria.	——	——	H.¾.	
70	pyramidale. M.	pyramidal.	Europe.	1596.	——	H.¾.	
71	versicolor. R.U.	various-coloured.	Switzerland.	1823.	——	H.¾.	Lodd. bot. cab. 794.
72	decorum. R.U.	neat.	Pyrenees.	1823.	6. 8.	H.¾.	
73	recognitum. R.U.	recognised.	N. Amer.?	1812.	——	H.¾.	

74 Ottonianum. R. U.	Otto's.	.....	1823.	——	H. 4.	
75 leucanthum. R. U.	white-flowered.	.....	....	——	H. 4.	
76 squarrosum. DC.	squarrose.	Siberia	1823.	——	H. 4.	
77 galectonum. R. U.	Lizards-bane.	Hungary	——	——	H. 4.	
78 delphinifolium. DC.	Larkspur-leav'd	N. Amer.	1812.	——	H. 4.	Rch. ac. t. 9. f. 1. 2. 3.
79 autumnale. R. U.	autumnal.	.....	1823.	8. 10.	H. 4.	—— t. 17. f. 2.
80 laxum. R. U.	loose.	.....	——	7. 9.	H. 4.	—— t. 15. f. 4.
81 lætum. R. U.	great-flowered.	.....	——	6. 8.	H. 4.	—— t. 13. f. 2.
82 rubellum.	red-flowered.	Switzerland.	——	——	H. 4.	
Napellus floribus rubellis. Sch.						
83 biflorum. DC.	two-flowered.	Siberia.	1824.	....	H. 4.	Ser. m. t. 15. f. 45. 46.
84 eminens. Koch.	eminent.	.....	1822.	6. 8.	H. 4.	
85 inunctum. Koch.	anointed.	.....	——	——	H. 4.	
86 laciniosum. Sch.	jagged.	Switzerland.	——	——	H. 4.	
87 Willdenowii. R. U.	Willdenow's.	.....	1823.	——	H. 4.	

Tribus V. *PÆONIACEÆ. DC. prodr.* 1. 64.

CIMICIFUGA. L.	Bug-wort.	Polyandria Pentagynia. L.				
1 fœtida. W.	stinking.	Siberia.	1777.	6. 7.	H. 4.	Linn. amœn. ac. 8. t. 4.
2 podocarpa.	American.	Carolina.	1822.	8. 9.	H. 4.	
americana. M.	*Actæa podocarpa.* DC.					
3 palmata. Ph.	palmated.	——	1812.	7. 8.	H. 4.	Bot. mag. 1630.
4 cordifolia. Ph.	heart-leaved.	——	——	6. 7.	H. 4.	—— 2069.
MACROTYS. Raf.	Snakeroot.	Polyandria Monogynia. L.				
racemosa.	black.	N. Amer.	1732.	6. 7.	H. 4.	Dill. elth. 79. t. 67. f. 78.
Actæa racemosa. W.	*Cimicifuga serpentaria.* Ph.					
ACTÆA. Ph.	Bane-Berries.	Polyandria Monogynia. L.				
1 spicata. DC.	common.	Britain.	....	4. 6.	H. 4.	Eng. bot. 918.
2 rubra. W.en.	red-berried.	N. Amer.	....	——	H. 4.	
brachypetala. β *rubra.* DC.						
3 alba. Mill.	white-berried.	——	....	——	H. 4.	Corn. canad. t. 77.
brachypetala. α *alba.* DC.						
XANTHORHIZA. DC.	Yellow-root.	Pentandria Polygynia. L.				
apiifolia. DC.	Parsley-leav'd.	N. Amer.	1760.	2. 4.	H. h.	Bot. mag. 1736.
PÆONIA. DC.	Pæony.	Polyandria Digynia. L.				
1 Moutan. H. K.	Chinese-tree.	China.	1789.	4. 6.	H. h.	
α *papaveracea.* L. T.	*Poppy-flowered.*	——	1806.	——	H. h.	Bot. rep. 463.
β *Banksii.* L. T.	*common.*	——	1789.	——	H. h.	—— 448.
γ *rosea.* L. T.	*rose-coloured.*	——	1794.	——	H. h.	—— 373.
2 edulis. P. L.	eatable-rooted.	.....	....	5. 6.	H. 4.	
albiflora. L. T.						
α *vestalis.* L. T.	*virgin.*	Siberia.	1784.	——	H. 4.	Bot. rep. 64.
β *candida.* L. T.	*pale-flowered.*	——	....	——	H. 4.	
γ *tatarica.* L. T.	*Tartarian.*	Tartary.	....	——	H. 4.	Bot. reg. 42.
δ *sibirica.* L. T.	*Siberian.*	Siberia.	....	——	H. 4.	
ε *rubescens.* L. T.	*pale-red.*	.....	....	——	H. 4.	
ζ *uniflora.* L. T.	*one-flowered.*	.....	....	——	H. 4.	Bot. mag. 1756.
η *Whitleji.* L. T.	*double-white.*	China.	1808.	6. 7.	H. 4.	Bot. reg. 630.
ϑ *Humei.* L. T.	*double-crimson.*	——	1810.	——	H. 4.	Bot. mag. 1768.
ι *fragrans.* L. T.	*Rose-scented.*	——	1805.	——	H. 4.	Bot. reg. 485.
3 anomala. L. T.	jagged-leaved.	Siberia.	1788.	5. 6.	H. 4.	Bot. mag. 1754.
laciniata. Pall. ross. 2. t. 88.						
4 hybrida. DC.	intermediate.	Caucasus.	1822.	...	H. 4.	
5 tenuifolia. L. T.	slender-leaved.	Siberia.	1765.	5. 6.	H. 4.	Bot. mag. 926.
6 officinalis. L. T.	officinal.	Europe.	1548.	5. 6.	H. 4.	
α *Sabini.* L. T.	*Sabine's.*	——	....	——	H. 4.	Bot. mag. 1784.
β *rosea.* L. T.	*rose-coloured.*	——	....	——	H. 4.	
γ *blanda.* L. T.	*blush-flowered.*	——	....	——	H. 4.	
δ *rubra.* L. T.	*double-red.*	——	....	——	H. 4.	Lob. ic. 684.
ε *carnescens.* L. T.	*flesh-coloured.*	——	....	——	H. 4.	
ζ *albicans.* L. T.	*double-blush.*	——	....	——	H. 4.	Park. par. f. 4.
7 corallina. L. T.	English.	England.	....	——	H. 4.	Eng. bot. 1513.
8 daurica. L. T.	Daurian.	Dauria.	1790.	——	H. 4.	Bot. mag. 1441.
triternata. DC. *prodr.*						

9 lobata. DC.	lobed-leaved.	Portugal.	1821.	——	H. 4.	Swt. br. fl. gar. 70.
10 Russi. DC.	crimson.	Sicily.	....	——	H. 4.	
11 pubens. B. M.	pubescent.	.....	1821.	——	H. 4.	Bot. mag. 2264.
12 humilis. L. T.	dwarf.	Spain.	1683.	5.	H. 4.	—— 1422.
13 decora. L. T.	comely.	Turkey.	....	——	H. 4.	
α *Pallasii.* L. T.	*Pallas's.*	.....	....	——	H. 4.	
β *elatior.* L. T.	*tall.*	.....	....	——	H. 4.	
14 arietina. L. T.	rams-horned.	.....	....	——	H. 4.	
15 cretica. B. R.	Cretan.	Crete.	....	——	H. 4.	Bot. reg. 819.
16 peregrina. L. T.	Turkish.	Levant.	1588.	5. 6.	H. 4.	
α *byzantina.* L. T.	*Levant.*	——	....	——	H. 4.	Bot. mag. 1050.
β *compacta.* L. T.	*compact.*	France?	....	——	H. 4.	
γ *Grevillii.* L. T.	*Greville's.*	.....	....	——	H. 4.	
17 paradoxa. L. T.	paradoxical.	Levant.	....	——	H. 4.	
α *simpliciflora.* L. T.	*single-flowered.*	——	....	——	H. 4.	
β *fimbriata.* L. T.	*double-flowered.*	——	....	——	H. 4.	Swt. br. fl. gar. 19.
18 mollis. L. T.	soft-leaved.	Siberia?	....	——	H. 4.	Bot. reg. 474.
19 villosa.	villous.	.....	1822.	——	H. 4.	

ORDO II.

DILLENIACEÆ. *DC. syst. nat.* 1. *p.* 395.

Tribus I. *DELIMACEÆ.* DC.

TETRACERA. DC.	TETRACERA.	Polygamia Diœcia.					
1 volubilis. DC.	climbing.	Barbadoes.	....	....	S. h.		Pluk. alm. 48. t. 146. f. 1.
2 alnifolia. DC.	Alder-leaved.	SierraLeone.	1822.	....	S. h.		
3 potatoria. Aft.	water-bearing.	——	——	....	S. h.		
DOLIOCARPUS. DC.	DOLIOCARPUS.	Polyandria Monogynia.					
1 Calinea. DC.	climbing.	Guiana.	1822.	....	S. h.		Aub. Guian. 1. t. 221.
Tetracera calinea. W.	*Calinea scandens.* Aub.						
DELIMA. DC.	DELIMA.	Polyandria Monogynia.					
sarmentosa. DC.	sarmentose.	Ceylon.	1822.	....	S. h.		Lam. ill. t. 475.
Tetracera sarmentosa. W.							
CURATELLA. DC.	CURATELLA.	Polyandria Digynia.					
americana. DC.	American.	Guiana.	....	....	S. h.		Aub. guian. 1. t. 232.

Tribus II. *DILLENEÆ.* DC.

PLEURANDRA. DC.	PLEURANDRA.	Polyandria Monogynia.					
1 bracteata. DC.	elegant.	N. S. W.	1822.	....	G. h.		
2 nitida. DC.	shining.	N. S. W.	——	....	G. h.		
3 acicularis. DC.	needle-leaved.	——	——	....	G. h.		
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.					
1 grossulariæfolia. DC.	Gooseberry-ld.	N. Holl.	1803.	3. 8.	G. h.		Bot. mag. 1218.
crenata. A. R.							
2 volubilis. DC.	twining.	N. S. W.	1796.	5. 10.	G. h.		Bot. rep. t. 126.
3 dentata. DC.	tooth-leaved.	N. Holl.	1814.	1. 8.	G. h.		Bot. reg. 283.
4 virgata. DC.	twiggy.	N. S. W.	1822.	....	G. h.		
5 linearis. DC.	linear-leaved.	——	——	....	G. h.		
6 pedunculata. DC.	long-pedicled.	——	——	....	G. h.		
WORMIA. DC.	WORMIA.	Polyandria Pentagynia.					
dentata. DC.	tooth-leaved.	Ceylon.	1821.	....	S. h.		Thunb. linn. tr. 1. t. 20.
Dillenia dentata. W.							
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.					
coromandeliana. DC.	Coromandel.	E. Ind.	1803.	....	S. h.		Roxb. cor. 1. t. 20.
Dillenia pentagynia. W.							
DILLENIA. DC.	DILLENIA.	Polyandria Monogynia. L.					
speciosa. DC.	large-flowered.	E. Ind.	1800.	....	S. h.		Exot. bot. t. 2. 3.

ORDO III.

WINTEREÆ. *Brown.*

ILLICIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.					
1 floridanum. DC.	red-flowered.	Florida.	1766.	4. 6.	F. h.	Bot. mag. 439.
2 anisatum. DC.	Chinese.	China.	....	——	F. h.	Lam. ill. t. 493. f. 2.
3 parviflorum. DC.	small-flowered.	Florida.	1790.	——	F. h.	Vent. cels. t. 22.

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v.* 1. *p.* 439.

MICHELIA. DC.	MICHELIA.	Polyandria Polygynia. L.				
Champaca. DC.	sweet-scented.	E. Ind.	1779.	....	S. h.	Lam. ill. t. 493.
MAGNOLIA. DC.	MAGNOLIA.	Polyandria Polygynia. L.				
1 grandiflora. DC.	Laurel-leaved.	Carolina.	1734.	6. 10.	H. h.	
α rotundifolia.	*round-leaved.*	———	....	——	H. h.	
β obovata. H. K.	*obovate-leaved.*	———	....	——	H. h.	
γ elliptica. H. K.	*elliptic-leaved.*	———	....	——	H. h.	Mill. ic. v. 2. t. 172.
δ ferruginea. B. M.	*ferruginous.*	———	....	——	H. h.	Tr. Eh. p. 8. t. 33-35.
ε lanceolata. H. K.	*Exmouth.*	———	....	——	H. h.	Bot. mag. 1952.
2 glauca. DC.	glaucous-leav'd.	N. Amer.	1688.	6. 9.	H. h.	Mich. arb. t. 2.
3 longifolia.	narrow-leaved.	———	....	——	H. h.	
glauca β longifolia. Ph.						
4 Thompsoniana.	hybrid.	Hybrid.	1818.	——	H. h.	
5 tripetala. W.	Umbrella.	N. Amer.	1752.	5. 6.	H. h.	Mich. arb. t. 5.
6 acuminata. DC.	bluish-flower'd.	———	1736.	5. 7.	H. h.	Bot. mag. 2427.
7 auriculata. DC.	ear-leaved.	———	1786.	4. 5.	H. h.	——— 1206.
8 pyramidata. DC.	small ear-l'd.	———	1811.	——	H. h.	Bot. reg. 407.
9 macrophylla. DC.	large-leaved.	———	1800.	6. 7.	H. h.	Bot. mag. 2189.
10 cordata. DC.	heart-leaved.	———	1801.	——	H. h.	Bot. reg. 325.
11 conspicua. P. L.	Youlan.	China.	1789.	2. 5.	H. h.	Bot. mag. 1621.
Yulan. DC.						
12 Kobus. DC.	slender.	———	1804.	3. 4.	H. h.	Par. lond. 87.
tomentosa. W. *gracilis.* P. L.						
13 obovata. DC.	obovate-leaved.	———	1790.	4. 6.	H. h.	Bot. mag. 390.
purpurea. B. M. *discolor.* Vt.						
14 fuscata. DC.	brown-stalked.	———	1789.	——	H. h.	——— 1006.
15 annonæfolia. P. L.	small-flowered.	———	1804.	——	G. h.	Par. lond. 5.
16 pumila. DC.	dwarf.	———	1786.	1. 12.	G. h.	Bot. mag. 977.
LIRIODENDRON. W.	TULIP-TREE.	Polyandria Polygynia. L.				
tulipifera. W.	common.	N. Amer.	1663.	6. 7.	H. h.	Bot. mag. 275.
α acutiloba. M.	*acute-lobed.*	———	———	——	H. h.	
β obtusiloba. M.	*blunt-lobed.*	———	....	——	H. h.	

ORDO V.

ANONACEÆ. *DC. syst. nat.* 1. *p.* 463.

ANONA. DC.	CUSTARD-APPLE.	Polyandria Polygynia. L.				
1 muricata. DC.	Soursop.	W. Ind.	1656.	....	S. h.	Jacq. obs. 1. t. 5.
2 palustris. DC.	shining-leaved.	———	1731.	....	S. h.	Sloan. hist. 2. t. 228. f. 1.
3 longifolia. DC.	long-leaved.	Guiana.	1820.	....	S. h.	Aub. gui. 1. t. 248.
4 punctata. DC.	spotted-fruited.	Cayenne.	1822.	....	S. h.	——— 1. t. 247.
5 paludosa. DC.	marsh.	Guiana.	1803.	....	S. h.	——— 1. t. 246.
6 squamosa. DC.	Sweetsop.	S. Amer.	1731.	....	S. h.	Jac. obs. 1. t. 6. f. 1.
7 cinerea. DC.	cinereous.	St. Thomas.	1823.	....	S. h.	
8 Cherimolia. DC.	Cherimolli.	S. Amer.	1739.	7. 8.	S. h.	Bot. mag. 2011.
tripetala. W.						

9 reticulata. DC.	netted.	———	1690.	....	S. ħ.	Cates. car. 2. t. 86.
10 mucosa. DC.	narrow-leaved.	Guiana.	....	...	S. ħ.	Rumph. amb. 1. t. 45.
11 glabra. DC.	smooth-fruited.	Carolina.	1774.	7. 8.	S. ħ.	Cates. car. 2. t. 64.
12 asiatica. DC.	Ceylon.	Ceylon.	....	....	S. ħ.	
13 senegalensis. DC.	Senegal.	Senegal.	1822.	....	S. ħ.	Deles. ic. sel. 1. t. 86.
MONODORA. DC.	MONODORA. Polyandria Monogynia.					
myristica. DC.	Nutmeg.	Jamaica.	....	....	S. ħ.	Gært. fr. 2. t. 125. f. 1.
ASIMINA. DC.	ASIMINA. Polyandria Polygynia.					
1 parviflora. DC.	small-flowered.	N. Amer.	1806.	4. 5.	H. ħ.	Dun. mon. t. 9.
2 triloba. DC.	trifid-fruited.	———	1736.	——	H. ħ.	Duh. arb. ed. 2. v. 2. t. 25.
Annona triloba. W.	*Porcelia triloba.* Ph.					
3 pygmæa. DC.	dwarf.	———	1812.	——	H. ħ.	Dun. mon. t. 10.
Orchidocarpum pygmæum. M.						
4 grandiflora. DC.	large-flowered.	Florida.	1820.	——	H. ħ.	Dun. mon. t. 11.
Porcelia grandiflora. P. S.						
UVARIA. DC.	UVARIA. Polyandria Polygynia. L.					
1 zeylanica. DC.	Ceylon.	E. Ind.	1794.	....	S. ħ.	Lam. ill. t. 495. f. 2.
2 Gærtneri. DC.	Gærtner's.	———	....	....	S. ħ.	——— t. 495. f. 3.
3 lutea. DC.	yellow-fruited.	———	1822.	....	S. ħ.	Roxb. cor. 1. t. 36.
4 tomentosa. DC.	woolly.	———	——	....	S. ħ.	——— 1. t. 35.
UNONA. DC.	UNONA. Polyandria Polygynia. L.					
1 Narum. DC.	Rheede's.	E. Ind.	....	....	S. ħ. ⌣.	Rheed. mal. 2. t. 9.
2 fuscata. DC.	brown-flower'd.	Guiana.	1820.	....	S. ħ.	
3 acuminata. DC.	taper-pointed.	———	——	....	S. ħ.	
4 odorata. DC.	sweet-scented.	Java.	1804.	5. 7.	S. ħ.	Lam. ill. t. 495. f. 1.
5 longifolia. DC.	long-leaved.	E. Ind.	1820.	....	S. ħ.	Sonn. voy. 4. t. 131.
6 aromatica. DC.	aromatic.	Guiana.	——	....	S. ħ.	Aub. gui. 2. t. 243.
7 æthiopica. DC.	Ethiopian.	SierraLeone.	1822.	....	S. ħ.	Math. com. 1. p. 434. ic.
8 oxypetala. DC.	sour-petaled.	———	——	....	S. ħ.	
ARTABOTRYS. Br.	ARTABOTRYS. Polyandria Polygynia. L.					
odoratissimus. B. R.	sweet-scented.	China.	1758.	6. 7.	S. ħ. ⌣.	Bot. reg. 423.
Anona hexapetala. W.	*Uvaria odoratissima.* H. B.					
XYLOPIA. DC.	XYLOPIA. Polyandria Polygynia. L.					
1 muricata. DC.	rough-fruited.	W. Ind.	1793.	....	S. ħ.	Brown. jam. 250. t. 5. f. 2.
2 frutescens. DC.	shrubby.	Guiana.	1823.	....	S. ħ.	Aub. gui. 1. t. 292.
3 glabra. DC.	smooth-fruited.	W. Ind.	....	....	S. ħ.	Dun. mon. t. 19.
GUATTERIA. DC.	GUATTERIA. Polyandria Polygynia. L.					
1 cerasoides. DC.	Cherry-fruited.	E. Ind.	1820.	....	S. ħ.	Roxb. cor. 1. t. 33.
2 suberosa. DC.	cork-barked.	———	——	....	S. ħ.	——— 1. t. 34.
3 rufa. DC.	rufous.	India.	——	4. 8.	S. ħ.	Bot. reg. 836.
4 virgata. DC.	Lance-wood.	Jamaica.	1793.	....	S. ħ.	Dun. mon. t. 31.
Uvaria lanceolata. W.						
5 laurifolia. DC.	Laurel-leaved.	———	1820.	....	S. ħ.	——— t. 32.
Uvaria laurifolia. Sw.						

ORDO VI.

MENISPERMACEÆ. *DC. prodr.* 1. *p.* 95.

Tribus II. *MENISPERMEÆ.* DC.

COCCULUS. DC.	COCCULUS. Dicœcia Hexandria.					
1 rotundifolius. DC.	round-leaved.	.....	1820.	....	S. ħ. ⌣.	
2 cordifolius. DC.	heart-leaved.	E. Ind.	1822.	....	S. ħ. ⌣.	Rheed. mal. 7. t. 21.
3 suberosus. DC.	cork-barked.	———	1790.	....	S. ħ. ⌣.	Gært. fr. 1. t. 70. f. 7.
4 Plukenetii. DC.	Plukenet's.	———	——	....	S. ħ. ⌣.	Pluk. man. 52. t. 345. f. 2.
5 incanus. C. L. T.	hoary.	———	1820.	....	S. ħ. ⌣.	
6 tomentosus. C. L. T.	woolly-leaved.	———	——	....	S. ħ. ⌣.	
7 crispus. C. L. T.	curled.	———	1822.	....	S. ħ. ⌣.	Rumph. amb. 5. t. 44. f. 1.
8 palmatus. DC.	palmated.	———	....	....	S. ħ. ⌣.	Berr. in As. res. 10. t. 5.
9 orbiculatus. DC.	orbicular-leav'd	———	1790.	....	S. ħ. ⌣.	Rheed. mal. 11. t. 62.
10 laurifolius. DC.	Laurel-leaved.	———	1820.	1. 2.	S. ħ.	
COSCINIUM. C. L. T.	COSCINIUM. Dicœcia Hexandria.					
fenestratum. C. L. T.	Knotted.	Ceylon.	1820.	....	S. ħ. ⌣.	Gært. fr. 1. t. 46. f. 5.

TILIACORA. C. L. T.	TILIACORA.	Dicœcia Hexandria.						
racemosa. C. L. T.	racemed.	E. Ind.	....	....	S. ħ.			
WENDLANDIA. W.	WENDLANDIA.	Heptandria Polygynia. W.						
populifolia. W.	Poplar-leaved.	Carolina.	1759.	6. 7.	H. ħ.		Wend. h. herr. 8. t. 16.	
Menispermum Carolinum. L. *Cocculus Carolinus.* DC.								
CISSAMPELOS. DC.	CISSAMPELOS.	Dicœcia Monadelphia. L.						
1 Pareira. DC.	velvet-leaf.	S. Amer.	1733.	7. 8.	S. ħ.		Lam. ill. t. 830.	
2 microcarpa. DC.	small-fruited.	W. Ind.	1823.	....	S. ħ.			
3 hirsuta. DC.	hairy.	Nepaul.	1820.	....	G. ħ.			
4 Mauritiana. DC.	hispid-branch'd	Mauritius.	——	....	S. ħ.			
5 Caapeba. DC.	nerved-leaved.	S. Amer.	1733.	7. 8.	S. ħ.		Plum. ic. 67. f. 2.	
6? capensis. DC.	Cape.	C. B. S.	1775.	....	G. ħ.			
MENISPERMUM. DC.	MOON-SEED.	Dicœcia Dodecandria. L.						
1 canadense. DC.	Canadian.	N. Amer.	1691.	6. 7.	H. ħ.		Bot. mag. 1910.	
2 dauricum. DC.	Daurian.	Dahuria.	1823.	....	H. ħ.		Deles. ic. sel. 1. t. 100.	
3 smilacinum. DC.	Smilax-leaved.	Carolina.	1776.	....	G. ħ.		Jacq. ic. 3. t. 629.	
Cissampelos smilacina. W.								
4 Lyoni. Ph.	Lyon's.	N. Amer.	1822.	6. 7.	H. ♃.			
ABUTA. DC.	ABUTA.	*Menispermi sp.* W.						
rufescens. DC.	brown-leaved.	Guiana.	1822.	....	S. ħ.		Aub. gui. 1. t. 250.	

Tribus III. *SCHIZANDREÆ. DC. prodr.* 1. *p.* 104.

SCHIZANDRA. DC.	SCHIZANDRA.	Monœcia Pentandria.						
coccinea. DC.	scarlet-flower'd.	Carolina.	1806.	6. 7.	G. ħ.		Bot. mag. 1413.	

ORDO VII.

BERBERIDEÆ. *DC. syst. nat. v.* 2. 1.

BERBERIS. W.	BARBERRY.	Hexandria Monogynia. L.						
1 vulgaris. DC.	common.	England.	....	4. 5.	H. ħ.		Eng. bot. 49.	
α *rubra.*	*red-fruited.*							
β *lutea.* DC.	*yellow-fruited.*							
γ *violacea.* DC.	*violet-fruited.*							
δ *purpurea.* DC.	*purple-fruited.*							
ε *nigra.* DC.	*black-fruited.*							
ζ *alba.* DC.	*white-fruited.*							
η *asperma.* DC.	*stoneless.*							
2 iberica.	Iberian.	Iberia.	1790.	4. 5.	H. ħ.			
vulgaris. β *iberica.* DC.								
3 emarginata. DC.	emarginate.	Siberia.	1820.	——	H. ħ.			
4 canadensis. DC.	Canadian.	Canada.	1759.	4. 6.	H. ħ.			
5 sinensis. DC.	China.	China.	1800.	——	H. ħ.		Wats. dend. brit. t. 26.	
6 aristata. DC.	awned.	Nepaul.	1820.	——	F. ħ.		Bot. reg. 729.	
Chitria. B. reg.								
7 cretica. DC.	Cretan.	Crete.	1759.	——	H. ħ.		Flor. græc. t. 342.	
8 ilicifolia. DC.	Holly-leaved.	Terra del Fuego.	1791.	7. 8.	H. ħ.			
9 asiatica. DC.	Asiatic.	Nepaul.	1820.	....	F. ħ.		Deles. ic. sel. 2. t. 1.	
10 Wallichiana. DC.	Wallich's.	——	——	....	F. ħ.			
11 heterophylla. DC.	various-leaved.	Magellan.	....	5. 6.	H. ħ.		Hook. exot. fl. t. 14.	
12 sibirica. DC.	Siberian.	Siberia.	1790.	6. 7.	H. ħ.		Bot. reg. 487.	
13 pinnata. B. reg.	pinnate-leaved.	America.	1820.	3. 5.	G. ħ.		—— —— 702.	
Mahonia fascicularis. DC.								
14 aquifolium. Ph.	Lewis's.	N. Amer.	1822.	4. 5.	H. ħ.		Pursh. Amer. 1. t. 4.	
Mahonia aquifolia. DC.								
NANDINA. DC.	NANDINA.	Hexandria Monogynia.						
domestica. DC.	garden.	China.	1804.	6. 7.	G. ħ.		Bot. mag. 1109.	
LEONTICE. DC.	LEONTICE.	Hexandria Monogynia. L.						
1 Chrysogonum. DC.	Oak-leaved.	Levant.	1740.	3. 6.	H. ♃.		Moris. hist. 2. t. 15. f. 7.	

2 Leontopetalon. DC.	Lion's-leaf.	———	1597.	4. 5.	H.♃.	Lam. ill. t. 284. f. 1.
3 vesicaria. DC.	Bladder-capsd.	Siberia.	1822.	——	H.♃.	Pal.a. p.1779.2. t.9 f.4.
4 altaica. DC.	Altay.	———	——	——	H.♃.	———p.257.t.8.f.1.2.3
5 thalictroides. DC.	Columbine-ld.	N. Amer.	1755.	5.	H.♃.	Mich. amer. 1. t. 21.
Caulophyllum thalictroides. M.						
EPIMEDIUM. DC.	BARRENWORT.	Tetrandria Monogynia. L.				
alpinum. DC.	Alpine.	England.	....	4. 5.	H.♃.	Eng. bot. 438.
DIPHYLLEIA. DC.	DIPHYLLEIA.	Hexandria Monogynia. L.				
cymosa. DC.	blue-berried.	N. Amer.	1812.	5. 6.	H.♃.	Bot. mag. 1666.

ORDO VIII.

PODOPHYLLEÆ. *DC. syst. nat.* 2. *p.* 31.

Tribus I. *PODOPHYLLEÆ.*

PODOPHYLLUM. DC.	DUCK'S-FOOT.	Polyandria Monogynia. L.				
peltatum. DC.	May-Apple.	N. Amer.	1664.	5.	H.♃.	Bot. mag. 1819.
JEFFERSONIA. DC.	JEFFERSONIA.	Octandria Monogynia.				
diphylla. DC.	two-leaved.	N. Amer.	1792.	5.	H.♃.	Bot. mag. 1513.
Podophyllum diphyllum. W.						

Tribus II. *HYDROPELTIDEÆ.*

CABOMBA. DC.	CABOMBA.	Hexandria Digynia. W.				
aquatica. DC.	water.	Carolina.	1823.	....	S.w.♃.	Aubl. gui. 1. t. 124.
Nectris peltata. Ph.						
HYDROPELTIS. DC.	HYDROPELTIS.	Polyandria Polygynia.				
purpurea. DC.	purple.	N. Amer.	1798.	7. 8.	F.w.♃.	Bot. mag. 1147.
Brasenia peltata. Ph.						

ORDO IX.

NYMPHÆACEÆ. *DC. syst. nat.* 2. *p.* 34.

Tribus I. *NELUMBONEÆ.*

NELUMBIUM. DC.	SACRED-BEAN.	Polyandria Polygynia. L.				
1 speciosum. DC.	Indian.	India.	1787.	6. 8.	S.w.♃.	Bot. mag. 903.
Cyamus Nelumbo. Sm. Exot. bot. 1. t. 31. 32.						
2 Tamara.	Rheede's.	———	....	——	S.w.♃.	Rheed. mal. XI. t. 30.
3 caspicum. F.	Fischer's.	Wolga.	1821.	....	S.w.♃.	
4 luteum. DC.	yellow.	N. Amer.	1810.	....	F.w.♃.	Poit. a. m.13. t.29.f.42.
5 jamaicense. DC.	Jamaica.	W. Ind.	1823.	....	S.w.♃.	

Tribus II. *NYMPHÆEÆ.*

EURYALE. DC.	EURYALE.	Polyandria Monogynia. L.				
ferox. DC.	prickly.	India.	1809.	7. 9.	S.w.♃.	Bot. mag. 1447.
Anneslea spinosa. Aud. bot. rep. 618.						

NYMPHÆA. DC.	WATER-LILY.	Polyandria Monogynia. L.					
1 scutifolia. DC. *cærulea.* Bot. rep. 197.	Cape blue.	C. B. S.	1792.	6. 9.	S.w.4.	Bot. mag. 552.	
2 cærulea. DC. *stellata. var.* Bot. mag. 2058.	Egyptian blue.	Egypt.	1812.	——	S.w.4.	Vent. malm. t. 6.	
3 cyanea. H.B. *Cahlara.* Doun cant. ed. 7.	Indian-blue.	E. Ind.	1809.	——	S.w.4.		
4 stellata. DC.	star-flowered.	———	1803.	——	S.w.4.	Bot. rep. 330.	
5 edulis. DC. *esculenta.* H.B.	eatable.	———	....	——	S.w.4.		
6 rubra. DC.	red-flowered.	———	1803.	7. 8.	S.w.4.	Bot. mag. 1280.	
7 rosea. *rubra. β rosea.* DC.	rose-coloured.	———	——	——	S.w.4.	——— 1364.	
8 pubescens. DC.	Indian Lotus.	———	——	5. 8.	S.w.4.	Rheed. h. mal. XI. t. 36.	
9 Lotus. DC.	Egyptian.	Egypt.	1802.	6. 9.	S.w.4.	Del. fl. egyp. ill. t. 60. f. 1.	
10 thermalis. DC. *Lotus.* And. Bot. rep. 391.	Hungarian.	Hungary.	——	——	S.w.4.	Bot. mag. 797.	
11 ampla. DC.	West-Indian.	W. Ind.	....	——	S.w.4.	Plum. mss. 123. t. 4.	
12 versicolor. DC.	changeable.	E. Ind.	1807.	——	S.w.4.	Bot. mag. 1189.	
13 reniformis. DC.	kidney-leaved.	Carolina.	1823.	7.	G.w.4.	Deles. ic. sel. 2. t. 5.	
14 alba. DC.	white.	Britain,	....	6. 7.	H.w.4.	Eng. bot. 160.	
15 odorata. DC.	sweet-scented.	N. Amer.	1786.	7.	H.w.4.	Bot. mag. 819.	
16 minor. DC. *odorata. β minor.* B.M.	smaller.	———	1812.	——	H.w.4.	——— 1652.	
17 nitida. DC.	cup-flowered.	Siberia.	1809.	7. 8.	H.w.4.	Bot. mag. 1359.	
18 pygmæa. DC. *Castalia pygmæa.* Sal. par. lond. ee.	pigmy.	China.	1805.	5. 9.	H.w.4.	——— 1525.	
NUPHAR. DC.	NUPHAR.	Polyandria Monogynia. L.					
1 lutea. DC. *Nymphæa lutea.* W.	common.	Britain.	....	6. 7.	H.w.4.	Eng. bot. 159.	
2 pumila. DC. *minima.* E. B.	small-yellow.	Scotland.	....	——	H.w.4.	——— 2292.	
3 Kalmiana. DC.	Canadian.	N. Amer.	1807.	7. 8.	H.w.4.	Bot. mag. 1243.	
4 advena. DC. *Nymphæa advena.* W.	stripe-flowered.	———	1772.	——	H.w.4.	Bot. mag. 684.	

ORDO X.

PAPAVERACEÆ. *DC. syst. nat. 2. p. 67.*

PAPAVER. DC.	POPPY. Polyandria Monogynia.					
1 nudicaule. DC.	naked-stalked.	Siberia.	1730.	6. 8.	H.4.	Bot. mag. 1633.
β glabratum. DC.	*smooth-stalked.*	———	....	——	H.4.	
γ radicatum. DC.	*small hairy.*	Norway.	....	——	H.4.	
2 rubro-aurantiacum. P.	red orange.	Dahuria.	1822.	——	H.4.	Bot. mag. t. 2344.
3 microcarpum. DC.	small-capsuled.	Kamschatka.	——	——	H.4.	
4 pyrenaicum. DC. *aurantiacum.* Lois.	Pyrenean.	Pyrenees.	....	——	H.4.	Seg. ver. 1. t. 4. f. 4.
α luteum. DC.	*yellow-flowered.*	———	....	——	H.4.	Barr. ic. t. 764.
β puniceum. DC.	*red-flowered.*	———	....	——	H.4.	
5 alpinum. DC.	Alpine.	Austria.	1759.	——	H.4.	Jacq. aust. t. 83.
6 hybridum. DC.	mongrel.	England.	....	6. 7.	H.⊙.	Eng. bot. 43.
7 Argemone. DC.	rough.	Britain.	....	——	H.⊙.	——— 643.
β maritimum. With.	*one-flowered.*	———	....	——	H.⊙.	
8 dubium. DC.	smooth.	———	....	——	H.⊙.	——— 644.
9 Rhœas. DC.	common-corn.	———	....	——	H.⊙.	——— 645.
α maculatum.	*spot-petaled.*	———	....	——	H.⊙.	Curt. lond. t. 32.
β coccineum.	*scarlet-flowered.*	———	....	——	H.⊙.	Tab. ic. f. 1.
γ carneum.	*flesh-coloured.*	———	....	——	H.⊙.	Barr. obs. ic. t. 763.
δ album.	*white-flowered.*	———	....	——	H.⊙.	Weln. phyt. t. 788. f. d.
ε albo-marginatum.	*white-edged.*	———	....	——	H.⊙.	——— t. 790. f. e.
ζ coccineo-marginatum.	*scarlet-edged.*	———	....	——	H.⊙.	——— t. 790. f. b.
10 lævigatum. DC.	slender.	Caucasus.	1823.	——	H.⊙.	
11 Roubieui. DC.	Roubieu's.	Montpelier.	——	——	H.⊙.	Vig. diss. 39. n. 4. t. 1. f. 1
12 floribundum. DC.	many-flowered.	Levant.	1815.	——	H.δ.	Bot. reg. 134.

13 orientale. DC.	oriental.	———	1714.	5. 6.	H. ♃.	Bot. mag. 57.
14 bracteatum. DC.	bracted.	Caucasus.	1821.	5. 8.	H. ♃.	Lind. coll. t. 23.
15 setigerum. DC.	bristle-pointed.	Italy.	1824.	——	H. ☉.	Deles. ic. sel. 2. t. 7.
16 somniferum. DC.	garden.	England.	....	7. 8.	H. ☉.	
* *nigrum.* DC.	*black-seeded.*	.....	....	——	H. ☉.	Lob. ic. t. 274. f. 1.
β *flore-pleno.*	*double-red.*	.....	....	——	H. ☉.	Swert. flor. 2. t. 22. f. 1.
γ *fimbriatum.*	*fringed-flower'd.*	.....	....	——	H. ☉.	Wein. phyt. t. 795. f.c.
** *album.* DC.	*white-seeded.*	England.	....	——	H. ☉.	Eng. bot. 2145.
β *flore-pleno.*	*double-white.*	———	....	——	H. ☉.	Swert. flor. 2. t. 22. f. 2.
γ *variegatum.*	*variegated.*	———	....	——	H. ☉.	
17 caucasicum. DC.	Caucasean.	Caucasus.	1813.	6. 7.	H. ☉.	Bot mag. 1675.
18 armeniacum. DC	Armenian.	Armenia.	1815.	——	H. ☉.	
Argemone armeniaca. W.						
ARGEMONE. DC.	ARGEMONE. Polyandria Monogynia.					
1 mexicana. DC.	Mexican.	Mexico.	1592.	7. 8.	H. ☉.	Bot. mag. 243.
2 albiflora. B. M.	white-flowered.	Louisiana.	1820.	——	H. ☉.	Bot. mag. 2342.
MECONOPSIS. DC.	MECONOPSIS. Polyandria Monogynia.					
cambrica. DC.	Welsh.	Wales.	....	5. 8.	H. ♃.	Eng. bot. 66.
Papaver cambricum. W.						
SANGUINARIA. DC.	PUCCOON. Polyandria Monogynia.					
canadensis. DC.	Bloodwort.	N. Amer.	1680.	3. 4.	H. ♃.	Bot. mag. 162.
BOCCONIA. DC.	BOCCONIA. Dodecandria Monogynia.					
1 frutescens. DC.	TreeCelandine.	W. Indies.	1739.	1. 4.	S. ♄.	Lodd. bot. cab. t. 83.
2 integrifolia. DC.	entire-leaved.	Peru.	1822.	....	S. ♄.	H. et B. nov. pl. 1. t. 35.
3 cordata. DC.	heart-leaved.	China.	1795.	5. 8.	H. ♃.	Bot. mag. 1905.
RŒMERIA. DC.	RŒMERIA. Polyandria Monogynia.					
1 hybrida. DC.	violet-flower'd.	England.	....	5. 7.	H. ☉.	Eng. bot. 201.
Glaucium violaceum. H. K.						
2 refracta. DC.	pendulous-frd.	Tauria.	1823.	——	H. ☉.	Deles. ic. sel. 2. t. 8.
GLAUCIUM. DC.	HORN-POPPY. Polyandria Monogynia.					
1 flavum. DC.	yellow.	Britain.	....	6. 10.	H. ♂.	Eng. bot. t. 8.
luteum. H. K. *Chelidonium glaucium.* L.						
2 fulvum. DC.	orange.	S. Europe.	1802.	8. 9.	H. ♃.	Swt. br. fl. gar. 35.
3 corniculatum. DC.	various-colour'd	Europe.	....	6. 7.	H. ☉.	
α *phœniceum.* DC.	*red-flowered.*	England.	....	——	H. ☉.	Eng. bot. 1433.
β *flaviflorum.* DC.	*yellow-flowered.*	Tauria.	1823.	——	H. ☉.	
CHELIDONIUM. DC.	CELANDINE. Polyandria Monogynia. L.					
1 majus. DC.	common.	Britain.	....	4. 10.	H. ♃.	Eng. bot. 1581.
2 grandiflorum. DC.	large-flowered.	Dahuria.	1823.	——	H. ♃.	
3 laciniatum. DC.	jagged.	S. Europe.	....	——	H. ♃.	Mill. ic. 1. t. 92. f. 2.
HYPECOUM. DC.	HYPECOUM. Tetrandria Digynia. L.					
1 procumbens. DC.	procumbent.	S. Europe.	1596.	6. 7.	H. ☉.	Flor. græc. 2. t. 155.
2 pendulum. DC.	pendulous.	S. France.	1640.	——	H. ☉.	Mill. ic. t. 250. f. 1.
3 erectum. DC.	erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

ORDO XI.

FUMARIACEÆ. *DC. syst. nat.* 2. *p.* 105.

DICLYTRA. DC.	DICLYTRA. Diadelphia Hexandria. L.					
1 cucullaria. DC.	naked-stalked.	N. Amer.	1731.	6. 7.	H. ♃.	Bot. mag. 1127.
Fumaria cucullaria. B. M.						
2 bracteosa. DC.	leafy-bracted.	———	1823.	——	H. ♃.	
3 formosa. DC.	blush.	———	1796.	——	H. ♃.	Bot. mag. 1335.
4 eximia. DC.	choice.	———	1812.	——	H. ♃.	Bot. reg. 51.
Fumaria eximia. B. R.						
5 canadensis. DC.	Canadian.	Canada.	1823.	——	H. ♃.	
6 lachenaliæflora. DC.	Lachenalia-fld.	Siberia.	1824.	....	H. ♃.	Rudol. m.sc.pet.1.t.19.
ADLUMIA. DC.	ADLUMIA. Diadelphia Hexandria. L.					
cirrhosa. DC.	tendrilled.	N. Amer.	1778.	6. 9.	H. ♂.	Vent. choix. t. 19.
Fumaria fungosa. W.						
CYSTICAPNOS. DC.	CYSTICAPNOS. Diadelphia Hexandria. L.					
africana. DC.	African.	C. B. S.	1696.	6. 8.	H. ☉.	Wein. phyt. t. 521. f.c.
Fumaria vesicaria. W.						

CORYDALIS. DC.	CORYDALIS.	Diadelphia Hexandria. L.					
1 pauciflora. DC.	few-flowered.	Siberia.	1823.	....	H. ¼.		
2 Marschalliana. DC.	Marschall's.	Tauria.	——	4. 5.	H. ¼.		
3 tuberosa. DC.	hollow-rooted.	Europe.	1596.	2. 4.	H. ¼.	Bot. mag. 232.	
β *albiflora.*	*white-flowered.*	———	——	——	H. ¼.	———	2340.
Fumaria cava. albiflora. B. M.							
4 fabacea. DC.	Bean-leaved.	Germany.	1815.	——	H. ¼.	Horn. fl. dan. t. 1394.	
5 caucasica. DC.	Caucasean.	Caucasus.	1823.	——	H. ¼.		
6 bulbosa. DC.	solid-rooted.	Britain.	....	——	H. ¼.	Eng. bot. 1471.	
Fumaria solida. E. B. *Corydalis Halleri.* W.en.							
7 angustifolia. DC.	narrow-leaved.	Iberia.	1823.	——	H. ¼.		
8 bracteata. DC.	large-bracted.	Siberia.	——	——	H. ¼.		
9 nobilis. DC.	great-flowered.	———	1783.	5.	H. ¼.	Bot. reg. 395.	
10 pæoniæfolia. DC.	Pæony-leaved.	———	1823.	——	H. ¼.	Gmel. sib. 4. t. 34.	
11 glauca. DC.	glaucous.	N. Amer.	1683.	7. 8.	H. ¼.	Bot. mag. 179.	
Fumaria sempervirens. W.							
12 impatiens. DC.	impatient.	Dahuria.	1823.	——	H. ⊙.		
13 aurea. DC.	golden.	N. Amer.	1812.	5. 7.	H. ♂.	Bot. reg. 66.	
Fumaria aurea. B. R.							
14 lutea. P. S.	yellow.	England.	....	4. 10.	H. ¼.	Eng. bot. 586.	
15 capnoides. P. S.	white-flowered.	S. Europe.	1596.	5. 10.	H. ♂.	Pluk. alm. t. 90. f. 2.	
16 uralensis. DC.	Fischer's.	Siberia.	1823.	....	H. ¼.		
17 breviflora. DC.	short-flowered.	Kamtchatka.	——	5. 10.	H. ⊙.		
18 claviculata. DC.	climbing.	Britain.	....	——	H. ⊙.	Eng. bot. 103.	
SARCOCAPNOS. DC.	SARCOCAPNOS.	Diadelphia Hexandria. L.					
enneaphylla. DC.	nine-leaved.	Spain.	1714.	5. 7.	H. ¼.	Barr. ic. t. 42.	
Fumaria enneaphylla. W.							
FUMARIA. DC.	FUMITORY.	Diadelphia Hexandria. L.					
1 spicata. DC.	narrow-leaved.	S. Europe.	1714.	7. 8.	H. ⊙.	Lob. ic. t. 757. f. 2.	
2 capreolata. DC.	climbing.	Europe.	....	5. 9.	H. ⊙.	DC. ic. rar. 1. t. 34.	
β? *Burchellii.* DC.	*Burchell's.*	C. B. S.	1812.	——	H. ⊙.		
3 media. DC.	intermediate.	Britain.	....	——	H. ⊙.	Eng. bot. 943.	
capreolata. E. B.							
4 officinalis. DC.	common.	———	....	——	H. ⊙.	———	589.
5 parviflora. DC.	small-flowered.	England.	....	8. 9.	H. ⊙.	———	590.
6 Vaillantii. DC.	Vaillant's.	France.	....	5. 6.	H. ⊙.	Vail. bot. par. t. 10. f. 6.	
7 densiflora. DC.	close-flowered.	Montpelier.	1823.	——	H. ⊙.		

ORDO XII.

CRUCIFERÆ. *DC. syst. nat.* 2. *p.* 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. *ARABIDEÆ* seu Pleurorhizeæ Siliquosæ. DC.

MATHIOLA. DC.	STOCK.	Tetradynamia Siliquosa. L.					
1 simplicicaulis.	Brompton.	.....	....	5. 8.	H. ♂.		
α *coccinea.*	*scarlet.*	.....	....	——	H. ♂.	Besl. eyst. 2. t. 3. f. 3.	
β *alba.*	*white.*	.....	....	——	H. ♂.	———	2. t. 3. f. 2.
2 incana. DC.	queen.	England.	....	5. 11.	H. ♄.	Eng. bot. 1935.	
α *coccinea.*	*scarlet.*	———	....	——	H. ♄.		
β *purpurea.*	*purple.*	———	....	——	H. ♄.	Wein. phyt. t. 642. f. 9.	
γ *alba.*	*white.*	———	....	——	H. ♄.	Besl. eyst. 2. t. 3. f. 2.	
δ *multiplex.*	*double-flowered.*	———	....	——	H. ♄.	———	2. t. 3. f. 1.
3 annua. DC.	ten-week.	S. Europe.	1731.	5. 11.	H. ⊙.		
α *coccinea.*	*scarlet.*	———	——	——	H. ⊙.		
β *purpurea.*	*purple.*	———	——	——	H. ⊙.	J. Bauh. hist. 2. f. 1.	
δ *rubra.*	*red.*	———	——	——	H. ⊙.		
ε *rosea.*	*rose-coloured.*	———	——	——	H. ⊙.		
ζ *carnea.*	*flesh-coloured.*	———	——	——	H. ⊙.		
η *fuscata.*	*brown.*	———	——	——	H. ⊙.		

	δ *fulva.*	*tawny.*	———	——	——	H.⊙.	
	ε *lilacina.*	*lilac.*	———	——	——	H.⊙.	
	κ *alba.*	*white.*	———	——	——	H.⊙.	Dalech. lug. 802. f. 1.
	λ *variegata.*	*variegated.*	———	——	——	H.⊙.	
	μ *flore pleno.*	*double-flowered.*	———	——	——	H.⊙.	
4	glabra. DC.	Wall-flower-l⁴.	.....	....	——	H.♄.	Wein. phyt. t. 642. f. 2.
	α *alba.*	*white-flowered.*	.....	....	——	H.♄.	Moris. ox. s. 3. t. 8. f. 2.
	β *purpurea.*	*purple.*	.....	....	——	H.♄.	
	γ *coccinea.*	*scarlet.*	.....	....	——	H.♄.	
	δ *flore pleno.*	*double-flowered.*	.....	....	——	H.♄.	
5	græca. DC.	smooth-leaved.	Greece.	....	——	H.⊙.	
6	fenestralis. DC.	window.	Crete.	1759.	7. 8.	F.♄.	Jacq. vind. 2. t. 179.
7	sinuata. DC.	great sea.	England.	....	5. 8.	H.♂.	Eng. bot. 402.
8	acaulis. DC.	stalkless.	Egypt.	1823.	——	H.⊙.	
9	odoratissima. DC.	sweet-scented.	Tauria.	1797.	6. 7.	G.♄.	Bot. mag. 1711.
	β *tanaicensis.* DC.	*fragrant.*	Tanaim.	1822.	——	G.♄.	
10	varia. DC.	entire-leaved.	Greece.	....	5. 7.	G.♄.	Fl. græc. t. 636.
11	tristis. DC.	various-leaved.	S. Europe.	1768.	——	G.♄.	Barr. ic. t. 803.
12	longipetala. DC.	long-petaled.	Bagdad.	1819.	——	H.⊙.	Vent. cels. t. 93.
13	tricuspidata. DC.	three-forked.	Barbary.	1739.	7. 10.	H.⊙.	Swt. br. fl. gar. 46.
14	parviflora. DC.	small-flowered.	Morocco.	1799.	——	H.⊙.	
CHEIRANTHUS. DC.		WALL-FLOWER.	Tetradynamia Siliquosa. L.				
1	Cheiri. DC.	garden.	S. Europe.	1573.	4. 7.	H.♄.	Schkuhr hand. 2. t. 184.
	α *vulgaris.*	*common.*	———	——	——	H.♄.	Besl. eyst. 2. t. 5. f. 3.
	β *flore pleno.*	*double-yellow.*	———	——	——	H.♄.	——— 2. t. 4. f. 2. 3.
	γ *grandiflorus.*	*large-flowered.*	———	——	——	H.♄.	——— 2. t. 5. f. 2.
	δ *maximus.*	*largest.*	———	——	——	H.♄.	——— 2. t. 5. f. 1.
	ε *serratus.*	*saw-leaved.*	———	——	——	H.♄.	
	ζ *patulus.*	*double-spreading.*	———	——	——	H.♄.	
	ι *ferrugineus.*	*rusty-flowered.*	———	——	——	H.♄.	
	κ *varius.*	*various-coloured.*	———	——	——	H.♄.	
	λ *sanguineus.*	*bloody.*	———	——	——	H.♄.	
	μ *hæmanthus.*	*double-bloody.*	———	——	——	H.♄.	
	ν *flavescens.*	*pale-yellow.*	———	——	——	H.♄.	
	ξ *thyrsoideus.*	*bunch-flowered.*	———	——	——	H.♄.	
2	fruticulosus. E. B.	common.	England.	....	——	H.♄.	Eng. bot. 1934.
3	alpinus. DC.	Alpine.	Norway.	1823.	——	H.♃.	Wahl. fl. lap. t. 12. f. 1.
4	ochroleucus. DC.	pale yellow.	Switzerland.	1820.	6. 8.	H.♃.	
	decumbens. W.en.						
5	tennifolius. DC.	fine-leaved.	Madeira.	1777.	5. 6.	F.♄.	
6	mutabilis. DC.	changeable.	———	——	3. 5.	F.♄.	Bot. mag. 195.
7	longifolius. v.	long-leaved.	———	1815.	9. 12.	F.♄.	Vent. malm. t. 83.
8	scoparius. DC.	rock.	Teneriffe.	——	3. 8.	F.♄.	
	α *purpurascens.* DC.	*purplish.*	———	——	——	F.♄.	
	β *æruginosus.* DC.	*rusty.*	———	——	——	F.♄.	
	γ *chamæleo.* DC.	*Chameleon.*	———	——	——	F.♄.	Bot. reg. 219.
	Cheiri, var. Chamæleon. B. R.						
9	semperflorens. DC.	ever-blowing.	Barbary.	——	1. 12.	F.♄.	
10	frutescens. P. S.	frutescent.	———	——	3. 7.	F.♄.	
11	linifolius. DC.	flax-leaved.	Spain.	——	3. 8.	F.♄.	
NASTURTIUM. DC.		NASTURTIUM.	Tetradynamia Siliquosa. L.				
1	officinale. DC.	Water Cress.	Britain.	....	5. 7.	H.*w.*♃.	Eng. bot. 855.
	Sisymbrium Nasturtium. W.						
2	sylvestre. DC.	creeping.	———	....	6. 9.	H.*w.*♃.	——— 2324.
3	palustre. DC.	marsh.	———	....	——	H.*w.*⊙.	——— 1747.
	Sisymbrium terrestre. E. B.						
4	sagittatum. DC.	arrow-leaved.	Siberia.	1780.	5. 6.	H.♃.	Jacq. ic. 1. t. 122.
5	lippizense. DC.	Carinthian.	Carinthia.	1823.	——	H.♃.	——— 3. t. 505.
6	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1775.	——	H.♃.	All. fl. ped. t. 18. f. 1.
7	amphibium. DC.	amphibious.	Britain.	....	6. 8.	H.*w.*♃.	Eng. bot. 1840.
	α *indivisum.* DC.	*brd. wat.-radish.*	———	....	——	H.*w.*♃.	Pet. h. brit. t. 49. f. 8.
	β *variifolium.* DC.	*jag. wat.-radish.*	———	....	——	H.*w.*♃.	——— t. 49. f. 10.
LEPTOCARPÆA. DC.		LEPTOCARPÆA.	Tetradynamia Siliquosa. L.				
	Læselii. DC.	Loeselius's.	Germany.	1683.	5. 8.	H.⊙.	Jacq. aust. t. 324.
	Sisymbrium Læselii. W. *Turritis Læselii.* H. K.						
NOTOCERAS. DC.		NOTOCERAS.	Tetradynamia Siliquosa. L.				
1	canariense. DC.	Canary.	Canaries.	1779.	8. 9.	H.⊙.	Jacq. fil. eclog. t. 111.
2	hispanicum. DC.	Spanish.	Spain.	1822.	3. 10.	H.⊙.	Deles. ic. sel. 2. t. 17.

BARBAREA. DC.	**Winter-Cress.**	**Tetradynamia Siliquosa. L.**					
1 vulgaris. DC.	common.	Britain.	....	5. 8.	H.$\mathfrak{y}$.	Eng. bot. 443.
Erysimum Barbarea. W.						
2 præcox. DC.	early.	England.	....	4. 10.	H.$\mathfrak{y}$.	——— 1129.
3 iberica. DC.	Iberian.	Iberia.	1816.	5. 8.	H.$\mathfrak{y}$.	
Cheiranthus ibericus. W.en.						
4 plantaginea. DC.	Plantain-leav'd.	Greece.	1823.	——	H.$\mathfrak{y}$.	
STEVENIA. DC.	**Stevenia.**	**Tetradynamia Siliquosa. L.**					
1 alyssoides. DC.	Alyssum-like.	Siberia.	1823.	6. 8.	H.$\odot$.	Deles. ic. sel. 2. t. 20.
2 cheiranthoides. DC.	Wall-flow.-like.	———	——	——	H.$\mathfrak{y}$.	——— 2. t. 21.
BRAYA. DC.	**Braya.**	**Tetradynamia Siliquosa. DC.**					
alpina. DC.	Alpine.	Carinthia.	1821.	4. 5.	H.$\mathfrak{y}$.	Deles. ic. sel. 2. t. 22.
TURRITIS. DC.	**Tower-Mustard.**	**Tetradynamia Siliquosa. L.**					
1 glabra. DC.	long-podded.	England.	....	5. 6.	H.$\odot$.	Eng. bot. 777.
2 salsuginosa. DC.	shorter-podded.	Siberia.	1822.	——	H.$\odot$.	Pal.it.2.app.n.114.t.V.
ARABIS. DC.	**Wall-Cress.**	**Tetradynamia Siliquosa. L.**					
1 verna. DC.	vernal.	S. Europe.	1710.	4. 5.	H.$\odot$.	Flor. græc. t. 641.
Hesperis verna. W.						
2 alpina. DC.	Alpine.	Pyrenees.	1596.	3. 5.	H.$\mathfrak{y}$.	Bot. mag. 226.
β *Clusiana.* DC.	*Clusius's.*	———	——	——	H.$\mathfrak{y}$.	Clus. hist. 2. p.125. f. 2.
3 albida. DC.	early-flowered.	Tauria.	1798.	1. 5.	H.$\mathfrak{y}$.	Jacq. f. ecl. 1. t. 71.
caucasica B. M. 2046.						
4 undulata. L.en.	wave-leaved.	S. Europe.	1823.	5. 8.	H.$\odot$.	
5 longifolia. DC.	long-leaved.	Persia.	1820.	——	H.$\mathfrak{y}$.	Deles. ic. sel. 2. t. 25.
6 auriculata. DC.	ear-leaved.	S. Europe.	1805.	5. 6.	H.$\odot$.	
aspera. All. ped. t. 2. f. 2.						
7 saxatilis. DC.	rock.	———	——	——	H.$\mathfrak{z}$.	Vill. dauph. 3. t. 37.
8 crispata. DC.	curled-leaved.	Carniola.	1816.	3. 4.	H.$\mathfrak{y}$.	
9 sagittata. DC.	arrow-leaved.	Europe.	....	5. 7.	H.$\mathfrak{z}$.	
10 hirsuta. DC.	hairy.	Britain.	....	——	H.$\mathfrak{z}$.	Eng. bot. 587.
11 stenopetala. W.en.	narrow-petal'd.	.....	1822.	6. 8.	H.$\odot$.	
12 Allionii. DC.	Allioni's.	Italy.	....	5. 7.	H.$\mathfrak{y}$.	
13 muralis. DC.	dwarf.	Switzerland.	1824.	5. 6.	H.$\mathfrak{y}$.	
14 stricta. DC.	Bristol.	England.	....	——	H.$\mathfrak{y}$.	Eng. bot. 614.
15 ciliata. DC.	ciliated.	Ireland.	....	6. 7.	H.$\mathfrak{z}$.	——— 1746.
Turritis alpina. E. B.						
16 incana. DC.	hoary.	Switzerland.	1816.	5. 6.	H.$\mathfrak{z}$.	
17 Thaliana. DC.	common.	Britain.	....	4. 6.	H.$\odot$.	Eng. bot. 901.
18 serpyllifolia. DC.	Thyme-leaved.	Pyrenees.	1824.	6. 7.	H.$\mathfrak{z}$.	
19 procurrens. DC.	procurrent.	Hungary.	——	5. 6.	H.$\mathfrak{y}$.	W.et.Kit.hun.2.t.141.
20 petræa. DC.	short-podded.	Europe.	....	5. 7.	H.$\mathfrak{y}$.	
α *Crantziana.* DC.	*Crantz's.*	Germany.	....	——	H.$\mathfrak{y}$.	Crantz. aust. t. 3. f. 2.
β *hispida.* DC.	*hispid.*	Wales.	....	——	H.$\mathfrak{y}$.	Flor. dan. t. 386.
γ *hastulata.* DC.	*hastulate.*	Britain.	....	——	H.$\mathfrak{y}$.	Eng. bot. 409.
21 lyrata. DC.	lyre-leaved.	N. Amer.	1823.	5. 6.	H.$\mathfrak{y}$.	
22 arenosa. DC.	purple.	Europe.	1798.	6. 7.	H.$\odot$.	Schranck. m. 3. t. 256.
23 Halleri. DC.	Haller's.	———	1820.	5.	H.$\mathfrak{z}$.	W.et Kit.hun.2.t.120.
24 stolonifera. DC.	stoloniferous.	Carniola.	1824.	——	H.$\mathfrak{y}$.	Scop. carn. ed. 2. t. 39.
25 ovirensis. DC.	reddish.	Carinthia.	——	5. 6.	H.$\mathfrak{y}$.	Jacq. ic. 1. t. 125.
26 Turrita. DC.	tower.	England.	.. .	4. 5.	H.$\mathfrak{z}$.	Eng. bot. 178.
27 pendula. DC.	pendulous.	Siberia.	1752.	5. 6.	H.$\odot$.	Jacq. vind. 3. t. 34.
28 lucida. DC.	shining-leaved.	Hungary.	1790.	6. 7.	H.$\mathfrak{y}$.	
29 canadensis. DC.	sickle-podded.	N. Amer.	1768.	5. 7.	H.$\mathfrak{y}$.	Deles. ic. sel. 2. t. 28.
30 pumila. DC.	nodding.	Switzerland.	1658.	4. 7.	H.$\mathfrak{y}$.	Jacq. fl. aust. t. 281.
nutans. B. M. 2219.						
31 bellidifolia. DC.	Daisy-leaved.	———	1778.	5. 6.	H.$\mathfrak{y}$.	——— 3. t. 280.
32 cærulea. DC.	blue.	———	1793.	6. 7.	H.$\mathfrak{y}$.	Sturm. deut. fl. ic.
33 collina. DC.	hill.	Naples.	1823.	——	H.$\mathfrak{y}$.	
MACROPODIUM. DC.	**Macropodium.**	**Tetradynamia Siliquosa. L.**					
nivale. DC.	Siberian.	Siberia.	1796.	6. 9.	H.$\mathfrak{y}$.	Pall.it.2.ap.n.113.t.u.
Cardamine nivalis. Pall.						
CARDAMINE. DC.	**Lady's Smock.**	**Tetradynamia Siliquosa. L.**					
1 rotundifolia. DC.	round-leaved.	N. Amer.	1823.	5. 6.	H.*w*.$\mathfrak{y}$.	
2 asarifolia. DC.	kidney-leaved.	Italy.	1710.	6. 7.	H.*w*.$\mathfrak{y}$.	Bot. mag. 1735.
3 bellidifolia. DC.	Daisy-leaved.	Scotland.	....	4. 6.	H.$\mathfrak{y}$.	
α *petiolaris.* DC.	*long-petiold.*	Lapland.	....	——	H.$\mathfrak{y}$.	Œd. fl. Dan. t. 20.
β *alpina.* DC.	*Alpine.*	Scotland.	....	——	H.$\mathfrak{y}$.	Eng. bot. 2355.
4 resedifolia. DC.	Rocket-leaved.	Germany.	1658.	7.	H.$\odot$.	Sturm. fl. germ. ic.
5 africana. DC.	African.	C. B. S.	1691.	5. 6.	G.$\mathfrak{y}$.	Pluk. alm. t. 101. f. 5.

6 trifolia, DC.	three-leaved.	Europe.	1629.	3. 6.	H.w.$\mathfrak{Y}$.	Bot. mag. 452.
7 amara, DC.	bitter.	Britain.	....	4. 5.	H.w.$\mathfrak{Y}$.	Eng. bot. 1000.
8 pratensis. DC.	Cuckoo-flower.	———	....	——	H.w.$\mathfrak{Y}$.	——— 776.
β *flore pleno.*	*double-flowered.*	———	....	——	H.w.$\mathfrak{Y}$.	Clus. hist. 2. p. 129. f. 1.
9 dentata. DC.	toothed.	Poland.	1823.	——	H.w.$\mathfrak{Y}$.	
10 hirsuta. DC.	hairy.	Britain.	....	1. 12.	H.$\odot$.	Eng. bot. 492.
11 sylvatica. DC.	wood.	Europe.	....	5. 6.	H.$\odot$.	Flor. dan. t. 735.
12 parviflora. DC.	small-flowered.	———	1822.	4. 5.	H.$\odot$.	Gmel. fl. sib. 3. t. 64.
13 impatiens. DC.	impatient.	Britain.	....	4. 6.	H.$\odot$.	Eng. bot. 89.
14 latifolia. DC.	broad-leaved.	Spain.	1710.	6. 8.	H.w.$\mathfrak{Y}$.	Herm. par. p. 203. t. 69.
15 macrophylla. DC.	large-leaved.	Siberia.	1824.	——	H.$\mathfrak{Y}$.	
16 chelidonia. DC.	Celandine-ld.	Italy.	1739.	3. 5.	H.$\mathfrak{Y}$.	W. et Kit. hung. 2. t. 140.
17 thalictroides. DC.	Thalictrum-ld.	Switzerland.	1824.	6. 7.	H.$\mathfrak{F}$.	All. ped. n. 951. t. 57. f. 1.
PTERONEURUM. DC.	PTERONEURUM.	Tetradynamia Siliquosa. L.				
1 carnosum. DC.	fleshy.	Dalmatia.	1824.	6. 8.	H.$\mathfrak{Y}$.	W. et Kit. hung. 3. t. 129.
2 græcum. DC.	Grecian.	S. Europe.	1710.	——	H.$\odot$.	Flor. græc. t. 631.
Cardamine græca. W.						
DENTARIA. DC.	TOOTH-WORT.	Tetradynamia Siliquosa. L.				
1 polyphylla. DC.	many-leaved.	Hungary.	1817.	5. 6.	H.$\mathfrak{Y}$.	W. et Kit. hung. 2. t. 160.
2 enneaphylla. DC.	nine-leaved.	Austria.	1656.	——	H.$\mathfrak{Y}$.	Jacq. fl. aust. t. 316.
3 glandulosa. DC.	glandular.	Hungary.	1815.	——	H.$\mathfrak{Y}$.	W. et Kit. hung. 3. t. 272.
4 laciniata. DC.	laciniate.	N. Amer.	1823.	4. 6.	H.$\mathfrak{Y}$.	
5 diphylla. DC.	two-leaved.	———	1810.	5. 6.	H.$\mathfrak{Y}$.	Bot. mag. 1465.
6 digitata. DC.	fingered.	Switzerland.	1656.	——	H.$\mathfrak{Y}$.	——— 2202.
pentaphylla. B. M.	*Cardamine pentaphylla.* H. K. ed. 2.					
7 pinnata. DC.	seven-leaved.	———	1683.	——	H.$\mathfrak{Y}$.	Boiss. fl. eur. t. 449.
8 quinquefolia. DC.	five-leaved.	Caucasus.	1823.	4. 5.	H.$\mathfrak{Y}$.	
9 bulbifera. DC.	bulbiferous.	England.	....	——	H.$\mathfrak{Y}$.	Eng. bot. 809.
Cardamine bulbifera. H. K. ed. 2.						
NEUROLOMA. DC.	NEUROLOMA.	Tetradynamia Siliquosa. L.				
arabidiflorum. DC.	Arabis-flower'd.	Siberia.	1798.	5. 6.	H.$\mathfrak{Y}$.	Lin. am. ac. 2. t. L. f. 20.
Arabis grandiflora. L.						

Tribus II. *ALYSSINEÆ* seu Pleurorhizeæ Latiseptæ. DC.

LUNARIA. DC.	HONESTY.	Tetradynamia Siliculosa. L.				
1 rediviva. DC.	perennial.	Germany.	1596.	5. 6.	H.$\mathfrak{Y}$.	Hill veg. syst. t. 38. f. 1.
2 biennis. DC.	biennial.	———	1570.	——	H.$\mathfrak{F}$.	——— t. 38. f. 2.
annua. W.						
α violacea.	*violet-flowered.*	———	——	——	H.$\mathfrak{F}$.	
β albiflora.	*white-flowered.*	———	——	——	H.$\mathfrak{F}$.	
RICOTIA. DC.	RICOTIA.	Tetradynamia Siliculosa. L.				
Lunaria. DC.	Syrian.	Syria.	1757.	6. 7.	H.$\odot$.	Lam. ill. t. 561.
ægyptiaca. B. R. 49.						
FARSETIA. DC.	FARSETIA.	Tetradynamia Siliculosa. L.				
1 ægyptiaca. DC.	Stock-like.	Levant.	1788.	6. 7.	G.$\mathfrak{h}$.	Desf. atl. 2. t. 160.
cheiranthoides. H. K.	*Cheiranthus Farsetia.* L.					
2 suffruticosa. DC.	suffrutescent.	Persia.	1820.	4. 5.	G.$\mathfrak{h}$.	Vent. cels. t. 19.
3 lunarioides. DC.	oriental.	Greece.	1731.	6. 7.	H.$\mathfrak{Y}$.	Tourn. ic. ed. ger. 1. t. 30.
4 clypeata. DC.	buckler-podded	S. Europe.	1596.	——	H.$\mathfrak{F}$.	Schkuhr. han. 3. t. 181.
Alyssum clypeatum. L.						
BERTEROA. DC.	BERTEROA.	Tetradynamia Siliculosa. L.				
1 incana. DC.	hoary.	Europe.	1640.	7. 9.	H.$\mathfrak{F}$.	Horn. fl. dan. 1461.
Alyssum incanum. W.						
2 mutabilis. DC.	changeable.	Levant.	1802.	7. 8.	H.$\mathfrak{Y}$.	Vent. cels. t. 85.
3 obliqua. DC.	oblique-podded.	Naples.	1824.	——	H.$\mathfrak{h}$.	Flor. græc. t. 623.
AUBRIETIA. DC.	AUBRIETIA.	Tetradynamia Siliculosa. L.				
1 deltoidea. DC.	spreading.	Levant.	1710.	3. 5.	H.$\mathfrak{Y}$.	Bot. mag. 126.
Farsetia deltoidea. H. K.	*Alyssum deltoideum.* L.					
2 purpurea. DC.	tufted.	———	1821.	——	H.$\mathfrak{Y}$.	Flor. græc. t. 643.
VESICARIA.	VESICARIA.	Tetradynamia Siliculosa. L.				
1 utriculata. DC.	smooth.	Levant.	1739.	4. 6.	H.$\mathfrak{Y}$.	Bot. mag. 180.
Alyssum utriculatum. B. M.						
2 reticulata. DC.	veined-podded.	———	....	6.	H.$\mathfrak{Y}$.	Tour. voy. 2. p. 252. ic.

3 sinuata. DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
4 cretica. DC.	Cretan.	Crete.	1739.	5. 8.	H. ♃.	Alp. ex. p. 117 et 118. ic.
Alyssum creticum. W.						
SCHIVERECKIA. DC.	SCHIVERECKIA.	Tetradynamia Siliculosa. L.				
podolica. DC.	canescent.	Podolia.	1821.	5. 7.	H. ♃.	Swt. br. fl. gar. t. 77.
ALYSSUM. DC.	MADWORT.	Tetradynamia Siliculosa. L.				
1 saxatile. DC.	rock.	Russia.	1710.	4. 5.	H. ♄.	Bot. mag. 159.
2 gemoneuse. DC.	canescent.	Germany.	——	——	H. ♄.	Jacq. ic. 3. t. 503.
3 orientale. DC.	oriental.	Crete.	....	——	H. ♄.	Flor. græc. t. 625.
4 spathulatum. DC.	spathulate.	Siberia.	1821.	4. 6.	H. ♄.	Deles. ic. sel. 2. t. 37.
5 argenteum. DC.	silvery.	Switzerland.	——	5. 6.	H. ♄.	All. ped. t. 54. f. 3.
6 murale. DC.	wall.	Europe.	1801.	6. 8.	H. ♄.	W. et Kit. hung. 1. t. 6.
7 obtusifolium. DC.	blunt-leaved.	Siberia.	1812.	——	H. ♄.	Deles. ic. sel. 2. t. 38.
8 serpyllifolium. DC.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ♄.	
9 tortuosum. DC.	twisted.	Hungary.	1804.	6. 7.	H. ♄.	W. et Kit. hung. 1. t. 91.
10 vernale. DC.	vernal.	.....	1823.	4. 5.	H. ♃.	
11 alpestre. DC.	Italian.	Italy.	1777.	6. 10.	H. ♄.	Flor. græc. t. 624.
12 montanum. DC.	mountain.	Germany.	1713.	5. 8.	H. ♃.	Bot. mag. 419.
13 Wulfenianum. DC.	Wulfen's.	Carinthia.	1821.	——	H. ♃.	
14 rostratum. DC.	beaked.	Tauria.	1824.	6. 9.	H. ☉.	Stev. m. ac. P. 3. t. 15. f. 1.
15 micropetalum. DC.	small-petaled.	Iberia.	——	5. 8.	H. ☉.	Deles. ic. sel. 2. t. 39.
16 hirsutum. DC.	hairy.	——	——	——	H. ☉.	—— 2. t. 40.
17 campestre. DC.	field.	Europe.	1768.	6. 8.	H. ☉.	Flor. græc. t. 626.
18 calycinum. DC.	persistent-cal'd.	——	1740.	——	H. ☉.	Jacq aust. t. 338.
19 minimum. DC.	small.	——	1791.	——	H. ☉.	Tratt. thes. bot. t. 35.
20 edentulum. DC.	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et Kit. hung. 1. t. 92.
Adysetum edentulum. L. en.						
21 maritimum. DC.	sweet.	England.	....	5. 10.	H. ♄.	Eng. bot. 1729.
Adysetum maritimum. L. en.						
22 rupestre. DC.	silvery rock.	Italy.	1824.	——	H. ♃.	Tenor fl. nap. t. 60.
23 halimifolium. DC.	Halimus-leav'd.	——	——	——	H. ♃.	All. ped. t. 54. f. 1.
24 spinosum. DC.	thorny.	S. Europe.	1683.	6. 8.	F. ♄.	Bar. ic. t. 806.
MENIOCUS. DC.	MENIOCUS.	Tetradynamia Siliculosa. L.				
linifolius. DC.	Flax-leaved.	Levant.	1822.	5. 6.	H. ☉.	Deles. ic. sel. 2. t. 42.
Alyssum linifolium. W.						
CLYPEOLA. DC.	TREACLE-MUSTARD.	Tetradynamia Siliculosa. L.				
1 Jonthlaspi. DC.	common.	S. Europe.	1710.	5. 7.	H. ☉.	Desv. j. bot. 3. t. 25. f. 7.
2 eriophora. DC.	woolly-podded.	Spain.	1820.	——	H. ☉.	—— 3. t. 25. f. 10.
PELTARIA. DC.	PELTARIA.	Tetradynamia Siliculosa. L.				
alliacea. DC.	garlic-scented.	Austria.	1601.	5. 7.	H. ♃.	Jacq. aust. 2. t. 123.
PETROCALLIS. DC.	PETROCALLIS.	Tetradynamia Siliculosa. L.				
pyrenaica. DC.	Pyrenean.	Pyrenees.	1759.	5. 6.	H. ♃.	Lodd. bot. cab. 635.
Draba pyrenaica. B. M. 713.						
DRABA. DC.	WHITLOW-GRASS.	Tetradynamia Siliculosa. L.				
1 aizoides. DC.	sea-green.	Wales.	....	2. 4.	H. ♃.	Eng. bot. 1271.
2 brachystemon. DC.	short-stamened.	.....	1731.	——	H. ♃.	Bot. mag. 170.
aizoides. B. M. *ciliaris.* H. K.						
3 aizoon. DC.	hairy-podded.	Hungary.	1821.	——	H. ♃.	
4 cuspidata. DC.	sharp-pointed.	Tauria.	——	4. 5.	H. ♃.	
5 bryoides. DC.	Bryum-like.	Caucasus.	——	3. 4.	H. ♃.	
6 ericæfolia. DC.	Heath-leaved.	——	1823.	5. 6.	H. ♃.	
7 alpina. DC.	Alpine.	Norway.	——	4. 5.	H. ♃.	Flor. dan. t. 56.
8 incompta. DC.	straggling.	Caucasus.	——	6.	H. ♃.	Deles. ic. sel. 2. t. 44.
9 oblongata. DC.	oblong-leaved.	Baffins-bay.	1820.	5. 6.	H. ♃.	
10 corymbosa. DC.	corymbose.	——	——	——	H. ♃.	
11 hirta. DC.	hairy.	Lapland.	....	5. 7.	H. ♃.	Wahl. f. lap. t. 11. f. 3.
12 rupestris. DC.	rock.	Scotland.	....	——	H. ♃.	Eng. bot. 1338.
hirta. E. B. non Linn.						
13 helvetica. DC.	Swiss.	Switzerland.	1824.	——	H. ♃.	
14 fladnizensis. DC.	fringe-leaved.	——	——	6. 8.	H. ♃.	Jacq. misc. 1. t. 17. f. 1.
15 tomentosa. DC.	woolly-leaved.	——	——	5. 7.	H. ♃.	Wahl. helv. p. 128. t. 3.
16 stellata. DC.	starry.	——	1820.	——	H. ♃.	Jacq. obs. t. 4. f. 3.
hirta. Jacq. aust. t. 422.						
17 contorta. DC.	twisted-podded.	Britain.	....	5. 6.	H. ♂.	Eng. bot. t. 388.
incana. E. B.						
18 confusa. DC.	confused.	N. Europe.	....	——	H ♂.	Flor. dan. t. 130.
incana. F. D.						
19 nemoralis. DC.	wood.	Europe, &c.	1759.	——	H. ☉.	Houtt. syst. 4. t. 60. f. 1.
20 muralis. DC.	wall.	England.	....	4. 5.	H. ☉.	Eng. bot. 912.

EROPHILA. DC.	Erophila.	Tetradynamia Siliculosa. L.					
1 americana. DC.	American.	N. Amer.	1823.	3. 4.	H.⊙.		
2 vulgaris. DC.	common.	Britain.	....	——	H.⊙.	Flor. dan. t. 983.	
Draba verna. Eng. bot. 886.							
COCHLEARIA. DC.	Scurvy-grass.	Tetradynamia Siliculosa. L.					
1 saxatilis. DC.	rock.	Europe.	1775.	6. 7.	H.♃.	Jacq. aust. 2. t. 128.	
Myagrum saxatile. L.							
β *incisa.* DC.	*cut-leaved.*	——	——	——	H.♃.	Mor. ox. 2. n. 11. s. 3. t. 17.	
2 auriculata. DC.	eared.	Pyrenees.	1824.	5. 6.	H.♃.	Berg. phyt. 3. p. 140. ic.	
3 Armoracia. DC.	Horse-radish.	England.	....	5.	H.♃.	Eng. bot. 2225.	
Armoracia rusticana. Baumg.							
4 macrocarpa. DC.	large-fruited.	Hungary.	1806.	6. 8.	H.♃.	W. et Kit. hun. 2. t. 184.	
5 glastifolia. DC.	Woad-leaved.	S. Europe.	1648.	5. 7.	H.♂.	Lob. ic. t. 321. f. 2.	
6 anglica. DC.	English.	England.	....	5.	H.⊙.	Eng. bot. 552.	
7 officinalis. DC.	common.	Britain.	....	4. 5.	H.⊙.	—— 551.	
β *minor.* DC.	*lesser.*	——	....	——	H.⊙.		
γ *rotundifolia.* DC.	*round-leaved.*	——	....	——	H.⊙.		
groenlandica. With. brit. 578. non. Lin.							
8 pyrenaica. DC.	Pyrenean.	Pyrenees.	....	6. 8.	H.♂.	Deles. ic. sel. 2. t. 48.	
9 grœnlandica. DC.	Greenland.	Scotland.	....	5. 6.	H.♃.	Eng. bot. 2403.	
10 danica. DC.	Danish.	Britain.	....	——	H.⊙.	—— 696.	
11 alpina.	Alpine.	——	....	——	H.♃.		

Tribus III. *THLASPIDEÆ* seu Pleurorhizeæ Angustiseptæ. DC.

THLASPI. DC.	Bastard-cress.	Tetradynamia Siliculosa. L.				
1 ceratocarpon. DC.	horn-podded.	Siberia.	1779.	7.	H.⊙.	Scop. insub. 1. t. 4.
2 arvense. DC.	Penny-cress.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1650.
3 alliaceum. DC.	Garlic-scented.	S. Europe.	1714.	5. 7.	H.⊙.	Jacq. ic. 1. t. 121.
4 perfoliatum. DC.	perfoliate.	England.	....	4. 7.	H.⊙.	Eng. bot. 2354.
5 montanum. DC.	mountain.	Europe.	....	5. 6.	H.♃.	Jacq. aust. 3. t. 237.
6 alpestre. DC.	Alpine.	England.	....	5. 7.	H.♃.	Eng. bot. t. 81.
CAPSELLA. DC.	Shepherds-purse.	Tetradynamia Siliculosa. L.				
Bursa-pastoris. DC.	common.	Britain.	....	1. 12.	H.⊙.	Eng. bot. 1485.
Thlaspi Bursa-pastoris. L.						
β *minor.* DC.	*small.*	——	....	——	H.⊙.	Tabern. ic. 199.
γ *integrifolia.* DC.	*entire-leaved.*	——	....	——	H.⊙.	Moris. ox. 2. t. 20. f. 1.
δ *coronopifolia.* DC.	*Buck's-horn-ld.*	——	....	——	H.⊙.	
HUTCHINSIA. DC.	Hutchinsia.	Tetradynamia Siliculosa. L.				
1 rotundifolia. DC.	round-leaved.	Switzerland.	1759.	5. 7.	H.♃.	Scop. carn. n. 805. t. 37.
Iberis rotundifolia. L.						
2 cepeæfolia. DC.	toothed-leaved.	Carinthia.	1824.	4. 5.	H.♃.	Jacq. misc. 2. p. 28. t. 1.
3 alpina. DC.	Alpine.	Pyrenees.	1775.	4. 6.	H.♃.	Jacq. aust. 2. t. 137.
Lepidium alpinum. L.						
4 petræa. DC.	rock.	England.	....	3. 5.	H.♂.	Eng. bot. 111.
Lepidium petræum. L.						
5 procumbens. DC.	procumbent.	Europe.	1823.	——	H.⊙.	Hill. veg. syst. t. 42. f. 1.
TEESDALIA. DC.	Teesdalia.	Tetradynamia Siliculosa. L.				
Iberis. DC.	Shepherds-cress	England.	....	5. 7.	H.⊙.	Eng. bot. 327.
nudicaulis. H. K.	*Iberis nudicaulis.* L.	*Guepinia Iberis.* DC.				
IBERIS. DC.	Candy-tuft.	Tetradynamia Siliculosa. L.				
1 semperflorens. DC.	broad-leaved.	Sicily.	1679.	1. 12.	G.♄.	Moris. ox. 2. t. 25. f. 5.
2 gibraltarica. DC.	Gibraltar.	Gibraltar.	1732.	5. 6.	G.♄.	Bot. mag. 124.
3 saxatilis. DC.	rock.	S. Europe.	1739.	4. 6.	H.♄.	Gou. fl. mons. 177. t. 1.
4 corifolia.	Coris-leaved.	——	——	——	H.♄.	Clus. hist. 2. p. 132. ic.
saxatilis β *corifolia.* Bot. mag. 1642.						
5 pubescens. DC.	pubescent.	... .	1821.	——	H.♄.	
6 sempervirens. DC.	evergreen.	Crete.	1731.	——	H.♄.	Flor. græc. t. 620.
7 Garrexiana. DC.	Allioni's.	Pyrenees.	....	6. 8.	H.♄.	All. ped. n. 920. t. 40. f. 3.
8 amara. DC.	bitter.	England.	....	——	H.⊙.	Eng. bot. 52.
9 pinnata. DC.	wing-leaved.	S. Europe.	1596.	——	H.⊙.	Lob. ic. t. 217. f. 2.
10 odorata. DC.	sweet-scented.	Crete.	1806.	——	H.⊙.	Swt. br. fl. gar. 50.
11 Lagascana. DC.	Lagasca's.	Spain.	1824.	——	H.⊙.	
12 umbellata. DC.	purple.	S. Europe.	1596.	——	H.⊙.	Bot. mag. 106.
13 linifolia. DC.	Flax-leaved.	——	1759.	——	H.♂.	Garid. aix. t. 105.

14 **ciliata.** DC.	fringed.	———	....	——	H.♂.		
15 **taurica.** DC.	Taurian.	Tauria.	1802.	5. 7.	H.♂.		
16 **violacea.** DC.	blunt-leaved.	.....	1782.	6. 7.	H.⊙.		
17 **nana.** DC.	dwarf.	S. Europe.	1822.	6. 8.	H.♂.	All. auct.p.15.t.2.f.1.	
18 **Tenoreana.** DC.	Tenore's.	Naples.	——	5. 7.	H.♄.	Swt. br. fl. gar. 88.	
BISCUTELLA. DC.	BUCKLER-MUSTARD.	Tetradynamia Siliculosa. L.					
1 **auriculata.** DC.	ear-podded.	S. Europe.	1683.	6. 7.	H.⊙.	DC. diss. n. 1. t. 1. f. 2.	
2 **erigerifolia.** DC.	Erigeron-leav'd	Spain.	1824.	——	H.⊙.	Deles. ic. sel. 2. t. 55.	
3 **hispida.** DC.	hispid.	S. France.	1822.	——	H.⊙.	Bot. mag. 2444.	
4 **cichoriifolia.** DC.	Succory-leaved.	Pyrenees.	——	——	H.♃.	DC. diss. n. 4. t. 2.	
5 **lyrata.** DC.	lyre-leaved.	Spain.	1799.	——	H.⊙.	Bocc. sic. 45. t. 23.	
6 **raphanifolia.** DC.	Radish-leaved.	Sicily.	1824.	——	H.⊙.		
7 **maritima.** DC.	sea.	Naples.	——	——	H.⊙.	Tenor. fl. nap. t. 61.	
8 **ciliata.** DC.	fringe-podded.	Italy.	1790.	——	H.⊙.	DC. ic.gal. rar. 1. t. 39.	
coronopifolia. W. non. Lin.							
9 **depressa.** DC.	dwarf.	Egypt.	1823.	——	H.⊙.		
10 **microcarpa.** DC.	small-podded.	Gibraltar.	——	5. 6.	H.⊙.		
11 **Columnæ.** DC.	Columna's.	Apulia.	1824.	6. 7.	H.⊙.	Col. ecphr. 1. t. 264. f. 1.	
12 **apula.** DC.	spear-leaved.	Italy.	1710.	——	H.⊙.	Fl. græc. t. 629.	
13 **leiocarpa.** DC.	smooth-capsul'd	Levant.	1824.	——	H.⊙.	Gært. fruct. 2. t. 141.	
14 **obovata.** DC.	obovate-leaved.	.....	....	——	H.⊙.		
15 **lævigata.** DC.	smooth-podded.	Europe.	1777.	——	H.♃.	DC. ic. rar. 11. t. 38.	
β alpestris. W.en.	*Hungarian.*	Hungary.	1816.	——	H.♃.	W.et Kit.hung.3.t.228.	
16 **coronopifolia.** DC.	Buck's-horn-ld.	S. Europe.	1790.	——	H.♃.	DC. diss. n. 22. t. 18.	
17 **ambigua.** DC.	ambiguous.	———	....	——	H.♃.	——— n.23.t.11.f.1.	
18 **saxatilis.**	rock.	———	1824.	——	H.♃.	——— n. 24. t. 10.	
19 **sempervirens.** DC.	downy-leaved.	Spain.	1784.	——	F.♄.	Barr. ic. t. 841.	
MEGACARPÆA. DC.	MEGACARPÆA.	Tetradynamia Siliculosa. L.					
laciniata. DC.	jagged-leaved.	Volga.	1823.	6. 7.	H.♃.	DC. diss. bisc. n. 5. t. 3.	

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizeæ Nucamentaceæ. DC.

EUCLIDIUM. DC.	EUCLIDIUM.	Tetradynamia Siliculosa. L.					
1 **syriacum.** DC.	Syrian.	Levant.	1778.	7. 8.	H.⊙.	Jacq. aust. 1. t. 6.	
Bunias syriaca. W.	*Anastatica syriaca.* Jacq.						
2 **tataricum.** DC.	Tartarian.	Tartary.	1823.	4. 5.	H.⊙.	Pall. it. 3. ap. t. U. f. 2.	
Bunias tatarica. W.							
OCHTHODIUM. DC.	OCHTHODIUM.	Tetradynamia Siliculosa. L.					
ægyptiacum. DC.	Egyptian.	Egypt.	1787.	8.	H.⊙.	Jacq. vind. t. 145.	
Rapistrum ægyptiacum. H. K. *Bunias ægyptiaca.* L.							

Tribus V. *ANASTATICEÆ* seu Pleurorhizeæ Septulatæ. DC.

ANASTATICA. DC.	ROSE OF JERICHO.	Tetradynamia Siliculosa. L.					
Hierochuntina. DC.	common.	Levant.	1597.	5. 8.	H.⊙.	Jacq. vind. 1. t. 58.	

Tribus VI. *CAKILINEÆ* seu Pleurorhizeæ Lomentaceæ. DC.

CAKILE. DC.	CAKILE.	Tetradynamia Siliculosa. L.					
1 **maritima.** DC.	Sea Rocket.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 231.	
β sinuatifolia. DC.	*sinuate-leaved.*	———	....	——	H.⊙.	Horn. fl. dan. t. 1583.	
2 **americana.** DC.	American.	America.	....	——	H.⊙.	Tussac fl. ant. 1. f. 17.	
CHORISPORA. DC.	CHORISPORA.	Tetradynamia Siliquosa. L.					
1 **tenella.** DC.	purple.	Tauria.	1780.	6. 7.	H.⊙.	Pall. it. 3. ap. t. L. f. 3.	
2 **sibirica.** DC.	Siberian.	Siberia.	1822.	——	H.⊙.	Murr. com. gœtt. t. 11.	
3 **iberica.** DC.	strong-scented.	Iberia.	——	——	H.⊙.	Deles. ic. sel. 2. t. 58.	

Subordo II. NOTORRHIZEÆ. *DC. syst.* 2. *p.* 438.

Tribus VII. *SISYMBREÆ* seu Notorhizeæ Siliquosæ. DC.

MALCOMIA. DC.	MALCOMIA.	Tetradynamia Siliquosa. L.					
1 africana. DC.	African.	Africa.	1747.	6. 7.	H.⊙.	Buxb. cent. 4. t. 44.
2 taraxacifolia. DC.	Dandelion-l^d.	.....	1795.	——	H.⊙.	
3 laxa. DC.	loose-branched.	Siberia.	1822.	——	H.⊙.	
4 Chia. DC.	dwf.-branching.	Chio.	1732.	5. 6.	H.⊙.	Swt. br. fl. gar. 40.
5 maritima. DC.	dwarf annual.	S. Europe.	1713.	——	H.⊙.	Bot. mag. 166.
Cheiranthus maritimus. B. M.						
6 arenaria. DC.	sand.	Barbary.	1801.	——	H.⊙.	Desf. fl. atl. 2. t. 169.
Hesperis arenaria. Desf.						
7 parviflora. DC.	small-flowered.	S. Europe.	1822.	6. 8.	H.⊙.	DC. ic. gall. rar. t. 85.
8 littorea. DC.	sea.	—— ——	1683.	6. 11.	H.♂.	Swt. br. fl. gar. 54.
HESPERIS. DC.	ROCKET.	Tetradynamia Siliquosa. L.				
1 tristis. DC.	night-smelling.	Austria.	1632.	4. 6.	H.♂.	Bot. mag. 730.
2 fragrans. F.	evening-scent^d.	Siberia?	1823.	——	H.♂.	Swt. br. fl. gar. 61.
3 laciniata. DC.	laciniated.	Italy.	1820.	5. 6.	H.♂.	All. ped. n. 985. t. 82. f. 1.
4 runcinata. DC.	runcinate.	Hungary.	1804.	5. 7.	H.♂.	W. et Kit. hung. 2. t. 200.
5 bituminosa. W.en.	clammy.	.....	1816.	——	H.♂.	
6 matronalis. L.	common.	Europe.	1597.	5. 8.	H.4.	Lob. ic. t. 323. f. 2.
α albiflora. DC.	*single-white.*	—— ——	——	——	H.4.	Tabern. kraut. 693. f. 1.
β albo-plena.	*double-white.*	—— ——	——	——	H.4.	
γ purpurea. DC.	*single-purple.*	—— ——	——	——	H.4.	Tabern. kraut. 692. f. 2.
δ purpureo-plena.	*double-purple.*	—— ——	——	——	H.4.	Wein. phyt. t. 572. f. c.
ε variegata. DC.	*double-variegated*	—— ——	——	——	H.4.	Munt. phyt. cur. t. 186.
ζ foliiflora. DC.	*green-flowered.*	—— ——	——	——	H.4.	Wein. phyt. t. 572. f. a.
7 inodora. L.	scentless.	Britain.	....	——	H.4.	Eng. bot. 731.
8 sibirica. DC.	Siberian.	Siberia.	....	——	H.4.	
9 aprica. DC.	sun.	—— ——	1823.	5. 6.	H.4.	Deles. ic. sel. 2. t. 62.
ANDREOSKIA. DC.	ANDREOSKIA.	Tetradynamia Siliquosa. L.				
integrifolia. DC.	entire-leaved.	Siberia.	1824.	6. 7.	H.⊙.	
Sisymbrium integrifolium. W. *Hesperis glandulosa.* P. S.						
SISYMBRIUM. DC.	SISYMBRIUM.	Tetradynamia Siliquosa. L.				
1 officinale. DC.	Hedge-mustard	Britain.	....	5. 7.	H.⊙.	Eng. bot. 725.
Erysimum officinale. E. B.						
2 strictissimum. DC.	spear-leaved.	Europe.	1658.	6. 8.	H.4.	Jacq. aust. 2. t. 194.
Cheirinia strictissima. L. en.						
3 junceum. DC.	rushy.	Hungary.	1804.	7.	H.4.	W. et Kit. hung. 3. t. 234.
Erysimum junceum. W. *Cheirinia juncea.* L. en.						
4 hispanicum. DC.	Spanish.	Spain.	1820.	5. 6.	H.♂.	Jacq. ic. rar. 1. t. 124.
5 pumilum. DC.	dwarf.	Caucasus.	——	4. 5.	H.⊙.	
6 obtusangulum. DC.	blunt-angled.	Switzerland.	....	5. 8.	H.⊙.	Moris. ox. 2. s. 3. t. 5. f. 10.
7 acutangulum. DC.	acute-angled.	Pyrenees.	1791.	6. 7.	H.♂.	Jacq. vind. 3. t. 97.
sinapoides. H. K. *Sinapis pyrenaica.* Jacq.						
8 taraxacifolium. DC.	Dandelion-l^d.	France.	1823.	5. 6.	H.♂.	DC. ic. rar. p. 11. t. 37.
9 austriacum. DC.	Austrian.	Austria.	1799.	6. 8.	H.⊙.	Jacq. aust. 3. t. 262.
10 eckartsbergense. W.	bending-podd'd	—— ——	——	——	H.♂.	
11 Irio. DC.	London Rocket.	England.	....	5. 8.	H.⊙.	Eng. bot. 1631.
12 nitidum. DC.	glossy.	.....	....	6. 8.	H.⊙.	
13 subhastatum. DC.	halbert-leaved.	Archipelago.	1822.	4. 5.	H.⊙.	
14 Columnæ. Jacq.	Columna's.	Italy.	1796.	6. 7.	H.⊙.	Jacq. aust. t. 323.
15 altissimum. L.	tall.	Siberia.	1759.	8.	H.⊙.	Walth. hort. t. 122.
16 orientale. L.	oriental.	Levant.	1739.	7. 8.	H.⊙.	
17 pannonicum. DC.	Hungarian.	Hungary.	1787.	——	H.⊙.	Jacq. ic. rar. 1. t. 128.
18 asperum. DC.	rough-podded.	S. Europe.	1778.	5. 6.	H.⊙.	J. Bauh. hist. 2. f. 3.
19 fugax. DC.	fugacious.	Spain.	1820.	7. 8.	H.4.	
20 Sophia. DC.	Flix-weed.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 968.
21 persicum. DC.	Persian.	Persia.	1820.	——	H.⊙.	
22 tripinnatum. DC.	tripinnate.	C. B. S.	1817.	——	H.⊙.	
23 millefolium. DC.	Milfoil-leaved.	Canaries.	1779.	5. 9.	G.♄.	Jacq. ic. rar. 1. t. 127.

24 tanacetifolium. DC. Tansy-leaved. Italy. 1731. 6. 7. H. ♃. Mor. his. 2. s. 3. t. 6. f. 19,
25 supinum. DC. trailing. S. Europe. 1778. —— H. ☉. Isn. act. Par. 1731. t. 18.
Erysimum supinum. L.en.
26 hirsutum. DC. hairy-podded. ——— 1822. —— H. ☉.
Erysimum hirsutum. L.en.
27 polyceratium. DC. sinuate-leaved. ——— 1683. —— H. ☉. Jacq. vind. t. 79.
Erysimum polyceratium. L.en.
28 bursifolium. DC. various-leaved. ——— 1732. —— H. ☉. Dill. elt. t. 148. f. 177.
29 pinnatifidum. DC. pinnatifid. ——— 1822. 5. 8. H. ♃. All. ped. t. 57. f. 3.
30 contortuplicatum. DC. twisted-podd. Cumana. —— 6. 8. H. ☉.
Hesperis contortuplicata. Bieb. *Cheiranthus contortuplicatus.* W.

ALLIARIA. DC. ALLIARIA. Tetradynamia Siliquosa. L.
officinalis. DC. garlick-scented. Britain. .... 5. 6. H. ♃. Eng. bot. 706.
Erysimum Alliaria. E. B. *Hesperis Alliaria.* Lam.

ERYSIMUM. DC. ERYSIMUM. Tetradynamia Siliquosa. L.
1 siculum. DC. Sicilian. Sicily. 1824. 6. 7. H. ♂.
2 sessiliflorum. DC. sessile-flower'd. Siberia. 1794. —— H. ♃. L.Her. strirp. 1. t. 44.
Cheiranthus quadrangulus. W. *Cheirinia sessiliflora.* L.en. *Syrenia Lamarckii.* Andrz.
3 angustifolium. DC. narrow-leaved. Hungary. 1800. 7. 8. H. ♂. W.et Kit. hung. 1. t. 96.
Cheirinia angustifolia. L.en. *Syrenia Ehrarti.* Andrz.
4 cuspidatum. DC. sharp-pointed. Caucasus. 1800. 5. 6. H. ♂. Buxb. cent. 2. t. 38. f. 1.
Syrenia Bieberstenii. Andrz. *Cheiranthus cuspidatus.* W.
5 suffruticosum. DC. suffruticose. ..... 1822. 4. 5. H. ♄.
6 strictum. DC. upright. Austria. 1795. 6. 8. H. ♂. Jacq. aust. 1. t. 73.
odoratum. W. *hieracifolium.* Jacq. *Cheirinia stricta.* L.en.
7 virgatum. DC. twiggy. Portugal. 1807. 6. 7. H. ♂. Fl. Dan. t. 928?
8 longisiliquosum. DC. long-podded. Switzerland. 1823. —— H. ♂. DC. ic. gal. rar. t. 86.
9 hieracifolium. DC. Hawkweed-ld. Europe. —— 5. 6. H. ♂. J. Bauh. his. 2. t. 2.
10 aureum. DC. golden. Caucasus. 1824. —— H. ♂. Deles. ic. sel. 2. t. 66.
11 ibericum. DC. Iberian. Iberia. 1803. 5. 8. H. ♂. Bot. mag. 835.
Cheiranthus armeniacus. B. M. *Cheiranthus ibericus.* Bieb.
12 cheiranthoides. DC. treacle. Britain. .... 6. 8. H. ☉. Eng. bot. 942.
13 repandum. DC. small-flowered. S. Europe. 1772. 5. 6. H. ☉. Jacq. aust. 1. t. 22.
14 helveticum. DC. Swiss. Switzerland. 1793. —— H. ♂. Jacq. vind. t. 9.
Cheiranthus helveticus. Jacq. *Cheirinia helvetica.* L.en.
15 canescens. DC. canescent. S. Europe. 1731. 5. 7. H. ♂. Barr. ic. t. 684.
Cheiranthus alpinus. Jacq. f. aust 1. t. 75.
16 lanceolatum. DC. spear-leaved. ——— 1597. —— H. ♂. Jacq. aust. t. 74.
Cheiranthus erysimoides. Jacq.
17 firmum. hoary-podded. Switzerland. 1824. —— H. ♂.
Cheirinia firma. L.en. *Cheiranthus firmus.* W.en.
18 rhæticum. DC. Rhætian. Rhætia. —— —— H. ♂.
19 dubium. DC. doubtful. ..... —— —— H. ♂.
20 longifolium. DC. long-leaved. Algiers. 1822. —— H. ♃.
21 altissimum. DC. tall. Limbourg. —— 6. 7. H. ♂.
Cheirinia altissima. L.en.

CONRINGIA. L.en. CONRINGIA. Tetradynamia Siliquosa. L.
1 alpina. L.en. Alpine. Europe. 1798. 5. 6. H. ♃. Vill. dauph. 3. t. 36.
Brassica alpina. D. *Erysimum alpinum.* DC.
2 perfoliata. L.en. perfoliate. England. ... —— H. ☉. Eng. bot. 1804.
Brassica orientalis. E. B. *Erysimum perfoliatum.* DC.
3 austriaca. Austrian. Austria. .... —— H. ☉. Jacq. aust. t. 288.
Brassica austriaca. Jacq. *Erysimum austriacum.* DC.

Tribus VIII. *CAMELINEÆ* seu Notorhizeæ Latiseptæ. DC.

CAMELINA. DC. CAMELINA. Tetradynamia Siliculosa. L.
1 sativa. DC. Gold of pleasure. Britain. .... 5. 7. H. ☉. Eng. bot. 1954.
Alyssum sativum. E. B. *Myagrum sativum.* L.
α *pilosa.* DC. *hairy.* ——— .... —— H. ☉. Moris. ox. 2. s. 3. t. 21. f. 2.
β *glabrata.* DC. *smooth.* .... —— H. ☉. Lind. als. 94. t. 1.
2 dentata. DC. tooth-leaved. Europe. 1806. —— H. ☉. J. Bauh. hist. 2. p. 893. ic.
3 barbareæfolia. DC. Barbarea-ld. Siberia. 1824. —— H. ♃.
4 austriaca. DC. Austrian. Austria. 1795. 6. 7. H. ☉. Jacq. aust. 2. t. 111.

NESLIA. DC.	NESLIA.	Tetradynamia Siliculosa. L.					
1 paniculata. DC.	panicled.	Europe.	1683.	7. 8.	H.⊙.	Flor. dan. t. 204.
Rapistrum paniculatum. Gært.	*Myagrum paniculatum.* L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizeæ Angustiseptæ. DC.

SENEBIERA. DC.	SENEBIERA.	Tetradynamia Siliculosa. L.				
1 pinnatifida. DC.	pinnatifid.	England.	....	7. 8.	H.⊙.	Eng. bot. 248.
Coronopus didyma. E. B.	*Lepidium didymum.* L.					
2 Coronopus. DC.	common.	Britain.	....	6. 10.	H.⊙.	——— 1660.
Coronopus Ruellii. E. B.	*Cochlearia Coronopus.* L.					
LEPIDIUM. DC.	PEPPERWORT.	Tetradynamia Siliculosa. L.				
1 Draba. DC.	Whitlow-grass.	Europe.	1596.	5. 6.	H.♃.	Jacq. fl. aust. 4. t. 315.
Cochlearia Draba. Jacq.						
2 chalepense. DC.	Aleppo.	Aleppo.	1798.	5. 7.	H.⊙.	Moris. ox. 2. s. 3. t. 25.
3 coronopifolium. DC.	Buckshorn-ld.	Volga.	1823.	——	H.♃.	
4 sativum. DC.	common Cress.	Persia.	1548.	5. 10.	H.⊙.	Fl. græc. t. 616.
β *crispum.* DC.	*curled Cress.*	———	....	——	H.⊙.	Chabr. sci. 289. f. 2.
γ *latifolium.* DC.	*broad-leaved.*	———	....	——	H.⊙.	Moris. ox. 2. s. 3. t. 19. f. 2.
5 campestre. DC.	hoary field.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1385.
Thlaspi campestre. E. B.						
6 hirtum. DC.	hairy.	———	....	——	H.♂.	——— 1803.
Thlaspi hirtum. E. B.						
7 spinosum. DC.	prickly.	Levant.	1787.	4. 9.	H.⊙.	Ard. spec. 2. t. 16.
8 virginicum. DC.	Virginian.	America.	1713.	6. 7.	H.⊙.	Schkuhr hand. 2. t. 180.
9 subulatum. DC.	awl-leaved.	Spain.	1739.	7. 8.	F.♄.	Asso syn. arr. t. 6. f. 3.
10 ruderale. DC.	narrow-leaved.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1595.
11 incisum. DC.	cut-leaved.	Tauria.	1824.	5. 6.	H.⊙.	
12 perfoliatum. DC.	various-leaved.	Austria.	1640.	4. 6.	H.⊙.	Jacq. aust. 4. t. 346.
13 Cardamines. DC.	Spanish Cress.	Spain.	1789.	6. 7.	F.♂.	Ard. spec. 1. t. 19.
14 divaricatum. DC.	close-spiked.	C. B. S.	1774.	5. 8.	G.♄.	
15 bonariense. DC.	Buenos Ayres.	S. Amer.	1732.	5. 6.	H.⊙.	Dill. elt. t. 286. f. 370.
16 cuneifolium. DC.	wedge-leaved.	N. S. W.	1820.	6. 8.	H.⊙.	
17 piscidium. DC.	South Sea.	Society Isl.	1779.	9.	H.⊙.	Mont. n. a. n. c. 6. t. 5. a.
18 lyratum. DC.	lyre-leaved.	Levant.	1759.	6. 7.	H.⊙.	Tourn. it. 2. t. 389.
19 latifolium. DC.	broad-leaved.	Britain.	....	——	H.♃.	Eng. bot. 182.
20 affine. DC.	saw-leaved.	Siberia.	1823.	7. 8.	H.♃.	
21 crassifolium. DC.	thick-leaved.	Hungary.	——	5. 6.	H.♃.	W. et Kit. hung. 1. t. 4.
22 suffruticosum.	shrubby.	Spain.	1790.	7. 8.	F.♄.	Cav. ic. 2. t. 161. f. 2.
23 lineare. DC.	linear-leaved.	Spain.	....	——	F.♄.	
24 Iberis. DC.	grass-leaved.	S. Europe.	1683.	6. 9.	H.♃.	Moris. his. 2. s. 3. t. 21. f. 1.
graminifolia. H. K.						
25 capense. DC.	Cape.	C. B. S.	1818.	6. 7.	G.♃.	
BIVONÆA. DC.	BIVONÆA.	Tetradynamia Siliculosa. L.				
lutea. DC.	yellow.	Sicily.	1823.	4. 5.	H.⊙.	Cup. pan. sic. 2. t. 256.
Thlaspi luteum. Biv.						
ÆTHIONEMA. DC.	ÆTHIONEMA.	Tetradynamia Siliculosa. L.				
1 saxatile. DC.	rock.	S. Europe.	1759.	6. 7.	H.⊙.	Jacq. aust. 3. t. 236.
2 gracile. DC.	slender.	Carniola.	1822.	——	H.♄.	Boc. mus. p. 79. t. 70.
3 Buxbaumii. DC.	Buxbaum's.	Iberia.	1820.	——	H.⊙.	Buxb. cent. 1. t. 5. f. 1.
4 monospermum. DC.	one-seeded.	Spain.	1778.	7. 8.	H.♂.	

Tribus X. *ISATIDEÆ* seu Notorhizeæ Nucamentaceæ. DC.

TAUSCHERIA. DC.	TAUSCHERIA.	Tetradynamia Siliculosa. L.				
1 lasiocarpa. DC.	villous-podded.	Siberia.	1824.	6. 7.	H.⊙.	
2 gymnocarpa. DC.	smooth-podded.	———	——	5. 6.	H.⊙.	
ISATIS. DC.	WOAD.	Tetradynamia Siliculosa. L.				
1 armena. DC.	Armenian.	Armenia.	1824.	6. 7.	H.⊙.	Desv. j. 3. t. 25. f. 6.
2 lusitanica. DC.	Portugal.	Portugal.	1739.	——	H.⊙.	
3 alpina. DC.	Alpine.	Italy.	1800.	——	H.♃.	All. ped. t. 86. f. 2.

4 præcox. DC.	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
5 littoralis. DC.	sea-side.	Tauria.	——	6. 7.	H.⊙.	
6 tinctoria. DC.	common.	England.	....	5. 7.	H. ♂.	Eng. bot. 97.
7 campestris. DC.	field.	Podolia.	1823.	——	H.⊙.	
8 bannatica. DC.	Bannatic.	Bannatu.	——	——	H.⊙.	
9 orientalis. DC.	oriental.	Levant.	....	——	H.⊙.	
10 aleppica. DC.	Aleppo.	————	1739.	6. 7.	H.⊙.	Scop. d. ins. 2. t. 16.
MYAGRUM. DC.	MYAGRUM.	Tetradynamia Siliculosa. L.				
perfoliatum. DC.	perfoliate.	Europe.	1648.	6. 7.	H.⊙.	Schkuhr han. 2. t. 178.
SOBOLEWSKIA. DC.	SOBOLEWSKIA.	Tetradynamia Siliculosa. L.				
lithophila. DC.	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Bieb. cent. 2. t. 59.

Tribus XI. *ANCHONIEÆ* seu Notorhizeæ Lomentaceæ. DC.

GOLDBACHIA. DC.	GOLDBACHIA.	Tetradynamia Siliquosa. L.				
lævigata. DC.	smooth.	Astracan.	1823.	5. 6.	H.⊙.	Deles. ic. sel. 2. t. 81.
STERIGMA. DC.	STERIGMA.	Tetradynamia Siliquosa. L.				
1 tomentosum. DC.	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
Cheiranthus tomentosus. W.						
2 torulosum. DC.	twisted-podded.	Iberia.	——	——	H. ♂.	

Subordo III. ORTHOPLOCEÆ. *DC. syst.* 2. *p.* 581.

Tribus XII. *BRASSICEÆ* seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.	CABBAGE.	Tetradynamia Siliquosa. L.				
1 oleracea. DC.	common.	England.	....	4. 6.	H. ♂.	
A. SYLVESTRIS. DC.	WILD.	————	....	——	H. ♂.	Eng. bot. t. 637.
B. ACEPHALA. DC.	CATTLE.	.....	....	——	H. ♂.	
α *ramosa.* DC.	*branching.*	.....	....	——	H. ♂.	
β *vulgaris.* DC.	*upright.*	.....	....	——	H. ♂.	
* *viridis.* DC.	*green.*	.....	....	——	H. ♂.	Lob. ic. 243. f. 1.
** *purpurascens.* DC.	*purple.*	.....	....	——	H. ♂.	Chabr. sciag. 270. f. 6.
γ *quercifolia.* DC.	*oak-leaved.*	.....	....	——	H. ♂.	———— 270. f. 1.
δ *sabellica.* DC.	BORECOLE.	.....	....	——	H. ♂.	———— 271. f. 1.
* *pinnata.* DC.	*winged-leaved.*	.....	....	——	H. ♂.	Lob. ic. 246. f. 2.
** *purpurascens.* DC.	*purple.*	.....	....	——	H. ♂.	
*** *versicolor.* DC.	*variegated.*	.....	....	——	H. ♂.	
ε *palmifolia.* DC.	*palm-leaved.*	.....	....	——	H. ♂.	
ζ *costata.* DC.	*thick-ribbed.*	.....	....	——	H. ♂.	
* *nepenthiformis.* DC.	*tubular-leaved.*	.....	....	——	H. ♂.	
C. BULLATA. DC.	SAVOY.	.....	....	——	H. ♂.	
α *vulgaris.* DC.	*common.*	.....	....	——	H. ♂.	Lob. ic. t. 244. f. 1.
* *præcox.* DC.	*early.*	.....	....	——	H. ♂.	
** *humilis.* DC.	*dwarf.*	.....	....	——	H. ♂.	
*** *turionensis.* DC.	*Tourraine.*	.....	....	——	H. ♂.	
**** *aurata.* DC.	*yellow.*	.....	....	——	H. ♂.	
β *oblonga.* DC.	*winter.*	.....	....	——	H. ♂.	Lob. ic. t. 224. f. 2.
γ *major.* DC.	*large.*	.....	....	——	H. ♂.	
δ *gemmifera.* DC.	*Brussel's-sprouts*	.....	....	——	H. ♂.	
D. CAPITATA. DC.	HEADED.	.....	....	——	H. ♂.	Lob. ic. 243. f. 2.
α *depressa.* DC.	*drum-head.*	.....	....	——	H. ♂.	
β *sphærica.* DC.	*common.*	.....	....	——	H. ♂.	
* *alba.* DC.	*white.*	.....	....	——	H. ♂.	
** *rubra.* DC.	*red.*	.....	....	——	H. ♂.	Dod. pempt. 621. f. 2.
γ *obovata.* DC.	*heart.*	.....	....	——	H. ♂.	
δ *elliptica.* DC.	*early york.*	.....	....	——	H. ♂.	
ε *subacuta.*	*Battersea.*	.....	....	——	H. ♂.	
ζ *conica.* DC.	*Sugarloaf.*	.....	....	——	H. ♂.	
E. CAULO-RAPA. DC.	TURNEP-STALK	.....	....	——	H. ♂.	

	α communis. DC.	*flat-leaved.*	.....	....	——	H. ♂	Lob. ic. 246. f. 1.
	* *alba.* DC.	*white-stemmed.*	.....	....	——	H. ♂	
	** *purpurascens.* DC.	*violet-stemmed.*	.....	....	——	H. ♂	Weinm. phyt. t. 264.
	β? *crispa.* DC.	*curl-leaved.*	.....	....	——	H. ♂	
	F. BOTRYTIS. DC.	BROCCOLI.	.....	....	——	H. ♂	Lob. ic. 245. f. 1.
	α cauliflora. DC.	*Cauliflower.*	.....	....	——	H. ♂	Weinm. phyt. t. 256.
	β asparagoides. DC.	*Broccoli.*	.....	....	——	H. ♂	Dalech. lugd. 522. f. 1.
	* *communis.* DC.	*white.*	.....	....	——	H. ♂	Chabr. sciagr. 269. f. 3.
	** *violacea.* DC.	*violet.*	.....	....	——	H. ♂	
	*** *viridis.*	*green.*	.....	....	——	H. ♂	
	**** *ramosa.*	*branching.*	.....	....	——	H. ♂	
	***** *autumnalis.*	*Cape.*	.....	....	——	H. ♂	
3	campestris. DC.	field.	England.	....	6.	H. ♂	Eng. bot. 2224.
	A. OLEIFERA. DC.	COLE-SEED.	——	....	——	H. ♂	
	* *autumnalis.* DC.	*autumnal.*	——	....	——	H. ♂	
	** *præcox.* DC.	*early.*	——	....	——	H. ♂	
	B. PABULARIA. DC.	SHEEP'S.	——	....	——	H. ♂	
	C. NAPO-BRASSICA. DC.	TURNEP-RD	——	....	——	H. ♂	
	α communis. DC.	*common.*	——	....	——	H. ♂	
	* *alba.* DC.	*white-rooted.*	——	....	——	H. ♂	
	** *purpurascens.* DC.	*purple-rooted.*	——	....	——	H. ♂	
	β *Rutabaga.* DC.	*Swedish Turnep.*	——	....	——	H. ♂	
3	Rapa. DC.	Turnep.	——	....	4. 6.	H. ♂	Eng. bot. 2176.
	A. DEPRESSA. DC.	FLAT-ROOTED.	——	....	——	H. ♂	Mart. fl. rust. t. 49. 50.
	* *alba.* DC.	*white-round.*	——	....	——	H. ♂	
	** *flavescens.* DC.	*yellow-round.*	——	....	——	H. ♂	
	*** *nigricans.* DC.	*dark-round.*	——	....	——	H. ♂	
	**** *punicea.* DC.	*red-round.*	——	....	——	H. ♂	
	***** *viridis.* DC.	*green-round.*	——	....	——	H. ♂	
	****** *præcox.*	*early Dutch.*	——	....	——	H. ♂	
	B. OBLONGA. DC.	OBLONG-RD.	——	....	——	H. ♂	Lob. ic. t. 197. f. 2.
	C. OLEIFERA. DC.	OIL-BEARING.	Dauphiny.	....	——	H. ♂	—— t. 200. f. 1.
4	Napus. DC.	Rape.	Britain.	....	5.	H. ♂	Eng. bot. 2146.
	A. OLEIFERA. DC.	wild.	——	....	——	H. ♂	Lob. ic. t. 200. f. 2.
	B. ESCULENTA. DC.	esculent.	——	....	——	H. ♂	—— 200. f. 1.
	α alba. DC.	*white-rooted.*	——	....	——	H. ♂	Blackw. herb. t. 410.
	β flavo. DC.	*yellow-rooted.*	——	....	——	H. ♂	
	γ *nigricans.* DC.	*black-rooted.*	——	....	——	H. ♂	
5	præcox. DC.	early.	S. Europe.	....	5. 6.	H. ☉	
6	chinensis. DC	Chinese.	China.	1770.	7.	H. ☉	
7	violacea. DC.	violet-flowered.	——	....	——	H. ☉	
8	Incana. DC.	hoary.	Naples.	1824.	4. 5.	H. ♄	Cup. panph. 1. t. 182.
9	Gravinæ. DC.	pubescent.	Apruntia.	——	5. 6.	H. ♃	Ten. fl. nap. t. 62.
10	pinnatifida. DC.	pinnatifid.	Spain.	——	9. 10.	H. ♃	Desf. fl. atl. 2. t. 165.
11	humilis. DC.	dwarf.	S. France.	——	4. 5.	H. ♃	
12	repanda. DC.	wavy.	S. Europe.	1818.	6. 8.	H. ♃	Vill. dauph. 3. t. 39.
13	monensis. DC.	Isle of Man.	Britain.	....	——	H. ☉	Eng. bot. 962.
14	Erucastrum. DC.	runcinate.	S. Europe.	1790.	——	H. ☉	Bull. herb. t. 381.
15	Cheiranthos. DC.	Stock-like.	——	....	——	H. ♃	Vill. dauph. 3. t. 36.
16	cheiranthiflora. DC.	Wall-flowered.	——	1820.	——	H. ☉	Willd. hort. ber. t. 19.
17	Tournefortii. DC.	Tournefort's.	Spain.	——	6. 7.	H. ☉	Gou. ill. p. 44. t. 20. f. A.
18	lævigata. DC.	smooth.	——	1825.	——	H. ♂	
19	valentina. DC.	Spanish.	——	——	4. 5.	H. ☉	Barr. ic. t. 195. f. 1.
20	fruticulosa. DC.	frutescent.	S. Europe.	1820.	2. 4.	H. ♄	Cyr. pl. rar. 2. t. 1.
21	elongata. DC.	stalk-leaved.	Hungary.	1801.	5. 6.	H. ♂	W. et K. hung. 1. t. 28.
22	sabularia. DC.	gravel.	Portugal.	1818.	——	H. ☉	Brot. phyt. p. 97. t. 43.
SINAPIS. DC.		MUSTARD.	Tetradynamia Siliquosa. L.				
1	nigra. DC.	common.	Britain.	....	4. 8.	H. ☉	Eng. bot. 969.
2	lævigata. DC.	smooth.	Spain.	1769.	6. 7.	H. ♂	
3	auriculata. DC.	eared.	.....	....	——	H. ☉	
4	integrifolia. DC.	entire-leaved.	E. Ind.	1804.	7. 8.	H. ☉	W. hort. ber. t. 14.
5	juncea. DC.	fine-leaved.	China.	1710.	6. 7.	H. ☉	Jacq. h. vind. t. 171.
6	chinensis. DC.	Chinese.	——	1782.	——	H. ☉	Ard. spec. 1. t. 10.
7	brassicata. DC.	Cabbage-leav'd.	——	1801.	——	H. ☉	
8	pubescens. DC.	downy.	Sicily.	1789.	——	H. ♃	Ard. spec. 1. t. 9.
9	arvensis. DC.	Charlock.	Britain.	....	4. 8.	H. ☉	Eng. bot. 1748.
10	orientalis. DC.	oriental.	Levant.	1778.	6. 7.	H. ☉	Schk. hand. 1. t. 186.
11	taurica. DC.	Taurian.	Tauria.	1823.	4. 8.	H. ☉	
12	subbipinnatifida.	subbipinnatifid.	Spain.	——	6. 7.	H. ☉	

13 Kaber. DC.	Persian.	Persia.	——	——	H.⊙.		
14 Allionii. DC.	Allioni's.	Egypt.	1789.	——	H.⊙.	Jacq. h. vind. 2. t. 169.	
15 turgida. DC.	turgid-podded.	———	...	——	H.⊙.		
16 incana. DC.	hoary-jointed.	S. Europe.	1771.	7.	H.♂.	Jacq. h. vind. 2. t. 169.	
17 heterophylla. DC.	various-leaved.	Spain.	1820.	5. 6.	H.♂.		
18 alba. DC.	white-seeded.	Britain.	....	4. 10.	H.⊙.	Eng. bot. 1677.	
19 hispida. DC.	hispid.	Spain.	1804.	6. 7.	H.⊙.		
20 dissecta. DC.	cut-leaved.	———	——	4. 6.	H.⊙.		
21 foliosa. DC.	leafy.	Levant.	——	5. 6.	H.⊙.		
22 frutescens. DC.	frutescent.	Madeira.	1777.	12. 6.	G.♄.		
23 ramosa. H. B.	branching.	E. Indies.	1804.	7. 8.	H.⊙.		
MORICANDIA. DC.	MORICANDIA. Tetradynamia Siliquosa. L.						
arvensis. DC.	field.	S. Europe.	1739.	6.	F.♃.	Fl. græc. t. 644.	
Brassica arvensis. L. *Turritis arvensis.* H. K.							
DIPLOTAXIS. DC.	DIPLOTAXIS. Tetradynamia Siliquosa. L.						
1 crassifolia. DC.	thick-leaved.	Sicily.	1824.	5. 8.	H.♃.?		
2 erucoides. DC.	dwarf.	S. Europe.	1786.	6. 7.	H.⊙.	Jacq. vind. 2. t. 170.	
Sinapis erucoides. L.							
3 virgata. DC.	slender.	Spain.	1820.	——	H.⊙.		
4 catholica. DC.	Spanish.	———	——	4. 5.	H.⊙.		
Sisymbrium catholicum. L.							
5 tenuifolia. DC.	Wall rocket.	England.	....	7. 10.	H.⊙.	Eng. bot. 525.	
Sisymbrium tenuifolium. E. B. *Sinapis tenuifolia.* H. K.							
6 muralis. DC.	sand.	England.	....	7. 9.	H.⊙.	——— 1090.	
Sisymbrium murale. L. *Sinapis muralis.* H. K.							
7 viminea. DC.	twiggy.	S. Europe.	....	5. 6.	H.⊙.	Mor. his. ox. 2. t. 5. f. 8.	
8 saxatilis. DC.	rock.	———	....	——	H.♃.		
ERUCA. DC.	ERUCA. Tetradynamia Siliquosa. L.						
1 sativa. DC.	stripe-flowered.	S. Europe.	1573.	7.	H.⊙.	Fl. græc. t. 646 et 647.	
Brassica Eruca. L. *Eruca sativa.* Lam.							
2 vesicaria. DC.	bladdered.	Spain.	1820.	——	H.⊙.		

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC.	CRESS-ROCKET. Tetradynamia Siliculosa. L.					
pseudocytisus. DC.	shrubby.	Spain.	1759.	4. 5.	H.♄.	Bot. reg. 293.
CARRICHTERA. DC.	CARRICHTERA. Tetradynamia Siliculosa. L.					
Vellæ. DC.	annual.	England.	....	6. 7.	H.⊙.	Eng. bot. 1441.
Vella annua. E. B.						
SUCCOWIA. DC.	SUCCOWIA. Tetradynamia Siliculosa. L.					
balearica. DC.	Minorca.	Minorca.	1781.	6. 7.	H.⊙.	Jacq. vind. 2. t. 144.
Bunias balearica. L.						

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC.	PSYCHINE. Tetradynamia Siliculosa. L.					
stylosa. DC.	striped-flow'r'd.	Barbary.	1822.	4. 5.	H.⊙.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZILLA. DC.	ZILLA. Tetradynamia Siliculosa. L.					
myagroides. DC.	spiny.	Egypt.	....	4. 5.	H.♄.	Vent. malm. t. 16.
Bunias spinosa. Vent.						
CALEPINA. DC.	CALEPINA. Tetradynamia Siliculosa. L.					
Corvini. DC.	annual.	S. Europe.	1820.	4. 6.	H.⊙.	W. et Kit. hung. 2. t. 107.
Bunias cochlearioides. W.						

Tribus XVI. *RAPHANEÆ* seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC.	COLEWORT.	Tetradynamia Siliculosa. L.					
1 maritima. DC.	Sea Kale.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 924.
2 pinnatifida. DC.	smooth winged.	Siberia.	1759.	6. 7.	H. ♃.	Jacq. ic. 1. t. 128.
3 orientalis. DC.	oriental.	Levant.	1752.	6. 7.	H. ♃.	
4 tatarica. DC.	Tartarian.	Hungary.	1789.	——	H. ♃.	Jacq. ic. 1. t. 129.
5 aspera. DC.	rough.	Tauria.	1823.	5. 6.	H. ♃.	
6 cordifolia. DC.	heart-leaved.	Caucasus.	——	6. 7.	H. ♃.	
7 hispanica. DC.	Spanish.	Spain.	1683.	——	H. ♃.	Jacq. obs. 2. t. 41.
8 filiformis. DC.	Patagonian.	Patagonia.	1796.	7. 8.	H. ☉.	Jacq. ic. 3. t. 504.
9 fruticosa. DC.	Madeira.	Madeira.	1777.	5. 11.	G. ♄.	
10 strigosa. DC.	strigose shrubb.	Canaries.	1779.	5. 6.	G. ♄.	L'. her. stirp. 1. t. 72.
RAPISTRUM. DC.	RAPISTRUM.	Tetradynamia Siliculosa. L.				
1 perenne. DC.	perennial.	Europe.	1789.	7.	H. ♃.	Jacq. aust. 5. t. 414.
Myagrum perenne. L.	*Cakile perennis.* H. K.					
2 rugosum. DC.	wrinkled.	————	1739.	6. 7.	H. ☉.	All. ped. 1. t. 78.
Myagrum rugosum. L.	*Cakile rugosa.* H. K.					
3 orientale. DC.	oriental.	Levant.	1795.	——	H. ☉.	Flor. græc. t. 612.
RAPHANUS. DC.	RADISH.	Tetradynamia Siliquosa. L.				
1 sativus. M.	common.	China.	1548.	5. 6.	H. ☉.	Fuchs. hist. 659. ic.
α præcox.	*early Salmon.*					
β macrorhizus.	*long Salmon.*					
γ purpureus.	*purple-rooted.*					
2 rotundus. M.	Turnep-rooted.	———	——	——	H. ☉.	Lob. ic. t. 201. f. 1.
3 chinensis. M.	oil-seeded.	———	——	——	H. ☉.	
4 niger. DC.	black Spanish.	———	——	——	H. ☉.	Lob. ic. 202. f. 1.
α vulgaris. DC.	*long-rooted.*	———	——	——	H. ☉.	Wein. phyt. t. 860. f. c.
β rotundus. DC.	*round-rooted.*	———	——	——	H. ☉.	———— t. 860. f. b.
γ griseus. DC.	*grey.*	———	——	——	H. ☉.	
5 orbicularis. M.	white Spanish.	———	——	——	H. ☉.	
6 caudatus. DC.	long-podded.	Java.	1815.	5. 8.	H. ☉.	Lin. f. dec. 1. t. 10.
7 Raphanistrum. DC.	wild.	Britain.	....	4. 8.	H. ☉.	Eng. bot. 856.
α album.	*white-flowered.*	———	....	——	H. ☉.	Wein. phyt. t. 862. f. a.
β purpurascens.	*purple-flowered.*	———	....	——	H. ☉.	———— t. 862. f. b.
γ flavum.	*yellow-flowered.*	———	....	——	H. ☉.	J. Bauh. h. 2. p. 844. ic.
8 maritimus. DC.	sea-side.	———	....	5. 7.	H. ♂.	Eng. bot. 1643.

Subordo IV. SPIROLOBEÆ. *DC. syst.* 2. *p.* 670.

Tribus XVII. *BUNIADEÆ* seu Spirolobeæ Nucamentaceæ. DC.

BUNIAS. DC.	BUNIAS.	Tetradynamia Siliculosa. L.				
1 Erucago. DC.	prickly-podded	S. Europe.	1640.	6. 7.	H. ☉.	Jacq. aust. 4. t. 340.
2 aspera. DC.	rough.	Portugal.	1823.	6. 7.	H. ☉.	
3 orientalis. DC.	oriental.	Levant.	1795.	5. 7.	H. ♃.	Schk. han. 2. t. 189.

Tribus XVIII. *ERUCARIEÆ* seu Spirolobeæ Lomentaceæ. DC.

ERUCARIA. DC.	ERUCARIA.	Tetradynamia Siliquosa. L.				
aleppica. DC.	Aleppo.	Levant.	1680.	7. 8.	H. ☉.	Vent. h. cels. t. 64.
Cordylocarpus lævigatus. W.						

Subordo V. DIPLECOLOBEÆ. *DC. syst.* 2. *p.* 676.

Tribus XIX. *HELIOPHILEÆ* seu Diplecolobeæ Siliquosæ. L.

HELIOPHILA. DC.	HELIOPHILA.	Tetradynamia Siliquosa. L.					
1 filiformis. DC.	awl-podded.	C. B. S.	1786.	7. 9.	H.⊙.	Lam. ill. t. 563. f. 3.?	
2 amplexicaulis. DC.	stem-clasping.	——	1774.	6. 9.	H.⊙.	Jacq. frag. t. 64. f. 2.	
3 rivalis. DC.	rivulet.	——	1819.	——	H.⊙.		
4 pendula. DC.	pendulous.	——	1792.	——	H.⊙.	Lam. ill. t. 562. f. 2.	
pinnata. Vent. malm. t. 113. non. L.							
5 trifida. DC.	trifid-leaved.	——	1819.	——	H.⊙.		
pinnata. L. non. Vent.							
6 pusilla. DC.	small.	——	1824.	——	H.⊙.	Pluk. mant. t. 432. f. 2.	
7 lepidioides. L.en.	Cress-like.	——	——	——	H.⊙.		
8 diffusa. DC.	spreading.	——	1820.	——	H.⊙.		
9 Peltaria. DC.	small-white.	——	——	——	H.⊙.		
10 pilosa. DC.	hairy.	——	1768.	——	H.⊙.		
α integrifolia. DC.	*entire-leaved.*	——	——	——	H.⊙.	Jacq. ic. 3. t. 506.	
β incisa. DC.	*cut-leaved.*	——	——	——	H.⊙.	Bot. mag. 496.	
arabioides. B. M.							
11 stricta. B. M.	upright.	——	1824.	——	H.⊙.	—— 2526.	
12 digitata. DC.	fingered.	——	1819.	——	H.⊙.	Bot. reg. 838.	
13 coronopifolia. DC.	Buck's-horn-ld.	——	1778.	6. 7.	H.⊙.	Herm. lugd. t. 367.	
14 pectinata. DC.	pectinated.	——	1819.	——	H.⊙.		
15 fœniculacea. DC.	Fennel-leaved.	——	1774.	6. 9.	H.⊙.		
16 crithmifolia. DC.	Samphire-ld.	——	1816.	——	H.⊙.	Deles. ic sel. 2. t. 97.	
17 platysiliqua. DC.	flat-podded.	——	1774.	7. 8.	G.$\frac{1}{2}$.		
18 linearifolia. DC.	linear-leaved.	——	1819.	——	G.$\frac{1}{2}$.		
19 scoparia. DC.	Broom-like.	——	1802.	——	G.$\frac{1}{2}$.	Deles. ic. sel. 2. t. 98.	
20 incana. DC.	hoary.	——	1774.	5. 8.	G.$\frac{1}{2}$.		
21 cleomoides. DC.	Cleome-like.	——	1802.	1. 12.	G.$\frac{1}{2}$.	Deles. ic. sel. 2. t. 99.	

Tribus XX. *SUBULARIEÆ* seu Diplocolobeæ Latiseptæ. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia Siliculosa. L.				
aquatica. DC.	water.	Britain.	....	7.	H.⊙.	Eng. bot. 732.

SCHIZOPETALUM. B.M. SCHIZOPETALUM. Tetradynamia Siliquosa. L.
Walkeri. B. M. Walker's. Chili. 1822. 7. 9. H.⊙. Hook. ex. fl. 74.

ORDO XIII.

CAPPARIDEÆ. *DC. prod.* 1. *p.* 237.

Tribus I. *CLEOMEÆ.* DC.

PERITOMA. DC. PERITOMA. Tetradynamia Siliquosa. L.
serrulatum. DC. saw-leaved. Missouri. 1823. 6. 8. H.⊙.
Cleome serrulata. Ph.

GYNANDROPSIS. DC. GYNANDROPSIS. Tetradynamia Siliquosa. L.
1 sessilifolia. DC. sessile-leaved. W. Indies. 1820. 6. 8. H.⊙.

2 triphylla. DC. *Cleome triphylla.* L.?	three-leaved.	———	——	——	H.⊙.	Herm. lugd. 565. ic.
3 pentaphylla. DC. *Cleome pentaphylla.* B. M. 1681.	five-leaved.	India.	1640.	——	H.⊙.	Jacq. vind. 1. t. 21.
4 heterotricha. DC.	various-haired.	C. B. S.	1822.	——	H.⊙.	
CLEOME. DC.	CLEOME. Tetradynamia Siliquosa. L.					
1 gigantea. DC.	gigantic.	S. Amer.	1774.	6. 8.	S.ħ.	Jacq. obs. 4. t. 76.
2 heptaphylla. DC.	seven-leaved.	W. Indies.	1820.	——	H.⊙.	
3 spinosa. DC.	white-flowered.	———	1731.	5. 10.	S.ħ.	Mare. bras. t. 34.
4 pungens. DC. *spinosa.* B. M. 1640.	pink-flowered.	S. Amer.	1812.	7. 8.	S.⊙.	W. hort. ber. 1. t. 18.
5 pubescens. B. M.	pubescent.	.....	1815.	7. 8.	H.⊙.	Bot. mag. 1857.
6 monophylla. DC.	simple-leaved.	E. Indies.	1759.	——	H.⊙.	Rheed. mal. 9. t. 34.
β *zeylanica.* DC.	*Ceylon.*	———	——	——	H.⊙.	Burm. zeyl. t. 100. f. 2.
7 procumbens. DC.	procumbent.	W. Indies.	1798.	——	S.ϟ.	Jacq. amer. t. 120.
8 violacea. DC.	violet-coloured.	Portugal.	1776.	6. 7.	H.⊙.	Schk. han. 2. t. 169. f. 1.
9 Dilleniana. DC. *ornithopodioides.* W.	Dillenius's.	Levant.	1732.	——	H.⊙.	Dill. elt. t. 266. f. 345.
10 iberica. DC.	Iberian.	Iberia.	1820.	——	H.⊙.	
11 virgata. DC.	twiggy.	Persia.	....	——	H.⊙.	Buxb. cent. 1. t. 9. f. 2.
12 arabica. DC.	Arabian.	Arabia.	1794.	——	H.⊙.	Lin. f. dec. t. 8.
13 polygama. DC.	polygamous.	W. Indies.	1822.	——	H.⊙.	Slo. jam. t. 124. f. 1.
14 aculeata. DC.	prickly.	S. Amer.	——	——	H.⊙.	
15 Houstoni. DC.	Houstoun's.	W. Indies.	1730.	——	H.⊙.	Mart. dec. t. 45.
16 diffusa. DC.	spreading.	Brazil.	1823.	——	H.⊙.	
17 micrantha.	small-flowered.	.....	1824.	6. 10.	S.ħ.	
POLANISIA. DC.	POLANISIA. Dodecandria Monogynia. L.					
1 Chelidonii. DC. *Cleome Chelidonii.* L.	Celandine-fld.	E. Indies.	1790.	7. 10.	H.⊙.	
2 graveolens. DC.	strong-scented.	N. Amer.	....	——	H.⊙.	Corn. can. 131. ic.
3 viscosa. DC.	viscid.	Ceylon.	1730.	——	H.⊙.	Rheed. mal. 9. t. 23.
4 dodecandra. DC. *Cleome dodecandra.* L.	three-leaved.	———	1795.	——	H.⊙.	Burm. zeyl. t. 100. f. 1.
5 uniglandulosa. DC.	one-glanded.	S. Amer.	1823.	——	H.⊙.	Cav. ic. 4. t. 306.

Tribus II. *CAPPAREÆ.* DC.

CRATÆVA. DC.	CRATÆVA. Dodecandria Monogynia. L.					
1 gynandra. DC.	thin-leaved.	Jamaica.	1789.	....	S.ħ.	Plok. alm. t. 147. f. 6.
2 Tapia. DC.	smooth.	S. Amer.	1752.	....	S.ħ.	Plum. gen. t. 21.
3 fragrans. DC. *capparoides.* A. R. 176.	fragrant.	SierraLeon.	1795.	6. 7.	S.ħ.⌣.	Bot. mag. 596.
NIEBUHRIA. DC.	NIEBUHRIA. Polyandria Monogynia. L.					
1 cafra. DC.	Caffrarian.	C. B. S.	1820.	....	G.ħ.	
2 madagascariensis. DC.	Madagascar.	Madagascar.	1822.	....	S.ħ.	
3 oblongifolia. DC. *Capparis heteroclita.* H. B.	oblong-leaved.	E. Indies.	1823.	....	S.ħ.⌣.	
BOSCIA. DC.	BOSCIA. Dodecandria Monogynia. L.					
senegalensis. DC.	Senegal.	Senegal.	1822.	....	S.ħ.	Lam. ill. t. 395.
CAPPARIS. DC.	CAPER-TREE. Polyandria Monogynia. L.					
1 mariana. DC.	heart-leaved.	Timor.	1822.	....	S.ħ.	Jacq. Schœnb. t. 109.
2 spinosa. DC.	common.	S. Europe.	1596.	5. 8.	G.ħ.⌣.	
3 ovata. W. *Fontanesii.* DC.	oval-leaved.	Mauritania.	....	——	G.ħ.⌣.	Boc. sic. t. 42. f. 3.
4 herbacea. DC.	herbaceous.	Tauria.	1819.	——	H.ϟ.	
5 ægyptia. DC.	Egyptian.	Egypt.	1822.	....	G.ħ.	Delil. fl. eg. t. 31. f. 3.
6 aphylla. DC.	leafless.	E. Indies.	——	....	S.ħ.	
7 zeylanica. DC.	Ceylon.	Ceylon.	——	....	S.ħ.⌣.	
8 acuminata. DC.	acuminate.	E. Indies.	1821.	....	S.ħ.⌣.	
9 frondosa. DC.	large-leaved.	Carthagena.	1800.	....	S.ħ.⌣.	Jacq. amer. t. 104.
10 triflora. DC.	three-flowered.	S. Amer.	....	....	S.ħ.	
11 cynophallophora. DC.	Bay-leaved.	W. Indies.	1752.	....	S.ħ.	Jacq. amer. t. 98.
12 eustachiana. DC.	purple-flower'd.	———	1822.	....	S.ħ.	—— ed. pict. t. 146.
13 saligna. DC.	Willow-leaved.	St. Cruz.	1807.	....	S.ħ.	
14 linearis. DC.	linear-leaved.	W. Indies.	1793.	....	S.ħ.	Jacq. amer. t. 102.

15 pulcherrima. DC. *arborescens.* M.	handsome.	Carthagena.	....	....	S. ♄.		
16 amygdalina. DC.	Almond-leav'd.	S. Amer.	1819.	....	G. ♄.	Plum. gen. 40. t. 16.	
17 odoratissima. DC.	sweet-scented.	Caracas.	1814.	....	S. ♄.	Jacq. schœn. t. 110.	
18 tenuisiliqua. DC.	slender-podded	Carthagena.	1822.	....	S. ♄.	Jacq. amer. t. 105.	
19 ferruginea. DC. *octandra.* Jacq.	ferruginous.	Jamaica.	....	....	S. ♄.	—— t. 100.	
20 Breynia. DC.	Oleaster-leav'd	W. Indies.	1752.	....	G. ♄. ⌣.	Jacq. amer. t. 103.?	
21 jamaicensis. DC.	Jamaica.	——	1793.	....	S. ♄. ⌣.	—— t. 101.	
22 torulosa. DC.	twisting.	——	1819.	....	S. ♄. ⌣.		
STEPHANIA. DC.	STEPHANIA.	Hexandria Monogynia.					
cleomoides. DC. *Capparis paradoxa.* Jacq.	Cleome-like.	Caracas.	1823.	....	S. ♄.	Jacq. Schœn. t. 111.	

ORDO XIV.

FLACOURTIANEÆ. *DC. prod.* 1. *p.* 255.

Tribus I. *PATRISIEÆ.* DC.

RYANÆA. DC.	RYANÆA.	Polyandria Monogynia.				
speciosa. DC. *Patrisia pyrifera.* P. S.	beautiful.	Trinidad.	1822.	....	S. ♄.	Vahl ecl. 1. p. 51. t. 9.

Tribus II. *FLACOURTIEÆ.* DC.

FLACOURTIA. DC.	FLACOURTIA.	Dicœcia Polyandria. L.				
1 Ramontchi. DC.	shining-leaved.	Madagascar.	1775.	6. 7.	S. ♄.	L. Her. stirp. 59. t. 30.
2 sapida. DC.	esculent.	E. Indies.	1800.	....	S. ♄.	Roxb. cor. 1. t. 69.
3 inermis. DC.	unarmed.	Moluccas.	1814.	10. 2.	S. ♄.	
4 sepiaria. DC.	obovate-leaved.	Coromandel.	1820.	....	S. ♄.	Roxb. cor. 1. t. 68.
5 cataphracta. DC.	many-spined.	E. Indies.	1804.	....	S. ♄.	
6 rotundifolia. H. B.	round-leaved.	—— ——	1823.	....	S. ♄.	
7 flavescens. DC.	yellow-flower'd	Guinea.	1780.	....	S. ♄.	
8 rhamnoides. DC.	Rhamnus like.	C. B. S.	1819.	....	G. ♄.	

Tribus III. *KIGGELARIEÆ.* DC.

KIGGELARIA. DC.	KIGGELARIA.	Dicœcia Decandria. L.				
1 africana. DC.	African.	C. B. S.	1683.	5. 6.	G. ♄.	Lam. ill. t. 821.
2 integrifolia. DC.	entire-leaved.	—— ——	1819.	——	G. ♄.	Jacq. ic. rar. t. 628.
MELICYTUS. DC.	MELICYTUS.	Dicœcia Pentandria.				
ramiflorus. DC.	branch-flow'r'd.	N. Zealand.	1822.	....	G. ♄.	Lam. ill. t. 812. f. 1.

ORDO XV.

BIXINEÆ. *DC. prodr.* 1. *p.* 259.

BIXA. DC.	ANOTTA.	Polyandria Monogynia. L.				
1 purpurea.	purple.	E. Indies.	1820.	....	S. ♄.	
2 Orellana. DC.	heart-leaved.	S. Amer.	1690.	5. 8.	S. ♄.	Bot. mag. 1456.
3 Urucurana. W.	white-leaved.	Brazil.	1823.	....	S. ♄.	

LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.					
Thamnia. DC.	shining-leaved.	Jamaica.	....	....	S. ħ.	Browne jam. t. 25. f. 2.
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.					
1 Crucis. DC.	oval-leaved.	Santa Cruz.	....	....	S. ħ.	Vahl symb. 3. t. 64.
2 serrata. DC.	saw-leaved.	Montserrat.	1822.	....	S. ħ.	
3 theæformis. DC.	Tea-leaved.	Bourbon.	——	....	S. ħ.	Bory voy. 2. t. 24.
Ludia heterophylla. Bory non. Lam.						
LUDIA. DC.	LUDIA. Polyandria Monogynia. L.					
1 heterophylla. DC.	various-leav'd.	Mauritius.	1822.	....	S. ħ.	Lam. ill. t. 466. f. 1. 2.
2 sessiliflora. DC.	sessile-flowered	——	——	....	S. ħ.	Jacq. schœnb. 1. t. 112.
tuberculata. Jacq.						

ORDO XVI.

CISTINEÆ. *DC. prodr.* 1. *p.* 263.

CISTUS. DC.	ROCK-ROSE.	Polyandria Monogynia. L.				
1 purpureus. DC.	purple.	Levant.	....	6. 7.	F. ħ.	Bot. reg. 408.
2 heterophyllus. DC.	various-leaved.	Algiers.	....	——	F. ħ.	Swt. cist. t. 6.
3 parviflorus. DC.	small-flowered.	Crete.	....	——	F. ħ.	Swt. cist. t. 14.
4 complicatus. DC.	complicate.	Spain.	....	——	F. ħ.	
5 villosus. DC.	villous.	——	1640.	——	F. ħ.	Duham. arb. 1. t. 64.
6 creticus. DC.	Cretan.	Levant.	1731.	6. 8.	F. ħ.	Jacq. ic. 1. t. 95.
7 incanus. DC.	hoary-leaved.	S. Europe.	1596.	——	F. ħ.	Bot. mag. 48.
8 Dunalianus. *undulatus.* DC. non L.en.	Dunal's.	.....	....	——	F. ħ.	
9 crispus. DC.	curled-leaved.	S. Europe.	1656.	——	F. ħ.	Swt. cist. t.
10 albidus. DC.	white-leaved.	——	1640.	——	F. ħ.	Clus. hist. 1. t. 68.
11 candidissimus. DC.	Canary Island.	Canaries.	1817.	——	F. ħ.	Swt. cist. t. 3.
12 vaginatus. DC.	oblong-leaved.	Teneriffe.	1779.	4. 6.	F. ħ.	Swt. cist. t. 9.
13 cymosus. DC.	cyme-flowered.	.....	....	6. 8.	F. ħ.	
14 salvifolius. DC.	Sage-leaved.	Europe.	1548.	——	H. ħ.	Cav. ic. 2. t. 137.
15 corbariensis. DC.	mountain.	S. France.	....	5. 6.	H. ħ.	Swt. cist. t. 8.
16 florentinus. DC.	Florentine.	Italy.	....	6. 7.	H. ħ.	
17 monspeliensis. DC.	Montpelier.	S. Europe.	1656.	——	F. ħ.	Swt. cist. t.
18 Ledon. DC.	many-fid. gum.	S. France.	1730.	6. 8.	H. ħ.	Duham. arb. 1. t. 66.
19 hirsutus. DC.	hairy.	Spain.	1656.	——	H. ħ.	Swt. cist. t.
20 laxus. DC.	waved-leaved.	——	——	——	H. ħ.	Swt. cist. t.
21 longifolius. DC.	long-leaved.	——	....	——	H. ħ.	Swt. cist. t.
22 populifolius. s. c.	Poplar-leaved.	——	1656.	5. 6.	H. ħ.	Swt. cist. t.
23 latifolius. s. c.	broad-leaved.	Barbary.	....	——	F. ħ.	Swt. cist. t.
24 laurifolius. DC.	Laurel-leaved.	S. Europe.	1731.	6. 8.	H. ħ.	Clus. hist. 1. p. 78. f. 1.
25 cyprius. DC.	Cyprus-gum.	Cyprus.	...	——	H. ħ.	
26 ladaniferus. L.en.	flat-leaved gum.	Spain.	1629.	——	F. ħ.	
α albiflorus. DC.	*white-flowered.*	——	——	——	F. ħ.	Clus. hist. 1. p. 78. ic.
β maculatus. DC.	*spot-flowered.*	——	——	——	F. ħ.	Swt. cist. t. 1.
27 undulatus. L. en. *ladaniferus undulatus.* W.	undulate.	——	——	——	F. ħ.	
28 Clusii. DC.	Clusius's.	Spain.	....	——	F. ħ.	Clus. hist. 1. p. 60. ic.
HELIANTHEMUM. DC.	SUN-ROSE.	Polyandria Monogynia. L.				
1 Libanotis. DC.	Rosemary-like.	Spain.	1752.	6.	F. ħ.	Barr. ic. 294.
2 umbellatum. DC.	umbel-flower'd.	S. Europe.	1731.	6. 8.	F. ħ.	Swt. cist. t. 5.
3 ocymoides. DC. *Cistus sampsucifolius.* Cav. ic. 1. t. 96.	Basil-like.	——	....	——	F. ħ.	Clus. hist. 1. p. 72. ic.
4 alyssoides. DC.	Alyssum-like.	——	....	——	F. ħ.	Vent. choix. t. 20.
5 rugosum. DC.	rugose.	Portugal.	....	——	F. ħ.	
6 scabrosum. DC.	rough.	Italy.	1775.	——	F. ħ.	
7 algarvense. DC. *Cistus algarvensis.* B. M.	Algarvian.	Portugal.	1800.	7. 8.	F. ħ.	Bot. mag. 627.
8 formosum. DC. *Cistus formosus.* B. M.	beautiful.	——	1780.	5. 7.	F. ħ.	—— 264.
9 atriplicifolium. DC.	Orach-leaved.	Spain.	1656.	6. 7.	F. ħ.	Barr. ic. t. 292.

10	lasianthum. DC.	downy.	Portugal.	1822.	——	F. ♄.	Barr. ic. t. 289. ?
11	cheiranthoides. DC.	Stock-like.	———	1800.	7. 8.	F. ♄.	
12	halimifolium. s. c.	Sea-Purslane-ld	———	1656.	——	F. ♄.	Swt. cist. t. 4.
13	rosmarinifolium. DC.	Rosemary-ld.	N. Amer.	1823.	——	H. ♃.	
14	glomeratum. DC.	cluster-flower'd	S. Amer.	——	——	F. ♄.	
15	ramuliflorum. DC.	branch-flowers.	Carolina.	1823.	——	H. ♃.	
16	canadense. DC.	Canadian.	Canada.	1799.	——	H. ♃.	
17	carolinianum. DC.	Carolina.	Carolina.	1823.	——	F. ♃.	Vent. cels. 74.
18	Tuberaria. DC.	Plantain-leav'd.	S. Europe.	1752.	——	F. ♃.	Cav. ic. 1. t. 67.
19	plantagineum. DC.	Plantain like.	———	1823.	——	H. ☉.	
20	guttatum. DC.	spotted-flow'r'd	England.	....	6. 8.	H. ☉.	Eng. bot. 544.
21	eriocaulon. DC.	woolly-stalked.	Spain.	1823.	——	H. ☉.	
22	punctatum. DC.	punctated.	France.	1816.	——	H. ☉.	
23	lunulatum. DC.	lunulate-mark'd	Piedmont.	....	——	H. ♄.	All. auct. p. 30. t. 2. f. 3.
24	villosum. DC.	villous.	Spain.	1823.	——	H. ☉.	
25	niloticum. DC.	Nile.	Egypt.	....	——	H. ☉.	
26	ledifolium. DC.	Ledum-leaved.	England.	....	——	H. ☉.	Eng. bot. 2414.
27	intermedium. DC. *salicifolium.* Cav.	intermediate.	Spain.	1759.	——	H. ☉.	Cav. ic. t. 144.
28	salicifolium. DC.	Willow-leaved.	——	——	——	H. ☉.	Seg. ver. 3. t. 6. f. 3.
29	sanguineum. DC. *retrofractum.* P. S.	bloody-stalked.	——	1823.	——	H. ☉.	
30	ægyptiacum. DC.	Egyptian.	Egypt.	1764.	——	H. ☉.	Jacq. obs. 3. t. 68.
31	Lippii. DC.	small-petaled.	———	1820.	——	F. ♄.	
32	confertum. DC.	close-flowered.	Teneriffe.	....	6. 7.	F. ♄.	
33	canariense. DC.	Canary.	Canaries.	1790.	——	F. ♄.	Jacq. ic. 1. t. 97.
34	ericoides. DC.	Heath-leaved.	S. Europe.	....	6. 8.	F. ♄.	Cav. ic. 2. t. 172.
35	Fumana. DC.	Heath-like.	———	1752.	——	F. ♄.	Desf. atl. 1. t. 105.
36	procumbens. DC.	procumbent.	———	....	——	F. ♄.	Barr. ic. t. 445.
37	lævipes. DC.	cluster-leaved.	———	1690.	——	G. ♄.	Bot. mag. 1782.
38	juniperinum. DC.	Juniper-leaved.	———	....	——	G. ♄.	Barr. ic. t. 443.
39	Barrelieri. DC.	Barrelier's.	Italy.	1822.	——	F. ♄.	Bot. mag. 2371.
40	thymifolium. DC.	Thyme-leaved.	Spain.	1658.	——	F. ♄.	Barr. rar. t. 444.
41	glutinosum. DC.	clammy.	———	1790.	——	F. ♄.	——— t. 415. ?
42	molle. DC.	soft.	———	....	——	F. ♄.	Cav. ic. 3. t. 262. f. 2.
43	origanifolium. DC.	Marjoram-ld.	———	1795.	——	F. ♄.	——— 3. t. 262. f. 1.
44	dichotomum. DC.	forked.	———	....	——	F. ♄.	——— 3. t. 263. f. 1.
45	œlandicum. DC.	smooth-leaved.	Europe.	1816.	——	H. ♄.	Clus. hist. p. 73. ic.
46	alpestre. DC.	alpine.	———	——	——	H. ♄.	Swt. cist. t. 2.
47	penicillatum. DC.	pencilled.	S. Europe.	....	——	H. ♄.	
48	italicum. DC.	Italian.	Italy.	1779.	7 9.	H. ♄.	Barr. rar. t. 366.
49	vineale. DC.	slender-trailing.	Europe.	1823.	——	H. ♄.	Swt. cist. t.
50	canum. DC.	hoary.	———	1772.	6. 7.	F. ♄.	——— t.
51	marifolium. DC.	Marum-leaved.	———	....	——	F. ♄.	Barr. rar. t. 441.
52	cinereum. DC.	gray.	Spain.	....	——	F. ♄.	Cav. ic. 2. t. 141.
53	squammatum. DC.	scaly.	———	1815.	——	F. ♄.	——— 2. t. 139.
54	lavandulæfolium. DC.	Lavender-ld.	Levant.	1739.	——	F. ♄.	Barr. ic. t. 288.
	β *syriacum.* DC.	*Syrian.*	Syria.	——	——	F. ♄.	Jacq. ic. 1. t. 96.
55	stœchadifolium. DC.	woolly-leaved.	Portugal.	1819.	——	F. ♄.	
56	croceum. DC.	Saffron-colour'd	Spain.	....	——	F. ♄.	Desf. atl. 1. t. 110.
57	glaucum. DC.	glaucous-leav'd	———	1815.	6. 8.	F. ♄.	Cav. ic. 3. t. 261.
58	tomentosum. DC.	tomentose.	Scotland.	....	7. 8.	H. ♄.	Eng. bot. 2208.
59	leptophyllum. DC.	narrow-leaved.	Spain.	....	——	F. ♄.	Swt. cist. t.
60	serpyllifolium. DC.	Serpyllum-ld.	———	1731.	5. 9.	F. ♄.	
61	vulgare. DC.	common.	Britain.	....	——	H. ♄.	Eng. bot. 1321.
	β *flore pleno.*	*double-flowered.*	———	....	——	H. ♄.	
62	surrejanum. DC.	dotted-leaved.	England.	....	7. 10.	H. ♄.	Eng. bot. 2207.
63	ovatum. DC.	ovate-leaved,	Geneva.	....	6. 8.	H. ♄.	Viv. frag. 1. t. 8. f. 2.
64	grandiflorum. DC.	large-flowered.	Pyrenees.	1800.	——	H. ♄.	Scop. carn. ed. 2. t. 25.
65	sampsucifolium, *Cistus sampsucifolius.* B. M. *non* Cav.	rough dwarf.	Montpelier.	....	——	H. ♄.	Bot. mag. 1803.
66	obscurum. DC.	obscure.	Europe.	....	——	H. ♄.	Swt. cist. t.
67	nummularium. DC.	Money-wort.	———	1752.	——	H. ♄.	
68	angustifolium. DC.	distinct-petal'd.	.....	1800.	——	H. ♄.	Jacq. vind. 3. t. 53.
69	hirtum. DC.	bristly-calyxed.	Spain.	1759.	——	F. ♄.	Cav. ic. 2. t. 146.
	α *Bæticum.* DC.	*green-leaved.*					
	β *aureum.* DC.	*canescent-leaved.*					
70	pilosum. DC.	hairy.	S. Europe.	1731.	——	F. ♄.	
71	apenninum. DC.	Apennine.	Europe.	——	——	H. ♄.	Swt. cist. t.

72	papyraceum. S.C.	paper white.	.....	....	5. 6.	H. ½.	Swt. cist. t.
73	hispidum. DC.	hispid.	S. France.	——	——	H. ½.	
74	pulverulentum. DC.	powdered.	——	....	——	H. ½.	Swt. cist. t. 18.
75	canescens. S.C.	canescent.	.....	....	——	H. ½.	Swt. cist. t.
	Cistus roseus. Jacq. vind. 2. t. 65. non All.						
76	rhodanthum. DC.	rose-flowered.	Spain.	....	——	H. ½.	Swt. cist. t. 7.
77	versicolor. S.C.	various-colour'd	——	....	——	H. ½.	Swt. cist. t.
78	venustum. S.C.	charming.	.....	....	——	H. ½.	Swt. cist. t. 10.
	β flore pleno.	*double-flowered.*					
79	polifolium. DC.	white-mountain	England.	....	5. 7.	H. ½.	Eng. bot. 1322.
80	mutabile. DC.	changeable.	Spain.	1795.	6. 7.	H. ½.	Jacq. ic. 1. t. 99.
81	sulphureum. DC.	sulphur-colour'd	——	1815.	——	H. ½.	
82	roseum. DC.	rosy.	S. Europe.	....	——	H. ½.	All. ped. 2. t. 45. f. 4.
83	fœtidum. DC.	Bryony-scented	.....	....	——	H. ½.	Jacq. ic. 1. t. 98.
HUDSONIA. DC.		HUDSONIA. Dodecandria Monogynia. L.					
	ericoides. DC.	Heath-like.	N. Amer.	1805.	5. 7.	F. ½.	W. hort. ber. t. 15.
LECHEA. DC.		LECHEA. Tri-Dodecandria Trigynia.					
1	villosa. DC.	villous.	Canada.	1780.	7. 8.	H. ½.	Lam. ill. t. 52. f. 2.
	major. Ph. *non* Lin.	*minor* L. *non* Ph.					
2	minor. DC.	lesser.	——	1802.	——	H. ½.	—— —— t. 52. f. 1.
3	thymifolia. DC.	Thyme-leaved.	N. Amer.	1823.	——	H. ½.	

ORDO XVII.

VIOLARIEÆ. *DC. prodr.* 1. *p.* 287.

Tribus I. *VIOLEÆ.* DC.

CALYPTRION. DC.	CALYPTRION.	Pentandria Monogynia.					
	Aubletii. DC.	Aublet's.	S. Amer.	1820.	....	S. ½.	Aub. gui. 2. t. 319.
	Viola Hybanthus. Aub.	*Jonidium Aubletii.* R. S.					
NOISETTIA. DC.	NOISETTIA.	Pentandria Monogynia.					
	longifolia. DC.	long-leaved.	Cayenne.	1822.	....	S. ½.	Nov. g.am.t.499.b. f.2.
	Jonidium longifolium. R. S.						
VIOLA. DC.	VIOLET.	Pentandria Monogynia.					
1	pedata. DC.	cut-leaved.	N. Amer.	1759.	5. 8.	H. ½.	Swt. br. fl. gar. t. 69.
2	flabellifolia. B.C.	fan-leaved.	——	1822.	——	H. ½.	Lod. bot. cab. 777.
	pedata β atropurpurea. DC.	*pedata var. bicolor.* Ph.					
3	palmata. DC.	palmated.	——	1752.	5. 6.	H. ½.	Bot. mag. 525.
4	asarifolia. DC.	Asarum-leaved.	——	1823.	——	H. ½.	
5	papilionacea. DC.	variegated.	——	1800.	——	H. ½.	
6	obliqua. Ph.	oblique-flow'r'd	——	1762.	——	H. ½.	
7	cucullata. Ph.	hollow-leaved.	——	1772.	5. 7.	H. ½.	Bot. mag. 1795.
8	pinnata. R. S.	winged-leaved.	Europe.	1752.	5. 6.	H. ½.	All. m. taur. 3. t. 5. f. 2.
9	multifida. R. S.	multifid.	Siberia.	——	——	H. ½.	Gmel. sib. 4. t. 48. f. 4.
10	variegata. DC.	variegated.	Dahuria.	1818.	——	H. ½.	
11	primulæfolia. DC.	Primrose-l'd.	N. Amer.	1783.	4. 6.	H. ½.	
12	lanceolata. DC.	spear-leaved.	——	1759.	6. 7.	F. ½.	Lod. bot. cab. 211.
13	Patrinii. DC.	Siberian.	Siberia.	....	——	H. ½.	
14	ovata. DC.	oval-leaved.	N. Amer.	1822.	——	H. ½.	
15	sagittata. DC.	arrow-leaved.	——	1775.	——	H. ½.	
16	betonicæfolia. DC.	Betony-leaved.	N. S. W.	1823.	——	F. ½.	
17	suavis. F.	fragrant.	Siberia.	——	——	H. ½.	
18	palustris. DC.	marsh.	Britain.	....	5. 6.	H. ½.	Eng. bot. 444.
19	blanda. DC.	white-flowered.	N. Amer.	1802.	5. 7.	H. ½.	W. hort. ber. 1. t. 24.
20	rotundifolia. DC.	round-leaved.	——	1800.	——	H. ½.	
21	sororia. W.	white-rooted.	——	1802.	4. 6.	H. ½.	W. hort. ber. t. 72.
22	hirta. E. B.	hairy.	England.	....	——	H. ½.	Eng. bot. 894.
23	ambigua. R. S.	ambiguous.	Danube.	1822.	——	H. ½.	
24	odorata. DC.	sweet.	Britain.	....	3. 5.	H. ½.	Eng. bot. 619.
	α purpurea.	*purple-flowered.*					
	β alba.	*white-flowered.*					

	γ *cærulea.*	*blue-flowered.*					
	δ *purpureo-plena.*	*double-purple.*					
	ε *albo-plena.*	*double-white.*					
	ζ *cærulco-plena.*	*double-blue.*					
	η *pallido-plena.*	*Neapolitan.*					
25	uliginosa. DC.	fen.	Carniola.	1822.	4. 5.	H.♃.	
26	mirabilis. DC.	broad-leaved.	Europe.	1732.	6. 8.	H.♃.	Jacq. fl. aust. t. 19.
27	striata. DC.	streaked.	N. Amer.	1772.	——	H.♃.	
28	ochroleuca. DC.	sulphur-color'd.	—— ——	....	——	H.♃.	
29	canina. DC.	dog's.	Britain.	....	4. 6.	H.♃.	Eng. bot. 620.
30	sylvestris. R. s.	wood.	Hungary.	1823.	——	H.♃.	
31	debilis. DC.	weak.	N. Amer.	1820.	——	H.♃.	
32	arenaria. DC.	sand.	Europe.	——	——	H.♃.	Pio viol. p. 20. t. 1. f. 2.
	Allionii. R. s.	*glauca.* M. B.					
33	pumila. DC.	small.	Europe.	——	——	H.♃.	Vill. e. stras. t. 5.
34	montana. R. s.	mountain.	—— ——	1683.	5. 6.	H.♃.	Bot. mag. 1595.
35	lactea. R. s.	cream-coloured.	England.	....	——	H.♃.	Eng. bot. 445.
36	Ruppii. All.	Piedmont.	Piedmont.	1820.	——	H.♃.	Lodd. bot. cab. 686.
37	arborescens. DC.	shrubby.	S. Europe.	1779.	4. 5.	G.ħ.	Barr. ic. 568.
38	biflora. DC.	two-flowered.	Europe.	1752.	——	H.♃.	Flor. dan. 46.
39	Nuttalli. DC.	Nuttal's.	N. Amer.	1812.	5. 6.	H.♃.	
40	canadensis. DC.	Canadian.	————	1783.	——	H.♃.	
41	pubescens. DC.	downy.	—— ——	1772.	6. 7.	H.♃.	
42	eriocarpa. DC.	woolly-capsul'd.	—— ——	1820.	——	H.♃.	Swt. br. fl. gar. 102.
43	uniflora. DC.	Siberian.	Siberia.	1774.	——	H.♃.	Gmel. sib. 4. t. 48. f. 5.
44	cornuta. DC.	horned.	Pyrenees.	1776.	5. 6.	H.♃.	Bot. mag. 791.
45	cenisia. DC.	Alpine.	Switzerland.	1759.	6. 7.	H.♃.	All. ped. 2. t. 22. f. 6.
46	valderia. R. s.	fringed-leaved.	————	1805.	5. 6.	H.♃.	———— 2. t. 24. f. 3.
47	calcarata. R. s.	spurred.	Europe.	1752.	3. 6.	H.♃.	Hall. helv. t. 17.
48	Zoysii. R. s.	crenated.	—— ——	....	7. 9.	H.♃.	Jacq. coll. 4. t. 11. f. 1.
49	amœna. DC.	purple.	Scotland.	....	5. 8.	H.♃.	Eng. bot. 1287.
50	altaica. DC.	Tartarian.	Altai.	1805.	3. 6.	H.♃.	Bot. reg. 54.
	grandiflora. L. *non* DC.						
	β *purpurea.* DC.	*purple-flowered.*	————	....	——	H.♃.	Swt. br. fl. gar.
51	prostrata. R. s.	prostrate.	Teneriffe.	1824.	——	H.⊙.	
52	sudetica. W.en.	large-blue.	Europe.	....	5. 8.	H.♃.	
	grandiflora. DC. fl. fr. 5. p. 620.						
53	lutea. E. B.	large yellow.	Britain.	....	——	H.♃.	Eng. bot. 721.
54	saxatilis. R. s.	rock.	Bohemia.	1824.	——	H.♃.	Swt. br. fl. gar. t.
55	rothomagensis. DC.	Rouen.	France.	1783.	——	H.♃.	Bot.mag. 1498.
56	tricolor. R. s.	Heart's-ease.	Britain.	....	4. 9.	H.⊙.	Œd. fl. dan. t. 623.
57	banatica. R. s.	intermediate.	Hungary.	....	——	H.⊙.	
58	arvensis. R. s.	corn.	Britain.	....	——	H.⊙.	
59	Kitaibeliana. R. s.	Kitaibel's.	Switzerland.	1824.	——	H.⊙.	
60	Selkirkii. DC.	Selkirk's.	N. Amer.	1823.	——	H.♃.	
SOLEA. DC.		SOLEA. Pentandria Monogynia.					
	concolor. DC.	green-flowered.	N. Amer.	1788.	6. 7.	H.♃.	Linn. trans. 6. t. 28.
POMBALIA. DC.		POMBALIA. Pentandria Monogynia.					
	Itubu. DC.	white Ipecacuanha.	Brazil.	1822.	7. 8.	S.♃.	H. et B. V. t. 496. f. 2.
	Jonidium Ipecacuanha. β. B. M. 2488.						
JONIDIUM. DC.		JONIDIUM. Pentandria Monogynia.					
1	strictum. DC.	upright.	St. Domingo.	1820.	....	S.♃.	
2	polygalæfolium. DC.	Milkwort-ld.	S. Amer.	1797.	4. 8.	G.♃.	Vent. malm. 27.
3	verbenaceum. DC.	Vervain-like.	—— ——	1822.	6. 8.	H.⊙.	H. et B. V. 379. t. 497.

Tribus II. *ALSODINEÆ.* DC.

ALSODEIA. DC.	ALSODEIA. Pentandria Monogynia.					
1 arborea. DC.	tree.	Madagascar.	1823.	....	S.ħ.	
2 latifolia. DC.	broad-leaved.	—— ——	——	....	S.ħ.	

Tribus III. *SAUVAGEÆ.* DC.

SAUVAGESIA. DC.	Sauvagesia.	Pentandria Monogynia.				
1 erecta. DC.	upright.	S. Amer.	1823.	7. 9.	H.⊙.	
2 nutans. DC.	nodding.	Madagascar.	——	——	H.⊙.	

ORDO XVIII.

DROSERACEÆ. *DC. prodr.* 1. *p.* 317.

DROSERA. DC.	Sundew.	Pentandria Pentagynia. L.				
1 acaulis. DC.	stalkless.	C. B. S.	1821.	7. 8.	G.*w.* ♃.	
2 pauciflora. DC.	few-flowered.	——	——	——	G.*w.* ♃.	
3 rotundifolia. DC.	round-leaved.	Britain.	....	——	H.*w.* ♃.	Eng. bot. 867.
4 intermedia. DC. *longifolia.* E. B. 868.	intermediate.	England.	....	——	H.*w.* ♃.	D. et H. 3. t. 75. A.
5 anglica. DC. *longifolia.* D. et H. 3. t. 75. A.	great.	——	....	——	H.*w.* ♃.	Eng. bot. 869.
6 linearis. DC.	linear-leaved.	N. Amer.	1822.	5. 6.	H.*w.* ♃.	
7 filiformis. Ph.	thready-leaved.	——	1811.	——	H.*w.* ♃.	
BYBLIS. DC.	Byblis.	Pentandria Monogynia.				
liniflora. DC.	blue-flowered.	N. S. W.	1803.	5. 6.	G.*w.* ♃.?	Salisb. par. 95.
DIONÆA. DC.	Dionæa.	Decandria Monogynia. L.				
Muscipula. DC.	Venus Flytrap.	Carolina.	1768.	7. 8.	G.*w.* ♃.	Bot. mag. 785.
PARNASSIA. DC.	Parnassia.	Pentandria Tetragynia. L.				
1 palustris. DC.	marsh.	Britain.	....	7. 8.	H.*w.* ♃.	Eng. bot. 82.
2 parviflora. DC.	small-flowered.	N. Amer.	....	5. 6.	H.*w.* ♃.	
3 caroliniana. DC.	Carolina.	Carolina.	1802.	5. 8.	H.*w.* ♃.	Bot. mag. 1459.
4 asarifolia. DC.	Asarum-leav'd.	N. Amer.	1812.	7. 8.	H.*w.* ♃.	Vent. malm. t. 39.

ORDO XIX.

POLYGALEÆ. *DC. prodr.* 1. *p.* 321.

POLYGALA. DC.	Milkwort.	Diadelphia Octandria. L.				
1 oppositifolia. DC.	opposite-leav'd.	C. B. S.	1790.	1. 12.	G. ♄.	Bot. reg. 636.
2 cordifolia. DC.	heart-leaved.	——	1791.	——	G. ♄.	
3 tetragona. DC.	square-stalked.	——	1820.	——	G. ♄.	
4 nummularia. DC.	Moneywort-ld.	——	1812.	——	G. ♄.	
5 latifolia. B. R. *cordifolia.* B. M. *non* DC.	broad-leaved.	——	1820.	——	G. ♄.	Bot. reg. 645.
6 borbonicæfolia. DC. *oppositifolia.* B. M. *non* DC.	Borbonia-leav'd	——	1790.	——	G. ♄.	
7 myrtifolia. DC.	Myrtle-leaved.	——	1707.	5. 8.	G. ♄.	Bot. reg. 669.
8 ligularis. DC.	ligulate-leaved.	——	1820.	——	G. ♄.	—— 687.
9 intermedia. DC.	intermediate.	——	....	5. 10.	G. ♄.	
10 bracteolata. DC.	spear-leaved.	——	1713.	——	G. ♄.	Bot. mag. 345.
11 umbellata.	hispid-stalked.	——	——	——	G. ♄.	Burm. afr. t. 73. f. 5.
12 Burmanni. DC.	Burman's.	——	....	——	G. ♄.	—— t. 73. f. 4.
13 simplex. DC.	simple-stalked.	——	1820.	——	G. ♄.	
14 speciosa. DC.	showy.	——	1814.	——	G. ♄.	Bot. reg. 150.
15 teretifolia. DC.	columnar-ld.	——	1791.	5. 8.	G. ♄.	Bot. rep. 370.
16 Garcini. DC.	slender-branch.	——	....	5. 10.	G. ♄.	Burm. afr. t. 73. f. 3.

17	major. DC.	large Austrian.	Austria.	1739.	7. 8.	H.4.	Jacq. aust. 5. t. 413.
18	vulgaris. DC.	common.	Britain.	....	5. 7.	H.4.	Eng. bot. 76.
	α *vera.* DC.	*true.*	———	....	——	H.4.	Flor. dan. t. 516.
	β *pubescens.* DC.	*pubescent.*	———	....	——	H.4.	
	γ *elata.* DC.	*tall.*	———	....	——	H.4.	Schk. handb. t. 194.
	δ *Verviana.* DC.	*white-flowered.*	———	....	——	H.4.	
	ε *acutifolia.* DC.	*blue-flowered.*	———	....	——	H.4.	
	ζ *angustifolia.* DC.	*rose-coloured.*	———	....	——	H.4.	
	η *grandiflora.* DC.	*red-flowered.*	———	....	——	H.4.	
19	amara. DC.	bitter.	Europe.	1775.	——	H.4.	Bot. mag. 2437.
20	monspeliaca. DC.	Montpelier.	Montpelier.	1823.	6. 9.	H.⊙.	DC. ic. rar. 1. t. 9.
21	incarnata. DC.	flesh-coloured.	N. Amer.	1812.	6. 7.	H.⊙.	
22	cruciata. DC.	four-leaved.	———	1739.	——	H.⊙.	
23	brevifolia. DC.	short-leaved.	———	1824.	——	H.⊙.	
24	fastigiata. DC.	close-branched.	———	——	——	H.⊙.	
25	lutea. DC.	golden.	———	1739.	——	H.⊙.	Pluk. am. t. 438. f. 6.
26	nana. DC.	dwarf.	———	1815.	7. 8.	H.⊙.	
27	purpurea. DC. *sanguinea.* Mich.	purple.	———	1739.	7. 9.	H.⊙.	
28	sanguinea. DC.	bloody.	———	——	——	H.⊙.	
29	ambigua. DC.	ambiguous.	———	1824.	6. 7.	H.⊙.	
30	verticillata. DC.	whorl-leaved.	———	1739.	——	H.⊙.	Pluk. am. t. 438. f. 4.
31	paniculata. DC.	panicled.	S. Amer.	1822.	7. 10.	S.⊙.	Bot. reg. 761.
32	graminifolia. DC.	grass-leaved.	N. Amer.	——	6. 7.	F.4.	
33	Senega. DC.	Rattlesnake-rt.	———	1739.	——	H.4.	Bot. mag. 1051.
34	paucifolia. DC. *purpurea.* H. K. *non* DC.	naked-stalked.	———	1791.	5. 6.	H.4.	
35	Chamæbuxus. DC.	Box-leaved.	Europe.	1658.	——	H.ħ.	Bot. mag. 316.
MURALTIA. DC.		MURALTIA.	Diadelphia Octandria. L.				
1	Heisteria. DC. *Polygala Heisteria.* B. M.	Furze-leaved.	C. B. S.	1787.	1. 12.	G.ħ.	Bot. mag. 340.
2	alopecuroides. DC. *Polygala alopecuroides.* B. M.	Fox-tail.	———	1800.	5. 8.	G.ħ.	——— 1006.
3	squarrosa. DC.	squarrose.	———	1821.	——	G.ħ.	
4	stipulacea. DC.	stipuled.	———	1801.	4. 9.	G.ħ.	Bot. mag. 1715.
5	juniperifolia. DC.	Juniper-leaved.	———	....	——	G.ħ.	
6	diffusa. DC.	diffuse.	———	1800.	1. 12.	G.ħ.	
7	virgata. DC.	twiggy.	———	——	——	G.ħ.	
8	linophylla. DC.	Flax-leaved.	———	1812.	5. 8.	G.ħ.	
9	macroceras. DC.	long-horned.	———	——	——	G.ħ.	
10	mixta. DC. *Polygala mixta.* B. M.	Heath-leaved.	———	1791.	1. 12.	G.ħ.	Bot. mag. 1714.
11	ciliaris. DC.	ciliated.	———	1822.	5. 7.	G.ħ.	
12	humilis. DC. *Polygala humilis.* B. C.	humble.	———	1817.	5. 8.	G.ħ.	Lodd. bot. cab. 420.
MUNDIA. DC.		MUNDIA.	Diadelphia Octandria. L.				
	spinosa. DC.	spiny.	C. B. S.	1780.	1. 5.	G.ħ.	
	α *latifolia.* DC.	*broad-leaved.*					
	β *angustifolia.* DC.	*narrow-leaved.*					
SECURIDACA. DC.		SECURIDACA.	Diadelphia Octandria. L.				
	volubilis. DC.	climbing.	W. Indies.	1739.	....	S.ħ.	Jacq. amer. t. 183. f. 38.

ORDO XX.

TREMANDREÆ. *DC. prodr.* 1. *p.* 343.

TETRATHECA. DC.		TETRATHECA.	Octandria Monogynia.				
1	juncea. DC.	rushy.	N. S. W.	1803.	7. 8.	G.ħ.	Sm. nov. hol. 1. t. 2.
2	glandulosa. DC.	glandular.	V. Diemen.	1822.	——	G.ħ.	Lab. nov. hol. 1. t. 123.
3	pilosa. DC. *glandulosa.* Ex. bot. 21.	hairy.	———	——	——	G.ħ.	——— 1. t. 122.
4	ericifolia. DC.	Heath-leaved.	N. S. W.	——	——	G.ħ.	Sm. exot. bot. t. 20.

ORDO XXI.

PITTOSPOREÆ. *DC. prodr.* 1. *p.* 345.

BILLARDIERA. DC.	APPLE-BERRY.	Pentandria Monogynia. L.					
1 scandens. DC.	downy-fruited.	N. S. W.	1790.	6. 8.	G. ħ. ~	Bot. mag. 801.	
2 mutabilis. DC.	changeable.	———	1795.	5. 9.	G. ħ. ~	———	1313.
3 longiflora. DC.	blue-fruited.	V. Diemen.	1810.	——	G. ħ. ~	———	1507.
4 fusiformis. DC.	long-fruited.	———	1822.	——	G. ħ. ~	Lab. nov. holl. t. 90.	
5 angustifolia. DC.	narrow-leaved.	N. S. W.	——	——	G. ħ. ~		
PITTOSPORUM. DC.	PITTOSPORUM.	Pentandria Monogynia. L.					
1 coriaceum. DC.	thick-leaved.	Madeira.	1787.	5. 6.	G. ħ.	Bot. rep. 151.	
2 viridiflorum. DC.	green-flowered.	C. B. S.	1806.	——	G. ħ.	Bot. mag. 1684.	
3 Tobira. DC.	glossy-leaved.	China.	1804.	3. 8.	G. ħ.	———	1396.
4 undulatum. DC.	wave-leaved.	N. S. W.	1789.	2. 6.	G. ħ.	Bot. reg. 16.	
5 revolutum. DC.	downy-leaved.	———	1795.	2. 4.	G. ħ.	———	186.
6 tenuifolium.	Willow-leaved.	———	1818.	——	G. ħ.	Gært. fr. 1. t. 59.	
7 ferrugineum. DC.	rusty-leaved.	Guinea.	1787.	2. 5.	S. ħ.	Bot. mag. 2075.	
BURSARIA. DC.	BURSARIA.	Pentandria Monogynia. L.					
spinosa. DC.	thorny.	N. S. W.	1793.	8. 12.	G. ħ.	Bot. mag. 1767.	
SENACIA. DC.	SENACIA.	Pentandria Monogynia. L.					
undulata. DC.	wave-leaved.	Mauritius.	1785.	....	S. ħ.		

ORDO XXII.

FRANKENIACEÆ. *DC. prodr.* 1. *p.* 349.

FRANKENIA. DC.	SEA HEATH.	Hexandria Monogynia. L.				
1 pulverulenta. DC.	powdery.	England.	....	7.	H. ¼.	Eng. bot. 2222.
2 nodiflora. DC.	knotted-flow'r'd	C. B. S.	1818.	6. 8.	G. ¼.	Lam. ill. t. 262. f. 4.
3 Nothria. DC. *Nothria repens.* Berg.	Cape.	———	1816.	——	G. ¼.	Berg. cap. 171. t. 1. f. 2.
4 lævis. DC.	smooth.	England.	....	7. 8.	H. ¼.	Eng. bot. 205.
5 intermedia. DC. *hirsuta.* var. *calabrica.* L.	sea-side.	S. Europe.	1820.	6. 8.	H. ¼.	Mich. gen. t. 22. f. 2.
6 hispida. DC. *hirsuta.* var. *cretica.* L.	hairy.	Siberia.	1789.	——	H. ¼.	Flor. græc. t. 313.
7 ericifolia. DC.	Heath-leaved.	Canaries.	1815.	——	G. ¼.	

ORDO XXIII.

CARYOPHYLLEÆ. *DC. prodr.* 1. *p.* 351.

Tribus I. *SILENEÆ.* DC.

GYPSOPHILA. DC.	GYPSOPHILA.	Decandria Digynia. L.				
1 Struthium. DC.	flesh-leaved.	Spain.	1729.	7. 8.	H. ¼.	Barr. ic. 64. t. 119.
2 fastigiata. DC.	angular-leaved.	Europe.	1759.	6. 7.	H. ¼.	Gmel. sib. 4. t. 61. f. 1.
3 arenaria. DC.	sand.	Hungary.	1801.	7. 8.	H. ¼.	W. et. K. hung. t. 41.
4 viscosa. DC.	clammy.	Levant.	1773.	6. 8.	H. ⊙.	Mar. c. got. 1783. t. 3.
5 altissima. DC.	upright.	Siberia.	1789.	7. 8.	H. ¼.	Gmel. sib. 4. t. 60.

6	perfoliata. DC.	perfoliate.	Spain.	1732.	——	H. ♃.	Dill. elt. t. 276.
	β *tomentosa.* DC.	*woolly.*	Tauria.	——	——	H. ♃.	Barr. ic. t. 1002.
7	scorzonerifolia. DC.	Scorzonera-l^d.	——	1823.	——	H. ♃.	
8	acutifolia. DC.	sharp-leaved.	Caucasus.	1821.	——	H. ♃.	
9	paniculata. DC.	panicled.	Siberia.	1759.	6. 7.	H. ♃.	Jacq. aust. 5. t. app. 1.
10	adscendens. DC.	ascending.	Levant.	1819.	——	H. ♃.	Jacq. h. vind. 2. t. 138.
11	elegans. DC.	elegant.	Tauria.	1820.	6. 8.	H. ☉.	Swt. br. fl. gar.
12	Steveni. DC.	Steven's.	Iberia.	1817.	——	H. ♃.	
13	tenuifolia. DC.	slender-leaved.	Caucasus.	1824.	——	H. ♃.	
14	repens. DC.	creeping.	Pyrenees.	1774.	7. 9.	H. ♃.	Bot. mag. 1448.
15	dubia. DC.	doubtful.	.....	1815.	5. 9.	H. ♃.	
16	prostrata. DC.	trailing.	Siberia.	1759.	7. 9.	H. ♃.	Bot. mag. 1281.
17	muralis. DC.	wall.	Europe.	1739.	6. 10.	H. ☉.	Lam. ill. t. 375. f. 1.
18	serotina. W.en.	late-flowering.	Magdeburg.	1816.	——	H. ☉.	
19	glomerata. DC.	round-headed.	Tauria.	1804.	6. 7.	H. ♃.	
20	saxifraga. DC.	small.	Germany.	1774.	7. 8.	H. ♃.	Exot. bot. 2. t. 90.
21	rigida. L.	rigid.	France.	1769.	6. 8.	H. ♃.	
DIANTHUS. DC.		Pink. Decandria Digynia. L.					
1	prolifer. DC.	proliferous.	England.	....	7. 8.	H. ☉.	Eng. bot. 956.
2	diminutus. W.	small-flowered.	S. Europe.	1771.	——	H. ☉.	
3	Armeria. DC.	Deptford.	England.	....	7. 9.	H. ☉.	Eng. bot. 317.
4	pseudo-armeria.	canescent.	Tauria.	1820.	——	H. ♃.	Bot. mag. 2288.
5	armerioides. DC.	Thrift-like.	NewJersey.	——	——	H. ☉.	
6	barbatus. DC.	Sweet-William.	Germany.	1573.	6. 7.	H. ♃.	Bot. mag. 207.
	β *flore pleno.*	*double.*	——	——	——	H. ♃.	
7	latifolius. DC.	broad-leaved.	.....	....	5. 11.	H. ♃.	Swt. br. fl. gar. t. 2.
8	aggregatus. DC.	clustered.	.....	1820.	6. 8.	H. ♃.	
9	japonicus. DC.	Japanese.	China.	1804.	6. 10.	F. ♃.	Thunb. jap. t. 23.
10	capitatus. DC.	headed.	Tauria.	1794.	6. 7.	H. ♃.	
11	polymorphus. DC.	variable.	——	1820.	6. 8.	H. ♃.	
12	diutinus. L.en.	pedicled.	Hungary.	——	——	H. ♃.	Swt. br. fl. gar.
13	ferrugineus. DC.	rusty.	Pyrenees.	1756.	7. 9.	H. ♃.	Barr. ic. t. 497.
14	Carthusianorum. DC.	Carthusian.	Europe.	1573.	——	H. ♃.	
15	atrorubens. All.	dark-red.	Italy.	1802.	——	H. ♃.	Jacq. ic. 3. t. 467.
16	nanus.	dwarf.	——	1820.	——	H. ♃.	
17	arboreus. DC.	arborescent.	Crete.	——	——	G. ♄.	Lodd. bot. cab. 459.
18	fruticosus. DC.	frutescent.	——	1815.	6. 9.	G. ♄.	Tourn. it. 1. t. 9.
19	suffruticosus. DC.	shrubby.	.....	1804.	6. 7.	G. ♄.	
20	carolinianus. DC.	Carolina.	N. Amer.	1811.	6. 9.	F. ♃.	
21	asper. W.en.	rough-stalked.	Switzerland.	1802.	7. 8.	H. ♃.	
22	collinus. W.en.	hill.	Hungary.	1800.	7. 9.	H. ♃.	Parad. lond. 62.
23	campestris. DC.	field.	Tauria.	1815.	7. 8.	H. ♃.	Bot. mag. 1739.
24	alpestris. DC.	pasture.	——	1820.	——	H. ♃.	Balb. act. taur. 7. t. 1.
25	nitidus. DC.	glossy.	Hungary.	1821.	6. 8.	H. ♃.	W.et K.hung. 2. t. 191.
26	hirtus. DC.	hairy.	Dauphiny.	——	——	H. ♃.	Vill. delph. 3. t. 46.
27	guttatus. DC.	spotted.	Caucasus.	1816.	7. 9.	H. ♃.	
28	versicolor. DC.	various-colour'd	Russia.	1821.	——	H. ♃.	
29	pratensis. DC.	meadow.	Tauria.	——	6. 8.	H. ♃.	
	ochroleucus. L.en. *non.* P. S.						
30	chinensis. DC.	China.	China.	1713.	7. 9.	H. ♂.	Bot. mag. 28.
	β *flore-pleno.*	*double-flowered.*					
31	montanus. DC.	mountain.	Caucasus.	1803.	6. 9.	H. ♃.	Bot. mag. t. 1162.
	discolor. B. M.						
32	Caryophyllus. DC.	Clove.	England.	....	6. 8.	H. ♃.	Eng. bot. 214.
	β *flore pleno.*	*Carnation.*	.....	....	——	H. ♃.	Bot. mag. 39.
	γ *fruticosus.*	*tree-Carnation.*	.....	....	——	H. ♄.	
	δ *imbricatus.*	*Wheat-ear.*	.....	....	——	H. ♃.	Bot. mag. 1022.
33	sylvestris.	short-scaled.	Jurassa.	....	6. 7.	H. ♃.	Jacq. ic. rar. t. 82.
	virgineus. B. M. 1740. *non.* L.						
34	longicaulis. DC.	long-stalked.	Naples.	1824.	——	H. ♃.	
35	monadelphus. DC.	procumbent.	Levant.	....	——	H. ♃.	Vent. h. cels. t. 39.
	procumbens. P. S.						
36	suaveolens. DC.	sweet-scented.	.....	1823.	——	H. ♃.	
37	Poiretianus. DC.	Poiret's.	.....	....	——	H. ♃.	
	β *flore-pleno.*	*double-flowering.*					
38	Liboschitzianus. DC.	Armenian.	Armenia.	1823.	6. 8.	H. ♃.	
	petræus. M. B. *non* DC.						
39	sylvaticus. DC.	wood.	Ratisbon.	1815.	——	H. ♃.	
40	pomeridianus. DC.	afternoon.	Palestine.	1804.	——	H. ♃.	Parad. lond. 57.

41	leptopetalus. DC.	narrow-petaled	Caucasus.	1814.	——	H.4.	Bot. mag. 1739.
42	pungens. DC.	pungent.	Spain.	1781.	8. 10.	H.4.	
43	bicolor. DC.	two-coloured.	Tauria.	1818.	6. 8.	H.4.	
44	furcatus. DC.	forked.	Piedmont.	1820.	——	H.4.	Balb. act. taur. 7. f. 2.
45	virgineus. DC.	virgin.	Montpelier.	1732.	——	H.4.	Dill. elt. 401. t. 385 ?
46	deltoides. DC.	maiden.	Britain.	....	6. 10.	H.4.	Eng. bot. 61.
47	glaucus. L.	glaucous.	————	....	——	H.4.	
48	crenatus. B. R.	long-cupped.	C. B. S.	1817.	8.	G.4.	Bot. reg. 256.
49	rigidus. DC.	rigid.	Tauria.	1802.	6. 10.	H.4.	
50	suavis. DC.	sweet.	.....	1820.	6. 7.	H.4.	
51	cæsius. DC.	tufted.	Britain.	....	——	H.4.	Eng. bot. 62.
52	alpinus. DC.	Alpine.	Austria.	1759.	——	H.4.	Bot. mag. 1205.
53	glacialis. DC.	acute-leaved.	France.	1820.	——	H.4.	
54	Hornemanni. DC.	Horneman's.	Italy.	1822.	——	H.4.	
55	petræus. DC.	rock.	Hungary.	1804.	7. 8.	H.4.	W.et K. hung. 3. t. 222.
	β Simsii.	*Sims's.*	————	——	——	H.4.	Bot. mag. 1204.
56	ibericus. DC. *Willdenowii.* L.en.	Iberian.	Iberia.	1820.	6. 8.	H.4.	
57	ruthenicus. DC.	Russian.	Russia.	——	——	H.4.	
58	albens. DC.	white Cape.	C. B. S.	1787.	8.	G.4.	
59	plumarius. DC.	common.	Europe.	1629.	6. 8.	H.4.	
60	hortensis. W.en.	garden.	————	1805.	——	H.4.	
61	caucaseus. DC.	Caucasian.	Caucasus.	1808.	6. 9.	H.4.	Bot. mag. 795.
62	squarrosus. DC.	squarrose.	Tauria.	1823.	6. 8.	H.4.	Bieb. cent. 1. t. 33.
63	fragrans. B. M.	fragrant.	Caucasus.	1804.	6. 7.	H.4.	Bot. mag. 2067.
64	serotinus. DC.	late-flowering.	Hungary.	1804.	7. 8.	H.4.	W. et K. hung. 2. t. 172.
65	arenarius. DC.	sand.	N. Europe.	....	8.	H.4.	Bot. mag. 2038.
66	prostratus. DC.	prostrate.	C. B. S.	....	8. 9.	G.4.	Jacq. schœnb. 3. t. 271.
67	fimbriatus. DC.	fringed.	Iberia.	1802.	6. 8.	H.♄.	Bot. mag. 1069.
68	monspessulanus. DC.	Montpelier.	Pyrenees.	1764.	7. 8.	H.4.	
69	superbus. DC.	superb.	Europe.	1596.	7. 9.	H.4.	Bot. mag. 297.

SAPONARIA. DC. SOAPWORT. Decandria Digynia. L.

1	vaccaria. DC.	annual.	Europe.	1590.	7. 8.	H.⊙.	Bot. mag. 2290.
2	perfoliata. DC.	perfoliate.	E. Indies.	1820.	——	H.⊙.	
3	officinalis. DC.	common.	England.	....	7. 10.	H.4.	Eng. bot. t. 1060.
	β flore pleno.	*double-flowered.*					
4	ocymoides. DC.	Basil-leaved.	Europe.	1768.	5. 7.	H.4.	Bot. mag. 154.
5	glutinosa. DC.	small-flowered.	Tauria.	1823.	——	H.♂.	Bieb. cent. 2. t. 66.
6	porrigens. DC.	hairy.	Levant.	1680.	7. 8.	H.⊙.	Jacq. vind. 2. t. 109.
7	orientalis. DC.	small annual.	————	1732.	6. 8.	H.⊙.	Dill. elt. t. 167. f. 204.
8	lutea. DC.	yellow.	Switzerland.	1804.	——	H.4.	All. ped. t. 23. f. 1.
9	bellidifolia. DC.	Daisy-leaved.	Italy.	....	——	H.4.	Smith spic. t. 5.

CUCUBALUS. DC. CAMPION. Decandria Trigynia. L.

	bacciferus. DC.	berry-bearing.	England.	....	6. 7.	H.4.	Eng. bot. 1577.

SILENE. DC. CATCHFLY. Decandria Trigynia. L.

1	acaulis. DC.	stemless.	Britain.	....	6. 8.	H.4.	Eng. bot. 1081.
	β alba. DC.	*white-flowered.*	————	....	——	H.4.	
2	pumilio. DC.	dense.	Germany.	1823.	——	H.4.	Stur. deut. 1. fas. 22. t. 11
3	fimbriata. DC.	fringe-flowered	Crete.	1803.	5. 8.	H.4.	Bot. mag. 908.
4	lacera. DC.	jagged-flower'd	Caucasus.	1818.	——	H.4.	———— 2255.
5	stellata. DC.	four-leaved.	N. Amer.	1696.	6. 8.	H.4.	———— 1107.
6	inflata. DC.	bladder.	Britain.	....	5. 9.	H.4.	Eng. bot. 164.
	Cucubalus Behen. E. B.						
7	maritima. E. B.	sea.	————	....	8. 9.	H.4.	Eng. bot. 957.
8	fabaria. H. K.	thick-leaved.	Sicily.	1731.	6. 8.	F.4.	Boc. mus. 133. t. 92.
9	Behen. DC.	Cretan.	Crete.	1713.	6. 7.	H.⊙.	Dill. elt. t. 317. f. 409.
10	indica. DC.	Indian.	Nepaul.	1824.	——	F.4.	
11	procumbens. DC.	procumbent.	Siberia.	1820.	——	H.4.	Murr. c. gœt. p. 83. t. 2.
12	rubella. DC.	small red.	Portugal.	1732.	5. 6.	H.⊙.	Del. fl. æg. t. 29. f. 3.
13	apetala. DC.	petalless.	Spain.	1801.	6. 7.	H.⊙.	
14	Gypsophila. DC.	Gypsophila-like	.....	....	——	H.4.	
15	Otites. DC.	Spanish.	England.	....	7. 8.	H.4.	Eng. bot. 85.
	Cucubalus Otites. E. B.						
16	wolgensis. DC.	Wolga.	Wolga.	1821.	6. 8.	H.4.	
17	parviflora. DC.	small-flowered.	Hungary.	1796.	——	H.4.	
18	effusa. DC.	spreading.	Wolga.	1821.	——	H.4.	
19	sibirica. DC.	Siberian.	Siberia.	1773.	——	H.4.	Hall. g. 1. p. 150. ic.
20	multiflora. DC.	many-flowered.	Hungary.	1794.	——	H.♂.	W. et K. hung. 1. t. 56.
21	tatarica. DC.	Tartarian.	Tartary.	1769.	——	H.4.	

22	gigantea. DC.	gigantic.	Africa.	1738.	——	G.♂.	Walt. hort. 32. t. 11.
23	viscosa. DC.	clammy.	Levant.	1739.	7.	H.♂.	
24	conica. DC.	corn.	England.	....	6. 7.	H.⊙.	Eng. bot. 922.
25	conoidea. DC.	conoid.	S. Europe.	1683.	——	H.⊙.	Clus. his. 1. p. 288. f. 2.
26	undulata. DC.	wave-leaved.	C, B. S.	1775.	8.	G.♂.	
27	anglica. DC.	English.	England.	....	6. 7.	H.⊙.	Eng. bot. 1178.
28	lusitanica. DC.	Portugal.	Portugal.	1732.	——	H.⊙.	Dill. elt. t. 311. f. 401.
29	gallica. DC.	French.	France.	1683.	5. 6.	H.⊙.	Vail. par. t. 16. f. 12.
30	ocymoides. DC.	Basil-like.	.....	1819.	6. 7.	H.⊙.	
31	disticha. DC.	two-ranked.	.....	1817.	——	H.⊙.	Schrank. pl. rar. t. 89.
32	cerastoides. DC.	Cerastium-like.	S. Europe.	1732.	7. 8.	H.⊙.	Dill. elt. t. 309. f. 397.
33	quinquevulnera. DC.	variegated.	England.	....	6. 8.	H.⊙.	Eng. bot. 86.
34	nocturna. DC.	spiked.	S. Europe.	1683.	——	H.⊙.	Dill. elt. t. 310. f. 400.
35	reflexa. H. K.	reflexed.	—— ——	1726.	——	H.⊙.	Magn. h. mons. 171. ic.
36	mutabilis. H. K.	changeable.	—— ——	1688.	——	H.⊙.	
37	micropetala. DC.	small-petaled.	Chili.	1822.	6. 7.	H.⊙.	
38	dichotoma. DC.	dichotomous.	Hungary.	1791.	——	H.⊙.	W. et K. hung. t. 29.
39	nyctantha. DC.	various-leaved.	.....	1815.	6. 8.	H.⊙.	
40	bellidifolia. DC.	Daisy-leaved.	.....	1794.	——	H.⊙.	Jacq. vind. 3. t. 81.
41	vespertina. DC. *bipartita.* Desf. atl. 1. t. 100.	evening.	Barbary.	1796.	7. 8.	H.⊙.	Swt. br. fl. gar. 58.
42	obtusifolia. DC.	blunt-leaved.	—— ——	1823.	6. 8.	H.⊙.	
43	colorata. DC.	coloured.	—— ——	1804.	——	H.⊙.	
44	crassifolia. DC.	thick-leaved.	C. B. S.	1774.	7. 8.	G.♂.	
45	gracilis. DC.	slender.	.....	1823.	6. 8.	H.⊙.	
46	jeniseensis. DC.	two-coloured.	Siberia.	1817.	6. 7.	H.♃.	
47	ciliata. DC.	ciliated.	Crete.	1804.	——	H.⊙.	
48	pendula. DC.	pendulous.	Sicily.	1731.	5. 7.	H.⊙.	Bot. mag. 114.
49	longicaulis. DC.	long-stalked.	Spain.	1818.	6. 7.	H.⊙.	
50	secundiflora. DC.	side-flowered.	.....	——	——	H.⊙.	
51	viscosissima. DC.	viscous.	Naples.	1822.	——	H.⊙.	
52	quadridentata. DC. *Lychnis quadridentata.* W.	four-toothed.	Italy.	1783.	5. 6.	H.⊙.	Jacq. aust. 2. t. 120.
53	pusilla. W.en.	dwarf.	Hungary.	1804.	6. 7.	H.♃.	W. et K. hung. 3. t. 212.
54	alpestris. DC.	Austrian.	Austria.	1774.	5. 7.	H.♃.	Jacq. aust. 1. t. 96.
55	rupestris. DC.	rock.	Switzerland.	1774.	5. 7.	H.♃.	Flor. dan. 4.
56	glaucifolia. DC.	glaucous-leav'd.	Spain.	1823.	——	H.♃.	
57	inaperta. DC.	unopen-flow'r'd	S. Europe.	1732.	6. 7.	H.⊙.	Dill. elt. t. 314. f. 407.
58	clandestina. DC.	hidden-flower'd	C. B. S.	1801.	——	H.⊙.	Jacq. col. sup. t. 3. f. 3.
59	portensis. W.	Oporto.	Portugal.	1759.	7. 8.	H.⊙.	
60	antirrhina. DC.	Snap-dragon.	Virginia.	1732.	6. 7.	H.⊙.	Dill. elt. t. 313. f. 403.
61	geminiflora. DC.	twin-flowered.	... .	1816.	....	H.⊙.	
62	flavescens. DC.	yellowish.	Hungary.	1804.	——	H.♃.	W. et K. hung. 2. t. 175.
63	linifolia. DC.	Flax-leaved.	.....	1817.	7. 8.	H.⊙.	
64	cretica. DC.	Candian.	Candia.	1732.	5. 8.	H.⊙.	Dill. elt. t. 314. f. 404.
65	sedoides. DC.	Sedum-like.	Crete.	1822.	6. 8.	H.⊙.	Jacq. col. sup. t. 14 f. 1.
66	Saxifraga. DC.	Saxifrage.	S. Europe.	1640.	——	H.♃.	Lodd. bot. cab. 454.
67	petræa. DC.	fine-toothed.	Hungary.	1806.	——	H.♃.	W. et K. hung. 2. t. 164.
68	campanula. DC.	bell-flowered.	Piedmont.	1822.	——	H.♃.	All. auct. p. 28. t. 1. f. 3.
69	longipetala. DC.	long-petaled.	Aleppo.	——	——	H.⊙.	Vent. hort. cels. t. 83.
70	nutans. E. B.	Nottingham.	England.	....	6. 7.	H.♃.	Eng. bot. 465.
71	saxatilis. B. M.	stone.	Siberia.	1800.	——	H.♃.	Bot. mag. 689.
72	livida. W.en.	livid.	Carniola.	1816.	——	H.♃.	
73	tenuis. DC.	slender.	Siberia.	——	——	H.♃.	
74	quadrifida. DC.	four-cleft.	Italy.	1820.	——	H.♃.	
75	viridiflora. DC.	green-flowered.	Portugal.	1739.	——	H.♂.	Herm. parad. t. 199.
76	chlorantha. DC.	pale-flowered.	Germany.	1732.	6. 8.	H.♃.	Dill. elt. t. 316. f. 406.
77	psammitis. DC.	sulphur-colourd	.....	1820.	——	H.♃.	
78	nicæensis. DC.	villous clammy.	S. Europe.	——	——	H.⊙.	All. ped. t. 44. f. 2.
79	catholica. DC.	panicled.	Italy.	1711.	7. 9.	H.♃.	Jacq. vind. 1. t. 59.
80	diversifolia. DC.	various-leaved.	.....	1820.	——	H.⊙.	
81	repens. DC.	creeping.	Siberia.	1806.	7. 8.	H.♃.	
82	tenuifolia. DC.	slender-leaved.	Dahuria.	1820.	——	H.⊙.	
83	virginica. DC.	Virginian.	Virginia.	1783.	5. 8.	H.♃.	Pluk. alm. t. 203. f. 1.
84	Catesbæi. DC.	Catesby's.	Carolina.	....	——	H.♃.	Catesb. car. 54. ic.
85	stricta. DC.	upright.	Spain.	1802.	6. 7.	H.⊙.	
86	Muscipula. DC.	Spanish.	———	1596.	7. 8.	H.⊙.	Clus. hist. 1. p. 289. f. 1.
87	noctiflora. DC.	night-flowering.	England.	....	7.	H.⊙.	Eng. bot. 291.
88	ornata. DC.	dark-coloured.	C. B. S.	1775.	5. 9.	G.♂.	Bot. mag. 382.

89	ægyptiaca. DC.	Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
90	sericea. DC.	silky.	Corsica.	1801.	6. 8.	H. ☉.	All. ped. t. 79. f. 3.
91	picta. DC.	painted.	.....	1818.	7. 9.	H. ☉.	Swt. br. fl. gar. 92.
92	bicolor. DC.	two-coloured.	France.	—	6. 8.	H. ☉.	DC. ic. gall. rar. t. 42.
93	reticulata. DC.	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ☉.	Desf. atl. 1. t. 99.
94	pensylvanica. DC. *incarnata.* B. C. 41.	Pensylvanian.	N. Amer.	1806.	6. 9.	H. ♃.	Bot. reg. 247.
95	vallesia. DC.	hard-rooted.	Switzerland.	1765.	6. 8.	H. ♃.	All. ped. t. 23. f. 2.
96	fruticosa. DC.	shrubby.	Sicily.	1629.	6. 7.	F. ♄.	Comm. hort. t. 33.
97	caspica. DC.	Caspian.	Caucasus.	1823.	—	H. ♃.	
98	amœna. DC.	Tartarian.	Tartary.	1779.	7.	H. ♃.	
99	supina. DC.	trailing.	Caucasus.	1804.	6. 8.	H. ♃.	Bot. mag. 1997.
100	depressa. DC.	depressed.	Iberia.	1823.	—	H. ♃.	
101	paradoxa. DC.	Dover.	England.	....	7.	H. ♃.	Jacq. vind. 3. t. 84.
102	chlorœfolia. DC.	Armenian.	Armenia.	1796.	8. 9.	H. ♃.	Bot. mag. 807.
103	italica. DC. *Cucubalus italicus.* L.	Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
104	polyphylla. DC.	many-leaved.	Austria.	....	6. 7.	H. ♃.	Clus. hist. 1. t. 290.
105	nemoralis. DC.	wood.	Hungary.	1823.	—	H. ♃.	W.et K. hung. 3. t. 249.
106	longiflora. DC.	long-flowered.	———	1793.	7. 9.	H. ♃.	—— —— 1. p. 7. t. 8.
107	bupleuroides. DC.	spear-leaved.	Persia.	1801.	6. 7.	H. ♃.	Tourn. it. t. 154.
108	mollissima. DC. *Cucubalus mollissimus.* L.	velvet.	Italy.	1739.	7. 9.	H. ♃.	W.et K. hung. 3. t. 248.
109	regia. DC.	splendid.	N. Amer.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
110	Atocion. DC. *orchidea.* H. K.	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ☉.	Jacq. vind. 3. t. 32.
111	pseudo-Atocion.	DC. Atlantic.	Atlantic.	1818.	—	H. ☉.	
112	Armeria. DC.	Lobel's.	England.	....	7. 9.	H. ☉.	Eng. bot. 1396.
	α rubra.	*red-flowered.*					
	β alba.	*white-flowered.*					
113	compacta. DC.	compact.	Russia.	1816.	—	H. ♂.	

VISCARIA. Rœhl. VISCARIA. Decandria Pentagynia. L.

1	vulgaris. Rœhl. *Lychnis viscaria.* L.	common.	Britain.	....	5. 7.	H. ♃.	Eng. bot. 788.
	β flore-pleno.	*double-red.*					
2	albiflora.	white-flowered.	.....	....	—	H. ♃.	

LYCHNIS. DC. LYCHNIS. Decandria Pentagynia. L.

1	chalcedonica. DC.	scarlet.	Japan.	1596.	6. 7.	H. ♃.	Bot. mag. 257.
	β albiflora.	*white-flowered.*					
	γ flore pleno.	*double-flowered.*					
2	Flos-jovis. DC. *Agrostemma Flos-jovis.* B. M.	umbelled.	Piedmont.	1726.	7.	H. ♃.	Bot. mag. 398.
3	coronata. W. *grandiflora.* Jacq. pl. rar. t. 84.	Chinese.	China.	1774.	6. 9.	H. ♃.	Bot. mag. 223.
4	fulgens. DC.	brilliant.	Siberia.	1819.	7. 9.	H. ♃.	Bot. mag. 2104.
5	Cœli-rosa. DC. *Agrostemma Cœli-rosa.* L.	smooth-leaved.	Levant.	1713.	7. 8.	H. ☉.	Bot. mag. 295.

AGROSTEMMA. AGROSTEMMA. Decandria Pentagynia. L.

1	apetala. DC. *Lychnis apetala.* L.	petalless.	Lapland.	1819.	6. 8.	H. ♃.	Lin. fl. lap. t. 12. f. 1.
2	brachypetala. L.en.	short-petaled.	.....	—	—	H. ♃.	
3	sylvestris. DC. *Lychnis dioica, rubra.* E. B.	red-flowered.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 1579.
	β flore-pleno.	*double-flowered.*					
4	dioica. DC. *Lychnis dioica alba.* E. B. *vespertina.* Sibt.	white-flowered.	———	....	—	H. ♃.	Eng. bot. 1580.
	β flore-pleno.	*double-white.*					
	γ viridiflora.	*double-green.*					
5	læta. DC.	small.	Portugal.	1778.	7.	H. ☉.	
6	corsica. DC.	Corsican.	Corsica.	1824.	6. 8.	H. ☉.	
7	pyrenaica. DC.	Pyrenean.	Pyrenees.	1820.	4. 6.	H. ♃.	
8	alpina. DC. *Lychnis alpina.* L.	Alpine.	Scotland.	....	4. 5.	H. ♃.	Eng. bot. 2254.
9	Flos-cuculi. DC. *Lychnis Flos-cuculi.* L.	Ragged Robin.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 573.
	β flore-pleno.	*double.*					
10	coronaria. DC.	Rose Campion.	Italy.	1596.	—	H. ♃.	
	α rubra.	*red-flowered.*	———	—	—	H. ♃.	Bot. mag. 24.
	β alba.	*white-flowered.*					
	γ plena.	*double-flowered.*					

GITHAGO. Desf. GITHAGO. Decandria Pentagynia. L.
1 segetum. Desf. Corn-Cockle. Britain. .... 6. 8. H.⊙. Eng. bot. 741.
Agrostemma Githago. L.
2 nicæensis. long-calyxed. Italy. 1794. —— H.⊙.
VELEZIA. DC. VELEZIA. Pentandria Digynia. L.
rigida. DC. rigid. Spain. 1683. 7. H.⊙. Barr. rar. t. 1018.
DRYPIS. DC. DRYPIS. Pentandria Trigynia. L.
spinosa. DC. prickly. Italy. 1775. 6. 7. H.♃. Bot. mag. 2216.

Tribus II. *ALSINEÆ.* DC.

ORTEGIA. DC. ORTEGIA. Triandria Monogynia. L.
1 hispanica. DC. Spanish. Spain. 1768. 6. 7. H.♃.
2 dichotoma. DC. forked. Italy. 1781. 8. 9. H.♃. All. ped. t. 4. f. 1.
hispanica. CAV. ic. 1. t. 47.
BUFFONIA. DC. BUFFONIA. Tetrandria Digynia. L.
1 annua. DC. annual. England. .... 6. H.⊙. Eng. bot. 1313.
tenuifolia. E. B.
2 perennis. DC. perennial. France. 1820. 6. 7. H.♃. Lam. ill. t. 87. f. 2.
SAGINA. DC. PEARL-WORT. Tetrandria Tetragynia. L.
1 procumbens. DC. procumbent. Britain. .... 5. 9. H.⊙. Eng. bot. 880.
2 cerastoides. DC. Cerastium like. —— .... 6. 7. H.⊙. —— 166.
Cerastium tetrandrum. H. K.
3 filiformis. DC. filiform. Pyrenees. 1824. —— H.⊙.
4 maritima. E. B. sea-side. Ireland. .... 5. 8. H.⊙. Eng. bot. 2195.
5 apetala. DC. small-flowered. Britain. .... 5. 6. H.⊙. —— 881.
MŒNCHIA. P. S. MŒNCHIA. Tetrandria Tetragynia. L.
glauca. P. S. glaucous. Britain. .... 4. 5. H.⊙. Eng. bot. 609.
quaternella. LAM. *Sagina erecta.* E. B.
MŒHRINGIA. DC. MŒHRINGIA. Octandria Digynia. L.
1 muscosa. DC. mossy. S. Europe. 1775. 6. 7. H.♃. Lam. ill. t. 314.
2 sedifolia. DC. Stonecrop-ld. —— —— 1823. —— H.♃. W.ber.m.1818.t.3.f.23.
ELATINE. DC. WATERWORT. Octandria Tetragynia. L.
1 Hydropiper. DC. small. Britain. .... 8. H.♃. Eng. bot. 955.
2 hexandra. DC. hexandrous. France. .... —— H.♃. DC. ic. rar. 1. t. 43. f. 1.
MOLLUGO. W. MOLLUGO. Triandria Trigynia. L.
1 verticillata. DC. whorled. Virginia. 1748. 6. 8. H.⊙. Ehret pict. t. 6.
2 Schrankii. DC. Schrank's. Brazil. 1821. 7. 9. H.⊙. Schrank pl. rar. 64.
dichotoma. Schr.
3 Linkii. DC. Link's. —— —— —— H.⊙.
triphylla. LAM. *non* LOUR.
PHARNACEUM. W. PHARNACEUM. Pentandria Trigynia. L.
1 Mollugo. W. LadiesBedstraw E. Indies. 1752. 7. 8. S.⊙. Burm. ind. t. 5. f. 4.
Mollugo Spergula. DC.
2 cordifolium. W. heart-leaved. C. B. S. 1820. —— H.⊙. Jacq. h. schœn. t. 349.
3 dichotomum. W. forked. —— —— 1783. —— H.⊙.
4 Cerviana. W. umbelled. Russia. 1771. 6. 7. H.⊙. Lam. ill. t. 214. f. 1.
5 lineare. W. linear-leaved. C. B. S. 1795. 5. 6. G.♄. Bot. rep. 326.
6 incanum. B. M. hoary. —— —— 1782. 5. 10. G.♄. Bot. mag. 1883.
HOLOSTEUM. DC. HOLOSTEUM. Triandria Trigynia. L.
umbellatum. DC. umbelled. England. .... 7. 8. H.⊙. Eng. bot. 27.
SPERGULA. DC. SPURREY. Decandria Pentagynia. L.
1 arvensis. DC. rough-seeded. Britain. .... 7. 8. H.⊙. Eng. bot. 1535.
2 pentandra. DC. smooth-seeded. England. .... 6. 7. H.⊙. —— 1536.
3 pallida. DC. pale. C. B. S. .... 7. 9. H.♃.
4 nodosa. DC. knotted. Britain. .... 7. 8. H.♃. Eng. bot. 694.
5 laricina. DC. Larch-leaved. Siberia. 1823. 6. 8. H.♃. Sm. ic. ined. 1. t. 18.
6 saginoides. DC. Sagina like. Scotland. .... —— H.♃. Eng. bot. 2105.
7 subulata. DC. awl-leaved. Britain. .... 6. 7. H.♃. —— 1082.
LARBREA. DC. LARBREA. Decandria Pentagynia. L.
aquatica. DC. water. Britain. .... 7. 8. H.♃. Eng. bot. 538.
Cerastium aquaticum. E. B. *Stellaria aquatica.* P. S.
DRYMARIA. DC. DRYMARIA. Pentandria Trigynia. L.
1 cordata. DC. heart-leaved. W. Indies. 1814. 7. 9. H.⊙. Lam. ill. t. 51. f. 2.
Holosteum cordatum. L.

2	divaricata. DC.	divaricate.	Lima.	1823.	——	H.⊙.		
STELLARIA. DC.		STICHWORT.	Decandria Trigynia. L.					
1	nemorum. DC.	wood.	Britain.	....	4. 6.	H.4.	Eng. bot. 92.	
2	latifolia. DC.	broad-leaved.	Germany.	1816.	6. 8.	H.⊙.		
3	media. DC.	Chickweed.	Britain.	....	1. 12.	H.⊙.	Eng. bot. 537.	
	Alsine media. L.							
4	dichotoma. DC.	forked.	Siberia.	1774.	6. 8.	H.4.	Smith ic. ined. 1. t. 14.	
5	bulbosa. DC.	bulbiferous.	Carinthia.	1820.	——	H.4.	Jacq. ic. rar. 3. t. 468.	
6	viscida. DC.	viscous.	Tauria.	1804.	——	H.⊙.	W.et K. hung. 1. t. 22.	
	Cerastium anomalum. W.							
7	Holostea. DC.	greater.	Britain.	....	4. 6.	H.4.	Eng. bot. 511.	
8	velutina. DC.	velvetty.	Siberia.	1824.	6. 8.	H.4.		
9	graminea. DC.	grass-leaved.	Britain.	....	6. 8.	H.4.	Eng. bot. 803.	
10	glauca. DC.	glaucous marsh.	——	....	——	H.4.	—— 825.	
11	aquatica. DC.	bog.	——	....	6. 7.	H.⊙.	—— 1074.	
	uliginosa. E. B. *alsine.* Hof. germ. 1. t. 5.							
12	cerastoides. DC.	Alpine.	Scotland.	....	——	H.4.	—— 911.	
13	arenaria. DC.	sand.	Spain.	1799.	6. 8.	H.⊙.		
14	scapigera. DC.	naked-stalked.	Scotland.	....	6. 7.	H.4.	Eng. bot. 1269.	
15	multicaulis. W.	many-stemmed.	Carinthia.	1815.	6. 8.	H.4.	Jacq. coll. 1. t. 19.	
16	muralis. DC.	wall.	Crete.	1821.	——	H.⊙.		
17	elegans. DC.	elegant.	Siberia.	1823.	——	H.4.		
18	longipes. DC.	long pedicled.	N. Amer.	1821.	——	H.4.		
ARENARIA. DC.		SANDWORT.	Decandria Trigynia. L.					
1	segetalis. DC.	hedge.	France.	1805.	6. 10.	H.⊙.	Vall. par. t. 3. f. 3.	
	Alsine segetalis. L.							
2	rubra. DC.	purple.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 852.	
3	salina. DC.	salt marsh.	Bohemia.	1820.	——	H.⊙.		
4	rubella. F. L.	red-flowered.	England.	....	——	H.⊙.	Flor. lond. t.	
5	media. DC.	marine.	Britain.	....	——	H.4.	Eng. bot. 958.	
	marina. E. B.							
6	glandulosa. Jac.	glandular.	Europe.	1820.	6. 7.	H.⊙.	Jacq. Schœnb. 3. t. 355.	
7	canadensis. DC.	Canadian.	N. Amer.	1812.	——	H.⊙.		
8	graminifolia. DC.	grass-leaved.	Caucasus.	1815.	——	H.4.	Schrad. h. gœtt. t. 5.	
	β *glaberrima.* DC.	*smooth.*	——	——	——	H.4.		
9	longifolia. DC.	long-leaved.	Volga.	1820.	——	H.4.	Gmel. sib. 4. t. 63. f. 2.	
10	dahurica. DC.	Dahurian.	Dahuria.	1824.	——	H.4.		
11	otitoides. DC.	dense-flower'd.	Siberia.	——	——	H.4.		
12	rigida. DC.	rigid.	——	——	——	H.4.		
13	formosa. DC.	handsome.	Dahuria.	——	——	H.4.		
14	imbricata. DC.	imbricate.	Caucasus.	1821.	——	H.4.		
15	juniperina. DC.	Juniper-leav'd.	Armenia.	1800.	——	H.4.	Sm. ic. ined. t. 35.	
16	stricta. DC.	upright.	N. Amer.	1812.	5. 6.	H.4.		
17	laricifolia. L.	Larch-leaved.	Britain.	....	8.	H.4.	Jacq. aust. 3. t. 272.	
18	rostrata. W.en.	beaked.	Hungary.	1816.	6. 7.	H.4.		
19	striata. W.	striated.	Switzerland.	1683.	——	H.4.	Vill. dauph. 4. t. 47. f. 6.	
20	arctica. DC.	small.	Siberia.	1807.	——	H.4.		
21	austriaca. DC.	Austrian.	Austria.	1793.	6. 9.	H.4.	Jacq. aust. 3. t. 270.	
22	grandiflora. DC.	great-flowered.	Switzerland.	1783.	——	H.4.	All. ped. n. 1711. t. 10. f. 1	
23	triflora. L.	three-flowered.	——	1816.	——	H.4.	Cav. ic. 3. t. 249. f. 2.	
24	Helmii. DC.	long-pedúncled.	Siberia.	1824.	——	H.4.		
25	verna. DC.	vernal.	Britain.	.....	5. 8.	H.4.	Eng. bot. 512.	
26	ramosissima. DC.	branching.	Hungary.	1820.	——	H.4.		
27	saxatilis. DC.	rock.	Germany.	1732.	7. 8.	H.4.	Barr. ic. t. 580.	
28	pendula. DC.	pendulous.	Hungary.	1816.	6. 7.	H.4.	W.et K. hung. 1. t. 87.	
29	tenuifolia. DC.	fine-leaved.	England.	....	——	H.⊙.	Eng. bot. 219.	
30	calycina. DC.	large-calyxed.	Barbary.	1824.	——	H.⊙.		
31	triandra. DC.	triandrous.	.....	——	——	H.⊙.	Schranck. h. mon. t. 30.	
32	mediterranea. DC.	Mediterranean.	S. Europe.	1821.	——	H.⊙.		
33	recurva. DC.	recurved-leav'd	——	——	——	H.4.	Jacq. coll. 2. t. 16. f. 1.	
34	hirsuta. DC.	hairy.	Tauria.	1824.	——	H.4.		
35	setacea. DC.	bristly.	France.	1820.	——	H.4.		
36	fasciculata. DC.	dense-flower'd.	Europe.	1815.	——	H.⊙.	Jacq. aust. 2. t. 182?	
	fastigiata. E. B. 1744.							
37	filifolia. DC.	thread-leaved.	Arabia.	....	——	H.4.	Vahl. symb. 1. t. 12.	
38	mucronata. DC.	mucronate.	——	1777.	——	H.⊙.		
39	uliginosa. DC.	marsh.	Switzerland.	1824.	——	H.4.	DC. ic. gall. t. 46.	
40	polygonoides. DC.	procumbent.	——	——	——	H.4.	Jacq. coll. 1. t. 15.	
41	tetraquetra. DC.	square-stalked.	S. France.	1731.	8.	H.4.	All. ped. 2. t. 89. f. 1.	

42	cherlerioides. Vill.	cherleria-leav'd	——	....	7. 8.	H. ♃.	Vill. delph. 4. t. 47. f. 1.
43	montana. DC.	mountain.	——	1800.	4. 7.	H. ♃.	Bot. mag. 1118.
44	serpyllifolia. DC.	Thyme-leaved.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 923.
45	ciliata. DC.	fringed.	Ireland.	....	3. 8.	H. ♃.	—— —— 1745.
46	multicaulis. W.	many-stalked.	Europe.	1794.	7. 8.	H. ♃.	Jacq. coll. 1. t. 17. f. 1.
47	trinervia. DC.	three-nerved.	Britain.	....	5. 7.	H. ☉.	Eng. bot. 1483.
48	balearica. DC.	Majorca.	Majorca.	1787.	3. 8.	H. ♃.	L. Her. stirp. 1. t. 15.
49	biflora. DC.	two-flowered.	S. Europe.	1823.	——	H. ♃.	All. ped. t. 64. f. 3.
50	peploides. DC.	Sea chickweed.	Britain.	....	5. 7.	H. ♃.	Eng. bot. 189.
CERASTIUM. DC.		Mouse-ear Chickweed.	Decandria Pentagynia. L.				
1	nemorale. DC.	wood.	Caucasus.	1823.	5. 6.	H. ☉.	
2	perfoliatum. DC.	perfoliate.	Greece.	1725.	6. 7.	H. ☉.	Dill. elt. t. 217. f. 284.
3	dahuricum. DC. *amplexicaule.* R. M.	glaucous.	Dahuria.	1815.	5. 9.	H. ♃.	Schrank. h. mon. t. 75. 1789.
4	maximum. DC.	greatest.	Siberia.	1792.	6. 7.	H. ☉.	Gmel. sib. 4. t. 62. f. 2.
5	dichotomum. DC.	forked.	Spain.	1725.	——	H. ☉.	
6	ruderale. DC.	pendulous-fruit.	Caucasus.	1824.	——	H. ☉.	
7	tauricum. DC.	Taurian.	Tauria.	——	——	H. ☉.	
8	vulgatum. DC.	common.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 789.
9	viscosum. DC.	clammy.	—— ——	....	4. 9.	H. ♃.	——— 790.
10	barbulatum. L.en.	bearded.	S. Europe.	1821.	——	H. ☉.	
11	holosteoides. DC.	Holosteum like.	Sweden.	——	——	H. ♃.	
12	pentandrum. DC.	five-stamened.	Spain.	1820.	——	H. ☉.	
13	semidecandrum. DC.	least.	Britain.	....	3. 4.	H. ☉.	Eng. bot. 1630.
14	brachypetalum. DC.	small-flowered.	France.	1816.	4. 5.	H. ♃.	DC. ic. gall. t. 44.
15	diffusum. DC.	spreading.	.....	....	4. 9.	H. ♃.	
16	serpyllifolium. W.en.	Thyme-leaved.	S. Europe.	1824.	5. 6.	H. ♃.	
17	manticum. DC.	long-peduncl'd.	Hungary.	1801.	6. 7.	H. ☉.	W. et K. hung. 1. t. 96.
18	grandiflorum. DC.	large-flowered.	—— ——	1820.	——	H. ♃.	——— 2. t. 168.
19	tomentosum. DC.	white-leaved.	S. Europe.	1648.	——	H. ♃.	Col. phyt. ed. 1744 t. 31.
20	Biebersteinii. DC.	Bieberstein's.	Tauria.	1820.	——	H. ♃.	
21	lanatum. DC.	woolly.	Pyrenees.	——	——	H. ♃.	
22	alpinum. DC.	Alpine.	Britain.	....	——	H. ♃.	Eng. bot. 472.
23	ovatum. DC.	oval-leaved.	Carinthia.	1816.	——	H. ♃.	
24	latifolium. DC.	broad-leaved.	Britain.	....	——	H. ♃.	Eng. bot. 473.
25	arvense. DC.	field.	—— ——	....	5. 8.	H. ♃.	——— 93.
26	repens. W.	creeping.	S. Europe.	1759.	5. 7.	H. ♃.	Lam. ill. t. 392. f. 2.
27	strictum. W.	upright.	Austria.	1793.	——	H. ♃.	Scop. carn. t. 19. f. 1.
28	suffruticosum. W.	suffruticose.	S. Europe.	1796.	——	H. ♃.	
29	pensylvanicum. DC.	Pensylvanian.	N. Amer.	1823.	——	H. ♃.	
30	pubescens. DC.	pubescent.	—— ——	1822.	——	H. ♃.	
31	matrense. L.en.	Matram.	Hungary.	1823.	——	H. ♃.	
32	dioicum. H. K.	Spanish.	Spain.	1766.	6. 7.	H. ♃.	
33	pilosum. L.en.	hairy.	.....	1823.	——	H. ♃.	
34	Sprengelii. DC.	Sprengel's.	.....	——	——	H. ♂.	
CHERLERIA. DC.		Cherleria.	Decandria Trigynia. L.				
	sedoides. DC.	dwarf.	Scotland.	....	7. 8.	H. ♃.	Eng. bot. 1212.

ORDO XXIV.

LINEÆ. *DC. prodr.* 1. *p.* 423.

LINUM. DC.		Flax.	Pentandria Pentagynia. L.				
1	gallicum. DC.	annual yellow.	France.	1777.	7. 8.	H. ☉.	Ger. prov. t. 15. f. 1.
2	aureum. DC.	golden.	Hungary.	1823.	——	H. ☉.	W. et K. hung. 2. t. 177.
3	luteolum. DC.	yellowish.	Tauria.	——	——	H. ☉.	Buxb. cent. 5. t. 59.
4	nodiflorum. DC.	knotted.	Italy.	1759.	——	H. ♃.	Flor. græc. t. 307.
5	strictum. DC.	upright.	S. Europe.	——	5. 7.	H. ♂.	Lob. ic. t. 411. f. 2.
6	rigidum. DC.	stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
7	virginianum. DC.	Virginian.	N. Amer.	——	——	H. ♂.	
8	dahuricum. DC.	Dahurian.	Dahuria.	1822.	6. 8.	H. ♃.	
9	maritimum. DC.	sea.	S. Europe.	1596.	7. 8.	H. ♃.	Jacq. vind. 2. t. 154.
10	arboreum. DC.	shrubby.	Candia.	1788.	5. 8.	G. ♄.	Bot. mag. 234.

11	campanulatum. W.	glaucous-leav'd.	S. Europe.	1795.	——	H.♄.	
12	tauricum. W.en.	Taurian.	Tauria.	——	6. 8.	H.4.	
13	flavum. W.	yellow.	S. Europe.	1793.	——	H.4.	Bot. mag. 312.
14	trigynum. DC.	three-styled.	E. Indies.	1799.	10. 3.	G.♄.	Bot. mag. 1100.
15	africanum. DC.	African.	C. B. S.	1771.	6. 7.	G.♄.	—— —— 403.
16	quadrifolium. DC.	four-leaved.	—— ——	1787.	5. 6.	G.♄.	—— —— 431.
17	hypericifolium. P.L. *venustum.* A. R. 477.	Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H.4.	—— —— 1048.
18	hirsutum. W.	hairy.	Austria.	1759.	7. 8.	H.4.	Jacq. aust. 1. t. 31.
19	ascyrifolium. B. M.	blue and white.	Portugal.	1800.	——	H.4.	Bot. mag. 1087.
20	nervosum. DC.	nervose.	Hungary.	1820.	——	H.4.	W.et K. hung. 2. t. 105.
21	narbonense. DC.	Narbonne.	S. France.	1759.	5. 7.	F.4.	Barr. ic. t. 1007.
22	usitatissimum. DC.	common.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1357.
23	marginatum. DC. *angustifolium.* W.en.	white-margin'd	.....	1823.	——	H.4.	
			non. E. B.				
24	reflexum. DC.	reflexed-leav'd.	S. Europe.	1777.	7.	H.4.	
25	diffusum. DC.	spreading.	.....	1823.	6. 8.	H.4.	
26	angustifolium. DC.	narrow-leaved.	England.	....	7.	H.4.	Eng. bot. 381.
27	sibiricum. DC. *austriacum.* B. M. 1086.	Siberian.	Siberia.	1775.	6. 7.	H.4.	Mill. ic. t. 166. f. 2.
28	Lewisii. Ph.	Lewis's.	N. Amer.	1824.	——	H.4.	
29	anglicum. DC. *perenne.* E. B.	English.	England.	....	6. 8.	H.4.	Eng. bot. 40.
30	austriacum. DC.	Austrian.	Austria.	1775.	6. 7.	H.4.	Jacq. aust. t. 418.
31	montanum. DC.	mountain.	Switzerland.	....	7. 8.	H.4.	Scop. carn. ed. 2. t. 11.
32	alpinum. DC.	Alpine.	Austria.	1739.	7. 8.	H.4.	Swt. br. fl. gar. t. 17.
33	tenuifolium. DC.	slender-leaved.	Europe.	1759.	6. 7.	H.4.	Jacq. aust. 3. t. 215.
34	salsoloides. DC.	Salt-wort-like.	S. France.	1823.	7. 8.	H.♄.	
35	suffruticosum. DC.	Spanish.	Spain.	1759.	8.	F.♄.	Cav. ic. 2. t. 106.
36	catharticum. DC.	purging.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 382.
RADIOLA. DC.		RADIOLA.	Tetrandria Tetragynia.				
	linoides. DC. *millegrana.* E. B.	All-seed.	*Linum Radiola.* L.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 893.

ORDO XXV.

MALVACEÆ. *DC. prodr.* 1. *p.* 429.

MALOPE. DC.		MALOPE.	Monadelphia Polyandria. L.				
1	malacoides. DC.	Barbary.	Barbary.	1710.	6. 7.	G.♂.	Cav. diss. 2. t. 27. f. 1.
2	trifida. DC.	trifid.	—— ——	1808.	7. 8.	H.⊙.	—— —— 2. t. 27. f. 2.
MALVA. DC.		MALLOW.	Monadelphia Polyandria. L.				
1	tricuspidata. DC. *coromandeliana.* W.	Jamaica.	*americana.* Cav.	W. Indies.	1726.	7. 8.	S.♂.	Cav. diss. 2. t. 22. f. 2.
2	americana. DC.	American.	—— ——	1756.	6. 7.	H.⊙.	
3	scabra. DC. *scoparia.* Jacq. ic. 189.	rough-stemmed.	Peru.	1798.	——	G.♄.	Cav. diss. 5. t. 138. f. 1.
4	scoparia. DC.	Birch-leaved.	—— ——	1782.	8. 9.	G.♄.	L.her. stirp. t. 27.
5	borbonica. DC.	Bourbon.	Mauritius.	1816.	7. 8.	S.♄.	
6	polystachya. DC.	many-spiked.	Peru.	1798.	——	G.♄.	Cav. dis. 5. t. 138. f. 3.
7	spicata. DC.	simple-spiked.	Jamaica.	1726.	9. 10.	S.♄.	Cav. dis. 2. t. 20. f. 4.
8	ovata. L.en.	oval-leaved.	Brazil.	....	——	S.♄.	—— —— 2. t. 20. f. 2.
9	waltherifolia. DC.	Waltheria-ld.	Java.	1824.	....	S.4.	
10	trachelifolia. DC.	Trachelium-ld.	.....	——	7. 8.	H.⊙.	
11	gangetica. DC.	Indian.	E. Indies.	——	——	H.⊙.	Pluk. t. 74. f. 6.
12	leprosa. DC.	leprous.	Cuba.	1815.	5. 7.	S.4.	
13	Sherardiana. DC.	Sherard's.	Bithynia.	....	——	S.4.	Cav. dis. 2. t. 26. f. 4.
14	hispanica. DC.	Spanish.	Spain.	1710.	7.	H.⊙.	Desf. atl. 2. t. 170.
15	stipulacea. DC.	long-stipuled.	—— ——	1815.	6. 8.	H.⊙.	Cav. dis. 2. t. 15. f. 2.
16	ægyptia. DC.	Egyptian.	Egypt.	1739.	6. 7.	H.⊙.	—— —— 2. t. 17. f. 1.
17	trifida. DC.	large-flowered.	Spain.	1815.	——	H.⊙.	—— —— 5. t. 137. f. 2.
18	Tournefortiana. DC.	Tournefort's.	—— ——	1759.	7. 8.	H.⊙.	—— —— 2. t. 17. f. 3.

19	Alcea. DC.	Vervain.	Europe.	1597.	7.	10.	H.♃.	Bot. mag. 2297.
20	moschata. DC.	musk.	Britain.	....	7.	8.	H.♃.	Eng. bot. 754.
	β *laciniata*. DC.	*white-flowered*.	.....	....	——		H.♃.	Bot. mag. 2298.
21	mauritiana. DC.	Ivy-leaved.	S. Europe.	1768.	6.	7.	H.⊙.	Swt. br. fl. gar. 81.
22	sylvestris. DC.	common.	Britain.	....	5.	10.	H.♃.	Eng. bot. 671.
23	Henningii. DC.	Henning's.	Moscow.	1823.	6.	8.	H.♃.	
24	rotundifolia. DC.	round-leaved.	Britain.	....	6.	9.	H.⊙.	Eng. bot. 1092.
	β *pusilla*. E. B.	*dwarf*.	—— ——	....	——		H.⊙.	—— —— 241.
25	nicæensis. DC.	Italian.	Italy.	1823.	——		H.⊙.	Cav. dis. 2. t. 25. f. 1.
26	microcarpa. DC.	small-fruited.	Egypt.	——	——		H.♃.	
27	parviflora. DC.	small-flowered.	Barbary.	1779.	6.	7.	H.♃.	Cav. dis. 2. t. 26. f. 1.
28	verticillata. DC.	whorl-flowered.	China.	1683.	——		H.⊙.	Jacq. vind. 1. t. 40.
29	crispa. DC.	curled.	Syria.	1573.	6.	8.	H.⊙.	Cav. dis. 2. t. 23. f. 1.
30	flexuosa. DC.	flexuose.	.....	1823.	——		H.⊙.	
31	amœna. DC.	lobe-leaved.	C. B. S.	1796.	4.	8.	G.♄.	Bot. mag. 1998.
	calycina. B. R. 207.							
32	calycina. DC.	large-calyxed.	—— ——	1812.	——		G.♄.	Cav. dis. 2. t. 28. f. 4.
33	virgata. DC.	twiggy.	—— ——	1727.	5.	7.	G.♄.	—— —— 2. t. 18. f. 2.
34	capensis. DC.	Cape.	—— ——	1713.	1.	12.	G.♄.	Bot. reg. 295.
35	balsamica. DC.	balsamic.	—— ——	1800.	5.	9.	G.♄.	Jacq. ic. 1. t. 140.
36	oxyacanthoides. DC.	Hawthorn-ld.	—— ——	....	——		G.♄.	
37	tridactylites. DC.	reflex-flowered.	—— ——	1791.	6.	8.	G.♄.	Cav. dis. 2. t. 21. f. 2.
	reflexa. A. R. t. 135.							
38	divaricata. DC.	straddling.	—— ——	1792.	6.	9.	G.♄.	And. bot. rep. 182.
39	retusa. DC.	blunt-leaved.	—— ——	1803.	3.	5.	G.♄.	Cav. dis. 2. t. 21. f. 1.
40	fragrans. DC.	fragrant.	—— ——	1759.	5.	7.	G.♄.	Bot. reg. 296.
41	stricta. DC.	upright.	—— ——	1805.	5.	8.	G.♄.	Jacq. shœnb. 3. t. 294.
42	bryonifolia. DC.	Bryony-leaved.	—— ——	1731.	7.	8.	G.♄.	Wend. h. her. 1. t. 4.
43	grossulariæfolia. DC.	Gooseberry-ld.	—— ——	1732.	5.	9.	G.♄.	Bot. reg. 561.
44	asperrima. DC.	roughest.	—— ——	1796.	——		G.♄.	Jacq. schœnb. 2. t. 189.
45	lactea. DC.	panicled white.	Mexico.	1780.	1.	2.	G.♄.	Cav. ic. 1. t. 30.
46	capitata. DC.	various-leaved.	Peru.	1798.	11.	12.	G.♄.	Cav. dis. 5. t. 137. f. 1.
47	miniata. DC.	painted.	S. Amer.	——	4.	5.	G.♄.	Cav. ic. 3. t. 278.
48	operculata. DC.	lid capsuled.	Peru.	1795.	7.	8.	G.♄.	Cav. dis. 2. t. 35. f. 1.
49	peruviana. DC.	Peruvian.	—— ——	1759.	6.	8.	H.⊙.	Jacq. vind. 2. t. 156.
50	limensis. DC.	blue-flowered.	—— ——	1768.	——		H.⊙.	—— —— 2. t. 140.
51	umbellata. DC.	umbelled.	S. Amer.	1814.	1.	3.	G.♄.	Lod. Bot. cab. 222.
52	abutiloides. DC.	Bahama.	Bahama Isl.	1725.	6.	9.	G.♄.	Jacq. schœnb. 3. t. 293.
53	elegans. DC.	elegant.	C. B. S.	1791.	5.	8.	G.♄.	Cav. dis. 2. t. 16. f. 1.
54	angustifolia. DC.	narrow-leaved.	Mexico.	1780.	8.		G.♄.	—— —— 2. t. 20. f. 1.
55	caroliniana. DC.	Carolina.	Carolina.	1723.	6.	7.	H.⊙.	—— —— 2. t. 15. f. 1.
56	prostrata. DC.	trailing.	Brazil.	1806.	5.	7.	G.♃.	Bot. mag. 2515.
57	decumbens. DC.	decumbent.	S. Amer.	1815.	6.	8.	G.♃.	
KITAIBELIA. DC.		KITAIBELIA.	Monadelphia Polyandria. L.					
	vitifolia. DC.	Vine-leaved.	Hungary.	1801.	7.	9.	H.♃.	Bot. mag. 821.
ALTHÆA. DC.		ALTHÆA.	Monadelphia Polyandria. L.					
1	officinalis. DC.	Marsh-Mallow.	Britain.	....	7.	9.	H.♃.	Eng. bot. 147.
2	taurinensis. DC.	intermediate.	S. Europe.	1823.	——		H.♃.	
3	narbonensis. DC.	Narbonne.	—— ——	1780.	8.	9.	H.♃.	Jacq. ic. 1. t. 138.
4	cannabina. DC.	Hemp-leaved.	—— ——	1597.	6.	7.	H.♃.	Jacq. aust. 2. t. 101.
5	hirsuta. DC.	hairy.	—— ——	1683.	——		H.⊙.	—— —— 2. t. 170.
6	Ludwigii. DC.	Ludwig's.	Sicily.	1791.	——		H.⊙.	Cav. ic. 5. t. 423.
7	acaulis. DC.	stemless.	Aleppo.	1680.	——		H.⊙.	Cav. dis. 2. t. 27. f. 3.
8	caribæa. DC.	West Indian.	W. Indies.	1816.	3.	4.	S.♂.	Bot. mag. 1916.
9	striata. DC.	streaked.	.....	1820.	6.	8.	H.♂.	
10	pallida. DC.	pale-flowered.	Hungary.	1805.	——		H.♂.	
11	rosea. DC.	Hollyhock.	China.	1573.	7.	9.	H.♂.	Cav. dis. 2. t. 28. f. 1.
	β *biloba*. DC.	*two-lobed*.						
12	sinensis. DC.	China.	—— ——	....	——		H.⊙.	Cav. dis. 2. t. 29. f. 3.
13	flexuosa. DC.	flexuose.	E. Indies.	1803.	6.	8.	S.♃.	Bot. mag. 892.
14	ficifolia. DC.	Fig-leaved.	Levant.	1597.	6.	9.	H.♂.	Cav. dis. 2. t. 28. f. 2.
LAVATERA. DC.		LAVATERA.	Monadelphia Polyandria. L.					
1	trimestris. DC.	common annual.	S. Europe.	1683.	7.	9.	H.⊙.	Bot. mag. 109.
2	phœnicea. DC.	scarlet.	Madeira.	1823.	6.	9.	G.♄.	Vent. malm. t. 120.
3	acerifolia. DC.	Maple-leaved.	Teneriffe.	——	——		G.♄.	Lois. h. amat t. 322.
4	hispida. DC.	hispid.	Algiers.	1804.	6.	7.	G.♄.	Desf. atl. 2. t. 171.
5	Olbia. DC.	downy-leaved.	France.	1570.	6.	10.	G.♄.	Cav. dis. 2. t. 32. f. 2.
6	unguiculata. DC.	clawed.	Greece.	1807.	7.	9.	G.♄.	
7	micans. DC.	glittering.	Spain.	1796.	6.	7.	G.♄.	Moris. ox. t. 17. f. 9.

8	lusitanica. DC.	Portugal.	Portugal.	1731.	8. 9.	G. ♄.	
9	flava. DC.	yellow.	Sicily.	1823.	6. 8.	H. ♃.	Desf. atl. 2. t. 172.
10	plebeia. B.M.	vulgar.	N. S. W.	1820.	——	G. ♃.	Bot. mag. 2209.
11	thuringiaca. DC.	large-flowered.	Germany.	1731.	7. 9.	H. ♃.	——— 517.
12	biennis. DC.	biennial.	Caucasus.	1823.	5. 8.	H. ♂.	
13	punctata. DC.	spotted-stalked	Italy.	1800.	7. 9.	H. ☉.	
14	maritima. DC.	sea side.	S. Europe.	1597.	4. 6.	G. ♄.	Cav. dis. 2. t. 32. f. 3.
15	triloba. DC.	three-lobed.	Spain.	1759.	6. 7.	G. ♄.	Bot. mag. 2236.
16	arborea. DC.	Tree Mallow.	Britain.	....	7. 10.	H. ♂.	Eng. bot. 1841.
17	neapolitana. DC.	Neapolitan.	Naples.	1823.	——	H. ♃.	
18	cretica. DC.	Cretan.	Crete.	1728.	7. 9.	H. ☉.	Cav. dis. 2. t. 32. f. 1.
19	lanceolata. W.en.	spear-leaved.	.....	1823.	——	H. ☉.	
20	sylvestris. DC.	wood.	Portugal.	——	——	H. ☉.	
21	ambigua. DC.	ambiguous.	Naples.	1824.	——	H. ☉.	
MALACHRA. DC.		MALACHRA.	Monadelphia Polyandria. L.				
1	rotundifolia. DC.	round-leaved.	Brazil.	1823.	6. 9.	S. ☉.	Schrank. h. mon. t. 56.
2	capitata. DC.	headed.	W. Indies.	1759.	8. 9.	S. ☉.	Cav. dis. 2. t. 33. f. 1. 2.
3	fasciata. DC.	fasciate.	Caracas.	1820.	——	S. ☉.	Jacq. ic. 3. t. 548.
4	triloba. DC.	three-lobed.	.....	——	——	S. ☉.	
5	radiata. DC.	rayed.	St. Domingo.	1794.	7. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 3.
6	alceæfolia. DC.	Hollyhock-ld.	Caracas.	1805.	8. 9.	S. ☉.	Jacq. ic. 3. t. 549.
7	heptaphylla. DC. *fasciata.* B. reg. 467.	many-flowered. *non* DC.	Brazil.	1820.	6. 10.	S. ♃.	
URENA. DC.		URENA.	Monadelphia Polyandria. L.				
1	lobata. DC.	angular-leav'd.	China.	1731.	6. 7.	S. ♄.	Dill. elt. t. 319. f. 412.
2	scabriuscula. DC.	roughish.	India.	1820.	——	S. ♄.	Cav. dis. 6. t. 185. f. 1.
3	repanda. DC.	netted-leaved.	———	——	——	S. ♄.	
4	multifida. DC.	multifid.	Mauritius.	1817.	10. 1.	S. ♄.	Cav. dis. 6. t. 184. f. 2.
5	tricuspis. DC.	three-pointed.	—— ——	1820.	6. 9.	S. ♄.	——— 6. t. 183. f. 1.
6	reticulata. DC. *americana.* L. *non* Sm.	netted.	St. Domingo.	1816.	——	S. ♄.	——— 6. t. 183. f. 2.
7	subtriloba. DC.	various-leaved.	Brazil.	1823.	——	S. ☉.	Schrank. h. mon. t. 79.
8	Swartzii. DC. *sinuata.* Sw. *americana.* Sm.	Swartz's.	Surinam.	....	——	S. ♄.	
9	sinuata. DC.	cut-leaved.	E. Indies.	1759.	7. 8.	S. ♄.	Cav. dis. 6. t. 185. f. 2.
10	muricata. DC.	muricate-fruit'd	———	1823.	——	S. ♄.	
PAVONIA. DC.		PAVONIA.	Monadelphia Polyandria. L.				
1	spinifex. DC.	prickly-seeded.	W. Indies.	1778.	7. 8.	S. ♄.	Bot. reg. 339.
2	Typhalea. DC.	globular-headed	—— ——	1823.	——	S. ♄.	Cav. dis. 2. t. 197.
3	urens. DC.	stinging.	Mauritius.	1801.	——	S. ♄.	Jacq. ic. 3. t. 522.
4	coccinea. DC.	scarlet.	St. Domingo.	1816.	——	S. ♄.	Cav. dis. 3. t. 47. f. 1.
5	Columella. DC.	angular-leaved.	Bourbon.	1807.	——	S. ♄.	——— 3. t. 48. f. 3.
6	parviflora. DC.	small-flowered.	.....	1820.	——	S. ♄.	
7	racemosa. DC. *spicata.* Cav.	naked-racemed.	Jamaica.	——	——	S. ♄.	Cav. dis. 3. t. 46. f. 1.
8	præmorsa. DC.	bitten-leaved.	C. B. S.	1774.	6. 8.	G. ♄.	Bot. mag. 486.
9	paniculata. DC.	panicled.	Caracas.	1823.	——	S. ♄.	Cav. dis. 3. t. 46. f. 2.
10	odorata. DC.	fragrant.	E. Indies.	1807.	——	S. ♄.	
11	sidoides. DC.	Sida like.	—— ——	1820.	——	S. ♂.	
12	zeylanica. DC.	Ceylon.	—— ——	1790.	7. 9.	S. ☉.	Cav. dis. 3. t. 48. f. 2.
13	cancellata. DC.	arrow-leaved.	Surinam.	1823.	——	S. ☉.	Lin. sup. t. 311.
MALVAVISCUS. DC.		ACHANIA.	Monadelphia Polyandria. L.				
1	arboreus. DC. *Achania malvaviscus.* W.	smooth-leaved.	Jamaica.	1714.	1. 12.	S. ♄.	Cav. dis. 3. t. 48. f. 1.
2	mollis. DC. *Achania mollis.* B. R.	soft-leaved.	Mexico.	1780.	——	S. ♄.	Bot. reg. 11.
3	pilosa. DC.	hairy.	Jamaica.	1780.	10. 11.	S. ♄.	Lodd. bot. cab. 829.
LEBRETONIA. DC.		LEBRETONIA.	Monadelphia Polyandria. L.				
	coccinea. DC.	scarlet.	Brazil.	1823.	6. 8.	S. ♄.	Schrank. h. mon. t. 90.
HIBISCUS. DC.		HIBISCUS.	Monadelphia Polyandria. L.				
1	liliiflorus. DC.	Lily-flowered.	Bourbon.	1822.	8. 12.	S. ♄.	Cav. dis. 3. t. 57. f. 1.
2	pedunculatus. DC.	long-peduncled.	C. B. S.	1812.	5. 12.	S. ♄.	Bot. reg. 231.
3	Lampas. DC.	three-pointed.	E. Indies.	1806.	10. 2.	S. ♄.	Cav. dis. 3. t. 56. f. 2.
4	membranaceus. DC.	leafy-calyxed.	.....	1816.	....	S. ♄.	——— 3. t. 57. f. 2.
5	tubulosus. DC.	tubular.	E. Indies.	1796.	7. 10.	S. ♂.	——— 3. t. 68. f. 2.
6	pentacarpos. DC.	angular-fruited.	Venice.	1752.	——	G. ♃.	Jacq. ic. 1. t. 143.
7	virginicus. DC.	Virginian.	Virginia.	1798.	——	H. ♃.	——— 1. t. 142.
8	Manihot. DC.	palmated.	E. Indies.	1712.	7. 9.	S. ♄.	Bot. mag. 1702.
9	ficulneus. DC.	Fig-leaved.	Ceylon.	1732.	6. 7.	S. ♄.	Cav. dis. 3. t. 52. f. 2.

10	**tetraphyllus.** DC.	four-leaved.	E. Indies.	1807.	7. 10.	S.☉.		
11	**platanifolius.**	Plane-leaved.	———	1820.	——	S. ♄.	Pl. sel. h. ber. t. 1.	
	acerifolius. DC. *non.* P.L. *Pavonia platanifolia.* L.en.							
12	**Rosa-sinensis.** DC.	China Rose.	———	1731.	1. 12.	S. ♄.	Bot. mag. 158.	
	β *rubro-plenus.*	*double-red.*	———	——	——	S. ♄.		
	γ *carneo-plenus.*	*double-salmon.*	———	——	——	S. ♄.		
	δ *variegatus.*	*double-striped.*	———	——	——	S. ♄.		
	ε *flavo-plenus.*	*double-buff.*	———	——	——	S. ♄.	Lod. bot. cab. 513.	
	ζ *luteo-plenus.*	*double-yellow.*	———	1822.	——	S. ♄.		
13	**acerifolius.** P.L.	Maple-leaved.	China.	1798.	3. 6.	G. ♄.	Sal. par. lond. 22.	
14	**syriacus.** DC.	Althæa frutex.	Syria.	1596.	8. 9.	H. ♄.	Bot. mag. 83.	
	α *purpureus.*	*purple-flowered.*						
	β *ruber.*	*red-flowered.*						
	γ *albus.*	*white-flowered.*						
	δ *variegatus.*	*striped-flowered.*						
	ε *marginatus.*	*variegated.*						
	ζ *albo-plenus.*	*double-white.*						
	η *purpureo-plenus.*	*double-purple.*						
15	**pruriens.** DC.	stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Bot. rep. 498.	
16	**surattensis.** DC.	prickly-stalk'd.	———	1731.	——	S.☉.	Bot. mag. 1356.	
17	**radiatus.** DC.	rayed.	———	1790.	6. 8.	S.☉.	——— 1911.	
18	**furcatus.** DC.	forked.	———	1816.	7. 9.	S.☉.		
19	**scaber.** DC.	scabrous.	Carolina.	1810.	——	G. ♃.		
20	**strigosus.** B. R.	strigose.	S. Amer.	1822.	1. 12.	S. ♄.	Bot. reg. 860.	
21	**diversifolius.** DC.	different-leav'd	E. Indies.	1798.	6. 7.	S. ♄.	Jacq. ic. 3. t. 551.	
22	**heterophyllus.** DC.	various-leaved.	N. S. W.	1808.	8. 9.	G. ♄.	Bot. reg. 29.	
23	**cannabinus.** DC.	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.	
24	**vitifolius.** DC.	Vine-leaved.	———	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.	
25	**obtusifolius.** DC.	blunt-leaved.	———	1820.	——	S. ♂.		
26	**Bammia.** L. en.	Egyptian.	Egypt.	....	6. 7.	S.☉.	Tozz. mus. d. fir. 2. t. 7.	
27	**esculentus.** L. en.	eatable.	India?	1692.	——	S.☉.		
28	**longifolius.** DC.	long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.		
29	**moschentos.** DC.	swamp.	N. Amer.	....	8. 10.	H.*w.* ♃.	Cav. dis. 3. t. 65. f. 1.	
	palustris. B. M. 882. *non* L.							
30	**palustris.** DC.	marsh.	———	1759.	7. 9.	H.*w.* ♃.	——— 3. t. 65. f. 2.	
31	**aquaticus.** DC.	water.	Etruria.	1820.	——	H.*w.* ♃.		
32	**incanus.** DC.	hoary.	Carolina.	1806.	9.	G. ♃.	Wend. h. her. 4. t. 24.	
33	**militaris.** DC.	smooth.	Louisiana.	1804.	8. 9.	G. ♃.	Bot. mag. 2385.	
34	**speciosus.** DC.	superb.	Carolina.	1778.	6. 9.	G. ♃.	——— 360.	
35	**grandiflorus.** DC.	great-flower'd.	Georgia.	1823.	——	G. ♃.		
36	**ferrugineus.** DC.	rusty.	Madagascar.	1820.	——	S. ♄.	Cav. dis. 3. t. 60. f. 1.	
37	**lunarifolius.** DC.	Lunaria-leav'd.	E. Indies.	....	——	S. ♄.		
38	**æthiopicus.** DC.	dwf. wedge-l^d.	C. B. S.	1774.	8.	G. ♄.	Cav. dis. 3. t. 61. f. 1.	
39	**mutabilis.** DC.	changeable.	E. Indies.	1690.	10. 12.	S. ♄.	Bot. reg. 589.	
	β *flore-pleno.*	*double-flowered.*						
40	**clypeatus.** DC.	shield-capsuled	Jamaica.	1759.	7. 8.	S. ♄.	Cav. dis. 3. t. 58. f. 1.	
41	**Abelmoschus.** DC.	Musk Okro.	India.	1640.	7. 9.	S. ♄.	——— 3. t. 62. f. 2.	
42	**eriocarpus.** DC.	woolly-capsul'd	E. Indies.	1820.	——	S. ♄.		
43	**phœniceus.** B. R.	purple-flow'r'd.	S. Amer.	1796.	——	S. ♄.	Bot. reg. 230.	
44	**hirtus.** L.	hairy.	E. Indies.	....	——	S. ♄.	Cav. dis. 3. t. 67. f. 3.	
45	**Rosa malabarica.**	Malabar Rose.	———	1818.	8. 10.	S. ♄.	Bot. reg. 337.	
46	**rhombifolius.** DC.	rhomb-leaved.	———	1823.	——	S. ♄.	Cav. dis. 3. t. 69. f. 3.	
47	**gossypinus.** DC.	cottony.	C. B. S.	1818.	——	G. ♄.		
48	**micranthus.** DC.	small-flowered.	E. Indies.	1794.	——	S. ♄.	Cav. dis. 3. t. 66. f. 1.	
49	**Trionum.** DC.	BladderKetmia	Italy.	1596.	6. 9.	H.☉.	Bot. mag. 209.	
50	**hispidus.** M.	hispid.	C. B. S.	....	——	G. ♄.	Bot. reg. 806.	
51	**Richardsoni.**	Richardson's.	N. S. W.	1822.	——	G. ♄.	——— 875.	
52	**vesicarius.** DC.	African.	Africa.	1713.	7. 8.	H.☉.	Cav. dis. 3. t. 62. f. 2.	
53	**Sabdariffa.** DC.	Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.	
54	**digitatus.** DC.	fingered.	Brazil.	1818.	——	S.☉.	Cav. dis. 3. t. 70. f. 2.	
	β *Kerrianus.* DC.	*Ker's.*	Rio Janeiro.	——	——	S.☉.	Bot. reg. 608.	
55	**tricuspis.** DC.	sharp-pointed.	Society Isl.	1820.	——	S. ♄.	Cav. dis. 3. t. 55. f. 2.	
56	**tiliaceus.** DC.	Lime tree-l^d.	E. Indies.	1739.	7. 8.	S. ♄.	Bot. reg. 232.	
57	**elatus.** DC.	tall.	Jamaica.	1790.	——	S. ♄.		
58	**abutiloides.** DC.	smooth-leaved.	S. Amer.	1820.	....	S. ♄.		
59	**macrophyllus.** DC.	large-leaved.	E. Indies.	——	....	S. ♄.		
60	**collinus.** H. B.	hill.	———	1822.	....	S. ♄.		
61	**cancellatus.** H. B.	netted.	Nepaul.	1823.	10. 2.	S. ♂.		
62	**truncatus.** H. B.	truncate.	E. Indies.	——	8. 10.	S.☉.		

63	scandens. H. B.	climbing.	———	——	....	S. ♄		
64	strictus. H. B.	upright.	———	1820.	8. 10.	S. ☉.		
65	gangeticus. L. en.	dwarf.	———	1804.	....	S. ♄.		
66	setosus. H. B.	bristly.	———	1820.	....	S. ♄.		
67	tortuosus. H. B.	twisted.	E. Indies.	1808.	6. 9.	S. ♄.		
68	flavescens. DC.	yellowish.	Brazil.	1822.	——	S. ♄.	Cav. dis. 3. t. 70. f. 3.	
69	Patersonii. DC.	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. ♄.	Bot. rep. 386.	
70	unidens. B. R.	one-toothed.	Brazil.	1824.	11. 4.	S. ♄.	Bot. reg. 878.	
THESPESIA. DC.		THESPESIA.	Monadelphia Polyandria. L.					
	populnea. DC.	Poplar-leaved.	E. Indies.	1770.	....	S. ♄.	Cav. dis. 3. t. 56. f. 1.	
	Hibiscus populneus. W.							
GOSSYPIUM. DC.		COTTON-TREE.	Monadelphia Polyandria. L.					
1	herbaceum. DC.	common.	E. Indies.	1594.	7.	S. ♂.	Cav. dis. 6. t. 164. f. 2.	
2	indicum. DC.	Indian.	———	....	——	S. ♂.	——— 6. t. 169.	
3	arboreum. DC.	tree.	———	1694.	7. 8.	S. ♄.	——— 6. t. 195.	
4	vitifolium. DC.	Vine-leaved.	———	1805.	——	S. ♄.	——— 6. t. 166.	
5	hirsutum. DC.	hairy.	S. Amer.	1731.	——	S. ♂.	——— 6. t. 167.	
6	religiosum. DC.	spotted-bark'd.	E. Indies.	1777.	——	S. ♄.	——— 6. t. 164. f. 1.	
7	latifolium. DC.	broad-leaved.	.....	....	——	S. ♄.	Murr. c. gœt. p. 32. t. 1.	
8	barbadense. DC.	Barbadoes.	Barbadoes.	1759.	8. 10.	S. ♂.	Bot. reg. 84.	
9	obtusifolium. H. B.	blunt-leaved.	E. Indies.	1822.	7. 8.	S. ♄.		
REDOUTEA. DC.		REDOUTEA.	Monadelphia Polyandria. L.					
	heterophylla. DC.	various-leaved.	St. Thomas.	1824.	7. 9.	S. ☉.	Vent. cels. t. 11.	
LOPIMIA. DC.		LOPIMIA.	Monadelphia Polyandria. L.					
	malacophylla. DC.	Mallow-leav'd.	Brazil.	1824.	....	S. ♄.	Pl. sel. h. ber. t. 30.	
	Sida malacophylla. L. en.							
PALAVIA. DC.		PALAVIA.	Monadelphia Polyandria. L.					
1	malvæfolia. DC.	Mallow-leaved.	Lima.	1794.	6. 8.	H. ☉.	Cav. dis. 1. t. 11. f. 4.	
2	moschata. DC.	musk-scented.	———	1822.	——	H. ☉.	——— 1. t. 11. f. 5.	
CRISTARIA. Ph.		CRISTARIA.	Monadelphia Polyandria. L.					
	coccinea. Ph.	scarlet.	Missouri.	1811.	7. 9.	H. ♃.	Bot. mag. 1673.	
	Malva coccinea. Nut.	*Sida? coccinea.* DC.						
ANODA. DC.		ANODA.	Monadelphia Polyandria. L.					
1	hastata. DC.	halberd-leav'd.	Mexico.	1799.	6. 7.	S. ☉.	Bot. rep. 588.	
2	triloba. DC.	three-lobed.	———	1720.	7. 9.	G. ☉.	Cav. dis. 1. t. 10. f. 3.	
	Sida cristata. W.							
3	Dilleniana. DC.	Dillenius's.	—— ——	1725.	6. 11.	G. ☉.	Cav. dis. 1. t. 11. f. 1.	
	Sida cristata. B. M.	sso. *non* W.						
4	triangularis. DC.	triangular-ld.	———	1824.	7. 9.	G. ☉.		
5	acerifolia. DC.	Maple-leaved.	Mexico.	1809.	1. 12.	S. ♂.	Bot. mag. 1541.	
	Sida hastata. B. M.	*non* W.						
6	parviflora. DC.	small-flowered.	New Spain.	1823.	6. 10.	G. ☉.	Cav. ic. 5. t. 431.	
PERIPTERA. DC.		PERIPTERA.	Monadelphia Polyandria. L.					
	punicea. DC.	purple.	New Spain.	1813.	6. 9.	S. ♄.	Bot. mag. 1644.	
	Sida peritera. B. M.	*Anoda punicea.* Lag.						
SIDA. Kth.		SIDA.	Monadelphia Polyandria. L.					
1	linifolia. DC.	Flax-leaved.	S. Amer.	1822.	6. 9.	S. ♄.	Cav. dis. 1. t. 2. f. 1.	
2	angustifolia. DC.	narrow-leaved.	Bourbon.	1726.	7. 9.	S. ♄.	——— 1. t. 2. f. 2.	
3	viminea. L. en.	slender.	Brazil.	1823.	——	S. ♄.		
4	spinosa. DC.	prickly.	E. Indies.	1680.	——	S. ♂.	Cav. dis. 1. t. 1. f. 9.	
5	alba. DC.	white-flowered.	———	1732.	6. 7.	S. ☉.	Dill. elt. 2. t. 171. f. 210.	
6	stipulata. DC.	large-stipuled.	Mauritius.	1820.	....	S. ♄.	Cav. dis. 1. t. 3. f. 10.	
7	Jamaicensis. DC.	Jamaica.	Jamaica.	1818.	6. 9.	S. ♄.	——— 1. t. 2. f. 5.	
8	bracteolata. DC.	bracteolate.	S. Amer.	——	——	S. ♄.		
9	carpinifolia. DC.	Hornbeam-ld.	Canaries.	1774.	7. 9.	G. ♄.	Cav. dis. 5. t. 134. f. 1.	
10	carpinoides. DC.	Hornbeam-like	.....	....	——	S. ♄.		
11	spiræifolia. L. en.	Spiræa-leaved.	.....	....	——	S. ♄.		
12	Schrankii. DC.	Schrank's.	Brazil.	1824.	——	S. ♃.		
	brasila. L. en.							
13	erosa. DC.	jagged.	———	——	——	S. ♃.		
14	ciliaris. DC.	ciliated.	St. Domingo.	1798.	——	S. ♄.	Cav. dis. 1. t. 3. f. 9.	
15	alnifolia. DC.	Alder-leaved.	E. Indies.	1732.	——	S. ♂.	Dill. elt. t. 172. f. 211.	
16	canariensis. DC.	Canary Tea.	Canaries.	....	——	S. ♄.	Cav. dis. 1. t. 3. f. 8.	
	alba. Cav. *non* L.							
17	rhombifolia. DC.	rhomboid-ld.	Brazil.	1732.	6. 8.	S. ♄.	Cav. dis. 1. t. 3. f. 12.	
18	rhomboidea. DC.	rhomboid.	E. Indies.	1818.	——	S. ♄.		
19	retusa. DC.	retuse-leaved.	———	——	——	S. ♄.	Cav. dis. 1. t. 3. f. 4.	
20	recisa. DC.	notched.	Brazil.	1823.	——	S. ♃.		
21	calyxhymenia. DC.	New Holland.	N. Holl.	1820.	——	G. ♄.		

22	maculata. DC. *suberosa.* L. her. stirp. t. 54.	corky.	St. Domingo.	1798.	....	S. ♄.	Cav. dis. 1. t. 3. f. 7.
23	acuminata. DC.	acuminate.	———	1805.	7. 9.	S. ♄.	
24	humilis. DC.	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
25	cordifolia. DC.	heart-leaved.	———	1732.	6. 9.	S. ☉.	——— 1. t. 3. f. 2.
26	arguta. DC.	sharp-leaved.	W. Indies.	1732.	7. 8.	S. ♄.	
27	althæifolia. DC.	Althæa-leaved.	———	1818.	——	S. ♄.	Sloan. his. 1. t. 136. f. 2.
28	urens. DC.	stinging.	———	1781.	——	S. ♄.	Cav. dis. 1. t. 2. f. 7.
29	verticillata. DC.	whorl-flowered.	Brazil.	1823.	——	S. ♄.	——— 1. t. 1. f. 12.
30	paniculata. DC. *atrosanguinea.* Jacq. ic. 1. t. 138.	dark purple.	S. Amer.	1795.	7. 9.	S. ♄.	Cav. dis. 1. t. 12. f. 5.
31	triloba. DC.	three-lobed.	C. B. S.	1794.	——	G. ♂.	Jacq. schœn. 2. t. 142.
32	jatrophoides. DC.	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
33	graveolens. DC.	strong-scented.	E. Indies.	1820.	6. 9.	S. ♃.	
34	purpurascens. L. en.	purplish.	Brazil.	——	7. 9.	S. ♄.	
35?	patens. DC.	spreading.	Abyssinia.	1806.	——	S. ♂.	Bot. rep. 571.
36	lasiostega. L. en.	woolly.	Brazil.	1823.	——	S. ♄.	
37	pentacarpos. DC.	five capsuled.	E. Indies.	——	——	S. ☉.	
38	pilosa. DC.	pilose.	W. Indies.	1793.	——	S. ♂.	Cav. dis. 1. t. 8.
39	Napæa. DC. *Napæa lævis.* L.	smooth.	Virginia.	1748.	8. 9.	H. ♃.	Bot. mag. 2193.
40	dioica. DC.	rough.	———	1759.	——	H. ♃.	Cav. dis. 5. t. 132. f. 2.

BASTARDIA. Kth. — BASTARDIA. Monadelphia Polyandria. L.

1	viscosa. Kth. *Sida viscosa.* DC.	viscous.	S. Amer.	1822.	7. 8.	S. ♄.	Sloan. his. 1. t. 139. f. 4.
2	fœtida. DC. *Sida fœtida.* DC. *Sida viscosa.* L. H.	stinking.	Peru.	1795.	——	S. ☉.	L. Her. stirp. 1. t. 53.

GAYA. Kth. — GAYA. Monadelphia Polyandria. L.

1	occidentalis. Kth. *Sida occidentalis.* DC.	downy.	America.	1732.	7. 8.	S. ☉.	Cav. dis. 1. t. 4. f. 3.

ABUTILON. Kth. — ABUTILON. Monadelphia Polyandria. L.

1	periplocifolium. *Sida periplocifolia.* DC.	Periploca-l^d.	India.	1691.	7. 8.	S. ♂.	Cav. dis. 1. t. 5. f. 2.
2	ferrugineum. Kth.	ferruginous.	Peru.	1822.	——	S. ♄.	
3	hernandioides.	Hernandia-l^d.	Hispaniola.	1798.	....	S. ♄.	L. Her. stirp. 1. t. 58.
4	lucianum. *Sida luciana.* DC.	St. Lucian.	St. Lucia.	1822.	....	S. ♄.	
5	Lechenaultianum. *Sida Lechenaultiana.* DC.	Lechenault's.	E. Indies.	1820.	....	S. ♄.	
6	nudiflorum.	naked-flower'd.	Peru.	1731.	5. 6.	S. ♄.	L. Her. stirp. 1. t. 59.
7	polyanthon. *Sida polyantha.* DC.	many-flowered.	.....	1822.	——	S. ♄.	
8	auritum. *Sida aurita.* B. M.	eared-stipuled.	Java.	1820.	12. 3.	S. ♄.	Bot. mag. 2495.
9	triquetrum.	triangular.	W. Indies.	1775.	7. 8.	S. ♄.	Jacq. vind. 2. t. 118.
10	incanum. *Sida incana.* L. en.	hoary.	Sandwich Isl.	1821.	——	S. ♄.	
11	pulchellum.	neat.	N. Holland.	——	——	S. ♄.	Bonpl. nav. t. 2.
12	umbellatum.	umbelled.	Jamaica.	1788.	7. 9.	S. ♂.	Jacq. vind. t. 56.
13	giganteum.	gigantic.	Caracas.	1823.	....	S. ♄.	Jacq. schœnb. 2. t. 141.
14	reflexum.	reflex-flower'd.	Peru.	1799.	7. 8.	S. ♄.	Cav. dis. 1. t. 7.
15	crispum.	curled.	America.	1726.	——	H. ☉.	——— 1. t. 7. f. 1.
16	virgatum.	twiggy.	Peru.	1820.	——	S. ♄.	Cav. ic. 1. t. 73.
17	arboreum.	great-flowered.	———	1772.	——	S. ♄.	L. her. stirp. 1. t. 63.
18	Mauritianum. *Sida planiflora.* Cav. dis. 1. t. 7. f. 4.	hairy capsuled.	Mauritius.	1789.	7. 9.	S. ♄.	Jacq. ic. 1. t. 137.
19	tiliæfolium.	Lime-tree-l^d.	China.	1820.	——	S. ☉.	Jacq. f. ecl. 1. t. 35.
20	Avicennæ. G. *Sida Abutilon.* DC.	broad-leaved.	S. France.	1596.	6. 8.	H. ☉.	Hoatt. syst. 8. t. 61.
21	americanum. *Sida americana.* DC.	American.	Jamaica.	1780.	6. 8.	S. ☉.	
22	asiaticum.	small-flowered.	E. Indies.	1768.	7. 8.	S. ☉.	Cav. dis. 1. t. 7. f. 2.
23	populifolium.	Poplar-leaved.	———	1796.	——	S. ☉.	——— 1. t. 7. f. 9.
24	hirtum. *Sida hirta.* DC.	hairy.	———	1820.	——	S. ☉.	Rumph. amb. 4. t. 10?
25	grandifolium. *Sida mollis.* DC. *Sida grandifolia.* B. R.	large-leaved.	Peru.	1817.	10. 12.	S. ♄.	Bot. reg. 360.
26	mollissimum.	soft-leaved.	———	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 14. f. 1.
27	permolle. *Sida permollis.* DC.	woolly-leaved.	———	1818.	——	S. ♄.	

28 indicum.	Indian.	E. Indies.	1731.	7. 8.	S.⊙.	Cav. dis. 1. t. 7. f. 10.
29 vesicarium.	bladdered.	Mexico.	1796.	——	S. ♄.	——— 2. t. 14. f. 3.
30 glaucum.	glaucous.	Senegal.	1822.	——	S. ♄.	Cav. ic. 1. t. 11.
31 albidum. *Sida albida.* DC.	white-leaved.	Canaries.	——	——	G. ♄.	
32 mollicomum. *Sida sericea.* Cav?	soft. *Sida mollicoma.* DC.	.....	1804.	7. 9.	S. ♄.	
33 Sonneratianum.	Sonnerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
LAGUNEA. DC.	LAGUNEA. Monadelphia Polyandria. L.					
1 lobata. DC.	Maple-leaved.	Bourbon.	1787.	7. 8.	S.⊙.	Cav. dis. 5. t. 136. f. 1.
2 sinuata. DC.	sinuate.	.....	....	——	S.⊙.	

ORDO XXVI.

BOMBACEÆ. *DC. prodr.* 1. *p.* 475.

HELICTERES. DC.	SCREW-TREE. Monadelphia Dodecandria. L.					
1 Isora. DC.	great-fruited.	E. Indies.	1733.	6. 7.	S. ♄.	Bot. mag. 2061.
2 baruensis. DC.	small-fruited.	W. Indies.	1739.	9. 10.	S. ♄.	Jacq. amer. t. 140.
3 Jamaicensis. DC.	broad-leaved.	———	——	6. 7.	S. ♄.	Jacq. vind. 2. t. 143.
4 guazumæfolia. DC.	Guazuma-l^d.	S. Amer.	1820.	6. 8.	S. ♄.	
5 verbascifolia. DC.	Verbascum-l^d.	Brazil.	——	——	S. ♄.	Lodd. bot. cab. 504.
6 ferruginata. DC.	yellow-flow'r'd.	——	——	——	S. ♄.	
7 lanceolata. DC.	spear-leaved.	E. Indies.	1823.	....	S. ♄.	
8 spicata. H. B.	spike-flowered.	——	——	....	S. ♄.	
MYRODIA. DC.	MYRODIA. Monadelphia Dodecandria. L.					
turbinata. DC.	short-flowered.	W. Indies.	1793.	....	S. ♄.	Fl. mex. ic. ined.
PLAGIANTHUS. DC.	PLAGIANTHUS. Monadelphia Dodecandria.					
divaricatus. DC.	small-leaved.	NewZealand.	1821.	....	G. ♄.	Forst. gen. t. 43.
ADANSONIA. DC.	SOUR-GOURD. Monadelphia Polyandria. L.					
digitata. DC.	palmate.	Senegal.	1724.	....	S. ♄.	Cav. dis. 5. t. 157.
CAROLINEA. DC.	CAROLINEA. Monadelphia Polyandria. L.					
1 princeps. DC. *Pachira aquatica.* A.	digitated.	W. Indies.	1787.	....	S. ♄.	Aub. gui. 2. t. 291-2.
2 insignis. DC.	great-flowered.	———	1796.	...	S. ♄.	Cav. dis. 5. t. 154.
3 minor. DC.	lesser.	Guiana.	1798.	7. 8.	S. ♄.	Bot. mag. 1412.
4 alba. B. C.	white-flowered.	Brazil.	....	——	S. ♄.	Lod. bot. cab. 752.
BOMBAX. DC.	SILK-COTTON-TREE. Monadelphia Polyandria.					
1 Ceiba. DC. *quinatum.* Jacq.	five-leaved.	S. Amer.	1692.	....	S. ♄.	Jacq. am. t. 176. f. 1.
2 septenatum. DC. *heptaphyllum.* L. *non* Cav.	seven-leaved.	———	1699.	....	S. ♄.	
3 malabaricum. DC. *heptaphyllum.* Roxb. *non* L.	Malabar.	E. Indies.	....	....	S. ♄.	Roxb. cor. 3. t. 247.
ERIODENDRON. DC.	ERIODENDRON. Monadelphia Dodecandria.					
1 leiantherum. DC. *Bombax erianthos.* Cav.	Brazilian.	Brazil.	1822.	....	S. ♄.	Cav. dis. 5. t. 152. f. 1.
2 anfractuosum. DC. *Bombax pentandrum.* L.	twisted-anther'd	.....	1739.	....	S. ♄.	Cav. dis. 5. t. 151.
α indicum. DC.	*East Indian.*	E. Indies.	——	....	S. ♄.	Rheed. mal. 3. t. 49. 51.
β caribæum. DC.	*West Indian.*	W. Indies.	——	....	S. ♄.	Jacq. am. t. 176. f. 70.
γ africanum. DC.	*African.*	Africa.	1823.	....	S. ♄.	
OCHROMA. DC.	OCHROMA. Monadelphia Pentandria. L.					
1 Lagopus. DC.	downy-leaved.	Jamaica.	1802.	....	S. ♄.	Sw. fl. 2. t. 23.
2 tomentosa. DC.	woolly-leaved.	S. Amer.	1816.	....	S. ♄.	
CHEIROSTEMON. DC.	CHEIROSTEMON. Monadelphia Decandria.					
platanoides. DC. *Chiranthodendron.* Larr. dis. ic.	plane-leaved.	New Spain.	1820.	11. 1.	S. ♄.	H. et B. pl. æq. 1. t. 24.

ORDO XXVII.

BUTTNERIACEÆ. *Kunth Synops.* 3. *p.* 266.

Tribus I. *STERCULIEÆ.* DC. prodr. 1. p. 481.

STERCULIA. DC.	Sterculia.	Moncœcia Monadelphia. L.					
1 Balanghas. DC.	many-seeded.	E. Indies.	1787.	6. 9.	S. ħ.	Rheed. mal. 1. t. 49.
2 nobilis. DC.	few-seeded.	China.	——	——	S. ħ.	Bot. reg. 185.
Balanghas. B. R.	*Southwellia nobilis.*	Par. lond. 69.				
3 acuminata. DC.	taper-pointed.	Africa.	1822.	....	S. ħ.	Beau. fl. ow. 1. t. 24.
4 grandiflora. DC.	large-flowered.	E. Indies.	1820.	....	S. ħ.	
5 coccinea. DC.	scarlet fruited.	————	——	....	S. ħ.	
6 angustifolia. DC.	narrow-leaved.	Nepaul.	1823.	....	S. ħ.	
7 guttata. DC.	spotted.	E. Indies.	1819.	....	S. ħ.	Rheed. mal. 4. t. 61.
8 Ivira. DC.	hairy capsuled.	W. Indies.	1793.	....	S. ħ.	Aub. gui. 2. t. 279.
crinita. Cav. dis. 5. t. 163.						
9 platanifolia. DC.	Plane-leaved.	China.	1757.	7.	G. ħ.	Cav. dis. 5. t. 145.
10 colorata. DC.	scarlet.	E. Indies.	1818.	....	S. ħ.	Roxb. cor. 1. t. 25.
11 urens. DC.	stinging.	————	1793.	6. 9.	S. ħ.	—— 1. t. 24.
12 villosa. DC.	villous-leaved.	————	1818.	....	S. ħ.	
13 fœtida. DC.	fetid.	————	1690.	....	S. ħ.	Cav. dis. 5. t. 145.
HERITIERA. DC.	Looking-glass plant.	Dicœcia Monadelphia.				
1 littoralis. DC.	large-leaved.	E. Indies.	1780.	....	S. ħ.	Rheed. mal. 6. t. 21.
2 minor. DC.	small-leaved.	————	1816.	....	S. ħ.	Gært. fr. 2. t. 98. f. 2.

Tribus. II. *BUTTNERIEÆ.*

THEOBROMA. DC.	Chocolate-nut.	Polyadelphia Decandria. L.				
1 Cacao. DC.	smooth-leaved.	S. Amer.	1739.	6. 9.	S. ħ.	Lodd. bot. cab. 545.
2 guianensis. DC.	woolly-leaved.	Guiana.	1803.	....	S. ħ.	Aub. gui. 2. t. 275.
3 bicolor. DC.	two-coloured.	S. Amer.	1820.	....	S. ħ.	H. et B. pl. eq. 1. t. 30.
ABROMA. DC.	Abroma.	Polyadelphia Dodecandria. L.				
1 augusta. DC.	smooth-stalked.	E. Indies.	1770.	6. 9.	S. ħ.	Bot. reg. 518.
2 fastuosa. DC.	prickly-stalked.	N. Holland.	1800.	——	S. ħ.	Sal. par. lond. 102.
GUAZUMA. DC.	Bastard Cedar.	Polyadelphia Dodecandria. L.				
1 ulmifolia. DC.	Elm-leaved.	W. Indies.	1739.	8. 9.	S. ħ.	Trew ehret. t. 76.
Bubroma Guazuma. W.						
2 tomentosa. DC.	tomentose.	S. Amer.	....	——	S. ħ.	
3 polybotrya. DC.	velvetty.	W. Indies.	....	——	S. ħ.	Cav. ic. 3. t. 299.
COMMERSONIA. DC.	Commersonia.	Pentandria Pentagynia. L.				
1 echinata. DC.	oval-leaved.	Moluccas.	1806.	6. 7.	S. ħ.	Rumph. amb. 3. t. 119.
2 platyphylla. DC.	broad-leaved.	————	——	——	S. ħ.	And. bot. rep. 519.
RULINGIA. Br.	Rulingia.	Pentandria Pentagynia. L.				
1 dasyphylla.	hairy-leaved.	N. Holland.	1808.	4. 7.	G. ħ.	Bot. rep. 603.
Commersonia dasyphylla. A. R. *Byttneria dasyphylla.* DC.						
2 pannosa. B. M.	cloth-leaved.	————	1819.	——	G. ħ.	Bot. mag. 2191.
3 hermanniæfolia.	Hermannia-lf.	————	——	——	G. ħ.	
BUTTNERIA. L.	Buttneria.	Pentandria Monogynia. L.				
1 herbacea. DC.	herbaceous.	E. Indies.	1820.	4. 7.	S. ♃.	Roxb. cor. 1. t. 29.
2 grandifolia. DC.	large-leaved.	————	——	——	S. ħ.	
3 catalpæfolia. DC.	Catalpa-leav'd.	Caracas.	1823.	....	S. ħ.	Jacq. schœnb. 1. t. 46.
4 cordata. DC.	heart-leaved.	Peru.	——	....	S. ħ.	Cav. dis. 5. t. 150.
5 microphylla. DC.	small-leaved.	S. Amer.	1816.	....	S. ħ.	———— 5. t. 148. f. 2.
6 scabra. DC.	rough.	————	1793.	7. 8.	S. ħ.	———— 5. t. 148. f. 1.
AYENIA. DC.	Ayenia.	Pentandria Monogynia.				
1 pusilla. DC.	small.	Jamaica.	1756.	7. 9.	S. ♂.	Mill. ic. t. 118.
2 lævigata. DC.	smooth.	————	....	——	S. ħ.	

KLEINHOVIA. DC. KLEINHOVIA. Monadelphia Dodecandria.
Hospita. DC. purple-flower'd Moluccas. 1800. 7. 9. S. ħ. Cav. dis. 5. t. 146.

Tribus III. *LASIOPETALEÆ.* DC.

SERINGIA. DC. SERINGIA. Pentandria Monogynia.
platyphylla. DC. broad-leaved. N. Holland. 1802. 4. 7. G. ħ. Gay dis. p. 13. t. 1. 2.
Lasiopetalum arborescens. H. K.
LASIOPETALUM. DC. LASIOPETALUM. Pentandria Monogynia.
1 ferrugineum. DC. rusty. N. Holland. 1791. 4. 7. G. ħ. Bot. mag. 1766.
2 parviflorum. DC. small-flowered. —— — 1810. —— G. ħ. Linn. trans. 10. t. 19. f. 2.
THOMASIA. DC. THOMASIA. Pentandria Monogynia.
1 purpurea. DC. purple. N. Holland. 1803. 4. 7. G. ħ. Bot. mag. 1755.
Lasiopetalum purpureum. H. K.
2 foliosa. DC. leafy. ——— 1822. —— G. ħ. Gay dis. p. 24. t. 7.
3 solanacea. DC. Solanum like. ——— 1803. —— G. ħ. ——— p. 26. t. 6.
Lasiopetalum solanaceum. B. M. 1486.
4 quercifolia. DC. Oak-leaved. ——— —— —— G. ħ. Bot. mag. 1485.

Tribus IV. *HERMANNIEÆ.* DC.

MELOCHIA. DC. MELOCHIA. Monadelphia Pentandria. DC.
1 pyramidata. DC. pyramidal. Brazil. 1768. 7. 8. S. ħ. Jacq. vind. 1. t. 80.
2 tomentosa. DC. downy. W. Indies. —— 5. 6. S. ħ. Cav. dis. 6. t. 172. f. 2.
3 parvifolia. DC. small-leaved. Caracas. 1823. ··· S. ħ.
RIEDLEIA. DC. RIEDLEIA. Monadelphia Pentandria. L.
1 velutina. DC. soft-leaved. E. Indies. 1820. 6. 8. S. ħ.
2 depressa. DC. depressed. Havannah. —— —— S. ħ.
3 supina. DC. procumbent. E. Indies. 1823. —— S. ♂. Pluk. alm. t. 232. f. 4.
4 corchorifolia. DC. Corchorus-l^d. ——— 1732. 7. 8. S. ☉. Dill. elt. t. 176. f. 217.
Melochia corchorifolia. L.
5 nodiflora. DC. knot-flowered. S. Amer. 1823. —— S. ħ. Sloan. his. t. 135. f. 2.
Mougeotia nodiflora. Kth. *Melochia nodiflora.* Sw.
6 caracasana. DC. Caracas. Caracas. 1823. —— S. ħ. Jacq. ic. 3. t. 507.
Mougeotia caracasana. Kth. *Melochia caracasana.* Jacq.
WALTHERIA. DC. WALTHERIA. Monadelphia Pentandria. L.
1 americana. DC. American. S. Amer. 1691. 5. 10. S. ħ. Jacq. ic. 1. t. 130.
2 glabra. DC. smooth. W. Indies. 1823. —— S. ♃. Schrank. h. mon. t. 55.
lævis. L. en.
3 indica. DC. Indian. E. Indies. 1759. 6. 8. S. ħ. Burm. zeyl. t. 68.
4 elliptica. DC. woolly-leaved. ——— 1812. —— S. ħ. Cav. dis. 6. t. 171. f. 2.
5 microphylla. DC. small-leaved. ——— 1823. —— S. ħ. ——— 6. t. 170. f. 2.
HERMANNIA. DC. HERMANNIA. Monadelphia Pentandria. L.
1 althæifolia. DC. Althæa-leaved. C. B. S. 1728. 3. 7. G. ħ. Bot. mag. 307.
2 plicata. DC. plaited-leaved. ——— 1774. 11. 12. G. ħ. Jacq. schœnb. 2. t. 213.
3 candicans. DC. white. ——— —— 4. 6. G. ħ. ——— ——— l. t. 117.
4 mollis. DC. soft-leaved. ——— 1818. —— G. ħ.
5 decumbens. DC. decumbent. ——— —— —— G. ħ.
6 hyssopifolia. DC. Hyssop-leaved. ——— 1725. —— G. ħ. Cav. dis. 6. t. 181. f. 3.
7 trifoliata. DC. three-leaved. ——— 1752. 5. 8. G. ħ. ——— 6. t. 182. f. 2.
8 triphylla. DC. three-parted. ——— 1820. —— G. ħ. ——— 6. t. 178. f. 3.
9 glandulosa. DC. glandular. ——— —— —— G. ħ.
10 fragrans. DC. fragrant. ——— —— —— G. ħ.
11 disermæfolia. DC. simple-flow'r'd. ——— 1795. 3. 4. G. ħ. Jacq. schœnb. 1. t. 121.
12 disticha. DC. round-leaved. ——— 1789. 5. 8. G. ħ. S. et Wend. sert. h. t. 10.
rotundifolia. J. S. t. 121.
13 melochioides. DC. Melochia like. ——— 1818. —— G. ħ.
14 bryonifolia. DC. Bryony-leaved. ——— —— —— G. ħ.
15 salvifolia. DC. Sage-leaved. ——— 1795. 4. 6. G. ħ. Cav. dis. 6. t. 180. f. 2.
16 micans. DC. glittering. ——— 1790. 5. 8. G. ħ. S. et Wend. s. han. t. 5.
latifolia. J. S. t. 119.
17 involucrata. DC. involucred. ——— 1794. 5. 6. G. ħ. Cav. dis. 6. t. 177. f. 1.

18	scordifolia. DC.	Germander-l^d.	——	——	4.	11.	G. ħ.	Jacq. schœn. 1. t. 129.
19	denudata. DC.	smooth.	——	1774.	5.	7.	G. ħ.	—— 1. t. 122.
20	alnifolia. DC.	Alder-leaved.	——	1728.	2.	5.	G. ħ.	Bot. mag. 299.
21	cuneifolia. DC.	wedge-leaved.	——	1791.	8.	9.	G. ħ.	Jacq. schœn. 1. t. 124.
22	holosericea. DC.	velvet-leaved.	——	1792.	5.	6.	G. ħ.	—— 3. t. 292.
23	hirsuta. DC.	hairy-branch'd.	——	1790.	5.	6.	G. ħ.	S. et Wend. s. h. 1. t. 4.
24	scabra. DC.	rough-leaved.	——	1789.	3.	4.	G. ħ.	Jacq. schœn. 1. t. 127.
25	multiflora. DC.	many-flowered.	——	1791.	3.	5.	G. ħ.	—— 1. t. 128.
26	flammea. DC.	flame-flowered.	——	1794.	1.	12.	G. ħ.	Bot. mag. 1349.
27	angularis. DC.	angular-calyx'd	——	1791.	4.	5.	G. ħ.	Jacq. schœn. 1. t. 126.
28	trifurcata. DC.	three-forked.	——	1789.	4.	7.	G. ħ.	——1. t. 125.
29	odorata. DC.	sweet-scented.	——	1780.	2.	10.	G. ħ.	
30	lavandulæfolia. DC.	Lavender-l^d.	——	1732.	5.	9.	G. ħ.	Bot. mag. 304.
31	velutina. DC.	mucronate.	——	1818.	——		G. ħ.	
32	filifolia. DC.	thread-leaved.	——	1816.	5.	8.	G. ħ.	Jacq. schœn. 1. t. 123.
33	procumbens. DC.	procumbent.	——	1792.	5.	6.	G. ħ.	Cav. dis. 6. t. 177. f. 2.
34	tenuifolia. DC.	slender-leaved.	——	....	6.	7.	G. ħ.	Bot. mag. 1348.
35	incisa. DC.	cut-leaved.	——	1806.	——		G. ħ.	
36	pulverulenta. DC.	powdered.	——	1800.	5.	8.	G. ħ.	And. bot. rep. 164.
37	argentea. DC.	silvery-leaved.	——	1818.	——		G. ħ.	
38	coronopifolia. DC.	Buckshorn-l^d.	——	——	6.	8.	G. ħ.	
MAHERNIA. DC.		MAHERNIA.	Monadelphia Pentandria.					
1	verticillata. DC.	whorl-leaved.	C. B. S.	1800.	6.	8.	G. ħ.	Cav. dis. 6. t. 176. f. 1.
2	resedæfolia. DC.	Reseda-leaved.	——	1818.	——		G. ħ.	
3	bipinnata. DC. *pinnata.* B. M.	winged-leaved.	——	1752.	——		G. ħ.	Bot. mag. 277.
4	incisa. DC.	cut-leaved.	——	1792.	7.	9.	G. ħ.	—— —— 353.
5	diffusa. DC.	diffuse.	——	1774.	6.	8.	G. ħ.	Lodd. bot. cab. 187.
6	heterophylla. DC. *Hermannia grossulariæfolia.* L.	various-leaved.	——	1731.	4.	5.	G. ħ.	Cav. dis. 6. t. 178. f. 1.
7	seselifolia. DC.	Seseli-leaved.	——	1818.	6.	8.	G. ħ.	
8	pulchella. DC.	neat.	——	1792.	7.	9.	G. ħ.	Cav. dis. 6. t. 177. f. 3.
9	glabrata. DC. *odorata.* A. R. 85.	sweet-scented.	——	1789.	4.	5.	G. ħ.	Jacq. schœnb. 1. t. 53.
10	vesicaria. DC.	inflated.	——	1818.	——		G. ħ.	Cav. dis. 6. t. 181. f. 2.
11	grandiflora. *Hermannia grandiflora.* H. K.	great-flowered.	——	1791.	5.	8.	G. ħ.	
12	Burchellii. *grandiflora.* B. R. *non* H. K.	Burchell's.	——	1818.	——		G. ħ.	Bot. reg. 224.

Tribus V. *DOMBEYACEÆ.* DC.

RUIZIA. DC.		RUIZIA.	Monadelphia Polyandria. L.					
1	lobata. DC.	lobed-leaved.	Bourbon.	1820.	....		S. ħ.	Cav. dis. 3. t. 36. f. 1.
2	variabilis. DC.	various-leaved.	—— ——	1792.	5.		S. ħ.	Jacq. schœn. 3. t. 295.
PENTAPETES. DC.		PENTAPETES.	Monadelphia Dodecandria. L.					
1	phœnicea. DC.	scarlet-flower'd	India.	1690.	7.	8.	S. ♂.	Bot. reg. 575.
2	ovata. DC. *Brotera ovata.* Cav.	oval-leaved.	New Spain.	1805.	6.	9.	S. ♂.	Cav. ic. 5. t. 433.
ASSONIA. DC.		ASSONIA.	Monadelphia Dodecandria.					
1	populnea. DC.	Poplar-leaved.	Bourbon.	1822.	....		S. ħ.	Cav. dis. 3. t. 42. f. 3.
2	viburnoides. DC.	Viburnum-l^d.	—— ——	——	....		S. ħ.	
DOMBEYA. DC.		DOMBEYA.	Monadelphia Dodecandria.					
1	cordifolia. DC.	heart-leaved.	E. Indies.	1820.	....		S. ħ.	
2	ferruginea. DC.	rusty.	Mauritius.	1815.	....		S. ħ.	Cav. dis. 3. t. 42. f. 2.
3	ovata. DC.	oval-leaved.	Bourbon.	1822.	....		S. ħ.	—— 3. t. 41. f. 2.
MELHANIA. DC.		MELHANIA.	Monadelphia Pentandria.					
1	Erythroxylon. DC.	red wood.	St. Helena.	1772.	5.	8.	S. ħ.	Bot. mag. 1000.
2	Melanoxylon. DC.	black-wood.	—— ——	1800.	7.	8.	S. ħ.	Pluk. mant. 6. t. 383. f. 5.
3	Burchellii. DC.	Burchell's.	C. B. S.	1818.	——		S. ħ.	
PTEROSPERMUM. DC.		PTEROSPERMUM.	Monadelphia Dodecandria.					
1	acerifolium. DC.	Maple-leaved.	E. Indies.	1790.	7.	9.	S. ħ.	Bot. mag. 630.
2	suberifolium. DC.	various-leaved.	—— ——	1783.	9.	10.	S. ħ.	—— —— 1526.
3	lanceæfolium. DC.	lance-leaved.	—— ——	1818.	——		S. ħ.	

4 canescens. H.B.	canescent.	Ceylon.	—	—	S. ♄.	
5 semisagittatum. DC.	fringe-bracted.	E. Indies.	—	—	S. ♄.	
ASTRAPÆA. DC.	ASTRAPÆA. Monadelphia Dodecandria.					
1 Wallichii. DC.	Wallich's.	Mauritius.	1820.	12. 1.	S. ♄.	Bot. reg. 691.
2 viscosa.	viscous.	Madagascar.	1823.	....	S. ♄.	
3 tiliæfolia.	Lime-leaved.	Bourbon.	1824.	....	S. ♄.	
KYDIA. DC.	KYDIA. Monadelphia Dodecandria.					
1 calycina. DC.	calycine.	E. Indies.	1818.	....	S. ♄.	Roxb. cor. 3. t. 215.
2 fraterna. DC.	long-stamen'd.	———	1823.	....	S. ♄.	——— 3. t. 216.

Tribus VI. *WALLICHIEÆ*. DC.

ERIOLÆNA. DC.	ERIOLÆNA. Monadelphia Polyandria.					
Wallichii. DC.	Wallich's.	E. Indies.	1823.	....	S. ♄.	DC.m.mus.10.p.102.ic.

ORDO XXVIII.

TILIACEÆ. *DC. prodr.* 1. *p.* 503.

ENTELEA. B.M.	CORK-TREE. Polyandria Monogynia.					
arborescens. B.M.	New Zealand.	N.Zealand.	1821.	5. 6.	G. ♄.	Bot. mag. 2480.
SPARRMANNIA. DC.	SPARRMANNIA. Polyandria Monogynia. L.					
africana. DC.	African.	C. B. S.	1790.	8. 7.	G. ♄.	Bot. mag. 516.
HELIOCARPUS. DC.	HELIOCARPUS. Dodecandria Monogynia.					
americana. DC.	American.	Vera Cruz.	1733.	....	S. ♄.	Trew ehret. t. 45.
CORCHORUS. DC.	CORCHORUS. Polyandria Monogynia. L.					
1 siliquosus. DC.	Germander-ld.	S. Amer.	1732.	6. 8.	S. ♃.	Jacq. vind. 3. t. 59.
2 hirtus. DC.	hairy.	———	1820.	—	S. ♃.	Plum. ed. B. t.103. f.2.
3 pilolobus. DC.	hairy-podded.	———	—	—	S. ♃.	
4 trilocularis. DC.	three-celled.	Arabia.	1790.	7. 8.	S. ☉.	Jacq. vind. 2. t. 173.
5 olitorius. DC.	bristly-leav'd.	India.	1640.	6. 8.	S. ☉.	Lam. ill. t. 478. f. 1.
6 æstuans. DC.	Hornbeam-ld.	S. Amer.	1731.	6. 7.	S. ☉.	Jacq. vind. 1. t. 85.
7 acutangulus. DC.	acute-angled.	India.	1816.	—	S. ♄.	Pluk. phyt. t. 44. f. 1.
8 capsularis. DC.	heart-leaved.	E. Indies.	1725.	—	S. ☉.	Jacq. f. eclog. 2. t. 120.
9 hirsutus. DC.	woolly capsuled	S. Amer.	1752.	—	S. ♄.	Jacq. vind. 3. t. 59.
TRIUMFETTA. DC.	TRIUMFETTA. Dodecandria Monogynia. L.					
1 Lappula. DC.	prickly-seeded.	W. Indies.	1739.	7. 8.	S. ♄.	Plum. ic. t. 255.
2 heterophylla. DC.	various-leaved.	———	1823.	—	S. ♄.	Pluk. t. 425. f. 3.
3 suborbiculata. DC.	subrotund.	E. Indies.	....	—	S. ♄.	
4 glandulosa. DC.	gland-toothed.	Mauritius.	....	—	S. ♄.	Lam. ill. t. 400. f. 1.
5 trichoclada. DC.	oval-leaved.	Nepaul.	1823.	—	S. ♂.	
6 oblongata. DC.	oblong-leaved.	———	—	—	S. ♂.	
7 annua. DC.	annual.	Java.	1760.	8. 9.	S. ☉.	Bot. mag. 2296.
8 angulata. DC.	angular-leaved	E. Indies.	1739.	6. 7.	S. ♄.	Lam. ill. t. 400. f. 2.
9 semitriloba. DC.	Mallow-leaved.	W. Indies.	1773.	—	S. ♄.	Jacq. vind. 3. t. 76.
10 rhomboidea. DC.	rhomboid.	S. Amer.	1819.	5. 6.	S. ♄.	Lindl. coll. t. 29.
11 althæoides. DC. *macrophylla*. Vahl.	Althæa-leaved	Cayenne.	—	—	S. ♄.	
12 grandiflora. DC.	large-flowered.	W. Indies.	1810.	—	S. ♄.	
13 trilocularis. DC.	three-celled.	E. Indies.	1817.	10. 4.	S. ♄.	
GREWIA. DC.	GREWIA. Polyandria Monogynia. L.					
1 tomentosa. DC.	tomentose.	Java.	1818.	....	S. ♄.	Juss. an. 2. t. 49. f. 1.
2 hirsuta.	hairy.	———	1816.	7. 9.	S. ♄.	
3 bracteata. DC.	bracted.	E. Indies.	1818.	7. 9.	S. ♄.	
4 Mallococca. DC. *Mallococca crenata*. Forst.	rough-fruited.	Tongatabu.	1792.	8. 9.	S. ♄.	Forst. gen. t. 39.
5 oppositifolia. DC.	sharp-leaved.	Nepaul.	1818.	—	S. ♄.	
6 umbellata. DC.	umbel-flowered	E. Indies.	—	—	S. ♄.	
7 bicolor. DC.	two-coloured.	Senegal.	1822.	....	S. ♄.	Juss. ann. t. 50. f. 2.
8 Rothii. DC.	Roth's.	E. Indies.	1819.	7. 9.	S. ♄.	

9 **salvifolia.** DC.	Sage-leaved.	———	——	——	S. ♄.		
10 **flava.** DC.	yellow.	C. B. S.	1818.	——	G. ♄.		
11 **ovalifolia.** DC.	oval-leaved.	E. Indies.	——	——	S. ♄.		
12 **Microcos.** DC.	panicled.	———	1779.	——	S. ♄.	Rheed. mal. 1. t. 56.	
Microcos paniculata. L.							
13 **paniculata.** DC.	villous-leaved.	———	1820.	....	S. ♄.		
14 **orientalis.** DC.	oriental.	———	1767.	7. 8.	S. ♄.	Rheed. mal. 5. t. 46.	
15 **pilosa.** DC.	pilose.	———	1804.	——	S. ♄.		
16 **serrulata.** DC.	serrulate.	———	1818.	——	S. ♄.		
17 **occidentalis.** DC.	Elm-leaved.	C. B. S.	1690.	7. 9.	G. ♄.	Bot. mag. 422.	
18 **asiatica.**	Asiatic.	E. Indies.	1792.	7. 8.	S. ♄.	Sonn. voy. 2. t. 138.	
19 **subinæqualis.** DC.	oblique-leaved.	———	1816.	——	S. ♄.		
20 **aspera.** DC.	rough-leaved.	———	1818.	——	S. ♄.		
21 **tiliæfolia.** DC.	Lime-leaved.	———	1812.	——	S. ♄.		
22 **villosa.** DC.	villous.	———	1816.	——	S. ♄.		
23 **therebinthinacea.** DC.	strong-scented	.....	——	——	S. ♄.		
24 **obtusifolia.** DC.	blunt-leaved.	C. B. S.	1818.	....	G. ♄.		
25 **ulmifolia.** H.B.	Chinese.	China.	——	....	G. ♄.		
BROWNLOWIA. R.	BROWNLOWIA.	Polyandria Monogynia.					
elata. R.	tall.	E. Indies.	1812.	....	S. ♄.	Roxb. cor. c. ic.	
TILIA. DC.	LIME-TREE.	Polyandria Monogynia. L.					
1 **microphylla.** DC.	small-leaved.	Britain.	....	8. 9.	H. ♄.	Eng. bot. 1705.	
parvifolia. E.B.							
2 **intermedia.** DC.	intermediate.	N. Europe.	....	——	H. ♄.	Hayn. et Sv. bot. t. 40.	
3 **rubra.** DC.	red-twigged.	Europe.	....	6. 8.	H. ♄.		
4 **platyphylla.** DC.	common.	Britain.	....	——	H. ♄.	Eng. bot. 610.	
europæa. E.B.							
β laciniata.	*jagged leaved.*						
5 **glabra.** DC.	broad-leaved.	N. Amer.	1752.	6. 7.	H. ♄.	Vent. dis. p. 9. t. 2.	
americana. L.							
6 **laxiflora.** DC.	loose-flowered.	———	1820.	——	H. ♄.		
7 **pubescens.** DC.	pubescent.	———	1726.	7. 8.	H. ♄.	Vent. dis. p. 10. t. 3.	
β leptophylla. DC.	*narrow-leaved.*	———	——	——	H. ♄.		
8 **heterophylla.** DC.	white-leaved.	———	....	6. 8.	H. ♄.	Vent. dis. p. 16. t. 5.	
alba. Mich. arb. 3. t. 2.							
9 **argentea.** DC.	silver-leaved.	Hungary.	1767.	——	H. ♄.	——— p. 13. t. 4.	
alba. W. et K. hung. 1. t. 3. *rotundifolia.* Vent.							
MUNTINGIA. DC.	MUNTINGIA.	Polyandria Monogynia. L.					
Calabura. DC.	Jamaica.	Jamaica.	1690.	6. 7.	S. ♄.	Jacq. amer. t. 107.	
APEIBA. DC.	APEIBA.	Polyandria Monogynia. L.					
1 **Tibourbou.** DC.	hairy.	S. Amer.	1756.	....	S. ♄.	Aub. gui. 1. t. 213.	
Aubletia Tibourbou. W.							
2 **Petoumo.** DC.	hoary.	———	1817.	....	S. ♄.	——— 1. t. 215.	
3 **aspera.** DC.	prickly-capsul'd	Cayenne.	1792.	....	S. ♄.	——— 1. t. 216.	
Aubletia aspera. W.							
4 **glabra.** DC.	smooth.	———	1817.	....	S. ♄.	——— 1. t. 214.	
Aubletia lævis. W.							
SLOANEA. DC.	SLOANEA.	Polyandria Monogynia. L.					
1 **dentata.** DC.	Chestnut-leav'd	S. Amer.	1752.	....	S. ♄.	Plum. ic. 244.	
2 **sinemariensis.** DC.	round-leaved.	W. Indies.	1820.	....	S. ♄.	Aub. gui. 1. t. 212.	
GYROSTEMON. DC.	GYROSTEMON.	Dicœcia Polyandria.					
ramulosum. DC.	branching.	N. Holland.	1820.	....	G. ♄.	Desf. m. mus. 6. t. 6.	
BERRYA. DC.	BERRYA.	Polyandria Monogynia.					
ammonilla. H.B.	Ceylon.	Ceylon.	1818.	....	S. ♄.		

ORDO XXIX.

ELÆOCARPEÆ. *DC. prodr.* 1. *p.* 519.

ELÆOCARPUS. DC.	ELÆOCARPUS.	Dodecandria Monogynia.				
1 **serratus.** DC.	saw-leaved.	E. Indies.	1774.	....	S. ♄.	Burm. zeyl. t. 40.
2 **cyaneus.** DC.	blue-fruited.	N. Holland.	1803.	6. 8.	G. ♄.	Bot. mag. 1737.
reticulatus. B. R. 657.						

ACERATIUM. DC. ACERATIUM. Dodecandria Monogynia.
oppositifolium. DC. opposite-leaved Amboyna. 1818. .... S. ♄.
DICERA. DC. DICERA. Dodecandria Monogynia.
dentata. DC. tooth-leaved. N.Zealand. 1820. 6. 8. G. ♄. Forst. gen. t. 40.
FRIESIA. DC. FRIESIA. Dodecandria Monogynia.
peduncularis. DC. peduncled. Van Diem. 1818. .... G. ♄. Lab. n. holl. 2. t. 155.
Elæocarpus peduncularis. Lab.

ORDO XXX.

CHLENACEÆ. *DC. prodr.* 1. *p.* 521.

† *Genus Chlenaceis affine.*

HUGONIA. DC. HUGONIA. Monadelphia Decandria.
1 Mystax. DC. entire-leaved. E. Indies. 1818. 6. 9. S. ♄. Rheed. mal. 2. t. 29.
2 serrata. DC. saw-leaved. Mauritius. 1820. — S. ♄. Cav. dis. 8. t. 73. f. 1.

ORDO XXXI.

TERNSTRŒMIACEÆ. *DC. prodr.* 1. *p.* 523.

Tribus I. *TERNSTRŒMIEÆ.* DC.

TERNSTRŒMIA. DC. TERNSTRŒMIA. Polyandria Monogynia. L.
1 peduncularis. DC. long-peduncled W. Indies. 1818. 6. 8. S. ♄.
2 venosa. DC. veined-leaved Brazil. 1820. — S. ♄.
3 serrata. H.B. saw-leaved. Silhet. — .... S. ♄.

Tribus II. *FREZIEREÆ.* DC.

CLEYERA. DC. CLEYERA. Polyandria Monogynia.
japonica. DC. Japan. Japan. 1822. .... S. ♄. Kæmp. am. 5. p. 774. ic.
FREZIERA. DC. FREZIERA. Polyandria Monogynia.
thæoides. DC. Tea-like. Jamaica. 1818. .... S. ♄.
EURYA. DC. EURYA. Polygamia Monœcia.
1 chinensis. DC. China. China. 1818. .... S. ♄.
2 multiflora. DC. many-flowered. Nepaul. 1823. .... S. ♄.
LETTSOMIA. DC. LETTSOMIA. Polyandria Monogynia.
tomentosa. DC. tomentose. Peru. 1823. .... S. ♄. Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEÆ.* DC.

SAURAUJA. DC. SAURAUJA. Polyandria Pentagynia.
1 excelsa. DC. tall. Caracas. 1824. .... S. ♄. Willd. n. act. ber. 3. t. 4.
2 napaulensis. DC. Nepaul. Nepaul. — .... S. ♄.

Tribus IV. *LAPLACEÆ.* DC.

COCHLOSPERMUM. DC. COCHLOSPERMUM. Monadelphia Polyandria.

1	Gossypium. DC.	large-flowered.	E. Indies.	1822.	....	S. ♄.	Sonn. voy. 2. t. 133.
	Bombax grandiflorum. SON. *Bombax Gossypium.* L.						
2	serratifolium. DC.	saw-lobed.	S. Amer.	1820.	....	S. ♄.	Fl. mex. ic. ined.

Tribus V? *GORDONIEÆ.* DC.

MALACHODENDRON. DC. MALACHODENDRON. Monadelphia Polyandria. L.

	ovatum. DC.	oval-leaved.	N. Amer.	1785.	8. 9.	H. ♄.	Exot. bot. t. 101.
	Stuartia pentagynia. EH. bot.						

STUARTIA. W. STUARTIA. Monadelphia Polyandria. L.

	virginica. DC.	Virginian.	N. Amer.	1742.	5. 8.	H. ♄.	Cav. dis. 5. t. 159. f. 2.
	Malachodendron. L.	*marylandica.* A. R. t. 73.					

GORDONIA. DC. GORDONIA. Monadelphia Polyandria. L.

1	Lasianthus. DC.	smooth.	N. Amer.	1739.	8. 11.	F. ♄.	Bot. mag. 666.
2	hæmatoxylon. DC.	red-wooded.	Jamaica.	1820.	....	S. ♄.	
3	pubescens. DC.	pubescent.	N. Amer.	1774.	8. 11.	F. ♄.	Vent. malm. t. 1.
4	Franklini. L. Her.	Franklin's.	———	———	———	F. ♄.	

POLYSPORA. N.L.F. POLYSPORA. Monadelphia Polyandria.

	axillaris. N. L. F.	axillary-flow'r'd	E. Indies.	1816.	11. 3.	S. ♄.	Bot. reg. 349.
	Camellia axillaris. B. R. *et* B. M. 2047.						

ORDO XXXII.

CAMELLIEÆ. *DC. prodr.* 1. *p.* 529.

CAMELLIA. Ker. CAMELLIA. Monadelphia Polyandria. L.

1	Thea. L. en.	Bohea Tea.	China.	1768.	11. 2.	G. ♄.	Lob. bot. cab. 226.
2	viridis. L. en.	green Tea.	———	——	10. 12.	G. ♄.	——— 227.
	Thea chinensis. B. M. 998.						
3	oleifera.	oleiferous.	———	1819.	1. 3.	G. ♄.	
4	Kissi. DC.	Nepaul.	Nepaul.	1823.	....	G. ♄.	
5	Sesanqua. DC.	Lady Banks's.	China.	1811.	11. 1.	G. ♄.	
	β *alba.*	*semidouble white.*	———	——	——	G. ♄.	Bot. reg. 12.
	γ *rosea.*	*double rosy.*	———	1819.	1. 4.	G. ♄.	——— 547.
6	japonica. DC.	common.	———	1739.	12. 5.	G. ♄.	Cav dis. 6. t. 160.
	α *rubra.*	*single-red.*	———	——	——	G. ♄.	Bot. mag. 42.
	β *alba.*	*single-white.*	———	....	——	G. ♄.	Bot. reg. 353.
	γ *semiduplex.*	*semidouble red.*	———	....	——	G. ♄.	Bot. rep. 559.
	δ *rubro-plena.*	*double red.*	———	....	——	G. ♄.	——— 199.
	ε *carnea.*	*Middlemist's.*	———	....	——	G. ♄.	Lod. bot. cab. 455.
	ζ *myrtifolia.*	*Myrtle-leaved.*	———	....	——	G. ♄.	Bot. mag. 1670.
	η *involuta.*	*Lady Long's.*	———	....	——	G. ♄.	Bot. reg. 633.
	ϑ *hexangularis.*	*six sided.*	———	....	——	G. ♄.	
	ι *atrorubens.*	*Loddiges' red.*	———	....	——	G. ♄.	Lod. bot. cab. 170.
	κ *anemoniflora.*	*red Waratah.*	———	....	——	G. ♄.	Bot. mag. 1654.
	λ *dianthiflora.*	*Carnation War.*	———	....	——	G. ♄.	Bot. mag. 2577.
	μ *blanda.*	*blush Waratah.*	———	....	——	G. ♄.	
	ν *variabilis.*	*white Waratah.*	———	....	——	G. ♄.	
	ξ *pomponia.*	*Kew-blush.*	———	....	——	G. ♄.	Bot. reg. 22.
	ο *pæoniflora.*	*Pæony-flowered.*	———	....	——	G. ♄.	Lod. bot. cab. 238.
	π *Welbankii.*	*Welbank's.*	———	....	——	G. ♄.	
	ρ *luteo-alba.*	*pale yellow.*	———	....	——	G. ♄.	Bot. reg. 708.
	σ *flavescens.*	*buff.*	———	....	——	G. ♄.	——— 112.
	τ *albo-plena.*	*double white.*	———	....	——	G. ♄.	Bot. rep. 25.

v fimbriata.	*fringed white.*	——	....	—— G. ½.	
φ variegata.	*double striped.*	——	....	—— G. ½.	Bot. rep. 91.
χ crassinervis.	*thick-nerved.*	——	....	—— G. ½.	
ψ expansa.	*expanded.*	——	....	—— G. ½.	
ω conchiflora.	*shell-flowered.*	——	....	—— G. ½.	
ς rubricaulis.	*Ly. Al. Campbell's*	——	....	—— G. ½.	
α α longifolia.	*long-leaved.*	——	....	—— G. ½.	
β β versicolor.	*striped Waratah.*	——	....	—— G. ½.	Bot. reg. 887.

ORDO XXXIII.

OLACINEÆ. *DC. prod.* 1. *p.* 531.

OLAX. DC.	OLAX. Triandria Monogynia. L.					
1 scandens. DC.	climbing.	E. Indies.	1820.	1. 12.	S. ½.	Roxb. cor. 2. t. 102.
2 imbricata. DC.	imbricate.	——	——	....	S. ½.	
SPERMAXYRUM. DC.	SPERMAXYRUM. Triandria Monogynia.					
strictum. DC.	upright.	N. S. W.	1820.	....	G. ½.	
XIMENIA. DC.	XIMENIA. Octandria Monogynia. L.					
1 americana. DC.	spring.	W. Indies.	1759.	6. 9.	S. ½.	Jacq. am. pict. t. 107.
2 inermis. DC.	unarmed.	——	1820.	....	S. ½.	

ORDO XXXIV.

AURANTIACEÆ. *DC. prodr.* 1. *p.* 535.

ATALANTIA. DC.	ATALANTIA. Monadelphia Octandria.					
monophylla. DC.	simple-leaved.	E. Indies.	1777.	6. 8.	S. ½.	Roxb. cor. 2. t. 83.
Limonia monophylla. R.						
TRIPHASIA. DC.	TRIPHASIA. Hexandria Monogynia.					
trifoliata. DC.	three-leaved.	China.	1787.	7. 8.	S. ½.	Jacq. ic. rar. t. 463.
Limonia trifoliata. And. rep. 143.						
LIMONIA. DC.	LIMONIA. Decandria Monogynia. L.					
1 citrifolia. DC.	various-leaved.	China.	....	6. 8.	S. ½.	
2 parviflora. DC.	small-flowered.	——	1820.	2. 5.	S. ½.	Bot. mag. 2416.
3 crenulata. DC.	crenulate.	E. Indies.	1808.	5. 7.	S. ½.	Roxb. cor. 1. t. 86.
4 scandens. H.B.	climbing.	——	1820.	....	S. ½.	
COOKIA. DC.	COOKIA. Decandria Monogynia. L.					
punctata. DC.	Wampee tree.	China.	1795.	5. 7.	S. ½.	Jacq. schœnb. 1. t. 101.
MURRAYA. DC.	MURRAYA. Decandria Monogynia. L.					
1 exotica. DC.	Ash-leaved.	E. Indies.	1771.	8. 9.	S. ½.	Bot. reg. 434.
2 paniculata. DC.	panicled.	——	1821.	4. 5.	S. ½.	Hook. ex. flor. 134.
AGLAIA. DC.	AGLAIA. Pentandria Monogynia.					
odorata. DC.	sweet-scented.	China.	1810.	2. 5.	S. ½.	Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA. Decandria Monogynia. L.					
1 Kœnigii. DC.	Kœnig's.	E. Indies.	1818.	3. 6.	S. ½.	Rumph. amb. 1. t. 53. f. 1.
2 integerrima. DC.	entire-leaved.	——	1820.	....	S. ½.	
CLAUSENIA. DC.	CLAUSENIA. Octandria Monogynia.					
pentaphylla. DC.	five-leaved.	E. Indies.	1823.	....	S. ½.	
GLYCOSMIS. DC.	GLYCOSMIS. Decandria Monogynia.					
1 arborea. DC.	tree.	E. Indies.	1796.	5. 8.	S. ½.	Roxb. cor. 1. t. 85.
Limonia arborea. R.						
2 pentaphylla. DC.	five-leaved.	——	1790.	6. 7.	S. ½.	—— 1. t. 84.
Limonia pentaphylla. R.						
FERONIA. DC.	ELEPHANT APPLE. Decandria Monogynia.					
elephantum. DC.	Indian.	E. Indies.	1804.	....	S. ½.	Roxb. cor. 2. t. 141.
ÆGLE. DC.	BENGAL QUINCE. Polyandria Monogynia.					
1 Marmelos. DC.	thorny.	E. Indies.	1759.	....	S. ½.	Roxb. cor. 2. t. 143.

CITRUS. DC.	**Orange-tree.**	**Polyadelphia Polyandria. L.**					
1 **medica.** DC.	Lemon-tree.	Asia.	1648.	5. 7.	G. ♄.	Ris.an.mus.20.t.2.f.2.
2 **Limetta.** DC.	Bergamotte.	—— ——	....	——	G. ♄.	—— —— —— 20.t.2.f.1.
3 **Limonum.** DC.	Lime-tree.	—— ——	....	——	G. ♄.	Ferr. hesp. t. 247. &c.
4 **Aurantium.** DC.	common.	—— ——	1595.	——	G. ♄.	Ris.an.mus.20.t.1.f.1.2
5 **vulgaris.** DC.	Myrtle-leaved.	—— ——	....	——	G. ♄.	Bot. reg. t. 346.
6 **decumana.** DC.	Shaddock.	India.	1724.	——	G. ♄.	Rumph. am.2. t.24. f.2.
7 **hystrix.** DC.	very spiny.	—— ——	....	——	G. ♄.	—— —— —— 2. t. 28 ?
8 **japonica.** DC.	small-fruited.	Japan.	1815.	——	G. ♄.	Th. ic. jap. t. 15.
9 **nobilis.** DC.	Mandarin.	China.	1805.	——	G. ♄.	Bot. rep. 608.
β minor.	*smaller.*	—— ——	——	——	G. ♄.	Bot. reg. 211.
10 **Margarita.** DC.	sweet Lemon.	—— ——	1820.	——	G. ♄.	
11 **madurensis.** DC.	spineless.	China.	1816.	——	G. ♄.	Rumph. amb. 2. t. 31.
12 **angulata.** DC.	angular-fruited.	E. Indies.	....	——	G. ♄.	—— —— 2. t. 32.
13 **buxifolia.** DC.	retuse-leaved.	China.	....	——	G. ♄.	

ORDO XXXV.

HYPERICINEÆ. *DC. prodr.* 1. *p.* 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. *VISMIEÆ.* DC.

VISMIA. DC.	**Vismia.**	**Polyadelphia Polyandria.**				
1 **brasiliensis.** DC.	Brasilian.	Brazil.	1822.	5. 6.	S. ♄.	Chois. p. hyp. 35. t. 2.
2 **guineensis.** DC.	African.	SierraLeon.	1823.	——	S. ♄.	Lin. amœn. 8. t. 8. f. 1.

Tribus II. *HYPERICEÆ.* DC.

ANDROSÆMUM.DC.	**Tutsan.**	**Monadelphia Polyandria.**				
officinale. DC.	common.	Britain.	....	7. 9.	H. ♄.	Eng. bot. 1225.
HYPERICUM. DC.	**St. John's-wort.**	**Polyadelphia Polyandria. L.**				
1 **elatum.** DC.	tall.	N. Amer.	1762.	7. 8.	H. ♄.	Wats. dend. brit. t. 85.
2 **frondosum.** DC.	green.	—— ——	1806.	——	H. ♄.	
3 **amœnum.** DC.	pretty.	Carolina.	1812.	——	H. ♄.	
4 **grandifolium.** DC.	great-leaved.	Teneriffe.	1818.	——	G. ♄.	Chois. pr. hyp. t. 3.
5 **hircinum.** DC.	stinking.	S. Europe.	1640.	7. 9.	H. ♄.	Wats. dend. brit. t. 86.
β minus.	*smaller.*	—— ——	——	——	H. ♄.	—— —— —— t. 87.
6 **foliosum.** DC.	shining.	Azores.	1778.	8.	G. ♄.	
7 **floribundum.** DC.	many-flowered.	Madeira.	1779.	——	G. ♄.	Com. hort. 2. t. 68.
8 **olympicum.** DC.	Olympic.	Levant.	1706.	7. 9.	H. ♄.	Exot. bot. 2. t. 96.
9 **canariense.** DC.	Canary.	Canaries.	1699.	——	G. ♄.	
10 **chinense.** DC.	Chinese.	China.	1753.	3. 9.	G. ♄.	Bot. mag. 334.
monogynum. B. M.						
11 **cordifolium.** DC.	heart-leaved.	Nepaul.	1822.	6. 9.	G. ♄.	
12 **pyramidatum.** DC.	pyramidal.	Canada.	1759.	7. 8.	H. 4.	Vent. malm. t. 118.
13 **Ascyron.** DC.	Siberian.	Siberia.	1774.	6. 9.	H. 4.	Gmel. sib. 4. t. 69.
14 **ascyroides.** DC.	large-capsuled.	N. Amer.	1812.	6. 7.	H. 4.	
15 **patulum.** DC.	spreading.	Japan.	1820.	7. 9.	G. ♄.	Thunb. jap. ic. 17.
16 **Uralum.** D. P.	Nepaul.	Nepaul.	——	——	F. ♄.	Bot. mag. 2375.
17 **Kalmianum.** DC.	Kalmia-leaved.	Virginia.	1759.	6. 7.	H. ♄.	
18 **calycinum.** DC.	large-flowered.	Ireland.	....	6. 9.	H. ♄.	Eng. bot. 2017.
19 **balearicum.** DC.	warted.	Majorca.	1714.	3. 9.	G. ♄.	Bot. mag. 137.
20 **virginicum.** DC.	Virginian.	N. Amer.	1800.	7. 9.	H. 4.	Bot. rep. 552.
Elodea campanulata. Ph.						
21 **angulosum.** DC.	tooth'd-flow'r'd	N. Amer.	1812.	6. 7.	H. 4.	
22 **punctatum.** DC.	spotted.	—— ——	1789.	7. 9.	F. 4.	
carymbosum. W. *maculatum.* Walt.						

23	dolabriforme. DC.	hatchet-like.	———	1818.	——	H.4.	
24	densiflorum. DC.	dense-flowered.	Virginia.	1812.	6. 8.	F.h.	
25	rosmarinifolium. DC.	Rosemary-l^d.	Carolina.	——	——	F.h.	
26	prolificum. DC.	prolific.	N. Amer.	1758.	——	H.h.	Wats. dend. brit. t. 88.
27	glaucum. DC.	glaucous.	———	1812.	7. 8.	H.4.	
28	lævigatum. H.K.	smooth.	———	1772.	——	H.4.	
29	nudiflorum. DC.	naked-panicled	———	1811.	8. 10.	H.h.	
30	quadrangulum. W.	square-stalked.	Britain.	....	7. 8.	H.4.	Eng. bot. 370.
31	dubium. E.B.	imperforate.	———	....	——	H.4.	——— 296.
32	maculatum. All.	spot-flowered.	Europe.	....	——	H.4.	All. ped. t. 88. f. 1.
33	undulatum. W. en.	wave-leaved.	Barbary.	1802.	——	F.4.	
34	japonicum. DC.	Japan.	Japan.	1820.	——	G.4.	Thunb. jap. t. 31.
35	crispum. DC.	curl-leaved.	Greece.	1688.	——	F.4.	Bocc. mus. 2. t. 12.
36	pilosum. DC. *setosum.* H.K.	pilose.	N. Amer.	1818.	——	H.h.	Pluk. alm. t. 245. f. 6.
37	simplex. DC.	simple-stalked.	———	——	——	H.⊙.	——— t. 421. f. 3.
38	heterophyllum. DC.	various-leaved.	Persia.	1812.	——	G.h.	Vent. cels. t. 68.
39	ægyptiacum. DC.	Egyptian.	Egypt.	1787.	6. 7.	G.h.	Bot. reg. 196.
40	humifusum. DC.	trailing.	Britain.	....	7. 8.	H.4.	Eng. bot. 1226.
41	pusillum. DC.	small.	N. S. W.	1818.	——	G.4.	Lab. nov. holl.2. t.175.
42	involutum. DC.	involute-fl^d.	———	1822.	——	G.4.	——— 2. t. 174.
43	perforatum. DC.	perforate.	Britain.	....	——	H.4.	Eng. bot. 295.
44	quinquenervium. DC. *mutilum.* W.	small-flowered	N. Amer.	1759.	6, 9.	F.4.	
45	canadense. DC.	Canadian.	Canada.	1770.	7. 9.	H.4.	
46	perfoliatum.	perfoliate.	Italy.	1785.	5. 6.	F.4.	
47	axillare. DC. *fasciculatum.* W.	clustered.	N. Amer.	1806.	7.	F.h.	
48	Elodes. DC.	marsh.	Britain.	....	7, 8.	H.4.	Eng. bot. 109.
49	tomentosum. DC.	woolly.	S. Europe.	1648.	7. 9.	F.4.	Moris.his.2.s.5.t.6.n.5.
50	lanuginosum. DC.	downy.	Levant.	1822.	——	F.4.	
51	hirsutum. DC.	hairy.	Britain.	....	6. 7.	H.4.	Eng. bot. 1156.
52	nummularium. DC.	Money-wort.	S. Europe.	1818.	——	H.4.	Lam. ill. t. 643.
53	elegans. DC. *Kohlianum.* Spr.	elegant.	Siberia.	——	7. 9.	H.4.	Spr. fl. hal. n. 864. t. 9.
54	glandulosum. DC.	glandular.	Madeira.	1777.	5. 8.	G.h.	
55	reflexum. DC.	reflex-leaved.	Teneriffe.	1778.	6. 9.	G.h.	
56	pulchrum. DC.	small upright.	Britain.	....	7. 8.	H.4.	Eng. bot. 1227.
57	elodeoides. DC. *nervosum.* D.P.	close panicled.	Nepaul.	1823.	....	G.4.	
58	barbatum. DC.	bearded.	Scotland.	....	6. 10.	H.4.	Eng. bot. 1985.
59	montanum. DC.	mountain.	Britain.	....	7. 8.	H.4.	——— 371.
60	fimbriatum. DC.	fimbriate.	Pyrenees.	1818.	——	H.4.	Vill. delph. 3. t. 44.
61	æthiopicum. DC.	Ethiopian.	C. B. S.	1817.	——	G.h.	
62	ciliatum. DC.	fringed.	S. Europe.	1739.	7.	F.4.	Boc. mus. 2. t. 127.
63	serpyllifolium. DC.	Thyme-leaved.	Levant.	1628.	7. 8.	F.h.	Mor. his.2. s.5. t.6. f.2.
64	triplinerve. DC.	triply-nerved.	N. Amer.	1823.	7. 9.	H.4.	Vent. cels. t. 58.
65	Coris. DC.	Coris-leaved.	Levant.	1640.	5. 9.	G.h.	Bot mag. 178.
66	ericoides. DC.	Heath-leaved.	S. Europe.	1818.	——	G.h.	Cav. ic. 2. t. 122.
67	fasciculatum. DC. *aspalathoides.* W.	Aspalathus-like	N. Amer.	1811.	6. 8.	F.h.	
68	verticillatum. DC.	whorl-leaved.	C. B. S.	1784.	——	G.4.	

ASCYRUM. DC. Ascyrum. Monadelphia Polyandria.

1	pumilum. DC.	dwarf.	Georgia.	1806.	6. 8.	G.4.	
2	Crux Andreæ. DC.	St.Andrew's-cr	N. Amer.	1759.	7.	G.h.	Burm. am. 146. t. 152.
3	hypericoides. DC.	Hypericum like	———	——	7. 9.	G.h.	Burm. am. t. 152. f. 1.
4	stans. DC.	large-flowered.	———	1806.	——	G.h.	
5	amplexicaule. DC.	stem-clasping.	———	——	——	G.h.	

Subordo II. *HYPERICINEÆ ANOMALÆ.* DC.

CARPODONTOS. DC. Carpodontos. Polyandria Pentagynia.

lucida. DC.	shining.	V.Diem.Is.	1820.	....	G.h.	Lab. voy. 2. t. 18.	

ORDO XXXVI.

GUTTIFERÆ. *DC. prodr.* 1. *p.* 557.

Tribus I. *CLUSIEÆ.* DC.

CLUSIA. DC.	BALSAM-TREE.	Polygamia Monœcia. L.					
1 rosea. DC.	Rose-coloured.	America.	1692.	7. 8.	S. ♄.	Cates. car. 2. t. 99.
2 alba. DC.	white-flowered.	S. Amer.	1752.	——	S. ♄.	Jacq. amer. t. 166.
3 flava.	yellow-flowered	Jamaica.	1759.	9.	S. ♄.	Bot. rep. 223.
4 venosa. DC.	veiny-leaved.	S. Amer.	1733.	....	S. ♄.	Plum. ic. 87. f. 2.
HAVETIA. Kth.	HAVETIA.	Diœcia Tetrandria.				
laurifolia. Kth.	Laurel-leaved.	S. Amer.	1820.	....	S. ♄.	H.etB. n.g.am.5.t.462.
Clusia tetrandra. W.						

Tribus II. *GARCINIEÆ.* DC.

MICRANTHERA.DC.	MICRANTHERA.	Diœcia Polyandria.				
clusiæfolia. DC.	Clusia-leaved.	Cayenne.	1823.	....	S. ♄.	Chois.m.h.P.1.t.11.12.
GARCINIA. DC.	GARCINIA.	Polyandria Monogynia.				
1 Mangostana. DC.	Mangosteen.	Java.	1789.	....	S. ♄.	Lam. ill. t. 405.
2 cornea. DC.	noddingflow'r'd	E. Indies.	1817.	....	S. ♄.	Rumph. amb. 3. t. 30.
3 Cambogia. DC.	yellow-flower'd	——	1822.	....	S. ♄.	Rheed. mal. 1. t. 24.
4 Cowa. DC.	polygamous.	——	——	....	S. ♄.	

Tribus. III. *CALOPHYLLEÆ.* DC.

MAMMEA. DC.	MAMMEE-TREE.	Polyandria Monogynia. L.				
1 americana. DC.	America.	S. Amer.	1737.	....	S. ♄.	Jacq. amer. t. 182. f. 32.
2 africana. DC.	African.	Sierra Leon.	1820.	....	S. ♄.	
XANTHOCHYMUS. DC.	XANTHOCHYMUS.	Polyadelphia Polyandria.				
1 pictorius. H.B.	painters.	E. Indies.	1796.	....	S. ♄.	Roxb. cor. 2. t. 196.
2 dulcis. H.B.	sweet.	——	1820.	....	S. ♄.	
3 ovalifolius. H.B.	oval-leaved.	——	——	....	S. ♄.	
CALOPHYLLUM. DC.	CALOPHYLLUM.	Polyandria Monogynia. L.				
1 Inophyllum. DC.	sweet-scented.	E. Indies.	1793.	....	S. ♄.	Rheed. mal. 4. t. 38.
2 Tacamahaca. DC.	acute-leaved.	Bourbon.	1822.	....	S. ♄.	Pluk. alm. t. 147. f. 3.
3 Calaba. DC.	Calaba-tree.	W. Indies.	1780.	....	S. ♄.	Jacq. amer. t. 165.
4 spurium. DC.	spurious.	E. Indies.	——	....	S. ♄.	Rheed. mal. 4. t. 39.
Calaba. L.						
PENTADESMA. H.T.	BUTTER-TREE.	Polyandria Monogynia.				
butyracea. H.T.	African.	Sierra Leon.	1821.	....	S. ♄.	

Tribus IV. *SYMPHONIEÆ.* DC.

CANELLA. DC.	CANELLA.	Dodecandria Monogynia.				
1 alba. DC.	broad-leaved.	W. Indies.	1735.	....	S. ♄.	Linn. trans. 1. t. 8.
2 laurifolia. L.C.	narrow-leaved.	——	....	....	S. ♄.	

ORDO XXXVII.

MARCGRAVIACEÆ. *DC. prodr.* 1. *p.* 565.

Subordo I. *MARCGRAVIEÆ.* DC.

ANTHOLOMA. DC.	ANTHOLOMA.	Polyandria Monogynia.					
montana. DC.	mountain.	N. Caledonia	1820.	....	G. ħ.		Labill. voy. t. 41.
MARCGRAVIA. DC.	MARCGRAVIA.	Polyandria Monogynia. L.					
1 umbellata. DC.	umbelled.	W. Indies.	1792.	6. 8.	S. ħ.		Hook. exot. flor. 160.
2 coriacea. DC.	leathery-leav'd.	Guiana.	1820.	—	S. ħ.		

Subordo II. *NORANTEÆ.* DC.

NORANTEA. DC.	NORANTEA.	Polyandria Monogynia. L.					
brasiliensis. DC.	Brasilian.	Brazil.	1820.	....	S. ħ.		
RUYSCHIA. DC.	RUYSCHIA.	Pentandria Monogynia.					
clusiæfolia. DC.	Clusia-leaved.	W. Indies.	1823.	....	S. ħ.		Jacq. amer. t. 51. f. 2.

ORDO XXXVIII.

HIPPOCRATEACEÆ. *DC. prodr.* 1. *p.* 567.

HIPPOCRATEA. DC.	HIPPOCRATEA.	Triandria Monogynia. L.					
1 obcordata. DC. *scandens.* Jacq. amer. t. 9.	obcordate.	W. Indies.	1819.	....	S. ħ. ⌒		Lam. ill. 1. t. 28. f. 1.
2 ovata. DC. *volubilis.* L.	oval-leaved.	S. Amer.	1739.	....	S. ħ. ⌒		Lam. ill. 1. t. 28. f. 2.
3 indica. DC.	Indian.	E. Indies.	1818.	....	S. ħ. ⌒		Roxb. cor. 2. t. 130.
4 obtusifolia. DC.	blunt-leaved.	———	1820.	....	S. ħ. ⌒		
5 arborea. DC.	tree.	———	1822.	....	S. ħ. ⌒		Roxb. cor. 3. t. 205.
ANTHODON. DC.	ANTHODON.	Triandria Monogynia.					
1 paniculatum. DC.	panicled.	Rio Janeiro.	1818.	....	S. ħ. ⌒		
2 ellipticum. DC.	elliptic-leaved.	———	—	....	S. ħ. ⌒		
JOHNIA. F. I.	JOHNIA.	Triandria Monogynia. F. I.					
1 salacioides. F. I.	entire-leaved.	E. Indies.	1822.	....	S. ħ. ⌒		
2 coromandeliana. F. I.	saw-leaved.	———	—	....	S. ħ.		

ORDO XXXIX.

ERYTHROXYLEÆ. *DC. prodr.* 1. *p.* 573.

ERYTHROXYLUM. DC.	ERYTHROXYLUM.	Decandria Trigynia. L.					
1 hypericifolium. DC.	Hypericum-ld.	Mauritius.	1818.	....	S. ħ.		Cav. dis. 8. t. 230.
2 havanense. DC.	Havannah.	W. Indies.	1822.	....	S. ħ		Jacq. amer. t. 87. f. 2.
3 laurifolium. DC.	Laurel-leaved.	Mauritius.	—	....	S. ħ.		Cav. dis. 8. t. 226.
SETHIA. Kth.	SETHIA.	Decandria Monogynia.					
indica. DC. *Erythroxylon monogynum.* H. B.	Indian.	E. Indies.	1823.	....	S. ħ.		Roxb. cor. 1. t. 88.

ORDO XL.

MALPIGHIACEÆ. *DC. prodr.* 1. *p.* 577.

Tribus I. *MALPIGHIEÆ.* DC.

MALPIGHIA. DC.	MALPIGHIA.	Decandria Trigynia. L.					
1 fucata. DC.	painted.	W. Indies.	1814.	1. 12.	S. ♄.	Bot. reg. 189.
2 urens. DC.	stinging.	S. Amer.	1737.	7. 10.	S. ♄.	——— 94.
3 angustifolia. DC.	narrow-leaved.	W. Indies.	——	7. 8.	S. ♄.	Lod. bot. cab. 321.
4 aquifolia. DC.	Holly-leaved.	S. Amer.	1759.	8. 9.	S. ♄.	Cav. dis. 8. t. 236. f. 2.
5 coccifera. DC.	kermes-oak-ld.	———	1733.	——	S. ♄.	Bot. reg. 568.
6 glabra. DC.	smooth-leaved.	———	1757.	8. 7.	S. ♄.	Bot. mag. 813.
7 biflora. DC. *punicifolia.* Cav.	two-flowered.	———	....	——	S. ♄.	Cav. dis. 8. t. 234. f. 2.
8 punicifolia. DC.	Punica-leaved.	———	1690.	——	S. ♄.	Plum. ic. t. 166. f. 2.
9 nitida. DC.	glossy-leaved.	S. Amer.	1733.	8. 8.	S. ♄.	
10 ? faginea. DC.	Beech-leaved.	———	1822.	....	S. ♄.	
BYRSONIMA. DC.	BYRSONIMA.	Decandria Trigynia. L.				
1 verbascifolia. DC.	Mullein-leaved.	Guiana.	1818.	8. 8.	S. ♄.	Aub. gui. 1. t. 184.
2 nervosa. DC.	prominent-nd.	Brazil.	——	——	S. ♄.	
3 altissima. DC.	tall.	Guiana.	1820.	....	S. ♄.	Aub. gui. 1. t. 181.
4 crassifolia. DC. *Malpighia crassifolia.* W.	thick-leaved.	———	1793.	8.	S. ♄.	——— 1. t. 182.
5 chrysophylla. DC.	golden-leaved.	S. Amer.	1822.	....	S. ♄.	
6 spicata. DC.	spiked.	Brazil.	1818.	5. 8.	S. ♄.	Cav. dis. 8. t. 237.
7 lucida. DC. *Malpighia lucida.* W.	wedge-leaved.	W. Indies.	1759.	——	S. ♄.	Bot. mag. 2462.
8 coriacea. DC.	leathery-leaved	Jamaica.	1814.	——	S. ♄.	Sloan. his. 2. t. 163. f. 1.
9 pallida. DC.	pale-leaved.	W. Indies.	1820.	——	S. ♄.	
10 ? volubilis. DC. *Malpighia volubilis.* B.M.	twining.	———	1793.	8. 9.	S. ♄.	Bot. mag. 809.
BUNCHOSIA. DC.	BUNCHOSIA.	Decandria Monogynia.				
1 glandulosa. DC. *Malpighia glandulosa.* Cav.	2-glanded.	Antilles.	1804.	8. 5.	S. ♄.	Cav. dis. 8. t. 239. f. 2.
2 glandulifera. DC. *Malpighia glandulosa.* Jacq. ic. 3. t. 469.	4-glanded.	Caracas.	1806.	——	S. ♄.	Jacq. coll. 5. f. 3.
3 polystachya. DC.	many-spiked.	W. Indies.	——	——	S. ♄.	And. bot. rep. 604.
4 media. DC. *Malpighia media.* H.K.	intermediate.	———	1790.	——	S. ♄.	
5 tuberculata. DC.	tuberculate.	Caracas.	1823.	....	S. ♄.	Jacq. schœn. 1. t. 104.
6 argentea. DC.	silvery.	———	1820.	....	S. ♄.	Jacq. frag. t. 83.
7 nitida. DC.	glossy-leaved.	W. Indies.	1733.	8. 8.	S. ♄.	Cav. dis. 8. t. 239. f. 1.
8 canescens. DC.	downy-leaved.	———	1742.	....	S. ♄.	

Tribus II. *HYPTAGEÆ.* DC.

HIPTAGE. DC.	HIPTAGE.	Decandria Monogynia.				
1 Madablota. DC. *Gærtnera racemosa.* A. R. 600.	clustered.	E. Indies.	1796.	8. 4.	S. ♄.	Roxb. cor. 1. t. 18.
2 obtusifolia. DC. *Gærtnera obtusifolia.* H. B.	blunt-leaved.	China.	1822.	....	S. ♄.	

Tribus III. *BANISTERIEÆ.* DC.

HIRÆA. DC.	HIRÆA.	Decandria Trigynia. L.				
1 odorata. DC.	sweet-scented.	Guinea.	1822.	....	S. ♄.	

2 nutans. DC.	nodding.	E. Indies.	1818.	5. 8.	S. ♄. ⌣.		
3 indica. DC.	Indian.	——	——	——	S. ♄. ⌣.	Roxb. cor. 2. t. 160.	
TRIOPTERIS. DC.	TRIOPTERIS.	Decandria Trigynia. L.					
jamaicensis. DC.	Jamaica.	Jamaica.	1818.	5. 9.	S. ♄. ⌣.		
TETRAPTERIS. DC.	TETRAPTERIS.	Decandria Trigynia. L.					
1 buxifolia. DC.	Box-leaved.	St. Domingo.	....	5. 8.	S. ♄.	Cav. dis. 9. t. 262. f. 1.	
2 citrifolia. DC.	Citron-leaved.	Jamaica.	1819.	——	S. ♄.	—— —— 9. t. 260.	
BANISTERIA. DC.	BANISTERIA.	Decandria Trigynia. L.					
1 auriculata. DC.	eared.	Brazil.	1818.	....	S. ♄. ⌣.	Cav. dis. 9. t. 255.	
2 ciliata. DC.	ciliated.	—— ——	1796.	....	S. ♄. ⌣.	—— —— 9. t. 254.	
3 splendens. DC. *heterophylla.* W. *fulgens.* Cav.	shining.	S. Amer.	1812.	....	S. ♄. ⌣.	—— —— 9. t. 253.	
4 sericea. DC.	silky.	Brazil.	1810.	....	S. ♄. ⌣.	—— —— 9. t. 258.	
5 tomentosa. DC.	woolly-leaved.	Antilles.	1818.	5. 8.	S. ♄. ⌣.		
6 ferruginea. DC.	ferruginous.	Brazil.	——	....	S. ♄. ⌣.	Cav. dis. 9. t. 248.	
7 periplocæfolia. DC.	Periploca-leav'd	Porto Rico.	——	....	S. ♄. ⌣.		
8 ? laurifolia. DC.	Laurel-leaved.	Jamaica.	1733.	7. 8.	S. ♄. ⌣.		
9 fulgens. DC.	fulgent.	W. Indies.	1759.	....	S. ♄. ⌣.		
10 ovata. DC.	oval-leaved.	St. Domingo.	1810.	——	S. ♄.	Vent. choix. t. 51. A.	
HETEROPTERIS. DC.	HETEROPTERIS.	Decandria Trigynia. L.					
1 purpurea. DC.	purple.	W. Indies.	1759.	....	S. ♄. ⌣.	Cav. dis. 9. t. 246. f. 1.	
2 parvifolia. DC.	small-leaved.	St. Thomas.	1822.	....	S. ♄. ⌣.	Vent. choix. t. 51.	
3 brachiata. DC.	cross-branched.	S. Amer.	1759.	....	S. ♄. ⌣.		
4 chrysophylla. DC.	Star-apple-ld.	Brazil.	1793.	....	S. ♄. ⌣.	Jacq. schœn. 1. t. 105.	
5 cœrulea. DC.	blue-flowered.	W. Indies.	1822.	....	S. ♄. ⌣.	Cav. dis. 9. t. 243.	
6 nitida. DC.	glossy.	S. Amer.	1809.	....	S. ♄. ⌣.	—— —— 9. t. 244.	
7 appendiculata. DC.	long-pointed.	W. Indies.	1823.	....	S. ♄.		

ORDO XLI.

ACERINEÆ. *DC. prodr.* 1. *p.* 593.

ACER. DC.	MAPLE. Polygamia Mopœcia. L.					
1 oblongum.	oblong-leaved.	Nepaul.	1820.	....	H. ♄.	
2 tataricum. DC.	Tartarian.	Tartary.	1759.	5. 6.	H. ♄.	Pall. fl. ros. t. 3.
3 striatum. DC. *pensylvanicum.* L.	striped-barked.	N. Amer.	1755.	5. 6.	H. ♄.	Mich. f. arb. 2. t. 17.
4 Pseudo-Platanus.	DC. Sycamore.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 303.
β *variegatum.*	*variegated.*	—— ——	....	——	H. ♄.	Duham. arb. 1. t. 36.
γ *subobtusum.* DC.	*blunt-leaved.*	—— ——	....	——	H. ♄.	
5 spicatum. DC. *montanum.* H.K.	mountain.	N. Amer.	1750.	——	H. ♄.	Schm. arb. 1. t. 11.
6 hybridum. DC.	hybrid.	Hybrid.	....	——	H. ♄.	
7 campestre. DC.	common.	Britain.	....	5. 6.	H. ♄.	Eng. bot. 304.
8 austriacum. Len.	Austrian.	Austria.	....	——	H. ♄.	Tratt. arch. 1. n. 6. ic.
9 Opalus. W.	Italian.	Italy.	1752.	——	H. ♄.	
10 opalifolium. Len.	Opalus-leaved.	S. Europe.	....	——	H. ♄.	Tratt. arch. 1. n. 13. ic.
11 obtusatum. DC.	Hungarian.	Hungary.	1818.	——	H. ♄.	—— —— 1. n. 14. ic.
12 creticum. DC.	Cretan.	Levant.	1752.	——	H. ♄.	—— —— 1. n. 19. ic.
13 monspessulanum. DC.	Montpelier.	France.	1739.	5.	H. ♄.	—— —— 1. n. 20. ic.
14 heterophyllum. DC.	evergreen.	Levant.	1759.	5. 6.	H. ♄.	Willd. arb. 10. t. 1. f. 1.
15 barbatum. DC.	bearded.	N. Amer.	1812.	4. 5.	H. ♄.	
16 platanoides. DC.	Norway.	Europe.	1683.	5. 7.	H. ♄.	Schm. arb. 1. t. 3. 4.
β *laciniatum.*	*cut-leaved.*	—— ——	——	——	H. ♄.	—— —— 1. t. 5.
17 saccharinum. DC.	Sugar.	N. Amer.	1735.	4. 5.	H. ♄.	Mich. f. arb. 2. t. 15.
18 nigrum. DC.	black-sugar.	—— ——	1812.	——	H. ♄.	—— —— 2. t. 16.
19 eriocarpum. DC. *dasycarpum.* W.	Sir C. Wager's.	—— ——	1725.	——	H. ♄.	—— —— 2. t. 13.
20 rubrum. DC.	red-flowered.	—— ——	1656.	——	H. ♄.	—— —— 2. t. 14.
21 palmatum. DC.	palmate.	China.	1820.	....	H. ♄.	Tratt. arch. 1. n. 17. ic.
NEGUNDO. DC.	NEGUNDO. Dicœcia Pentandria.					
fraxinifolium. DC. *Acer Negundo.* L.	Ash-leaved.	N. Amer.	1688.	4.	H. ♄.	Mich. f. arb. 3. t. 16.

ORDO XLII.

HIPPOCASTANEÆ. *DC. prod.* 1. *p.* 597.

ÆSCULUS. DC.	HORSE-CHESTNUT. Heptandria Monogynia. L.						
1 Hippocastanum. DC.	common.	Asia.	1629.	4. 5.	H. ♄.	Schm. arb. 1. t. 38.
β *variegata.*	*striped-leaved.*					
2 rubicunda. DC.	red-flowered.	.....	....	5. 6.	H. ♄.	Herb. amat. t. 367.
3 glabra. DC.	smooth-leaved.	N. Amer.	1812.	——	H. ♄.	
4 ohioensis. DC.	Ohio.	———	1818.	——	H. ♄.	
5 pallida. DC.	pale-flowered.	———	1812.	6.	H. ♄.	
PAVIA.	SMOOTH-CHESTNUT. Heptandria Monogynia. L.					
1 macrostachya. DC.	long-spiked.	N. Amer.	1786.	7. 8.	H. ♄.	Jacq. ecl. 1. t. 9.
Æsculus parviflora. H. K.						
2 rubra. DC.	red-flowered.	N. Amer.	1711.	5. 6.	H. ♄.	Duham. arb. 2. t. 19.
Æsculus Pavia. L.						
3 hybrida. DC.	variegated-fld.	———	1812.	——	H. ♄.	
4 discolor.	dwarf.	———	——	——	H. ♄.	Bot. reg. 310.
Æsculus discolor. Ph.	*non hybrida.* DC.					
5 flava. DC.	yellow-flowered	———	1764.	——	H. ♄.	Schmid. arb. 1. t. 40.

ORDO XLIII.

RHIZOBOLEÆ. *DC. prodr.* 1. *p.* 599.

CARYOCAR. DC.	CARYOCAR. Polyandria Tetragynia.					
1 glabrum. DC.	smooth-leaved.	Guiana.	1820.	....	S. ♄.	Aub. gui. 2. t. 240.
2 tomentosum. DC.	woolly-leaved.	———	——	....	S. ♄.	——— 1. t. 239.

ORDO XLIV.

SAPINDACEÆ. *DC. prodr.* 1. *p.* 601.

Tribus I. *PAULLINIEÆ.* DC.

CARDIOSPERMUM. L.	HEART-SEED. Octandria Trigynia. L.					
1 Halicacabum. DC.	smooth-leaved.	India.	1594.	6. 8.	S. ☉.	Bot. mag. 1049.
2 grandiflorum. DC.	large-flowered.	Jamaica.	1823.	....	S. ♄. ⌣.	
3 coluteoides. DC.	Colutea-like.	Caracas.	——	....	S. ♃. ⌣.	
4 Corindum. L.	Parsley-leaved.	Brazil.	1750.	7. 8.	S. ☉.	
5 pubescens. DC.	pubescent.	N. Spain.	1820.	——	S. ♄. ⌣.	
URVILLÆA. Kth.	URVILLÆA. Octandria Monogynia.					
ulmacea. Kth.	Elm-leaved.	Caracas.	1823.	....	S. ♄. ⌣.	H.et B. n. gen. 5. t. 440.
SERIANA. Kth.	SERIANA.. Octandria Trigynia. L.					
1 sinuata. DC.	sinuate-leaved.	S. Amer.	....	7. 9.	S. ♄. ⌣.	Sch. ac. hafn. 3. t. 12. f. 1.
2 divaricata. DC.	divaricate.	W. Indies.	1823.	....	S. ♄. ⌣.	——— t. 12. f. 2.
3 caracasana. DC.	tooth-leaved.	Caracas.	1816.	7. 9.	S. ♄. ⌣.	Jacq. schœn. 1. t. 99.
4 triternata. DC.	Supple-Jack.	W. Indies.	1739.	....	S. ♄. ⌣.	Jacq. obs. 3. t. 61. f. 10.
Paullinia polyphylla. L.						
PAULLINIA. DC.	PAULLINIA. Octandria Trigynia. L.					
1 pinnata. DC.	winged-leaved.	S. Amer.	1752.	7. 9.	S. ♄. ⌣.	Jacq. obs. 3. t. 62. f. 12.

2 Vespertilio. DC.	Bat-winged.	W. Indies.	1823.	——	S. ♄. ◡.	Sch.act.hafn.3.t.11.f.1.
3 meliæfolia. DC.	Melia-leaved.	Brazil.	1818.	——	S. ♄. ◡.	Hook. ex. flor. 110.
4 curassavica. DC.	shining-leaved.	S. Amer.	1739.	6. 8.	S. ♄. ◡.	Jacq. obs. 3. t. 61. f. 1.
5 barbadensis. DC.	Barbadoes.	W. Indies.	1786.	....	S. ♄. ◡.	——— 3. t. 61. f. 9.
6 caribæa. DC.	Caribean.	Caribees.	....	....	S. ♄. ◡.	Jacq. obs. 3. t. 62. f. 7.
7 hispida. DC.	hispid.	Caracas.	1823.	....	S. ♄. ◡.	Jacq. schœn. 3. t. 268.
8 cauliflora. DC.	stem-flowering.	———	——	6. 8.	S. ♄. ◡.	Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ.* DC.

SAPINDUS. DC. SOAP-BERRY. Octandria Trigynia. L.

1 Saponaria. DC.	common.	W. Indies.	1697.	7. 9.	S. ♄.	Comm. hort. 1. t. 94.
2 marginatus. DC.	margined.	Carolina.	....	——	G. ♄.	
3 rigidus. DC.	Ash-leaved.	S. Amer.	1759.	——	S. ♄.	Pluk. alm. t. 217. f. 7.
4 senegalensis. DC.	Senegal.	Senegal.	1823.	....	S. ♄.	
5 laurifolius. DC.	Laurel-leaved.	E. Indies.	1818.	....	S. ♄.	Rheed. mal. 4. t. 19.
6 longifolius. DC.	long-leaved.	———	——	....	S. ♄.	
7 emarginatus. DC.	emarginate.	———	1820.	....	S. ♄.	
8 rubiginosus. DC.	rusty-leaved.	———	——	....	S. ♄.	Roxb. cor. 1. t. 62.
9? indicus. DC.	various-leaved.	———	——	....	S. ♄.	

BLIGHIA. DC. AKEE-TREE. Octandria Monogynia.

sapida. DC.	Ash-leaved.	Africa.	1723.	....	S. ♄.	Kœn.an. bot.2. t.16.17.

MATAYBA. DC. MATAYBA. Octandria Monogynia.

guianensis. DC.	Ash-leaved.	Guiana.	1803.	7. 9.	S. ♄.	Aub. gui. 1. t. 128.

Ephielis fraxinea. W.

SCHMIDELIA. DC. SCHMIDELIA. Octandria Monogynia. L.

1 serrata. DC.	saw-leaved.	E. Indies.	1804.	6. 8.	S. ♄.	Roxb. cor. 1. t. 61.

Ornitrophe serrata. W.

2 racemosa. DC.	clustered.	———	1818.	....	S. ♄.	Burm. ind. t. 32. f. 1.
3 Cominia. DC.	yellow-berried.	Jamaica.	1759.	6. 9.	S. ♄.	Sloan. h. 2. t. 208. f. 1.

Ornitrophe Cominia. W. *Rhus Cominia.* L.

EUPHORIA. DC. EUPHORIA. Octandria Monogynia. L.

1 Litchi. DC.	Lee-Chee.	China.	1786.	5. 6.	S. ♄.	Lam. ill. t. 306.

Dimocarpus Litchi. W. *Scytalia chinensis.* G. fr. t. 42. f. 3.

2 Longana. DC.	loose-panicled.	———	——	——	S. ♄.	Buchoz. ic. col. t. 99.
3 Nephelium. DC.	Rambootan.	E. Indies.	1809.	....	S. ♄.	Lam. ill. t. 764.

Nephelium lappaceum. W. *Scytalia Rambootan.* H. B.

CUPANIA. DC. CUPANIA. Octandria Monogynia.

1 tomentosa. DC.	woolly-leaved.	W. Indies.	1818.	5. 7.	S. ♄.	

Trigonis tomentosa. Jacq. am. 102.

2 glabra. DC.	smooth-leaved.	———	——	——	S. ♄.	
3 Saponaria. DC.	Soap-wort-ld.	———	1820.	....	S. ♄.	

MOLINÆA. J. MOLINÆA. Octandria Monogynia.

canescens. H.B.	canescent.	E. Indies.	1817.	5. 6.	S. ♄.	

COSSIGNIA. DC. COSSIGNIA. Hexandria Monogynia.

borbonica. DC.	golden-leaved.	Bourbon.	1811.	....	S. ♄.	Lam. ill. t. 256.

pinnata. Lam. *Ruizia aurea.* Hort.

MELICOCCA. DC. HONEY-BERRY. Octandria Monogynia. L.

1 bijuga. DC.	winged-leaved.	Jamaica.	1778.	....	S. ♄.	Jacq. amer. 103. t. 72.
2 olivæformis. DC.	large-leaved.	S. Amer.	1818.	....	S. ♄.	

Tribus III. *DODONÆACEÆ.* DC.

KOELREUTERIA. DC. KOELREUTERIA. Octandria Monogynia. L.

paniculata. DC.	panicled.	China.	1763.	7. 8.	H. ♄.	Bot. reg. 320.

DODONÆA. DC. DODONÆA. Octandria Monogynia. L.

1 viscosa. DC.	clammy.	S. Amer.	1690.	6. 7.	S. ♄.	Plum. ic. t. 247. f. 2.
2 jamaicensis. DC.	Jamaica.	Jamaica.	——	——	S. ♄.	Cav. ic. t. 327.

viscosa. Cav. *angustifolia.* Sw.

3 Burmanniana. DC.	Burman's.	E. Indies.	1758.	5. 8.	S. ♄.	Burm. zeyl. t. 23.

angustifolia. H.B.

4 microcarpa. DC.	small-fruited.	Bourbon.	1818.	——	S. ♄.	Lam. ill. t. 304. f. 2.

5 salicifolia. DC. *angustifolia.* Lam.	Willow-leaved.	C. B. S.	1758.	——	G. ħ.	
6 dioica. DC.	diœcious.	E. Indies.	....	——	S. ħ.	
7 triquetra. DC.	three-sided.	N. S. W.	1790.	6. 8.	G. ħ.	Bot. rep. 230.
8 oblongifolia. L.en.	oblong-leaved.	————	1816.	——	G. ħ.	
9 cuneata. DC.	wedge-leaved.	————	——	——	G. ħ.	Linn. trans. 11. t. 19.
10 asplenifolia. DC.	Asplenium-ld.	————	——	——	G. ħ.	———— 11. t. 20.
11 filiformis. DC.	slender-leaved.	————	1820.	——	G. ħ.	
12 angustissima. DC.	narrow-leaved.	————	——	——	G. ħ.	
13 elæagnoides. DC.	scaly-leaved.	W. Indies.	1819.	....	S. ħ.	
14? pinnata. DC.	winged-leaved.	N. S. W.	1810.	....	G. ħ.	

ORDO XLV.

MELIACEÆ. *DC. prodr.* 1. *p.* 619.

Tribus I. *MELIEÆ.* DC.

TURRÆA. DC.	TURRÆA.	Decandria Monogynia. L.				
1 virens. DC.	green.	E. Indies.	1822.	....	S. ħ.	Sm. ic. ined. 1. t. 10.
2 rigida. DC.	rigid.	Mauritius.	1820.	....	S. ħ.	Vent. choix. t. 48.
QUIVISIA. DC.	QUIVISIA.	Octandria Monogynia.				
heterophylla. DC.	various-leaved.	Mauritius.	1821.	....	S. ħ.	Cav. dis. 7. t. 213.
SANDORICUM. DC.	SANDORICUM.	Decandria Monogynia.				
indicum. DC.	Indian.	E. Indies.	1818.	....	S. ħ.	Cav. dis. 7. t. 202. 203.
MELIA. DC.	BEAD-TREE.	Decandria Monogynia. L.				
1 Azedarach. DC.	common.	Syria.	1656.	6. 8.	G. ħ.	Bot. mag. 1066.
2 superba. H.B.	superb.	E. Indies.	1821.	1. 2.	S. ħ.	
3 robusta. H.B.	robust.	————	——	....	S. ħ.	
4 sempervirens. DC.	evergreen.	Jamaica.	1656.	6. 9.	S. ħ.	Bot. reg. 643.
5 composita. DC.	compound-ld.	E. Indies.	1818.	1. 3.	S. ħ.	
6 Azadirachta. DC.	Ash-leaved.	————	1759.	6. 8.	S. ħ.	Cav. dis. 7. t. 208.

Tribus II. *TRICHILIEÆ.* DC.

TRICHILIA. DC.	TRICHILIA.	Decandria Monogynia. L.				
1 hirta. DC.	hairy.	Jamaica.	1820.	6. 7.	S. ħ.	Sloan. h. 2. t. 220. f. 1.
2 spondioides. DC.	Spondias-like.	————	——	——	S. ħ.	Jacq. schœn. 1. t. 102.
3 havanensis. DC. *glabra.* L.	smooth.	W. Indies.	1794.	——	S. ħ.	Jacq. amer. t. 175. f. 88.
4 odorata. A.R.	sweet-scented.	————	1801.	——	S. ħ.	Bot. rep. 637.
5 glandulosa. DC.	glandular.	N. S. W.	1821.	....	G. ħ.	
EKEBERGIA. DC.	EKEBERGIA.	Decandria Monogynia.				
capensis. DC.	Cape.	C. B. S.	1789.	7. 8.	G. ħ.	Lam. ill. t. 358.
GUAREA. DC.	GUAREA.	Octandria Monogynia. L.				
1 trichilioides. L. *grandifolia.* DC.	Ash-leaved. *Melia Guara.* Jacq.	S. Amer.	1752.	5. 6.	S. ħ.	Jacq. am. t. 176. f. 37.
2 Swartzii. *trichilioides.* Sw.	Swartz's.	W. Indies.	1822.	....	S. ħ.	Sloan. h. 2. t. 170. f. 1.
3 ramiflora. DC.	branch-flow'r'd.	Porto Rico.	——	....	S. ħ.	Vent. choix. t. 41.
HEYNEA. DC.	HEYNEA.	Decandria Monogynia.				
1 trijuga. DC.	Walnut-like.	Nepaul.	1812.	9.	S. ħ.	Bot. mag. 1738.
2 quinquejuga. H.B.	five-paired.	Moluccas.	1821.	....	S. ħ.	

Tribus III. *CEDRELEÆ.* DC.

CEDRELA. DC.	Bastard Cedar. Pentandria Monogynia. L.						
1 odorata. DC.	fragrant.	W. Indies.	1739.	7. 9.	S. ħ.		Lam. ill. t. 137.
2 Toona. DC.	Nepaul.	Nepaul.	1821.	....	S. ħ.		Roxb. cor. 3. t. 238.
3 velutina. DC.	velvetty.	.....	....	....	S. ħ.		
SWIETENIA. DC.	Mahogany-tree. Decandria Monogynia. L.						
1 Mahagoni. DC.	common.	W. Indies.	1734.	..	S. ħ.		Cav. dis. 7. t. 209.
2 febrifuga. DC.	Febrifuge.	E. Indies.	1796.	....	S. ħ.		Roxb. cor. 1. t. 17.
CHLOROXYLON. DC.	Chloroxylon. Decandria Monogynia.						
Swietenia. DC.	Satin-wood.	E. Indies.	1822.	....	S. ħ.		Roxb. cor. 1. t. 64.
Swietenia chloroxylon. Roxb.							
FLINDERSIA. DC.	Flindersia. Decandria Monogynia.						
australis. DC.	New Holland.	N. Holland.	1821.	....	G. ħ.		Brown gen. rem. t. 1.
CARAPA. DC.	Carapa. Decandria Monogynia.						
1 procera. DC.	tall.	W. Indies.	....	....	S. ħ.		
2 guineensis.	glossy-leaved.	Sierra Leon.	1793.	....	S. ħ.		
Afzelia splendens. Hort.							

ORDO XLVI.

AMPELIDEÆ. *DC. prodr.* 1. *p.* 627.

Tribus I. *VINIFERÆ* seu *SARMENTACEÆ.* DC.

CISSUS. DC.	Cissus. Tetrandria Monogynia. L.						
1 vitiginea. DC.	vine-leaved.	India.	1772.	7. 8.	S. ħ. ⌣.		Pluk. mant. t. 337. f. 4.
2 adnata. DC.	pointed-leaved.	E. Indies.	1818.	——	S. ħ. ⌣.		
3 glauca. DC.	glaucous.	———	——	——	S. ħ. ⌣.		
4 repens. DC.	creeping.	———	1821.	....	S. ħ. ⌣.		Rheed. mal. 7. t. 48.
5 puncticulosa. DC.	strumous.	Cayenne.	1818.	....	S. ħ. ⌣.		
6 quadrangularis. DC.	square-stalked.	E. Indies.	1790.	....	S. ħ. ⌣.		Rumph. amb. 5. t. 44. f. 2.
7 sicyoides. DC.	naked-leaved.	Jamaica.	1768.	7. 8.	S. ħ. ⌣.		Jacq. amer. 22. t. 15.
8 ovata. DC.	oval-leaved.	———	1822.	....	S. ħ. ⌣.		Brown. jam. t. 4. f. 1. 2.
9 antarctica. DC.	Kangura-Vine.	N. S. W.	1790.	6. 8.	G. ħ. ⌣.		Bot. mag. 2488.
10 capensis. DC.	Cape.	C. B. S.	1792.	——	G. ħ. ⌣.		
11 acida. DC.	acid.	Jamaica.	1692.	——	S. ħ. ⌣.		Jacq. schœn. 1. t. 33.
12 carnosa. DC.	flat-stemmed.	E. Indies.	1818.	....	S. ħ. ⌣.		Rheed. mal. 7. t. 9.
13 trifoliata. DC.	three-leaved.	Jamaica.	1739.	6. 8.	S. ħ. ⌣.		Sloan. jam. t. 142. f. 5. 6?
14 alata. DC.	winged-stalk'd.	———	——	——	S. ħ. ⌣.		——— 1. t. 144.
15 angustifolia. DC.	narrow-leaved.	E. Indies.	1818.	....	S. ħ. ⌣.		
16 quinata. DC.	wedge-leaved.	C. B. S.	1790.	7.	G. ħ. ⌣.		
17 pentaphylla. DC.	Japan.	Japan.	——	4. 9.	G. ħ. ⌣.		
18 quinquefolia. B.M.	five-leaved.	Brazil.	——	8. 9.	S. ħ. ⌣.		Bot. mag. 2443.
19 diversifolia. DC.	various-leaved.	.....	——	....	S. ħ. ⌣.		
heterophylla. L. en. non DC.							
20 elongata. DC.	long-branched.	E. Indies.	1818.	....	S. ħ. ⌣.		
21 auriculata. DC.	ear-stipuled.	———	——	....	S. ħ. ⌣.		
22 orientalis. DC.	oriental.	Levant.	——	6. 8.	G. ħ. ⌣.		
AMPELOPSIS. DC.	Ampelopsis. Pentandria Monogynia. L.						
1 cordata. DC.	heart-leaved.	N. Amer.	1803.	6. 8.	H. ħ. ⌣.		
Cissus Ampelopsis. P.S.							
2 hederacea. DC.	Virginian creeper.	———	1629.	——	H. ħ. ⌣.		Com. canad. t. 100.
Hedera quinquefolia. L. *Cissus hederacea.* P. S.							
3 hirsuta. DC.	hairy.	———	1806.	——	H. ħ. ⌣.		
4 bipinnata. DC.	Pepper Vine.	———	1700.	7. 9.	H. ħ. ⌣.		Pluk. mant. t. 412. f. 2.
Vitis arborea. W. *Cissus stans.* P.S.							
VITIS. DC.	Vine. Pentandria Monogynia. L.						
1 vinifera. DC.	common Grape.	Asia.	....	6. 7.	H. ħ. ⌣.		Jacq. ic. 1. t. 50.

2 laciniosa. DC.	Parsley-leaved.	.....	1648.	——	H. ♄ ⌣	Schm. ic. 34. t. 8.
3 dentata. DC.	toothed.	.....	1818.	....	H. ♄ ⌣	
4 Wallichii. DC.	Wallich's.	Nepaul.	——	....	H. ♄ ⌣	
5 indica. DC.	Indian.	E. Indies.	1692.	....	S. ♄ ⌣	Rheed. mal. 7. t. 6.
6 caribæa. DC.	West Indian.	W. Indies.	....	....	S. ♄ ⌣	Sloan. his. 2. t. 210. f. 4.
7 Labrusca. DC.	downy-leaved.	N. Amer.	1656.	5. 6.	H. ♄ ⌣	Jacq. schœn. t. 426.
8 blanda.	white-berried.	——	——	——	H. ♄ ⌣	
9 æstivalis. DC. *vulpina.* W.	Fox Grape.	——	——	——	H. ♄ ⌣	Jacq. schœn. t. 425.
10 cordifolia. DC. *incisa.* Jacq.	Winter Grape.	——	1806.	....	H. ♄ ⌣	—— t. 427.
11 riparia. DC.	sweet-scented.	——	——	5. 6.	H. ♄ ⌣	Bot. mag. 2429.
12 rotundifolia. DC.	Bullet Grape.	——	——	——	H. ♄ ⌣	

Tribus II. *LEEACEÆ.* DC.

LEEA. DC.	LEEA. Pentandria Monogynia. L.					
1 sambucina. DC.	Elder-leaved.	E. Indies.	1790.	....	S. ♄	Cav. dis. 7. t. 218.
2 crispa. DC. *pinnata.* A.R.	fringe-stalked.	C. B. S.	1676.	8. 10.	S. ♄	Bot. rep. t. 355.
3 æquata. DC.	round-stalked.	E. Indies.	1777.	....	S. ♄	
4 hirta. DC.	hairy.	——	1816.	....	S. ♄	
5 robusta. H.B.	robust.	——	1820.	....	S. ♄	
6 macrophylla. DC.	large-leaved.	——	——	....	S. ♄	

ORDO XLVII.

GERANIACEÆ. *DC. prodr.* 1. *p.* 637.

Tribus I. *GERANIEÆ.* S.G. 1. p. VII.

SARCOCAULON. DC.	SARCOCAULON. Monadelphia Dodecandria.					
1 L'Heritieri.	L. Heritier's.	C. B. S.	1790.	5. 6.	G. ♄	L. Herit. ger. t. 42.
Monsonia L'Heritieri. DC.	*Monsonia spinosa.* L. Her.					
2 Burmanni. DC.	Burman's.	——	——	7.	G. ♄	Burm. afr. t. 31.
Geranium spinosum. Cav. dis. 4. t. 75. f. 2.						
MONSONIA. S.G.	MONSONIA. Monadelphia Dodecandria.					
1 ovata. DC.	oval-leaved.	C. B. S.	1774.	8.	G. ♂	Cav. dis. 4. t. 113. f. 1.
2 lobata. DC.	broad-leaved.	——	——	4. 5.	G. ♃	Sweet ger. 3. t. 273.
3 pilosa. W.en.	hairy.	——	1778.	7. 8.	G. ♃	Sweet ger. 2. t. 199.
filia. A.R. 276. *nec aliorum.*						
4 speciosa. L.	large-flowered.	——	1774.	4. 5.	G. ♃	
α rubra.	*red-flowered.*	——	——	12. 2.	G. ♃	Bot. mag. 73.
β pallida.	*pale-flowered.*	——	——	4. 5.	G. ♃	Sweet ger. 1. t. 77.
GERANIUM. DC.	CRANES-BILL. Monadelphia Decandria.					
1 sibiricum. DC.	Siberian.	Siberia.	1758.	6. 7.	H. ♃	Jacq. vind. 1. t. 19.
2 sanguineum. DC.	bloody.	Britain.	....	6. 9.	H. ♃	Eng. bot. 272.
3 prostratum. L.en.	Lancashire.	——	....	——	H. ♃	Cav. dis. 4. t. 76. f. 3.
4 multifidum. S.G.	multifid.	C. B. S.	1817.	——	G. ♃	Sweet ger. 3. t. 245.
5 incanum. DC.	hoary.	——	1701.	5. 7.	G. ♃	Cav. dis. 4. t. 82. f. 2.
6 canescens. DC.	silky-leaved.	——	1787.	——	G. ♃	L. Herit. ger. t. 38.
7 argenteum. DC.	silvery-leaved.	S. Europe.	1699.	6. 7.	H. ♃	Sweet ger. 1. t. 59.
8 cinereum. DC. *varium.* L'Her. ger. t. 37.	grey.	Pyrenees.	....	6. 8.	H. ♃	Cav. dis. 4. t. 89. f. 1.
9 anemonefolium. DC.	Anemone-l^d.	Canaries.	1778.	5. 8.	G. ♄	Sweet ger. 3. t. 244.
10 macrorhizon. DC.	long-rooted.	Italy.	1576.	5. 6.	H. ♄	Sweet ger. 3. t. 271.
11 tuberosum. DC.	tuberous-root'd.	——	1596.	5. 8.	H. ♃	Sweet ger. 2. t. 155.
12 ibericum. DC.	Iberian.	Iberia.	1802.	6. 9.	H. ♃	—— 1. t. 84.
13 nodosum. DC.	knotted.	England.	....	5. 10.	H. ♃	Eng. bot. 1091.

14	angulatum. DC.	angular-stalk'd.	.....	1789.	5. 6.	H.4.	Bot. mag. 203.
15	Wallichianum. S.G.	Wallich's.	Nepaul.	1820.	6. 10.	H.4.	Sweet ger. 1. t. 90.
16	Vlassovianum. DC.	Vlassof's.	Siberia.	——	5. 8.	H.4.	——— 3. t. 228.
17	striatum. DC.	streaked.	Italy.	1629.	5. 10.	H.4.	Bot. mag. 55.
18	reflexum. DC.	reflex-flower'd.	———	1758.	5. 6.	H.4.	Cav. dis. 4. t. 81. f. 1.
19	phæum. DC.	dusky.	England.	....	4. 6.	H.4.	Eng. bot. 322.
20	fuscum. W.	brown.	S. Europe.	1759.	7.	H.4.	
21	lividum. W.	wrinkle-leaved.	Switzerland.	1775.	6. 7.	H.4.	Sweet ger. 3. t. 268.
22	eriostemon. DC.	woolly-stamen'd	Dahuria.	1822.	7. 9.	H.4.	
	α cæruleum. S.G.	*bright blue.*	———	——	——	H.4.	Swt. ger. 2. t. 197. f. a.
	β pallidum. S.G.	*pale blue.*	Nepaul.	——	——	H.4.	——— 2. t. 197. f. b.
23	sylvaticum. DC.	wood.	Britain.	....	5. 6.	H.4.	Eng. bot. 121.
24	batrachioides. Lem.	hairy.	Europe.	....	——	H.4.	Cav. dis. 4. t. 85. f. 1.
25	pratense. DC.	Crowfoot-leav'd	Britain.	....	5. 7.	H.4.	Eng. bot. 404.
	α cæruleum.	*blue-flowered.*	———	....	——	H.4.	
	β variegatum.	*variegated.*	———	....	——	H.4.	
	γ album.	*white-flowered.*	———	....	——	H.4.	
	δ flore pleno.	*double-blue.*	———	....	——	H.4.	
26	longipes. DC. *Londesii.* Len.	long-peduncled.	.....	1824.	——	H.4.	
27	maculatum. DC.	spotted.	N. Amer.	1732.	5. 8.	H.4.	Sweet ger. 3. t.
28	collinum. DC.	hill.	Tauria.	1815.	——	H.4.	
29	palustre. DC.	marsh.	Europe.	1732.	——	H.4.	Sweet ger. 1. t. 3.
30	aconitifolium. DC.	Aconite-leaved.	Switzerland.	1775.	5. 6.	H.4.	L. Herit. ger. t. 40.
31	pilosum. DC.	pointed anth'r'd	N. Zealand.	1821.	5. 8.	H.4.	Sweet ger. 2. t. 119.
32	parviflorum. DC.	small-flowered.	Van Diem.	1816.	5. 8.	G.4.	
33	nepalense. S.G.	Nepaul.	Nepaul.	1819.	——	H.4.	Sweet ger. 1. t. 12.
34	cristatum. DC. *albanum.* M.B.	crested.	Iberia.	1823.	——	H.4.	Stev. m. mosc. 4. t. 5.
35	pyrenaicum. DC.	mountain.	Britain.	....	——	H.4.	Eng. bot. 405.
36	umbrosum. P.S.	naked-stalked.	Hungary.	1804.	6. 9.	H.4.	W.etKit.hung.2.t.124.
37	molle. DC.	Dove's-foot.	Britain.	....	4. 8.	H.☉.	Eng. bot. 778.
38	pusillum. DC.	small-flowered.	England.	....	6. 9.	H.☉.	——— 385.
39	rotundifolium. DC.	round-leaved.	———	....	6. 7.	H.☉.	——— 157.
40	columbinum. DC.	long-stalked.	Britain.	....	——	H.☉.	——— 259.
41	dissectum. DC.	jagged-leaved.	———	....	5. 7.	H.☉.	——— 753.
42	carolinianum. DC.	veined petaled.	N. Amer.	1725.	7. 8.	H.☉.	Cav. dis. 4. t. 84. f. 1.
43	lanuginosum. Wen.	woolly.	———	....	——	H.☉.	Jacq. schœn. 2. t. 140.
44	villosum. DC.	villous.	Naples.	1824.	——	H.☉.	
45	bohemicum. DC.	Bohemian.	Bohemia.	1683.	6. 8.	H.☉.	Sweet ger. t.
46	divaricatum. DC.	straddling.	Hungary.	1799.	7. 8.	H.☉.	W.etKit. hung.2.t.128.
47	lucidum. DC.	shining.	Britain.	....	5. 8.	H.☉.	Eng. bot. 75.
48	Briceanum.	Miss Brice's.	Bristol.	....	4. 10.	H.☉.	
49	Robertianum. DC.	Herb-Robert.	Britain.	....	——	H.☉.	Eng. bot. 1486.
50	purpureum. W.	purple.	———	....	——	H.☉.	Vill. dauph. 3. t. 40.

ERODIUM. DC. HERON'S-BILL. Monadelphia Pentandria.

1	petræum. DC.	rock.	S. Europe.	1640.	6. 7.	H.4.	Gouan. ill. t. 21. f. 1.
2	glandulosum. DC.	glandulous.	Spain.	1798.	——	H.4.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. DC.	multifid.	Dahuria.	1820.	——	H.4.	
4	alpinum. DC.	Alpine.	Italy.	1814.	5. 8.	H.4.	L'Herit. ger. t. 3.
5	crassifolium. DC.	thick-leaved.	Cyprus.	1788.	3. 8.	G.♄.	Sweet ger. 2. t. 111.
6	laciniatum. DC.	laciniated.	Crete.	1794.	5. 8.	G.4.	Cav. dis. 4. t. 113. f. 3.
7	hirtum. DC.	hairy.	Egypt.	1823.	——	G.4.	Jacq. f. ecl. 1. t. 58.
8	Ciconium. DC.	long-beaked.	S. Europe.	1711.	6. 7.	H.☉.	Jacq. vind. 1. t. 18.
9	cicutarium. E.B.	Hemlock-leav'd	Britain.	....	4. 9.	H.☉.	Eng. bot. 1768.
10	pimpinellæfolium.	Pimpinella-ld.	Europe.	1823.	——	H.☉.	Cav. dis. 4. t. 95. f. 2.
11	bipinnatum. W.	Numidian.	Numidia.	1803.	5. 6.	H.♂.	——— 5. t. 126. f. 3.
12	romanum. W.	Roman.	Rome.	1724.	——	H.4.	Bot. mag. 377.
13	caucalifolium. S.G.	Caucalis-leaved	S. Europe.	1816.	6. 8.	H.4.	Sweet ger. t. 6.
14	moschatum. DC.	musky.	England.	....	5. 7.	H.☉.	Eng. bot. 902.
15	botrys. DC.	large-blue.	Italy.	1819.	——	H.☉.	Cav. dis. 4. t. 90. f. 2.
16	murcicum. DC.	small-blue.	Murcia.	——	——	H.☉.	——— 5. t. 126. f. 1.
17	gruinum. DC.	broad-leaved.	Crete.	1596.	6. 7.	H.☉.	——— 4. t. 88. f. 2.
18	serotinum. DC. *multicaule.* S.G. t. 137.	late-flowering.	Tyre.	1816.	6. 9.	H.4.	Stev.m.ac.P.3.t.15.f.2.
19	chium. DC.	Levant.	Levant.	1724.	6. 7.	H.☉.	Cav. dis. 4. t. 92. f. 1.
20	hymenodes. DC.	three-leaved.	Barbary.	1789.	1. 12.	H.4.	Sweet ger. 1. t. 23.
21	Gussonii. S.G.	Gussone's.	Naples.	1822.	5. 8.	H.4.	——— 2. t. 200.
22	malachoides. DC.	Mallow-leaved.	S. Europe.	1596.	5. 7.	H.☉.	Cav. dis. 4. t. 91. f. 1.

23	ribifolium. W.	Currant-leaved.	C. B. S.	....	6. 8.	H.⊙.	Jacq. ic. rar. 3. t. 509.
24	incarnatum. DC.	flesh-coloured.	———	1787.	5. 7.	G.ħ.	Sweet ger. 1. t. 94.
25	glaucophyllum. DC.	glaucous-leaved	Egypt.	1732.	7. 8.	H.ɣ.	Cav. dis. 4. t. 92. f. 2.
26	malopoides. DC.	velvetty-leaved.	Sicily.	1818.	5. 8.	H.ɣ.	——— 4. t. 90. f. 1.
27	littoreum. DC.	smooth.	Narbonne.	——	——	H.ɣ.	
28	maritimum. DC.	sea-side.	England.	....	5. 9.	H.ɣ.	Eng. bot. 646.
29	Reichardi. DC.	dwarf.	Minorca.	1783.	4. 9.	H.ɣ.	Bot. mag. 18.
	chamædryoides. W.	*Geranium Reichardi.* B.M.					

Tribus II. *GRIELEÆ.* S. G. p. VII.

GRIELUM. W. GRIELUM. Decandria Pentagynia.

1	tenuifolium. W.	large-flowered.	C. B. S.	1790.	4. 6.	G.ħ.	Sweet ger. 2. t. 171.
2	laciniatum. G.	jagged-leaved.	———	1825.	....	G.ħ.	

Tribus III. *PELARGONIEÆ.* S. G. p. VIII.

PHYMATANTHUS. S.G. WART-FLOWER. Monadelphia Pentandria.

1	tricolor. S.G.	three-coloured.	C. B. S.	1791.	6. 10.	G.ħ.	Sweet ger. 1. t. 43.
	Pelargonium tricolor. B.M. 240.						
2	elatus. S.G.	tall.	———	1795.	——	G.ħ.	——— 1. t. 96.
3	villosus.	villous.	Hybrid.	1823.	——	G.ħ.	
4	grandiflorus.	large-flowered.	———	——	——	G.ħ.	
5	latifolius. C.C.	broad-leaved.	———	——	——	G.ħ.	

CAMPYLIA. S.G. CAMPYLIA. Monadelphia Pentandria.

1	carinata. S.G.	keeled-stipuled.	C. B. S.	1810.	4. 9.	G.ħ.	Sweet ger. 1. t. 21.
2	variegata. S.G.	variegated-fl'd.	Hybrid.	1823.	——	G.ħ.	——— 3. t. 266.
3	holosericea. S.G.	silky-leaved.	———	1820.	——	G.ħ.	——— 1. t. 75.
4	blattaria. S.G.	downy-leaved.	C. B. S.	1790.	6. 9.	G.ħ.	——— 1. t. 88.
5	elegans. S.G.	elegant.	Hybrid.	1822.	——	G.ħ.	——— 3. t. 222.
6	verbasciflora. S.G.	Mullein-fl'd.	C. B. S.	1811.	——	G.ħ.	——— 2. t. 157.
7	cana. S.G.	hoary-leaved.	———	1794.	7. 12.	G.ħ.	——— 2. t. 114.
8	eriostemon. S.G.	velvet-leaved.	———	——	3. 6.	G.ħ.	Jacq. schœn. 2. t. 132.
	Pelargonium eriostemon. Jacq.						
9	coronopifolia.	Buck's-horn-l'd.	———	1791.	6. 10.	G.ħ.	Jacq. ic. rar. 3. t. 526.
10	? œnotheræ.	œnothera-like.	———	1812.	4. 8.	G.ɣ.	——— 3. t. 525.
	Pelargonium œnotheræ. Jacq.						

OTIDIA. S.G. OTIDIA. Monadelphia Pentandria.

1	carnosa. S.G.	fleshy-stalked.	C. B. S.	1724.	6. 8.	G.ħ.	Sweet ger. 1. t. 98.
2	ceratophylla. S.G.	horn-leaved.	Africa.	1786.	5. 7.	G.ħ.	Bot. mag. 315.
	Pelargonium ceratophyllum. B.M.						
3	dasycaulon. S.G.	thick-stemmed.	Africa.	1795.	7. 12.	G.ħ.	Bot. mag. 2029.
4	laxa. S.G.	loose-panicled.	C. B. S.	1821.	6. 9.	G.ħ.	Sweet ger. 2. t. 196.
5	crithmifolia. S.G.	Samphire-l'd.	———	1790.	4. 9.	G.ħ.	Smith ic. pict. 1. t. 13.
6	alternans. S.G.	Parsley-leaved.	———	1791.	5. 8.	G.ħ.	Wend. h. her. 1. t. 10.

GRENVILLEA. S.G. GRENVILLEA. Monadelphia Tetrandria.

	conspicua.	conspicuous.	Africa.	1810.	7. 11.	G.ɣ.	Sweet ger. 3. t. 262. f. 2.
	Geranium Grenvilliæ. A.G. c. ic.						

HOAREA. S.G. HOAREA. Monadelphia Pentandria.

1	violæflora. S.G.	white violet-fl'd.	C. B. S.	1821.	5. 8.	G.ɣ.	Sweet ger. 2. t. 123.
2	nivea. S.G.	snowy white.	———	——	——	G.ɣ.	——— 2. t. 182.
3	bubonifolia.†	Bubon-leaved.	———	1800.	3. 7.	G.ɣ.	And. bot. rep. 328.
4	Leeana. S.G.	Mr. Lee's.	———	1823.	6. 8.	G.ɣ.	Sweet ger. 3. t.
5	laciniata.†	jag-leaved.	———	1800.	5. 6.	G.ɣ.	And. bot. rep. 131.
6	penniformis.†	winged.	———	——	——	G.ɣ.	——— 269.
7	purpurascens.†	purplish.	———	——	——	G.ɣ.	——— 204.
8	incrassata.†	fleshy-leaved.	———	1801.	6. 7.	G.ɣ.	Bot. mag. 761.
9	carinata. S.G.	boat-flowered.	———	1812.	5. 8.	G.ɣ.	Sweet ger. 2. t. 135.
10	corydalifiora. S.G.	Fumitory-fl'd.	———	——	——	G.ɣ.	——— 1. t. 18.
11	rapacea.	Turnep-rooted.	———	1788.	4. 6.	G.ɣ.	Bot. rep. 239.
	Geranium Selinum. A.R.						

Those marked thus (†) are only known to us by Andrews's Figures.

12	setosa. s.G.	bristle-pointed.	——	1818.	4. 8.	G.4.	Sweet ger. 1. t. 88.
13	pilosa.	hairy.	——	1801.	5. 7.	G.4.	And. bot. rep. 259.
	Geranium pilosum. var. 1. A.G. ic.						
14	bicolor.	two-coloured.	——	——	3. 8.	G.4.	Andr. geran. c. ic.
	Geranium pilosum. var. 2. A.G. ic.						
15	blanda.	blushflowered.	——	——	——	G.4.	Andr. geran. c. ic.
	Geranium pilosum. var. 3. A.G. ic.						
16	selinifolia. s.G.	Milk-parsley-ld.	Hybrid.	1821.	——	G.4.	Sweet ger. 2. t. 159.
17	radicata. s.G.	fleshy-fringed-ld	C. B. S.	1802.	5. 8.	G.4.	—— 1. t. 174.
18	ciliata.	ciliated.	——	1795.	4. 6.	G.4.	L'Herit. ger. t. 7.
19	auriculata.	ear-leaved.	——	....	——	G.4.	Jacq. ic. rar. 3. t. 519.
	Pelargonium ciliatum. Jacq.						
20	ovalifolia. s.G.	oval-leaved.	——	1820.	4. 8.	G.4.	Sweet ger. 2. t. 106.
21	reticulata. s.G.	netted-petaled.	——	——	——	G.4.	—— 1. t. 91.
22	longifolia.	long-leaved.	——	1812.	5. 6.	G.4.	Jacq. ic rar. 3. t. 518.
23	longiflora.	long-flowered.	——	——	5. 8.	G.4.	—— 3. t. 521.
24	depressa.	depressed.	——	——	——	G.4.	—— 3. t. 520.
25	nervifolia.	nerved-leaved.	——	——	5. 8.	G.4.	—— 3. t. 517.
26	triphylla.	three-leaved.	——	——	——	G.4.	—— 3. t. 515.
27	lutea.†	small yellow.	——	1800.	5. 8.	G.4.	And. bot. rep. t. 123.
28	nummularifolia.	money-wort-ld.	——	1801.	5. 8.	G.4.	Sal. par. lond. t. 23.
29	integrifolia. c.c.	entire-leaved.	Hybrid.	1821.	4. 8.	G.4.	
30	fuscata. c.c.	brown-flowered	——	——	——	G.4.	
31	nigricans. c.c.	blackish.	——	1822.	——	G.4.	
32	magica. c.c.	dark-flowered.	——	——	——	G.4.	
33	atra. s.G.	dark brown.	C. B. S.	1793.	——	G.4.	Sweet ger. 1. t. 72.
34	dioica. c.c.	dicœcious.	——	1795.	6. 8.	G.4.	And. bot. rep. 209.
	Geranium melananthum. A.R.						
35	undulæflora. s.G.	waved-petaled.	C. B. S.	1821.	4. 8.	G.4.	Sweet ger. 3. t. 263.
36	melanantha. s.G.	black-flowered.	——	1790.	——	G.4.	—— 1. t. 73.
37	varia. s.G.	various-leaved.	Hybrid.	1821.	——	G.4.	—— 2. t. 166.
38	Colvillii. s.G.	Colvill's.	——	1823.	——	G.4.	—— 3. t. 260.
39	Jenkinsoni. c.c.	Jenkinson's.	——	——	——	G.4.	
40	diluta.	diluted.	——	1821.	——	G.4.	
41	replicata.	replicate.	——	——	——	G.4.	
42	rubescens.	reddish.	——	——	——	G.4.	
43	intermixta.	intermixed.	——	1822.	——	G.4.	
44	capitata.	headed.	——	——	——	G.4.	
45	superba.	superb.	——	——	——	G.4.	
46	villosa.	villous.	——	1821.	——	G.4.	
47	unguiculata.	clawed.	——	——	5. 8.	G.4.	
48	tenuifolia.	slender-leaved.	——	——	——	G.4.	
49	marginata.	margined.	——	1823.	——	G.4.	
50	atrosanguinea. s.G.	dark-crimson.	——	1822.	4. 8.	G.4.	Sweet ger. 2. t. 151.
51	elegans. s.G.	elegant.	——	——	——	G.4.	—— 2. t. 132.
	Pelargonium Sweetianum. DC.						
52	coccinea. s.G.	scarlet.	——	——	——	G.4.	
53	recurviflora.	recurv'd-petal'd	——	1821.	——	G.4.	
54	sanguinolenta.	bloody-flower'd	——	1823.	——	G.4.	
55	pulchella.	neat.	——	——	——	G.4.	
56	amœna.	delightful.	——	——	——	G.4.	
57	patens.	spreading.	——	1822.	——	G.4.	
58	lilacina.	Lilac-coloured.	——	——	——	G.4.	
59	venosa. s.G.	veined-petaled.	——	1823.	——	G.4.	Sweet ger. 3. t. 209.
60	literata.	lettered.	——	——	——	G.4.	
61	labyrinthica. s.G.	labyrinth-fld.	——	——	——	G.4.	Sweet ger. 3. t. 276.
62	rosea. s.G.	rose-coloured.	C. B. S.	1792.	——	G.4.	Sweet ger. 3. t. 262. f. 1.
	Geranium roseum. A.R. 178. *Pelargonium condensatum.* P.S.						
63	hedysarifolia. s.G.	Hedysarum-ld.	Hybrid.	1823.	——	G.4.	Sweet ger. t.
64	galegifolia.	Galega-leaved.	——	——	——	G.4.	
65	sisymbriifolia. s.G.	Water-rocket-ld.	——	——	——	G.4.	Sweet ger. t.
66	hirsuta.	various-ld. hairy.	C. B. S.	1788.	3. 5.	G.4.	Cav. dis. 4. t. 101. f. 2.
DIMACRIA. S.G.		DIMACRIA. Monadelphia Pentandria.					
1	pinnata. s.G.	wing-leaved.	C. B. S.	1779.	4. 6.	G.4.	Sweet ger. 1. t. 46.
	Pelargonium viciæfolium. DC.						
2	bipartita. s.G.	forked-leaved.	Hybrid.	1821.	4. 8.	G.4.	—— 2. t. 142.
3	foliolosa. s.G.	leafy.	C. B. S.	1800.	——	G.4.	And. bot. rep. 311.
	Geranium pinnatum. A.R.						
4	astragalifolia. s.G.	Astragalus-ld.	——	1789.	6. 8.	G.4.	Sweet ger. 2. t. 103.

5	tenella.†	slender.	———	1802.	——	G. 4.	Andr. geran. c. ic.
	Geranium tenellum. A.G.						
6	imbuta.	stained-petaled.	Hybrid.	1822.	4. 8.	G. 4.	
7	fulgens. C.C.	shining-scarlet.	———	1821.	——	G. 4.	
8	Andrewsii.†	Andrews's.	C. B. S.	1802.	——	G. 4.	Andr. geran. c. ic.
	Geranium heterophyllum. A.G. *non* Jacq.						
9	elegans. S.G.	elegant.	Hybrid.	1822.	——	G. 4.	Sweet ger. 3. t. 202.
10	coronillæfolia.†	Coronilla-leav'd	C. B. S.	1795.	6. 7.	G. 4.	And. bot. rep. 305.
11	apiifolia.†	Parsley-leaved.	———	1802.	4, 8.	G. 4.	Andr. geran. c. ic.
	Geranium apiifolium. A.G. *non.* Jacq.						
12	sulphurea. S.G.	sulphur-color'd.	Hybrid.	1821.	——	G. 4.	Sweet ger. 2. t. 163.
13	carnea.	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 4.	Jacq. ic. rar. 3. t. 512.
14	floribunda.†	many-flowered.	———	1795.	3. 5.	G. 4.	And. bot. rep. 420.
15	fissifolia.†	cloven-leaved.	———	——	4. 8.	G. 4.	——— 378.
16	barbata.†	bearded.	———	1790.	5. 8.	G. 4.	——— 303.
17	recurvata.†	recurved.	———	——	——	G. 4.	——— 323.
	Geranium barbatum. v. minor. A.R.						
18	aristata.†	awned.	———	——	——	G. 4.	——— 366.
	Geranium barbatum. v. undulatum. A.R.						
19	revoluta.†	revolute.	———	1800.	7. 8.	G. 4.	——— 354.
20	oxalidifolia.†	Oxalis-leaved.	———	1801.	5. 8.	G. 4.	——— 300.
21	reflexa.†	reflex-leaved.	———	1800.	6. 7.	G. 4.	——— 224.
22	undulata.†	wave-flowered.	———	1795.	5. 7.	G. 4.	——— 292.
23	spathulata.†	spatula-leaved.	———	——	4. 6.	G. 4.	——— 152.
24	affinis.†	fring'd-spat.-l^{d}.	———	——	——	G. 4.	——— 282.
25	virginea.†	virgin.	———	——	5. 7.	G. 4.	——— 317.
26	radiata.†	ray-leaved.	———	1801.	6. 8.	G. 4.	——— 222.
27	linearis.†	linear-petaled.	———	1800.	——	G. 4.	——— 193.
28	punctata.†	dotted-flowered	———	1794.	4. 6.	G. 4.	——— 60.
SEYMOURIA. S.G.		Seymouria.	Monadelphia Pentandria.				
1	asarifolia. S.G.	Asarum-leaved.	C. B. S.	1821.	11. 2.	G. 4.	Sweet ger. 3. t. 206.
2	L'Heritieri. S.G.	L'Heritier's.	———	1795.	4. 5.	G. 4.	L'Herit. ger. t. 43.
	Pelargonium dipetalum. L'Her.						
PELARGONIUM. S.G.		Stork's-bill.	Monadelphia Heptandria.				
1	amœnum. S.G.	delightful.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 121.
2	dimacriæflorum. S.G.	Dimacria-fl^{d}.	———	1822.	——	G. 4.	——— 3. t. 220.
3	ringens. S.G.	ringent-flow'r'd	———	——	——	G. 4.	——— 3. t. 256.
4	concavum. S.G.	concave-petal'd	———	——	——	G. 4.	——— 3. t. 237.
5	hoareæflorum. S.G.	Hoarea-fl^{d}.	———	1821.	——	G. 4.	——— 2. t. 133.
6	clausum. C.C.	closed-petaled.	———	1822.	——	G. 4.	
7	patens. S.G.	spreading-fl^{d}.	———	1820.	——	G. ♄.	Sweet ger. 2. t. 125.
8	cruentum. S.G.	blood-red.	———	1822.	——	G. 4.	——— 2. t. 170.
9	aulicum.	courtly.	———	1823.	5. 10.	G. 4.	
10	Avronianum. S.G.	Avron's.	———	——	——	G. 4.	Sweet ger. 3. t.
11	concretum. C.C.	intermixed.	———	1822.	4. 8.	G. 4.	
12	puniceum. C.C.	puniceous.	———	——	——	G. 4.	
13	pusillum. C.C.	dwarf.	———	1823.	——	G. 4.	
14	pygmæum. C.C.	small.	———	——	5. 8.	G. 4.	
15	venulosum.	veined-petaled.	———	1821.	——	G. 4.	
16	intertextum. S.G.	interwoven.	———	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 185.
17	acidum. S.G.	sour-leaved.	———	1823.	5. 9.	G. 4.	——— 3. t. 261.
18	pallens. S.G.	cream coloured.	C. B. S.	1800.	——	G. ♄.	——— 2. t. 148.
19	caryophyllaceum.	Clove-scented.	Hybrid.	1822.	——	G. ♄.	
20	paradoxum.	paradoxical.	———	——	——	G. ♄.	
21	multiradiatum. S.G.	many-rayed.	C. B. S.	1818.	6. 10.	G. ♄.	Sweet ger. 2. t. 145.
22	sphondyliifolium. SG.	Sphondylium-l^{d}	Hybrid.	1822.	4. 8.	G. 4.	——— 3. t. 246.
23	chærophyllum. S.G.	Cow-Parsley-l^{d}	———	——	——	G. ♄.	——— 3. t. 257.
24	nitidum.	glossy.	———	——	——	G. ♄.	
25	sanguineum. S.G.	crimson.	C. B. S?	1819.	——	G. ♄.	Sweet ger. 1. t. 76.
26	ardens. S.G.	glowing.	Hybrid.	1810.	3. 8.	G. ♄.	——— 1. t. 45.
27	confertifolium.	close-leaved.	———	——	——	G. ♄.	Andr. geran. c. ic.
	Geranium ardens minor. A.G.						
28	pulchellum. B.M.	nonesuch.	C. B. S.	1795.	3. 5.	G. ♄.	Sweet ger. 1. t. 31.
29	jonquillinum. S.G.	Jonquil-scent'd	Hybrid.	1822.	5. 10.	G. ♄.	——— 3. t. 241.
30	selectum. S.G.	select.	———	1822.	——	G. 4.	——— 2. t. 190.
31	imbricatum. S.G.	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. ♄.	——— 1. t. 65.
32	bicolor. S.G.	two-coloured.	.....	1778.	7. 8.	G. ♄.	Bot. mag. 201.
	α atrum. S.G.	*dark-edged.*	.....	——	——	G. ♄.	Sweet ger. 1. t. 97. f. 1.
	β pallidum. S.G.	*pale-edged.*	.....	——	——	G. ♄.	——— 1. t. 97. f. 2.

33	quinquevulnerum. DC.	dark-fld.	Hybrid.	1796.	5. 10.	G. ħ.	Sweet ger. 2. t. 161.
34	Blandfordianum. s.G.	hoary-leaved.	——	1812.	1. 12.	G. h.	—— 2. t. 101.
35	millefoliatum. s.G.	Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. 4.	—— 3. t. 230.
36	flavum. DC.	pale yellow.	——	1724.	7. 9.	G. 4.	—— 3. t. 254.
37	scabridum. C.C.	rough-edged.	——	1822.	——	G. 4.	
38	triste. DC.	night-smelling.	——	1632.	5. 10.	G. 4.	Delaun. h. am. t. 27.
39	filipendulifolium. s.G.	Dropwort-ld.	——	1812.	——	G. 4.	Sweet ger. 1. t. 85.
40	heracleifolium. s.G.	Heracleum-ld.	——	1820.	——	G. 4.	—— 3. t. 211.
41	lobatum. DC.	Cow-parsnep-ld.	——	1710.	——	G. 4.	—— 1. t. 51.
42	orbiculatum.	orbicular-ld.	Hybrid.	1823.	——	G. 4.	
43	pulverulentum. s.G.	powdered-ld.	C. B. S.	1822.	——	G. 4.	Sweet ger. 3. t. 218.
44	pedicellatum. s.G.	long-pedicled.	——	——	——	G. 4.	—— 3. t. 250.
45	luridum. s.G.	lurid.	——	1811.	7. 12.	G. 4.	—— 3. t. 281.
	Geranium luridum. A.G. lc.						
46	rapæfolium.	Turnep-leaved.	Hybrid.	1821.	5. 10.	G. 4.	
47	glaucifolium. s.G.	Glaucium-ld.	——	——	——	G. ħ.	Sweet ger. 2. t. 179.
48	gibbosum. DC.	knotted-stalk'd.	C. B. S.	1712.	——	G. h.	—— 1. t. 61.
49	mutabile. s.G.	changeable-cold.	Hybrid.	1822.	7. 10.	G. h.	—— 3. t. 213.
50	vespertinum. s.G.	evening-scent'd.	——	——	8. 12.	G. h.	—— 3. t. 239.
51	sinapifolium.	Mustard-leav'd.	Hybrid.	——	6. 10.	G. h.	
52	brassicatum.	Cabbage-leav'd	——	——	——	G. h.	
53	adscendens.	ascending.	——	——	——	G. h.	
54	circumflexum.	bending.	——	——	——	G. h.	
55	campyliæflorum. s.G.	Campylia-fld.	——	1823.	——	G. h.	Sweet ger. 3. t. 251.
56	reniforme. DC.	kidney-leaved.	C. B. S.	1791.	1. 12.	G. h.	—— 1. t. 48.
57	flexuosum. s.G.	bent-stalked.	Hybrid.	1821.	3. 10.	G. h.	—— 2. t. 180.
58	sæpeflorens. s.G.	frequent-flow'rg	——	1801.	——	G. h.	—— 1. t. 48.
59	comptum. s.G.	decked.	——	1821.	——	G. h.	—— 3. t. 255.
60	echinatum. DC.	prickly-stalked.	C. B. S.	1789.	6. 10.	G. h.	—— 1. t. 54.
61	armatum. s.G.	long-spined.	——	——	3. 6.	G. h.	—— 3. t. 214.
62	intermedium. C.C.	intermediate.	Hybrid.	1821.	6. 10.	G. h.	
63	particeps. s.G.	participant.	——	1806.	5. 10.	G. h.	Sweet ger. 1. t. 49.
64	cortusæfolium. DC.	Cortusa-leaved.	Africa.	1786.	6. 10.	G. h.	—— 1. t. 14.
65	erectum. s.G.	upright.	Hybrid.	1822.	——	G. h.	—— 2. t. 187.
66	Stapletoni. s.G.	MissStapleton's	——	——	——	G. h.	—— 2. t. 212.
67	crassicaule. s.G.	Cowslip-scent'd	Africa.	1786.	——	G. h.	L'Herit. ger. t. 26.
	α album. s.G.	*white-flowered.*	——	——	——	G. h.	Sweet ger. 2. t. 192. f. a.
	β maculatum. s.G.	*spotted-flowered.*	——	——	——	G. h.	—— 2. t. 192. f. b.
68	anomalum.	anomalous.	Hybrid.	1822.	4. 8.	G. h.	
69	tenuifolium. DC.	slender-leaved.	C. B. S.	1768.	5. 7.	G. h.	L'Herit. ger. t. 12.
70	hirtum. DC.	hairy.	——	——	3. 9.	G. ħ.	Sweet ger. 2. t. 113.
71	anthriscifolium. s.G.	Anthriscus-ld.	Hybrid.	1823.	7. 9.	G. ħ.	—— 3. t. 233.
72	fulgidum. DC.	Celandine-ld.	C. B. S.	1723.	3. 10.	G. h.	—— 1. t. 69.
73	aurantiacum. s.G.	orange-colour'd	Hybrid.	1821.	4. 8.	G. h.	—— 2. t. 198.
	α undulatum. s.G.	*wave-leaved.*	——	——	——	G. h.	—— 2. t. 198. f. a.
	β planifolium. s.G.	*flat-leaved.*	——	——	——	G. h.	—— 2. t. 198. f. b.
74	ardescens. s.G.	burnished.	——	1822.	——	G. h.	—— 3. t. 231.
75	torrefactum. s.G.	burnt-petaled.	——	——	——	G. h.	—— 3. t. 243.
76	Potteri. s.G.	Potter's.	——	——	6. 9.	G. h.	—— 2. t. 147.
77	luculentum.	bright-flower'd.	——	——	——	G. h.	
78	dilectum.	chosen.	——	——	4. 8.	G. h.	
79	nanum. s.G.	pigmy.	——	1820.	——	G. h.	Sweet ger. 2. t. 102.
80	incurvum. s.G.	incurved-petald	——	1821.	——	G. h.	—— 3. t. 249.
81	ignescens. s.G.	fiery-flowered.	——	1812.	——	G. h.	—— 1. t. 2. & 55.
	α major.	*large-flowered.*	——	1818.	——	G. h.	—— 1. t. 2.
	β coccineum.	*scarlet-flowered.*	——	1822.	——	G. h.	
	γ splendens.	*splendid.*	——	——	——	G. h.	
	δ superbum.	*superb.*	——	——	——	G. h.	
	ε sterile. s.G.	*barren-anthered.*	——	1812.	——	G. h.	Sweet ger. 1. t. 55.
82	laxiflorum. s.G.	spreads-umbd.	——	1822.	——	G. h.	—— 3. t. 216.
83	floccosum. s.G.	nappy.	——	1821.	——	G. h.	—— 2. t. 129.
84	rubicundum.	rubicund.	——	1822.	——	G. h.	
85	hæmanthon.	blood-coloured.	——	1823.	——	G. h.	
86	multiflorum.	many-flowered.	——	——	——	G. h.	
87	exile.	thin-branched.	——	1822.	——	G. h.	
88	gracilescens.	slender-stalked.	——	——	——	G. h.	
89	splendidum.	splendid.	——	——	——	G. h.	
90	consimile.	likened.	——	1822.	——	G. h.	
91	Broughtoniæ. s.G.	LadyBroughton's	——	——	——	G. h.	Sweet ger. 2. t. 181.

92	**Bakerianum.** s.G.	Mrs. Jenkinson's	———	——	——	G. h.	Sweet ger. 3. t. 240.
93	**rubescens.** s.G.	Lady Liverpool's	———	1819.	——	G. h.	——— 1. t. 30.
94	**Boscawenise.** C.C.	Mrs. Boscawen's	———	——	——	G. h.	
95	**pavoninum.** s.G.	peacock-spott'd	———	——	——	G. h.	Sweet ger. 1. t. 40.
96	**carnescens.**	pale red.	———	1822.	——	G. h.	
97	**Smithii.** s.G.	Smith's.	———	1819.	——	G. h.	Sweet ger. 2. t. 110.
98	**spectabile.** s.G.	showy.	———	1821.	——	G. h.	——— 2. t. 136.
	α maculatum. s.G.	*spot-flowered.*	———	——	——	G. h.	——— 2. t. 136. f. 1.
	β atrorubens. s.G.	*dark-red.*	———	——	——	G. h.	
	γ striatum. s.G.	*streak-flowered.*	———	——	——	G. h.	——— 2. t. 136. f. 2.
	δ recurvum. s.G.	*recurved-petaled.*	———	——	——	G. h.	——— 2. t. 136. f. 3.
	ε purpurascens.	*purplish.*	———	——	——	G. h.	
99	**Tibbitsianum.**	Mr. Tibbits'.	———	——	——	G. h.	Sweet ger. 2. t. 158.
100	**eriophorum.**	wool-bearing.	———	1823.	——	G. h.	
101	**irregulare.**	irregular-ld.	———	——	——	G. h.	
102	**flammeum.** C.C.	flame-coloured.	———	1822.	——	G. h.	
103	**affine.** C.C.	related.	———	——	——	G. h.	Sweet ger. 3. t. 277.
104	**Colvillii.** s.G.	Colvill's.	———	1820.	——	G. h.	Sweet ger. 1. t. 86.
105	**Valleti.** C.C.	Vallet's.	———	1822.	——	G. h.	
106	**incomparabile.**	incomparable.	———	——	——	G. h.	
107	**heteromallum.**	soft-leaved.	———	1823.	——	G. h.	
108	**hibiscifolium.**	Hibiscus-ld.	———	——	——	G. h.	
109	**atrorubens.** C.C.	dark-red.	———	1822.	——	G. h.	
110	**Allenii.** s.G.	Allen's.	———	1823.	——	G. h.	Sweet ger. 3. t. 239.
111	**Daveyanum.** s.G.	Davey's.	———	1819.	——	G. h.	——— 1. t. 32.
112	**phœniceum.** s.G.	reddish purple.	———	1824.	4. 12.	G. h.	——— 3. t. 207.
113	**calycinum.** s.G.	large-calyxed.	———	1815.	4. 10.	G. h.	——— 1. t. 81.
	α verum. s.G.	*true.*	———	——	——	G. h.	——— 1. t. 81. f. a.
	β maculatum. s.G.	*large-spotted.*	———	1820.	——	G. h.	——— 1. t. 81. f. b.
	γ angulatum. s.G.	*angular-leaved.*	———	——	——	G. h.	——— 1. t. 81. f. c.
114	**planiflorum.** C.C.	flat-flowered.	———	——	——	G. h.	
115	**Dennisianum.** s.G.	Dennis's.	———	1819.	——	G. h.	Sweet ger. 1. t. 20.
116	**Barringtonii.** DC.	Barrington's.	C. B. S.	....	——	G. h.	
117	**elatum.** C.C.	tall purple.	Hybrid.	1812.	——	G. h.	
118	**Tormanni.** L.en.	Torman's.	———	1821.	——	G. h.	
119	**Chandleri.** C.C.	Chandler's.	———	1814.	——	G. h.	
120	**crenulatum.** s.G.	crenulate-leav'd	———	1821.	——	G. h.	Sweet ger. 2. t. 162.
121	**Robinsoni.** s.G.	Robinson's.	———	1822.	——	G. h.	——— 2. t. 150.
122	**Mostynæ.** s.G.	Mrs. Mostyn's.	———	1816.	——	G. h.	——— 1. t. 10.
123	**cucullatum.** DC.	hooded-leaved.	C. B. S.	1690.	——	G. h.	Cav. dis. 4. t. 106. f. 1.
	β striatiflorum.	*Prince Regent.*	———	1810.	——	G. h.	
	γ major. C.C.	*Royal George.*	———	1812.	——	G. h.	
	δ grandiflorum. C.C.	*great-flowered.*	———	1818.	——	G. h.	
	ε parvifolium. C.C.	*smaller-leaved.*	———	——	——	G. h.	
124	**cochleatum.** W.en.	concave-leaved.	———	....	——	G. h.	Wendl. col. 2. t. 64.
	concavifolium. Wendl.						
125	**rubens.** W.en.	red-flowered.	———	....	——	G. h.	——— 2. t. 54.
126	**robustum.** C.C.	robust.	Hybrid.	1821.	——	G. h.	
127	**angulosum.** DC.	Marshmallow-l.	C. B. S.	1724.	7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
128	**cardiifolium.** s.G.	Cockle-shell-ld.	———	1816.	4. 9.	G. h.	Sweet ger. 1. t. 15.
129	**fasciculatum.** C.C.	Banbury.	Hybrid.	1803.	5. 10.	G. h.	Andr. geran. c. ic.
	Geranium speciosum.	*var. flore purpureo.* A.G.					
130	**rugosum.** C.C.	wrinkled-ld.	C. B. S.	....	——	G. h.	Andr. geran. c. ic.
131	**speciosum.** DC.	specious.	———	1794.	——	G. h.	
132	**formosum.** s.G.	variegated-fld.	Hybrid.	....	——	G. h.	Sweet ger. 2. t. 120.
133	**solubile.** s.G.	dissolvible-col'd	———	1818.	——	G. h.	——— 1. t. 24.
134	**multinerve.** s.G.	many-nerved.	———	——	——	G. h.	——— 1. t. 17.
135	**tyrianthinum.** s.G.	royal purple.	———	1820.	——	G. h.	——— 2. t. 188.
136	**æmulum.** s.G.	rival.	———	——	——	G. h.	——— 2. t. 160.
137	**accedens.** C.C.	approached.	———	——	——	G. h.	
138	**villosum.** s.G.	villous.	———	——	——	G. h.	Sweet ger. 1. t. 100.
139	**floridum.** s.G.	abundant-fld.	———	1816.	6. 10.	G. h.	——— 1. t. 41.
140	**pulchrum.** s.G.	gay.	———	1820.	5. 10.	G. h.	——— 2. t. 107.
141	**Watsoni.** s.G.	Watson's.	———	1812.	7. 11.	G. h.	——— 2. t. 130.
142	**fusciflorum.** s.G.	brown-marked.	———	1822.	4. 10.	G. h.	——— 3. t. 210.
	fuscatum. s.G. *errata.*						
143	**coarctatum.** s.G.	close-leaved.	———	1814.	6. 10.	G. h.	——— 1. t. 70.
144	**paucidentatum.** s.G.	distant-toothed.	———	1821.	5. 10.	G. h.	——— 2. t. 186.

145	nervosum. s.G.	prominent-nerv'd	———	1818.	——	G. h.	Sweet ger. 1. t. 47.
146	exornatum.	adorned.	———	1823.	——	G. h.	
147	Youngii. s.G.	Young's.	———	1820.	——	G. h.	——— 2. t. 131.
148	Jenkinsoni. s.G.	Mr. Jenkinson's	———	——	——	G. h.	——— 2. t. 154.
149	Brownii. s.G.	Brown's.	———	——	——	G. h.	——— 2. t. 146.
150	difforme. s.G.	various-leaved.	———	——	——	G. h.	——— 2. t. 105.
151	involucratum. s.G.	large-bracted.	———	....	——	G. h.	
	α *maximum.* s.G.	*largest-flowered.*	———	1818.	——	G. h.	——— 1. t. 33.
	β *albidum.* s.G.	*white-flowered.*	———	1817.	——	G. h.	
	γ *incarnatum.* s.G.	*commander in chief*	———	1815.	——	G. h.	
	δ *intermedium.* s.G.	*high-admiral.*	———	1817.	——	G. h.	
	ε *lilacinum.* s.G.	*Lilac-coloured.*	———	——	——	G. h.	
	ζ *roseum.* s.G.	*rosy-coloured.*	———	——	——	G. h.	
	η *coriaceum.* C.C.	*leathery.*	———	1820.	——	G. h.	
	ϑ *maculatum.* C.C.	*coronation.*	———	——	——	G. h.	
152	Baileyanum. s.G.	Bailey's.	———	1819.	——	G. h.	Sweet ger. 1. t. 87.
153	Josephinæ. Lee.	Josephine's.	———	1822.	——	G. h.	
154	formosissimum. s.G.	superb-white.	C. B. S.	1794.	——	G. h.	Sweet ger. 3. t. 215.
	α *album.* s.G.	*white-flowered.*	———	——	——	G. h.	——— 3.t.215.f.a.
	β *lineatum.* s.G.	*lined-flowered.*	———	——	——	G. h.	——— 3.t.215.f.b.
155	Boyleæ. s.G.	C. of Cork's.	Hybrid.	1818.	——	G. h.	Sweet ger. 1. t. 50.
156	pannifolium. s.G.	cloth-leaved.	———	——	——	G. h.	——— 1. t. 9.
157	candidum. s.G.	fair-flowered.	———	——	——	G. h.	——— 2. t. 128.
158	blandum. s.G.	blush-flowered.	———	1816.	——	G. h.	——— 1. t. 4.
159	aceroides. s.G.	Acer-leaved.	———	1822.	——	G. h.	——— 3. t. 242.
160	Gardneriæ. C.C.	Lady Gardner's.	———	1817.	——	G. h.	
161	interlitum.	interlined.	———	——	——	G. h.	
162	lividum.	livid marked.	———	——	——	G. h.	
163	ramulosum. s.G.	small-branch'd.	———	1820.	——	G. h.	Sweet ger. 2. t. 177.
164	maculatum.	spot-flowered.	C. B. S.	1805.	——	G. h.	Andr. ger. c. ic.
165	Hammersleiæ. s.G.	Mrs Hammersley's.	Hybrid.	1822.	——	G. h.	Sweet ger. 3. t. 225.
166	pulcherrimum. s.G.	beautiful.	———	1819.	——	G. h.	——— 2. t. 134.
167	sidæfolium. W.en.	Sida-leaved.	———	....	——	G. h.	
168	acerifolium. DC.	Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
169	cuneatum. DC.	wedge-leaved.	Hybrid.	....	5. 8.	G. h.	
170	Balbisianum. DC.	Balbis's.	———	....	——	G. h.	
171	gloriosum. L.en.	renowned.	———	....	——	G. h.	
172	Beaufortianum. s.G.	Beaufort's.	C. B. S.?	....	——	G. h.	Sweet ger. 2. t. 138.
173	principissæ. s.G.	P. Charlotte's.	———	1810.	5. 10.	G. h.	——— 2. t. 139.
174	purpureum.	purple-flowered	———	1800.	——	G. h.	Andr. geran. c. ic.
175	versicolor. s.G.	various-colour'd	Hybrid.	1819.	——	G. h.	Sweet ger. 1. t. 78.
176	pectinifolium. s.G.	Scallop-shell-l^d.	———	1820.	——	G. h.	——— 1. t. 66.
177	Thynneæ. s.G.	Lady Bath's.	———	1815.	——	G. h.	——— 1. t. 74.
178	obtusifolium. s.G.	blunt-leaved.	———	——	——	G. h.	——— 1. t. 25.
179	Beadoniæ. s.G.	Mrs. Beadon's.	———	——	——	G. h.	——— 2. t. 191.
180	adulterinum. DC.	hoary trifid-l^d.	———	1785.	4. 6.	G. h.	——— 1. t. 22.
181	obtusilobum. s.G.	blunt-lobed.	———	1806.	5. 10.	G. h.	——— 1. t. 8.
182	Comptoniæ. s.G.	L. Northampton's	———	1818.	——	G. h.	——— 2. t. 122.
183	affinens. s.G.	numerous-fl^d.	———	1821.	——	G. h.	——— 2. t. 194.
184	Saundersii. s.G.	Saunders's.	———	——	——	G. h.	——— 3. t. 205.
185	atropurpureum. s.G.	dark purple.	———	1822.	——	G. h.	——— 2. t. 152.
186	coruscans. s.G.	glittering.	———	1821.	——	G. h.	——— 2. t. 178.
187	concinnum. s.G.	comely.	———	1819.	——	G. h.	——— 2. t. 108.
188	Seymouriæ. s.G.	Mrs. Seymour's.	———	——	——	G. h.	——— 1. t. 37.
189	Lousadianum. s.G.	Miss Lousada's.	———	——	——	G. h.	——— 1. t. 44.
190	lepidum. s.G.	pretty.	———	1822.	——	G. h.	——— 2. t. 156.
191	inscriptum. s.G.	scribbled.	———	——	——	G. h.	——— 2. t. 198.
192	labyrinthicum.	labyrinth-mark'd.	———	——	——	G. h.	
193	planifolium. s.G.	flat-leaved.	———	1823.	——	G. h.	Sweet ger. 3. t. 219.
194	incanescens. s.G.	whitish-leaved.	———	——	6. 12.	G. h.	——— 3. t. 203.
195	notatum. s.G.	marked-petal'd.	———	1821.	5. 10.	G. h.	——— 3. t. 208.
196	lineatum. s.G.	striped-flower'd	———	1810.	——	G. h.	——— 1. t. 16.
197	dumosum. s.G.	bushy.	———	1816.	——	G. h.	——— 1. t. 19.
198	Scarboroviæ. s.G.	L. Scarborough's	———	1817.	——	G. h.	——— 2. t. 117.
199	pustulosum. s.G.	blistered-leav'd	———	1816.	5. 10.	G. h.	Sweet ger. 1. t. 11.
200	bellulum. s.G. *moschatum.* A.G.	neat.	———	——	——	G. h.	——— 1. t. 69.
201	Fairlieæ. s.G.	Mrs. Fairlie's.	———	1821.	——	G. h.	——— 2. t. 178.

202	scintillans. S.G.	sparkling.	———	1812.	——	G. h.	——— 1. t. 28.
203	platypetalon. S.G.	broad-petaled.	———	——	——	G. h.	——— 2. t. 116.
	α *rigidum*. S.G	*rigid*.	———	——	——	G. h.	——— 2. t. 116. f.a.
	β *hirsutum*. S.G.	*hairy*.	———	——	——	G. h.	——— 2. t. 116. f.b.
204	optabile. S.G.	desirable.	———	——	——	G. h.	——— 1. t. 62.
205	ornatum. S.G.	ornate.	———	1817.	——	G. h.	——— 1. t. 39.
206	modestum. S.G.	modest.	———	1822.	——	G. h.	——— 3. t. 204.
207	Newshamianum. S.G.	Miss Newsham's	———	1821.	——	G. h.	——— 2. t. 144.
208	Cosmianum. S.G.	perfumed.	———	——	——	G. h.	——— 2. t. 189.
209	Brightianum. S.G.	Miss Bright's.	———	1822.	——	G. h.	——— 3. t. 227.
210	dependens. S.G.	pendent-petal'd.	———	——	——	G. h.	——— 2. t. 195.
211	Mattocksianum. S.G.	Mrs. Sweet's.	———	——	——	G. h.	——— 3. t. 234.
212	venustum. S.G.	comely-flow'r'd.	———	1822.	——	G. h.	——— 2. t. 167.
213	obscurum. S.G.	darkened-pet'd.	———	1818.	——	G. h.	——— 1. t. 89.
214	atrofuscum. S.G.	dark-brown.	———	——	——	G. h.	——— 1. t. 82.
215	acutilobum. S.G.	acute-lobed.	———	1822.	——	G. h.	——— 2. t. 184.
216	compar. C.C.	partner.	———	1818.	——	G. h.	
217	Hoareanum. S.G.	fair Rosamond.	———	——	——	G. h.	Sweet ger. 1. t. 80.
218	Lamberti. S.G.	Lambert's.	———	——	——	G. h.	——— 2. t. 104.
219	recurvatum. S.G.	recurved-pet'd.	———	——	——	G. h.	——— 3. t. 223.
220	penicillatum. W.en.	pencilled.	———	1794.	——	G. h.	Willd. h. ber. 1. t. 37.
221	dentatum. A.G.	toothed.	———	....	——	G. h.	Andr. geran. c. ic.
222	veniflorum. S.G.	veined-flow'r'd.	———	1822.	——	G. h.	Sweet ger. 3. t. 258.
223	florescens. H.G.	triangular-ld.	———	1818.	——	G. h.	
224	Sabini. H.S.	Sabine's.	———	1821.	——	G. h.	
225	betulinum. DC.	Birch-leaved.	C. B. S.	1759.	——	G. h.	Bot. mag. 148.
226	alnifolium. W.en.	Alder-leaved.	Hybrid.	....	——	G. h.	
227	betulæfolium. Sch.	Birch-like.	———	....	——	G. h.	
228	Willdenowii. S.	Wildenow's.	———	....	——	G. h.	
229	hermannifolium. DC.	Hermannia-ld.	C. B. S.	....	4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.
230	rigidum. DC.	rigid.	———	1790.	5. 8.	G. h.	
231	ribifolium. DC.	Currant-leav'd.	———	1798.	——	G. h.	Jacq. ic. rar. 3. t. 538.
232	odoriferum.	odoriferous.	———	....	——	G. h.	Andr. geran. c. ic.
	Geranium scabrum. A.G. *nec aliorum*.						
233	jucundum. H.G.	pleasant.	Hybrid.	1818.	——	G. h.	
234	Broadleiæ. C.C.	Mrs. Broadley's	———	——	——	G. h.	Andr. geran. c. ic.
235	propinquum. C.C.	neighbouring.	———	1818.	——	G. h.	
236	decorum. C.C.	graceful.	———	——	——	G. h.	
237	delicatum. H.G.	delicate.	———	——	——	G. h.	Sweet ger. 3. t. 267.
238	semitrilobum. DC.	three-lobed.	C. B. S.	1800.	4. 7.	G. h.	Jacq. schœn. 2. t. 189.
239	imbutum. C.C.	stained-petal'd.	———	——	——	G. h.	
240	Irbyanum. C.C.	Irby's.	Hybrid.	....	——	G. h.	Andr. geran. c. ic.
241	mixtum. S.G.	mixed.	Hybrid.	1819.	5. 8.	G. h.	Sweet ger. 1. t. 71.
242	myrtillum. H.S.	Myrtle-scented.	———	1820.	——	G. h.	
243	rubidum.	red-purple.	C. B. S.	1805.	——	G. h.	Andr. geran. c. ic.
	Geranium rubens. A.G. *non* Wendl.						
244	spurium. W.en.	spurious.	Hybrid.	....	——	G. h.	
245	nothum. W.en.	mungrel.	———	....	——	G. h.	
246	crispum. DC.	curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	L'Herit. ger. t. 32.
247	gratum. W.en.	grateful-scent'd	Hybrid.	....	4. 8.	G. h.	
248	consanguineum. W.en.	kindred.	———	....	——	G. h.	
249	pallidum. W.en.	pale-flowered.	———	....	——	G. h.	
250	citriodorum.	Citron-scented.	C. B. S.	....	——	G. h.	Andr. geran. c. ic.
251	uniflorum. DC.	one-flowered.	———	....	——	G. h.	
252	limonium. S.G.	Lemon-scented.	Hybrid.	1823.	——	G. h.	Sweet ger. 3. t. 278.
253	notabile. S.G.	Hoare's Harlequin.	———	1822.	——	G. h.	Sweet ger. 3. t.
254	scabrum. DC.	rough wedge-ld.	C. B. S.	1775.	——	G. h.	L'Herit. ger. t. 31.
255	tricuspidatum. DC.	three-pointed.	———	1780.	——	G. h.	——— t. 30.
256	Perryanum. C.C.	Perry's.	Hybrid.	1816.	——	G. h.	
257	glaucoides. W.C.	glaucum-like.	———	——	——	G. h.	Wendl. coll. ic.
258	glaucum. DC.	glaucous-leav'd.	C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.
259	lanceolatum.	lance-leaved.	———	——	——	G. h.	Andr. geran. c. ic.
260	diversifolium. W.C.	different-leav'd.	———	1794.	——	G. h.	Wendl. coll. ic.
261	cuspidatum. DC.	sharp-pointed.	———	....	——	G. h.	
262	sororium. DC.	sister.	Hybrid.	....	——	G. h.	
263	Tankervilliæ. H.G.	Ly. Tankerville's	———	....	——	G. h.	
264	acutifolium.	acute-leaved.	———	1821.	——	G. h.	
265	trifurcatum. C.C.	three-forked.	———	....	——	G. h.	
266	lævigatum. DC.	glaucous trifid-l.	C. B. S.	....	——	G. h.	Cav. dis. 4. t. 121. f. 1.

267	trifoliatum. A.G. *oxyphyllum.* DC.	trifoliate-leav'd	———	1799.	——	G. ♄.	Andr. geran. c. ic.
268	patulum. DC.	spreading.	———	1812.	4. 7.	G. ♄.	Jacq. ic. rar. 3. t. 541.
269	hepaticifolium. DC.	Hepatica-ld.	———	1791.	5. 8.	G. ♄.	Andr. geran. c. ic.?
270	fuscatum. DC.	dark-marked.	———	1812.	——	G. ♄.	Jacq. ic. rar. 3. t. 540.
271	saniculæfolium. DC. *cortusæfolium.* Jacq. *non* L.Her.	Sanicle-leaved.	———	1806.	6. 9.	G. ♄.	——— 3. t. 539.
272	crenæflorum. C.C.	notch'd-petal'd	Hybrid.	1817.	——	G. ♄.	
273	sceleratum. C.C.	Celery-leaved.	———	1819.	——	G. ♄.	
274	smyrniifolium.	Smyrnium-ld.	———	1822.	——	G. ♄.	
275	expansum.	expanded.	———	1823.	5. 10.	G. ♄.	
276	multidentatum.	many-toothed.	———	——	——	G. ♄.	
277	grandidentatum. S.G.	large-toothed.	———	——	——	G. ♄.	Sweet ger. 3. t. 217.
278	Belladonna. S.G.	painted-lady.	———	——	——	G. ♄.	——— 3. t. 270.
279	triumphans. C.C.	triumphant.	———	1818.	——	G. ♄.	
280	serratifolium. S.G.	saw-leaved.	———	1822.	——	G. ♄.	Sweet ger. 3. t. 221.
281	variegatum. DC.	variegated-fld.	C. B. S.	1812.	——	G. ♄.	Cav. dis. 4. t. 118. f. 3.
282	amplissimum. W.C.	stately.	Hybrid.	1796.	——	G. ♄.	Wendl. coll. ic.
283	grandiflorum. DC.	great-flowered.	C. B. S.	1794.	——	G. ♄.	Sweet ger. 1. t. 29.
284	Parmentieri. C.C.	Parmentier's.	Hybrid.	1822.	——	G. ♄.	
285	delphinifolium. DC.	Larkspur-ld.	———	....	——	G. ♄.	
286	electum. S.G.	elect.	———	1804.	——	G. ♄.	Sweet. ger. 3. t. 238.
287	asperifolium. S.G.	rough-leaved.	———	1807.	——	G. ♄.	——— 2. t. 169.
288	Curtisianum. DC.	Curtis's.	———	....	——	G. ♄.	
289	nobile. DC.	noble.	———	1822.	——	G. ♄.	
290	opulifolium. S.G.	Guelder-Rose-ld.	———	1819.	——	G. ♄.	Sweet ger. 1. t. 53.
291	malvaceum.	Mallow-like.	———	....	——	G. ♄.	
292	macranthon. S.G.	large-flowered.	———	1821.	——	G. ♄.	Sweet ger. 1. t. 83.
293	Couttsiæ. S.G.	Mrs. Coutts's.	———	1822.	——	G. ♄.	——— 3. t. 269.
294	rutilum C.C.	light red.	———	1821.	——	G. ♄.	
295	schizophyllum.	jagged.	———	1822.	——	G. ♄.	Sweet ger. 3. t.
296	Barnardianum. S.G.	Mr. Barnard's.	———	1820.	——	G. ♄.	——— 2. t. 127.
297	mucronatum.	mucronate.	———	1823.	——	G. ♄.	——— 3. t. 275.
298	conchiifolium.	shell-leaved.	———	1820.	——	G. ♄.	
299	striatum. S.G.	streak-flower'd.	———	1818.	3. 8.	G. ♄.	Sweet ger. 1. t. 1.
300	rigescens. S.G.	stiff-leaved.	———	——	4. 9.	G. ♄.	——— 2. t. 112.
301	eriophyllum. S.G.	woolly round-ld.	———	——	5. 10.	G. ♄.	——— 2. t. 141.
302	intermixtum.	intermixed.	———	——	4. 8.	G. ♄.	
303	cordatum. DC.	heart-leaved.	C. B. S.	1774.	3. 8.	G. ♄.	Sweet ger. 1. t. 67.
304	conduplicatum. DC.	curl'd-heart-ld.	Hybrid.	....	——	G. ♄.	
305	rubro-cinctum. DC.	red-edged.	———	....	——	G. ♄.	
306	papilionaceum. DC.	Butterfly.	C. B. S.	1724.	4. 7.	G. ♄.	Sweet ger. 1. t. 27.
307	tomentosum. DC.	Pennyroyal.	———	1790.	——	G. ♄.	——— 2. t. 168.
308	vitifolium. DC.	Vine-leaved.	———	1724.	4. 8.	G. ♄.	Cav. dis. 4. t. 111. f. 2.
309	capitatum. DC.	Rose-scented.	———	1690.	——	G. ♄.	——— 4. t. 105. f. 1.
310	concolor. S.G.	self-coloured.	Hybrid.	1820.	——	G. ♄.	Sweet ger. 2. t. 140.
	β *major.* S.G.	*larger.*	———	——	——	G. ♄.	——— 2. t. 140. f. b.
311	graveolens. DC.	Odour of Rose.	C. B. S.	1774.	3. 7.	G. ♄.	L'Herit. ger. t. 17.
	β *variegatum.* *Geranium capitatum.*	*striped-leaved.* *var.* A.G.	———	....	——	G. ♄.	Andr. geran. c. ic.
312	asperum. DC.	rough multifid.	———	1795.	5. 9.	G. ♄.	Roth abh. p. 51. t. 10.
313	Radula. DC.	rasp-leaved.	———	1774.	3. 7.	G. ♄.	L'Herit. ger. t. 16.
314	balsameum. DC.	balsamic.	———	1790.	5. 9.	G. ♄.	Jacq. ic. rar. 3. t. 543.
315	Vandesiæ. S.G.	Comtesse de Vandes'.	Hybrid.	1818.	——	G. ♄.	Sweet ger. 1. t. 7.
316	hispidum. DC.	hispid.	C. B. S.	1790.	——	G. ♄.	Cav. dis. 4. t. 110. f. 1.
317	anthemifolium. DC.	Anthemis-ld.	Hybrid.	1822.	——	G. ♄.	
318	pyrethriifolium. S.G.	Feverfew-ld.	———	1821.	——	G. ♄.	Sweet ger. 2. t. 153.
319	chrysanthemifolium.	Chrysanthm.-ld.	———	——	4. 10.	G. ♄.	——— 2. t. 124.
320	Dobreeanum. S.G.	Mrs. Dobree's.	———	1818.	——	G. ♄.	——— 3. t. 253.
321	Bisshoppæ. S.G.	Mrs. Bisshopp's.	———	1822.	——	G. ♄.	——— 3. t. 272.
322	signatum. S.G.	marked-leaved.	———	——	——	G. ♄.	——— 3. t. 265.
323	dianthiflorum.	Pink-flowered.	Hybrid.	....	3. 9.	G. ♄.	
324	quercifolium. DC.	Oak-leaved.	C. B. S.	1774.	3. 8.	G. ♄.	L'Herit. ger. t. 14.
	β *bipinnatifidum.*	*bipinnatifid.*	———	——	——	G. ♄.	——— t. 15.
325	eximium. S.G.	select.	Hybrid.	1818.	4. 8.	G. ♄.	Sweet ger. 1. t. 26.
326	Essexiæ. C.C.	Lady Essex's.	———	——	——	G. ♄.	
327	oblatum. S.G.	oblate-leaved.	———	——	——	G. ♄.	Sweet ger. 1. t. 35.
328	Murrayanum. S.G.	Ld. Jas. Murray's	———	——	——	G. ♄.	——— 2. t. 164.
329	calocephalon. S.G.	pretty-headed.	———	1820.	——	G. ♄.	——— 3. t. 201.

330	augustum. DC.	august.	———	1809.	——	G. ♄.	Andr. geran. c. ic.
	β *Brucii.* C.C.	*Bruce's.*	———	....	——	G. ♄.	
331	Breesianum. S.G.	Breese's.	———	1818.	——	G. ♄.	Sweet ger. 1. t. 64.
332	Husseyanum. S.G.	Lady Hussey's.	———	——	——	G. ♄.	——— 1. t. 92.
333	Wellsianum. S.G.	Mr. Wells's.	———	1822.	3. 8.	G. ♄.	——— 2. t. 175.
334	Kingii. S.G.	Mr. King's.	———	——	3. 12.	G. ♄.	——— 3. t. 248.
335	Scottii. S.G.	Sir C. Scott's.	———	——	3. 9.	G. ♄.	——— 3. t. 264.
336	Palkii. S.G.	Mr. Palk's.	———	——	1. 12.	G. ♄.	——— 3. t. 224.
337	rotundilobum. S.G.	round-lobed.	———	1823.	3. 9.	G. ♄.	——— 3. t. 252.
338	latilobum. S.G.	broad-lobed.	———	——	——	G. ♄.	——— 3. t. 236.
339	obcordatum. S.G.	obcordate-pet'ld.	———	——	——	G. ♄.	——— 3. t.
340	incomparabile.	incomparable.	———	1822.	——	G. ♄.	
341	lasiophyllum. S.G.	woollydivided-ld.	———	——	——	G. ♄.	Sweet ger. 3. t.
342	Lechianum. DC.	acute-notched.	———	1820.	——	G. ♄.	
343	jatrophæfolium. DC.	Jatropha-ld.	———	——	——	G. ♄.	
344	denticulatum. DC.	tooth-leaved.	C. B. S.	1789.	5. 8.	G. ♄.	Sweet ger. 2. t. 109.
345	viscosissimum. S.G.	viscous.	———	1820.	3. 8.	G. ♄.	——— 2. t. 118.
	α *album.*	*white-flowered.*	———	——	——	G. ♄.	
	β *carneum.*	*flesh-coloured.*	———	——	——	G. ♄.	
346	glutinosum. DC.	clammy.	———	1777.	5. 6.	G. ♄.	L'Herit. ger. t. 20.
	β *nigrescens.*	*black-marked.*	———	——	——	G. ♄.	Bot. mag. 143.
347	cynosbatifolium. DC.	Cynosbati-ld.	Hybrid.	....	4. 8.	G. ♄.	Sweet ger. 3. t. 259.
	Geranium oxoniense. A.G. ic.						
348	verbenæfolium. S.G.	Vervain-leaved	Hybrid.	1818.	——	G. ♄.	——— 2. t. 149.
	piperatum. DC ?						
349	melissinum. S.G.	Balm-scented.	———	——	——	G. ♄.	——— 1. t. 5.
350	ternatum. DC.	ternate-leaved.	C. B. S.	1789.	5. 8.	G. ♄.	——— 2. t. 165.
351	patentissimum. W.C.	most-spreading.	———	1822.	——	G. ♄.	Wendl. coll. ic.
352	spinosum. DC.	thorny.	———	1795.	5. 6.	G. ♄.	Paters. it. t. ad. p. 67.
353	tripartitum. S.G.	brittle-stalked.	———	1789.	5. 8.	G. ♄.	Sweet ger. 2. t. 115.
	Geranium fragile. A.R. 97.						
354	incisum. DC.	cut-leaved.	———	1791.	——	G. ♄.	——— 1. t. 93.
355	canescens. S.G.	canescent.	———	....	——	G. ♄.	
356	abrotanifolium. DC.	Southernwood-ld.	———	1791.	——	G. ♄.	Jacq. schœn. 2. t. 136.
357	artemisiæfolium. DC.	Wormwood-ld.	———	1817.	——	G. ♄.	
358	fragrans. DC.	Nutmeg-scent'd	Hybrid.	....	5. 10.	G. ♄.	Sweet ger. 2. t. 172.
359	odoratissimum. DC.	sweet-scented.	C. B. S.	1724.	——	G. ♄.	Andr. ger. c. ic.
360	exstipulatum. DC.	soft trifid-ld.	———	1779.	——	G. ♄.	L'Herit. ger. t. 35.
	Geranium suavevlens. A.G. ic.						
361	dissectum. S.G.	dissected-ld.	Hybrid.	1822.	5. 11.	G. ♄.	Sweet ger. 3. t. 247.
362	glomeratum. DC.	close-headed.	N. S. W.	1792.	5. 8.	G. ♄.	Jacq. fl. ecl. 1. t. 98.
	australe. S.G. ss. *non* DC.						
363	australe. DC.	New Holland.	———	——	——	G. ♃.	Jacq. fl. ecl. 1. t. 100.
364	inodorum. DC.	scentless.	———	1796.	3. 8.	G. ♃.	Sweet ger. 1. t. 56.
365	columbinum. DC.	Doves-foot.	C. B. S.	1795.	6. 10.	G. ♃.	Jacq. schœn. 2. t. 133.
366	procumbens. DC.	procumbent.	———	1801.	4. 5.	G. ♃.	Andr. bot. rep. 234.
367	humifusum. DC.	trailing.	Canaries.	——	4. 10.	H. ☉.	Sweet ger. 1. t. 42.
368	chamædryfolium. DC.	Chamædrys-ld.	C. B. S.	1812.	5. 6.	G. ♃.	Jacq. ic. rar. 3. t. 523.
369	althæoides. DC.	Althæa-leaved.	———	1724.	4. 6.	G. ♂.	L'Herit. ger. t. 10.
370	grossularioides. DC.	Gooseberry-ld.	———	1731.	4. 8.	G. ♃.	Cav. dis. 4. t. 119. f. 2.
371	anceps. DC.	flat-stalked.	———	1788.	5. 7.	G. ♃.	Jacq. col. 4. t. 22. f. 3.
372	parviflorum. A.G.	small-flowered.	———	1800.	——	G. ♃.	Andr. geran. c. ic.
373	acugnaticum. L.T.	Tristan d'Acunn.	T.d'Acunna.	1818.	——	G. ♃.	
374	senecioides. DC.	Groundsel-ld.	C. B. S.	1775.	6. 7.	G. ☉.	L'Herit. ger. t. 11.
375	alchimilloides. DC.	mantle-leaved.	———	1693.	5. 10.	G. ♃.	Cav. dis. 4. t. 98. f. 1.
376	Heritieri.	L'Heritier's.	———	1820.	——	G. ♃.	
377	tabulare. DC.	rough-stalked.	———	1775.	5. 8.	G. ♄.	L'Herit. ger. t. 9.
378	ovale. DC.	oval-leaved.	———	1774.	——	G. ♄.	Sweet ger. 3. t. 235.
379	elegans. DC.	elegant.	———	1795.	——	G. ♄.	Andr. repos. 98.
	α *major.* S.G.	*smaller-flowered.*	———	——	——	G. ♄.	Sweet ger. 1. t. 36. f. a.
	β *minor.* S.G.	*larger-flowered.*	———	——	——	G. ♄.	——— 1. t. 36. f. b.
380	schizopetalum. S.G.	divided-petal'd.	———	1821.	6. 10.	G. ♄.	——— 3. t. 232.
381	pinguifolium. S.G.	greasy-leaved.	Hybrid ?	....	5. 10.	G. ♄.	——— 1. t. 52.
382	lateripes. DC.	Ivy-leaved.	C. B. S.	1787.	——	G. ♄. ⌣.	L'Herit. ger. t. 24.
	α *viridifolium.*	*green-leaved.*	———	——	——	G. ♄. ⌣.	Andrews's geran. c. ic.
	β *zonatum.*	*Horseshoe-mark'd*	———	——	——	G. ♄. ⌣	
	γ *roseum.*	*rose-coloured.*	———	——	——	G. ♄. ⌣.	
	δ *albomarginatum.* DC.	*white-margined.*	———	——	——	G. ♄. ⌣.	Andrews's geran. c. ic.

383	peltatum. DC.	peltate-leaved.	———	1701.	——	G. ħ.	Bot. mag. 20.
	β *variegatum.* A.G.	*variegated-leaved*	———	——	——	G. ħ.	Andr. geran. c. ic.
384	scutatum. S.G.	shield-leaved.	———	1819.	——	G. ħ.	Sweet ger. 1. t. 95.
385	polytrichum. S.G.	many-haired.	Hybrid.	1823.	——	G. ħ.	——— S. t. 274.
386	dilutum. S.G.	stained-petal'd.	———	——	——	G. ħ.	——— S. t.
387	heterotrichum. S.G.	unequal-haired.	———	——	——	G. ħ.	——— S. t.
388	Moreanum. S.G.	More's victory.	———	——	——	G. ħ.	——— S. t.
389	rutaceum. S.G.	Rue-like.	———	——	——	G. ħ.	——— S. t. 279.
390	polyanthon. S.G.	numerous-fld.	———	——	——	G. ħ.	——— S. t.
391	ligulatum. S.G.	ligulate-petaled	———	——	——	G. ♃.	——— S. t.
392	volatiflorum. S.G.	flying-flowered.	———	——	——	G. ħ.	——— S. t.
393	variifolium. S.G.	various-leaved.	———	——	——	G. ħ.	——— S. t. 280.
394	mundulum. S.G.	spruce.	———	——	——	G. ♃.	
395	rhodolentum. S.G.	rose-smelling.	———	——	——	G. ħ.	
396	rhodanthum. S.G.	rose-coloured.	———	1824.	——	G. ħ.	Sweet ger. S. t. 282.
397	Southcoteanum. S.G.	MissSouthcote's	———	——	——	G. ħ.	
398	compactum. S.G.	compact.	———	——	——	G. ħ.	
399	Barclayanum. S.G.	Mr. Barclay's.	———	——	——	G. ħ.	
400	Milleri.	Mr. Miller's.	———	——	——	G. ħ.	
401	brevipes.	short-peduncl'd	———	——	——	G. ħ.	
402	Heselrigii.	Ly. Heselrige's.	———	——	——	G. ħ.	
JENKINSONIA. S.G.		JENKINSONIA.	Monadelphia Heptandria.				
1	tetragona. S.G.	square-stalked.	C. B. S.	1774.	5. 8.	G. ħ.	Sweet ger. 1. t. 99.
	β *variegata.*	*variegated.*	———	——	——	G. ħ.	——— 1. t. 99.
2	quinata. S.G.	quinate-leaved.	———	1793.	——	G. ħ.	——— 1. t. 79.
	Pelargonium quinatum. B.M. 547. *Geranium præmorsum* A.R. 150.						
3	pendula. S.G.	pendulous-branch'd.	——	....	——	G. ħ.	Sweet ger. 2. t. 183.
4	longicaulis. S.G.	long-stalked.	———	....	——	G. ħ.	Jacq. ic. rar. 3. t. 533.
	Pelargonium longicaule. Jacq.						
5	anemonefolia. S.G.	Anemone-ld.	———	....	——	G. ħ.	——— S. t. 535.
6	caucalifolia. S.G.	Caucalus-leav'd	———	1812.	3. 9.	G. ♃.	——— S. t. 529.
7	multicaulis. S.G.	many-stalked.	———	1802.	6. 8.	G. ♃.	——— S. t. 534.
8	lacera. S.G.	torn-leaved.	———	1731.	——	G. ♃.	——— S. t. 532.
9	coriandrifolia. S.G.	Coriander-ld.	—— ——	1724.	3. 9.	G. ♃.	Sweet ger. 1. t. 84.
	Pelargonium coriandrifolium. S.G.						
10	myrrhifolia. S.G.	Myrrh-leaved.	———	1696.	5. 8.	G. ħ.	Jacq. ic. rar. 3. t. 531.
	Pelargonium betonicum. Jacq.						
11	bullata. S.G.	blistered.	———	....	——	G. ħ.	——— S. t. 530.
12	canariensis.	Canary.	Canaries.	1802.	5. 9.	G. ♂.	Willd. hort. ber. t. 17.
	Pelargonium canariense. W.						
CICONIUM. S.G.		CICONIUM.	Monadelphia Heptandria.				
1	acetosum. S.G.	Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. ħ.	Andr. geran. c. ic.
2	scandens. S.G.	climbing.	———	1800.	——	G. ħ.	
3	stenopetalum. S.G.	narrow-petal'd.	———	——	——	G. ħ.	
4	leptopetalum.	slender-petal'd.	———	——	——	G. ħ.	Andr. geran. c. ic.
	Geranium stenopetalum. A.G. *nec aliorum.*						
5	pumilum. S.G.	dwarf.	———	——	——	G. ħ.	Andr. geran. c. ic.
	Geranium zonale minima. A.G.						
6	lateritium. S.G.	brick-coloured.	———	——	——	G. ħ.	Jacq. ecl. 1. t. 97. f. ult.
7	malvæfolium.	Mallow-leaved.	———	1812.	——	G. ħ.	——— 1. t. 97.
	Pelargonium malvæfolium. Jacq.						
8	heterogamum. S.G.	six-stamened.	Hybrid.	1786.	——	G. ħ.	L'Herit. geran. t. 18.
9	albidum. C.C.	white-flowered.	C. B. S.	....	——	G. ħ.	
10	zonale. S.G.	horse-shoe.	———	1710.	4. 12.	G. ħ.	Cav. diss. 4. t. 98. f. 2.
	α *lilacinum.*	*lilac-coloured.*	———	——	——	G. ħ.	
	β *coccineum.*	*scarlet.*	———	——	——	G. ħ.	
	γ *crystallinum.*	*coral-stalked.*	———	——	——	G. ħ.	
	δ *marginatum.*	*white-edged.*	———	——	——	G. ħ.	
11	reticulatum. S.G.	netted-veined.	Hybrid.	1810.	5. 10.	G. ħ.	Sweet ger. 2. t. 143.
12	Fothergillii. S.G.	Fothergill's.	C. B. S.	....	——	G. ħ.	——— S. t. 226.
	α *coccineum.*	*scarlet.*	———	——	——	G. ħ.	——— S. t. 226. a.
	β *purpureum.*	*purple.*	———	——	——	G. ħ.	——— S. t. 226. b.
13	monstrum. S.G.	cluster-leaved.	Hybrid.	1784.	7. 8.	G. ħ.	——— 1. t. 13.
14	æqualiflorum. C.C.	victory.	———	1819.	5. 10.	G. ħ.	
15	hybridum. S.G.	hybrid.	C. B. S.	1732.	——	G. ħ.	Sweet ger. 1. t. 63.
16	oxyphyllum. C.C.	sour-leaved.	Hybrid.	....	——	G. ħ.	Andr. geran. c. ic.
	Geranium miniatum. v. album. A.G.						
17	humile.	low-spreading.	C. B. S.	....	——	G. ħ.	

18	crenatum. s.G.	scolloped-l'd.	———	....	——	G. ♄.	Andr. geran. c. ic.
19	bracteosum.	large-bracted.	Hybrid.	....	——	G. ♄.	
	Pelargonium bracteosum. DC.						
20	Bentinckianum.	Bentinck's.	C. B. S.	....	——	G. ♄.	Andr. geran. c. ic.
	Pelargonium Bentinckianum. DC. *Geranium crenatum; var. mollifoliata.* A.G.						
21	cerinum. s.G.	wax-flowered.	Hybrid?	....	——	G. ♄.	Sweet ger. 2. t. 176.
22	inquinans. s.G.	staining-gland'd	C. B. S.	1714.	5. 9.	G. ♄.	Andr. geran. c. ic.
23	micranthum.	small-flowered.	———	....	——	G. ♄.	
ISOPETALUM. S.G.		Isopetalum.	Monadelphia Pentandria.				
1	Cotyledonis. s.G.	Hollyhock-l'd.	St.Helena.	1765.	5. 8.	G. ♄.	Sweet ger. 2. t. 126.
	Pelargonium Cotyledonis. W.						
2?	discipes. C.C.	central-stalked.	———	1808.	....	G. ♄.	

ORDO XLVIII.

TROPÆOLEÆ. *DC. prod.* 1. *p.* 683.

TROPÆOLUM. DC.		Indian-cress.	Octandria Monogynia. L.					
1	minus. DC.	small.	Peru.	1596.	6. 10.	H. ☉.	Bot. mag. 98.
	β *flore pleno.*	*double-flowered.*	———	——	——	G. 4.	
2	majus. DC.	great.	———	1686.	——	H. ☉.	Bot. mag. 23.
	β *flore pleno.*	*double-flowered.*	———	——	——	G. 4.	
3	hybridum. DC.	hybrid.	Hybrid.	....	——	G. 4.	Berg. act.holm. 32. t.1.
4	aduncum. DC.	fringe-flower'd.	Peru.	1775.	——	G. ☉.	Bot. reg. t. 718.
	peregrinum. B.R. *non* L.						
5	pinnatum. DC.	pinnate-flow'r'd	———	....	——	G. 4.	Andr. reposit. t. 535.

ORDO XLIX.

BALSAMINEÆ. *DC. prodr.* 1. *p.* 685.

BALSAMINA. DC.		Balsam.	Pentandria Pentagynia.					
1	hortensis. DC.	garden.	E. Indies.	1596.	7. 10.	S. ☉.	Blackw. t. 583.
	Impatiens Balsamina. L.						
2	coccinea. DC.	glandular-l'd.	———	1808.	6. 9.	S. ☉.	Bot. mag. 1256.
3	mysorensis. DC.	Mysore.	———	1823.	——	S. ☉.	
4	bifida. DC.	bifid-spurred.	C. B. S.	1818.	7. 10.	H. ☉.	
5	capensis. DC.	Cape.	———	——	——	H. ☉.	
6	chinensis. DC.	Chinese.	China.	1823.	——	H. ☉.	
IMPATIENS. DC.		Touch me not.	Pentandria Monogynia. L.					
1	natans. DC.	floating.	E. Indies.	1823.	6. 10.	S.w. ☉.	
2	biflora. W.	two-flowered.	N. Amer.	....	——	H. ☉.	Swt. br. fl. gar. t. 43.
	fulva. DC.						
3	pallida. DC.	pale-flowered.	———	1812.	——	H. ☉.	
4	Noli-tangere. DC.	common.	England.	....	——	H. ☉.	Eng. bot. 937.
5	tripetala. DC.	three-petaled.	E. Indies.	1823.	——	S. ☉.	

ORDO L.

OXALIDEÆ. *DC. prodr.* 1. *p.* 689.

AVERRHOA. DC.		Averrhoa.	Pentandria Pentagynia. L.					
1	Carambola. DC.	Carambola-tree	E. Indies.	1793.	....	S. ♄.	Rumph. amb. 1. t. 35.
2	Bilimbi. DC.	Bilimbi-tree.	———	1791.	5. 7.	S. ♄.	——— 1. t. 36.

BIOPHYTUM. DC.	**Biophytum.**	**Decandria Pentagynia.**					
sensitivum. DC.	sensitive.	E. Indies.	1824.	5. 7.	S. ♃.	Jacq.ox.n.21.t.78.f.4.
Oxalis sensitiva. L.						
OXALIS. DC.	**Wood-sorrel.**	**Decandria Pentagynia.**				**L.**
1 Plumieri. DC.	Plumier's.	S. Amer.	1822.	4. 6.	S. ♄.	Pl.ed.Burm.t.213. f.1.
2 Barrelieri. DC.	Barrelier's.	——	——	——	S. ♄.	Jacq. ox. n. 4. t. 3.
3 fruticosa. DC.	frutescent.	Rio Janeiro.	——	——	S. ♄.	
4 perennans. DC.	perennial.	N. S. W.	....	5. 9.	G. ♃.	
5 Dillenii. DC.	Dillenius's.	America.	1798.	——	H. ☉.	Dill. elth. 2. t. 221.
6 florida. S.P.	prostrate.	——	....	——	H. ☉.	
7 stricta. DC.	upright.	N. Amer.	1658.	6. 10.	H. ♃.	Jacq. ox. n. 9. t. 4.
8 corniculata. DC.	procumbent.	Britain.	....	5. 10.	H. ♃.	Eng. bot. 1726.
9 Lyoni. DC.	Lyons'.	N. Amer.	1812.	——	H. ♃.	
10 microphylla. DC.	small-leaved.	N. Holland.	....	——	H. ☉.	
rubens. H.M.						
11 repens. DC.	creeping-stalk'd	C. B. S.	1793.	3. 4.	G. ♃.	Jacq.ox.n.11.t.78.f.1.
12 rosea. DC.	crimson.	Chili.	1822.	4. 6.	G. ♃.	Bot. mag. 2415.
13 lateriflora. DC.	side-flowering.	C. B. S.	——	——	G. ♃.	Jacq. schœnb. 2. t. 204.
14 macrostylis. DC.	long-styled.	——	1793.	10. 11.	G.b.	Jacq. ox. n. 22. t. 9.
15 tubiflora. DC.	tube-flowered.	——	1790.	——	G.b.	—— n. 23. t. 10.
16 canescens. DC.	canescent.	——	1822.	——	G.b.	—— n. 24. t. 11.
17 secunda. DC.	secund.	——	1790.	——	G.b.	—— n. 68. t. 12.
18 hirta. DC.	hairy-stalked.	——	1787.	1. 3.	G.b.	—— n. 26. t. 13.
19 hirtella. DC.	tooth-stamen'd.	——	1820.	——	G.b.	—— n. 27. t. 14.
20 multiflora. DC.	many-flowered.	——	1789.	2. 3.	G.b.	—— n. 28. t. 15.
21 rubella. DC.	branching red.	——	1791.	9. 11.	G.b.	Bot. mag. 1031.
22 rosacea. DC.	rose-coloured.	——	1793.	10. 2.	G.b.	—— 1698.
23 virginea. DC.	virgin.	——	1822.	11. 12.	G.b.	Jacq.schœnb. 3. t. 275.
24 reptatrix. DC.	creeping-rooted	——	1795.	——	G. ♃.	Jacq. ox. n. 33. t. 20.
25 incarnata. DC.	flesh-coloured.	——	1739.	4. 6.	G.b.	Jacq. vind. t. 71.
26 venosa. DC.	veined-flow'r'd.	——	1821.	——	G.b.	
27 cuprœa. B.C.	copper-colour'd	——	1822.	——	G.b.	Lodd. b. cab. 824.
28 tetraphylla. DC.	four-leaved.	Mexico.	——	——	H.b.	—— t. 790.
29 sericea. DC.	silky-leaved.	C. B. S.	1794.	——	G.b.	Jacq.ox.n.13.t.77.f.1.
30 violacea. DC.	violet-coloured.	N. Amer.	1772.	5. 6.	H.b.	Jacq. vind. t. 180.
31 caprina. DC.	goats-foot.	C. B. S.	1757.	3. 6.	G.b.	Jacq. ox. t. 76. f. 1.
32 cernua. DC.	drooping yellow	——	——	2. 5.	G.b.	—— n. 16. t. 6.
caprina. B.M. 227. not DC.						
β flore pleno.	double-flower'd	——	——	——	G.b.	
33 compressa. DC.	compressed.	——	1794.	12. 1.	G.b.	Jacq.ox.n.19.t.78.f.3.
34 dentata. DC.	toothed.	——	1793.	11. 12.	G.b.	—— n. 17. t. 7.
35 livida. DC.	livid.	——	——	10. 11.	G.b.	—— n. 18. t. 8.
36 purpurata. DC.	purplish-leav'd.	——	1820.	——	G.b.	Jacq. schœnb. t. 356.
37 macrophylla. DC.	large-leaved.	——	——	——	G.b.	
38 lobata. DC.	lobed.	Chili.	1821.	4. 6.	H.b.	Bot. mag. 2386.
39 monophylla. DC.	simple-leaved.	C. B. S.	1774.	10. 11.	G.b.	Jacq.ox.n. 35. t. 79.f.3.
40 rostrata. DC.	beaked.	——	1795.	——	G.b.	—— n. 36. t. 22.
41 crispa. DC.	curled.	——	1793.	——	G.b.	—— n. 37. t. 23.
42 leporina. DC.	Hare's-eared.	——	1795.	10. 11.	G.b.	—— n. 39. t. 25.
43 asinina. DC.	asses-eared.	——	1793.	11. 12.	G.b.	—— n. 38. t. 24.
44 lanceæfolia. DC.	spear-leaved.	——	1795.	10. 11.	G.b.	—— n. 40. t. 26.
45 fabæfolia. DC.	Bean-leaved.	——	1794.	——	G.b.	—— n. 41. t. 27.
46 laburnifolia. DC.	Laburnum-ld.	——	1793.	9. 10.	G.b.	—— n. 42. t. 28.
47 sanguinea. DC.	bloody-leaved.	——	1795.	10. 12.	G.b.	—— n. 43. t. 29.
48 tricolor. DC.	three-coloured.	——	1794.	——	G.b.	—— n. 63. t. 47.
49 ciliaris. DC.	ciliated.	——	1793.	——	G.b.	—— n. 45. t. 30.
50 arcuata. DC.	gland-covered.	——	1795.	——	G.b.	—— n. 46. t. 31.
51 flaccida. DC.	flaccid.	——	1812.	——	G.b.	—— n. 66. t. 51.
52 ferruginata. DC.	rust-spotted.	——	1822.	——	G.b.	Jacq. schœnb. 3. t.274.
53 ambigua. DC.	ambiguous.	——	1790.	9. 12.	G.b.	Jacq. ox. n. 59. t. 43.
54 undulata. DC.	wave-leaved.	——	1795.	10. 11.	G.b.	—— n. 60. t. 44.
55 glandulosa. DC.	glandulous.	——	1822.	——	G.b.	—— n. 62. t. 46.
56 fuscata. DC.	brown-spotted.	——	1795.	5. 6.	G.b.	—— n. 61. t. 45.
57 sulphurea. DC.	sulphur-colour'd	——	——	10. 11.	G.b.	—— n. 77. t. 63.
58 speciosa. DC.	specious.	——	1690.	9. 11.	G.b.	—— n. 74. t. 60.
59 variabilis. DC.	variable.	——	1795.	10. 12.	G.b.	—— n. 67.
α longiscapa. DC.	*white-flowered.*	——	——	——	G.b.	—— t. 52.
β rubra. DC.	*red-flowered.*	——	——	——	G.b.	—— t. 53.
60 grandiflora. W.	great-flowered.	——	1870.	——	G.b.	—— n. 68. t. 54.
β Simsii. DC.	*Sims's.*	——	——	——	G.b.	Bot. mag. 1683.

61	purpurea. DC.	purple.	———	1812.	——	G.b.	Jacq. ox. n. 70. t. 56.
62	convexula. DC.	convex-leaved.	———	1789.	11. 1.	G.b.	——— n. 69. t. 55.
63	lævigata. DC.	smooth.	.....	1818.	6. 8.	H.⊙.	
64	marginata. DC.	green-margin'd.	C. B. S.	1812.	9. 12.	G.b.	Jacq. ox. n. 85. t. 68.
65	pulchella. DC.	beautiful.	———	1795.	10. 11.	G.b.	——— n. 80. t. 69.
66	obtusa. DC.	blunt-leaved.	———	1812.	——	G.b.	——— n.83.t.79.f.1.
67	lanata. DC.	woolly-leaved.	———	1791.	——	G.b.	——— n.81.t.77.f.2.
68	luteola. DC.	yellowish.	———	1822.	——	G.b.	——— n. 80. t. 65.
69	Acetosella. DC.	common.	Britain.	....	4. 6.	H.¼.	Eng. bot. 762.
70	americana. DC.	American.	N. Amer.	....	——	H.¼.	
71	tenella. DC.	slender.	C. B. S.	1793.	——	G.b.	Jacq. ox. n. 82. t. 19.
72	natans. DC.	floating.	———	1795.	9. 12.	G.w.b.	——— n. 78. t. 76. f.2.
73	filicaulis. DC.	bilobed-leaved.	———	1815.	9. 10.	G.b.	Jacq. schœnb. 2. t. 205.
74	bifida. DC.	cloven-leaved.	———	1791.	9. 10.	G.b.	Jacq.ox. n.89. t.79. f.4.
75	cuneata. DC.	wedge-leaved.	———	1818.	——	G.b.	——— n. 55. t. 40.
76	cuneifolia. DC.	wedge-shaped.	———	1793.	4. 5.	G.b.	——— n. 56. t. 41.
77	linearis. DC.	linear-leaved.	———	1795.	9. 11.	G.b.	——— n. 47. t. 32.
78	reclinata. DC.	reclining.	———	——	——	G.b.	——— n. 49. t. 34.
79	gracilis. DC.	slender-stalked	———	....	——	G.b.	——— n. 48. t. 33.
80	miniata. DC.	miniated.	———	1818.	——	G.b.	——— n. 50. t. 35.
81	glabra. DC.	smooth.	———	1795.	5. 6.	G.b.	——— n. 58. t. 76. f.3.
82	versicolor. DC.	striped-flow'r'd	———	1774.	1. 3.	G.b.	Bot. mag. 155.
83	elongata. DC.	elongated.	———	1791.	9. 10.	G.b.	Jacq. ox. n. 52. t. 37.
84	amœna. L.en.	handsome.	———	——	——	G.b.	Jacq. schœnb. t. 206.
85	tenuifolia. DC.	fine-leaved.	———	1790.	10. 11.	G.b.	Lodd. b. cab. t. 712.
86	polyphylla. DC.	many-leaved.	———	1791.	9. 1.	G.b.	Jacq. ox. n. 59. t. 39.
87	filifolia. DC.	slender-leaved.	———	1818.	——	G.b.	Jacq. schœn. 3. t. 278.
88	pentaphylla. DC.	five-leaved.	———	1800.	11. 2.	G.b.	Bot. mag. 1549.
89	lupinifolia. DC.	Lupine-leaved.	———	1791.	10. 11.	G.b.	Jacq. ox. n. 92. t. 72.
90	flava. DC.	narrow-leaved.	———	1775.	8. 4.	G.b.	Bot. reg. 117.
91	pectinata. DC.	pectinated.	———	1790.	9. 11.	G.b.	Jacq. ox. n. 95. t. 75.
92	flabellifolia. DC.	fan-leaved.	———	1789.	——	G.b.	——— n. 94. t. 74.
93	tomentosa. DC.	downy-leaved.	———	1791.	4. 5.	G.b.	——— n. 96. t. 81.

ORDO LI.

ZYGOPHYLLEÆ. *DC. prodr.* 1. *p.* 703.

TRIBULUS. DC.	CALTROPS.	Decandria Monogynia. L.					
1	cistoides. DC.	Cistus-like.	S. Amer.	1752.	7.	S.¼.	Bot. reg. 791.
2	terrestris. DC.	small.	S. Europe.	1596.	6. 7.	H.⊙.	Lam. ill. t. 346. f. 1.
3	maximus. DC.	great.	Jamaica.	1728.	——	S.⊙.	Jacq. ic. rar. t. 402.
4	trijugatus. DC.	Nuttall's.	America.	1823.	——	H.⊙.	
FAGONIA. DC.	FAGONIA.	Decandria Monogynia. L.					
1	cretica. DC.	Cretan.	Candia.	1739.	6. 8.	H.⊙.	Bot. mag. 241.
2	arabica. DC.	Arabian.	Arabia.	1759.	——	G.ħ.	
ZYGOPHYLLUM. DC.	BEAN-CAPER.	Decandria Monogynia. L.					
1	cordifolium. DC.	heart-leaved.	C. B. S.	1774.	10.	G.ħ.	
2	Fabago. DC.	common.	Syria.	1596.	7. 9.	H.¼.	Lam. ill. t. 345. f. 1.
3	fœtidum. DC.	fœtid.	C. B. S.	1790.	6. 8.	G.ħ.	Schr. s. han. p. 17. t. 9.
	β *insuave.* B.M.	*unpleasant.*	———	——	——	G.ħ.	Bot. mag. 372.
4	fruticulosum. DC.	frutescent.	N. Holland.	1822.	——	G.ħ.	
5	maculatum. DC.	spotted.	C. B. S.	1782.	10. 11.	G.ħ.	
6	microphyllum. DC.	small-leaved.	———	1820.	——	G.ħ.	
7	Morgsana. DC.	four-leaved.	———	1732.	5. 9.	G.ħ.	Dill. elth. t. 116. f. 141.
8	sessilifolium. DC.	sessile-leaved.	———	1713.	7. 8.	G.ħ.	——— t. 116. f. 142.
9	spinosum. DC.	spiny.	———	1818.	——	G.ħ.	
10	coccineum. DC.	scarlet.	Egypt.	——	——	G.ħ.	Forsk. des. 87. ic. t. 11.
11	album. DC.	white.	———	1770.	10. 11.	G.ħ.	DC. pl. gras. t. 154.
12	prostratum. DC.	hairy-jointed.	C. B. S.	1818.	——	G.¼.	
GUAIACUM. DC.	LIGNUM VITÆ.	Decandria Monogynia. L.					
1	officinale. DC.	common.	W. Indies.	1694.	7. 9.	S.ħ.	Lam. ill. t. 342.

2 verticale. DC.	vertical-petal'd.	New Spain.	1823.	....	S. ♄.		
3 arboreum. DC. *Zygophyllum arboreum.* Jac.	tree.	S. Amer.	——	....	S. ♄.	Jacq. amer. 130. t. 83.	

§ 2. *ZYGOPHYLLEÆ SPURIÆ ALTERNIFOLIÆ.* DC.

MELIANTHUS. DC.	HONEY-FLOWER.	Didynamia Angiospermia. L.					
1 major. DC.	great.	C. B. S.	1688.	5. 7.	G. ♄.	Bot. reg. 45.	
2 minor. DC.	small.	——	1696.	8.	G. ♄.	Bot. mag. 301.	
3 comosus. DC.	tufted.	——	1818.	——	G. ♄.	Comm. rar. t. 4.	
BALANITES. DC.	BALANITES.	Decandria Monogynia.					
ægyptiaca. DC. *Ximenia ægyptiaca.* L.	Egyptian.	Africa.	1822.	....	S. ♄.	Del. fl. eg. t. 28. f. 1.	

ORDO LII.

RUTACEÆ. *DC. prodr.* 1. *p.* 709.

Tribus I. *DIOSMEÆ.* DC.

RUTA. DC.	RUE.	Decandria Monogynia. L.				
1 pinnata. DC.	winged-leaved,	Canaries.	1780.	8. 8.	G. ♄.	Bot. reg. 807.
2 montana. DC.	mountain.	S. Europe.	1596.	8. 9.	H. ♃.	Jacq. ic. rar. 1. t. 76.
3 graveolens. DC.	common.	——	1562.	6. 9.	H. ♄.	Duham. arb. 2. t. 61.
4 bracteosa. DC.	large-bracted,	Sicily.	1823.	——	H. ♄.	
5 divaricata. DC.	spreading.	Italy.	——	——	H. ♄.	Ten. fl. nap. 1. t. 36.
6 angustifolia. DC.	narrow-leaved.	S. France.	1722.	——	G. ♄.	Bot. mag. 2311.
7 macrophylla. DC. *chalepensis. a.* L.	long-leaved.	Africa.	——	——	G. ♄.	—— 2018.
8 albiflora. D.P.	white-flowered.	Nepaul.	1820.	9. 10.	G. ♃.	Hook. ex. fl. t. 79.
9 patavina. DC.	Italian.	Italy.	——	6. 9.	H. ♃.	Mich. gen. t. 19.
10 pubescens. DC.	pubescent.	Spain.	1816.	5. 8.	H. ♃.	
11 linifolia. DC.	Flax-leaved.	——	1752.	6. 9.	H. ♄.	Andr. rep. 565.
12 suaveolens. DC.	Primrose-scent'd.	Tauria.	....	——	H. ♄.	Bot. mag. 2254.
13 dahurica. DC. *Peganum dauricum.* β. L.	Milk-wort-ld.	Dahuria.	1816.	7. 8.	H. ♃.	Gmel. sib. 4. t. 68. f. 2.
PEGANUM. DC.	SYRIAN-RUE.	Dodecandria Monogynia. L.				
Harmala. DC.	common.	Levant.	1570.	7. 8.	H. ♃.	Lam. ill. t. 401.
DICTAMNUS. DC.	FRAXINELLA.	Decandria Monogynia. L.				
1 Fraxinella. L.en.	red-flowered.	S. Europe.	1596.	5, 7.	H. ♃.	
2 albus. L.en.	white-flowered.	——	——	——	H. ♃.	
CALODENDRON. DC.	CALODENDRON.	Pentandria Monogynia.				
capense. DC.	Cape.	C. B. S.	1789.	....	G. ♄.	Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.	ADENANDRA.	Pentandria Monogynia. L.				
1 uniflora. W.en.	one-flowered.	C. B. S.	1775.	4. 7.	G. ♄.	Bot. mag. 273.
2 acuminata. *Diosma acuminata.* B.C. *non* DC.	acute-leaved.	——	1812.	——	G. ♄.	Lodd. bot. cab. 493.
3 amœna. *Diosma amœna.* B.C. 161.	charming.	——	1798.	——	G. ♄.	Bot. reg. 553.
4 speciosa. *umbellata.* W.en.	umbel-flower'd.	——	1790.	——	G. ♄.	Bot. mag. 1971.
5 fragrans. R.S.	red-flowered.	——	1812.	5. 7.	G. ♄.	—— 1519.
6 villosa. R.S. *Diosma villosa.* DC. *non* Hort.	villous.	——	——	——	G. ♄.	
7 marginata. R.S.	marginate.	——	1806.	4. 6.	G. ♄.	
8 tetragona.	tetragonal.	——	1789.	7. 8.	G. ♄.	Thunb. voy. 4. t. 5.
BAROSMA. W.en.	BAROSMA.	Pentandria Monogynia. L.				
1 serratifolia. W.en.	saw-leaved.	C. B. S.	1789.	3. 6.	G. ♄.	Bot. mag. 456.

2 odorata. R.S.	odoriferous.	——	——	——	G. ħ.	Wend. coll. 1. t. 15.
Diosma latifolia. B.C. 290.						
3 latifolia. R.S.	broad-leaved.	——	——	——	G. ħ.	Andr. rep. t. 33.
4 crenata.	crenated.	——	1774.	1. 5.	G. ħ.	Lodd. bot. cab. t. 404.
5 betulina.	wedge-leaved.	——	1790.	5. 7.	G. ħ.	
orbicularis. Hort.	*Diosma betulina.* DC.					
6 ovata. L.en.	oval-leaved.	——	——	2. 9.	G. ħ.	Bot. mag. 1616.
Diosma ovata. B.M.						
AGATHOSMA. W.en.	AGATHOSMA.	Pentandria Monogynia. L.				
1 dioica.	barren.	C. B. S.	1816.	4. 8.	G. ħ.	Bot. reg. 502.
Diosma dioica. B.R.	*linifolia.* B.C. 400.					
2? orbicularis.	round-leaved.	——	1790.	——	G. ħ.	
3 pulchella.	blunt-leaved.	——	1787.	2. 9.	G. ħ.	Bot. mag. 1857.
4 obtusa.	obtuse-pointed.	——	1774.	4. 8.	G. ħ.	Lodd. bot. cab. 210.
Diosma ciliata. B.C.	*non* L.					
α ovata.	*oval-leaved.*	——	——	——	G. ħ.	Wendl. coll. 1. t. 13.
β oblonga.	*oblong-leaved.*	——	——	——	G. ħ.	—— 1. t. 14.
γ lanceolata.	*lanceolate.*	——	——	——	G. ħ.	Bot reg. 476.
5 ciliata.	ciliated.	——	——	——	G. ħ.	—— 366.
6 prolifera.	white-flowered.	——	....	——	G. ħ.	
7 rugosa. L.en.	rugose.	——	1790.	——	G. ħ.	
8 ambigua.	doubtful.	——	....	——	G. ħ.	Lodd. bot. cab. 461.
Diosma ambigua. B.C.						
9 barbata. Spr.	bearded.	——	....	——	G. ħ.	
10 acuminata. W.en.	acuminate.	——	1812.	——	G. ħ.	Wendl. coll. 1. t. 28.
11 imbricata. W.en.	imbricated.	——	1774.	——	G. ħ.	—— 1. t. 9.
12 Cerefolium.	Chervil-scent'd.	——	1790.	——	G. ħ.	Vent. malm. t. 93.
13 villosa. W.en.	shaggy.	——	1786.	6. 8.	G. ħ.	Wendl. coll. 1. t. 2.
Diosma Wendlandiana. DC.						
14 erecta.	upright.	——	1816.	——	G. ħ.	—— 1. t. 3.
15 hirta.	hairy.	——	1794.	5. 7.	G. ħ.	Bot. reg. 369.
16 hispida.	rough-leaved.	——	1786.	6. 8.	G. ħ.	
17 brevifolia.	short-leaved.	——	1816.	——	G. ħ.	
18 reflexa. L.en.	reflex-leaved.	——	——	——	G. ħ.	
19 bruniades.	Brunia-like.	——	——	——	G. ħ.	
DIOSMA. W.en.	DIOSMA.	Pentandria Monogynia. L.				
1 oppositifolia. DC.	opposite-leav'd.	C. B. S.	1752.	3. 7.	G. ħ.	
2 succulenta. DC.	succulent-ld.	——	....	4. 6.	G. ħ.	Wendl. coll. 1. t. 1.
3 cupressina. DC.	Cypress-like.	——	1790.	6. 7.	G. ħ.	Lodd. bot. cab. t. 303.
4 teretifolia. L.en.	round-leaved.	——	1818.	——	G. ħ.	
5 linearis. DC.	linear-leaved.	——	1800.	3. 7.	G. ħ.	
6 pectinata. DC.	pectinated.	——	1812.	4. 6.	G. ħ.	
7 subulata. DC.	awl-leaved.	——	——	3. 6.	G. ħ.	Wendl. coll. 1. t. 8.
8 alba. DC.	white-flower'd.	——	1800.	——	G. ħ.	
9 rubra. DC.	Heath-leaved.	——	1752.	2. 5.	G. ħ.	Bot. reg. 563.
10 hirsuta. DC.	hairy-leaved.	——	1731.	——	G. ħ.	Wendl. coll. 1. t. 27.
11 tenuissima. L.en.	slender-leaved.	——	....	——	G. ħ.	
12 ericoides. DC.	Heath-like.	——	1756.	3. 7.	G. ħ.	Mill. ic. t. 124. f. 2.
13 capitata. DC.	headed.	——	1790.	5. 6.	G. ħ.	
14 longifolia. DC.	long-leaved.	——	....	——	G. ħ.	Wendl. coll. 1. t. 19.
EMPLEURUM. DC.	EMPLEURUM.	Monœcia Tetrandria.				
serrulatum. DC.	saw-leaved.	C. B. S.	1774.	6. 7.	G. ħ.	Sm. exot. bot. 2. t. 63.
CORRÆA. Sm.	CORRÆA.	Octandria Monogynia.				
1 alba. DC.	white.	N. S. W.	1793.	4. 7.	G. ħ.	Andr. bot. rep. 18.
2 rufa. DC.	rusty-leaved.	——	1819.	——	G. ħ.	Labill. voy. 2. t. 17.
3 speciosa. DC.	red-flowered.	——	1806.	11. 5.	G. ħ.	Bot. reg. 26.
4 virens. DC.	green-flower'd.	——	1800.	——	G. ħ.	Sm. exot. bot. 2. t. 72.
5 pulchella. ψ.	pretty.	N. Holland.	1824.	——	G. ħ.	
PHEBALIUM. DC.	PHEBALIUM.	Decandria Monogynia.				
squammulosum. DC.	scaly.	N. S. W.	1820.	4. 6.	G. ħ.	Vent. malm. t. 102.
CROWEA. DC.	CROWEA.	Decandria Monogynia.				
saligna. DC.	Willow-leaved.	N. S. W.	1790.	7. 12.	G. ħ.	Bot. mag. 989.
ERIOSTEMON. DC.	ERIOSTEMON.	Decandria Monogynia.				
1 buxifolium. DC.	Box-leaved.	N. S. W.	1822.	4. 6.	G. ħ.	
2 salicifolium. DC.	Willow-leaved.	——	——	——	G. ħ.	Linn. trans. 11. t. 26.
PHILOTHECA. L.T.	PHILOTHECA.	Monadelphia Decandria.				
australis. L.T.	Salsola-leaved.	N. S. W.	1822.	——	G. ħ.	Linn. trans. 11. t. 21.
BORONIA. DC.	BORONIA.	Octandria Monogynia.				
1 pinnata. DC.	Hawthorn-scented.	N. S. W.	1794.	2. 5.	G. ħ.	Bot. mag. 1768.

2 tetrandra. DC.	tetrandrous.	N.Holland.	1824.	....	G.ħ.	Lab. nov. hol. 1. t. 125.
3 serrulata. DC.	Rose-scented.	N. S. W.	1816.	2. 5.	G.ħ.	Bot. reg. 842.
4 polygalæfolia. DC.	Polygala-ld.	———	1824.	....	G.ħ.	Smith tracts. t. 7.
5 ledifolia. DC.	Ledum-leaved.	———	——	....	G.ħ.	
CYMINOSMA. DC.	CYMINOSMA.	Octandria Monogynia.				
1 pedunculata. DC.	peduncled.	E. Indies.	1800.	....	S.ħ.	Vahl. symb. 3. t. 61.
Jambolifera pedunculata. W.						
2 odorata. DC.	sweet-scented.	China.	1818.	....	S.ħ.	
ZIERIA. DC.	ZIERIA.	Tetrandria Monogynia.				
1 lanceolata. DC.	spear-leaved.	N. S. W.	1808.	4. 7.	G.ħ.	Bot. mag. 1395.
Smithii. Bot. rep. 606.						
2 macrophylla. DC.	large-leaved.	———	1820.	——	G.ħ.	
3 lævigata. DC.	smooth-leaved.	———	1822.	——	G.ħ.	
4 microphylla. DC.	small-leaved.	———	——	——	G.ħ.	
5 pilosa. DC.	hairy.	———	——	——	G.ħ.	Linn. trans. 10. t. 17. f. 2.
6 hirsuta. DC.	hirsute.	———	——	——	G.ħ.	
MELICOPE. DC.	MELICOPE.	Octandria Monogynia.				
ternata. DC.	ternate-leaved.	N. Zealand.	1822.	....	G.ħ.	Lam. ill. t. 294.
ELAPHRIUM. DC.	ELAPHRIUM.	Octandria Monogynia.				
glabrum. DC.	smooth.	Carthagena.	1818.	....	S.ħ.	Jacq. amer. t. 71. f. 4.
Fagara Elaphrium. W.						
EVODIA. DC.	EVODIA.	Tetrandria Monogynia.				
triphylla. DC.	three-leaved.	PuloPenang.	1820.	....	S.ħ.	Rumph. amb. 2. t. 62.
Fagara triphylla. F.I.						
ZANTHOXYLUM. DC.	ZANTHOXYLUM.	Tetrandria Monogynia et Diœcia Pentandria.				
1 tragodes. DC.	prickly-leaved.	St. Domingo.	1759.	8. 9.	S.ħ.	Jacq. amer. 21. t. 14.
Fagara tragodes. W.						
2 Pterota. DC.	Lentiscus-ld.	W. Indies.	1768.	——	S.ħ.	Br. jam. 146. t. 5. f. 1.
Fagara lentiscifolia. W.en.						
3 piperitum. DC.	Ash-leaved.	Japan.	1773.	9.	G.ħ.	Kæmpf. am. t. 893.
4 Avicennæ. DC.	short-panicled.	China.	1823.	....	G.ħ.	Lob. ic. 2. t. 133. f. 2.
5 heterophyllum. DC.	various-leaved.	Bourbon.	——	....	S.ħ.	
6 emarginatum. DC.	notch-leaved.	Jamaica.	1739.	....	S.ħ.	Sloan. j. 2. t. 168. f. 4.
7 acuminatum. DC.	taper-pointed.	———	1818.	....	S.ħ.	
8 tricarpum. DC.	Ash-leaved.	N. America.	1806.	....	H.ħ.	Cat. car. 1. t. 26.
9 fraxineum. DC.	common.	———	1759.	3. 4.	H.ħ.	Duham. arb. 1. t. 97.
10 mite. DC.	soft-leaved.	———	1812.	——	H.ħ.	
11 Clava Herculis. L.	clubbed.	W. Indies.	1739.	4. 5.	S.ħ.	Pluk. t. 239. f. 4.
12 aromaticum. DC.	aromatic.	St. Domingo.	1823.	....	S.ħ.	Jacq. f. ecl. 1. t. 70.
13 armatum. DC.	armed.	E. Indies.	1816.	....	S.ħ.	
14 nitidum. DC.	shining-leaved.	China.	1822.	2. 3.	G.ħ.	Bot. mag. 2558.
15 sapindoides. DC.	Licca-tree.	Jamaica.	....	....	G.ħ.	Br. jam. 207. t. 20. f. 2.
Sapindus spinosus. L.						
SPIRANTHERA. DC.	SPIRANTHERA.	Pentandria Monogynia.				
odoratissima. DC.	Jasmine-scent'd.	Brazil.	1823.	....	S.ħ.	N.etMart.ac.b.XI.t.31.
Terpnanthus jasminiodorus. Nees.						

Tribus II. *CUSPARIEÆ.* DC.

MONNIERA. DC.	MONNIERA.	Monadelphia Diandria.				
trifolia. DC.	three-leaved.	Guiana.	1792.	7. 8.	S.☉.	Aub. gui. 2. t. 293.
GALIPEA. DC.	GALIPEA.	Diandria Monogynia.				
trifoliata. DC.	three-leaved.	Guiana.	1803.	....	S.ħ.	Aub. gui. 2. t. 269.

ORDO LIII.

SIMARUBEÆ. *DC. prodr.* 1. *p.* 733.

QUASSIA. DC.	QUASSIA.	Decandria Monogynia. L.				
amara. DC.	bitter.	Guiana.	1790.	6. 7.	S.ħ.	Bot. mag. 497.

SIMARUBA. DC.	SIMARUBA.	Monœcia Decandria.					
1 officinalis. DC. *Quassia Simaruba.* L.	officinal.	Guiana.	1787.	....	S. ħ.	Aub. gui. 2. t. 321-2.	
2 excelsa. DC. *Quassia excelsa.* Sw.	tall.	Jamaica.	1822.	....	S. ħ.	Sw. act.holm. 1788.t.8.	
SIMABA. DC.	SIMABA.	Decandria Monogynia.					
guianensis. DC. *Zwingera amara.* W.	Guiana.	Guiana.	1822.	....	S. ħ.	Aub. gui. 1. t. 153.	

ORDO LIV.

OCHNACEÆ. *DC. prodr.* 1. *p.* 735.

OCHNA. DC.	OCHNA.	Polyandria Monogynia. L.					
1 squarrosa. Rox.	blunt-leaved.	E. Indies.	1790.	7. 8.	S. ħ.	Roxb. cor. 1. t. 89.	
2 lucida. DC.	acute-leaved.	———	1818.	——	S. ħ.	Lam. ill. t. 472. f. 1.	
3 nitida. DC.	shining.	C. B. S.	1816.	....	S. ħ.	DC. ann. m. 17. n. 3. t. 2.	
4 multiflora. DC.	many-flowered.	SierraLeon.	1822.	....	S. ħ.	——— n. 4. t. 3.	
5 mauritiana. DC.	Mauritius.	Mauritius.	——	....	S. ħ.	——— n. 8. t. 5.	
6 atropurpurea. DC.	purple-calyxed.	C. B. S.	1816.	....	S. ħ.	Pluk.alm. t. 263. f. 1.2.	
GOMPHIA. DC.	GOMPHIA.	Decandria Monogynia. W.					
1 obtusifolia. DC. *Ochna lævigata.* Vahl.	blunt-leaved.	Madagascar.	1803.	....	S. ħ.	DC. ann. mus. n. 4. t. 8.	
2 Jabotapita. DC.	spear-leaved.	W. Indies.	1818.	....	S. ħ.	Lam. ill. 472. f. 2.	
3 nitida. DC.	glossy-leaved.	———	1803.	....	S. ħ.	DC. an. mus. n. 13. t. 13.	
4 laurifolia. DC.	laurel-leaved.	———	1822.	....	S. ħ.	——— n. 15. t. 15.	

ORDO LV.

CORIARIEÆ. *DC. prod.* 1. *p.* 739.

CORIARIA. DC.	CORIARIA.	Mono-Diœcia Decandria.					
1 myrtifolia. DC.	Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. ħ.	Duham. arb. 1. t. 73.	
2 sarmentosa. DC.	sarmentose.	N. Zealand.	1820.	7. 9.	G. ɥ.	Bot. mag. 2470.	

** *SUBCLASSIS* II. *CALYCIFLORÆ.*

ORDO LVI.

RHAMNEACEÆ. *Brown.*

HOVENIA. R.S.	HOVENIA.	Pentandria Monogynia. R. S.					
1 dulcis. R.S. *acerba.* B.R. 500.	smooth-leaved.	China.	1812.	4. 6.	G. ħ.	Lam. ill. t. 131.	
2 pubescens. *dulcis.* D.P. et F.I. *nec aliorum.*	pubescent-ld.	Nepaul.	1823.	....	G. ħ.		
VENTILAGO. R.S.	VENTILAGO.	Pentandria Monogynia. R. S.					
madraspatana. F.I.	Madras.	Bengal.	1823.	....	S. ħ.	Rumph. amb. 3. t. 2.	

GOUANIA. R.S.	Gouania. Polygamia Monœcia. L.							
1 domingensis. R.S.	Chaw-stick.	W. Indies.	1739.	....	S. ħ. ⌣.	Jacq. amer. t. 179.f.40.
2 mauritiana. R.S.	Mauritius.	Mauritius.	1823.	....	S. ħ. ⌣.	
3 tomentosa. R.S.	woolly-leaved.	W. Indies.	——	....	S. ħ. ⌣.	
4 tiliæfolia. F.I.	Lime-tree-ld.	E. Indies.	1810.	4. 6.	S. ħ. ⌣.	Roxb. cor. 1. t. 98.
PHYLICA. R.S.	Phylica. Pentandria Monogynia. L.							
1 glabrata. R.S.	smooth-leaved.	C. B. S.	1820.	3. 5.	G. ħ.	
2 ericoides. R.S.	Heath-leaved.	———	1790.	9. 4.	G. ħ.	Bot. mag. 224.
3 parviflora. R.S.	small-flowered.	———	——	4. 7.	G. ħ.	
4 acerosa. R.S.	needle-leaved.	———	1819.	——	G. ħ.	Spr. m. ber. 8. B. f. 1.
5 lanceolata. R.S.	lance-leaved.	———	1790.	4. 5.	G. ħ.	
6 bicolor. R.S.	two-coloured.	———	1823.	——	G. ħ.	
7 eriophora. R.S.	pale-flowered.	———	1774.	11. 3.	G. ħ.	
8 stipularis. R.S.	horned.	———	1786.	5. 9.	G. ħ.	Wendl. coll. t. 32.
9 imberbis. R.S.	beardless.	———	1823.	——	G. ħ.	Breyn. cent. 18. t. 7.
10 secunda. R.S.	secund.	———	1812.	——	G. ħ.	
11 villosa. R.S.	villous.	———	1790.	——	G. ħ.	
12 hirsuta. R.S.	hairy.	———	1820.	——	G. ħ.	
13 pinifolia. R.S.	Pine-leaved.	———	1789.	5. 6.	G. ħ.	
14 racemosa. R.S.	clustered.	———	1790.	5. 9.	G. ħ.	
15 plumosa. R.S.	feathered.	———	1752.	3. 5.	G. ħ.	Lam. ill. t. 127. f. 4.
16 imbricata. R.S.	imbricated.	———	1801.	8. 11.	G. ħ.	
17 capitata. R.S.	headed.	———	1800.	5. 8.	G. ħ.	Bot. reg. 711.
18 Commelini. R.S.	Commelin's.	———	——	——	G. ħ.	Comm. præl. 63. t. 13.
19 reclinata. R.S.	reclined.	———	1820.	——	G. ħ.	Wend. coll. II. t. 56.
20 rosmarinifolia. R.S.	Rosemary-ld.	———	1815.	——	G. ħ.	
21 axillaris. R.S.	axillary-flow'r'd.	———	1812.	5. 6.	G. ħ.	Spr. m. ber. f. 4.
22 paniculata. R.S.	panicled.	———	——	4. 6.	G. ħ.	
23 buxifolia. R.S.	Box-leaved.	———	1759.	5. 9.	G. ħ.	Wendl. coll. t. 26.
24 cordata. R.S.	heart-leaved.	———	1789.	5. 6.	G. ħ.	Comm. rar. 62. t. 12.
25 orientalis. L.en.	oriental.	———	1820.	——	G. ħ.	
26 callosa. R.S.	callous-leaved.	———	1774.	3. 4.	G. ħ.	
27 spicata. R.S.	spiked.	———	——	11. 12.	G. ħ.	Lam. ill. t. 127. f. 3.
28 cylindrica. R.S.	cylindrical.	———	....	4. 8.	G. ħ.	Wendl. coll. t. 7.
29 pubescens. H.K.	pubescent.	———	1774.	2. 4.	G. ħ.	Burm. afr. t. 44. f. 3.
30 pumila. R.S.	dwarf.	———	1820.	——	G. ħ.	
31 excelsa. R.S.	tall.	———	——	3. 5.	G. ħ.	Wendl. coll. III. t. 4.
32 papillosa. R.S.	papillose.	———	——	——	G. ħ.	——— p. 5. t. 71.
33 atrata. R.S.	black-downed.	———	——	——	G. ħ.	
34 squarrosa. B.C.	squarrose.	———	——	——	G. ħ.	Lodd. Bot. cab. 36.
35 australis. L.en.	southern.	———	1812.	——	G. ħ.	
CRYPTANDRA. Sm.	Cryptandra. Pentandria Monogynia. R.S.							
1 australis. L.T.	bundle-leaved.	N. S. W.	1821.	5. 7.	G. ħ.	
2 ericifolia. L.T.	Heath-leaved.	———	1823.	——	G. ħ.	Linn. trans. X.t.18.f.1.
3 amara. L.T.	bitter.	———	——	4. 6.	G. ħ.	——— X. t. 18. f. 2.
COLLETIA. R.S.	Colletia. Pentandria Monogynia. R.S.							
1 obcordata. R.S.	obcordate.	Peru.	1822.	5. 7.	G. ħ.	Vent. h. cels. t. 92.
2 serratifolia. R.S.	saw-leaved.	———	1823.	....	G. ħ.	Vent. choix. t. 15.
POMADERRIS. Lab.	Pomaderris. Pentandria Monogynia. R.S.							
1 phylicæfolia. B.C.	Phylica-leaved.	N. S. W.	1810.	3. 5.	G. ħ.	Lodd. bot. cab. 120.
Ceanothus? Wendlandiana. R.S?								
2 apetala. R.S.	petalless.	N. Holland.	1803.	5. 6.	G. ħ.	Lab. nov. hol. 1. t. 87.
3 elliptica. R.S.	elliptic-leaved.	———	1805.	4. 7.	G. ħ.	——— 1. t. 86.
4 acuminata. L.en.	loose-flowered.	———	1816.	——	G. ħ.	
5 lanigera. B.M.	woolly.	———	1806.	——	G. ħ.	Bot. mag. 1823.
Ceanothus laniger. A.R.								
CEANOTHUS. R.S.	Ceanothus. Pentandria Monogynia. L.							
1 americanus. W.	New Jersey Tea.	N. America.	1713.	7. 8.	H. ħ.	Bot. mag. 1479.
2 tardiflorus. R.S.	late-flowering.	———	1812.	9. 10.	H. ħ.	
3 microphyllus. Ph.	small-leaved.	———	1806.	6. 7.	H. ħ.	
4 macrocarpus. W.	large-capsuled.	New Spain.	1823.	——	S. ħ.	Cav. ic. 3. t. 276.
5 sanguineus. Ph.	red-stalked.	N. America.	1812.	5. 7.	H. ħ.	
6 intermedius. Ph.	intermediate.	———	——	6. 7.	H. ħ.	Pluk. alm. t. 28. f. 6.
7 perennis. Ph.	perennial.	———	1822.	——	H. ħ.	
8 asiaticus. W.	Asiatic.	E. Indies.	1691.	7. 8.	S. ħ.	Cav. ic. 5. t. 440. f. 1.
9 azureus. B.R. *cæruleus.* Lag.	blue.	New Spain.	1818.	4. 5.	G. ħ.	Bot. reg. 291.
10 africanus. W.	African.	C. B. S.	1712.	3. 4.	G. ħ.	Pluk. phyt. 126. f. 1.
11 globulosus. H.K.	round-headed.	N. Holland.	1803.	4. 5.	G. ħ.	Lab. nov. hol. 1. t. 85.

12 discolor. R.S.	two-coloured.	———	——	——	G. ħ.	Vent. malm. t. 58.
13 nepalensis. F.I.	Nepanl.	Nepaul.	1823.	....	H. ħ.	
DALRYMPLEA. F.I.	DALRYMPLEA.	Pentandria Monogynia.				
pomifera. F.I.	apple-bearing.	Silhet.	1823.	....	S. ħ.	
RHAMNUS. R.S.	BUCKTHORN.	Pentandria Monogynia. L.				
1 catharticus. W.	purging.	England.	....	5. 6.	H. ħ.	Eng. bot. 1629.
2 tinctorius. W.K.	dyer's.	Hungary.	1823.	——	H. ħ.	W. et K. hung. t. 255.
3 saxatilis. L.	rock.	S. Europe.	1752.	——	H. ħ.	Jacq. aust. 1. t. 53.
4 infectorius. L.	yellow-berried.	———	1683.	6. 7.	H. ħ.	
5 oleoides. L.	Olive-leaved.	Spain.	1752.	——	H. ħ.	
6 pubescens. R.S.	pubescent.	S. France.	1820.	——	H. ħ.	
7 buxifolius. R.S.	Box-leaved.	S. Europe.	——	——	H. ħ.	
8 lycioides. W.	Boxthorn-like.	Spain.	1752.	9. 12.	G. ħ.	Cav. ic. 2. t. 182.
β latifolius.	*broad-leaved.*					
9 theezans. W.	Thea.	China.	....	——	G. ħ.	
10 crenulatus. W.	crenulate.	Teneriffe.	1778.	8.	G. ħ.	
11 virgatus. F.I.	slender.	Nepanl.	1819.	4. 5.	H. ħ.	
12 erythroxylon. R.S.	red-wooded.	Siberia.	1822.	——	H. ħ.	Pall. ross. 2. t. 62.
13 tetragonus. W.	square-branch'd.	C. B. S.	1816.	....	G. ħ.	Act.gorenck.1812.c.ic.
14 valentinus. W.	Spanish.	Spain.	1825.	....	H. ħ.	Cav. ic. 2. t. 181.
pumilus C. *non.* W.						
15 cubensis. W.	Cuba.	Cuba.	1824.	....	S. ħ.	Jacq. vind. 3. t. 49.
Ceanothus cubensis. Lam.						
16 colubrinus. W.	Bahama red-wood.	Bahama.	1726.	6.	S. ħ.	——— 3. t. 50.
Ceanothus colubrinus. P.S.						
17 alpinus. W.	Alpine.	Switzerland.	1752.	5. 6.	H. ħ.	Hall. helv.n. 823. t. 40.
18 alnifolius. W.	Alder-leaved.	N. America.	1778.	——	H. ħ.	
19 pumilus. W.	dwarf.	Carniola.	1752.	7.	H. ħ.	Jacq. coll. 2. t. 11.
β rupestris.	*small.*					
20 Frangula. W.	berry-bearing.	Britain.	....	4. 5.	H. ħ.	Eng. bot. 250.
21 latifolius. W.	broad-leaved.	Azores.	1778.	7.	H. ħ.	Wats. dend. brit. t. 11.
22 ellipticus. W.	oval-leaved.	Jamaica.	1758.	8.	S. ħ.	Brown. jam. t. 29. f. 2.
Ceanothus reclinatus. P.S.						
23 prinoides. W.	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. ħ.	L. Her. sert. ang. t. 9.
24 celtifolius. R.S.	Celtis-leaved.	———	....	——	G. ħ.	Burm. afr. 242. t. 88.
25 mystacinus. W.	wiry.	Africa.	1775.	11.	S. ħ.	
26 hybridus. W.	hybrid.	Hybrid.	....	5. 6.	H. ħ.	
27 glandulosus. W.	Madeira.	Canaries.	1785.	6. 7.	G. ħ.	Vent. malm. t. 34.
28 Alaternus. W.	Alaternus.	S. Europe.	1629.	4. 6.	H. ħ.	
α latifolius.	*broad-leaved.*					
β balearicus.	*round-saw-ld.*					
γ hispanicus.	*Spanish.*					
δ glaber.	*smooth-leaved.*					
ε integrifolius.	*entire-leaved.*					
ζ maculatus.	*spot-leaved.*					
η aureo-marginatus.	*gold-striped.*					
ϑ argenteus.	*silver-striped.*					
29 Clusii. R.S.	narrow-leav'd.	———	——	——	H. ħ.	
30 integrifolius. DC.	entire-leaved.	New Spain.	1820.	....	S. ħ.	DC.h.mons. ined.t.16.
31 lanceolatus. Ph.	spear-leaved.	N. America.	1812.	4. 5.	H. ħ.	
32 longifolius. L.en.	long-leaved.	.....	1822.	——	H. ħ.	
Willdenowiana. R.S.						
33 microphyllus. R.S.	small-leaved.	Mexico.	——	....	G. ħ.	
ZIZYPHUS. R.S.	ZIZYPHUS.	Pentandria Monogynia. R.S.				
1 Lotus. R.S.	Barbary.	Africa.	1731.	....	G. ħ.	Desf.act.ac.1788.t.21.
2 mucronata. W.en.	mucronate.	C. B. S.	1820.	....	G. ħ.	
bubalina. R.S.						
3 Oenoplia. R.S.	oblique-leaved.	Ceylon.	....	....	S. ħ.	Burm. zeyl. 131. t. 61.
4 Jujuba. R.S.	blunt-leaved.	E. Indies.	1759.	4. 5.	S. ħ.	Rheed. mal. 4. t. 41.
5 albens. F.I.	white-fruited.	China.	1822.	...	G. ħ.	
6 Spina Christi. R.S.	Christ's-thorn.	Egypt.	....	4. 5.	G. ħ.	Pluk. alm. t. 197. f. 3.
7 Napeca. R.S.	spotted-fruited.	Ceylon.	1816.	....	S. ħ.	——— t. 216. f. 6.
8 vulgaris. R.S.	common.	S. Europe.	1640.	8. 9.	H. ħ.	Pall. ross. 2. t. 59.
9 nitida. F.I.	shining.	China.	1822.	....	G. ħ.	
10 Xylopyrus. R.S.	cork-barked.	E. Indies.	——	....	S. ħ.	
11 incurva. F.I.	incurved.	Nepaul.	1820.	5. 6.	F. ħ.	
12 flexuosa. F.I.	flexuose.	———	——	....	F. ħ.	
13 sororia. R.S.	pubescent-ld.	E. Indies.	1823.	....	S. ħ.	

OENOPLIA. R.S.	Oenoplia. Pentandria Monogynia. R.S.						
1 lineata. R.s.	lined.	China.	1804.	....	G. ħ.	Osb. it. 219. t. 7.
Zizyphus lineatus. W.	*Rhamnus lineatus.* L.					
2 volubilis. R.s.	twining.	Carolina.	1714.	6. 7.	H. ħ.	Jacq. ic. 2. t. 336.
Rhamnus volubilis. L.	*Zizyphus volubilis.* W.					
PALIURUS. R.S.	Christ's-thorn. Pentandria Trigynia. B.M.					
1 australis. R.s.	common.	S. Europe.	1596.	6. 7.	H. ħ.	Bot. mag. 1893.
Zizyphus Paliurus. B.M.						
2 virgatus. D.P.	Nepaul.	Nepaul.	1819.	8. 9.	H. ħ.	——— 2535.
PLECTRONIA. R.S.	Plectronia. Pentandria Monogynia. R.S.					
ventosa. R.S.	corymbed.	C. B. S.	1816.	....	G. ħ.	Burm. prod. afr. t. 94.
corymbosa. P.S.						
AUCUBA. W.	Aucuba. Monœcia Tetrandria.					
japonica. W.	Japan.	Japan.	1783.	5. 7.	H. ħ.	Bot. mag. 1197.
MYGINDA. W.	Myginda. Tetrandria Tetragynia.					
1 latifolia. W.	broad-leaved.	W. Indies.	1795.	4. 5.	S. ħ.	
2 Rhacoma. W.	blunt-leaved.	Jamaica.	1798.	....	S. ħ.	Jacq. ic. 2. t. 311.
3 uragoga. W.	saw-leaved.	S. America.	1790.	8. 9.	S. ħ.	Jacq. amer. 24. t. 16.
ILEX. R.S.	Holly. Tetrandria Tetragynia. L.					
1 canadensis. R.s.	Canadian.	N.America.	1802.	4. 5.	H. ħ.	Mich. amer. 2. t. 49.
Prinos lucidus. W.						
2 salicifolia. R.s.	Willow-leaved.	Mauritius.	1818.	——	S. ħ.	Jacq. coll. 4. t. 2. f. 2.
3 chinensis. B.M.	Chinese.	China.	1810.	——	G. ħ.	Bot. mag. 2043.
4 angustifolia. R.s.	narrow-leaved.	N.America.	1806.	5. 6.	F. ħ.	Wats. dend. brit. t. 4.
5 myrtifolia. R.s.	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S. ħ.	
6 vomitoria. R.s.	South Sea Tea.	Florida.	1700.	6. 7.	G. ħ.	Jacq. ic. 2. t. 310.
ligustrina. Jacq.						
7 Dahoon. R.s.	Dahoon.	Carolina.	1726.	5. 6.	F. ħ.	
8 Cassine. R.s.	broad-lf. Dahoon.	———	——	8.	F. ħ.	Cat. car. 1. t. 31.
9 prinoides. R.s.	deciduous.	N.America.	1760.	7.	H. ħ.	
10 cassinoides. L.en.	Cassine-leaved.	.....	1820.	——	H. ħ.	
11 paraguensis. L.P.	Paraguay Tea.	Paraguay.	1823.	....	G. ħ.	Lamb. pin. ic.
12 Perado. R.s.	thick-leaved.	Madeira.	1760.	4. 5.	F. ħ.	Meerb. ic. 2. t. 6.
13 crocea. R.s.	African.	C. B. S.	1794.	5. 6.	G. ħ.	
14 recurva. L.en.	recurved-spined.	.....	....	4. 6.	H. ħ.	
15 opaca. R.s.	Carolina.	Carolina.	1744.	5. 6.	F. ħ.	Wats. dend. brit. t. 3.
16 laxiflora. R.s.	loose-flowered.	———	1811.	——	F. ħ.	
17 balearica. L.en.	Minorca.	Minorca.	1815.	——	H. ħ.	
18 Aquifolium. R.s.	common.	Britain.	....	4. 6.	H. ħ.	Eng. bot. 496.
β *heterophylla.*	*various-leaved.*	———	....	——	H. ħ.	
γ *crassifolia.*	*thick-leaved.*	———	....	——	H. ħ.	
δ *ferox.*	*hedge-hog.*	———	....	——	H. ħ.	
ε *echinata.*	*striped hedge-hog*	———	....	——	H. ħ.	
ζ *flava.*	*yellow-berried.*	———	....	——	H. ħ.	
η *albo-marginata.*	*white-margined.*	———	....	——	H. ħ.	
ϑ *aureo-marginata.*	*gold-edged.*	———	....	——	H. ħ.	
ι *medio-picta.*	*painted.*	———	....	——	H. ħ.	
PRINOS. R.S.	Winter-Berry. Hexandria Monogynia. L.					
1 verticillatus. W.	deciduous.	N.America.	1736.	7. 8.	H. ħ.	Wats. dend. brit. t. 30.
2 ambiguus. M.	Carolina.	———	1812.	——	H. ħ.	——— t. 29.
3 lævigatus. Ph.	smooth.	———	——	——	H. ħ.	——— t. 28.
4 lanceolatus. Ph.	scarlet-berry'd.	Carolina.	1811.	6. 7.	H. ħ.	
5 glaber. W.	evergreen.	Canada.	1759.	7. 8.	H. ħ.	Wats. dend. brit. t. 27.
6 coriaceus. Ph.	leathery-leav'd.	Georgia.	1820.	6. 7.	H. ħ.	
7 atomarius. N.	atomiferous.	———	——	——	H. ħ.	
8 prunifolius. Desf.	Plum-leaved.	.....	——	——	H. ħ.	

ORDO LVII.

CELASTRINÆ. *Brown.*

CELASTRUS. R.S.	Staff-tree. Pentandria Monogynia. L.					
1 oleoides. R.s.	Olive-leaved.	C. B. S.	1823.	5. 6.	G. ħ.	

2	tricuspidatus. R.S.	three-pointed.	———	1816.	5. 6.	G. ħ.	
	Cassine lævigata. P.S.							
3	lucidus. W.	shining.	———	1722.	4. 9.	G. ħ.	L'Her. stirp. 1. t. 25.
4	bullatus. W.	scarlet-fruited.	Virginia.	1759.	7.	H. ħ.	Pluk. alm. t. 28. f. 5.
5	scandens. W.	climbing.	N. America.	1736.	5. 6.	H. ħ.	Duham. arb. 1. t. 95.
6	punctatus. R.S.	spotted-stalk'd.	Japan.	1816.	....	G. ħ.	
7	cassinoides. W.	crenated.	Canaries.	1779.	8. 9.	G. ħ.	L'Her. sert. ang. t. 10.
8	cernuus. W.	drooping.	C. B. S.	1815.	....	G. ħ.	
9	myrtifolius. W.	Myrtle-leaved.	W. Indies.	....	6. 8.	G. ħ.	Sloan. jam. 2. t. 193. f. 1.
10	tetragonus. W.	four-sided.	C. B. S.	1816.	....	G. ħ.	
11	retusus. R.S.	notched.	Peru.	1823.	....	G. ħ.	
	emarginatus. P.S.						
12	linearis. R.S.	linear-leaved.	C. B. S.	——	....	G. ħ.	
13	emarginatus. W.	emarginate.	E. Indies.	1820.	....	S. ħ.	
14	cymosus. B.M.	cymose.	C. B. S.	1815.	6. 8.	G. ħ.	Bot. mag. 2070.
15	buxifolius. W.	Box-leaved.	———	1752.	5. 8.	G. ħ.	——— 2114.
16	multiflorus. R.S.	many-flowered.	Africa.	1816.	——	G. ħ.	
17	pyracanthus. W.	red-fruited.	C. B. S.	1752.	5. 6.	G. ħ.	Bot. mag. 1167.
18	octogonus. W.	angular-leaved.	Peru.	1786.	10. 11.	G. ħ.	

EUONYMUS. L. SPINDLE-TREE. Pentandria Monogynia. L.

1	japonicus. W.	Japan.	Japan.	1804.	6. 8.	G. ħ.	Kæmpf. ic. t. 8.
2	europæus. W.	European.	Britain.	....	5. 7.	H. ħ.	Eng. bot. 362.
3	verrucosus. W.	warted.	Austria.	1763.	5. 6.	H. ħ.	Schmidt. arb. t. 72.
4	latifolius. W.	broad-leaved.	S. Europe.	1730.	6. 7.	H. ħ.	——— t. 74.
5	atropurpureus. W.	dark-purple.	N. Amer.	1756.	——	H. ħ.	Jacq. vind. 2. t. 120.
6	americanus. W.	evergreen.	———	1683.	——	H. ħ.	Schmidt arb. t. 75.
7	sarmentosus. N.	sarmentose.	———	1823.	——	H. ħ.	
8	obovatus. N.	obovate-leaved.	———	——	——	H. ħ.	
9	angustifolius. Ph.	narrow-leaved.	———	1806.	——	H. ħ.	
10	micranthus. D.P.	small-flowered.	Nepaul.	1820.	....	H. ħ.	
11	lacerus. D.P.	torn-leaved.	———	——	....	H. ħ.	
12	lucidus. D.P.	shining-leaved.	———	——	....	H. ħ.	
13	grandiflorus. F.I.	large-flowered.	———	1823.	....	H. ħ.	

STAPHYLEA. W. BLADDER-NUT. Pentandria Trigynia. L.

1	pinnata. W.	five-leaved.	England.	....	4. 6.	H. ħ.	Eng. bot. 1560.
2	trifolia. W.	three-leaved.	N. America.	1640.	5. 6.	H. ħ.	Schmidt arb. t. 80.

ELÆODENDRON. W. OLIVE-WOOD. Pentandria Monogynia.

1	orientale. W.	oriental.	Madagascar.	1771.	....	S. ħ.	Jacq. ic. 1. t. 48.
	Rubentia olivina. Juss.							
2	indicum. F.I.	Indian.	Mauritius.	1823.	....	S. ħ.	Gært. carp. 1. t. 57.
3	glaucum. P.S.	glaucous.	Ceylon.	1823.	....	S. ħ.	Rottb. a. hav. T. 2. t. 4. f. 1

PORTENSCHLAGIA. Tr. PORTENSCHLAGIA. Pentandria Monogynia.

	australis. Tr.	New Holland.	N. S. W.	1796.	6. 8.	G. ħ.	Vent. malm. 117.
	Elæodendrum australe. Vent. *Lamarckia dentata.* Hort.							

CASSINE. L. CASSINE. Pentandria Trigynia. L.

1	capensis. W.	Cape Phillyrea.	C. B. S.	1629.	7. 8.	G. ħ.	Burm. afr. t. 85.
2	Colpoon. W.	Colpoon tree.	———	1791.	——	G. ħ.	——— t. 86.
3	barbara. W.	tetragonal.	———	1816.	——	G. ħ.	
4	Maurocenia. W.	Hottentot cherry.	———	1690.	——	G. ħ.	Dill. elt. t. 121. f. 147.
5	æthiopica. R.S.	Ethiopian.	———	....	——	G. ħ.	
6	xylocarpa. V.	bony-seeded.	Antilles.	1816.	——	S. ħ.	Vent. choix. t. 23.
7	excelsa. F.I.	tall.	Nepaul.	1823.	....	S. ħ.	

ORDO LVIII.

BRUNIACEÆ.

LINCONIA. R.S. LINCONIA. Pentandria Digynia.

1	thymifolia. S.S.	Thyme-leaved.	C. B. S.	1825.	....	G. ħ.	Sw. mag. g. n. Ber. IV. t. 4
	Brunia laxa. Th.							
2	cuspidata. R.S.	cuspidate.	———	——	....	G. ħ.	——— V. p. 284. t. 7. f. 1.

STAAVIA. R.S. STAAVIA. Pentandria Monogynia. R.S.

1	radiata. R.S.	rayed.	C. B. S.	1787.	5. 6.	G. ħ.	Breyn. cent. t. 82.
2	glutinosa. R.S.	clammy.	———	1793.	4. 5.	G. ħ.	Lodd. bot. cab. 852.

BRUNIA. R.S.	BRUNIA. Pentandria Monogynia. L.						
1 lævis. R.S.	smooth.	C. B. S.	1823.	5. 7.	G. ħ.		
2 nodiflora. R.S.	imbricated.	———	1786.	7. 8.	G. ħ.	Breyn. cent. 22. t. 10.	
3 deusta. R.S.	black-tipped.	———	1804.	6. 8.	G. ħ.		
4 lanuginosa. R.S.	woolly.	———	1774.	——	G. ħ.	Wendl. coll. 1. t. 11.	
5 comosa. R.S.	tufted.	———	1823.	——	G. ħ.		
6 verticillata. R.S.	whorled.	———	1794.	——	G. ħ.		
7 squarrosa. R.S.	squarrose.	———	1818.	——	G. ħ.		
8 alopecuroides. R.S.	Fox-tail.	———	1816.	5. 7.	G. ħ.		
9 paleacea. R.S.	chaffy.	———	1791.	6. 8.	G. ħ.	Wendl. coll. t. 21.	
10 abrotanoides. R.S.	Thyme-leaved.	———	1787.	5. 7.	G. ħ.	——— II. t. 45.	
11 microphylla. R.S.	small-leaved.	———	1804.	6. 8.	G. ħ.		
12 plumosa. R.S.	feathered.	———	1822.	——	G. ħ.		
13 phylicoides. R.S.	Phylica-leaved.	———	——	——	G. ħ.		
14 superba. R.S.	superb.	———	1791.	——	G. ħ.		
15 fragarioides. R.S.	Strawberry-like.	———	1794.	5. 7.	G. ħ.		
16 ciliata. R.S.	fringed.	———	1812.	——	G. ħ.		
17 ericoides. R.S.	Heath-leaved.	———	——	——	G. ħ.	Wendl. coll. II. t. 57.	
18 formosa. R.S?	handsome.	———	1812.	——	G. ħ.		
19 macrocephala. S.S.	large-headed.	———	——	——	G. ħ.		
? BUMALDA. R.S.	BUMALDA. Pentandria Digynia. R.S.						
trifolia. R.S.	three-leaved.	Japan.	1812.	6. 9.	G. ħ.		

ORDO LIX.

SAMYDEÆ. *Kth. Synops.* 3. *p.* 291.

SAMYDA. Kth.	SAMYDA. Decandria Monogynia. S.S.					
1 glabrata. S.S.	smooth.	Jamaica.	1818.	5. 8.	S. ħ.	
2 villosa. S.S.	villous.	———	——	——	S. ħ.	
3 decurrens. S.S.	decurrent.	Brazil.	1822.	——	S. ħ.	
4 pubescens. S.S.	pubescent.	W. Indies.	1793.	——	S. ħ.	
5 serrulata. S.S.	saw-leaved.	———	1723.	7. 8.	S. ħ.	Jacq. col. 2. t. 17. f. 1.
6 rosea. B.M.	rose-coloured.	———	1793.	6. 7.	S. ħ.	Bot. mag. 550.
serrulata. A.R. 202.	*nec aliorum.*					
7 nitida. S.S.	glossy-leaved.	Jamaica.	——	——	S. ħ.	Br. jam. 217. t. 23. f. 3.
8 macrophylla. S.S.	large-leaved.	E. Indies.	1823.	....	S. ħ.	
CASEARIA. Kth.	CASEARIA. Decandria Monogynia. S.S.					
1 sylvestris. S.S.	wood.	Jamaica.	1823.	....	S. ħ.	
2 parviflora. S.S.	small-flowered.	W. Indies.	1818.	5. 7.	S. ħ.	Sloan.hist.2.t.211.f.2.
3 serrulata. S.S.	serrulate.	———	——	——	S. ħ.	
4 glabra. H.B.	smooth.	E. Indies.	1820.	——	S. ħ.	
5 hirsuta. S.S.	hairy.	W. Indies.	——	....	S. ħ.	
6 zizyphoides. Kth.	Zizyphus-like.	Caracas.	1824.	....	S. ħ.	
7 arguta. Kth.	sharp-toothed.	Mexico.	——	....	S. ħ.	

ORDO LX.

JUGLANDEÆ. *DC. theor. ed.* 1. *p.* 215.

JUGLANS. N.	WALNUT-TREE. Monœcia Polyandria. L.					
1 regia. W.	common.	Persia.	1562.	4. 5.	H. ħ.	Lam. ill. t. 781.
β *maxima.* P.S.	*double fruited.*	———	——	——	H. ħ.	
γ *serotina.* P.S.	*late-fruited.*	———	——	——	H. ħ.	
2 nigra. W.	black.	N. Amer.	1629.	——	H. ħ.	Wats. dend. brit. t. 158.

3	cinerea. W.	shell-bark.	———	1656.	——	H. ½.	——— 1. t. 192.
	cathartica. Michaux. arb. 1. t. 2.						
4	fraxinifolia. Lam.	Ash-leaved.	———	....	——	H. ½.	
CARYA. Nutt.		HICKORY-NUT.	Monœcia Tetrandria.				
1	olivæformis. N.	Olive-fruited.	N.America.	....	4. 5.	H. ½.	Mich. arb. 1. t. 3.
2	angustifolia. H.K.	narrow-leaved.	———	1766.	——	H. ½.	
3	sulcata. N.	channelled.	———	1804.	——	H. ½.	Mich. arb. 1. t. 8.
4	alba. N.	white.	———	1730.	4. 5.	H. ½.	Mich. arb. 1. t. 7.
	Juglans compressa. W.						
5	tomentosa. N.	tomentose.	———	1629.	——	H. ½.	——— 1. t. 6.
	Juglans alba. W.						
6	pubescens.	pubescent.	———	....	——	H. ½.	
	Juglans pubescens. Lam.						
7	microcarpa. N.	small-fruited.	———	1824.	....	H. ½.	
8	amara. N.	bitter.	———	1800.	5.	H. ½.	
9	obcordata.	obcordate.	———	1813.	——	H. ½.	Mich. arb. 1. t. 9. f. 3-4.
10	glabra.	smooth-leaved.	———	1799.	——	H. ½.	——— 1. t. 9. f. 1-2.

ORDO LXI.

CASSUVIÆ. *Brown.*

ANACARDIUM. W.		CASHEW-NUT.	Enneandria Monogynia. L.				
1	occidentale. W.	common.	India.	1599.	....	S. ½.	Catesb. car. 3. t. 9.
	Cassuvium pomiferum. Lam.						
2	dubium. H.B.	doubtful.	E. Indies.	1824.	....	S. ½.	
SEMECARPUS. R.S.		SEMECARPUS.	Pentandria Trigynia. L.				
	Anacardium. R.S.	long-leaved.	E. Indies.	1820.	....	S. ½.	Roxb. cor. 1. t. 12.
	Anacardium longifolium. Lam.						
MANGIFERA. R.S.		MANGO-TREE.	Monandria Monogynia. R.S.				
1	indica. R.S.	common.	E. Indies.	1600.	6. 9.	S. ½.	Andr. rep. 425.
2	oppositifolia. F.I.	opposite-leav'd.	———	1823.	....	S. ½.	
RHUS. R.S.		SUMACH.	Pentandria Trigynia. L.				
1	Coriaria. R.S.	Elm-leaved.	S. Europe.	1596.	7.	H. ½.	Flor. græc. t. 299.
2	typhina. R.S.	Virginian.	N.America.	1629.	7. 8.	H. ½.	Wats. dend. t. 17. mas.
	α *arborescens.* R.S.	*arborescent.*	———	——	——	H. ½.	——— t. 18. fem.
	β *frutescens.* R.S.	*frutescent.*	———	——	——	H. ½.	
3	javanica. R.S.	Java.	Java.	1799.	7. 9.	S. ½.	
4	semialata. R.S.	Service-leaved.	Macao.	1780.	——	G. ½.	Murr. com. got. VI. t. 3.
5	viridiflora. R.S.	green-flower'd.	N.America.	....	7.	H. ½.	
6	glabra. R.S.	smooth.	———	1726.	7. 9.	H. ½.	Wats. dend. t. 15.
7	elegans. R.S.	scarlet-flow'r'd.	———	——	——	H. ½.	——— t. 16.
8	Vernix. R.S.	varnish.	———	1713.	——	H. ½.	——— t. 19.
9	Kæmpferi.	Chinese varnish.	China.	....	——	G. ½.	Kæmp. amœn. t. 792.
	Rhus Vernix. Th. *nec* Ph.						
10	Amela. D.P.	large-leaved.	Nepaul.	1823.	....	G. ½.	
11	juglandifolia. D.P.	Walnut-leaved.	———	——	....	G. ½.	
12	fraxinifolia. D.P.	Ash-leaved.	———	——	——	G. ½.	
13	parviflora. H.B.	small-flowered.	———	1824.	....	G. ½.	
14	succedanea. R.S.	red Lac.	China.	1768.	6.	G. ½.	Kæmp. amœn. t. 795.
15	copallina. R.S.	Lentiscus-l^d.	N.America.	1688.	8. 9.	H. ½.	Jacq. schœn. 3. t. 311.
16	alata. R.S.	winged-leaved.	C. B. S.	1818.	....	G. ½.	
17	pauciflora. R.S.	few-flowered.	———	——	....	G. ½.	
18	pumila. R.S.	dwarf poisonous.	N.America.	1806.	7.	H. ½.	
19	digitata. R.S.	fingered.	C. B. S.	1818.	....	G. ½.	
20	obliqua. R.S.	oblique-leaved.	———	——	....	G. ½.	
21	pentaphylla. R.S.	various-leaved.	Barbary.	1816.	....	G. ½.	
22	chinensis. Mill.	Chinese.	China.	1740.	....	G. ½.	
23	cirrhiflora. R.S.	tendril-flow'r'd.	C. B. S.	1825.	....	G. ½.	
24	Thunbergiana. R.S.	Thunberg's.	———	1697.	7. 8.	G. ½.	
25	glauca. R.S.	glaucous.	———	1818.	——	G. ½.	
26	tridentata. R.S.	three-toothed.	———	——	....	G. ½.	
27	Toxicodendron. N.	Poison oak.	N.America.	1640.	6. 7.	H. ½.	Schuhr. hand. 1. t 82.

28 radicans. N.	rooting.	———	1724.	——	H. ħ.		Bot. mag. 1806.
29 crenata. R.S.	crenated.	C. B. S.	....	——	G. ħ.		
30 dentata. R.S.	rough-stalked.	———	1798.	——	G. ħ.		
31 sinuata. R.S.	sinuated.	———	1818.	——	G. ħ.		
32 cuneifolia. R.S.	wedge-leaved.	———	1816.	——	G. ħ.		
33 dimidiata. R.S.	variable-ld.	———	—	——	G. ħ.		
34 dissecta. R.S.	dissected-ld.	———	—	——	G. ħ.		
35 incisa. R.S.	cut-leaved.	———	1789.	——	G. ħ.		
36 tomentosa. R.S.	woolly-leaved.	———	1691.	——	G. ħ.		
37 villosa. R.S.	villous-leaved.	———	1714.	7.	G. ħ.		Pluk. alm. t. 219. f. 8.
38 spicata. R.S.	spiked.	———	1816.	——	G. ħ.		
39 pubescens. R.S.	pubescent.	———	—	——	G. ħ.		
40 mucronata. R.S.	mucronate.	———	1825.	....	G. ħ.		
41 viminalis. R.S.	Willow-leaved.	———	1774.	6. 7.	G. ħ.		Jacq. schœn. 3. t. 344.
42 erosa. R.S.	erose-leaved.	———	1816.	——	G. ħ.		
43 lancea. R.S.	lance-leaved.	———	—	——	G. ħ.		
44 angustifolia. R.S.	narrow-leaved.	———	1714.	——	G. ħ.		Pluk. alm. t. 219. f. 6.
45 rosmarinifolia. R.S.	Rosemary-ld.	———	1800.	——	G. ħ.		
46 undulata. R.S.	wave-leaved.	———	1818.	——	G. ħ.		Jacq. schœn. 3. t. 346.
47 lævigata. R.S. *elongata.* Jacq.	polished-ld.	———	1758.	——	G. ħ.		——— 3. t. 345.
48 elliptica. R.S.	elliptic-leaved.	———	1816.	——	G. ħ.		
49 pendulina. R.S.	pendulous.	———	—	——	G. ħ.		
50 lucida. R.S.	shining-leaved.	———	1697.	7. 8.	G. ħ.		Cav. ic. 2. t. 132.
51 concinna. B.T.	pretty.	———	1816.	——	G. ħ.		
52 nervosa. R.S.	nerved-leaved.	———	....	——	G. ħ.		
53 pyroides. B.T.	Pyrus-like.	———	1816.	——	G. ħ.		
54 oxyacanthoides. R.S.	Hawthorn-like.	Africa.	1823.	....	G. ħ.		
55 tridactylis. B.T.	three-fingered.	C. B. S.	1816.	....	G. ħ.		
56 heterophylla. R.S.	various-leaved.	.....	——	6. 8.	G. ħ.		
57 serræfolia. B.T.	saw-leaved.	C. B. S.	——	——	G. ħ.		
58 zizyphina. R.S.	Zizyphus-like.	Sicily.	——	....	G. ħ.		
59 Cotinus. R.S.	Venice.	S. Europe.	1656.	6. 7.	H. ħ.		Jacq. aust. 3. t. 210.
LOBADIUM. Raf.	LOBADIUM.	Pentandria Trigynia.					
1 aromaticum.	aromatic.	N. America.	1772.	5.	H. ħ.		Turp. ann. mus. v. t. 30.
Rhus aromatica. R.S.	*Schmaltzia aromatica.* Desv.						
2 suaveolens.	sweet.	———	1759.	——	H. ħ.		
Schmaltzia suaveolens. Desv. *Rhus suaveolens.* R.S.							
BUCHANANIA. H.B.	BUCHANANIA.	Decandria Monogynia.					
1 latifolia. H.B.	broad-leaved.	E. Indies.	1820.	....	S. ħ.		
2 angustifolia. S.S.	narrow-leaved.	———	——	....	S. ħ.		

ORDO LXII.

AMYRIDEÆ *Brown.*

AMYRIS. W.	AMYRIS.	Octandria Monogynia. L.					
1 polygama. S.S. *Schinus dependens.* H.K.	simple-leaved.	Chili.	1790.	6. 7.	H. ħ.		Cav. ic. 3. t. 239.
2 Lunani. S.S.	Lunan's.	Jamaica.	....	——	S. ħ.		
3 brasiliensis. S.S.	Brazilian.	Brazil.	1822.	——	S. ħ.		
4 sylvatica. S.S.	wood.	Carthagena.	1793.	——	S. ħ.		Jacq. amer. pict. t. 188.
5 balsamifera. S.S.	Balsam.	W. Indies.	1800.	——	S. ħ.		Sloan. jam. t. 168. f. 4.
6 Agallocha. H.B.	hill.	E. Indies.	1820.	....	S. ħ.		
7 acuminata. H.B.	acuminate.	———	1822.	....	S. ħ.		
8 heptaphylla. H.B.	seven-leaved.	———	—	....	S. ħ.		
9 nana. H.B.	dwarf.	———	1824.	....	S. ħ.		
10 punctata. H.B.	dotted.	———	1818.	....	S. ħ.		
SCHINUS. W.	SCHINUS.	Dicœcia Decandria. L.					
1 Molle. W.	Mastick tree.	Peru.	1597.	7. 8.	G. ħ.		Mill. ic. 2. t. 246.
2 dentata. A.R.	tooth-leaved.	Owhyhee.	1795.	5. 7.	G. ħ.		Bot. rep. 620.
3 virgata.	slender.	Lima.	1822.	....	H. ħ.		

POUPARTIA. J.	POUPARTIA.	Decandria Pentagynia. P.S.					
borbonica. P.S.	Bourbon.	Bourbon.	1824.	....	S. ♄.		
BURSERA. L.	BURSERA.	Polygamia Dioecia. L.					
1 gummifera. L.	Jamaica.	W. Indies.	1690.	....	S. ♄.	Jacq. amer. t. 65.	
2 serrata. Roxb.	saw-leaved.	E. Indies.	1818.	....	S. ♄.		

ORDO LXIII.

CONNARACEÆ. *Brown.*

CONNARUS. W.	CONNARUS.	Monadelphia Decandria.				
1 paniculatus. H.B.	panicled.	Chittagong.	1824.	....	S. ♄.	
2 nitidus. H.B.	glossy.	Silhet.	——	....	S. ♄.	
3 africanus. W.	African.	Sierra Leon.	1822.	....	S. ♄.	Cav. dis. 7. t. 221.
CNESTIS. J.	CNESTIS.	Decandria Pentagynia.				
1 glabra. W.	smooth.	Mauritius.	1824.	....	S. ♄.	Lam. ill. t. 387. f. 1.
2 polyphylla. W.	many-leaved.	Madagascar.	——	....	S. ♄.	

ORDO LXIV.

TEREBINTHACEÆ. *Juss. gen.* 368.

CNEORUM. L.	WIDOW-WAIL.	Triandria Monogynia. L.				
1 tricoccum. W.	smooth.	S. Europe.	1793.	4. 9.	F. ♄.	Lam. ill. t. 27.
2 pulverulentum. V.	powdered.	Teneriffe.	1820.	——	F. ♄.	Vent. cels. t. 77.
COMOCLADIA. L.	COMOCLADIA.	Triandria Monogynia. L.				
1 integrifolia. W.	entire-leaved.	Jamaica.	1778.	7. 9.	S. ♄.	Sl. jam. 2. t. 222. f. 1.
2 dentata. W.	tooth-leaved.	W. Indies.	1790.	——	S. ♄.	Jacq. am. 13. t. 173. f. 4.
3 ilicifolia. W.	Holly-leaved.	Caribees.	1789.	——	S. ♄.	Lam. ill. t. 27. f. 2.
CANARIUM. A.B.	CANARIUM.	Dioecia Hexandria.				
1 commune. W.	common.	Moluccas.	1821.	....	S. ♄.	Rumph. amb. 2. t. 47.
2 Pimela. A.B.	Chinese.	China.	1823.	....	S. ♄.	Ann. Bot. 1. t. 7. f. 2.
BOSWELLIA. H.B.	BOSWELLIA.	Decandria Monogynia.				
1 thurifera. H.B.	Olibanum tree.	Coromandel.	1816.	....	S. ♄.	
2 glaber. H.B.	smooth.	——	1824.	....	S. ♄.	
GARUGA. R.C.	GARUGA.	Decandria Monogynia.				
pinnata. R.C.	winged-leaved.	E. Indies.	1808.	....	S. ♄.	Roxb. cor. 3. t. 208.
TODDALIA. J.	TODDALIA.	Pentandria Monogynia. L.				
1 aculeata. P.S.	prickly.	E. Indies.	1790.	6. 8.	S. ♄.	Rheed. mal. 5. t. 41.
asiatica. R.S	*Scopolia aculeata.* W.					
2 paniculata. R.S.	panicled.	I. of France.	1824.	....	S. ♄.	Lam. ill. t. 139. f. 2.
inermis. P.S.	*Scopolia paniculata.* S.S.					
SPATHELIA. W.	SPATHELIA.	Pentandria Trigynia. L.				
simplex. W.	Sumach-leav'd.	Jamaica.	1778.	4. 6.	S. ♄.	Bot. reg. 670.
PISTACIA. W.	PISTACHIA TREE.	Dioecia Pentandria. L.				
1 officinarum. H.K.	officinal.	Levant.	1570.	4. 5.	H. ♄.	Lam. ill. t. 118.
Mas. P. *trifolia.* W.	*male-flowered.*	——	——	——	——	Bocc. mus. t. 93.
Fem. P. *vera.* W.	*female.*	——	——	——	——	Rauw. it. 72. t. 9.
2 reticulata. W.	netted-leaved.	Levant.	1752.	——	H. ♄.	
3 Terebinthus. W.	turpentine.	S. Europe.	1656.	6. 7.	H. ♄.	
4 atlantica. W.	Atlantic.	Barbary.	1790.	....	G. ♄.	
5 Lentiscus. W.	Mastick-tree.	S. Europe.	1664.	5. 6.	F. ♄.	Bot. mag. 1967.
β *massiliensis.*	*narrow-leaved.*					
SPONDIAS. W.	HOG-PLUM.	Decandria Pentagynia. L.				
1 Mombin. W.	flat-stemmed.	W. Indies.	1817.	....	S. ♄.	Jacq. amer. 139. t. 88.
Myrobalanus. Jacq.						

2 Myrobalanus. w. *Mombin.* Jacq.	yellow.	———	1739.	6. 8.	S. ♄.	Merian. surin. t. 13.
3 dulcis. w.	Otaheite apple.	Society Isles.	1793.	——	S. ♄.	Lam. ill. t. 384.
4 axillaris. H.B.	axillary.	Nepaul.	1824.	....	S. ♄.	
5 mangifera. w.	Mango bearing.	E. Indies.	1818.	....	S. ♄.	
6 acuminata. H.B.	taper-pointed.	Malabar.	1824.	....	S. ♄.	
AILANTHUS. W.	AILANTHUS.	Polygamia Monœcia. L.				
1 glandulosa. w.	Chinese.	China.	1751.	8.	S. ♄.	Wats.dend. brit. t.104.
2 excelsa. w.	Indian.	E. Indies.	1800.	....	S. ♄.	Roxb. cor. 1. t. 23.
BRUCEA. S.S.	BRUCEA.	Tetrandria Tetragynia. F.I.				
1 ferruginea. S.S.	rusty.	Abyssinia.	1775.	4. 5.	S. ♄.	Bruce's tr. 5. p. 69. ic.
2 sumatrana. F.I.	Sumatra.	Sumatra.	1822.	——	S. ♄.	
3 trichotoma. S.S.	trichotomous.	China.	——	——	S. ♄.	
BRUNELIA. S.S.	BRUNELIA.	Dodecandria Pentagynia.				
inermis. R.P.	various-leaved.	Peru.	1823.	....	G. ♄.	
? PTELEA. W.	SHRUBBY-TREFOIL.	Tetrandria Monogynia. L.				
trifoliata. w.	three-leaved.	N. America.	1704.	6. 7.	H. ♄.	Schm. arb. 2. t. 76.

ORDO LXV.

LEGUMINOSÆ. *Juss. gen.* 345.

SUBORDO I. *MIMOSEÆ. Brown.*

MIMOSA. W.	SENSITIVE-PLANT.	Octandria Monogynia. S.S.				
1 viva. S.S.	lively.	Jamaica.	1739.	7. 9.	S. ♃.	Slo. jam. 2. t. 182. f. 7.
2 casta. S.S.	chaste.	E. Indies.	1741.	7.	S. ♄.	Comm. hort. 1. t. 28.
3 floribunda. S.S.	many-flowered.	Caracas.	1824.	6. 7.	S. ♄.	
4 sensitiva. S.S.	true.	Brazil.	1648.	4. 9.	S. ♄.	Bot. reg. 25.
5 obtusifolia. W.en.	blunt-leaved.	———	1816.	——	S. ♄.	
6 strigosa. S.S.	strigose.	S. America.	1822.	——	S. ♄.	
7 pudibunda. S.S.	fringe-stipuled.	Brazil.	——	——	S. ♄.	
8 pudica. S.S.	Humble plant.	———	1638.	——	S. ♄.	And. reposit. 544.
9 polystachya. S.S.	many-spiked.	W. Indies.	1816.	——	S. ♄.	
10 armata. S.S.	close-spined.	E. Indies.	1820.	——	S. ♄.	
11 rubicaulis. S.S. *octandra.* R. *spinosiliqua.* Rottler.	Bramble-stalk'd.	———	1799.	6. 7.	S. ♄.	Roxb. cor. 2. t. 200.
12 asperata. S.S.	various-spined.	W. Indies.	1822.	——	S. ♄.	
13 pigra. L.	straight-spined.	Vera Cruz.	1733.	——	S. ♄.	Mill. ic. 2. t. 182. f. 3.
14 abstergens. S.S.	spotted-stalk'd.	E. Indies.	1818.	——	S. ♄.	
15 concinna. w.	neat.	———	1794.	....	S. ♄.	
16 latispinosa. S.S.	flat-spined.	Madagascar.	1822.	....	S. ♄.	
17 Barclayana.	Mr. Barclay's.	———	——	....	S. ♄.	
18 hispida. S.S.	hispid.	Caracas.	1824.	....	S. ♄.	
19 brasiliensis. S.S.	Brazilian.	Brazil.	——	....	S. ♄.	
20 ferruginea. S.S.	ferruginous.	E. Indies.	1818.	6. 7.	S. ♄.	
SCHRANKIA. W.	SCHRANKIA.	Octandria Monogynia. S.S.				
1 aculeata. S.S.	prickly.	Vera Cruz.	1733.	7. 8.	S. ♃.	Mill. ic. 2. t. 182. f. 1.
2 uncinata. S.S.	hooked.	N. America.	1789.	——	H. ♃.	Vent. choix. 28.
ENTADA. S.S.	ENTADA.	Decandria Monogynia. S.S.				
1 Parrana. S.S. *Acacia scandens.* W.	climbing.	India.	1780.	....	S. ♄.	Rheed. mal. 8. t. 32-34.
2 Rheedii. S.S. *Mimosa Entada.* W.	Rheed's.	*Mimosa scandens.* L. E. Indies.	——	....	S. ♄.	——— 9. t. 77.
DESMANTHUS. W.	DESMANTHUS.	Decandria Monogynia. S.S.				
1 lacustris. S.S.	marsh.	S. America.	1823.	6. 8.	S. ☉.	
2 natans. S.S.	floating.	China.	1800.	7. 9.	S. ☉.	Andr. reposit. 629.
3 triquetrus. S.S.	triquetrous.	E. Indies.	1823.	——	S. ☉.	
4 plenus. S.S.	double yellow.	Vera Cruz.	1733.	——	S. ☉.	Mill. ic. 2. t. 182. f. 2.
5 diffusus. S.S.	prostrate.	W. Indies.	1731.	——	S. ♄.	Pluk. alm. t. 307. f. 2.
6 virgatus. S.S.	twiggy.	———	1774.	——	S. ♄.	Jacq. vind. 1. t. 80.

7	punctatus. s.s.	spotted-stalk'd.	Jamaica.	1686.	——	S. ♂.	Comm. hort. 1. t. 81.
8	cinereus. W.	Ash-coloured.	E. Indies.	1739.	6. 7.	S. ♄.	Roxb. cor. 2. t. 174.
	Mimosa cinerea. R.C.						
9	divergens. W.en.	prickly.	Abyssinia.	1816.	——	S. ♄.	
PROSOPIS. S.S.		PROSOPIS.	Decandria Monogynia. S.S.				
1	spicigera. s.s.	eatable podd'd.	E. Indies.	1812.	6. 7.	S. ♄.	Roxb. cor. 1. t. 68.
2	cumanensis. s.s.	Cumana.	Cumana.	1824.	....	S. ♄.	
	Acacia cumanensis. W.						
3	dulcis. s.s.	sweet-podded.	S. America.	——	....	S. ♄.	
	Acacia edulis. W.						
INGA. W.		INGA.	Polygamia Monœcia. W.				
1	microphylla. W.en.	small-leaved.	Cumana.	1815.	....	S. ♄.	
2	dulcis. W.	Sappan fruit.	E. Indies.	1800.	5. 7.	S. ♄.	Roxb. cor. 1. t. 99.
	Mimosa dulcis. R.C.						
3	Unguis-Cati. W.	four-leaved.	W. Indies.	1690.	4. 6.	S. ♄.	Jacq. schœn. 3. t. 392.
4	bigemina. W.	two-paired.	E. Indies.	1823.	....	S. ♄.	Rheed. mal. 6. t. 12.
5	fœtida. W.	strong-smelling.	W. Indies.	1818.	....	S. ♄.	Jacq. schœn. 3. t. 390.
6	tergemina. W.	three-paired.	Martinica.	——	....	S. ♄.	Jacq. amer. t. 177. f. 81.
7	vera. W.	common.	——	1739.	7. 8.	S. ♄.	Sloan. j. 2. t. 183. f. 1.
8	rhoifolia. W.en.	villous.	Brazil.	1815.	....	S. ♄.	
9	spuria. W.	spurious.	Brazil.	1823.	....	S. ♄.	
10	alba. W.	white.	E. Indies.	1804.	7. 8.	S. ♄.	
11	quassiæfolia. W.	Quassia-leaved.	Brazil.	1820.	....	S. ♄.	
12	fastuosa. W.	villous-flow'r'd.	Caracas.	——	....	S. ♄.	Jacq. frag. p. 15. t. 10.
	Mimosa fastuosa. Jacq.						
13	marginata. W.	Beech-leaved.	W. Indies.	1752.	——	S. ♄.	Pluk. alm. t. 141. f. 2.
14	nodosa. W.	knobbed.	Ceylon.	1690.	——	S. ♄.	—— —— t. 211. f. 5.
15	punctata. W.	spotted-branch'd.	Caracas.	1818.	....	S. ♄.	Jacq. amer. t. 164.
	Mimosa fagifolia. Jacq.						
16	laurina. W.	Laurel-leaved.	W. Indies.	——	....	S. ♄.	
17	latifolia. W.	broad-leaved.	W. Indies.	1768.	3. 4.	S. ♄.	Plum. ic. t. 9.
18	biglobosa. W.	double-headed.	Guinea.	1822.	....	S. ♄.	Jacq. amer. t. 179. f. 87.
19	purpurea. W.	Soldier-wood.	W. Indies.	1733.	3. 4.	S. ♄.	Bot. reg. 129.
	Mimosa purpurea. A.R. 272.						
20	circinalis. W.	spiral-podded.	—— ——	1726.	....	S. ♄.	Plum. ic. t. 5.
21	comosa. W.	tufted.	Jamaica.	1820.	....	S. ♄.	
ACACIA. W.		ACACIA.	Polygamia Monœcia. W.				
1	verticillata. W.	whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. ♄.	Bot. mag. 110.
2	juniperina. W.	Juniper-leav'd.	N. S. W.	1790.	3. 6.	G. ♄.	Vent. malm. 64.
	ulicina. S.P.						
3	genistifolia. L.en.	Genista-leav'd.	N. Holland.	1820.	——	G. ♄.	
4	taxifolia. W.	Yew-leaved.	China.	——	——	G. ♄.	
5	micracantha. C.C.	small-spined.	N. Holland.	1822.	——	I. ♄.	
6	pugioniformis. W.A.	needle-leaved.	N. S. W.	1796.	——	G. ♄.	
	acicularis. H.K. *non.* W.						
7	sulcata. H.K.	furrow'd-leav'd.	N. Holland.	1803.	5. 8.	G. ♄.	Bot. reg. ic.
8	canaliculata. C.C.	glaucous-furrow'd.	—— ——	1823.	——	I. ♄.	
9	calamifolia. C.C.	quill-leaved.	N. S. W.	1822.	1. 12.	G. ♄.	Bot. reg. 839.
10	diffusa. B.R.	spreading.	—— ——	——	3. 6.	G. ♄.	—— —— 634.
	prostrata. B.C. 831.						
11	lunata. B.C.	lunate-leaved.	V. Diem. Isl.	1816.	——	G. ♄.	Lodd. bot. cab. 384.
12	suaveolens. W.	sweet-scented.	N. S. W.	1790.	2. 6.	G. ♄.	
13	angustifolia. W.A.	narrow-leaved.	—— ——	——	——	G. ♄.	Jacq. schœn. 3. t. 391.
14	crassiuscula. W.A.	thick-leaved.	—— ——	1803.	——	G. ♄.	Wend. ac. 31. t. 8.
15	glaucescens. W.en.	glaucescent.	—— ——	1790.	——	G. ♄.	Willd. hort. ber. t. 101.
16	floribunda. W.	many-flowered.	—— ——	1796.	5. 6.	G. ♄.	Vent. choix. 13.
17	mucronata. W.A.	mucronate.	—— ——	1812.	9. 1.	G. ♄.	Wend. ac. 46. t. 12.
18	uncinata. C.C.	hooked-leaved.	N. Holland.	1823.	——	G. ♄.	
19	longissima. W.A.	long linear-lf.	N. S. W.	1812.	8. 12.	G. ♄.	Botan. regis. 680.
20	linifolia. W.	Flax-leaved.	—— ——	1790.	3. 6.	G. ♄.	Bot. mag. 2168.
21	abietina. W.	Fir-leaved.	—— ——	——	——	G. ♄.	
22	linearis. B.M.	linear-leaved.	—— ——	1812.	——	G. ♄.	Bot. mag. 2156.
23	leucophylla. C.C.	white-leaved.	N. Holland.	1820.	——	I. ♄.	
24	cochlearis. Lab.	spoon-leaved.	—— ——	——	——	G. ♄.	Lab. nov. holl. c. ic.
25	saligna. Lab.	Willow-leaved.	—— ——	——	——	G. ♄.	—— —— c. ic.
26	stricta. W.	upright.	N. S. W.	1790.	2. 5.	G. ♄.	Bot. mag. 1121.
27	viscosa. W.A.	clammy.	—— ——	1818.	5. 6.	G. ♄.	Wend. ac. 30. t. 7.
	dodonæifolia. W.en.						
28	longifolia. W.	long-leaved.	—— ——	1792.	3. 6.	G. ♄.	Andr. repos. 207.

29	heteromalla.	broad woolly-ld.	N. Holland.	1822.	——	I. ħ.	
30	falcata. w.	sickle-leaved.	N. S. W.	1790.	5. 6.	G. ħ.	Wend. ac. 20. t. 14.
31	platyphylla.	broad-leaved.	N. Holland.	1822.	....	I. ħ.	
32	Richardsoni.	Richardson's.	——	——	1. 8.	I. ħ.	
33	laurifolia. w.	Laurel-leaved.	Tanna.	1775.	....	S. ħ.	
34	melanoxylon. H.K.	black-wooded.	V.Diem.Isl.	1808.	4. 6.	G. ħ.	Bot. mag. 1659.
35	Sophoræ. H.K.	Sophora-podd'd.	——	1805.	——	G. ħ.	Lab. nov. holl. 2. t. 237.
36	marginata. H.K.	marginate.	N. S. W.	1803.	——	G. ħ.	Wend. ac. 19. t. 5. A.
37	myrtifolia. w.	Myrtle-leaved.	——	1789.	2. 5.	G. ħ.	Bot. mag. 302.
38	hispidula. w.	little harsh.	——	1794.	4. 5.	G. ħ.	Sm. n. holl. 53. t. 16.
39	vestita. B.R.	clothed.	N.Holland.	1820.	3. 6.	G. ħ.	Botan. regis. t. 698.
40	decipiens. H.K.	paradoxical.	——	1803.	——	G. ħ.	Bot. mag. 1745.
41	biflora. H.K.	two-flowered.	——	——	——	G. ħ.	
42	undulata. B.R.	wave-leaved.	——	1818.	——	G. ħ.	Botan. regis. t. 843.
43	affinis.	related.	——	1822.	——	G. ħ.	
44	hybrida.	Whitley's mule.	Hybrid.	——	——	G. ħ.	
45	armata. H.K.	armed.	N. Holland.	1803.	4. 6.	G. ħ.	Bot. mag. 1653.
46	alata. H.K.	wing-stalked.	——	——	4. 7.	G. ħ.	Botan. regist. 396.
47	heterophylla. w.	various-leaved.	Bourbon.	1820.	....	S. ħ.	
48	xylocarpa. w.	woody-podded.	E. Indies.	1822.	....	S. ħ.	Roxb. cor. 1. t. 100.
49	diptera. w.en.	two-winged.	S. America.	——	....	S. ħ.	
50	cassioides. w.en.	Cassia like.	——	——	....	S. ħ.	
51	reticulata. w.	netted.	C. B. S.	1816.	4. 7.	I. ħ.	Pluk. alm. 3. t. 123. f. 2.
52	strombulifera. w.	twisted podded.	Peru.	1823.	....	G. ħ.	
53	pulchella. H.K.	zigzag spiny.	N. Holland.	1803.	4. 7.	G. ħ.	Lodd. bot. cab. 212.
54	strigosa. L.en.	ciliate winged.	——	——	3. 6.	G. ħ.	
	ciliata. H.K. *nec aliorum.*						
55	nigricans. H.K.	unequal-wing'd.	——	——	5. 7.	G. ħ.	Bot. mag. 2188.
56	cumanensis. W.	Cumana.	Cumana.	1823.	....	S. ħ.	
57	lucida. H.B.	glossy.	E. Indies.	1816.	....	S. ħ.	
58	Sirissa. H.B.	Shireesh.	——	——	....	S. ħ.	
59	guianensis. w.	Guiana.	Cayenne.	1803.	....	S. ħ.	Aub. gui. 2. t. 357.
60	tamariscina. w.	Tamarisk-like.	Mauritius.	1824.	....	S. ħ.	Pluk. mant. 1. t. 329. f. 3.
61	Houstoni. w.	Houstoun's.	Vera Cruz.	1729.	9. 11.	S. ħ.	Botan. regis. 98.
	Anneslia falcifolia. S.P. 64.						
62	chrysostachys.	golden-spiked.	Mauritius.	1823.	....	S. ħ.	
63	trichodes. w.	warted-stalked.	Caracas.	1824.	....	S. ħ.	Jacq. schœn. 3. t. 294.
64	procera. w.	lofty.	Coromandel.	——	....	S. ħ.	Roxb. cor. 2. t. 121.
65	odoratissima. w.	fragrant.	—— ——	1790.	4. 6.	S. ħ.	—— 2. t. 120.
66	venusta. w.en.	charming.	S. America.	1816.	....	S. ħ.	
67	arborea. w.	tree.	Jamaica.	1768.	....	S. ħ.	Pluk. alm. 6. t. 251. f. 2.
68	Jullbrissin. w.	smooth tree.	Levant.	1745.	8.	H. ħ.	Scop. insub. 1. t. 8.
69	speciosa. w.	splendid.	E. Indies.	1742.	8. 9.	S. ħ.	Jacq. ic. 1. t. 198.
70	elata. H.B.	tall.	Bengal.	1820.	....	S. ħ.	
71	Kalkora. H.B.	large.	E. Indies.	——	....	S. ħ.	
72	Lebbeck. w.	Egyptian.	Egypt.	....	....	G. ħ.	Pluk. mant. 2. f. 1.
73	vaga. w.	Brazilian.	Brazil.	1823.	....	S. ħ.	
74	latisiliqua. w.	broad-podded.	W. Indies.	1777.	3. 6.	S. ħ.	Plum. ic. 3. t. 6.
75	discolor. w.	two-coloured.	N. S. W.	1788.	——	G. ħ.	Andr. repos. 235.
	Mimosa botrycephala. V.C. t. 1.						
76	caracasana. w.	Caracas.	Caracas.	1823.	....	S. ħ.	Jacq. ic. 3. t. 632.
77	amara. H.B.	bitter.	Coromandel.	——	....	S. ħ.	Roxb. cor. 2. t. 122.
78	Smithiana. H.B.	Smith's.	Silhet.	——	....	S. ħ.	
79	semicordata. H.B.	semicordate.	E. Indies.	——	....	S. ħ.	
80	leucocephala. L.en.	white-headed.	S. America.	1818.	4. 6.	S. ħ.	
81	portoricensis. w.	Portorico.	Portorico.	1820.	....	S. ħ.	Jacq. ic. 3. t. 633.
82	tetragona. w.	tetragonal.	Caracas.	1822.	....	S. ħ.	
83	lophantha. w.	two-spiked.	N. Holland.	1803.	5. 7.	G. ħ.	Botan. regist. 361.
	Mimosa elegans. A.R. 563.						
84	pubescens. H.K.	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. ħ.	Bot. mag. 1263.
85	brachyloba. w.	Illinois.	N. America.	1803.	9. 10.	H. ♃.	
86	glandulosa. w.	glandulous.	—— ——	1806.	——	F. ħ.	Vent. choix. t. 27.
87	mollissima. w.en.	soft-leaved.	N. S. W.	1818.	3. 6.	G. ħ.	
88	dealbata. L.en.	white-leaved.	—— ——	——	——	G. ħ.	Botan. regist. 371.
	decurrens β mollis. B.R.						
89	decurrens. w.	decurrent.	—— ——	1790.	5. 7.	G. ħ.	Vent. malm. 61.
90	quadrangularis. L.en.	quadrangular.	.....	1816.	——	S. ħ.	
91	pernambuca. P.S.	slothful.	W. Indies.	1786.	7. 8.	S. ħ.	Pluk. alm. t. 307. f. 3.
92	filicina. w.	Fern-leaved.	Mexico.	1825.	....	S. ħ.	Cav. ic. 1. t. 78.

93	microphylla. W.	small-leaved.	Caracas.	1820.	....	S. ♄.	
94	peregrina. W.	white-flowered.	S. America.	1780.	7. 8.	S. ♄.	
95	grandiflora. W.	great-flowered.	E. Indies.	1769.	6. 9.	S. ♄.	Andr. repos. 592.
96	glauca. W.	glaucous.	S. America.	1690.	——	S. ♄.	Trew ehret. t. 36.
97	frondosa. W.	frondose.	E. Indies.	1816.	....	S. ♄.	
98	fruticosa. H.B.	frutescent.	China.	1820.	5. 6.	G. ♄.	
99	stipulata. H.B.	stipuled.	Bengal.	——	——	S. ♄.	
100	pedunculata. H.B.	peduncled.	E. Indies.	1822.	....	S. ♄.	
101	triquetra. H.B.	triquetrous.	Coromandel	1824.	....	S. ♃.	
102	juliflora. W.	long-flowered.	Jamaica.	1793.	5. 6.	S. ♄.	
103	capensis. B.T.	common cape.	C. B. S.	1816.	6. 10.	I. ♄.	
104	Giraffæ. B.T.	Camelopard's.	———	——	....	I. ♄.	
105	elephantina. B.T.	Elephant's.	———	——	....	I. ♄.	
106	atomiphylla. B.T.	atomous-leav'd.	———	——	....	I. ♄.	
107	detinens. B.T.	detaining.	———	——	....	I. ♄.	
108	robusta. B.T.	robust.	———	——	....	I. ♄.	
109	litakunensis. B.T.	Litakun.	———	——	....	I. ♄.	
110	heteracantha. B.T.	various-spined.	———	——	....	I. ♄.	
111	viridiramis. B.T.	green branch'd.	———	——	....	I. ♄.	
112	stolonifera. B.T.	stoloniferous.	C. B. S.	——	....	I. ♄.	
113	dumosa. H.B.	bushy.	Hindostan.	1824.	....	S. ♄.	
114	latronum. W.	white spined.	E. Indies.	——	....	S. ♄.	
115	caffra. W.	Hottentot.	C. B. S.	1816.	5. 6.	I. ♄.	
116	Chundra. W.	hook-spined.	E. Indies.	1789.	....	S. ♄.	
117	Catechu. W.	medicinal.	———	1790.	....	S. ♄.	Roxb. cor. 2. t. 175.
118	leucophlœa. W.en.	panicled.	———	1812.	....	S. ♄.	——— 2. t. 150.
119	concordiana. H.B.	Coromandel.	Coromandel.	1818.	....	S. ♄.	
120	cornigera. W.	Cuckold-tree.	S. America.	1692.	5. 6.	S. ♄.	Pluk. alm. 3. t. 122. f. 2.
121	eburnea. W.	ivory thorned.	E. Indies.	1792.	....	S. ♄.	Roxb. cor. 2. t. 199.
122	hæmatoxylon. W.en.	hoary.	C. B. S.	1816.	....	I. ♄.	
123	horrida. W. *Mimosa leucacantha.* Jacq.	long-spined.	Africa.	1823.	—..	S. ♄.	Jacq. schœn. 3. t. 398.
124	flexuosa. W.	flexuose.	Cumana.	1822.	....	S. ♄.	
125	tortuosa. W.	twisted.	Jamaica.	——	....	S. ♄.	
126	farnesiana. W.	Sponge-tree.	St. Domingo.	1656.	6. 8.	S. ♄.	Duham. arb. ed. n. t. 28.
127	arabica. W.	Arabian.	Arabia.	....	——	S. ♄.	Roxb. cor. 2. t. 149.
128	vera. W.	Egyptian.	Egypt.	1596.	7.	I. ♄.	Vesl. ægypt. t. 8.
129	tomentosa. W.	tomentose.	E. Indies.	1816.	5. 7.	S. ♄.	
130	brachyacantha. W.en.	short-spined.	S. America.	——	....	S. ♄.	
131	ciliata. W.en.	fringed.	———	1823.	....	S. ♄.	
132	acicularis. W.en.	needle-spined.	———	——	....	S. ♄.	
133	peruviana. W.en.	Peruvian.	Peru.	1822.	....	S. ♄.	
134	edulis. W.en.	eatable.	S. America.	——	....	S. ♄.	
135	acantholoba. W.	prickly-podd'd.	———	——	....	S. ♄.	
136	cæsia. W.	gray.	E. Indies.	1773.	6. 8.	S. ♄.	Pluk. mant. 1. t. 330. f. 3.
137	pennata. W.	fine-leaved.	———	——	——	S. ♄.	Burm. zeyl. 2. t. 1.
138	Intsia. W.	angular-stalk'd.	———	1778.	——	S. ♄.	Rheed. mal. 6. t. 4.
139	acanthocarpa. W.en. *Mimosa aculeaticarpa.* P.S.	prickly-fruited.	S. America.	1818.	4. 7.	H. ♄.	
140	Ceratonia. W.	round-leaved.	———	1800.	....	S. ♄.	Plum. ic. t. 8.
141	tamarindifolia. W.	Tamarind-ld.	W. Indies.	1774.	....	S. ♄.	Jacq. schœn. 3. t. 396.
142	arrophula. D.P.	Nepaul.	Nepaul.	1823.	....	G. ♄.	
143	guilandinæfolia. C.C.	Guilandina-ld.	N. S. W.	1818.	7. 9.	I. ♄.	
144	Lambertiana. B.R.	Mr. Lambert's.	S. America.	1820.	——	S. ♄.	Botan. regist. 271.

SUBORDO II. *CÆSALPINEÆ. Brown.*

GLEDITSCHIA. W.		GLEDITSCHIA.	Polygamia Dicœcia. L.				
1	triacanthos. Ph. *β inermis.*	three-thorned. *spineless.*	N. America.	1700.	6. 8.	H. ♄.	Wats. dend. brit. 2. t. 138
2	brachycarpa. Ph.	curved-spined.	———	....	——	H. ♄.	
3	monosperma. Ph.	single-seeded.	———	1723.	——	H. ♄.	Catesb. car. 1. t. 43.
4	horrida. W.	strong-spined.	China.	1774.	——	H. ♄.	Wats. dend. brit. 75.
5	macracantha. W.en.	large-spined.	———	....	——	H. ♄.	
6	sinensis. P.S.	Chinese.	———	1812.	....	F. ♄.	
7	indica. P.S.	Indian.	E. Indies.	——	....	S. ♄.	

8 ferox. Desf.	fierce.	.....	....	6. 8.	H. ♄.			
9 caspica. Desf.	Caspian.	Caspia.	1822.	——	H. ♄.			
GYMNOCLADUS. W.	Gymnocladus.	Dioecia Decandria. W.						
canadensis. w.	Canadian.	Canada.	1748.	5. 6.	H. ♄.	Mich. amer. 2. t. 51.		
Guilandina dioica. L.								
CERATONIA. W.	Carob-tree.	Polygamia Dioecia.						
Siliqua. w.	St. John's bread.	Levant.	1570.	9. 10.	G. ♄.	Andrews's rep. 567.		
PARKINSONIA. W.	Parkinsonia.	Decandria Monogynia. L.						
aculeata. w.	prickly.	W. Indies.	1739.	6. 9.	S. ♄.	Jacq. amer. t. 80.		
TAMARINDUS. W.	Tamarind tree.	Monadelphia Triandria. W.						
indica. w.	common.	India.	1633.	6. 7.	S. ♄.	Jacq. amer. t. 10.		
OMPHALOBIUM. S.S.	Omphalobium.	Decandria Monogynia. S.S.						
Schotia. s.s.	broad-leaved.	C. B. S.	1816.	4. 6.	I. ♄.	Hook. ex. flor. t. 159.		
Schotia latifolia. H.								
SCHOTIA. W.	Schotia.	Decandria Monogynia. W.						
1 speciosa. w.	superb.	C. B. S.	1759.	7. 12.	I. ♄.	Andr. repos. 348.		
2 tamarindifolia. B.M.	Tamarind-l^d.	———	1795.	5. 9.	I. ♄.	Botan. magaz. 1153.		
3 stipulata. H.K.	stipuled.	———	1794.	——	I. ♄.			
CATHARTOCARPUS. P.S.	Cathartocarpus.	Decandria Monogynia.						
1 Fistula. P.S.	purging.	E. Indies.	1731.	6. 7.	S. ♄.	Rheed. mal. 1. t. 22.		
2 rhombifolius. H.B.	rhomb-leaved.	———	1820.	——	S. ♄.			
3 nodosus. H.B.	knotted.	———	1824.	——	S. ♄.			
4 Bacillus. P.S.	smooth.	———	1818.	——	S. ♄.	Botan. regist. 881.		
5 marginatus. H.B.	margined.	———	1823.	——	S. ♄.			
6 conspicuus. G.D.	drumstick tree.	SierraLeon.	1822.	....	S. ♄.			
7 grandis. P.S.	large.	S. America.	——	....	S. ♄.	Breyn. cent. t. 21.		
Cassia mollis. W.	*Bactyrilobium grande.* L.en.							
8 javanicus. P.S.	Java.	Java.	1779.	6. 7.	S. ♄.	Rumph. amb. 2. t. 22.		
CASSIA. P.S.	Cassia.	Decandria Monogynia. L.						
1 exigua. H.B.	dwarf.	Bengal.	1820.	8. 10.	S. ☉.			
2 diphylla. W.	two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cav. ic. 5. t. 600. f. 1.		
3 Absus. W.	four-leaved.	India.	1777.	6. 7.	S. ☉.	Burm. zeyl. t. 97.		
4 viminea. W.	twiggy.	W. Indies.	1786.	....	S. ♄.	Sloan. j. 2. t. 189. f. 67.		
5 gracilis. S.S.	slender.	S. America.	1816.	....	S. ♄.			
6 obtusifolia. S.S.	blunt-leaved.	Jamaica.	1732.	7. 8.	S. ☉.	Dill. elt. t. 62. f. 72.		
7 humilis. S.S.	dwarf.	S. America.	....	——	S. ☉.	Plum. spec. 18. t. 72. f. 2.		
8 Tora. S.S.	oval-leaved.	E. Indies.	1693.	——	S. ☉.	Dill. elt. t. 63. f. 73.		
9 toroides. H.B.	Mysore.	———	1812.	——	S. ☉.			
10 ciliaris. S.S.	fringe-stipuled.	———	——	——	S. ♂.			
11 Tagera. S.S.	long-podded.	E. Indies.	1803.	7. 8.	S. ♂.			
12 Apoucouita. S.S.	acuminate.	Guiana.	1823.	....	S. ♄.	Aub. gui. 1. t. 146.		
acuminata. W.								
13 sennoides. S.S.	Senna-leaved.	E. Indies.	1808.	7. 8.	S. ♄.	Jacq. ic. 1. t. 70.		
14 mollissima. W.en.	soft-leaved.	S. America.	1816.	——	S. ♄.			
15 bicapsularis. W.	six-leaved.	W. Indies.	1739.	5. 6.	S. ♄.	Merian. sur. t. 32.		
16 corymbosa. S.S.	corymbose.	Buenos Ayr.	1796.	7. 8.	S. ♄.	Bot. magaz. 633.		
17 purpurea. B.R.	purple-stalked.	E. Indies.	1823.	6. 11.	S. ♄.	Botan. regist. 856.		
18 emarginata. S.S.	notch-leaved.	Jamaica.	1759.	5. 6.	S. ♄.	Sloan. j. 2. t. 180. f. 1-4.		
19 sericea. S.S.	silky-leaved.	———	1731.	5. 8.	S. ☉.	Jacq. ic. 3. t. 459.		
sensitiva. Jacq.								
20 lævigata. W.en.	smooth.	.....	....	——	S. ♄.			
21 pubescens. S.S.	pubescent.	.....	1818.	——	S. ♄.			
22 floribunda. S.S.	many-flowered.	S. America.	1822.	——	S. ♄.			
23 dispar. S.S.	various-leaved.	———	——	——	S. ♄.			
24 arborescens. W.	tree.	E. Indies.	1800.	6. 8.	S. ♄.	Rheed. mal. 6. t. 9. 10.		
25 occidentalis. W.	occidental.	W. Indies.	1759.	3. 8.	S. ♄.	Botan. regist. 83.		
26 atomaria. S.S.	woolly.	S. America.	1822.	——	S. ♄.			
27 Senna. W.	Senna.	Egypt.	1640.	7. 8.	G. ☉.	Nectoux voy. t. 2.		
lanceolata. S.S. NON P.S.								
28 obovata. S.S.	obovate-leav'd.	———	.....	——	G. ☉.			
29 biflora. W.	two-flowered.	W. Indies.	1766.	12. 4.	S. ♄.	Botan. magaz. 810.		
30 esculenta. H.B.	esculent.	E. Indies.	1823.	7. 9.	S. ☉.			
31 ægyptiaca. S.S.	Egyptian.	Egypt.	——	——	G. ☉.			
32 patula. S.S.	shining.	W. Indies.	1778.	8. 9.	S. ♄.			
33 orientalis. P.S.	oriental.	Levant.	....	7. 9.	H. ☉.	Tabern. ic. 507.		
34 prostrata. S.S.	prostrate.	S. America.	1823.	——	S. ♄.			
35 planisiliqua. S.S.	flat-podded.	W. Indies.	1822.	——	S. ♄.	Plum. sp. t. 77.		
36 caracasana. S.S.	villous-leaved.	Caracas.	——	——	S. ♄.			

37	ruscifolia. s.s.	Ruscus-leaved.	Madeira.	1816.	5. 7.	G. ♄.	Jacq. ic. 1. t. 71.
38	chinensis. P.s.	Chinese.	China.	1807.	——	G. ♄.	—— —— 1. t. 73.
39	lineata. s.s.	lined.	Jamaica.	1820.	——	S. ♃.	
40	multiglandulosa. w.	many-glanded.	Teneriffe.	1779.	6. 8.	G. ♄.	Jacq. ic. 1. t. 72.
41	tomentosa. w.	tomentose.	S. America.	1822.	——	S. ♄.	
42	hirsuta. w.	hairy.	——	1778.	7.	S. ♂.	
43	ligustrina. w.	Privet-leaved.	Bahama Isl.	1726.	——	S. ♄.	Botan. regist. 109.
44	speciosa. H.B.	handsome.	E. Indies.	1823.	....	S. ♄.	
45	sumatrana. H.B.	Sumatra.	Sumatra.	——	....	S. ♄.	
46	stipulacea. w.	large-stipuled.	Chili.	1786.	....	S. ♄.	Feuill. per. 3. t. 42.
47	alata. w.	winged-podded.	W. Indies.	1731.	....	S. ♄.	Jacq. obs. 2. t. 45. f. 2.
48	marilandica. w.	Maryland.	N. America.	1723.	8. 10.	H. ♃.	Dill. elt. t. 260. f. 339.
49	robinioides. s.s.	Robinia-like.	S. America.	1820.	....	S. ♄.	
50	frondosa. w.	smooth shrubby.	W. Indies.	1769.	3. 4.	S. ♄.	Jacq. ic. 1. t. 74.
51	spectabilis. s.s.	showy.	Caracas.	1823.	....	S. ♄.	
52	Sophera. s.s.	round podded.	E. Indies.	1658.	7. 9.	S. ♄.	Rheed. mal. 2. t. 52.
53	coromandeliana. s.s.	Coromandel.	Coromandel.	1824.	....	S. ♄.	
54	bracteata. s.s.	bracteate.	Surinam.	1822.	....	S. ♄.	
55	reticulata. s.s.	netted-leaved.	Brazil.	——	....	S. ♄.	
56	montana. s.s.	mountain.	E. Indies.	——	....	S. ♄.	
57	auriculata. s.s.	eared.	——	1777.	7. 9.	S. ♄.	Pluk. alm. t. 314. f. 4.
58	virgata. s.s.	slender twigg'd.	Jamaica.	1820.	....	S. ♄.	
59	capensis. s.s.	Cape.	C. B. S.	1816.	4. 6.	G. ♄.	
60	pumila. s.s.	small.	China.	1820.	——	G. ☉.	Pluk. alm. t. 120. f. 1.
61	nictitans. s.s.	Virginian.	N. America.	1800.	7.	G. ♂.	—— —— t. 314. f. 5.
62	chamæcrista. s.s.	dwarf.	America.	1699.	6. 9.	S. ♂.	Botan. magaz. 157.
63	glandulosa. s.s.	glandular.	W. Indies.	1822.	——	S. ♄.	
64	marginata. s.s.	margined.	Surinam.	——	....	S. ♄.	
65	hirta. w.en.	hairy branched.	S. America.	——	....	S. ♄.	
66	microphylla. s.s.	small-leaved.	W. Indies.	——	6. 9.	S. ☉.	
67	dimidiata. D.P.	fine-leaved.	Nepaul.	1812.	——	S. ☉.	
68	mimosoides. s.s.	Mimosa-leaved.	E. Indies.	1806.	——	S. ☉.	
69	tenella. H.B.	small-branched.	——	1818.	——	S. ♂.	
70	procumbens. s.s.	procumbent.	N. America.	1806.	——	H. ☉.	Comm. petrop. t. 11.

HYPERANTHERA. W. HORSE-RADISH TREE. Decandria Monogynia.

	Moringa. w.	smooth.	E. Indies.	1759.	....	S. ♄.	Lam. ill. t. 336.
	Moringa zeylanica. Lam.						

HÆMATOXYLON. W. LOGWOOD. Decandria Monogynia. L.

	campechianum. w.	common.	S. America.	1724.	....	S. ♄.	Catesb. car. 2. t. 66.

ADENANTHERA. W. ADENANTHERA. Decandria Monogynia.

1	pavonina. w.	yellow-flower'd.	E. Indies.	1759.	5. 8.	S. ♄.	Jacq. coll. 4. t. 23.
2	falcata. w.	woolly-leaved.	——	1812.	——	S. ♄.	Rumph. amb. 3. t. 111.
3	aculeata. H.B.	prickly.	Coromandel.	1821.	....	S. ♄.	

POINCIANA. J. POINCIANA. Decandria Monogynia. L.

1	pulcherrima. B.M.	Flower-fence.	E. Indies.	1691.	6. 9.	S. ♄.	Botan. magaz. 995.
	Cæsalpinia pulcherrima. s.s.						
2	elata. H.K.	smooth.	——	1778.	——	S. ♄.	
	Cæsalpinia elata. s.s.						

CÆSALPINIA. J. BRASILETTO. Decandria Monogynia. L.

1	punctata. s.s.	dotted-leaved.	Brazil.	1818.	....	S. ♄.	
2	brasiliensis. s.s.	Brazilian.	——	1739.	....	S. ♄.	
3	procera. s.s.	tall.	Cuba.	1822.	....	S. ♄.	
4	bijuga. s.s.	broad-leaved.	Jamaica.	1770.	6. 9.	S. ♄.	Sloan. j. 2. t. 181. f. 2. 3.
5	cassioides. s.s.	Cassia-like.	S. America.	1823.	....	S. ♄.	
6	mucronata. s.s.	mucronate.	Brazil.	——	....	S. ♄.	
7	bahamensis. s.s.	emarginate.	Bahama.	——	....	S. ♄.	
8	Tara. R.P.	Peruvian.	Peru.	1818.	....	S. ♄.	
9	Sappan. s.s.	narrow-leaved.	E. Indies.	1773.	....	S. ♄.	Roxb. cor. 1. t. 16.
10	oleosperma. H.B.	oil-seeded.	——	1800.	....	S. ♄. ⌣	
11	cucullata. H.B.	hooded.	——	1822.	....	S. ♄. ⌣	
12	sepiaria. H.B.	Mysore thorn.	——	1806.	6. 9.	S. ♄. ⌣	
13	enneaphylla. H.B.	nine-leaved.	——	1812.	....	S. ♄. ⌣	
14	chinensis. H.B.	Chinese.	China.	——	....	S. ♄. ⌣	
15	paniculata. H.B.	panicled.	E. Indies.	——	....	S. ♄. ⌣	Rheed. mal. 6. t. 19.
16	tortuosa. H.B.	twisting.	——	1822.	....	S. ♄. ⌣	
17	sumatrana. H.B.	Sumatra.	——	——	....	S. ♄. ⌣	
18	Crista. s.s.	oval-leaved.	Jamaica.	....	....	S. ♄.	Plum. gen. t. 68.
19	Nuga. s.s.	acute-leaved.	Amboyna.	1801.	....	S. ♄.	Rumph. amb. 5. t. 50.
20	mimosoides. s.s.	Mimosa-leaved.	E. Indies.	1806.	....	S. ♄.	

GUILANDINA. W.	Nicker-tree.	Decandria Monogynia. L.						
1 Bonduc. L.T.	Sumatra.	Sumatra.	1640.	....	S. ħ. ⌣	Pluk. phyt. t. 2. f. 2.
2 Bonducella. L.T.	common.	E. Indies.	——	....	S. ħ. ⌣	Rumph.amb.5.t.49.f.1.
CADIA. W.	Cadia.	Decandria Monogynia. W.						
purpurea. W.	purple.	Arabia.	1755.	7. 10.	S. ħ.	Pic. hort. pan. 9. c. ic.
HOFFMANSEGGIA.	W. Hoffmanseggia.	Decandria Monogynia. W.						
falcaria. W.	sickle-podded.	Chili.	1806.	7. 8.	S. ħ.	Cavan. ic. t. 392.
CYNOMETRA. S.S.	Cynometra.	Decandria Monogynia. L.						
1 cauliflora. S.S.	stem-flowering.	E. Indies.	1804.	....	S. ħ.	Lam. ill. t. 331.
2 polyandra. S.S.	many-anthered.	———	1822.	....	S. ħ.	
MACROLOBIUM. W.	Macrolobium.	Triandria Monogynia. W.						
bijugum. L.T.	two-paired.	E. Indies.	1823.	....	S. ħ.	Linn. trans. 12. t. 17.
HYMENÆA. S.S.	Locust-tree.	Decandria Monogynia. L.						
1 Courbaril. S.S.	leathery-leav'd.	W. Indies.	1688.	....	S. ħ.	Lam. ill. t. 330. f. 1.
2 verrucosa. S.S.	warted podded.	Madagascar.	1808.	....	S. ħ.	——— t. 330. f. 2.
BAUHINIA. S.S.	Mountain Ebony.	Decandria Monogynia. L.						
1 scandens. S.S.	climbing.	E. Indies.	1799.	....	S. ħ. ⌣	Rheed. mal. 8. t. 29.
2 racemosa. S.S.	large-leaved.	———	1790.	——	S. ħ. ⌣	Vahl. symb. 3. t. 62.
3 tomentosa. S.S.	tomentose.	———	1808.	....	S. ħ.	Rheed. mal. 1. t. 35.
4 ferruginea H.B.	ferruginous.	———	1822.	....	S. ħ. ⌣	
5 purpurea. S.S.	purple.	———	1778.	....	S. ħ.	Rheed. mal. 4. t. 33.
6 variegata. L.T.	variegated.	E. Indies.	1690.	6. 7.	S. ħ.	Rheed. mal. 1. t. 32.
7 candida. W.	white-flowered.	———	1777.	5. 6.	S. ħ.	
8 parviflora. S.S.	small-flowered.	———	1808.	....	S. ħ.	
9 aurita. W.	long-eared.	Jamaica.	1756.	9. 10.	S. ħ.	Mill. ic. 1. t. 61.
10 porrecta. S.S.	smooth-leaved.	W. Indies.	1737.	7. 8.	S. ħ.	Botan. magaz. 1708.
11 acuminata. S.S.	acute-leaved.	E. Indies.	1808.	——	S. ħ.	Rheed mal. 1. t. 34.
12 anguina. S.S.	snake.	———	1818.	....	S. ħ. ⌣	
13 divaricata. S.S.	dwarf.	W. Indies.	1742.	6. 9.	S. ħ.	Linn. h. cliff. t. 15.
14 esculenta. B.T.	eatable rooted.	C. B. S.	1816.	....	I. ♃.	
15 triandra. H.B.	triandrous.	E. Indies.	1823.	....	S. ħ.	
16 retusa. H.B.	retuse.	———	——	....	S. ħ.	
17 corymbosa. H.B.	corymbose.	China.	1816.	....	S. ħ. ⌣	
18 semibifida. H.B.	semibifid.	Sumatra.	1818.	....	S. ħ. ⌣	
19 malabarica. H.B.	Malabar.	Malabar.	1823.	....	S. ħ.	
20 anatomica. L.C.	jagged leaved.	S. America.	1816.	....	S. ħ.	
21 rotundifolia. P.S.	round-leaved.	———	——	....	S. ħ.	Cav. ic. 5. t. 406.
22 aculeata. S.S.	prickly-stalked.	W. Indies.	1737.	6. 8.	S. ħ.	Plum. ic. t. 44. f. 1.
23 forficata. S.S.	forked.	Brazil.	1824.	....	S. ħ.	
24 heterophylla. S.S.	various-leaved.	Caracas.	——	....	S. ħ.	
25 speciosa. L.C.	handsome.	.....	....	....	S. ħ.	
26 microphylla. L.C.	small-leaved.	.....	....	....	S. ħ.	
COPAIFERA. W.	Balsam of Capevi.	Decandria Monogynia. L.						
officinalis. W.	officinal.	S. America.	1774.	....	S. ħ.	Jacq. amer. t. 86.
BROWNEA. W.	Brownea.	Monadelphia Decandria. L.						
coccinea. W.	scarlet flower'd.	W. Indies.	1793.	7. 8.	S. ħ.	Jacq. amer. t. 121.

Subordo III. *PAPILIONACEÆ. Brown.*

ANAGYRIS. W.	Bean Trefoil.	Decandria Monogynia. L.						
1 fœtida. W.	stinking.	Spain.	1570.	4. 5.	F. ħ.	Lam. ill. t. 328.
2 latifolia. W.en.	broad-leaved.	Teneriffe.	1815.	——	F. ħ.	
3 chinensis. S.S.	Chinese.	China.	1822.	——	F. ħ.	
CERCIS. W.	Judas-tree.	Decandria Monogynia. L.						
1 Siliquastrum. W.	European.	S. Europe.	1596.	5. 6.	H. ħ.	Botan. magaz. 1138.
2 canadensis. W.	American.	N. America.	1730.	——	H. ħ.	
EDWARDSIA. L.T.	Edwardsia.	Decandria Monogynia.						
1 grandiflora. L.T.	large-flowered.	N. Zealand.	1772.	3. 6.	F. ħ.	Botan. magaz. 167.
Sophora tetraptera. B.M.								
2 chrysophylla. L.T.	golden-leaved.	———	....	——	F. ħ.	Botan. regist. 738.
3 microphylla. L.T.	small-leaved.	———	1772.	——	F. ħ.	Botan. magaz. 1442.
4 minima. L.C.	smallest.	———	1816.	——	F. ħ.	
SOPHORA. H.K.	Sophora.	Decandria Monogynia. L.						
1 tomentosa. W.	downy.	India.	1690.	....	S. ħ.	Lam. ill. t. 325. f. 2.
2 occidentalis. P.S.	West Indian.	W. Indies.	....	....	S. ħ.	Trew. ehret. t. 59.

3 sylvatica. B.T.	Cape.	C. B. S.	1816.	8. 10.	G. ½.		
4 japonica. W.	Japanese.	Japan.	1753.	8. 9.	H. ½.	Andr. repos. 585.	
β *pendula.* L.C.	*pendulous.*						
5 robusta. H.B.	robust.	Silhet.	1820.	....	S. ½.		
6 chinensis. L.C.	China.	China.	....	....	H. ½.		
7 alopecuroides. S.S.	Fox-tail.	Levant.	1731.	7. 8.	H. 4.	Pall. astr. t. 87.	
8 sericea. N.	silky.	Missouri.	1811.	6. 7.	H. 4.		
Astragalus carnosus. Ph.							
9 flavescens. S.S.	Siberian.	Siberia.	1785.	5. 7.	H. 4.		
ORMOSIA. L.T.	NECKLACE-TREE. Decandria Monogynia.						
dasycarpa. L.T.	smooth-leaved.	W. Indies.	1793.	6. 7.	S. ½.	Linn. trans. 10. t. 26.	
Sophora monosperma. W.							
VIRGILIA. H.K.	VIRGILIA. Decandria Monogynia.						
1? lutea. Ph.	yellow-flower'd.	N.America.	1812.	6. 7.	H. ½.	Mich. arb. c. ic.	
2 aurea. H.K.	golden.	Abyssinia.	1777.	7.	G. ½.	L'Her. st. nov. 1. t. 75.	
3 intrusa. H.K.	small-flowered.	C. B. S.	1790.	5. 8.	G. ½.		
4 capensis. H.K.	Vetch-leaved.	———	1767.	7. 8.	G. ½.	Botan. magaz. 1590.	
CYCLOPIA. V.	CYCLOPIA. Decandria Monogynia.						
1 genistoides. V.	Genista-leaved.	C. B. S.	1787.	7. 8.	G. ½.	Botan. magaz. 1259.	
Ibbetsonia genistoides. B.M. *Gompholobium maculatum.* A.R. 427.							
2 elata.	tall.	———	1818.	——	G. ½.		
3 ternata.	ternate-leaved.	———	——	——	G. ½.		
Sophora ternata. Th.							
4 triphylla.	three-leaved.	———	——	——	G. ½.		
Sophora triphylla. Th.							
THERMOPSIS. H.K.	THERMOPSIS. Decandria Monogynia.						
1 laburnifolia. D.P.	Laburnum-ld.	Nepaul.	1819.	5. 6.	H. ½.	Hook. ex. flor. 131.	
Baptisia nepalensis. H.E.F.							
2 rhombifolia. N.	rhomb-leaved.	Louisiana.	1811.	6. 7.	H. 4.		
Cytisus rhombifolius. Ph.							
3 lanceolata. H.K.	sharp-leaved.	Siberia.	1796.	——	H. 4.	Botan. magaz. 1389.	
Podalyria lupinoides. W. *Sophora lupinoides.* Pallas.							
BAPTISIA. V.	BAPTISIA. Decandria Monogynia.						
1 perfoliata. S.S.	perfoliate.	Carolina.	1732.	8.	H. 4.	Dill. elt. t. 102. f. 122.	
Rafnia perfoliata. W.							
2 exaltata. B.F.G.	tall upright.	N.America.	1812.	6. 7.	H. 4.	Swt. br. fl. gar. 97.	
3 australis. S.S.	spreading blue.	———	1758.	——	H. 4.	Botan. magaz. 509.	
4 alba. S.S.	white-flowered.	———	1724.	——	H. 4.	——— ——— 1177.	
5 tinctoria. S.S.	dyer's.	———	1759.	7. 8.	H. 4.	——— ——— 1099.	
6 villosa. S.S.	villous.	Georgia.	1811.	6. 7.	H. 4.		
PODALYRIA. S.S.	PODALYRIA. Decandria Monogynia.						
1 myrtillifolia. W.	Myrtle-leaved.	C. B. S.	1795.	4. 7.	G. ½.		
2 sericea. H.K.	silky-leaved.	———	1778.	10. 1.	G. ½.	Botan. magaz. 1923.	
3 cuneifolia. V.	wedge-leaved.	———	1804.	5. 8.	G. ½.	Vent. cels. t. 99.	
4 biflora. W.	two-flowered.	———	1789.	2. 6.	G. ½.	Botan. magaz. 753.	
5 calyptrata. W.	one-flowered.	———	1792.	4. 5.	G. ½.		
6 styracifolia. B.M.	Storax-leaved.	———	——	5. 7.	G. ½.	Botan. magaz. 1580.	
7 buxifolia. W.	Box-leaved.	———	1790.	5. 10.	G. ½.	Botan. regist. 869.	
8 oleæfolia. P.L.	Olive-leaved.	———	1804.	5.	G. ½.	Parad. lond. 114.	
9 hirsuta. W.	hairy.	———	1774.	7. 8.	G. ½.		
10 cordata. H.K.	heart-leaved.	———	1794.	5. 7.	G. ½.		
CALLISTACHYS. V.	CALLISTACHYS. Decandria Monogynia.						
1 ovata. B.M.	oval-leaved.	N.Holland.	1815.	6. 8.	G. ½.	Botan. magaz. 1925.	
2 lanceolata. V.	spear-leaved.	———	——	——	G. ½.	Botan. regist. 216.	
OXYLOBIUM. H.K.	OXYLOBIUM. Decandria Monogynia.						
1 retusum. B.R.	retuse-leaved.	N.Holland.	1822.	4. 6.	G. ½.	Botan. regist. 913.	
2 arborescens. H.K.	tall.	V.Diem.Isl.	1805.	5. 9.	G. ½.	——— ——— 892.	
3 ellipticum. H.K.	elliptic-leaved.	———	——	——	G. ½.	Lab. n. holl. 1. t. 135.	
4 cordifolium. A.R.	heart-leaved.	N. S. W.	1807.	4. 9.	G. ½.	Andr. repos. 492.	
GASTROLOBIUM. H.K.	GASTROLOBIUM. Decandria Monogynia.						
bilobum. H.K.	two-lobed.	N.Holland.	1803.	3. 5.	G. ½.	Botan. regist. 411.	
EUCHILUS. H.K.	EUCHILUS. Decandria Monogynia.						
obcordatus. H.K.	heart-leaved.	N.Holland.	1803.	3. 6.	G. ½.	Botan. regist. 403.	
PULTENÆA. H.K.	PULTENÆA. Decandria Monogynia.						
1 daphnoides. S.S.	Daphne-leav'd.	N. S. W.	1792.	6. 7.	G. ½.	Botan. magaz. 1394.	
2 obcordata. S.S.	heart-leaved.	V.Diem.Isl.	1808.	5. 7.	G. ½.	Andr. repos. t. 574.	
3 biloba. S.S.	two-lobed.	N.Holland.	1818.	——	G. ½.	Botan. magaz. 2091.	
4 stricta. S.S.	upright.	N. S. W.	1803.	4. 6.	G. ½.	Lod. bot. cab. 974.	
5 scabra. S.S.	rough-leaved.	———	——	5. 7.	G. ½.		

6 retusa. s.s.	blunt-leaved.	—— ——	1789.	4. 5.	G. ħ.	Botan. regist. 378.
7 linophylla. s.s.	Flax-leaved.	—— ——	——	5. 7.	G. ħ.	Schrad. s. han. 3. t. 18.
8 dentata. s.s.	tooth-bracted.	—— ——	1818.	——	G. ħ.	
9 paleacea. L.T.	chaffy.	—— ——	1789.	——	G. ħ.	Lodd. bot. cab. 291.
10 stipularis. s.s.	scaly.	—— ——	1792.	4. 6.	G. ħ.	Botan. magaz. 435.
11 rosmarinifolia.†.	Rosemary-l^d.	N. Holland.	1824.	....	G. ħ.	
12 incarnata.†.	flesh-coloured.	—— ——	——	....	G. ħ.	
13 villosa. s.s.	villous.	N. S. W.	1790.	4. 5.	G. ħ.	Botan. magaz. 967.
14 flexilis. s.s.	shining-leaved.	—— ——	1801.	4. 6.	G. ħ.	
15 vestita. s.s.	awned.	N. Holland.	1803.	4. 7.	G. ħ.	
16 elliptica. L.T.	elliptic-leaved.	N. S. W.	1818.	——	G. ħ.	Linn. trans. 11. t. 24.
17 polygalifolia. L.T.	Polygala-l^d.	—— ——	——	——	G. ħ.	—— 11. t. 25.
18 ferruginea. L.T.	ferruginous.	—— ——	——	——	G. ħ.	—— —— 11. t. 23.
19 tennifolia. B.M.	slender-leaved.	—— ——	——	——	G. ħ.	Botan. magaz. 2086.
AOTUS. H.K.	Aotus. Decandria Monogynia.					
villosa. H.K.	villous.	V. Diem. Isl.	1790.	4. 6.	G. ħ.	Botan. magaz. 949.
EUTAXIA. H.K.	Eutaxia. Decandria Monogynia.					
myrtifolia. H.K.	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G. ħ.	Botan. magaz. 1274.
Dillwynia obovata. E.M.						
DAVIESIA. S.S.	Daviesia. Decandria Monogynia.					
1 alata. s.s.	winged.	N. Holland.	1820.	4. 6.	G. ħ.	Botan. regist. 728.
2 acicularis. s.s.	needle-leaved.	N. S. W.	1804.	6. 7.	G. ħ.	
3 ulicina. s.s.	Furze-like,	—— ——	1792.	4. 8.	G. ħ.	Andr. reposit. 304.
4 reticulata. s.s.	netted-leaved.	—— ——	1822.	——	G. ħ.	
5 umbellulata. L.T.	small-umbelled.	—— ——	——	——	G. ħ.	
6 corymbosa. s.s.	corymb-flow'r'd	—— ——	1804.	5. 8.	G. ħ.	
7 glauca. B.C.	glaucous-l^d.	—— ——	1812.	——	G. ħ.	Lodd. bot. cab. 43.
mimosoides. B.M. 1957. *non* H.K.						
8 mimosoides. H.K.	green-leaved.	—— ——	1809.	——	G. ħ.	Andr. repos. 526.
corymbosa. A.R.						
9 inerassata. s.s.	thick-leaved.	—— ——	1820.	——	G. ħ.	
10 cordata. s.s.†.	heart-leaved.	N. Holland.	1824.	....	G. ħ.	
11 latifolia. s.s.	broad-leaved.	N. S. W.	1805.	5. 8.	G. ħ.	Botan. magaz. 1757.
BRACHYSEMA. H.K.	Brachysema. Decandria Monogynia.					
1 latifolium. H.K.	broad-leaved.	N. Holland.	1803.	4. 7.	G. ħ.	Botan. regist. 118.
2 undulatum. B.R.	wave-leaved.	—— ——	1820.	2. 7.	G. ħ.	—— —— 642.
CHORIZEMA. S.S.	Chorizema. Decandria Monogynia.					
1 ilicifolium. s.s.	Holly-leaved.	N. Holland.	1803.	3. 10.	G. ħ.	Labill. voy. 1. t. 21.
2 nanum. s.s.	dwarf.	—— ——	——	——	G. ħ.	Botan. magaz. 1032.
3 rhombeum. s.s.	few-flowered.	—— ——	——	4. 6.	G. ħ.	
PODOLOBIUM. H.K.	Podolobium. Decandria Monogynia.					
1 trilobatum. H.K.	common.	N. S. W.	1791.	4. 7.	G. ħ.	Botan. magaz. 1477.
Chorizema trilobatum. L.T. *Pultenæa ilicifolia.* A.R. 320.						
2 spinosum. C.C.	spiny-leaved.	—— ——	1821.	3. 5.	G. ħ.	
aquifolium. L.C.						
JACKSONIA. H.K.	Jacksonia. Decandria Monogynia.					
1 scoparia. H.K.	Broom-like.	N. S. W.	1803.	6. 8.	G. ħ.	Lodd. bot. cab. 427.
2 spinosa. H.K.	spinous.	N. Holland.	——	4. 9.	G. ħ.	Labil. n. hol. 1. t. 136.
VIMINARIA. H.K.	Viminaria. Decandria Monogynia.					
denudata. H.K.	half-naked.	N. S. W.	1789.	6. 9.	G. ħ.	Botan. magaz. 1190.
SPHÆROLOBIUM. H.K.	Sphærolobium. Decandria Monogynia.					
1 vimineum. H.K.	yellow-flow'r'd.	N. Holland.	1802.	5. 8.	G. ħ.	Botan. magaz. 969.
2 medium. H.K.	red-flowered.	—— ——	1803.	6. 8.	G. ħ.	
MIRBELIA. L.T.	Mirbelia. Decandria Monogynia.					
1 reticulata. L.T.	netted-leaved.	N. S. W.	1792.	5. 8.	G. ħ.	Botan. magaz. 1211.
2 dilatata. H.K.	lobed-leaved.	N. Holland.	1803.	——	G. ħ.	
SCLEROTHAMNUS. H.K.	Sclerothamnus. Decandria Monogynia.					
microphyllus. H.K.	small-leaved.	N. Holland.	1803.	5. 6.	G. ħ.	
DILLWYNIA. H.K.	Dillwynia. Decandria Monogynia.					
1 parvifolia. B.M.	small-leaved.	N. S. W.	1800.	3. 7.	G. ħ.	Botan. magaz. 1527.
2 cinerascens. B.M.	ash-coloured.	—— ——	1818.	6. 7.	G. ħ.	—— 2247.
3 juniperina. B.C.	Juniper-leaved	—— ——	——	——	G. ħ.	Lodd. bot. cab. 401.
4 ericæfolia. s.s.	Heath-leaved.	—— ——	1794.	3. 7.	G. ħ.	Sm. exot. bot. t. 25.
5 glaberrima. L.T.	smooth.	—— ——	1800.	——	G. ħ.	Botan. magaz. 944.
6 floribunda. L.T.	close-flowered.	—— ——	1794.	4. 7.	G. ħ.	Sm. exot. bot. t. 26.
ericifolia. B.M. 1545. *nec aliorum.*						
BURTONIA. H.K.	Burtonia. Decandria Monogynia.					
scabra. H.K.	rough-leaved.	N. Holland.	1803.	5. 7.	G. ħ.	

GOMPHOLOBIUM. L.T. GOMPHOLOBIUM. Decandria Monogynia.

1 latifolium. L.T.	broad-leaved.	N. S. W.	1803.	3. 9.	G. ħ.	Sm. exot. bot. 1. t. 58.
fimbriatum. EX. B. *psoraliæfolium.* P.L.						
2 grandiflorum. L.T.	large-flowered.	———	——	——	G. ħ.	Botan. regist. 484.
3 marginatum. H.K.	small-flowered.	N.Holland.	——	3. 9.	G. ħ.	
4 polymorphum. H.K.	variable.	———	——	3. 8.	G. ħ.	Botan. magaz. 1533.
grandiflorum. A.R. *nec aliorum.*						
5 minus. L.T.	hairy-stalked.	N. S. W.	1812.	——	G. ħ.	
6 heterophyllum. †.	various-leaved.	N.Holland.	1824.	....	G. ħ.	
7 lanatum. †.	woolly.	———	——	....	G. ħ.	
8 tomentosum. H.K.	tomentose.	———	1803.	4. 7.	G. ħ.	
9 venustum. H.K.	purple-flow'r'd.	———	——	——	G. ħ.	
10 pinnatum. L.T.	pinnate-leaved.	N. S. W.	1822.	3. 6.	G. ♂.	

MULLERA. W. MULLERA. Diadelphia Decandria. L.

moniliformis. W.	bracelet.	Guiana.	1792.	....	S. ħ.	

ULEX. W. FURZE. Diadelphia Decandria. L.

1 europæus. W.	common.	Britain.	....	4. 6.	H. ħ.	Eng. bot. 742.
2 nanus. W.	dwarf.	———	....	1. 12.	H. ħ.	——— 743.
3 provincialis. DC.	Provence.	S. Europe.	1815.	6. 8.	H. ħ.	
Stauracanthus aphyllus. W.en.						

ASPALATHUS. W. ASPALATHUS. Diadelphia Decandria. L.

1 capitata. W.	headed.	C. B. S.	1823.	6. 7.	G. ħ.	Lam. ill. t. 620. f. 2.
2 Chenopoda. W.	cluster-leaved.	———	1759.	7. 8.	G. ħ.	Botan. magaz. 2225.
3 albens. W.	white-leaved.	———	1774.	——	G. ħ.	
4 hystrix. W.	silky-spined.	———	1824.	——	G. ħ.	
5 pedunculata. W.	small-leaved.	———	1775.	——	G. ħ.	Botan. magaz. 344.
6 thymifolia. W.	Thyme-leaved.	———	1825.	....	G. ħ.	Pluk. mant. t. 413. f. 1.
7 ericifolia. W.	Heath-leaved.	———	1789.	7. 8.	G. ħ.	——— t. 413. f. 6.
8 hispida. W.	hispid.	———	1823.	——	G. ħ.	
9 asparagoides. W.	Asparagus-le.	———	1812.	——	G. ħ.	
10 multiflora. W.	many-flowered.	———	1818.	——	G. ħ.	
11 pinguis. W.	succulent-leav'd.	———	——	——	G. ħ.	
12 carnosa. W.	fleshy-leaved.	———	1795.	5. 6.	G. ħ.	Botan. magaz. 1289.
13 crassifolia. A.R.	thick-leaved.	———	1800.	7. 8.	G. ħ.	Andr. repos. 351.
14 affinis. W.	likened.	———	1816.	——	G. ħ.	
15 ciliaris. W.	ciliated.	———	1799.	——	G. ħ.	Botan. magaz. 2233.
16 genistoides. W.	Genista-like.	———	1825.	....	G. ħ.	
17 squarrosa. W.	squarrose.	———	——	....	G. ħ.	
18 galioides. W.	Galium-like.	———	1816.	7. 8.	G. ħ.	
19 bracteata. W.	bracteate.	———	——	——	G. ħ.	
20 uniflora. W.	single-flowered.	———	1812.	——	G. ħ.	Pluk. mant. t. 414. f. 7.
21 pinea. W.	Pine-leaved.	———	1816.	——	G. ħ.	
22 subulata. W.	awl-leaved.	———	1789.	——	G. ħ.	
23 globosa. A.R.	globular.	———	1802.	6. 7.	G. ħ.	Andr. repos. 392.
24 araneosa. W.	cobweb.	———	1795.	——	G. ħ.	Botan. magaz. 829.
25 indica. W.	Indian.	E. Indies.	1759.	7. 8.	S. ħ.	
26 quinquefolia. W.	five-leaved.	C. B. S.	1816.	——	G. ħ.	Pluk. alm. t. 278. f. 4.
27 sericea. W.	silky.	———	——	——	G. ħ.	
28 argentea. W.	silver-leaved.	———	1759.	——	G. ħ.	
29 candicans. H.K.	white.	———	1774.	——	G. ħ.	
30 callosa. W.	oval-spiked.	———	1812.	——	G. ħ.	Botan. magaz. 2329.
31 mucronata. W.	thorny-branched.	———	1796.	6. 7.	G. ħ.	

SARCOPHYLLUM. B.M. SARCOPHYLLUM. Diadelphia Decandria. W.

carnosum. B.M.	jointed-leaved.	C. B. S.	1812.	5. 8.	G. ħ.	Botan. magaz. 2502.

BORBONIA. W. BORBONIA. Diadelphia Decandria. L.

1 ericifolia. W.	Heath-leaved.	C. B. S.	1812.	7. 8.	G. ħ.	
2 trinervia. W.	three-nerved.	———	1759.	——	G. ħ.	Pluk. alm. t. 297. f. 4.
3 lanceolata. W.	many-nerved.	———	1752.	——	G. ħ.	Jacq. schœn. 2. t. 217.
4 lævigata. B.C.	polished.	———	1799.	——	G. ħ.	Lodd. bot. cab. 247.
5 ruscifolia. B.M.	Ruscus-leaved.	———	1816.	——	G. ħ.	Botan. magaz. 2128.
6 perfoliata. W.	perfoliate.	———	1812.	——	G. ħ.	
7 ciliata. W.	fringed.	———	1816.	——	G. ħ.	Hout. syst. 8. t. 62. f. 2.
8 undulata. W.	wave-leaved.	———	1812.	——	G. ħ.	
9 cordata. W.	heart-leaved.	———	1759.	7. 8.	G. ħ.	Jacq. schœn. 2. t. 218.
10 crenata. W.	notch-leaved.	———	1774.	6. 8.	G. ħ.	Botan. magaz. 274.

LIPARIA. W. LIPARIA. Diadelphia Decandria. W.

1 sphærica. W.	globe-flowered.	C. B. S.	1794.	7. 8.	G. ħ.	Botan. magaz. 1241.
2 capitata. W.	headed.	———	1812.	——	G. ħ.	
3 tomentosa. W.	downy.	———	——	——	G. ħ.	

4	vestita. W.	concave-leav'd.	——	1800.	5. 6.	G. ♄.	Botan. magaz. 2223.
	villosa. A.R. 382. *nec aliorum.*						
5	graminifolia. W.	narrow-leaved.	——	——	6. 7.	G. ♄.	
6	myrtifolia. W.	Myrtle-leaved.	——	1825.	....	G. ♄.	
7	umbellifera. W.	umbel-flower'd.	——	——	....	G. ♄.	
8	villosa. W.	villous.	——	1774.	6. 7.	G. ♄.	Seb. thes. 1. t. 24. f. 1.
9	teres. W.	smooth-stalked.	——	1816.	——	G. ♄.	
10	hirsuta. W.	shaggy-stemm'd.	——	1792.	12. 4.	G. ♄.	Botan. regist 8.
11	sericea. W.	silky-leaved.	——	1794.	6. 7.	G. ♄.	
BOSSIÆA. L.T.		Bossiæa. Diadelphia Decandria.					
1	Scolopendrium. H.K.	plank-plant.	N. S. W.	1792.	5. 7.	G. ♄.	Vent. malm. 55.
	Platylobium Scolopendrium. A.R. 191.						
2	rufa. H.K.	red-flowered.	N. Holland.	1803.	6. 9.	G. ♄.	
3	heterophylla. H.K.	various-leaved.	N. S. W.	1792.	5. 12.	G. ♄.	Botan. magaz. 1144.
	Platylobium lanceolatum et *ovatum.* A.R. 205. *et* 276.						
4	linophylla. H.K.	narrow-leaved.	N. Holland.	1803.	7. 9.	G. ♄.	—— 2491.
5	prostrata. H.K.	procumbent.	N. S. W.	——	——	G. ♄.	—— —— 1493.
6	cinerea. H.K.	sharp-leaved.	V. Diem. Isl.	1805.	5. 7.	G. ♄.	Botan. regist. 306.
7	microphylla. H.K.	small-leaved.	N. S. W.	1803.	——	G. ♄.	Botan. magaz. 863.
PLATYLOBIUM. L.T.		Flat Pea. Diadelphia Decandria. W.					
1	fomosum. W.	large-flowered.	N. S. W.	1790.	6. 8.	G. ♄.	Botan. magaz. 469.
2	parviflorum. W.	small-flowered.	——	1792.	5. 9.	G. ♄.	—— 1520.
3	triangulare. H.K.	triangular-ld.	V. Diem. Isl.	1805.	——	G. ♄.	—— —— 1508.
SCOTTIA. H.K.		Scottia. Diadelphia Decandria.					
	dentata. H.K.	tooth-leaved.	N. Holland.	1803.	6. 9.	G. ♄.	
TEMPLETONIA. H.K.		Templetonia. Diadelphia Decandria.					
1	retusa. H.K.	green-leaved.	N. Holland.	1803.	3. 6.	G. ♄.	Botan. regist. 383.
2	glauca. B.M.	glaucous-leav'd.	——	——	——	G. ♄.	Botan. magaz. 2088.
GOODIA. P.L.		Goodia. Diadelphia Decandria.					
1	lotifolia. P.L.	Lotus-leaved.	V. Diem. Isl.	1793.	4. 7.	G. ♄.	Sal. par. lond. 41.
2	subpubescens.	hairy-leaved.	——	1812.	——	G. ♄.	
3	pubescens. B.M.	downy.	——	1805.	——	G. ♄.	Botan. magaz. 1310.
4	retusa. †.	notched.	N. Holland.	1824.	....	G. ♄.	
LODDIGESIA. B.M.		Loddigesia. Diadelphia Decandria.					
	oxalidifolia. B.M.	Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. ♄.	Botan. magaz. 965.
WIBORGIA. W.		Wiborgia. Diadelphia Decandria. W.					
	sericea. W.	silky.	C. B. S.	1780.	7. 8.	G. ♄.	
CROTALARIA. W.		Crotalaria. Diadelphia Decandria. L.					
1	sagittalis. W.	Virginian.	America.	1731.	6. 7.	H. ☉.	Pluk. alm. t. 169. f. 6.
2	prostrata. D.P.	prostrate.	E. Indies.	1804.	——	S. ♃.	
3	parviflora. W.	small-flowered.	N. America.	1823.	——	H. ☉.	
4	rubiginosa. W.	ferruginous.	E. Indies.	1807.	——	S. ♃.	
5	anthylloides. W.	large-calyxed.	——	1789.	8. 9.	S. ♄.	
6	tetragona. A.R.	square-stalked.	Nepaul.	1806.	——	S. ♂.	Andr. reposit. 593.
7	juncea. W.	rush-stalked.	E. Indies.	1700.	6. 7.	S. ☉.	Botan. magaz. 490.
8	chinensis. W.	Chinese.	China.	1820.	——	S. ♄.	
9	bengalensis. P.S.	Bengal.	Bengal.	1806.	——	S. ☉.	Pluk. alm. t. 169. f. 5.
10	fenestrata. B.M.	window-calyx'd.	E. Indies.	1815.	——	S. ☉.	Botan. magaz. 1933.
11	sericea. W.	silky.	——	1807.	——	S. ☉.	
12	linifolia. W.	Flax-leaved.	——	1823.	——	S. ☉.	
13	stipulacea. H.B.	large-stipuled.	——	——	——	S. ♃.	
14	montana. H.B.	mountain.	——	1816.	——	S. ♃.	
15	tuberosa. D.P.	tuberous-root'd.	Nepaul.	——	——	S. ♃.	
16	fulva. H.B.	tawny.	E. Indies.	——	——	S. ♃.	
17	pulcherrima. B.M.	Mysore.	——	1814.	——	S. ♄.	Botan. magaz. 2027.
18	retusa. W.	wedge-leaved.	——	1731.	——	S. ☉.	Botan. regist. 253.
19	verrucosa. W.	blue-flowered.	——	——	7. 9.	S. ☉.	Andr. reposit. 308.
20	pulchra. A.R.	short-podded.	——	1800.	8. 5.	S. ♄.	—— —— 601.
21	semperflorens. V.	ever-blowing.	——	1816.	8. 9.	S. ♄.	Vent. cels. t. 17.
22	hirsuta. W.	hairy-podded.	——	1823.	6. 8.	S. ☉.	
23	biflora. W.	two-flowered.	——	1790.	——	S. ☉.	Burm. ind. t. 48. f. 2.
24	hirta. W.en.	hairy.	——	1816.	——	S. ☉.	
25	alata. D.P.	winged-stalked.	——	1818.	——	S. ♄.	
26	bialata. L.en.	two-winged.	——	——	——	S. ♃.	
27	tenuifolia. H.B.	slender-leaved.	——	——	——	S. ♃.	
28	diffusa. L.en.	diffuse.	.....	——	——	S. ♃.	
29	angulosa. H.B.	angular-stalk'd.	Mauritius.	——	——	S. ☉.	
30	nepalensis. L.en.	Nepaul.	Nepaul.	1821.	——	S. ☉.	
31	paniculata. W.	panicled.	E. Indies.	1807.	——	S. ♄.	

32 lotifolia. W.	Lotus-leaved.	Jamaica.	1732.	6. 7.	S.☉.	Dill. elt. t. 102. f. 121.
33 micans. L.en.	glittering.	E. Indies.	1823.	——	S.♃.	
34 argentea. W.	silvery-leaved.	C. B. S.	——	——	G.ħ.	
35 laburnifolia. W.	Laburnum-lf.	E. Indies.	1739.	7. 9.	S.♂.	Rheed. mal. 9. t. 27.
36 floribunda. B.C.	many-flowered.	.....	1812.	——	G.ħ.	Lodd. bot. cab. 509.
Anthyllis cuneata. Hort.						
37 elliptica. H.B.	elliptic.	China.	1823.	——	G.ħ.	
38 cordifolia. W.	heart-leaved.	C. B. S.	1790.	4. 6.	G.ħ.	
39 purpurea. V.	purple-flow'r'd.	———	——	3. 5.	G.ħ.	Botan. regist. 128.
40 pulchella. B.M.	large-flowered.	———	1800.	7. 8.	G.ħ.	Botan. magaz. 1699.
41 Saltiana. A.R.	Salt's.	Abyssinia.	1810.	6. 7.	S.ħ.	Andr. reposit. 648.
42 axillaris. W.	axil-flowered.	Guinea.	1781.	7. 8.	S.☉.	
43 orixensis. W.en.	strigose.	E. Indies.	1816.	——	S.☉.	
44 vitellina. B.R.	yellow-twigged.	Brazil.	1819.	5. 7.	S.ħ.	Botan. regist. 447.
45 incanescens. W.	spreading.	C. B. S.	1774.	6. 10.	G.ħ.	Jacq. vind. 3. t. 64.
46 incana. W.	hoary.	W. Indies.	1714.	6. 7.	S.☉.	
47 trifoliastrum. W.	Trefoil-leaved.	E. Indies.	1818.	——	S.ħ.	
48 pallida. W.	pale-flowered.	Africa.	1775.	——	S.☉.	
49 curtata. L.en.	short-keeled.	.....	1820.	——	S.☉.	
50 micrantha. L.en.	small-blossom'd.	Ceylon.	——	——	S.☉.	
51 psoraloides. P.S.	Psoralea-like.	Madagascar.	——	——	S.ħ.	
52 angustifolia. W.	narrow-leaved.	C. B. S.	1815.	5. 9.	G.ħ.	Jacq. schœn. 2. t. 219.
53 bracteata. H.B.	large bracted.	E. Indies.	1818.	——	S.ħ.	
54 quinquefolia. W.	five-leaved.	———	1792.	6. 7.	S.☉.	Rheed. mal. 9. t. 22.
HOVEA. H.K.	Hovea. Diadelphia Decandria.					
1 lanceolata. B.M.	spear-leaved.	N. S. W.	1805.	3. 7.	G.ħ.	Botan. magaz. 1624.
2 linearis. H.K.	linear-leaved.	———	1796.	——	G.ħ.	Botan. regist. 463.
Poiretia linearis. L.T.						
3 longifolia. H.K.	long-leaved.	———	1805.	——	G.ħ.	Botan. regist. 614.
4 elliptica.	elliptic-leaved.	———	1817.	——	G.ħ.	
Poiretia elliptica. L.T.						
5 latifolia. B.C.	broad-leaved.	———	——	——	G.ħ.	Lodd. bot. cab. 30.
6 Celsi. B.R.	Cels's.	N.Holland.	1818.	——	G.ħ.	Botan. regist. 280.
7 ilicifolia.†	Holly-leaved.	———	1824.	....	G.ħ.	
RAFNIA. W.	Rafnia. Diadelphia Decandria.					
1 amplexicaulis. W.	stem-clasping.	C. B. S.	1816.	6. 7.	G.ħ.	Seb. thes. 1. t. 24. f. 5.
2 elliptica. W.	elliptic-leaved.	———	——	——	G.ħ.	
3 cuneifolia. W.	wedge-leaved.	———	1820.	——	G.ħ.	
4 triflora. W.	three-flowered.	———	1786.	——	G.♂.	Botan. magaz. 482.
Borbonia cordata. A.R. Bl. *nec aliorum.*						
5 opposita. W.	opposite-leav'd.	———	1825.	....	G.ħ.	
LEBECKIA. W.	Lebeckia. Diadelphia Decandria.					
1 contaminata. W.	narrow-leaved.	C. B. S.	1787.	4. 5.	G.ħ.	
2 sepiaria. W.	filiform-leaved.	———	1816.	——	G.ħ.	Pluk. mant. t. 424. f. 1.
3 sericea. W.	silky.	———	1774.	——	G.ħ.	
4 cytisoides. W.	Cytisus-leaved.	———	——	——	G.ħ.	Comm. hort. 2. t. 107.
SPARTIUM. L.en.	Broom. Diadelphia Decandria. L.					
1 monospermum. L.en.	white single-seeded.	S.Europe.	1690.	6. 7.	F.ħ.	Botan. magaz. 683.
2 sphærocarpon. L.en.	yellow single-seeded.	——	1731.	——	F.ħ.	Renealm. spec. t. 33.
3 aphyllum. L.en.	violet-coloured.	Volga.	1818.	——	H.ħ.	Pall. it. 3. app. t. 5. f. 2.
4 parviflorum. L.en.	small-flowered.	.....	——	——	F.ħ.	
SPARTIANTHUS. L.en.	Spartianthus. Diadelphia Decandria. L.					
juncens. L.en.	Spanish-broom.	S. Europe.	1548.	7. 9.	H.ħ.	Botan. magaz. 85.
α simplex.	*common.*					
β plenum.	*double-flowered.*					
GENISTA. L.en.	Genista. Diadelphia Decandria. L.					
1 cinerea. L.en.	ash-coloured.	S. France.	1818.	5. 7.	H.ħ.	Wats. dend. brit. t. 76.
Spartium cinereum. W.						
2 angulata. L.en.	small-flowered.	Levant.	1739.	——	H.ħ.	Venten. cels. 87.
3 congesta.	close-branched.	Teneriffe.	....	4. 7.	G.ħ.	
Spartium congestum. W.en.						
4 virgata. L.en.	long-twigged.	Madeira.	1777.	3. 6.	G.ħ.	Botan. magaz. 2265.
Spartium virgatum. W.						
5 linifolia. L.	Flax-leaved.	Spain.	1739.	1. 6.	G.ħ.	Botan. magaz. 442.
6 radiata. L.en.	rayed.	Italy.	1758.	5. 7.	H.ħ.	——— 2260.
Spartium radiatum. B.M.						
7 pilocarpa. L.en.	hairy-podded.	.....	1820.	——	F.ħ.	
8 clavata. Poir.	clavate.	Mogadore.	1812.	5. 8.	G.ħ.	Vent. choix. t. 17.
Spartium sericeum. V.						

9	purgans. Bal.	purging.	S. France.	1768.	6. 7.	H. ħ.	Bull. herb. t. 115.
10	umbellatum.	umbelled.	Barbary.	1799.	4. 6.	G. ħ.	Desf. atl. 2. t. 180.
	Spartium umbellatum. W.						
11	pilosa. W.	hairy green-weed.	England.	....	5. 6.	H. ħ.	Engl. bot. 208.
12	sericea. W.	silky-leaved.	Austria.	1812.	——	H. ħ.	Jacq. ic. 3. t. 556.
13	diffusa. W.	diffuse.	Italy.	1816.	——	H. ħ.	—— —— 3. t. 555.
14	decumbens. W.	decumbent.	France.	1775.	——	H. ħ.	Lodd. bot. cab. 718.
15	procumbens. W.	procumbent.	Hungary.	1816.	6. 8.	H. ħ.	
16	florida. W.	Spanish.	Spain.	1752.	——	H. ħ.	
17	ovata. W.	oval-leaved.	Hungary.	1816.	——	H. ħ.	Wats. dend. brit. t. 77.
18	sibirica. W.	Siberian.	Siberia.	1785.	——	H. ħ.	Jacq. vind. 2. t. 190.
19	tinctoria. W.	Dyer's green-weed.	Britain.	....	——	H. ħ.	Engl. bot. 44.
20	scariosa. L.en.	scariose.	Italy.	1820.	——	H. ħ.	
21	anxantica. Ten.	smooth.	——	——	——	H. ħ.	
22	triangularis. W.	three-sided.	Hungary.	1815.	5. 6.	H. ħ.	W. et Kit. h. 2. t. 153.
23	sagittalis. W.	jointed.	Germany.	1570.	——	H. ħ.	Jacq. aust. 3. t. 209.
24	triquetra. W.	triangular.	Corsica.	1770.	5. 6.	H. ħ.	Wats. dend. brit. t. 79.
25	viscosa. W.	clammy.	Canaries.	1815.	4. 7.	G. ħ.	
26	candicans. W.	hoary.	Spain.	1735.	——	G. ħ.	Wats. dend. brit. t. 80.
27	canariensis. W.	Canary.	Canaries.	1656.	5. 9.	G. ħ.	Botan. regist. 217.
28	ferox. L.en.	fierce.	Barbary.	1800.	6. 7.	G. ħ.	Desf. atl. 2. t. 182.
	Spartium ferox. B.R. 268.						
29	germanica. W.	German.	Germany.	1773.	6. 8.	H. ħ.	
30	hispanica. W.	dwarf prickly.	Spain.	1759.	——	H. ħ.	Cav. ic. 3. t. 211.
31	lusitanica. W.	Portugal.	Portugal.	1771.	3. 5.	H. ħ.	Andrews' reposit. 419.
32	triacanthos. L.en.	three-spined.	——	1821.	5. 6.	H. ħ.	
33	falcata. P.S.	falcate-podded.	——	——	3. 5.	H. ħ.	
34	anglica. W.	Petty Whin.	Britain.	....	5. 8.	H. ħ.	Engl. bot. 132.
35	Scorpius. L.en.	Scorpion.	S. Europe.	1570.	3. 4.	H. ħ.	Wats. dend. brit. t. 78.
	Spartium Scorpius. W.						
CALYCOTOME. L.en.		CALYCOTOME.	Diadelphia Decandria.				
1	spinosa. L.en.	prickly.	S. Europe.	1596.	6. 7.	F. ħ.	Lob. ic. 2. p. 95.
	Spartium spinosum. W.						
2	villosa. L.en.	villous.	——	1822.	——	F. ħ.	
	Spartium villosum. W.						
CYTISUS. L.en.		CYTISUS.	Diadelphia Decandria. L.				
1	nubigenus. L.en.	cluster-flow'r'd.	Teneriffe.	1779.	5. 8.	F. ħ.	
	Spartium nubigenum. W.						
2	scoparius. L.en.	common Broom.	Britain.	....	4. 6.	H. ħ.	Engl. bot. 1339.
	Spartium scoparium. W.						
3	patens.	woolly-podded.	Portugal.	1752.	6. 7.	H. ħ.	Cav. ic. 2. t. 176.
	Spartium patens. W.						
4	procerus. L.en.	tall.	——	1816.	——	H. ħ.	
5	multiflorus.	white Portugal.	——	1752.	5.	H. ħ.	Duham. arb. t. 23.
	albus. L.en. *Spartium multiflorum.* W.						
6	proliferus. W.	silky.	Canaries.	1779.	4. 5.	G. ħ.	Botan. regist. 121.
7	Laburnum. W.	Laburnum.	Europe.	1596.	5. 6.	H. ħ.	Botan. magaz. 176.
8	alpinus. W.en.	Scotch Laburnum.	——	——	6. 7.	H. ħ.	
9 ?	tomentosus. A.R.	tomentose.	C. B. S.	1798.	7. 8.	G. ħ.	Andr. reposit. 287.
10	nigricans. W.	black-rooted.	Austria.	1730.	6. 7.	H. ħ.	Jacq. aust. t. 387.
11	sessilifolius. W.	common.	Italy.	1629.	5. 6.	H. ħ.	Botan. magaz. 255.
12	nanus. W.en.	dwarf.	Levant.	1816.	6. 8.	H. ħ.	Wats. dend. brit. 81.
13	hirsutus. W.	hairy.	S. Europe.	1789.	——	H. ħ.	Jacq. obs. 4. t. 96.
14	capitatus. W.	cluster-flow'r'd.	Austria.	1774.	6. 7.	H. ħ.	Schmidt arb. 1. t. 29.
15	austriacus. W.	Austrian.	——	1741.	6. 9.	H. ħ.	Jacq. aust. 1. t. 21.
16	leucanthus. W.	cream-colour'd.	Hungary.	1806.	6. 7.	H. ħ.	Botan. magaz. 1438.
17	purpureus. W.	purple-flow'r'd.	Austria.	1792.	5. 8.	H. ħ.	—— —— —— 1176.
	β *albus.*	*white-flowered.*					
18	elongatus. W.en.	long-branched.	Hungary.	1804.	5. 6.	H. ħ.	Wats. dend. brit. 82.
19	falcatus. W.en.	sickle-shaped.	——	1816.	6. 8.	H. ħ.	W. et Kit. h. 3. t. 238.
20	supinus. W.	trailing.	S. Europe.	1755.	5. 8.	H. ħ.	Jacq. aust. 1. t. 20.
21	biflorus. W.	two-flowered.	Hungary.	1760.	5. 6.	H. ħ.	Botan. regist. 308.
22	triflorus. W.	three-flowered.	Spain.	1640.	6. 7.	H. ħ.	
23	mollis. W.en.	soft-leaved.	.....	1820.	——	H. ħ.	
24	argenteus. W.	silver-leaved.	France.	1789.	8.	H. ħ.	
ADENOCARPUS. DC.		ADENOCARPUS.	Diadelphia Decandria.				
1	divaricatus.	straddling.	S. Europe.	1656.	7. 8.	F. ħ.	Botan. magaz. 1387.
	Cytisus divaricatus. β. B.M.						
2	parviflorus. DC.	small-flowered.	—— ——	....	——	F. ħ.	

3 foliolosus. DC. *Cytisus foliolosus.* W.	leafy.	Canaries.	1779.	7. 8.	F. ♄.	Botan. magaz. 426.
4 hispánicus. DC.	Spanish.	Spain.	....	——	F. ♄.	Clus. hisp. 190. ic. 192.
CALOPHACA. F.	CALOPHACA.	Diadelphia Decandria.				
volgarica. F. *Cytisus volgaricus.* W.	wing-leaved.	Siberia.	1786.	5. 6.	H. ♄.	Wats. dend. brit. 83.
CAJANUS. DC.	PIGEON PEA.	Diadelphia Decandria.				
1 bicolor. DC.	two-coloured.	E. Indies.	1687.	7. 8.	S. ♄.	Jacq. vind. 2. t. 119.
2 flavus. DC. *Cytisus Cajan.* L.	yellow-flow'r'd.	————	——	——	S. ♄.	
LUPINUS. W.	LUPINE.	Diadelphia Decandria. L.				
1 arboreus. B.M.	tree.	S. America.	1793.	7. 9.	H. ♄.	Botan. magaz. 682.
2 mutabilis. B.F.G.	changeable.	Bogato.	1825.	——	H. ♄.	Swt. brit. fl. gar. 180.
3 mexicanus. Lag.	Mexican.	Mexico.	1819.	——	H. ♃.	Botan. regist. 457.
4 villosus. W.	villous.	Carolina.	1787.	——	F. ♃.	Pursh.fl.am.sep.2.t.21.
5 perennis. W.	smooth perennial.	N.America.	1658.	5. 7.	H. ♃.	Botan. magaz. 202.
6 nootkatensis. Ph.	hairy perennial.	Nootka Sound.	1794.	6. 8.	H. ♃.	—— —— 1311.
7 albus. W.	white.	Levant.	1596.	7. 8.	H. ⊙.	
8 Termis. W.	Egyptian.	Egypt.	1802.	6. 7.	H. ⊙.	
9 varius. W.	small blue.	S. Europe.	1596.	7. 8.	H. ⊙.	
10 hirsutus. W.	large blue.	————	1629.	——	H. ⊙.	
11 pilosus. W.	rose.	————	1710.	——	H. ⊙.	
12 angustifolius. W.	narrow-leaved.	Spain.	1666.	——	H. ⊙.	Knor. del. 2. t. L. 7.
13 linifolius. W.	Flax-leaved.	.....	1799.	——	H. ⊙.	Roth. abh. 14. t. 5.
14 luteus. W.	yellow.	Sicily.	1596.	——	H. ⊙.	Botan. magaz. 140.
15 microcarpus. B.M.	small-podded.	Chili.	1822.	4. 6.	H. ⊙.	—— —— 2413.
ONONIS. W.	REST-HARROW.	Diadelphia Decandria. L.				
1 antiquorum. W.	tall.	S. Europe.	1790.	6. 7.	H. ♃.	
2 spinosa. W. *arvensis.* E.B.	Cammock.	Britain.	....	6. 8.	H. ♄.	Eng. bot. 682.
3 repens. W.	creeping.	Britain.	....	——	H. ♃.	Dill. elt. t. 25. f. 28.
4 hircina. W.	stinking.	Italy.	1596.	5. 8.	H. ♃.	Jacq. vind. 1. t. 98.
5 minutissima. W. *barbata.* Cav. *saxatilis.* Lam.	pointed calyx'd.	—— ——	1818.	6. 8.	H. ⊙.	Cav. ic. 2. t. 143.
6 Columnæ. W. *parviflora.* P.S. *minutissima.* Jacq. non W.	small-flowered.	S. Europe.	1732.	6. 7.	H. ♃.	Jacq. aust. 3. t. 240.
7 capitata. W.	capitate.	Spain.	1818.	——	H. ♃.	Cav. ic. 2. t. 159. f. 2.
8 mitissima. W.	cluster-flow'r'd.	Portugal.	1732.	——	H. ⊙.	Dill. elt. t. 24. f. 27.
9 alopecuroides. W.	Fox-tail.	—— ——	1696.	7. 8.	H. ⊙.	Lapey. pyr. 1. t. 9.
10 variegata. W.	variegated.	Spain.	1784.	——	H. ⊙.	Desf. atl. 2. t. 185.
11 striata. P.S.	striated.	Pyrenees.	1814.	6. 7.	H. ♃.	
12 diffusa. T.S.	diffuse.	Italy.	1824.	7. 8.	H. ⊙.	
13 oligophylla. T.S. *hispanica.* B.M.	few-leaved.	————	——	——	H. ♃.	Botan. magaz. 2150.
14 pubescens. W.	downy.	S. Europe.	1680.	6. 8.	H. ⊙.	
15 cernua. W.	hanging-podded.	C. B. S.	1774.	7. 9.	G. ♄.	Comm. hort. 2. t. 82.
16 umbellata. W.	umbel-flow'r'd.	—— ——	1818.	——	G. ♄.	
17 glabra. W.	smooth-leaved.	—— ——	1816.	——	G. ♄.	
18 capensis. W.	Cape annual.	—— ——	1823.	7. 9.	H. ⊙.	
19 geminata. W.	two-flowered.	—— ——	1787.	——	G. ♃.	
20 villosa. W.	villous.	—— ——	1825.	——	G. ♃.	
21 pendula. W.	pendulous.	Barbary.	1818.	——	H. ⊙.	Desf. atl. 2. t. 191.
22 reclinata. W.	spreading.	S. Europe.	1800.	6. 8.	H. ⊙.	
23 cenisia. W.	narrow-leaved.	Italy.	1759.	——	H. ♃.	All. ped. 1. t. 10. f. 2.
24 fœtida. S.M.	fetid.	Marocca.	1804.	7. 10.	H. ⊙.	
25 vaginalis. W.	sheathed.	Egypt.	1815.	6. 8.	G. ♄.	Vent. cels. t. 32.
26 Cherleri. W.	dwarf.	S. Europe.	1771.	6. 7.	H. ♃.	Bauh. hist. 2. f. 1.
27 viscosa. W.	clammy.	—— ——	1759.	7. 8.	H. ⊙.	Barr. ic. 1239.
28 biflora. W.	two-flowered.	Barbary.	1824.	——	H. ⊙.	
29 ornithopodioides. W.	Bird's-foot.	Sicily.	1713.	——	H. ⊙.	Cav. ic. 2. t. 192.
30 ramosissima. W.	branching.	Barbary.	1825.	....	H. ♃.	Desf. atl. 2. t. 186.
31 picta. W.	painted.	————	——	....	H. ♃.	—— —— 2. t. 137.
32 pinguis. W.	greasy.	S. Europe.	1739.	7. 8.	F. ♄.	
33 Natrix. W.	yellow shrubby.	—— ——	1683.	5. 9.	F. ♄.	Botan. magaz. 329.
34 hispanica. W.	Spanish.	Spain.	1799.	——	F. ♄.	Barrel. ic. 775.
35 tridentata. W.	three-toothed.	————	1752.	6. 8.	F. ♄.	Cav. ic. 2. t. 152.
36 crispa. W.	curl-leaved.	————	1739.	——	F. ♄.	Rœm.arch.v.1.p.2.t.1.
37 arborescens. W.	tree.	Barbary.	1825.	....	F. ♄.	Desf. atl. 2. t. 193.
38 fruticosa. W.	shrubby.	S. France.	1680.	5. 6.	H. ♄.	Botan. magaz. 317.

89 rotundifolia. W.	round-leaved.	Switzerland.	1570.	5. 7.	H. ♄.	Botan. magaz. 136.
ARACHIS. W.	EARTH NUT.	Diadelphia Decandria. L.				
hypogæa. W.	American.	S. America.	1712.	5. 6.	S. ☉.	Trew pl. rar. t. 5. f. 8.
ANTHYLLIS. W.	KIDNEY VETCH.	Diadelphia Decandria. L.				
1 tetraphylla. W.	four-leaved.	S. Europe.	1640.	7. 8.	H. ☉.	Botan. magaz. 108.
2 Vulneraria. W.	common.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 104.
β *pilosa*. P.S.	*red-flowered.*					
3 montana. W.	mountain.	S. Europe.	1759.	6. 7.	H. ♃.	Swt. br. fl. gar. 79.
4 Dillenii. Sch.	Dillenius's.	——	....	——	H. ♃.	
5 cornicina. W.	horned.	Spain.	1759.	7. 8.	H. ☉.	Cav. ic. 1. t. 39. f. 2.
6 lotoides. W.	Lotus-like.	——	1739.	6. 7.	H. ☉.	—— 1. t. 40.
7 sericea. W.	wing-leaved.	Barbary.	1786.	7. 8.	G. ♂.	Desf. act. par. 1. t. 8.
8 hamosa. W.	hooked.	——	1820.	——	H. ☉.	
9 Gerardi. W.	Gerard's.	Provence.	1806.	6. 8.	H. ☉.	Ger. prov. t. 18.
10 onobrychioides. W.	Saintfoin-like.	Spain.	1818.	——	H. ♃.	Cav. ic. 2. t. 150.
11 alpina. Ly.	Alpine.	Britain.	....	6. 7.	H. ♃.	
12 linifolia. W.	Flax-leaved.	C. B. S.	1816.	——	G. ♄.	
13 Barba-Jovis. W.	Jupiter's-beard.	S. Europe.	1640.	8. 5.	G. ♄.	Botan. magaz. 1927.
14 cretica. W.	Cretan.	Crete.	1737.	6. 7.	F. ♄.	—— 1092.
Ebenus cretica. L.						
15 heterophylla. W.	various-leaved.	Spain.	1768.	——	G. ♄.	
16 cytisoides. W.	downy-leaved.	——	1731.	4. 6.	F. ♄.	Barr. ic. 1182.
17 Hermanniæ. W.	Lavender-ld.	Levant.	1739.	4. 7.	F. ♄.	Botan. magaz. 2576.
18 Erinacea. W.	prickly.	Spain.	1759.	4. 5.	F. ♄.	Botan. magaz. 676.
19 Hystrix.	Porcupine.	S. Europe.	....	——	F. ♄.	
PETALOSTEMON. M.	PETALOSTEMON.	Diadelphia Pentandria.				
1 candidum. Ph.	white.	N. America.	1811.	7. 8.	H. ♃.	Mich. am. 2. t. 37. f. 1.
2 carneum. Ph.	flesh-coloured.	——	——	——	H. ♃.	
3 violaceum. Ph.	purple.	——	——	7. 9.	H. ♃.	Botan. magaz. 1707.
4 corymbosum. Ph.	corymbose.	——	——	——	H. ♃.	
Dalea Kuhnistera. W.						
DALEA. J.	DALEA.	Diadelphia Decandria. W.				
1 Cliffortiana. W.	Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. ☉.	
2 Linnæi. M.	Fox-tail.	Mississippi.	1812.	——	H. ☉.	Mich. am. 2. t. 33.
Petalostemon alopecuroideum. Ph.						
3 aurea. N.	golden.	Louisiana.	1811.	——	H. ♃.	
4 laxiflora. Ph.	loose-flowered.	——	——	——	H. ♃.	
5 enneaphylla. W.	nine-leaved.	W. Indies.	1772.	——	S. ☉.	
6 phymatodes. W.	obovate-leaved.	Caracas.	1824.	——	S. ☉.	
7 nutans. W.	nodding.	S. America.	——	——	S. ♃.	Cav. ic. 3. t. 201.
8 citriodora. W.	leafy.	New Spain.	1780.	10. 11.	S. ☉.	—— 3. t. 271.
Psoralea citriodora. C.I.						
9 mutabilis. W.	changeable.	S. America.	1821.	9. 10.	S. ♄.	Botan. magaz. 2466.
bicolor. Hook. ex. flor. 43.						
10 Lagopus. W.	downy-spiked.	Mexico.	1780.	10. 11.	G. ☉.	Cav. ic. 1. t. 86.
11 lutea. W.	yellow.	——	1823.	7. 9.	G. ♃.	—— 4. t. 325.
12 tomentosa. W.	woolly.	——	——	——	G. ♃.	—— 3. t. 240.
PSORALEA. W.	PSORALEA.	Diadelphia Decandria. L.				
1 pinnata. W.	wing-leaved.	C. B. S.	1690.	5. 7.	G. ♄.	Herm. lugd. t. 273.
2 odoratissima. W.	fragrant.	——	1795.	——	G. ♄.	Jacq. schœn. 2. t. 229.
pinnata. A.R. 474. *nec aliorum*.						
3 verrucosa. W.	narrow-leaved.	——	1774.	5. 8.	G. ♄.	—— 2. t. 226.
angustifolia. Jacq. *arborea*. B.M. 2090.						
4 aculeata. W.	prickly-leaved.	——	——	——	G. ♄.	Andr. reposit. 146.
5 bracteata. W.	oval-spiked.	——	1731.	6. 7.	G. ♄.	Botan. magaz. 446.
6 spicata. W.	long-spiked.	——	1774.	7. 8.	G. ♄.	Andr. reposit. 411.
7 involucrata. W.	large-bracted.	——	1824.	——	G. ♄.	
8 aphylla. W.	leafless.	——	1790.	6. 8.	G. ♄.	Botan. magaz. 1727.
9 multicaulis. W.	many-stalked.	——	1793.	8. 10.	G. ♄.	Jacq. schœn. 2. t. 230.
10 tenuifolia. W.	fine-leaved.	——	——	6. 7.	G. ♄.	—— 2. t. 225.
11 axillaris. W.	axillary-flow'r'd.	——	1816.	——	G. ♄.	
12 decumbens. W.	trailing.	——	1774.	4. 6.	G. ♄.	Lodd. bot. cab. 281.
13 hirta. W.	hairy.	——	1713.	5. 9.	G. ♄.	Jacq. schœn. 2. t. 228.
14 Stachydis. W.	Stachy's-leav'd.	——	1793.	4. 6.	G. ♄.	
15 striata. W.	streaked.	——	1816.	6. 8.	G. ♄.	
16 argentea. W.	silvery.	——	——	——	G. ♄.	
17 tomentosa. W.	woolly.	——	1825.	....	G. ♄.	
18 repens. W.	creeping.	——	1774.	7. 8.	G. ♄.	
19 pedunculata. B.R.	flat-headed.	——	1815.	1. 12.	G. ♄.	Botan. regist. 223.

20	bituminosa. W.	bituminous.	S. Europe.	1570.	4. 9.	G. ♄.	Schkuhr. han. 2. t. 210.
21	glandulosa. W.	stripe-flowered.	Peru.	1770.	5. 9.	F. ♄.	Botan. magaz. 990.
22	divaricata. W.en.	divaricate.	S.America.	1820.	——	G. ♄.	
23	pubescens. W.en.	pubescent.	——	——	——	G. ♄.	
24	palæstina. W.	Palestine.	Levant.	1771.	4. 9.	F. ♃.	Jacq. vind. 2. t. 184.
25	americana. W.	Madeira.	Madeira.	1640.	7. 8.	G. ♄.	Jacq. schœn. 2. t. 227.
26	capitata. W.	headed.	C. B. S.	1793.	6. 8.	G. ♄.	
27	canescens. M.	canescent.	Carolina.	1823.	——	H. ♃.	
28	cuspidata. Ph.	large-rooted.	Lonisiana.	1811.	——	H. ♃.	
29	esculenta. Ph.	Bread root.	Missouri.	——	——	H. ♃.	Pursh. am. sept. 2. t. 22.
30	incana. N.	silky.	——	1813.	——	H. ♃.	
	argophylla. Ph.						
31	arenaria. N.	sand.	——	1823.	——	H. ♃.	
	lanceolata et *elliptica.* Ph.						
32	Lupinellus. Ph.	small-flowered.	Carolina.	1812.	——	H. ♃.	
33	Onobrychis. N.	rough-podded.	Lonisiana.	——	——	H. ♃.	Botan. regist. 453.
34	melilotoides. W.	Melilot-like.	Carolina.	1814.	——	H. ♃.	—— 454.
	Melilotus psoraloides. N.						
35	lathyrifolia. W.en.	Lathyrus-leav'd.	.....	1823.	——	G. ♄.	Balb. h. turin. f. 1.
36	corylifolia. W.	Hazel-leaved.	India.	1739.	6. 7.	S. ♂.	Botan. magaz. 665.
MELILOTUS. J.		MELILOT.	Diadelphia Decandria. L.				
1	cærulea. P.S.	blue.	Germany.	1562.	8. 9.	H. ☉.	Botan. magaz. 2283.
	Trifolium cæruleum. B.M.						
2	parviflora. DC.	small-flowered.	India.	1810.	6. 8.	H. ☉.	
	ruguloza. W.en.						
3	indica. W.en.	Indian.	——	1680.	——	H. ☉.	Pluk. alm. t. 45. f. 4.
4	Bonmeti. L.en.	yellow-flow'r'd.	.....	1818.	——	H. ☉.	
5	altissima. L.en.	tallest.	S. Europe.	——	——	H. ☉.	
6	messanensis. P.S.	Sicilian.	Sicily.	1680.	——	H. ☉.	
7	mauritanica. W.en.	Barbary.	Barbary.	1798.	——	H. ☉.	
8	sulcata. DC.	furrowed.	——	——	——	H. ☉.	
9	polonica. P.S.	Polish.	Poland.	1778.	——	H. ☉.	
10	macrorhiza. P.S.	long-rooted.	Hungary.	1801.	7. 8.	H. ♃.	W. et K. hung. 1. t. 26.
11	dentata. P.S.	toothed.	——	1802.	6. 8.	H. ♃.	—— 1. t. 42.
12	officinalis. L.en.	common.	Britain.	....	6. 9.	H. ☉.	Eng. bot. 1340.
13	vulgaris. W.en.	white-flowered.	Europe.	....	——	H. ♂.	
14	Kochiana. W.en.	smooth-podd'd.	Germany.	1816.	——	H. ♂.	
15	Petitpierriana. W.en.	rough-podded.	——	——	——	H. ♂.	
	altissima. P.S.						
16	linearis. P.S.	linear-leaved.	Spain.	——	——	H. ☉.	
17	hamosa. M.B.	hooked.	Siberia.	1823.	——	H. ☉.	
18	plicata. F.	plaited.	.....	——	——	H. ☉.	
19	taurica. F.	Taurian.	Tauria.	——	——	H. ☉.	
20	italica. P.S.	Italian.	Italy.	1596.	——	H. ☉.	Camer. hort. t. 29.
21	rotundifolia. L.en.	round-leaved.	——	1824.	——	H. ☉.	
22	cretica. P.S.	Cretan.	Candia.	1713.	——	H. ☉.	Bauh. prodr. t. 142.
23	? ornithopodioides. P.S.	Bird's-foot.	Britain.	....	——	H. ☉.	Eng. bot. 1047.
	Trifolium ornithopodioides. E.B. *Trigonella ornithopodioides.* DC.						
LUPINASTER. Ph.		LUPINASTER.	Diadelphia Decandria.				
	pentaphyllum.	five-leaved.	Siberia.	1741.	7. 8.	H. ♃.	Botan. magaz. 879.
	Trifolium Lupinaster. B.M. *Pentaphyllon Lupinaster.* P.S.						
TRIFOLIUM. J.		TREFOIL.	Diadelphia Decandria. L.				
1	reflexum. W.	reflexed.	Virginia.	1794.	6. 8.	H. ♃.	
2	angulatum. W.	angular.	Hungary.	1803.	——	H. ☉.	W. et K. hung. 1. t. 27.
3	strictum. W.	upright.	S. Europe.	1805.	7. 8.	H. ☉.	—— 1. t. 37.
4	hybridum. W.	hybrid.	Europe.	1777.	——	H. ♃.	Mich. gen. t. 25. f. 2. 6.
5	Michelianum. P.S.	Italian.	Italy.	1815.	——	H. ☉.	Mich. n. g. pl. t. 25. f. 2.
6	elegans. P.S.	elegant.	——	1823.	——	H. ☉.	Savi fl. pis. 161. t. 1. f. 2.
7	pallescens. P.S.	pale.	Hungary.	1804.	——	H. ☉.	
8	cæspitosum. W.	turfy.	Switzerland.	1815.	6. 8.	H. ♃.	Vill. delph. 3. t. 41.
9	repens. W.	white clover.	Britain.	....	5. 9.	H. ♃.	Eng. bot. 1769.
	β pentaphyllum. P.S.	*purple 5-leaved.*	——	....	——	H. ♃.	
10	comosum. W.	tufted.	America.	1796.	6. 7.	H. ♃.	
11	alpinum. W.	Alpine.	Italy.	1775.	6. 8.	H. ♃.	Sturm Kl. deut. c. ic.
12	globosum. W.	globular.	Levant.	1713.	6. 8.	H. ☉.	
13	subterraneum. W.	subterraneous.	England.	....	5. 6.	H. ☉.	Eng. bot. 1048.
14	hispidum. W.	hispid.	S. Europe.	1823.	——	H. ☉.	Desf. atl. 2. t. 209. f. 1.
15	Cherleri. W.	hairy.	Montpelier.	1750.	——	H. ☉.	Barrel. ic. 859.
16	villosum. P.S.	villous.	France.	1818.	——	H. ☉.	

17	pictum. W.	painted.	.....	1800.	6. 8.	H.⊙.		
18	diffusum. P.S.	diffuse.	Hungary.	1801.	——	H.⊙.	W. et K. hung. 1. t. 59.	
19	saxatile. W.	rock.	Switzerland.	1816.	——	H.♂.	All. ped. t. 59, f. 3.	
20	capense. W.	Cape.	C. B. S.	1825.	....	G.♃.		
21	lappaceum. W.	burr.	Montpelier.	1787.	6. 8.	H.⊙.		
22	rubens. W.	long-spiked.	S. Europe.	1633.	6. 9.	H.♃.	Jacq. aust. 4. t. 385.	
23	pratense. W.	common clover.	Britain.	....	5. 9.	H.♃.	Eng. bot. 1770.	
24	medium. W.	zigzag.	England.	....	6. 8.	H.♃.	Eng. bot. 190.	
25	alpestre. W.	oval-spiked.	Europe.	1789.	——	H.♃.	Jacq. aust. 5. t. 433.	
26	pensylvanicum. Rh.	Buffalo clover.	N.America.	1811.	6. 9.	H.♃.		
27	pannonicum. W.	Hungarian.	Hungary.	1752.	6. 7.	H.♃.	Jacq. obs. 2. t. 42.	
28	noricum. P.S.	white-flowered.	——	1823.	——	H.♃.	Sturm deut. c. ic.	
29	bracteatum. W.en.	large-bracted.	Morocco.	1804.	——	H.♂.		
30	pallidum. W.	pale-flowered.	Hungary.	1803.	——	H.⊙.	W. et K. hung. 1. t. 36.	
31	alopecuroides. P.S.	fox-tail.	—— ——	....	——	H.♃.		
32	canescens. W.	gray.	Caucasus.	1803.	5. 6.	H.♃.	Botan. magaz. 1168.	
33	maritimum. W. *irregulare.* DC.	teasel-headed.	England.	....	6. 7.	H.⊙.	Eng. bot. 220.	
34	squarrosum. W.	various-leaved.	Spain.	1640.	7.	H.⊙.	Moris. his. 2. t. 13. f. 1.	
35	incarnatum. W.	flesh-coloured.	Italy.	1596.	——	H.⊙.	Botan. magaz. 328.	
36	Molineri. W.en.	long-headed.	—— ——	1823.	——	H.⊙.		
37	ochrolencum. W.	sulphur-color'd.	England.	....	5. 7.	H.♃.	Eng. bot. 1224.	
38	angustifolium. W.	narrow-leaved.	S. Europe.	1640.	6. 8.	H.⊙.	Barrel. ic. t. 698.	
39	lasiocephalum. L.en.	woolly-headed.	C. B. S.	1825.	——	H.⊙.		
40	involucratum. W.	involucred.	S. Europe.	——	——	H.⊙.		
41	armenium. W.en.	Armenian.	Armenia.	1816.	5. 7.	H.♃.		
42	arvense. W.	Hare's-foot.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 944.	
43	stellatum. W.	starry-headed.	England.	....	——	H.⊙.	—— —— 1546.	
44	gracile. P.S.	slender.	France.	1818.	——	H.⊙.		
45	clypeatum. W.	oriental.	Levant.	1711.	6. 8.	H.⊙.	Alp. exot. t. 306.	
46	albidum. W.	white.	.....	1796.	7. 8.	H.⊙.		
47	Bocconi. L.en.	Boccone's.	Italy.	1825.	——	H.⊙.		
48	scabrum. W.	rough.	Britain.	....	5. 6.	H.⊙.	Eng. bot. 903.	
49	rigidum. P.S.	rigid.	Italy.	1818.	——	H.⊙.	Savi fl. pes. 2. t. 1. f. 1.	
50	glomeratum. W.	round-headed.	England.	....	6.	H.⊙.	Eng. bot. 1063.	
51	striatum. W.	soft-knotted.	Britain.	....	——	H.⊙.	—— —— 1843.	
52	gemellum. W.	double-headed.	Spain.	1825.	7. 8.	H.⊙.		
53	Gussoni. T.	Gussone's.	Italy.	——	——	H.⊙.		
54	phleoides. W.	Phleum-spiked.	Spain.	——	——	H.⊙.		
55	alexandrinum. W.	Egyptian.	Egypt.	1798.	6. 7.	H.⊙.		
56	malacanthum. L.en.	sharp-sepaled.	.....	1824.	6. 7.	H.⊙.		
57	suffocatum. W.	suffocated.	England.	....	——	H.⊙.	Eng. bot. 1649.	
58	conicum. S.T.	conical.	.....	1823.	——	H.⊙.		
59	aristatum. W.en.	awned	Portugal.	1820.	——	H.⊙.		
60	parviflorum. W.	small-flower'd.	Hungary.	1805.	7. 8.	H.⊙.		
61	spumosum. W.	bladdered.	France.	1771.	6. 7.	H.⊙.		
62	resupinatum. W.	resupinate.	Germany.	1713.	——	H.⊙.	Barr. ic. t. 872.	
63	vesiculosum. P.S *recurvum.* W.K.	recurved.	Hungary.	1805.	——	H.⊙.	W. et K. hung. 2. t. 166.	
64	formosum, Savi. *suaveolens.* W.en.	sweet-scented.	S. Europe.	1818.	——	H.⊙.		
65	tomentosum. W.	woolly.	—— ——	1640.	——	H.⊙.	Magn. monsp. t. 264.	
66	fragiferum. W.	Strawberry-headed.	England.	....	7. 8.	H.♃.	Eng. bot. 1050.	
67	Cupani. L.en.	long-flowered.	Italy.	1820.	——	H.⊙.		
68	rupestre. T.S.	villous-headed.	—— ——	1824.	——	H.♃.		
69	tenuiflorum. T.S.	slender-flowered.	—— ——	——	——	H.♃.		
70	tenuifolium. T.S.	slender-leav'd.	—— ——	——	——	H.♃.		
71	badium. P.S.	villous-stalked.	Pyrenees.	....	6. 8.	H.♃.		
72	spadiceum. W.	Bay-coloured.	Europe.	1778.	——	H.♃.	Botan. magaz. 557.	
73	speciosum. W.	large-flowered.	Candia.	1752.	6. 7.	H.♃.		
74	agrarium. W.	golden.	Europe.	1815.	——	H.⊙.	Barrel. ic. 1084.	
75	Sebastiani. Savi.	Sebastian's.	Italy.	1823.	——	H.⊙.		
76	montanum. W.	mountain.	Europe.	1786.	7. 8.	H.♃.	Flor. dan. t. 1172.	
77	procumbens. E.B. *campestre.* P.S. *agrarium.* C.L.	Hop.	Britain.	....	6. 7.	H.⊙.	Eng. bot. t. 945.	
78	minus. E.B. *procumbens.* C.L.	lesser yellow.	——	....	——	H.⊙.	—— —— t. 1256.	
79	filiforme. E.B.	slender yellow.	—— ——	....	——	H.⊙.	—— —— t. 1257.	

MEDICAGO. W.	**Medick. Diadelphia Decandria. L.**					
1 arborea. W.	Moon trefoil.	Italy.	1596.	5. 11.	F. h.	Flor. græc. 767.
2 cretacea. W.en.	suffruticose.	Tauria.	1805.	7.	H. ħ.	
3 sativa. W.	Lucerne.	England.	....	6. 7.	H. 4.	Eng bot. 1749.
4 media. P.S. *falcata.* Lam. non L.	pale-flowered.	Europe.	....	——	H. 4.	
5 falcata. W.	yellow.	Britain.	....	7. 8.	H. 4.	Eng. bot. 1016.
6 glomerata. P.S.	clustered.	Italy.	....	——	H. 4.	
7 glutinosa. W.	glutinous.	Tauria.	1818.	——	H. 4.	
8 prostrata. W.	prostrate.	Italy.	1793.	——	H. 4.	Jacq. vind. 1. t. 89.
9 brachycarpa. M.B.	short-podded.	Tiflin.	1818.	——	H. ☉.	
10 suffruticosa. DC.	frutescent.	Pyrenees.	——	6. 7.	H. ħ.	
11 lupulina. E.B.	nonesuch.	Britain.	....	5. 8.	H. ☉.	Eng. bot. 971.
12 Willdenowii. DC.	Willdenow's.	Europe.	....	——	H. ☉.	
13 obscura. P.S.	doubtful.	.....	1734.	7. 8.	H. ☉.	Retz. obs. 1. p. 24. t. 1.
14 orbicularis. W.	flat-podded.	S. Europe.	1688.	——	H. ☉.	Gært. sem. 2. t. 155.
15 marginata. W.en.	margined.	S. Europe.	1816.	——	H. ☉.	
16 elegans. W.	elegant.	Sicily.	1680.	——	H. ☉.	Moris. s. 2. t. 15. f. 4.
17 scutellata. W.	snail-podded.	S. Europe.	1562.	6. 8.	H. ☉.	—— 2. t. 15. f. 3.
18 Helix. W.	many fld. snail.	——	1816.	——	H. ☉.	
19 tornata. W.	smooth-podd'd.	——	1658.	——	H. ☉.	
20 turbinata. W.	Turban.	——	1680.	——	H. ☉.	Moris. s. 2. t. 15. f. 5.
21 tuberculata. W.	wart-podded.	——	1658.	——	H. ☉.	—— 2. t. 15. f. 6.
22 aculeata. W.	prickly.	.....	1802.	——	H. ☉.	
23 Murex. W.	Burdock-podded.	.....	——	——	H. ☉.	
24 intertexta. W.	hedge-hog.	S. Europe.	1629.	——	H. ☉.	Moris. s. 2. t. 15. f. 7.
25 Echinus. DC.	Sea-egg.	——	1820.	——	H. ☉.	
26 histrix. T.S.	Porcupine.	Italy.	1824.	——	H. ☉.	
27 ciliaris. W.	fringed.	France.	1686.	7. 8.	H. ☉.	
28 granatensis. W.en.	Spanish.	Spain.	1816.	6. 8.	H. ☉.	
29 carstiensis. W.	creeping-rooted.	Carinthia.	1789.	6. 7.	H. 4.	Botan. magaz. 909.
30 maculata. W. *polymorpha.* E.B.	heart.	England.	....	5. 6.	H. ☉.	Eng. bot. 1616.
31 flexuosa. T.S.	flexuose.	Italy.	1824.	6. 8.	H. ☉.	
32 arenaria. T.S. *littoralis.* L.en.	sand.	——	——	——	H. ☉.	
33 tentaculata. W.	distichous-spined.	S. Europe.	——	——	H. ☉.	Gært. sem. 2. t. 155.
34 coronata. W.	crowned.	——	1660.	——	H. ☉.	Moris. s. 2. t. 15. f. 16.
35 apiculata. W.	tufted.	——	1800.	——	H. ☉.	
36 spinulosa. DC.	spinulous.	——	1820.	——	H. ☉.	
37 denticulata. W.	toothed.	——	1800.	——	H. ☉.	
38 muricata. W.	prickly.	England.	....	5. 6.	H. ☉.	Pluk. phyt. t. 115. f. 6.
39 Gerardi. W.	Gerard's.	Hungary.	1816.	6. 8.	H. ☉.	Moris. s. 2. t. 15. f. 18.
40 agrestis. T.S.	field.	Italy.	1824.	——	H. ☉.	
41 marina. W.	sea.	S. Europe.	1596.	——	H. ☉.	Cav. ic. 2. t. 130.
42 Terebellum. W.	short-spined.	——	1798.	——	H. ☉.	
43 tribuloides. W.	Caltrops-like.	——	1739.	——	H. ☉.	
44 uncinata. W.	hooked.	——	1820.	——	H. ☉.	
45 distans. Poir.	distant.	.....	——	——	H. ☉.	
46 caspica. L.en.	Caspian.	Caspia.	——	——	H. ☉.	
47 pubescens. W.en.	pubescent.	S. Europe.	1823.	——	H. ☉.	
48 rigidula. W.	thorny-podded.	——	1730.	——	H. ☉.	
49 catalanica. L.en.	Catalanian.	Catalania.	1816.	——	H. ☉.	
50 græca. W.en.	Grecian.	Greece.	1804.	——	H. ☉.	
51 minima. W.	least.	England.	....	——	H. ☉.	Flor. dan. 211.
52 nigra. W.	black.	France.	1789.	——	H. ☉.	Moris. s. 2. t. 15. f. 19.
53 laciniata. W.	cut-leaved.	S. Europe.	1683.	——	H. ☉.	
54 ovata. H.E.	oval-leaved.	——	1818.	——	H. ☉.	
55 strumaria. H.E.	strumous.	——	——	——	H. ☉.	
HYMENOCARPOS. W.	**Hymenocarpos. Diadelphia Decandria.**					
1 radiatus. L.en. *Medicago radiata.* W.	ray-podded.	Italy.	1629.	6. 7.	H. ☉.	Lob. ic. 2. p. 38. f. 2.
2 circinnatus. L.en. *Medicago circinnata.* W.	kidney-podded.	Italy.	1640.	7. 8.	H. ☉.	Gært. sem. 2. t. 155.
3 nummularius. L.en.	Money-wort.	S. Europe.	....	——	H. ☉.	
TRIGONELLA. W.	**Fenugreek. Diadelphia Decandria. L.**					
1 ruthenica. W.	small.	Siberia.	1741.	5. 7.	H. 4.	Gmel. sibir. 4. t. 8.
2 platycarpos. W.	round-leaved.	——	——	6. 9.	H. ♂.	—— —— 4. t. 9.
3 hybrida. DC.	hybrid.	France.	1806.	——	H. 4.	

4	striata. W.	streaked.	.....	1824.	——	H. ♃.	
5	polycerata. W.	broad-leaved.	S. Europe.	1640.	7. 9.	H. ☉.	
6	hamosa. W.	hooked.	Egypt.	——	7. 8.	H. ☉.	Alp. ægypt. t. 124.
7	spinosa. W.	thorny.	Candia.	1710.	——	H. ☉.	Lam. ill. t. 611. f. 2.
8	corniculata. W.	horse-shoe.	S. Europe.	1597.	6. 7.	H. ☉.	Moris. s. 2. t. 16. f. 11.
9	cancellata. P.S.	netted-podded.	.....	1818.	——	H. ☉.	
10	tenuis. M.B.	slender.	Tiflin.	——	——	H. ☉.	
11	flexuosa. M.B.	flexuose.	———	——	——	H. ☉.	
12	calliceras. M.B.	rostrate.	———	1824.	——	H. ☉.	
13	monspeliaca. W.	Montpelier.	Montpelier.	1710.	——	H. ☉.	W. et K. hung. 2. t. 142.
14	ægyptiaca. Poir.	Egyptian.	Egypt.	1823.	——	H. ☉.	
15	elongata. L.en.	elongated.	.....	——	——	H. ☉.	
16	tomentosa. W.	tomentose.	C. B. S.	——	7. 9.	H. ☉.	
17	laciniata. W.	laciniate.	Egypt.	——	——	H. ☉.	
18	pinnatifida. W.	pinnatifid.	Spain.	1801.	6. 8.	H. ☉.	Cav. ic. 1. t. 38.
19	indica. W.	Indian.	E. Indies.	1793.	6. 9.	S. ☉.	Pluk. alm. t. 200. f. 7.
20	Fœnum-græcum. W.	common.	Montpelier.	1597.	——	H. ☉.	Schk. s. han. 2. t. 211.
21	esculenta. W.en.	esculent.	E. Indies.	1815.	——	S. ☉.	
22	gladiata. M.B.	gladiate.	S. Europe.	1820.	——	H. ☉.	

LOTUS. W. BIRDSFOOT TREFOIL. Diadelphia Decandria. L.

1	edulis. W.	esculent.	Italy.	1710.	7. 8.	H. ☉.	Cav. ic. 2. t. 157.
2	peregrinus. W.	flat-podded.	S. Europe.	1713.	——	H. ☉.	
3	glaucus. W.	glaucous.	Madeira.	1777.	6. 8.	G. ♂.	
4	anthyllioides. W.	Anthyllis-like.	C. B. S.	1812.	——	G. ♄.	Vent. malm. t. 92.
5	angustissimus. W.	narrow-podd'd.	S. France.	....	5. 6.	H. ♂.	Bauh. hist. 2. f. 2.
6	diffusus. E.B.	slender-podd'd.	England.	....	——	H. ☉.	Eng. bot. 925.
7	gracilis. W.	slender.	Hungary.	1818.	——	H. ♃.	
8	conimbricensis. P.S.	Portugal.	Portugal.	1800.	6. 7.	H. ☉.	
9	arabicus. W.	red-flowered.	Arabia.	1773.	7. 9.	H. ☉.	Jacq. vind. 2. t. 155.
10	australis. E.W.	New Holland.	N. S. W.	1803.	5. 9.	G. ♄.	Bot. mag. 1865.
11	Gebelia. V.	Aleppo.	Aleppo.	1823.	——	H. ☉.	Vent. cels. t. 57.
12	Dioscoridis. W.	Dioscorides'.	Crete.	1658.	6. 7.	H. ☉.	All. ped. 1. t. 59. f. 1.
13	tenuis. W.K.	slender.	Hungary.	1816.	6. 8.	H. ♃.	
	depressus. W.en.						
14	ornithopodioides.	claw-podded.	Sicily.	1683.	——	H. ☉.	Cav. ic. 2. t. 163.
15	jacobæus. W.	dark-flowered.	Cape Verd. Isl.	1714.	1. 12.	G. ♄.	Botan. magaz. 79.
16	decumbens. DC.	decumbent.	France.	1820.	5. 7.	H. ♃.	
17	Forsteri.	Forster's.	Britain.	....	——	H. ♃.	
	decumbens. E.F. non DC.						
18	creticus. W.	silver-leaved.	Levant.	1680.	6. 9.	G. ♄.	Cav. ic. 2. t. 156.
19	lanuginosus. V.	pendulous.	Levant.	1818.	7. 8.	H. ♃.	Vent. malm. 92.
20	hirsutus. W.	hairy.	S. Europe.	1683.	6. 8.	H. ♄.	Botan. magaz. 336.
21	sericeus. DC.	silky.	———	1820.	——	H. ♃.	
22	rectus. W.	upright.	———	1640.	——	H. ♃.	Moris. s. 2. t. 18. f. 13.
23	palustris. W.	marsh.	Italy.	1824.	——	H. ♃.	
24	parviflorus. W.	small-flowered.	———	——	7. 8.	H. ☉.	Desf. atl. 2. t. 211.
25	subbiflorus. P.S.	two-flowered.	———	1820.	——	H. ☉.	
26	prostratus. P.S.	prostrate.	———	——	6. 8.	H. ♃.	
27	suaveolens. P.S.	sweet-scented.	Barbary.	1804.	——	H. ♃.	Botan. magaz. 1233.
	odoratus. B.M.						
28	ciliatus. T.S.	ciliate.	Italy.	1820.	——	H. ♃.	
29	pedunculatus. W.	long-peduncl'd.	Spain.	1814.	——	H. ♃.	Cav. ic. 2. t. 164.
30	corniculatus. E.B.	common.	Britain.	....	——	H. ♃.	Eng. bot. 2090.
31	major. E.B.	greater.	———	....	——	H. ♃.	——— 2091.
32	hispidus. P.S.	hispid.	S. Europe.	1820.	——	H. ♃.	
33	cytisoides. W.	downy.	———	1752.	7. 8.	H. ♃.	Barrel. rar. 71. t. 1031.

DORYCNIUM. W. DORYCNIUM. Diadelphia Decandria. L.

1	monspeliense. W.	suffruticose.	S. Europe.	1640.	7. 9.	F. ♄.	Park. theat. 360. f. 1.
	fruticosum. P.S. *Lotus Dorycnium.* L.						
2	herbaceum. W.	herbaceous.	———	1802.	6. 9.	H. ♃.	Vill. dauph. 3. t. 41.
3	latifolium. W.	broad-leaved.	Levant.	1818.	——	F. ♄.	

TETRAGONOLOBUS. TETRAGONOLOBUS. Diadelphia Decandria.

1	maritimus. L.en.	sea-side.	Europe.	1683.	5. 10.	H. ♃.	Flor. dan. 800.
	Lotus maritimus. W.						
2	siliquosus. L.en.	square-podded.	S. Europe.	——	7. 8.	H. ♃.	Jacq. aust. 4. t. 361.
3	edulis. L.en.	winged pea.	Sicily.	1796.	——	H. ☉.	Botan. magaz. 151.
	Lotus tetragonolobus. W.						
4	conjugatus. L.en.	yellow-flow'r'd.	Montpelier.	1754.	——	H. ☉.	

DOLICHOS. W.	**Dolichos.**	**Diadelphia Decandria. L.**						
1 Lablab. w.	black-seeded.	Egypt.	1691.	6. 7.	S. ☉ ⌒	Botan. magaz. 896.
2 sinensis. w.	Chinese.	India.	1776.	7. 8.	H. ☉ ⌒	——— 2232.
3 benghalensis. w.	Bengal.	Bengal.	1820.	——	S. ♄ ⌒	Jacq. hort. 2. t. 124.
4 luteolus. w.	yellow.	America.	1805.	——	H. ☉ ⌒	——— 1. t. 90.
5 unguiculatus. w.	Birds foot.	W. Indies.	1780.	6. 7.	S. ☉ ⌒	Jacq. vind. 1. t. 23.
6 tranquebaricus. w.	Tranquebar.	E. Indies.	1801.	——	S. ☉ ⌒	——— 3. t. 70.
7 ultratus. w.	sharp-edged.	Japan.	1818.	——	H. ☉ ⌒	
8 gladiatus. w.	sabre-podded.	E. Indies.	1801.	——	S. ☉ ⌒	Jacq. ic. 3. t. 560.
9 tetragonolobus. w.	square-podded.	———	1816.	9. 11.	S. ☉ ⌒	
10 sesquipedalis. w.	long-podded.	W. Indies.	1781.	8.	S. ☉ ⌒	Jacq. vind. 1. t. 67.
11 rotundifolius. P.S. *emarginatus.* Jacq.	round-leaved,	———	1818.	7. 8.	S. ♄ ⌒	Jacq. schœn. 2. t. 221.
12 hirsutus. w.	hirsute.	China.	1802.	6.	G. ♄ ⌒	Kæmpf. ic. t. 41.
13 pilosus. w.	hairy-podded.	E. Indies.	1790.	8.	S. ☉ ⌒	
14 minimus. w.	small.	Jamaica.	1776.	7. 8.	S. ☉ ⌒	Jacq. obs. 1. t. 22.
15 tetraspermus. w.	four-seeded.	E. Indies.	1816.	5. 8.	S. ♂ ⌒	
16 medicagineus. w.	Medick-like.	———	1822.	——	S. ♂ ⌒	Burm. zeyl. t. 84. f. 2.
17 obcordatus. H.B.	obcordate.	China.	——	——	S. ♃ ⌒	
18 virosus. H.B.	virose.	E. Indies.	1818.	——	S. ♂ ⌒	Rheed. mal. 8. t. 45.
19 capensis. w.	Cape.	C. B. S.	——	——	G. ♃ ⌒	
20 scarabæoides. w.	silver-leaved.	E. Indies.	1773.	6. 7.	S. ☉ ⌒	Pluk. alm. t. 53. f. 3.
21 reticulatus. w.	net-leaved.	N. S. W.	1781.	——	G. ♄ ⌒	
22 bulbosus. w.	bulbous.	E. Indies.	——	7.	S. ♃ ⌒	Rumph. amb. 5. t. 132.
23 falcatus. w.	falcate-podded.	———	1820.	——	S. ♃ ⌒	
24 lobatus. w.	lobe-leaved.	C. B. S.	1818.	6. 7.	G. ♃ ⌒	Hout. syst. 8. t. 64. f. 1.
25 gangeticus. H.B.	Ganges.	Bengal.	1824.	——	S. ♃ ⌒	
26 glutinosus. H.B.	glutinous.	E. Indies.	——	——	S. ♃ ⌒	
27 sanguineus. Ja.	bloody-podded.	———	1822.	——	S. ♃ ⌒	
28 purpureus. w.	purple.	———	1790.	5. 10.	S. ♃ ⌒	Exot. bot. 2. t. 74.
29 violaceus. Mart.	violet-coloured.	S. America.	1823.	7. 8.	S. ☉ ⌒	
30 albus. w.	white-flowered.	China.	——	——	H. ☉ ⌒	Rumph. amb. t. 137.
31 lignosus. w.	woody.	E. Indies.	1776.	——	G. ♄ ⌒	Botan. magaz. 380.
32 luteus. w.	yellow-flow'r'd.	Jamaica.	1812.	——	S. ♄ ⌒	
33 phaseoloides. H.B.	Phaseolus-like.	E. Indies.	1823.	——	S. ♃ ⌒	
34 ensiformis. w.	cimeter-podd'd.	———	1778.	——	S. ☉	Jacq. ic. 3. t. 559.
35 Soja. w.	Soy.	———	1790.	——	S. ☉	——— 1. t. 145.
36 Catiang. w.	small-fruited.	———	1793.	——	S. ☉	Rheed. mal. 8. t. 41.
37 biflorus. w.	two-flowered.	———	1776.	——	S. ☉	Pluk. alm. t. 213. f. 4.
38 roseus. w.	Rose-coloured.	Jamaica.	1812.	——	S. ☉	
39 frutescens. D.P.	frutescent.	Nepaul.	1824.	——	S. ♄	
STIZOLOBIUM. P.S.	**Cow-itch.**	**Diadelphia Decandria.**				
1 altissimum. P.S.	tall.	Martinico.	1779.	..	S. ♄ ⌒	Jacq. amer. t. 182. f. 85.
2 urens. P.S.	broad-podded.	W. Indies.	1691.	6. 7.	S. ♄ ⌒	Plum. amer. t. 107.
3 pruriens. P.S.	common.	India.	1680.	....	S. ♄ ⌒	Jacq. amer. t. 122.
4 mite. P.S.	oblique-leaved.	Peru.	1823.	....	S. ♄ ⌒	
CARPOPOGON. H.B.	**Carpopogon.**	**Diadelphia Decandria.**				
1 monospermum. H.B.	single-seeded.	E. Indies.	1818.	7. 9.	S. ♄ ⌒	
2 atropurpureum. H.B.	dark purple.	———	1820.	——	S. ♄ ⌒	
3 niveum. H.B.	white.	———	——	——	S. ☉ ⌒	
4 giganteum. H.B.	gigantic.	———	1815.	——	S. ♄ ⌒	Rheed mal. 8. t. 36.
5 imbricatum. H.B.	imbricated.	———	——	——	S. ♄ ⌒	
6 bracteatum. H.B.	bracted.	———	1822.	....	S. ♄ ⌒	
7 anguineum. Roxb.	snake.	———	——	....	S. ♄ ⌒	
8 capitatum. H.B.	capitate.	———	——	7. 9.	S. ☉ ⌒	
PHASEOLUS. W.	**Kidney-Bean.**	**Diadelphia Decandria. L.**				
1 vulgaris. w.	common.	India.	1597.	5. 9.	H. ☉ ⌒	Lob. ic. 2. p. 59.
2 multiflorus. w. *coccineus.* P.S.	scarlet runner.	S. America?	1633.	7. 9.	H. ☉ ⌒	Schk. han. 2. t. 190. a.
3 perennis. w.	perennial.	Carolina.	1823.	——	H. ♃ ⌒	
4 lunatus. w.	cimeter-podd'd.	E. Indies.	1779.	6. 7.	S. ☉ ⌒	Hout. syst. 8. t. 63. f. 1.
5 inamœnus. w.	various-colour'd	Africa.	1794.	7. 8.	H. ☉ ⌒	Jacq. vind. 1. t. 66.
6 farinosus. w.	mealy.	E. Indies.	1759.	——	S. ♃ ⌒	Niss. act. par. 1780. t. 42.
7 sublobatus. H.B.	lobed-leaved.	———	1820.	——	S. ☉ ⌒	
8 calcaratus. H.B.	spurred.	———	——	——	S. ♂ ⌒	
9 dolicholdes. H.B.	Dolichos like.	———	——	——	S. ♃ ⌒	
10 minimus. H.B.	small.	China.	1823.	——	H. ☉ ⌒	
11 vexillatus. w.	sweet-scented.	W. Indies.	1732.	——	H. ☉ ⌒	Jacq. vind. 2. t. 102.
12 helvolus. w. *Dolichos helvolus.* N.	pale red.	Carolina.	——	——	H. ☉ ⌒	Dill. elt. t. 233. f. 300.

13	hirtus. W.	hairy.	C. B. S.	1818.	——	H.⊙.◡.		
14	semierectus. W.	dark red.	W. Indies.	1732.	——	S.⊙.◡.	Dill. elt. t. 233. f. 301.	
15	angulosus. P.S.	angular-stalk'd.	S.America.	1818.	——	H.⊙.◡.		
16	mesoleucus. L.en.	Brasilian.	Brazil.	——	——	H.⊙.◡.		
17	heterophyllus. W.en.	different-leav'd.	S.America.	——	——	S.♃.◡.		
18	subtrilobus. L.en.	acute-lobed.	Brazil.	——	——	H.⊙.◡.		
19	alatus. W.	winged.	Carolina.	1732.	——	H.⊙.◡.	Dill. elt. t. 235. f. 303.	
20	Caracalla. W.	Snail-flower.	India.	1690.	8. 9.	S.♃.◡.	Botan. regist. 341.	
21	aconitifolius. W.	Aconite-leav'd.	E. Indies.	1731.	6. 8.	S.⊙.◡.	Jacq. obs. 3. t. t. 52.	
22	angustifolius. H.B.	narrow-leaved.	————	1818.	——	S.⊙.◡.		
23	trilobus. W.	three-lobed.	————	1777.	7. 8.	S.⊙.◡.	Burm. ind. t. 50. f. 1.	
24	stipularis. W.	large-stipuled.	Peru.	1805.	——	H.⊙.		
25	nanus. L.	common dwarf.	India.	....	6. 9.	H.⊙.		
26	radiatus. W.	rayed.	China.	1732.	6. 7.	H.⊙.	Dill. elt. t. 235. f. 305.	
27	Max. W.	hairy-podded.	India.	1758.	——	H.⊙.	Rumph. amb. 5. t. 140.	
28	Mungo. W.	small-fruited.	————	1790.	——	H.⊙.		
29	diversifolius. P.S.	various-leaved.	N.America.	1806.	——	H.⊙.		
	trilobus. Ph.	*Glycine angulosa.* W.						
30	lathyroides. W.	Lathyrus-like.	Jamaica.	1786.	7. 8.	S.⊙.	Sloan. j. 1. t. 116. f. 1.	
31	sphærospermus. W.	round-seeded.	S. America.	1823.	——	S.⊙.	———— 1. t. 117. f. 1. 2. 3.	
32	glaber. H.B.	smooth.	Mauritius.	——	——	S.⊙.		
33	toréens. H.B.	Nepaul.	Nepaul.	——	——	H.⊙.		
TERAMNUS. W.		TERAMNUS.	Diadelphia Decandria. L.					
1	volubilis. W.	twining.	Jamaica.	1822.	——	S.♄.◡.		
2	uncinatus. W.	hooked.	————	——	——	S.♄.	Plum. sp. 8. ic. 221.	
ERYTHRINA. W.		CORAL-TREE.	Diadelphia Decandria. L.					
1	herbacea. W.	herbaceous.	Carolina.	1724.	6. 9.	H.♄.	Botan. magaz. 677.	
2	carnea. W.	flesh-coloured.	Vera Cruz.	1733.	5.	S.♄.	Botan. regist. 389.	
3	Corallodendrum. W.	common.	W. Indies.	1690.	5. 6.	S.♄.	Comm. hort. 1. t. 108.	
4	indica. W.	Indian.	E. Indies.	1814.	——	S.♄.	Rheed. mal. 6. t. 7.	
5	fusca. W.	brown-flower'd.	————	1800.	....	S.♄.	Rumph. amb. 2. t. 78.	
6	caffra. W.	Cape.	C. B. S.	1816.	5. 6.	S.♄.	Botan. regist. 736.	
7	speciosa. A.R.	large-flowered.	W. Indies.	1805.	5. 10.	S.♄.	Andr. repos. 443.	
8	fulgens.	fulgent.	E. Indies.	1801.	——	S.♄.		
9	aculeatissima. Desf.	very prickly.	.....	1816.	——	S.♄.		
10	picta. W.	prickly-leaved.	E. Indies.	1696.	——	S.♄.	Rumph. amb. 2. t. 77.	
11	glauca. W.	glaucous.	Caracas.	1824.	....	S.♄.		
12	mitis. W.	smooth-stemm'd.	————	1818.	6. 8.	S.♄.	Jacq. schœn. 2. t. 216.	
13	piscidioides.	Piscidia-leav'd.	E. Indies.	1800.	...	S.♄.		
14	abyssinica. W.en.	Abyssinian.	Africa.	1820.	....	S.♄.		
15	incana. W.en.	hoary.	.... ..	——	...	S.♄.		
16	portoricensis. Desf.	Portorico.	Portorico.	——	....	S.♄.		
17	polanthes. L.T.	crowded-fl^d.	.....	....	2. 4.	S.♄.	Linn. trans. 14. t. 10. 11.	
18	secundiflora. L.T.	side-flowering.	Brazil.	1818.	4. 6.	S.♄.	———— 14. t. 12.	
19	crista-galli. L.	Cock's-comb.	————	1777.	8. 10.	H.♄.	Swt. br. fl. gar. t. 142.	
20	stricta. H.B.	straight.	E. Indies.	1816.	4. 6.	S.♄.		
21	ovalifolia. H.B.	oval-leaved.	————	——	....	S.♄.		
22	suberosa. H.B.	cork-barked.	————	1818.	....	S.♄.		
23	arborescens. H.B.	arborescent.	Nepaul.	——	....	S.♄.		
24	arborea. D.L.	tree.	Trinidad.	1822.	....	S.♄.		
25	resupinata. H.B.	resupinate.	E. Indies.	——	....	S.♄.		
BUTEA. W.		BUTEA.	Diadelphia Decandria.					
1	frondosa. W.	downy-branched.	E. Indies.	1796.	....	S.♄.	Roxb. cor. 1. t. 21.	
2	superba. W.	smooth-branched.	————	1796.	....	S.♄.◡.	———— 1. t. 22.	
3	parviflora. H.B.	small-flower'd.	Coromandel.	1820.	....	S.♄.◡.		
CLITORIA. P.S.		CLITORIA.	Diadelphia Decandria. L.					
1	Ternatea. W.	wing-leaved.	E. Indies.	1739.	7. 8.	S.♄.◡.		
	α cærulea.	*blue-flowered.*	————	——	——	S.♄.◡.	Botan. magaz. 1542.	
	β alba.	*white-flowered.*	————	1812.	——	S.♄.◡.		
2	multiflora. W.	many-flowered.	W. Indies.	1823.	——	S.♄.◡.		
3	heterophylla. W.	various-leaved.	E. Indies.	1812.	——	S.♃.◡.	Botan. magaz. 2111.	
4	brasiliana. W.	Brazilian.	Brazil.	1759.	——	S.⊙.◡.	Breyn. cent. t. 32.	
5	virginiana. W.	Virginian.	America.	1732.	——	S.♃.◡.	Parad. lond. 51.	
	calcarigera. P.L.							
6	Plumieri. P.S.	Plumier's.	W. Indies.	1815.	8. 11.	S.♄.◡.	Botan. regist. 266.	
7	mariana. W.	Maryland.	N. America.	1759.	8.	H.♃.◡.		
8	mexicana. L.en.	Mexican.	Mexico.	1823.	6. 8.	S.♃.◡.		
9	erecta. H.B.	erect.	E. Indies.	1822.	7. 8.	S.♄.		
10	arborescens. H.K.	tree.	Trinidad.	1804.	.....	S.♄.		

GALACTIA. M.	GALACTIA. Diadelphia Decandria.							
1 pendula. P.S.	pendulous.	Jamaica.	1794.	7. 8.	S. ♄ ⌣.	Botan. regist. 269.		
2 mollis. Ph.	soft.	Carolina.	1812.	——	G. ♃ ⌣.			
3 sericea. P.S.	silky.	Bourbon.	1824.	——	S. ♄ ⌣.			
WISTERIA. N.	WISTERIA. Diadelphia Decandria.							
1 speciosa. N.	handsome.	N. America.	1724.	6. 9.	H. ♄ ⌣.	Botan. magaz. 2103.		
Glycine frutescens B.M. *Apios frutescens.* Ph.								
2 sinensis.	Chinese.	China.	1818.	5. 7.	H. ♄ ⌣.	Botan. regist. 650.		
Glycine sinensis. B.R.								
APIOS. N.	APIOS. Diadelphia Decandria.							
tuberosa. N.	tuberous-root'd.	N. America.	1640.	8. 9.	H. ♃ ⌣.	Botan. magaz. 1108.		
AMPHICARPA. N.	AMPHICARPA. Diadelphia Decandria.							
1 monoica. N.	pale-flowered.	N. America.	1781.	9.	H. ♃ ⌣.	Wend. in R. Ar. 3. t. 2.		
Glycine monoica. Ph.								
2 comosa.	tufted.	—— ——	1812.	7. 9.	H. ♃ ⌣.			
Glycine comosa, Ph.								
3 sarmentosa. N.	sarmentose.	Carolina.	1805.	6. 8.	H. ⊙ ⌣.	Schk. in bot. ann. 12. t. 2.		
GLYCINE. W.	GLYCINE. Diadelphia Decandria. L.							
1 clandestina. W.	small-flowered.	N. S. W.	1810.	4. 8.	G. ♃ ⌣.			
2 angulosa. W.	angular.	N. America.	1806.	6. 8.	H. ⊙ ⌣.			
3 vincentina. B.R.	St. Vincent.	St. Vincent's.	1823.	——	S. ♄ ⌣.	Botan. regist. 799.		
4 angustifolia. W.	narrow-leaved.	C. B. S.	1795.	——	G. ♄ ⌣.	Jacq. schœn. 2. t. 231.		
5 heterophylla. W.	various-leaved.	—— ——	1816.	——	G. ♄ ⌣.			
6 subterranea. W.	subterraneous.	S. America.	1820.	——	S. ⊙ ⌣.			
7 humifusa. W.en.	trailing.	—— ——	——	——	S. ⊙ ⌣.			
8 precatoria. W.en.	Abrus-like.	—— ——	——	——	S. ♄ ⌣.			
9 parviflora. W.	small-flowered.	E. Indies.	1812.	7. 8.	S. ♂ ⌣.			
10 debilis. W.	hairy.	—— ——	1778.	6. 7.	S. ♃ ⌣.			
11 viscida. P.S.	viscous.	—— ——	1823.	——	S. ♃ ⌣.			
12 phaseoloides. P.S.	Abrus-seeded.	W. Indies.	1820.	——	S. ♄ ⌣.	Botan. magaz. 2284.		
13 tomentosa. N.	downy.	N. America.	1732.	6. 9.	H. ♃ ⌣.	Dill. elt. t. 26. f. 29.		
14 reniformis. Ph.	kidney-leaved.	Carolina.	1806.	7. 8.	F. ♃ ⌣.			
monophylla. N.								
15 reticulata. W.	net-leaved.	Jamaica.	1779.	7. 9.	S. ♄ ⌣.			
16 picta. W.	painted.	W. Indies.	1823.	——	S. ♄.	Aub. guian. 2. t. 306.		
17 suaveolens. W.	sweet-scented.	E. Indies.	1816.	——	S. ♄.			
18 striata. W.	streaked.	S. America.	1823.	——	S. ♄ ⌣.	Jacq. hort. 1. t. 76.		
19 caribæa. W.	trailing.	W. Indies.	1742.	9. 10.	S. ♄ ⌣.	Jacq. ic. 1. t. 146.		
20 bituminosa. W.	clammy.	C. B. S.	1774.	4. 9.	G. ♄ ⌣.	Botan. regist. 261.		
21 secunda. W.	side-flowering.	—— ——	1825.	6. 9.	G. ♄ ⌣.			
22 rhombifolia. W.	rhomb-leaved.	E. Indies.	1815.	5. 8.	S. ♄ ⌣.			
23 sagittata. W.en.	arrow-leaved.	Havannah.	——	——	S. ♄ ⌣.			
KENNEDIA. Vent.	KENNEDIA. Diadelphia Decandria.							
1 rubicunda. V.	dingy-flowered.	N. S. W.	1788.	3. 8.	G. ♄ ⌣.	Botan. magaz. 268.		
2 coccinea. V.	many-flowered.	N. Holland.	1803.	5. 8.	G. ♄ ⌣.	Vent. malm. 105.		
3 prostrata. H.K.	single-flowered.	N. S. W.	1790.	3. 8.	G. ♄ ⌣.	Botan. magaz. 270.		
4 monophylla. V.	simple-leaved.	—— ——	——	——	G. ♄ ⌣.	—— ——	263.	
Glycine bimaculata. B.M.								
5 ovata. B.M.	oval-leaved.	—— ——	1820.	——	G. ♄ ⌣.	—— ——	2169.	
6? Comptoniana.	Comptonian.	—— ——	1803.	3. 6.	G. ♄ ⌣.	Botan. regist. 298.		
Glycine Comptoniana. B.R.								
CYLISTA. W.	CYLISTA. Diadelphia Decandria. W.							
1 villosa. H.K.	Cape.	C. B. S.	1776.	4. 6.	G. ♄ ⌣.	Andr. reposit. 446.		
Dolichos hirtus. A.R.								
2 albiflora. B.M.	white-flowered.	Mauritius.	....	4. 5.	S. ♄ ⌣.	Botan. magaz. 1859.		
3 tomentosa. H.B.	tomentose.	E. Indies.	1818.	....	S. ♄ ⌣.			
4 scariosa. W.	rough.	—— ——	1806.	4. 6.	S. ♄ ⌣.	Roxb. cor. 1. t. 92.		
CARMICHÆLIA. B.R.	CARMICHÆLIA. Diadelphia Decandria.							
australis. B.R.	New Zealand.	N. Zealand.	1822.	3. 5.	G. ♄.	Botan. regist. 912.		
Lotus arboreus. W.								
ABRUS. W.	WILD LIQUORICE. Diadelphia Decandria. L.							
precatorius. W.	common.	India.	1680.	3. 5.	S. ♄ ⌣.	Rheed. mal. 3. t. 39.		
α erythrosperma.	*red-seeded.*	—— ——	——	——	S. ♄ ⌣.	Rumph. amb. 5. t. 32.		
β melanosperma.	*black-seeded.*	—— ——	1812.	——	S. ♄ ⌣.			
AMORPHA. W.	BASTARD INDIGO. Diadelphia Decandria. L.							
1 fruticosa. W.	shrubby.	Carolina.	1724.	6. 8.	H. ♄.	Botan. regist. 427.		
2 crocealanata. W.D.	yellow-haired.	—— ——	1812.	——	H. ♄.	Wats. dend. brit. t. 139.		
3 emarginata.	emarginate-l^d.	—— ——	——	——	H. ♄.			

4	nana. N. *microphylla.* Ph.	dwarf.	Missouri.	1811.	7. 8.	F.♄.	Botan. magaz. 2112.
5	pubescens. Ph. *herbacea.* N. *pumila.* M.	pubescent.	Carolina.	1803.	6. 7.	F.♄.	
6	canescens. N.	canescent.	Missouri.	1812.	7. 8.	F.♄.	
PISCIDIA. W.		PISCIDIA. Diadelphia Decandria. L.					
	Erythrina. W.	Jamaica Dogwood.	W. Indies.	1690.	....	S.♄.	Lam. ill. t. 605.
ASTRAGALUS. DC.		MILK-VETCH. Diadelphia Decandria. L.					
1	austriacus. W.	Austrian.	Austria.	1640.	6. 7.	H.♃.	Jacq. aust. 2. t. 195.
2	annularis. DC.	ring-podded.	Egypt.	1800.	——	H.⊙.	DC. astr. t. 7.
3	Stella. W.	star-podded.	S. Europe.	1658.	7. 8.	H.⊙.	Plnk. alm. t. 79. f. 4.
4	sesameus. W.	Sesama.	———	1616.	6. 7.	H.⊙.	Garid. prov. t. 12.
5	ammodytes. W.	silky-leaved.	Siberia.	1823.	——	H.♃.	Pall. astr. p. 7. t. 5.
6	pentaglottis. W.	rough spanish.	Spain.	1739.	——	H.⊙.	Cav. ic. 2. t. 188.
7	purpureus. DC.	purple.	France.	1824.	——	H.♃.	DC. astr. t. 12.
8	hypoglottis. W.	purple mountain.	Britain.	....	——	H.♃.	Eng. bot. 274.
9	leontinus. W.	Lion's-tail.	Austria.	1816.	5. 6.	H.♃.	Jacq. ic. 1. t. 154.
10	sinicus. W.	chinese annual.	China.	1703.	7. 8.	H.⊙.	Botan. magaz. 1350.
11	Glaux. W.	small spanish.	Spain.	1596.	6. 7.	H.⊙.	Clus. hist. 2. t. 241.
12	Laxmanni. P.S.	Laxmann's.	Siberia.	1804.	6. 8.	H.♃.	Jacq. vind. 3. t. 37.
13	Onobrychis. W.	purple-spiked.	Austria.	1640.	——	H.♃.	Jacq. aust. 1. t. 38.
14	tenuifolius. W. *linearifolius.* P.S.	fine-leaved.	Siberia.	1780.	7. 8.	H.♃.	Swt. br. fl. gar. t. 73.
15	vesicarius. L. *albidus.* W.	white Italian.	Europe.	1737.	——	H.♃.	W. et K. hung. 1. t. 40.
16	vimineus. W.	slender.	Siberia.	1824.	——	H.♄.	Pall. astrag. t. 21.
17	fruticosus. W.	woody.	———	1804.	6. 7.	H.♄.	——— t. 19.
18	arenarius. W.	sand.	Germany.	1798.	——	H.♃.	Retz. obs. 3. t. 3.
19	leucophæus. W.	dwarf white.	.....	1776.	5. 8.	H.♃.	Lodd. bot. cab. 111.
20	subuliformis. P.S.	awl-podded.	Siberia.	1824.	——	H.♄.	Pall. astrag. t. 22.
21	varius. P.S. *virgatus.* W.	twiggy.	———	1806.	——	H.♄.	——— t. 18.
22	sulcatus. W.	furrowed.	Siberia.	1785.	7.	H.♃.	Jacq. vind. 3. t. 40.
23	melilotoides. W.	Melilot like.	———	——	6. 7.	H.♃.	Pall. astrag. t. 41.
24	scorpioides. W.	blue-flowered.	Spain.	1824.	7. 9.	H.⊙.	
25	depressus. W.	depressed.	Europe.	1772.	5. 6.	H.♃.	Lodd. bot. cab. 680.
26	helmintocarpus. DC.	stalkless.	———	1824.	——	H.♃.	Vill. delph. 3. t. 42.
27	contortuplicatus. W.	wave-podded.	Siberia.	1764.	7. 8.	H.⊙.	Pall. astrag. t. 79.
28	trimestris. W.	Egyptian.	Egypt.	1739.	——	H.⊙.	Jacq. vind. 2. t. 174.
29	hamosus. W.	hook podded.	Spain.	1633.	6. 8.	H.⊙.	Lam. ill. t. 622. f. 4.
30	bæticus. W.	triangular-podded.	S. Europe.	1759.	——	H.⊙.	Bocc. sic. 7. t. 4.
31	glyciphyllos. W.	sweet.	Britain.	....	6. 7.	H.♃.	Eng. bot. 203.
32	epiglottis. W.	heart-podded.	S. Europe.	1737.	——	H.♃.	Herm. lugd. t. 77.
33	Cicer. W.	bladdered.	Europe.	1570.	——	H.♃.	Jacq. aust. t. 251.
34	carnosus. N.	fleshy-podded.	N. America.	1811.	——	H.♃.	
35	caryocarpus. B.R.	swelled-podd'd.	———	——	——	H.♃.	Botan. regist. 176.
36	brachycarpus. B.M.	short-podded.	Siberia.	1820.	——	H.♃.	Botan. magaz. 2335.
37	microphyllus. W.	small-leaved.	———	1773.	——	H.♃.	
38	Buceras. W.en.	horned.	.....	1816.	——	H.⊙.	
39	Ægiceras. W.en.	Goat's-horn.	.....	——	——	H.⊙.	
40	canaliculatus. W.en.	channelled.	... .	——	——	H.⊙.	
41	galegiformis. W.	Goat's-rue-ld.	Siberia.	1729.	6. 8.	H.♃.	Pall. astrag. t. 29.
42	chinensis. W.	upright Chinese.	China.	1795.	——	H.♃.	Linn. f. dec. 1. t. 3.
43	asper. W.	rough Astracan.	Astracan.	1796.	7. 8.	H.♃.	Jacq. ic. t. 152.
44	semibilocularis. P.S. *Laxmanni.* Jacq. vind. 3. t. 38.	semibilocular.	Siberia.	1804.	6. 8.	H.♃.	Dec. astrag. t. 23.
45	canadensis. W.	woolly.	N. America.	1732.	6. 7.	H.♃.	Lodd. bot. cab. 372.
46	carolinianus. W.	Carolina.	———	——	——	H.♃.	Dill. elt. t. 39. f. 45.
47	uliginosus. W.	marsh.	Siberia.	1752.	6. 8.	H.♃.	Pall. astrag. t. 26.
48	odoratus. W.	sweet-scented.	Levant.	1816.	——	H.♃.	Dec. astrag. t. 24.
49	falcatus. DC.	sickle-podded.	Siberia.	....	6. 7.	H.♃.	——— t. 26.
50	falciformis. DC.	sickle-like.	Barbary.	....	——	H.♃.	Desf. atl. 2. t. 207.
51	virescens. H.K.	green-flowered.	Siberia.	1737.	——	H.♃.	
52	christianus. W.	great yellow.	Armenia.	——	7.	H.♃.	Tourn. it. 2. t. 254.
53	vulpinus. W.	Fox-tail.	Siberia.	1815.	6. 7.	H.♃.	Pall. astrag. t. 7.
54	alopecuroides. W.	Fox-tail like.	Spain.	1737.	——	H.♃.	——— t. 8.
55	stipulatus. D.P.	large-stipuled.	Nepaul.	1821.	8. 9.	H.♃.	Botan. magaz. 2380.
56	macrorhizus. D.P.	large-rooted.	———	——	——	H.♃.	

57	alopecias. W.	axillary-head'd.	Siberia.	1823.	6. 7.	H. ♃.	Pall. astrag. t. 9.
58	narbonensis. W.	French.	S. Europe.	1789.	——	H. ♃.	—————— t. 10.
59	tomentosus. W.	downy-leaved.	Egypt.	1800.	7.	H. ♃.	Dec. astrag. t. 39.
60	capitatus. W.	headed.	Levant.	1759.	7. 8.	H. ♃.	
61	cruciatus. L.en.	oblong-leaved.	.....	1823.	——	H. ☉.	
62	caucasicus. W.	Caucasian.	Caucasus.	——	——	H. ♄.	Pall. astrag. 2. t. 2.
63	Poterium. W.	small goat's-thorn.	Levant.	1040.	6. 7.	H. ♄.	—————— 1. t. 1.
64	Tragacantha. W.	large goat's-thorn.	S. Europe.	——	——	H. ♄.	Wats. dend. brit. t. 84.
65	aristatus. W.	awned.	Pyrenees.	1791.	5. 7.	H. ♄.	Pall. astrag. t. 3.
66	armatus. W.	armed.	Barbary.	....	6. 7.	G. ♄.	Desf. atl. 2. t. 194.
	Anthyllis tragacanthoides. Desf.						
67	caprinus. W.	scented.	Barbary.	1683.	6. 7.	H. ♃.	Moris. hist. 2. t. 24. f. 3.
68	longiflorus. W.	long-flowered.	Tartary.	1806.	——	H. ♃.	Pall. astrag. t. 60.
69	tragacanthoides. W.	Armenian.	Armenia.	1791.	5. 7.	H. ♃.	Buxb cent. 3. t. 38. f. 2.
70	exscapus. W.	hairy-podded.	Hungary.	1787.	5. 7.	H. ♃.	Jacq. ic. 3. t. 561.
71	halicacabus. DC.	bladdered.	Armenia.	1806.	6.	H. ♃.	Schreb. decad. t. 3.
	Phaca vesicaria. W.						
72	incanus. W.	hoary.	Montpelier.	1759.	6. 7.	H. ♃.	
73	monspessulanus. W.	Montpelier.	——————	1710.	7. 8.	H. ♃.	Botan. magaz. 375.
74	physodes. W.	inflated yellow.	Siberia.	1759.	6. 7.	H. ♃.	Dec. astrag. t. 48.
75	testiculatus. W.	woolly-podded.	Caspia.	1824.	——	H. ♃.	Pall. astrag. t. 67.
76	diffusus. W.	diffuse.	——————	——	——	H. ♃.	—————— t. 68.
77	ponticus. W.	villous calyxed.	Tauria.	——	——	H. ♃.	—————— t. 11.
78	oxyglottis. M.B.	Taurian.	——————	——	7. 9.	H. ☉.	
79	adsurgens. W.en.	assurgent.	Siberia.	——	6. 7.	H. ♃.	Pall. astrag. t. 31.
80	utriger. W.	elliptic-podded.	Tauria.	1825.	——	H. ♃.	—————— t. 61.
81	gracilis. N.	long-peduncl'd.	Missouri.	1812.	——	H. ♃.	
OXYTROPIS. DC.		OXYTROPIS.	Diadelphia Decandria.				
1	montana. DC.	mountain.	Austria.	1531.	7. 8.	H. ♃.	Botan. magaz. 843.
	Astragalus montanus. B.M.						
2	Lambertii. Ph.	Mr. Lambert's.	Missouri.	1811.	8. 9.	H. ♃.	—————— 2147.
3	uralensis. P.S.	silky.	Siberia.	1800.	7.	H. ♃.	Pall. astrag. t. 42.
4	sordida. P.S.	hairy mountain.	Scotland.	....	5. 8.	H. ♃.	Eng. bot. 466.
	Astragalus uralensis. E.B. *non* P.S.						
5	ambigua. DC.	ambiguous.	Siberia.	1824.	——	H. ♃.	Pall. astrag. t. 43.
6	grandiflora. DC.	large-flowered.	——————	——	——	H. ♃.	—————— t. 46.
7	songarica. DC.	spear-podded.	——————	——	——	H. ♃.	—————— t. 51.
8	campestris. P.S.	field.	Scotland.	....	7.	H. ♃.	Eng. bot. 2522.
9	Gmelini. F.	Gmelin's.	Siberia.	1824.	——	H. ♃.	
10	viscosa. P.S.	viscous.	Europe.	1818.	——	H. ♃.	Vill. delph. 3. t. 43.
11	uncata. P.S.	hooked.	Aleppo.	1768.	7. 8.	H. ♃.	
12	taurica. P.S.	Taurian.	Tauria.	1824.	——	H. ♃.	Pall. astrag. t. 38.
	filiformis. DC.						
13	altaica. P.S.	Altaic.	Siberia.	1802.	7. 9.	H. ♃.	—————— t. 45.
14	microphylla. DC.	small-leaved.	——————	1823.	——	H. ♃.	—————— t. 76.
15	oxyphylla. DC.	sharp-leaved.	——————	——	——	H. ♃.	—————— t. 74.
16	cymbicarpos. DC.	boat-podded.	Portugal.	1800.	7. 8.	H. ☉.	
17	verticillaris. DC.	whorl-leaved.	Siberia.	1824.	——	H. ♃.	Amm. ruth. t. 19. f. 1.
18	myriophylla. P.S.	many-leaved.	——————	——	——	H. ♃.	Pall. astrag. t. 71.
	Astragalus verticillaris. W.						
19	pilosa. DC.	pale-flowered.	——————	1732.	6. 8.	H. ♃.	Jacq. aust. 1. t. 51.
20	glauca.	glaucous.	Tauria.	1823.	——	H. ♃.	
	Astragalus glaucus. M.B.						
21	dealbata. P.S.	mealy.	Caucasus.	1803.	7. 8.	H. ♃.	Pall. astrag. t. 23. f. 23.
22	deflexa. DC.	small-flowered.	Siberia.	1800.	6. 7.	H. ♃.	Jacq. ic. 1. t. 153.
	Astragalus parviflorus. W. *hians.* Jacq.						
23	dichoptera. DC.	pubescent.	——————	1815.	——	H. ♃.	Pall. astrag. t. 39.
BISERRULA. W.		HATCHET-VETCH.	Diadelphia Decandria. L.				
	Pelecinus. W.	bastard.	S. Europe.	1640.	7. 8.	H. ☉.	Lam. ill. t. 622.
PHACA. W.		BASTARD-VETCH.	Diadelphia Decandria. L.				
1	bœtica. W.	hairy.	Spain.	1640.	7.	H. ♃.	Moris. S. 2. t. 8. f. 1.
2	frigida. W.	small.	Austria.	1795.	——	H. ♃.	Jacq. aust. t. 166.
3	alpina. W.	smooth Alpine.	——————	1759.	——	H. ♃.	Jacq. ic. 1. t. 151.
4	membranacea. F.	membranous.	Siberia.	1823.	——	H. ♃.	
5	australis. W.	trailing.	S. Europe.	1779.	5. 6.	H. ♃.	Jacq. misc. 2. t. 3.
6	arenaria. W.	sand.	Siberia.	1796.	7. 8.	H. ♃.	Pall. it. 4. t. 19. f. 3. 4.
7	glabra. DC.	smooth.	S. Europe.	1822.	——	H. ♃.	
8	triangularis. F.	triangular.	Siberia.	1824.	——	H. ♃.	
9	campestris. Wah.	field.	Europe.	——	——	H. ♃.	

10 montana. Wah.	mountain.	———	——	——	H. ♃.		
11 lapponica. Wah.	Lapland.	Lapland.	——	——	H. ♃.		
12 astragalina. DC.	procumbent.	Europe.	1771.	6. 7.	H. ♃.	Lodd. bot. cab. 429.	
LESSERTIA. DC.	LESSERTIA. Diadelphia Decandria.						
1 annua. DC.	annual.	C. B. S.	1731.	6. 7.	G. ☉.	Hook. ex. flor. 84.	
2 diffusa. H.K.	procumbent.	———	1792.	7. 8.	G. ☉.	Jacq. ic. 3. t. 576.	
Galega dubia. Jacq.							
3 pulchra. B.M.	pretty.	———	1817.	5. 7.	G. ☉.	Botan. magaz. 2064.	
4 prostrata.	prostrate.	———	1820.	——	G. ☉.		
Colutea prostrata. P.S.							
5 perennans. DC.	perennial.	———	1753.	8.	G. ♃.	Jacq. vind. 3. t. 3.	
6 annularis. B.T.	annular.	———	1816.	5. 7.	G. ☉.		
SWAINSONA. H.K.	SWAINSONA. Diadelphia Decandria.						
1 coronillæfolia. H.K.	purple-flow'r'd.	N. S. W.	1802.	7. 8.	G. ♄.	Botan. magaz. 1725.	
2 galegifolia. H.K.	red-flowered.	———	1800.	——	G. ♄.	——— 792.	
3 astragalifolia. C.C.	white-flower'd.	———	1802.	——	G. ♄.		
SUTHERLANDIA. H.K.	SUTHERLANDIA. Diadelphia Decandria.						
frutescens. H.K.	scarlet.	C. B. S.	1683.	6. 7.	F. ♄.	Botan. magaz. 181.	
Colutea frutescens. B.M.							
β canescens.	*hoary-l^d. dwarf.*	———	1816.	——	F. ♄.		
COLUTEA. W.	BLADDER SENNA. Diadelphia Decandria. L.						
1 cruenta. W.en.	red-flowered.	Levant.	1710.	6. 7.	H. ♄.	Schmidt. arb. t. 119.	
2 Pocockii. W.en.	Pocock's.	———	1752.	5. 10.	H. ♄.	——— t. 120.	
3 media. W.en.	smaller.	.....	....	6. 8.	H. ♄.	Wats.dend. brit. t. 140.	
4 arborescens. W.en.	common.	France.	1568.	——	H. ♄.	Botan. magaz. 81.	
GLYCIRRHIZA. W.	LIQUORICE. Diadelphia Decandria. L.						
1 echinata. W.	prickly-headed.	Italy.	1596.	6. 9.	H. ♃.	Botan. magaz. 2154.	
2 fœtida. W.	strong-scented.	Barbary.	1823.	——	H. ♃.	Desf. atl. 2. t. 199.	
3 glandulifera. W.	glandulous.	Hungary.	1805.	6. 8.	H. ♃.	W. et K. hung. 1. t. 21.	
4 lepidota. Ph.	silky-leaved.	Missouri.	1811.	7. 8.	H. ♃.	Botan. magaz. 2160.	
5 glabra. W.	common.	S. Europe.	1562.	——	H. ♃.	Lam. ill. t. 625. f. 2.	
6 asperrima. W.	rough.	Siberia.	1795.	7. 8.	H. ♃.	Pall. it. app. t. M. f. 3.	
7 hirsuta. W.	hairy.	Levant.	1739.	——	H. ♃.		
GALEGA. P.S.	GOAT'S-RUE. Diadelphia Decandria. L.						
1 officinalis. P.S.	officinal.	Spain.	1568.	6. 9.	H. ♃.	Schk. hand. 2. t. 208.	
α cærulea.	*purple-flowered.*	——	——	——	H. ♃.		
β alba.	white-flower'd.	———	——	——	H. ♃.		
2 orientalis. W.	blue-flowered.	Levant.	1801.	——	H. ♃.	Botan. regist. 896.	
3 persica. P.S.	yellow-flow'r'd.	Persia.	1816.	——	H. ♃.		
4 biloba. B.F.G.	two-lobed.	.....	1823.	——	H. ♃.	Swt. br. fl. gar.	
5 heterophylla. F.	various-leaved.	Siberia.	——	——	H. ♃.		
6 ? caribæa. W.	Caribean.	Caribees.	1786.	6. 7.	S. ♄.	Jacq. amer. t. 125.	
7 ? Heyniana. H.B.	Heyne's.	E. Indies.	1807.	7.	S. ♄.		
TEPHROSIA. P.S.	TEPHROSIA. Diadelphia Decandria.						
1 filifolia. P.S.	filiform-leaved.	C. B. S.	1824.	6. 7.	G. ♄.		
2 sericea. P.S.	silky-leaved.	———	——	——	G. ♄.		
3 longifolia. P.S.	long-leaved.	S. America.	——	....	S. ♄.	Jacq. ic. 3. t. 572.	
4 toxicaria. P.S.	Fish-poison.	———	1791.	....	S. ♄.	Plum. ic. t. 135.	
5 virginiana. P.S.	Virginian.	Virginia.	1765.	6. 8.	H. ♃.	Plnk. alm. t. 28. f. 2.	
6 grandiflora. P.S.	large-flowered.	C. B. S.	1774.	6. 9.	I. ♄.	Bot. regist. 769?	
Galega grandiflora. B.R. 769? *Galega rosea.* Hort.							
7 stricta. P.S.	straight-podd'd.	———	——	5. 6.	I. ♄.	Scop. insub. 1. t. 3.	
8 pallens. P.S.	pale-flowered.	———	1787.	6. 8.	I. ♄.		
9 villosa. P.S.	villous.	E. Indies.	1779.	——	S. ♄.	Pluk. phyt. t. 59. f. 6.	
10 Colonila. L.T.	Colonil.	———	1818.	——	S. ♄.		
11 purpurea. P.S.	purple.	———	1768.	7. 8.	S. ♄.	Burm. zeyl. t. 32.	
12 piscatoria. P.S.	woolly.	———	1778.	6. 7.	S. ♄.		
13 ochroleuca. P.S.	sulphur-colour'd	.....	1799.	....	S. ♄.	Jacq. ic. 1. t. 150.	
14 lanceæfolia. L.en.	spear-leaved.	E. Indies.	1824.	....	S. ♄.		
15 linearis. P.S.	linear-leaved.	Guinea.	1822.	....	S. ♄.		
16 apollinea. L.en.	Egyptian.	Egypt.	——	6. 7.	F. ♃.		
INDIGOFERA. W.	INDIGO. Diadelphia Decandria. L.						
1 filifolia. W.	naked-stalked.	C. B. S.	1812.	7. 10.	G. ♄.	Botan. regist. 104.	
Lebeckia contaminata. B.R. *Lebeckia nuda.* B.M. 2214.							
2 linifolia. W.	Flax-leaved.	E. Indies.	1792.	7. 8.	S. ☉.	Roxb. cor. 2. t. 194.	
3 sericea. W.	silky.	C. B. S.	1824.	——	G. ♄.		
4 trifoliata. W.	trifoliate.	E. Indies.	1818.	——	S. ♃.		
5 psoraloides. W.	Psoralea-like.	C. B. S.	1758.	——	G. ♄.	Botan. magaz. 476.	
6 candicans. W.	white-leaved.	———	1774.	5. 9.	G. ♄.	——— 198.	

7	amœna. W.	scarlet-flow'r'd.	———	——	3. 5.	G. ♄.	Botan. regist. 300.
8	incana. W.	hoary.	———	1812.	5. 7.	G. ♄.	
9	spinosa. W.	spiny.	E. Indies.	1822.	....	S. ♄.	
10	procumbens. W.	procumbent.	C. B. S.	1816.	5. 7.	G. ♄.	
11	sarmentosa. W.	dwarf.	———	1786.	6. 7.	G. ♄.	
12	stipularis. L.en.	stipuled.	———	1816.	——	G. ♄.	
13	denudata. W.	smooth-leaved.	———	1790.	5. 7.	G. ♄.	Jacq. schœn. 2. t. 238.
14	glandulosa. W.	glandular.	E. Indies.	1818.	——	S. ♃.	
15	trita. W.	oval-leaved.	E. Indies.	1802.	6. 7.	S. ♂.	
16	microphylla. P.S.	small-leaved.	C. B. S.	1812.	1. 12.	G. ♄.	
17	coriacea. W.	leathery-leav'd.	———	1774.	7. 8.	G. ♄.	
18	filiformis. W.	slender-branched.	———	1816.	——	G. ♄.	
19	enneaphylla. W.	trailing.	E. Indies.	1776.	——	S. ☉.	Burm. ind. t. 55. f. 1.
20	endecaphylla. B.R.	eleven-leaved.	St. Thomas.	1822.	——	S. ☉.	Botan. regist. 789.
21	fragrans. W.	fragrant.	E. Indies.	1824.	....	S. ♃.	
22	glabra. W.	smooth.	———	——	7. 9.	S. ☉.	Rheed. mal. 9. t. 67.
23	cytisoides. W.	angular-stalk'd.	C. B. S.	1774.	——	G. ♄.	Botan. magaz. 742.
24	frutescens. W.	frutescent.	———	1823.	——	G. ♄.	
25	stricta. W.	upright.	———	1812.	——	G. ♄.	Jacq. schœn. 2. t. 236.
26	hirsuta. W.	hairy-leaved.	E. Indies.	1759.	——	S. ♄.	Burm. zeyl. t. 14.
27	angustifolia. W.	narrow-leav'd.	C. B. S.	1774.	6. 10.	G. ♄.	Botan magaz. 465.
28	australis. W.	Botany Bay.	N. S. W.	1790.	3. 6.	G. ♄.	Vent. malm. 45.
29	viscosa. W.	clammy.	E. Indies.	1806.	6. 7.	S. ☉.	Sert. han. 2. t. 12.
30	cœrulea. H.B.	blue.	———	1820.	——	S. ♄.	
31	Anil. W.	West Indian.	W. Indies.	1731.	7. 8.	S. ♂.	
32	tinctoria. W.	East Indian.	E. Indies.	——	——	S. ♄.	Rheed. mal. 1. t. 54.
33	atropurpurea. D.P.	dark purple.	Nepaul.	1820.	——	S. ♄.	
34	elliptica. H.B.	elliptic-leaved.	Bengal.	——	——	S. ♄.	
35	pulchella. H.B.	pretty.	E. Indies.	1823.	——	S. ♄.	
36	arborea. H.B.	tree.	———	——	....	S. ♄.	
37	virgata. H.B.	twiggy.	Nepaul.	——	7. 8.	S. ♄.	
38	argentea. W.	silver-leaved.	W. Indies.	1776.	——	S. ♄.	L'Her. stirp. t. 79.
39	violacea. H.B.	violet-coloured.	E. Indies.	1825.	....	S. ♄.	
40	lateritia. W.	brick-coloured.	Guinea.	1822.	7. 8.	S. ☉.	Jacq. ic. 3. t. 569.
41	aspalathifolia. H.B.	Aspalathus-ld.	———	1823.	....	S. ♄.	

CARAGANA. J. CARAGANA. Diadelphia Decandria. L.

1	arborescens. Lam.	common.	Siberia.	1752.	4. 5.	H. ♄.	Schmidt arb. 1. t. 33.
	Robinia Caragana. W.							
2	arenaria.	sand.	———	1802.	6. 7.	H. ♄.	Botan. magaz. 1866.
	Robinia Caragana. V. *arenaria.* B.M.							
3	Altagana. P.S.	flat-podded.	———	1789.	4. 6.	H. ♄.	L'Herit. stirp. t. 76.
4	Redowskii. F.	Redowski's.	———	1822.	....	H. ♄.	
5	microphylla. Lam.	small-leaved.	———	1816.	....	H. ♄.	
6	grandiflora. M.B.	large-flowered.	———	1822.	....	H. ♄.	
7	jubata. P.S.	bearded.	———	1796.	....	H. ♄.	Pall. act. pet. 10. t. 6.
8	tragacanthoides. P.S.	Goat's-thorn like.	———	1816.	4. 6.	H. ♄.	——— 10. t. 7.
9	spinosa. P.S.	thorny.	———	1775.	——	H. ♄.	Schmidt arb. 1. t. 76.
10	purpurea. L.en.	purple-flow'r'd.	.....	1816.	——	S. ♄.	
11	Halodendron. P.S.	Salt-tree.	Siberia.	1779.	5. 6.	H. ♄.	Botan. magaz. 1016.
	argentea. Lam. ill. t. 607. f. 3.							
12	Chamlagu. P.S.	shining.	China.	1773.	——	H. ♄.	L'Herit. stirp. t. 77.
13	frutescens. P.S.	shrubby.	Siberia.	1752.	4. 5.	H. ♄.	Schmidt arb. 1. t. 34.
14	mollis. M.B.	soft-leaved.	———	1822.	——	H. ♄.	
15	pygmæa. P.S.	dwarf.	———	1751.	——	H. ♄.	Schmidt arb. 1. t. 37.

ROBINIA. J. ROBINIA. Diadelphia Decandria. L.

1	Pseud-Acacia. W.	common or Locust tree.	N. Amer.	1640.	5. 6.	H. ♄.	Schmidt arb. 1. t. 32.
2	inermis.	smooth.	.....	....	——	H. ♄.	
3	macrophylla. L.C.	long-leaved.	Siberia.	1797.	6. 7.	H. ♄.	
4	spectabilis. L.C.	showy.	.....	....	——	H. ♄.	
5	sophoræfolia. L.en.	Sophora-leav'd.	.....	....	——	H. ♄.	
6	amorphæfolia. L.en.	Amorpha-ld.	.....	....	——	H. ♄.	
7	dubia. L.en.	doubtful.	.....	....	——	H. ♄.	
8	stricta. L.en.	upright.	.....	....	——	H. ♄.	
9	pendulina.	pendulous.	.....	....	——	H. ♄.	
	pendula. L.en. non P.S.							
10	tortuosa. L.C.	twisting.	.....	....	——	H. ♄.	
11	monstrosa. L.C.	monstrous.	.....	....	——	H. ♄.	
12	viscosa. W.	clammy.	N. America.	1797.	6. 8.	H. ♄.	Vent. cels. t. 4.
	glutinosa. B.M. sec.							

13 **striata.** W.	streaked.	Caracas.	1824.	....	S. ½.		
14 **guineensis.** W.en.	Guinea.	Guinea.	1821.	....	S. ½.		
Cytisus hispidus. W.							
15 **hispida.** W.	Rose-Acacia.	Carolina.	1743.	5. 9.	H. ½.	Botan. magaz. 311.	
β *rosea.* Ph.	smooth-branched.	———	1812.	——	H. ½.		
16 **sepium.** W.	hedge.	W. Indies.	1820.	....	S. ½.		
17 **rubiginosa.** W.	rusty-branched.	Trinidad.	1823.	....	S. ½.		
18 **candida.** H.B.	white-leaved.	E. Indies.	1810.	....	S. ½.		
19 **suberosa.** H.B.	cork-barked.	———	1818.	....	S. ½.		
20 **fruticosa.** H.B.	shrubby.	———	1820.	....	S. ½.		
LATHYRUS. W.	Lathyrus. Diadelphia Decandria. L.						
1 **Aphaca.** W.	yellow vetchling.	England.	....	6. 7.	H.⊙.	Eng. bot. 1167.	
2 **Nissolia.** W.	crimson.	———	....	5.	H.⊙.	——— 112.	
3 **amphicarpos.** W.	Earth Pea.	Levant.	1680.	6. 7.	H.⊙.	Moris. his. 2. t. 28. f. 1.	
4 **Cicera.** W.	flat-podded.	S. Europe.	1633.	——	H.⊙.	Ger. emac. f. 8.	
5 **sativus.** W.	chickling vetch.	———	1640.	——	H.⊙.	Botan. magaz. 115.	
α *cæruleus.*	*blue-flowered.*						
β *albus.*	*white-flowered.*						
6 **inconspicuus.** W.	small-flowered.	Levant.	1739.	7. 8.	H.⊙.		
7 **setifolius.** W.	bristle-leaved.	S. Europe.	——	6. 7.	H.⊙.		
8 **sphæricus.** DC.	scarlet.	Italy.	1800.	——	H.⊙.		
coccineus. P.S.							
9 **axillaris.** P.S.	axillary-flow'r'd	S. Europe.	——	——	H.⊙.	Jacq. vind. 1. t. 86.	
inconspicuus. Jacq.							
10 **angulatus.** W.	angular-seeded.	———	1683.	——	H.⊙.	Buxb. cent. 3. t. 42. f. 2.	
11 **tumidus.** W.	tumid-podded.	.....	1816.	——	H.⊙.		
turgidus. Lam.							
12 **articulatus.** W.	joint-podded.	S. Europe.	1640.	7. 8.	H.⊙.	Botan. magaz. 258.	
13 **spurius.** W.en.	bastard.	.....	1815.	6. 7.	H.⊙.		
14 **auriculatus.**	eared.	S. Europe.	1820.	——	H.⊙.		
15 **odoratus.** W.	sweet pea.	Sicily.	1700.	——	H.⊙.	Botan. magaz. 60.	
α *siculus.* W.	*dark-flowered.*	——	——	——	H.⊙.		
β *zeylanicus.* W.	*light-flowered.*	Ceylon.	——	——	H.⊙.		
16 **grandiflorus.** B.M.	large-flowered.	S. Europe.	1814.	6. 8.	H.¼.	Botan. magaz. 1988.	
17 **annuus.** W.	yellow annual.	———	1621.	——	H.⊙.		
18 **tingitanus.** W.	Tangier.	Barbary.	1680.	——	H.⊙.	Botan. magaz. 100.	
19 **Clymenum.** W.	various-flow'r'd.	Levant.	1713.	6. 7.	H.⊙.	Pluk. alm. t. 114. f. 6.	
20 **attenuatus.** P.S.	long-leaved.	Italy.	1824.	——	H.¼.	Vivian. fl. it. fr. t. 19.	
21 **tenuifolius.** W.	slender-leaved.	Algiers.	——	——	H.¼.		
22 **cornutus.** Spr.	horned.	.....	——	——	H.⊙.		
23 **hirsutus.** W.	rough-podded.	England.	....	7.	H.⊙.	Eng. bot. 1255.	
24 **magellanicus.** W.	Lord Anson's pea.	Cape Horn.	1744.	6. 7.	H.⊙.		
25 **tuberosus.** W.	tuberous-root'd.	Holland.	1596.	7. 8.	H.¼.	Botan. magaz. 111.	
26 **rotundifolius.** W.	round-leaved.	Tauria.	1824.	——	H.¼.		
27 **pratensis.** W.	meadow.	Britain.	....	6. 8.	H.¼.	Eng. bot. 670.	
28 **sylvestris.** W.	wood.	———	....	7. 9.	H.¼.	——— 805.	
29 **latifolius.** W.	everlasting pea.	England.	....	——	H.¼.	——— 1108.	
30 **heterophyllus.** W.	various-leaved.	Europe.	1731.	——	H.¼.		
31 **palustris.** W.	marsh.	Britain.	....	7. 8.	H.¼.	Eng. bot. 169.	
32 **incurvus.** W.	curve-podded.	Russia.	1802.	——	H.¼.	Buxb. cent. 4. t. 46.	
33 **myrtifolius.** W.	Myrtle-leaved.	N. America.	1823.	——	H.¼.		
34 **polymorphus.** N.	variable.	Missouri.	——	——	H.¼.		
35 **venosus.** W.	veined.	N. America.	——	——	H.¼.		
36 **plaiformis.** W.	Siberian.	Siberia.	1759.	6. 7.	H.¼.	Linn. fil. dec. t. 20.	
PISUM. W.	Pea. Diadelphia Decandria. L.						
1 **sativum.** W.	common.	S. Europe.	....	5. 10.	H.⊙.	Lam. ill. t. 633.	
2 **arvense.** W.	field.	Europe.	....	6. 9.	H.⊙.		
3 **maritimum.** W.	sea.	England.	....	7.	H.¼.	Eng. bot. 1046.	
4 **Jomardi.** Sch.	two-flowered.	Europe.	1818.	6. 9.	H.⊙.		
5 **thebaicum.** W.en.	short-peduncl'd.	———	——	——	H.⊙.		
OCHRUS. P.S.	Ochrus. Diadelphia Decandria. L.						
pallida. P.S.	yellow-flow'r'd.	S. Europe.	1633.	6. 7.	H.⊙.	Schk. hand. 2. t. 280.	
Pisum Ochrus. W.	*Lathyrus Ochrus.* DC.						
OROBUS. W.	Bitter-Vetch. Diadelphia Decandria. L.						
1 **lathyroides.** W.	upright.	Siberia.	1758.	6.	H.¼.	Botan. magaz. 2098.	
2 **hirsutus.** W.	hairy.	S. Europe.	1818.	5. 6.	H.¼.	——— ——— 2345.	
3 **luteus.** W.	yellow.	Siberia.	1759.	6. 7.	H.¼.	Gmel. sib. 4. t. 4.	
4 **lævigatus.** W.K.	smooth.	Hungary.	1818.	——	H.¼.	W. et K. hung. 3. t. 243.	
5 **variegatus.** T.S.	variegated.	Italy.	——	5. 6.	H.¼.	Swt. br. fl. gar. ic.	

6	vernus. W.	spring.	Europe.	1629.	3. 4.	H.4.	Botan. magaz. 521.
7	tuberosus. W.	tuberous-root'd.	Britain.	....	5. 6.	H.4.	Eng. bot. 1158.
8	tenuifolius. Roth.	slender-leaved.	Germany.	1818.	——	H.4.	
9	albus. W.	white-flowered.	Austria.	1794.	——	H.4.	Swt. hr. fl. gar. 22.
	pannonicus. Jacq. aust. 1. t. 39.						
10	varius. B.M.	particoloured.	Italy.	1759.	——	H.4.	Botan. magaz. 675.
11	angustifolius. W.	narrow-leaved.	Siberia.	1766.	——	H.4.	Gmel. sib. 4. t. 5.
12	canescens. W.	canescent.	France.	1823.	5. 6.	H.4.	
13	saxatilis. V.	rock.	S. France.	——	6. 8.	H.⊙.	Venten. cels. t. 4.
14	pallescens. M.B.	pale-flowered.	Tauria.	1824.	5. 6.	H.4.	
15	sessilifolius. Sm.	sessile-leaved.	————	——	——	H.4.	
	digitatus. M.B.						
16	alpestris. W.K.	Alpine.	Hungary.	1818.	——	H.4.	W. et K. hung. 2. t. 126.
17	venosus. L.en.	veined.	Siberia.	——	——	H.4.	Gmel. sib. 4. t. 5.
	pauciflorus. Hort.						
18	niger. W.	black.	Europe.	1596.	6. 7.	H.4.	Botan. magaz. 2261.
19	pyrenaicus. W.	Pyrenean.	Pyrenees.	1699.	5. 6.	H.4.	Pluk. alm. t. 210. f. 2.
20	sylvaticus. W.	wood.	Britain.	....	5. 7.	H.4.	Eng. bot. t. 518.
21	ochroleucus. W.	sulphur-coloured.	Hungary.	1816.	——	H.4.	W. et K. hung. 2. t. 118.
VICIA. J.		VETCH. Diadelphia Decandria. L.					
1	pisiformis. W.	Pea-shaped.	Austria.	1739.	7. 8.	H.4.	Jacq. aust. 4. t. 364.
2	dumetorum. W.	great wood.	France.	1752.	5. 6.	H.4.	Spreng. fl. halens. t. 7.
3	sylvatica. W.	common wood.	Britain.	....	7. 8.	H.4.	Eng. bot. 79.
4	americana. W.	American.	N. America.	1816.	——	H.4.	
5	Gerardi. Jacq.	Gerard's.	Germany.	1711.	6. 7.	H.4.	Jacq. aust. 3. t. 229.
6	abbreviata. F.	shortened.	Tauria.	1818.	——	H.4.	
7	multiflora. DC.	many-flowered.	S. Europe.	——	——	H.4.	
8	dentata. L.en.	toothed.	Siberia.	——	——	H.♂.	
9	consentina. L.en.	sulphur-coloured.	Italy.	1824.	——	H.4.	
10	atropurpurea. W.	dark-purple.	Algiers.	1815.	——	H.4.	Venton. cels. t. 84.
11	villosa. W.	villous.	Germany.	——	——	H.⊙.	
12	polyphylla. W.	many-leaved.	Hungary.	1823.	——	H.⊙.	
13	Cracca. W.	tufted.	Britain.	....	6. 8.	H.4.	Eng. bot. 1168.
14	tenuifolia. W.	slender-leav'd.	Germany.	1799.	6. 7.	H.4.	Botan. magaz. 2141.
15	onobrychioides. W.	Saintfoin-like.	S. Europe.	1789.	——	H.⊙.	———— 2206.
16	biennis. W.	biennial.	Siberia.	1753.	7. 9.	H.♂.	Gmel. sib. 4. t. 2.
17	nissoliana. W.	red-flowered.	Levant.	1773.	6. 7.	H.⊙.	
18	benghalensis. W.	Bengal.	E. Indies.	1792.	7. 9.	H.⊙.	Herm. lugd. t. 625.
19	canescens. W.	hoary.	Libanus.	1800.	6. 8.	H.⊙.	Labil. syr. 17. t. 7.
20	capensis. W.	Cape.	C. B. S.	1802.	——	G.4.	
21	pellucida. W.	pellucid.	————	1812.	——	G.4.	Jacq. schœn. 2. t. 222.
22	Ervilia. W.	officinal.	S. Europe.	1596.	——	H.⊙.	Blackw. t. 208. f. 3.
	Ervilia sativa. L.en.						
23	biflora. W.	two-flowered.	Algiers.	1801.	——	H.⊙.	Desf. atl. 2. t. 197.
24	oroboides. W.	Orobus like.	Carniola.	1818.	——	H.4.	
25	bicolor. W.en.	two-coloured.	.....	——	——	H.4.	
26	ochroleuca. T.N.	pale-flowered.	Italy.	1824.	——	H.4.	
27	longifolia. Poir.	long-leaved.	.....	——	——	H.4.	
28	grandiflora. Scop.	large-flowered.	Switzerland.	1823.	——	H.♂.	
29	alba. Mœn.	white-flower'd.	Germany.	1798.	——	H.⊙.	
30	globosa. W.	globular.	.....	1804.	——	H.⊙.	
31	sativa. W.	common.	Britain.	....	5. 6.	H.⊙.	Eng. bot. 334.
	β nemoralis. P.S.	*wood.*					
32	segetalis. Schl.	hedge.	Switzerland.	....	——	H.⊙.	
33	leucosperma. Mœn.	white-seeded.	.....	....	——	H.⊙.	
34	angustifolia. P.S.	narrow-leaved.	Europe.	....	——	H.⊙.	
35	peregrina. W.	broad-podded.	France.	1779.	7. 8.	H.⊙.	Pluk. alm. t. 233. f. 6.
36	megalosperma. M.B.	large-seeded.	Tauria.	1798.	——	H.⊙.	
37	Michauxii. Spr.	Michaux's.	.....	1803.	——	H.⊙.	
38	amphicarpos. P.S.	subterraneous.	France.	1815.	——	H.⊙.	Clus. exot. t. 88.
39	lathyroides. W.	spring.	Britain.	....	4. 6.	H.⊙.	Eng. bot. 30.
40	lutea. W.	yellow.	————	....	6. 8.	H.4.	———— 481.
41	hybrida. W.	hairy-flowered.	England.	....	——	H.4.	———— 482.
42	hirta. Balb.	hairy.	France.	1820.	——	H.⊙.	
43	sordida. W.K.	large-yellow.	Hungary.	1802.	——	H.⊙.	W. et K. hung. 2. t. 134.
44	lævigata. W.	smooth-podded.	England.	....	7. 8.	H.4.	Eng. bot. 483.
45	pannonica. W.	Hungarian.	Hungary.	1658.	6. 7.	H.⊙.	Jacq. aust. 1. t. 34.
46	striata. M.B.	streaked.	Tauria.	1824.	——	H.⊙.	
47	articulata. W.en.	jointed.	S. Europe.	....	——	H.⊙.	

48 monantha. W.en.	single-flowered.	Barbary.	1790.	7. 8.	H.⊙.		
49 pilosa. M.B.	pilose.	Tauria.	1820.	——	H.⊙.		
50 sepium. W.	bush.	Britain.	....	5. 6.	H.♃.	Eng. bot. 1515.	
51 bithynica. W.	purple.	England.	....	7. 8.	H.♃.	——— 1842.	
52 platycarpos. W.	flat-podded.	Germany.	1723.	——	H.⊙.	Roth abhand. 10. t. 1.	
53 narbonensis. W.	broad-leaved.	France.	1596.	6. 7.	H.⊙.	——— t. 2.	
54 serratifolia. W.	saw-leaved.	Hungary.	1723.	——	H.⊙.	Jacq. aust. app. t. 8.	
FABA. J.	Bean. Diadelphia Decandria. L.						
sativa.	garden.	Egypt.	----	5. 8.	H.⊙.		
β equina.	*horse.*	———	....	——	H.⊙.		
ERVUM. W.	Tare. Diadelphia Decandria. L.						
1 longifolium. T.S. *Vicia gracilis.* Lois.	long-leaved.	Italy.	1823.	6. 8.	H.⊙.		
2 tetraspermum. W.	smooth.	Britain.	....	6.	H.⊙.	Eng. bot. 1223.	
3 hirsutum. W.	hairy.	———	....	6. 7.	H.⊙.	——— 970.	
4 lentoides. T.S.	pubescent.	Italy.	1823.	——	H.⊙.		
5 Lens. L. *Cicer Lens.* W.	Lentil. *Lens esculenta.* Mœn.	France.	1548.	5.	H.⊙.		
6 uniflorum. T.S.	single-flowered.	Italy.	1824.	6. 8.	H.⊙.		
7 lenticula. L.en.	bent-pointed.	....	——	——	H.⊙.		
8 camelorum. Spr. *dispermum.* W.en.	broad-podded.	.....	——	——	H.⊙.		
9 nigricans. M.B.	black.	Tauria.	——	——	H.⊙.		
CICER. L.	Chick Pea.	Diadelphia Decandria. L.					
arietinum. W.	common.	S. Europe.	1548.	7. 8.	H.⊙.	Schk. hand. 2. t. 202.	
SCORPIURUS. W.	Caterpillar.	Diadelphia Decandria. L.					
1 vermiculata. W.	common.	S. Europe.	1621.	6. 7.	H.⊙.	Moris. hist. 2. t. 11. f. 3.	
2 lævigata. Sm.	smooth.	Levant.	1820.	——	H.⊙.		
3 muricata. W.	two-flowered.	S. Europe.	1640.	——	H.⊙.	Moris. hist. 2. t. 11. f. 4.	
4 sulcata. W.	three-flowered.	———	1596.	——	H.⊙.	Desf. atl. 2. f. 4.	
5 subvillosa. W.	four-flowered.	———	1731.	——	H.⊙.	Moris. hist. 2. t. 11. f. 2.	
ORNITHOPUS. W.	Birds-foot.	Diadelphia Decandria. L.					
1 perpusillus. W.	common.	Britain.	....	5. 8.	H.⊙.	Eng. bot. 869.	
2 compressus. W.	hairy.	S. Europe.	1730.	6. 7.	H.⊙.		
3 sativus. L.en.	upright.	Portugal.	1816.	——	H.⊙.		
4 ebracteatus. P.S.	round-podded.	———	....	5. 6.	H.⊙.		
5 durus. Cav.	perennial.	Spain.	1805.	6. 7.	H.♃.	Cav. ic. 1. t. 41.	
6 lotoides. Viv.	Lotus-like.	S. Europe.	1823.	——	H.⊙.		
7 scorpioides. W.	Purslane-ld.	———	1596.	——	H.⊙.	Cav. ic. 1. t. 37.	
8 repandus. P.S. *heterophyllus.* W.en.	repand.	Barbary.	1805.	——	H.⊙.	Lam. ill. t. 631. f. 2.	
HIPPOCRÉPIS. W.	Horseshoe Vetch. Diadelphia Decandria. L.						
1 unisiliquosa. W.	single-podded.	Italy.	1570.	6. 7.	H.⊙.	Lam. ill. t. 630.	
2 multisiliquosa. W.	many-podded.	S. Europe.	1683.	6. 8.	H.⊙.	Schk. hand. 2. t. 206.	
3 ciliata. W.	ciliated.	Spain.	1823.	——	H.⊙.		
4 balearica. W.	shrubby.	Minorca.	1776.	5. 6.	G.ħ.	Botan. magaz. 427.	
5 biflora. Spr.	two-flowered.	....	1824.	——	H.⊙.		
6 comosa. W.	tufted.	England.	....	4. 8	H.♃.	Eng. bot. 31.	
CORONILLA. W.	Coronilla. Diadelphia Decandria. L.						
1 Emerus. W.	ScorpionSenna.	France.	1596.	4. 6.	H.ħ.	Botan. magaz. 445.	
2 juncea. W.	Rush.	———	1656.	6. 7.	G.ħ.	Botan. regist. 820.	
3 valentina. W.	nine-leaved.	S. Europe.	1596.	11. 3.	F.ħ.	Botan. magaz. 185.	
4 glauca. W.	seven-leaved.	France.	1722.	9. 5.	F.ħ.	——— ——— 13.	
5 viminalis. P.L.	slender.	Mogador.	1798.	5. 11.	G.ħ.	Sal. par. lond. 13.	
6 iberica. M.B.	Iberian.	Iberia.	1818.	7. 10.	H.♃.	Swt. br. fl. gar. 25.	
7 coronata. W.	large-headed.	S. Europe.	1776.	6. 7.	F.♃.	Botan. magaz. 907.	
8 minima. W.	least.	———	1658.	7. 8.	F.♃.	——— ——— 2179.	
9 argentea. W.	silvery-leaved.	Crete.	1664.	5. 6.	G.ħ.	Mill. ic. 2. t. 289. f. 3.	
10 cappadocica. W.	obcordate-ld.	Cappadocia.	....	——	H.♃.		
11 varia. W.	purple.	Europe.	1597.	6. 11.	H.♃.	Botan. magaz. 258.	
12 cretica. W.	Cretan.	Crete.	1731.	6. 7.	H.⊙.	Jacq. vind. 1. t. 25.	
SECURIGERA. DC.	Hatchet vetch. Diadelphia Decandria.						
coronilla. DC. *Coronilla Securidaca.* W.	common.	S. Europe.	1562.	7. 8.	H.⊙.	Lam. ill. t. 626.	
SMITHIA. Sal.	Smithia. Diadelphia Decandria.						
1 sensitiva. P.L.	sensitive.	E. Indies.	1785.	7. 10.	S.⊙.	Sal. par. lond. 92.	
2 aspera. H.B.	rough.	———	1812.	——	S.⊙.		
SESBANIA. P.S.	Sesbania. Diadelphia Decandria.						
1 grandiflora. P.S.	great-flowered.	E. Indies.	1768.	7. 8.	S.ħ.	Rheed. mal. 1. t. 61.	

2 coccinea. P.S.	red-flowered.	———	1824.	....	S. ♄.	Rumph. amb. 1. t. 77.
3 occidentalis. P.S.	West Indian.	W. Indies.	1823.	....	S. ♄.	
4 ægyptiaca. P.S.	Egyptian.	Egypt.	1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.
5 aculeata. P.S.	prickly.	E. Indies.	1690.	——	S. ☉.	Jacq. ic. 3. t. 564.
Æschynomene spinulosa. H.P. *bispinosa.* Jacq.						
6 paludosa. H.B.	marsh.	———	1818.	——	S. ☉.	
7 cannabina. P.S.	hemp.	———	1800.	——	S. ☉.	
8 procumbens. H.	procumbent.	———	1818.	——	S. ☉.	
9 uliginosa.	water.	———	——	——	S. ☉.	
Æschynomene uliginosa. H.B.						
10 sericea. L.en.	silky.	———	——	——	S. ☉.	
11 picta. P.S.	variegated.	W. Indies.	1822.	4. 9.	S. ♄.	Botan. regist. 873.
✉ platycarpa. P.S.	flat-podded.	Carolina.	——	7. 8.	S. ☉.	
ÆSCHYNOMENE. P.S.	ÆSCHYNOMENE.	Diadelphia Decandria. L.				
1 aristata. W.	awned.	St. Domingo,	1820.	....	S. ♄.	Jacq. schœn. 2. t. 237.
2 sensitiva. W.	sensitive.	W. Indies.	1733.	....	S. ♄.	Plum. ic. t. 139.
3 viscidula. M.	viscous.	N. America.	1818.	7. 8.	H. ☉.	
4 aspera. W.	rough-stemm'd.	E. Indies.	1759.	6. 7.	S. ☉.	Breyn. cent. t. 52.
5 hispida. W.	hispid.	N. America.	1803.	8. 9.	H. ☉.	
6 americana. W.	hairy.	Jamaica.	1732.	7. 8.	S. ☉.	Sloan. hist. 1. t. 118. f. 3.
7 indica. W.	Indian.	E. Indies.	1799.	6. 7.	S. ☉.	Rheed. mal. 9. t. 18.
STYLOSANTHES. Sw.	STYLOSANTHES.	Diadelphia Decandria.				
1 procumbens. W.	procumbent.	Jamaica.	1820.	6. 8.	S. ♃.	Sloan. hist. 1. t. 110. f. 2.
2 viscosa. W.	viscous.	———	——	——	S. ♃.	——— 1. t. 119. f. 1.
3 mucronata. W.	mucronate.	E. Indies.	1818.	——	S. ♄.	Burm. zeyl. t. 106. f. 2.
Arachis fruticosa. H.B.						
4 elatior. Sw.	tall.	Carolina.	1823.	7. 8.	H. ♃.	Sw. act. holm. t. 11. f. 2.
HALLIA. Th.	HALLIA.	Diadelphia Decandria.				
1 alata. W.	wing-stalked.	C. B. S.	1818.	6. 8.	G. ♄.	
2 flaccida. W.	long-leaved.	———	1739.	8. 9.	G. ♂.	
3 cordata. W.	heart-leaved.	———	1787.	6. 8.	G. ♄.	Jacq. schœn. 3. t. 296.
4 imbricata. W.	imbricated.	———	1812.	——	G. ♄.	Bot. mag. 1850, &2596.
5 Asarina. W.	Asarum-like.	———	1816.	——	G. ♄.	
LÆSPEDEZA. M.	LESPEDEZA.	Diadelphia Decandria.				
1 fruticosa. P.S.	shrubby.	Virginia.	1739.	7. 8.	H. ♄.	Jacq. vind. 3. t. 89.
2 sessiliflora. Ph.	sessile-flow'r'd.	N. America.	....	——	H. ♃.	
3 juncea. P.S.	slender-branch'd.	Siberia.	1770.	——	H. ♃.	Lin. fil. dec. 1. t. 4.
4 reticulata. P.S.	netted.	N. America.	1823.	——	H. ♃.	
5 capitata. P.S.	headed.	———	1789.	6. 7.	H. ♃.	
6 polystachya. P.S.	hairy.	———	——	6. 8.	H. ♃.	Mich. amer. 2. t. 40.
Hedysarum hirtum. W.						
7 Stuvei. N.	Stuve's.	N. America.	1823.	7. 9.	H. ☉.	
8 violacea. Ph.	Violet-flow'r'd.	———	1789.	7. 8.	H. ♃.	
9 procumbens. N.	procumbent.	———	1812.	——	H. ♃.	
10 prostrata. N.	prostrate.	———	1818.	——	H. ♃.	
11 lagopodioides. P.S.	hare's-foot.	China.	1790.	——	H. ♃.	Burm. ind. t. 53. f. 2.
ZORNIA. M.	ZORNIA.	Diadelphia Decandria.				
1 tetraphylla. M.	four-leaved.	Carolina.	1823.	7. 8.	H. ♃.	
2 capensis. P.S.	Cape.	C. B. S.	1824.	5. 6.	G. ♃.	Thunb. a. ups. 6. t. 3.
3 pulchella. P.S.	neat Indian.	E. Indies.	1799.	7. 8.	S. ♄.	Burm. zeyl. 116. f. 52.
4 diphylla. P.S.	two-leaved.	———	1733.	——	S. ☉.	Rheed. mal. 9. t. 82.
FLEMINGIA. H.B.	FLEMINGIA.	Diadelphia Decandria.				
1 stricta. H.B.	straight.	India.	1798.	7. 9.	S. ♄.	
2 semialata. H.B.	winged.	Nepaul.	1805.	7. 8.	S. ♄.	Roxb. corom. 3. t. 249.
3 lineata. H.B.	branch-spiked.	E. Indies.	1793.	——	S. ♄.	Burm. ind. t. 53. f. 1.
4 congesta. H.B.	crowded-spik'd.	———	1802.	7. 9.	S. ♄.	
5 angustifolia. H.B.	narrow-leaved.	———	1812.	——	S. ♄.	
6 strobilifera. H.K.	Beech-leaved.	———	1787.	——	S. ♄.	Botan. regist. 617.
Hedysarum strobiliferum. W. *Zornia strobilifera.* P.S.						
7 nana. H.B.	dwarf.	———	1804.	8.	S. ♄.	
8 procumbens. H.B.	procumbent.	———	1816.	——	S. ♄.	
9 prostrata. H.B.	prostrate.	China.	1820.	7. 9.	S. ♄.	
MANNA. D.P.	MANNA.	Diadelphia Decandria.				
hebraica. D.P.	Levant.	Levant.	1714.	7. 8.	G. ♄.	Rauw. it. 94. t. 14.
Alhagi mannifera. Desv. *Hedysarum Alhagi.* W.						
HEDYSARUM. W.	HEDYSARUM.	Diadelphia Decandria. L.				
1 bupleurifolium. W.	Hare's-ear-l^d.	India.	1793.	7. 8.	S. ♂.	Roxb. corom. 2. t. 194.
2 gramineum. W.	grass-leaved.	———	1799.	——	S. ☉.	Wendl. h. her. 1. t. 5.
3 nummularifolium. W.	Moneywort-l^d.	———	1777.	7. 9.	S. ☉.	Pet. gaz. t. 26. f. 4.

4	monliferum. W.	neck-lace.	E. Indies.	1824.	——	S. ♃.	Burm. ind. t. 52. f. 3.
5	styracifolium. W.	Storax-leaved.	——	1796.	....	S. ♄.	
6	gangeticum. W.	oval-leaved.	——	1702.	7. 8.	S. ☉.	Rumph. amb. 6. t. 66.
7	maculatum. W.	spotted.	——	1732.	7. 8.	S. ☉.	Dill. elth. t. 141. f. 168.
8	vaginale. W.	sheathed.	——	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
9	triquetrum. W.	triangular.	——	1802.	——	S. ♂.	Burm. ind. t. 52. f. 2.
10	sagittatum. P.S.	arrow-leaved.	——	1807.	....	S. ♄.	
11	alatum. H.B.	winged-stalk'd.	——	1809.	....	S. ♄.	
12	procumbens. H.B.	procumbent.	——	——	7. 8.	S. ♃.	
13	diversifolium. P.S.	different-leav'd.	Madagascar.	1820.	....	S. ♄.	
14	Vespertilionis. W.	bat-winged.	Cochinchina.	1780.	7. 8.	S. ♂.	Jacq. ic. 3. t. 566.
15	collinum. H.B.	hill.	E. Indies.	1822.	——	S. ♄.	
16	latifolium. B.R.	broad-leaved.	——	1809.	——	S. ♄.	Botan. regist. 355.
17	bracteatum. H.B.	bracted.	——	1820.	——	S. ♄.	
18	sororium. H.B.	sister.	——	——	....	S. ♃.	
19	incanum. W.	hoary.	W. Indies.	——	7. 8.	S. ♄.	Plum. ic. 149. f. 1.
20	tomentosum. W.	woolly.	China.	1782.	6. 7.	G. ♃.	
21	umbellatum. W.	umbel-flower'd.	E. Indies.	1801.	——	S. ♄.	Jacq. schœn. 3. t. 297.
22	biarticulatum. W.	jointed.	——	1808.	....	S. ♄.	Burm. zeyl. t. 50. f. 2.
23	cæspitosum. P.S.	tufted.	Mauritius.	1820.	....	S. ♃.	
24	adscendens. W.	ascending.	Jamaica.	——	7. 9.	S. ♄.	
25	mexicanum.	Mexican.	Mexico.	——	11. 5.	S. ♄.	Botan. regist. 815.
	adscendens. var. *cæruleum.* B.R. *virgatum.* Cerv. *non* Th.						
26	mauritianum. W.	creeping root'd.	Mauritius.	1822.	7. 9.	S. ♃.	
27	gyrans. W.	moving plant.	E. Indies.	1775.	——	S. ♂.	Jacq ic. 3. t. 565.
28	gyroides. H.B.	gyrans-like.	——	1818.	——	S. ♄.	
29	rhombifolium. H.B.	rhomb-leaved.	——	1820.	——	S. ♄.	
30	tenellum. D.P.	slender.	Nepaul.	1823.	——	S. ♄.	
31	retusum. D.P.	retuse-leaved.	——	——	——	S. ♄.	
32	floribundum. D.P.	abundant-flr.	——	——	——	S. ♄.	
33	trigonum. P.S.	three-sided.	Jamaica.	1733.	——	S. ♄.	
34	canadense. W.	Canadian.	N. America.	1640.	7. 8.	H. ♃.	Com. canad. t. 45.
35	canescens. Ph.	canescent.	——	1733.	——	H. ♃.	
36	marilandicum. W.	Maryland.	——	1725.	7. 10.	H. ♃.	Dill. elth. t. 144. f. 171.
37	obtusum. Ph.	obtuse.	——	1805.	7. 8.	H. ♃.	
38	ciliare. N.	fringed.	——	1823.	——	H. ♃.	
39	viridiflorum. W.	green-flower'd.	——	1787.	7. 9.	H. ♃.	Pluk. alm. t. 308. f. 5.
40	cuspidatum. W.	sharp-pointed.	——	1806.	7. 8.	H. ♃.	
41	paniculatum. W.	panicled.	——	1781.	7.	H. ♃.	Pluk. mant. t. 432. f. 6.
42	glutinosum. W.	glutinous.	——	1805.	7. 8.	H. ♃.	
43	nudiflorum. W.	naked-flow'r'd.	——	1823.	——	H. ♃.	
44	repandum. W.	repand.	Bourbon.	——	——	S. ♄.	
45	capitatum. W.	headed.	Ceylon.	....	7.	S. ♄.	Burm. ind. t. 54. f. 1.
46	supinum. W.	trailing.	Jamaica.	1820.	7. 8.	S. ♄.	Sloan. jam. t. t. 118. f. 2.
47	tortuosum. W.	twisted-podd'd.	——	1781.	——	S. ♄.	—— 1. t. 116. f. 2.
48	tuberosum. W.	tuberous.	E. Indies.	1806.	....	S. ♄.	
49	serotinum. W.en.	late-flowering.	——	——	7. 9.	H. ♃.	
50	malacophyllum. L.en.	soft hairy ld.	Manila.	1824.	....	S. ♃.	
51	abyssinicum. W.en.	Abyssinian.	Abyssinia.	1802.	7.	S. ♃.	
52	aparines. L.en.	hairy-stalked.	Mexico.	1820.	——	S. ♄.	
53	virgatum. W.	slender.	Japan.	——	——	G. ♃.	
54	heterophyllum. W.	various-leaved.	Ceylon.	——	6. 7.	S. ♃.	Burm. zeyl. t. 54. f. 1.
55	triflorum. W.	three-flower'd.	India.	1796.	——	S. ♃.	Burm. ind. t. 54. f. 2.
56	uncinatum. W.	uncinate.	Caracas.	1823.	——	S. ♄.	Jacq. schœn. 3. t. 208.
57	hamosum. H.B.	hooked.	Bengal.	——	——	S. ♃.	
58	alopecuroides. H.B.	Foxtail.	E. Indies.	——	——	S. ♃.	
59	auriculatum. H.B.	eared.	——	1818.	7. 9.	S. ☉.	
60	orbiculatum. H.B.	round-leaved.	——	——	....	S. ♄.	
61	recurvatum. H.B.	recurved.	——	1824.	....	S. ♄.	
62	divergens. H.B.	divergent.	——	——	....	S. ♄.	
63	purpureum. H.B.	purple-flow'r'd.	E. Indies.	1818.	6. 8.	S. ♃.	
64	cephalotes. H.B.	round-headed.	——	1820.	....	S. ♄.	
65	patens. H.B.	spreading.	——	1824.	6. 8.	S. ♃.	
66	arboreum. H.B.	tree.	——	1818.	....	S. ♄.	
67	grandiflorum. M.B.	large-flowered.	Iberia.	1820.	6. 8.	H. ♃.	
	sericeum. M.B.	*Astragalus grandiflorus.* L.					
68	asperum. P.S.	harsh.	.....	——	6. 8.	S. ♄.	
69	pictum. W.	painted-leaved.	Guinea.	1788.	....	S. ♄.	Jacq. ic. 3. t. 567.
70	candidum. M.B.	silver-leaved.	Siberia.	1796.	7. 8.	H. ♃.	Pall. it. 2. t. 9.
	argenteum. W. *non.* L.fil.						

71	fruticosum. W.	shrubby	Siberian.	———	1782.	6. 7.	H. ♄.	Pall. it. 3. t. 5. f. 1.
72	sennoides. W.	Senna-like.	E. Indies.	1818.	——		S. ♄.	
73	alpinum. W.	Alpine.	Siberia.	1798.	——		H. ♃.	Botan. magaz. 2213.
74	obscurum. W.	creeping-root'd.	Europe.	1640.	7. 8.		H. ♃.	——— ——— 282.
75	tauricum. W.	Taurian.	Tauria.	1804.	——		H. ♃.	
76	roseum. B.M.	rose-coloured.	Caucasus.	1803.	——		H. ♃.	Botan. magaz. 996.
77	coronarium. W.	French Honeysuckle.	Italy.	1596.	6. 7.		H. ♂.	
78	humile. W.	dwarf.	Spain.	1640.	7. 8.		H. ♃.	Bauh.hist.2.p.336.c.ic.
79	carneum. L.C.	flesh-coloured.	Siberia.	1818.	——		H. ♃.	Lodd. bot. cab. 312.
80	flexuosum. W.	wave-podded.	Asia.	1680.	7. 8.		H. ☉.	Schk. hand. 2. t. 207.
81	depressum. W.en. *capitatum.* Desf. *non* Burm.	depressed.	Barbary.	....	——		H. ☉.	
82	pallidum. W. *capitatum.* B.M. *nec aliorum.*	pale-flowered.	———	....	——		H. ♃.	Botan. magaz. 1251.
83	muricatum. W.	prickly-podd'd.	Patagonia.	1793.	6. 7.		F. ♃.	Jacq. ic. 3. t. 568.
84	spinosissimum. W.	thorny.	Spain.	1731.	7. 8.		H. ☉.	Plnk. alm. t. 50. f. 2.
85	brasilianum. P.S.	Brazilian.	Brazil.	1823.	....		S. ♄.	
86	elongatum. F.	long-stalked.	Russia.	——	6. 8.		H. ♃.	
87	crinitum. W.	crook-podded.	E. Indies.	1780.	7. 9.		S. ♄.	Burm. ind. t. 56.
88	lasiocarpum. Bean.	woolly-podded.	Guinea.	1822.	——		S. ♄.	
ONOBRYCHIS. T.		SAINTFOIN.	Diadelphia Decandria.					
1	sativa. DC. *Hedysarum Onobrychis.* W.	common.	Britain.	....	6. 7.		H. ♃.	Eng. bot. 96.
2	carpatica. F.	Carpathian.	Carp.Mount.	1818.	——		H. ♃.	
3	tanaitica. F.	spreading.	Siberia.	1823.	——		H. ♃.	
4	Buxbaumiana. Dv. *Hedysarum Pallasii.* W.	Buxbaum's.	Tauria.	——	——		H. ♃.	
5	montana. DC.	mountain.	Europe.	1816.	——		H. ♃.	
6	supinum. DC.	trailing.	———	——	——		H. ♃.	
7	album. P.S.	white-flowered.	Hungary.	1804.	7. 8.		H. ♃.	W.etK. hung. 2. t.111.
8	saxatile. P.S.	rock.	S. Europe.	1790.	6. 8.		H. ♃.	All. ped. 1. t. 19. f. 1.
9	petræa. F.	stone.	Caucasus.	1818.	——		H. ♃.	
10	arenaria. L.en.	sand.	Hungary.	——	——		H. ♃.	
11	cretica. Dv.	Cretan.	Crete.	1823.	——		F. ♃.	
12	Caput-galli. P.S.	Cock's-head.	France.	1731.	7. 8.		H. ☉.	
13	Crista-galli. P.S.	Cock's-comb.	S. Europe.	1710.	6. 8.		H. ☉.	
PHYLLOLOBIUM. F.		PHYLLOLOBIUM.	Diadelphia Decandria.					
	chinense. F.	Chinese.	China.	1818.	6. 8.		G. ♃.	
DALBERGIA. W.		DALBERGIA.	Diadelphia Decandria. L.					
1	latifolia. W.	broad-leaved.	E. Indies.	1811.	....		S. ♄.	Roxb. corom. 2. t. 113.
2	Sissoo. H.B.	large.	———	1823.	....		S. ♄.	
3	emarginata. H.B.	emarginate.	———	——	....		S. ♄.	
4	frondosa. H.B.	frondose.	———	1818.	....		S. ♄.	
5	paniculata. W.	panicled.	———	1811.	....		S. ♄.	Roxb. corom. 2. t. 114.
6	zeylanica. H.B.	Ceylon.	Ceylon.	1816.	....		S. ♄.	
7	robusta. H.B.	robust.	E. Indies.	1811.	....		S. ♄.	
8	alata. H.B.	winged.	———	1823.	....		S. ♄.	
9	Crowey. H.B.	Silhet.	———	——	....		S. ♄.	
10	domingensis. P.S. *Robinia violacea.* W.	violet.	St.Domingo.	1759.	....		S. ♄.	
11	rubiginosa. W.	rusty.	E. Indies.	1811.	....		S. ♄. ⌣.	Roxb. corom. 2. t. 115.
12	volubilis. H.B.	twining.	———	1820.	....		S. ♄. ⌣.	
13	marginata. H.B.	margined.	———	——	....		S. ♄. ⌣.	
14	Barclayi. Hk.	Mr. Barclay's.	Mauritius.	1823.	5. 7.		S. ♄. ⌣.	
15	Telfairii. Hk.	Telfair's.	———	——	....		S. ♄. ⌣.	
16	scandens. H.B.	scandent.	E. Indies.	1811.	5. 7.		S. ♄. ⌣.	
17	tamarindifola. H.B.	Tamarind-l^d.	———	1820.	....		S. ♄. ⌣.	
18	stipulacea. H.B.	stipuled.	———	——	....		S. ♄.	
19	rimosa. H.B.	rimose.	———	1824.	....		S. ♄.	
AMERIMNUM. W.		AMERIMNUM.	Diadelphia Decandria. L.					
1	Brownei. W.	Browne's.	W. Indies.	1793.	6. 8.		S. ♄.	Jacq. amer. t.180.f.58.
2	latifolium. W.	broad-leaved.	S.America.	1814.	....		S. ♄.	——— 1. t.177. f.50.
3	pubescens. W.	violet-flowered.	Caracas.	1820.	....		S. ♄.	
4	scandens. W.	climbing.	———	1822.	....		S. ♄. ⌣.	
PONGAMIA. V.		PONGAMIA.	Diadelphia Decandria.					
1	glabra. V. *Galedupa indica.* Lam. *Dalbergia arborea.* W.	smooth-leaved.	E. Indies.	1699.	....		S. ♄.	Vent. malm. t. 28.
2	elliptica. *Galedupa elliptica.* H.B.	elliptic-leaved.	———	1820.	....		S. ♄. ⌣.	

3 piscidia. H.B.	Piscidia-leav'd.	——	1818.	....	S. ½.		
4 marginata. H.B.	margined.	——	1824.	....	S. ½.		
PTEROCARPUS. W.	PTEROCARPUS. Diadelphia Decandria. L.						
1 Draco. W.	officinal.	S. America.	1818.	....	S. ½.	Jacq. amer. t. 188. f. 92.	
2 indicus. W.	Indian.	E. Indies.	——	....	S. ½.		
3 dalbergioides. H.B.	Dalbergia-like.	——	1820.	....	S. ½.		
4 Marsupium. W.	emarginate-l^d.	——	1811.	....	S. ½.	Roxb. cor. 2. t. 116.	
5 lunatus. W.	crescent-podded.	S. America.	1792.	....	S. ½.	Lam. ill. t. 602. f. 5.	
6 santalinus. W.	red sandal wood.	E. Indies.	1800.	....	S. ½.		
7 Ebenus. P.S.	JamaicaEbony.	W. Indies.	1713.	7. 8.	S. ½.	Brown. jam. t. 31. f. 2.	
Amerimnum Ebenus. W.							
ECASTAPHYLLUM. P.S.	ECASTAPHYLLUM. Diadelphia Decandria.						
Brownei. P.S.	oval-leaved.	W. Indies.	1733.	...	S. ½.	Brown. jam. t. 32. f. 1.	
Pterocarpus Ecastaphyllum. W.							
GEOFFROYA. W.	GEOFFROYA. Diadelphia Decandria. L.						
inermis. W.	bastard cabbage-tree.	Jamaica.	1778.	....	S. ½.	Phil. trans. 1777. t. 10.	
NISSOLIA. W.	NISSOLIA. Diadelphia Decandria. L.						
1 retusa. W.en.	retuse-leaved.	S. America.	1823.	....	S. ½.		
2 fruticosa. W.	shrubby.	——	1766.	7. 11.	S. ½.	Jacq. vind. 2. t. 167.	
3 glabrata. L.en.	smooth-leaved.	——	1818.	——	S. ½.		
DIPTERIX. W.	TONQUIN BEAN. Diadelphia Decandria.						
odorata. W.	sweet-scented.	Guiana.	1793.	....	S. ½.	Aub. gui. 2. t. 296.	
Baryosma Tonga. Gært. *Coumarouna odorata.* Aub.							

ORDO LXVI.

CALYCANTHACEÆ. *Lindley.*

CHIMONANTHUS. B.R.	CHIMONANTHUS. Icosandria Polygynia.						
fragrans. B.R.	fragrant.	Japan.	1766.	12. 3.	H. ½.	Botan. magaz. 466.	
Calycanthus præcox. B.M.							
β *luteus.*	*yellow-flowered.*	——	1814.	——	H. ½.		
γ *grandiflorus.* B.R.	*large-flowered.*	——	1812.	——	H. ½.	Botan. regist. 451.	
CALYCANTHUS. B.R.	CALYCANTHUS. Icosandria Polygynia. L.						
1 floridus. W.	Carolina allspice.	Carolina.	1726.	5. 8.	H. ½.	Botan. magaz. 503.	
2 glaucus. N.	glaucous-leav'd.	——	1806.	——	H. ½.	Botan. regist. 404.	
fertilis. B.R.							
3 oblongifolius. N.	oblong-leaved.	——,	1812.	——	H. ½.		
4 lævigatus. N.	smooth-leaved.	——	1806.	——	H. ½.	Botan. regist. 481.	

ORDO LXVII.

HOMALINEÆ. *Brown.*

HOMALIUM. S.S.	HOMALIUM. Polyandria Trigynia.						
racemosum. S.S.	racemed.	W. Indies.	1818.	5. 7.	S. ½.	Botan. regist. 519.	
BLACKWELLIA. S.S.	BLACKWELLIA. Dodecandria Pentagynia.						
1 spiralis. S.S.	spiral.	Isl. France.	1820.	....	S. ½.		
2 paniculata. S.S.	panicled.	——	1818.	5. 7.	S. ½.		
3 glauca. S.S.	glaucous.	——	1823.	....	S. ½.		
4 axillaris. S.S.	axillary-spiked.	Madagascar.	——	....	S. ½.	Lam. ill. t. 412. f. 1.	

ORDO LXVIII.

CHRYSOBALANEÆ. *Brown.*

PARINARIUM. J.	PARINARIUM.	Heptandria Monogynia.					
1 excelsum. G.D.	rough Plum.	SierraLeon.	1822.	....	S. ♄.		
2 macrophyllum. G.D.	gingerbread plum.	———	——	....	S. ♄.		
CHRYSOBALANUS. W.	COCOA-PLUM.	Icosandria Monogynia. L.					
1 Icaco. W.	West Indian.	W. Indies.	1752.	....	S. ♄.		Jacq. amer. t. 94.
2 oblongifolius. Ph.	American.	Georgia.	1812.	...	G. ♄.		Bartr. iter. c. ic.
HIRTELLA. W.	HIRTELLA.	Pentandria Monogynia. L.					
americana. W.	American.	W. Indies.	1782.	....	S. ♄.		Aubl. guian. 1. t. 98.

ORDO LXIX.

AMYGDALINÆ. *Jussieu.*

AMYGDALUS. W.	ALMOND.	Icosandria Monogynia. L.					
1 Persica. W.	common Peach.	Persia.	1562.	4. 5.	H. ♄.		
β *nectarina.*	*Nectarine.*	———	——	——	H. ♄.		
γ *flore pleno.*	*double blossomed.*						
δ *nana.*	*dwarf Peach.*						
2 communis.	sweet Almond.	Barbary.	1548.	3. 4.	H. ♄.		
3 amara.	bitter Almond.	———	——	——	H. ♄.		Blackw. t. 195.
4 nana. W.	common dwarf.	Russia.	1683.	——	H. ♄.		Botan. magaz. 161.
5 incana. W.	woolly.	Caucasus.	....	——	H. ♄.		Pall. ross. 1. t. 7.
6 prostrata. Kth.	trailing.	Crete.	1802.	5.	H. ♄.		Botan. regist. 136.
Prunus prostrata. B.R.							
7 pumila. W.	double dwarf.	Africa.	1683.	5. 6.	H. ♄.		Botan. magaz. 2176.
Prunus sinensis. P.S.							
8 georgica. Desf.	Georgian.	Georgia.	1820.	3. 4.	H. ♄.		
9 sibirica. L.C.	Siberian.	Siberia.	....	3. 4.	H. ♄.		
10 orientalis. W.	silvery-leaved.	Levant.	1756.	——	G. ♄.		
argentea. Lam.							
ARMENIACA. J.	APRICOT.	Icosandria Monogynia.					
1 vulgaris. P.S.	common.	Levant.	1548.	2. 3.	H. ♄.		Lam. ill. t. 431.
2 dasycarpa. P.S.	black-fruited.	. .....	....	3. 4.	H. ♄.		
3 sibirica. P.S.	Siberian.	Siberia.	1788.	4.	H. ♄.		Pall. ross. 1. t. 6.
4 brigantiaca. P.S.	spiny.	S. Europe.	....	——	H. ♄.		
PRUNUS. W.	PLUM-TREE.	Icosandria Monogynia. L.					
1 domestica. W.	common.	England.	....	4.	H. ♄.		Eng. bot. 1763.
2 pyramidalis. DC.	pyramidal.	Europe.	....	——	H. ♄.		
3 maritima. W.en.	sea-side.	N.America.	1800.	5.	H. ♄.		
4 cerasifera. W.	Myrobalan.	———	1629.	4. 5.	H. ♄.		
5 insititia. W.	Ballace-tree.	Britain.	....	4.	H. ♄.		Eng. bot. 841.
6 spinosa. W.	Sloe-tree.	———	....	3. 4.	H. ♄.		——— 842.
7 Chicasa. M.	Chicasaw.	N.America.	1806.	4. 5.	H. ♄.		
8 sphærica. W.en.	brown-toothed.	Europe.	1820.	3. 4.	H. ♄.		
9 hyemalis. M.	mountain.	N.America.	1805.	5.	H. ♄.		
10 depressa. Ph.	depressed.	———	——	5.	H. ♄.		
11 Susquehannæ. W.en.	glaucous-leav'd.	———	1800.	——	H. ♄.		
12 pumila. W.	dwarf.	———	1756.	——	H. ♄.		Mill. ic. t. 89. f. 2.
13 pygmæa. W.	small.	———	1818.	——	H. ♄.		
14 persicifolia. Df.	peach-leaved.	———	——	4. 5.	H. ♄.		
15 nigra. W.	black.	———	1773.	5. 6.	H. ♄.		Botan. magaz. 1117.
16 pensylvanica. W.	Pensylvanian.	———	——	5.	H. ♄.		Willd. arb. t. 3. f. 3.
17 borealis. Ph.	northern.	———	1818.	5. 6.	H. ♄.		

18	duracina. *Cerasus duracina.* DC.	hard Cherry.	Europe.	....	4. 5.	H. ♄.	
19	macrophylla. Poir.	large-leaved.	———	....	——	H. ♄.	
20	avium. W. *Cerasus avium.* DC.	pubescent-ld.	England.	....	4. 5.	H. ♄.	Blackw. t. 425.
21	Cerasus. W. *β flore pleno.*	commonCherry. *double blossom'd.*	———	....	——	H. ♄.	Eng. bot. 706.
22	semperflorens. W.	late-fruited.	N.America.	....	5. 6.	H. ♄.	Wats. dend. brit. 131.
23	pendula. Df.	pendulous.	.....	....	——	H. ♄.	
24	chamæcerasus. W.	bastard Cherry.	Austria.	1597.	5.	H. ♄.	Jacq. ic. 1. t. 90.
25	fruticosa. Pall.	shrubby.	Russia.	....	——	H. ♄.	Pall. ros. 1. t. 8.
26	Mahaleb. W.	perfumed.	Austria.	1714.	4. 5.	H. ♄.	Jacq. aust. 3. t. 227.
27	paniculata. W.	panicled.	Japan.	1820.	——	G. ♄.	Botan. regist. 800.
28	japonica. W.	Japan-Cherry.	———	1810.	3. 5.	H. ♄.	——— 27.
29	Laurocerasus. W. *β pumila.*	commonLaurel. *dwarf.*	Levant.	1629.	4. 5.	H. ♄.	Duham. arb. 1. t. 133.
30	caroliniana. W.	evergreen.	Carolina.	1759.	5.	H. ♄.	
31	lusitanica. W.	Portugal Laurel.	Portugal.	1648.	6.	H. ♄.	Mill. ic. t. 196. f. 1.
32	occidentalis. W.	West Indian.	Jamaica.	1784.	12. 1.	S. ♄.	
33	sphærocarpa. W.	round-fruited.	———	1818.	——	S. ♄.	
34	serotina. W.	American bird.	N.America.	1629.	5. 6.	H. ♄.	Wats. dend. brit. 48.
35	virginiana. W.	Virginian.	———	1724.	——	H. ♄.	Willd. arb. t. 5. f. 1.
36	rubra. W.	red fruited.	.....	....	4. 5.	H. ♄.	——— t. 4. f. 2.
37	Padus. W. *Cerasus Padus.* DC.	Bird Cherry.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 1383.

ORDO LXX.

POMACEÆ. *Jussieu.*

MESPILUS. G. Mespilus. Icosandria Di-Pentagynia.

1	odoratissima. A.R.	sweet-scented.	Crimea.	....	5. 6.	H. ♄.	Andr. reposit. 590.
2	tanacetifolia. A.R.	Tansy-leaved.	Greece.	1789.	——	H. ♄.	Sm. exot. bot. 2. t. 85.
3	apiifolia. S.S.	Parsley-leaved.	N.America.	1812.	——	H. ♄.	
4	Azarolus. S.S.	Azarole.	S. Europe.	1640.	——	H. ♄.	Andr. reposit. 579.
5	pentagyna. S.S.	pentagynous.	Hungary.	1818.	——	H. ♄.	
6	nigra. S.S.	villous-leaved.	———	——	——	H. ♄.	W. et K. hung. 1. t. 61.
7	melanocarpa. S.S.	black-fruited.	Tauria.	——	——	H. ♄.	
8	monogyna. S.S. *β rosea.*	one-styled. *red-flowered.*	S. Europe.	....	——	H. ♄.	
9	elegans. Poir.	elegant.	France.	....	——	H. ♄.	
10	laciniata. St.	jagged.	Siberia.	1829.	——	H. ♄.	
11	Oxyacantha. E.B. *Crataegus Oxyacantha.* L.	Hawthorn.	Britain.	....	——	H. ♄.	Eng. bot. 2504.
	β major.	*great-fruited.*	———	....	——	H. ♄.	
	γ plena.	*double flowered.*	———	....	——	H. ♄.	
	δ aurea.	*yellow-berried.*	———	....	——	H. ♄.	
	ε præcox.	*Glastonbury.*	———	....	4. 5.	H. ♄.	
12	Celsiana. W.en.	Cels's.	.....	1822.	5. 6.	H. ♄.	
13	Aronia. W.en.	Aronian.	Aronia.	....	——	H. ♄.	Wats. dend. brit. 165.
14	purpurea. W.D.	purple.	N.America.	....	4. 5.	H. ♄.	——— 60.
15	coccinea. S.S.	scarlet-fruited.	———	1683.	——	H. ♄.	——— 62.
16	cordata. S.S.	Maple-leaved.	———	1738.	5.	H. ♄.	——— 63.
17	glandulosa. S.S.	hollow-leaved.	———	1750.	5. 6.	H. ♄.	——— 58.
18	sanguinea. Pall.	bloody.	Siberia.	....	——	H. ♄.	Pall. ros. 1. t. 11.
19	pyrifolia. S.S.	Pear-leaved.	N.America.	1765.	6.	H. ♄.	Wats. dend. brit. 61.
20	latifolia. Poir.	broad-leaved.	———	....	——	H. ♄.	
21	flava. W.en.	yellow-berried.	———	1724.	5.	H. ♄.	Wats. dend. brit. 59.
22	viridis. *Crataegus viridis.* W.	green-leaved.	———	....	5. 6.	H. ♄.	
23	spathulata. S.S.	spatulà-leaved.	———	1806.	——	H. ♄.	
24	parvifolia. W.en. *xanthocarpos.* S.S.	Gooseberry-ld.	———	1704.	——	H. ♄.	Wats. dend. brit. 65.

25 punctata. W.en.	spotted-fruited.	———	1746.	——	H. h.	Wats. dend. brit. 57.
26 Crus-galli. W.en.	Cockspur-thorn.	———	1691.	——	H. h.	——————— 56.
lucida. S.S.						
α *splendens.*	*shining-leaved.*	———	——	——	H. h.	
β *pyracanthifolia.*	*Pyracantha-ld.*	———	——	——	H. h.	
27 linearis. P.S.	linear-leaved.	———	——	——	H. h.	
28 elliptica. W.en.	oval-leaved.	———	1765.	5.	H. h.	
29 lobata. Poir.	lobed-leaved.	———	1818.	5. 6.	H. h.	
30 fissa. Poir.	cloven-leaved.	———	——	——	H. h.	
31 Oliveriana. Poir.	Oliver's.	Levant.	——	——	H. h.	
32 pauciflora. Poir.	few-flowered.	Switzerland.	——	——	H. h.	
33 Pyracantha. W.	evergreen thorn.	S. Europe.	1629.	5.	H. h.	Schmidt. arb. t. 90.
34 crenulata. D.P.	crenulate.	Nepaul.	1818.	6. 7.	H. h.	
35 tinctoria. D.P.	Dyer's.	———	——	——	H. h.	Linn. trans. 13. t. 10.
Photinia dubia. L.T.						
36 grandiflora. Ex.b.	large-flowered.	S. Europe.	1800.	5. 6.	H. h.	Exot. bot. 1. t. 18.
37 germanica. W.	Medlar.	England.	....	5. 7.	H. h.	Eng. bot. 1523.
♀ APHIOLEPIS. L.T.	RAPHIOLEPIS.	Icosandria Digynia.				
1 salicifolia. B.R.	Willow-leaved.	China.	1820.	5. 6.	G. h.	Botan. regist. 652.
2 indica. B.R.	Indian.	———	1818.	——	G. h.	——————— 468.
3 rubra. L.C.	red-stamen'd.	———	1806.	——	G. h.	Lindl. collect. t. 3.
Cratægus indica. B.M, 1736.						
PHOTINIA. L.T.	PHOTINIA.	Icosandria Digynia.				
1 arbutifolia. B.R.	Arbutus-leav'd.	California.	1796.	7. 8.	H. h.	Botan. regist. 491.
Cratægus arbutifolia. H.K.						
2 serrulata. L.T.	serrulate-leav'd.	China.	1804.	4. 7.	H. h.	Botan. magaz. 2105.
Cratægus glabra. B.M.						
3 integrifolia. L.T.	entire-leaved.	Nepaul.	1820.	....	H. h.	
Pyrus integerrima. D.P.						
ERIOBOTRYA. L.T.	LOQUAT.	Icosandria Pentagynia.				
1 japonica. L.T.	Japan.	Japan.	1787.	10.	F. h.	Botan. regist. 366.
2 elliptica. L.T.	elliptic-leaved.	Nepaul.	1822.	....	H. h.	
Mespilus Cuila. D.P.						
COTONEASTER. L.T.	COTONEASTER.	Icosandria Pentagynia.				
1 vulgaris. L.T.	common.	Europe.	1656.	4. 5.	H. h.	Schmidt. arb. t. 89.
Mespilus Cotoneaster. W.						
2 tomentosa. L.T.	Quince-leaved.	———	1759.	——	H. h.	
3 eriocarpa. DC.	woolly-fruited.	———	....	6. 7.	H. h.	Wats. dend. brit. 55.
Mespilus eriocarpa. W.D.						
4 affinis. L.T.	likened.	Nepaul.	1820.	....	H. h.	
5 acuminata. L.T.	taper-pointed.	———	——	....	H. h.	Linn. trans. 13. t. 9.
AMELANCHIER. L.T.	AMELANCHIER.	Icosandria Pentagynia.				
1 vulgaris.	common.	S. Europe.	1590.	4. 5.	H. h.	Schmidt arb. t. 85.
Pyrus Amelanchier. W.						
2 Botryapium. L.T.	snowy.	N. America.	1746.	——	H. h.	——————— t. 84.
Mespilus canadensis. L.						
3 ovalis. L.T.	oval-leaved.	———	1800.	——	H. h.	
4 sanguinea.	red-branched.	———	1812.	——	H. h.	
Pyrus sanguinea. Ph.						
ARONIA. P.S.	ARONIA.	Icosandria Pentagynia.				
1 arbutifolia. N.	red-berried.	N. America.	1700.	5. 6.	H. h.	Mill. ic. 109.
Pyrus arbutifolia. Ph. *Aronia pyrifolia.* P.S.						
2 melanocarpa. N.	black fruited.	———	——	——	H. h.	Schmidt arb. t. 86.
PYRUS. W.	PEAR & APPLE.	Icosandria Pentagynia. L.				
1 Chamæ-mespilus. S.S.	Bastard Quince.	Pyrenees.	1683.	5. 6.	H. h.	Schmidt. arb. t. 87.
2 communis. W.	common Pear.	England.	....	4.	H. h.	Eng. bot. 1784.
3 angustifolia. W.	narrow-leaved.	N. America.	1750.	5.	H. h.	Wats. dend. brit. 132.
4 prunifolia. W.	Siberian Crab.	Siberia.	1758.	4. 5.	H. h.	Mill. ic. 2. t. 269.
5 spectabilis.	Chinese apple.	China.	1780.	5.	H. h.	Botan. magaz. 267.
6 baccata. W.	small Crab.	Siberia.	1784.	4. 5.	H. h.	Wats. dend. brit. 51.
7 coronaria. W.	sweet-scented.	Virginia.	1724.	5.	H. h.	Botan. magaz. 2009.
8 Malus. W.	common Apple.	Britain.	....	4. 5.	H. h.	Eng. bot. 179.
9 acerba. DC.	sour.	Europe.	....	——	H. h.	
10 dioica. W.	dioccious.	.....	....	——	H. h.	
11 præcox.	Paradise.	Russia.	1784.	4.	H. h.	
12 pumila. Mill.	dwarf evergreen.	.....	....	4. 5.	H. h.	
13 torminalis. S.S.	Wild Service.	England.	....	——	H. h.	Eng. bot. 298.
14 Pollveria. S.S.	woolly-leaved.	Germany.	1786.	——	H. h.	
15 nivalis. S.S.	white-leaved.	Austria.	....	5.	H. h.	Jacq. aust. 2. t. 107.

16	alpina. S.S.	Alpine.	....	1820.	4. 5.	H. ♄.		
17	edulis. S.S.	eatable.	France.	1816.	6.	H. ♄.	Wats. dend. brit. 52.	
18	sinaica. S.S.	Mount Sinai.	Levant.	....	5.	H. ♄.	——— 49.	
19	Aria. S.S.	white-beam.	Britain.	....	5. 6.	H. ♄.	Eng. bot. 1858.	
20	intermedia. S.S.	Swedish.	Sweden.	1789.	4. 5.	H. ♄.	Flor. dan. 301.	
21	elæagnifolia. S.S.	Elæagnus-ld.	Tauria.	1818.	——	H. ♄.		
22	salicifolia. S.S.	Willow-leaved.	Russia.	1780.	5. 6.	H. ♄.	Botan. regist. 514.	
23	crenata. D.P.	crenated.	Nepaul.	1820.	....	H. ♄.		
24	lanata. D.P.	woolly.	———	——	...	H. ♄.		
25	arbuscula. Poir.	long-leaved.	Europe.	...	5. 6.	H. ♄.		
26	latifolia. P.S.	broad-leaved.	France.	....	——	H. ♄.		
27	hybrida. S.S.	hybrid.	Hybrid.	....	——	H. ♄.	Mœnch. weis. t. 6.	
28	pinnatifida. E.B.	pinnatifid.	England.	....	——	H. ♄.	Eng. bot. 2331.	
29	sorbifolia. W.D.	service-leaved.	.....	....	——	H. ♄.	Wats. dend. brit. 53.	
30	domestica. S.S.	Service-tree.	England.	....	——	H. ♄.	Eng. bot. 350.	
31	aucuparia. S.S.	Mountain Ash.	Britain.	....	——	H. ♄.	——— 337.	
32	americana. S.S.	purple-berried.	Canada.	1782.	——	H. ♄.	Wats. dend. brit. t. 54.	
33	microcarpa. S.S.	small-fruited.	N. America.	....	——	H. ♄.		
CYDONIA. J.		QUINCE.	Icosandria Pentagynia. L.					
1	vulgaris. P.S.	common.	Austria.	1573.	5. 6.	H. ♄.	Jacq. aust. 4. t. 342.	
2	japonica. P.S.	Japan.	Japan.	1796.	1. 12.	H. ♄.		
	α rubra.	*red-flowered.*	———	——	——	H. ♄.	Botan. magaz. 622.	
	Pyrus japonica. B.M.							
	β alba.	*white-flowered.*	———	1812.	——	H. ♄.	Lodd. bot. cab. 541.	
3	chinensis. B.R.	Chinese.	China.	1815.	4. 5.	H. ♄.	Botan. regist. 905.	

ORDO LXXI.

ROSACEÆ. *Don Prodr. fl. nepal. p.* 229.

Sect. I. *ROSÆ.* Juss. gen. 335.

ROSA. L.		ROSE.	Icosandria Polygynia. L.					
1	berberifolia. W.	Berberry-ld.	Persia.	1790.	6. 7.	F. ♄.	Redout. ros. 1. 27. t. 2.	
	simplicifolia. P.L. 101.							
2	ferox. L.R.	hedgehog.	Caucasus.	1796.	6. 8.	H. ♄.	Botan. regist. 420.	
3	kamchatica. L.R.	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. ♄.	——— 419.	
	β nitens. B.R.	*glossy.*	———	1820.	——	H. ♄.	——— 824.	
4	involucrata. L.R.	floral-leaved.	China.	1814.	5. 10.	H. ♄.	—— ——— 739.	
5	clinophylla. R.R.	naked-flower'd.	———	1820.	——	H. ♄.	Redout. ros. 1. t. 10.	
6	bracteata. L.R.	Macartney.	———	1795.	6. 10.	H. ♄.	——— 1. t. 6.	
	β scabriuscula. L.R.	*rough Macartney.*	———	——	——	H. ♄.	Botan. magaz. 1377.	
7	nitida. W.en.	dwarf Labrador.	N. America.	1773.	7. 8.	H. ♄.	Lindl. ros. t. 2.	
8	rapa. R.R.	double Burnet.	———	1726.	——	H. ♄.	Redout. ros. 1. 7. t. 2.	
9	lucida. W.	single Burnet.	———	1773.	——	H. ♄.	Miss Lawr. ros. t. 24.	
10	Lindleyi. S.S.	spreading.	———	1726.	——	H. ♄.	Lindl. ros. t. 3.	
	laxa. L.R. non Retz.							
11	parviflora. W.	small-flowered.	———	1724.	——	H. ♄.		
	α Single Pensylvanian.		———	——	——	H. ♄.	Miss Lawr. ros. t. 68.	
	β Double Pensylvanian.		———	——	——	H. ♄.	——— t. 66.	
12	Woodsii. L.R.	Woods's.	———	1815.	6. 7.	H. ♄.		
13	gemella. S.S.	twin-flowering.	———	1800.	7. 8.	H. ♄.		
14	Lyonii. S.S.	Lyon's.	Tennassee.	1812.	——	H. ♄.		
15	florida. L.C.	flowering.	N. America.	——	6. 7.	H. ♄.		
16	carolina. L.R.	Carolina.	———	1726.	——	H. ♄.	Lindl. ros. t. 4.	
17	pensylvanica. L.en.	Pensylvanian.	———	——	——	H. ♄.		
18	blanda. L.R.	Hudson's Bay.	———	1773.	5. 8.	H. ♄.	Miss Lawr. ros. t. 27.	
19	fraxinifolia. L.R.	Ash-leaved.	Newfoundland.	—	4. 6.	H. ♄.	Botan. regist. 458.	
	β Red Alpine Rose.		———	——	——	H. ♄.	Miss Lawr. ros. t. 75.	
20	cinnamomea. E.B.	Single Cinnamon.	England.	....	5.	H. ♄.	Eng. bot. 2388.	
21	fœcundissima.	double Cinnamon.	Europe.	....	4. 5.	H. ♄.	Lindl. ros. t. 5.	
22	majalis. L.R.	dwarf Cinnamon.	S. Europe.	....	——	H. ♄.	Flor. dan. t. 688.	

23	frutetorum. S.S.	short pedunc'd.	Volhynia.	1820.	5. 6.	H. h.	
24	ambigua. S.S.	ambiguous.	.....	——	——	H. h.	
25	macrophylla. L.R.	long-leaved.	Nepaul.	1822.	....	H. h.	Lindl. ros. t. 6.
26	americana. L.en.	American.	America.	——	....	H. h.	
27	alpina. L.R.	Alpine.	Europe.	1683.	6. 7.	H. h.	Botan. regist. 424.
	α *Alpine Rose.*		——	——	——	H. h.	Miss Lawr. ros. t. 30.
	β *pyrenaica.* L.R.	*Pyrenean.*	——	——	——	H. h.	Jacq. schœnb. 4. t. 416.
	γ *pendulina.* L.R.	*pendulous.*	——	1726.	——	H. h.	Miss Lawr. ros. t. 9.
28	pygmæa. S.S.	pigmy.	Tauria.	....	——	H. h.	
29	rubella. E.B.	long-fruited.	England.	....	7.	H. h.	Eng. bot. 2521.
	β *melanocarpa.* L.R.	*black-fruited.*	——	....	——	H. h.	
30	muricata. L.en.	muricate.	.....	1823.	6. 7.	H. h.	
31	balsamica. S.S.	balsamic.	.....	——	——	H. h.	
32	stricta. L.R.	upright.	N.America.	1726.	——	H. h.	Lindl. ros. t. 7.
	Upright Carolina.		——	——	——	H. h.	Miss. Lawr. ros. t. 36.
33	suavis. S.S.	sweet.	.....	1817.	——	H. h.	
34	acicularis. L.R.	grey Siberian.	Siberia.	....	3. 4.	H. h.	Lindl. ros. t. 8.
35	pauciflora. Ly.	few-flowered.	——	....	——	H. h.	
36	sulphurea. W.	double-yellow.	Levant.	1629.	7.	H. h.	Botan. regist. 46.
37	lutescens. Ph.	yellowish.	N.America?	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	hispida. B.M.						
38	spinosissima. E.B.	Scotch.	Britain.	....	6. 7.	H. h.	Eng. bot. 187.
	β *reversa.* L.R.	*reversed prickle.*	——	....	——	H. h.	Botan. regist. 431.
	γ *striped-flowered Scotch.*		——	....	——	H. h.	Miss Lawr. ros. t. 15.
	δ *Red Scotch.*		——	....	——	H. h.	—— t. 62.
	ε *Double Scotch.*		——	....	——	H. h.	—— t. 63.
	ζ *Tall Scotch.*		——	....	——	H. h.	—— —— t. 19.
	η *Marbled Scotch.*		——	....	——	H. h.	—— —— t. 78.
39	altaica. W.en.	Pallas's.	Siberia.	....	——	H. h.	Pall. ros. 2. t. 75.
40	ochroleuca. L.en.	sulphur-color'd.	——	1814.	——	H. h.	
41	melanocarpa. S.S.	small black fruited.	S.Europe.	1823.	——	H. h.	
42	grandiflora. L.R.	large flowered.	Siberia.	....	5.	H. h.	Botan. regist. 888.
43	involuta. E.B.	Dr. Walker's.	Hebrides.	....	6. 7.	H. h.	Eng. bot. 2068.
44	reversa. L.R.	reversed.	Hungary.	1817.	——	H. h.	W. et K. hung. 3. t. 264.
45	Biebersteinii. Ly.	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
46	Doniana. L.T.	Mr. Don's.	Britain.	....	6. 7.	H. h.	
47	gracilis. L.T.	slender.	Britain.	....	7. 8.	H. h.	Eng. bot. 583.
	villosa. E.B. *non* L.						
48	Sabini. L.T.	Mr. Sabine's.	——	....	——	H. h.	
49	marginata. L.R.	margined.	Germany.	1823.	——	H. h.	
50	coruscans. L.en.	glittering.	.....	——	——	H. h.	
51	damascena. L.R.	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
52	centifolia. L.R.	Provins.	Caucasus.	1596.	——	H. h.	—— —— t. 8.
	β *muscosa.* L.R.	*Moss.*	——	1724.	——	H. h.	Botan. regist. 53.
	γ *pomponia.* L.R.	*Pompone.*	——	....	——	H. h.	Redout. ros. 1. 65. t. 21.
	δ *bipinnata.* L.R.	*bipinnate.*	——	....	——	H. h.	—— —— 2. 11. t. 4.
53	gallica. L.R.	officinal.	Europe.	1596.	——	H. h.	Botan. regist. 448.
	β *pumila.* L.R.	*dwarf.*	Austria.	1773.	——	H. h.	Jacq. aust. 2. t. 198.
54	pulchella. S.S.	neat.	France.	....	——	H. h.	
55	parvifolia. L.R.	Burgundy.	Europe.	....	——	H. h.	Botan. regist. t. 452.
56	turbinata. L.R.	Frankfort.	——	1629.	——	H. h.	Miss Lawr. ros. t. 69.
57	villosa. L.T.	villous.	Britain.	....	6.	H. h.	Eng. bot. 2459.
	mollis. E.B.						
	β *cærulea.* L.T.	blue-stalked.	——	....	——	H. h.	
	γ *concavifolia.* L.T.	*concave-leaved.*	Scotland.	....	——	H. h.	
	δ *suberecta.* L.T.	*suberect.*	Yorkshire.	....	——	H. h.	
58	scabriuscula. L.T.	roughish.	Britain.	....	——	H. h.	Eng. bot. 1806.
59	heterophylla. L.T.	various-leaved.	Scotland.	....	——	H. h.	
60	tomentosa. L.T.	downy-ld. dog.	Britain.	....	——	H. h.	Eng. bot. 990.
	β *sylvestris.* L.T.	*wood.*	——	....	——	H. h.	
	γ *canescens.* L.T.	*canescent.*	——	....	——	H. h.	
	δ *incana.* L.T.	*hoary.*	——	....	——	H. h.	
61	nuda. L.T.	naked.	Westmoreland.	....	——	H. h.	
62	alba. L.R.	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
63	montana. S.S.	mountain.	Tauria.	1820.	——	H. h.	
64	hibernica. L.T.	Irish.	Ireland.	....	6. 11.	H. h.	Eng. bot. 2196.
65	lutea. L.R.	yellow.	Germany.	1596.	6.	H. h.	Botan. magaz. 363.
	β *bicolor.*	red and yellow.	——	——	——	H. h.	—— —— 1077.
66	Sherardi. Sm.	Sherard's.	Britain.	....	6. 7.	H. h.	

67	rubiginosa. E.B.	sweet briar.	——	....	——	H. h.	Eng. bot. 991.
	β *umbellata.* L.R.	*umbel-flowered.*					
68	micrantha. L.T.	small.	England.	....	——	H. h.	—— 2490.
69	sepium. DC.	hedge.	France.	....	——	H. h.	
70	Borreri. L.T.	Borrer's.	Britain.	....	——	H. h.	Eng. bot. 2579.
	dumetorum. E.B.	*nec aliorum.*					
71	adenophylla. S.S.	glandulous.	.....	1816.	——	H. h.	
72	pruinosa. L.C.	frosted.	.....	1817.	5. 6.	H. h.	
	pulverulenta. L.R.	*non* M.B.					
73	Montezumæ. Kth.	Mexican.	Mexico.	1823.	....	H. h.	Redout. ros. 1. t. 16.
74	caucasica. M.B.	Caucasean.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
75	cæsia. L.T.	grey-leaved.	Scotland.	....	7.	H. h.	Eng. bot. 2367.
76	sarmentacea. L.T.	sarmentose.	Britain.	....	6. 7.	H. h.	
	β *nitens.* L.T.	*glossy-leaved.*					
77	bractescens. L.T.	long-bracted.	Lancashire.	....	——	H. h.	
78	dumetorum. L.T.	bushy.	England.	....	6.	H. h.	
79	Forsteri. Sm.	Forster's.	——	....	——	H. h.	
80	collina. L.T.	hill.	——	....	——	H. h.	Jacq. aust. 2. t. 197.
81	canina. L.T.	dog or hep.	Britain.	....	6. 7.	H. h.	Eng. bot. 992.
	β *cera.* L.T.	*waxy.*	——	....	——	H. h.	
	γ *glandulifera.* L.T.	*glandular.*	——	....	——	H. h.	
	δ *simpliciuscula.* L.T.	*simple-calyxed.*	——	....	——	H. h.	
82	surculosa. L.T.	surculose.	——	....	——	H. h.	
83	leucantha. L.en.	white-flowered.	Siberia.	1824.	....	H. h.	
84	rubrifolia. L.R.	reddish-leaved.	S. Europe.	....	5. 6.	H. h.	Botan. regist. 430.
85	sericea. L.R.	silky-leaved.	Nepaul.	1823.	....	H. h.	Lindl. ros. t. 12.
86	microphylla. L.R.	small-leaved.	China.	1822.	6. 8.	H. h.	Botan. regist. 919.
87	longifolia. W.	Willow-leaved.	——	....	2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
88	indica. W.	common China.	——	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	β *centifolia.*	*large-double.*	——	....	——	H. h.	
	γ *purpurea.*	*purple China.*	——	....	——	H. h.	
	δ *subalba.*	*whitish China.*	——	....	——	H. h.	
	ε *media.*	*middle China.*	——	....	——	H. h.	
	ζ *minor.*	*small China.*	——	....	——	H. h.	Andr. ros. ic.
	η *fragrans.*	*animating.*	——	....	——	H. h.	
89	odorata.	sweet-scented.	——	1810.	2. 12.	H. h.	Botan. regist. 804.
	indica odorata. A.R.	*indica fragrans.* R.R. 1. 115. t. 42.					
	β *flavescens.*	*yellow China.*	——	1823.	——	H. h.	
90	semperflorens. L.R.	red China.	——	1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	α *diversifolia.* V.	*single.*	——	....	——	F. h.	Vent. cels. t. 35.
	β *atrorubens.*	*double red.*	——	1789.	....	F. h.	Botan. magaz. 284.
	γ *resplendens.*	*resplendent.*	——	....	——	F. h.	
	δ *fragrans.*	*fragrant.*	——	1820.	——	F. h.	
	ε *Terneauxi.*	*Terneaux's.*	——	——	——	F. h.	
	ζ *Bichonii.*	*Bichon's.*	——	——	——	F. h.	
91	Lawranceana.	Miss Lawrance's.	——	1810.	——	F. h.	Botan. regist. 538.
	β *flore pleno.*	*double-flowered.*	——	1824.	——	F. h.	
92	systyla. L.T.	clustered dog.	Britain.	....	6. 7.	H. h.	Eng. bot. 1895.
93	arvensis. L.T.	field.	——	....	——	H. h.	—— 188.
	β *scandens.*	*Ayrshire.*	——	....	——	H. h.	Botan. magaz. 2054.
94	geminata. Rau.	Swiss.	Switzerland.	....	——	H. h.	
95	sempervirens. W.	evergreen.	S. Europe.	1629.	6. 8.	H. h.	Botan. regist. 465.
96	Boursoulti.	Boursoult's.	Hybrid.	1821.	4. 7.	H. h.	
97	hyacinthina.	Hyacinth-scented.	——	——	——	H. h.	
98	Grevillii.	Greville's.	China.	....	——	H. h.	
99	Roxburghii.	Roxburgh's.	——	....	——	H. h.	
100	multiflora. W.	many-flowered.	——	1804.	6. 8.	H. h.	Botan. regist. 425.
101	Brunonii. L.R.	Mr. Brown's.	Nepaul.	1820.	——	H. h.	Lindl. ros. t. 14.
102	moschata. L.R.	musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	β *plena.*	*double musk.*	——	——	——	H. h.	—— t. 53.
103	nivea. Dup.	snow white.	Hybrid.	1823.	——	H. h.	Botan. regist. 861.
104	Noisettiana. R.R.	Noisette's.	——	1816.	5. 11.	H. h.	
	β *Fraseri.*	*Fraser's.*	——	——	——	H. h.	
	γ *purpurea.*	*purple.*	——	1823.	——	H. h.	
105	rubifolia. L.R.	bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	β *fenestralis.* L.R.	*thin-leaved.*	——	——	——	H. h.	Lindl. ros. t. 15.
106	sinica. L.R.	shining-leaved.	China.	1759.	6. 8.	F. h.	—— t. 16.
107	Banksiæ. L.R.	Lady Banks's.	——	1807.	——	H. h.	Botan. regist. t. 397.
	β *lutea.*	*yellow-flowered.*	——	1823.	——	H. h.	

GARDEN VARIETIES.

I. *spinosissima.*

1 Aberdeen.
2 Aberfoil.
3 alba.
4 Alloa.
5 Ancram.
6 Arbroath.
7 Argyll.
8 Arrochar.
9 Aurora borealis.
10 Balloch.
11 Banff.
12 Bannochburn.
13 Borisdale.
14 Bass.
15 Bengloe.
16 Ben Lomond.
17 Ben More.
18 Berwick.
19 bicolor.
20 Biggar.
21 Birnam.
22 Blair Athol.
23 Boharm.
24 Borthwick.
25 Buchan.
26 Bute.
27 Caithness.
28 Calder.
29 Callender.
30 Campsie.
31 carnescens.
32 Carron.
33 Cheviot.
34 ciphieri.
35 Clydesdale.
36 Cromarty.
37 Dalkeith.
38 Dalrymple.
39 Dornock.
40 Douglas.
41 Dumbarton.
42 Dumblane.
43 Dumfermline.
44 Dumfries.
45 Dunbar.
46 Duncrieff.
47 Dundee.
48 Dunglass.
49 Dunkeld.
50 Dunlop.
51 Dunmore.
52 dwarf bicolor.
53 Dysart.
54 Eden.
55 Elgin.
56 Etterick.
57 Fairy.
58 Falkirk.
59 Falkland.
60 Falla.
61 Fife.
62 flavescens.
63 Forfar.
64 Forth.
65 Fort William.
66 fulgens.

GARDEN VARIETIES.

67 Furness.
68 Galloway.
69 Glasgow.
70 Glenco.
71 Glenfallach.
72 Glengarry.
73 Gourock.
74 Grahamston.
75 Grampian.
76 Greenock.
77 Haddington.
78 Halkirk.
79 Hamilton.
80 Hawick.
81 Hawthorndean.
82 Hector.
83 humilis.
84 Huntly.
85 incarnata.
86 Inverary.
87 Inverness.
88 Invermay.
89 Janus.
90 Jedburgh.
91 Jura.
92 Keith.
93 Kelso.
94 Kilmarnock.
95 Kincardine.
96 Kinnaird.
97 Kinross.
98 Kircaldy.
99 Kirkwall.
100 Lanark.
101 Laxford.
102 Leith.
103 Leslie.
104 Lismore.
105 Lochaber.
106 Lochaird.
107 Loch fine.
108 Lochleven.
109 Lochlomond.
110 Lothian.
111 Maidenkirk.
112 Melrose.
113 Moncrieff.
114 Monteith.
115 Montgomery.
116 Montrose.
117 Mount stuart.
118 Mull.
119 Moray.
120 mutabilis.
121 Nevis.
122 Northumberland.
123 Paisley.
124 penicillata.
125 Pentland.
126 perpetual.
127 picta. L.B.C. 887.
128 Proteus.
129 Roberton.
130 Rosslyn.
131 Rothsay.
132 rubicunda.
133 Selkirk.

GARDEN VARIETIES.

134 Shetland.
135 Sky.
136 Staffa.
137 Stirling.
138 Strathmore.
139 striata.
140 Stronsa.
141 Sutherland.
142 Tiviotdale.
143 Tarbet.
144 Thornhill.
145 Thurso.
146 Tranent.
147 variegata.
148 venulosa glabra.
149 venulosa hispida.

II. *gallica.*

150 aimable beante.
151 atlas.
152 belle aurore.
153 belle carmosie.
154 belle pourpre.
155 belle violette.
156 Bijou.
157 blue and purple.
158 blush hundred-ld.
159 bright purple.
160 brunette.
161 carmine brillante.
162 chancellor.
163 couleur de feu.
164 dark marbled.
165 dark violet.
166 delicious.
167 dingy.
168 double velvet.
169 double marbled. M.L.R. 87.
170 dutch tree.
171 dutch 100 leaved.
172 early Ranunculus.
173 favourite purple.
174 fiery.
175 Flanders.
176 giant. M.L.R. 49.
177 Goliah. —— 88.
178 granaat appel.
179 grand purple.
180 infernal.
181 Italian.
182 la grand belle pourpre.
183 Leyden.
184 light purple.
185 Lisbon. M.L.R. 87.
186 L'ombre agreable.
187 L'ombre superbe.
188 maiden.
189 Malabar.
190 mignonne.
191 mignonne striped.
192 mignonne incised.
193 mignonne blush.
194 mirabelle.
195 Montaubon.
196 Morocco.
197 mundi. M.L.R. 12.
198 nonsuch.

GARDEN VARIETIES.

199 ornement de parade.
200 Pæstana.
201 perruque.
202 petitte 100 leav'd. M.L.R. 55.
203 plicate. —— t. 87.
204 pompadour.
205 pourpre charmante.
206 princess.
207 prince William V.
208 pyramidal.
209 queen.
210 red and violet.
211 royal purple.
212 royal virgin. M.L.R. 7.
213 Saint John's.
214 shell. M.L.R. 89.
215 single velvet.—51.
216 Singleton's 100 leaved.—55.
217 Spanish.
218 stadtholder.
219 triumphant.
220 Tuscany. B.R.
221 velours pourpre.
222 violette de rouge.

III. *centifolia.*

223 aurora.
224 beaute supreme.
225 Blandford. M.L.R. 21.
226 black mottled.
227 blue.
228 blush royal. M.L.R. 47.
229 blush cabbage.
230 bouquet rouge royale.
231 bright crumpled.
232 Brussels.
233 burning coal.
234 cardinal. M.L.R. 59.
235 carmine.
236 cherry.
237 cluster.
238 Cupid.
239 dragon.
240 early 100 leaved.
241 Elysian.
242 emperor.
243 grand cremois.
244 grand marbled.
245 grand Provins.
246 Juno.
247 king.
248 lurid.
249 Majorca.
250 Malta.
251 mignonne, scarlet.
252 mignonne, crimson.
253 mignonne, purple.
254 mignonne, favourite.
255 mignonne, red.
256 mottled purple.
257 Neapolitan.
258 nonpareil.
259 one-sided.
260 paragon.
261 Persian.
262 Pluto. M.L.R. 39.
263 poppy.

GARDEN VARIETIES.

264 Portland.
265 pourpre aimable.
266 pourpre favourite.
267 poupre violette.
268 prolific.
269 Proserpine.
270 Provins, single.
271 Provins, common. M.L.R. 8.
272 Provins, cabbage.
273 Provins, blush cabbage.
274 Provins, scarlet. M.L.R. 22.
275 Provins, Childings.—42.
276 Provins, blush.—1.
277 Provins, white.—4.
278 Provins, Shailer's.—76.
279 Provins, Colvill's.
280 Provins, damask.
281 Provins, dwarf.
282 Provins, invincible.
283 Provins, Dutch.
284 Provins, imperial.
285 Provins, royal.
286 rouge superbe.
287 royal red.
288 sanspareil.
289 siren.
290 Spong's.
291 striped nosegay.
292 superb carmine.
293 superb red.
294 surpassante.
295 Trafalgar.
296 Versailles.
* *centifolia* muscosa.
297 single moss.
298 blush moss.
299 dark moss.
300 mottled moss.
301 prolific moss.
302 royal moss.
303 scarlet moss.
304 semidouble moss.
305 striped moss.
306 Shailer's white moss.
307 Bristol white moss.
† *centifolia* pomponia.
308 de Meax. M.L.R. 31.
309 de Rheims. — 71.
310 dwarf Bagshot.
311 mossy de Meaux.
312 mossy Pompone.
313 Pompone. M.L.R. 50.
314 proliferous Pompone.
315 St. Francis. M.L.R 88.

IV. *damascena.*

316 blush Belgic. M.L.R. 70.
317 blush monthly.—18.
318 blush damask.—52.
319 early blush.
320 four seasons.
321 fringed. M.L.R. 82.
322 great royal. M.L.R. 58.
323 grand monarque.
324 imperial blush. M.L.R. 90.
325 incomparable.
326 lesser Belgic.

GARDEN VARIETIES.

327 pale cluster.
328 red damask. M.L.R. 28.
329 red monthly. M.L.R. 5.
330 red Belgic.—82.
331 rouge agathe.
332 white monthly. M.L.R. 17.
333 York and Lancaster.—10.
334 Zealand.

V. *alba.*

335 cœlestial.
336 cluster maiden's blush. [M.L.R. 230.
337 de Belgique.
338 full double white. M.L.R. 26.
339 great maiden's blush. [M.L.R. 22.
340 Moraga la favourite.
341 semidouble white.
342 spineless virgin.

VI. *rubiginosa.*

343 cluster blush sweet briar.
344 double mossy sweet briar. [M.L.R. 72.
345 double red sweet briar.—61.
346 double rosy sweet briar.
347 evergreen sweet briar.
348 large blush sweet briar.
349 Manning's sweet briar. [M.L.R. 41.
350 monstrous sweet briar.
351 royal sweet briar. [M.L.R. 74.
352 scarlet sweet briar.
353 semidouble sweet briar. [M.L.R. 65.

VII. *various garden Roses.*

354 abundant.
355 abyla.
356 Achaia.
357 Achilles.
358 Adelina.
359 admirable.
360 Adonis.
361 African black.
362 agate.
363 agate superb.
364 agate japanese.
365 agate magnifique.
366 agate nouvelle.
367 agate prolifere.
368 agate Marie Louise.
369 agate royale.
370 agate thalie.
371 aglace noir.
372 aimable violette.
373 Ajax.
374 aland.
375 alba feuille fermee.
376 alba bifera.
377 Albanian.
378 alba nova pleno.
379 alba nova cœlestis.
380 albo-rosea.
381 alba triangularis.

GARDEN VARIETIES.

382 aline.
383 amaranth.
384 Amazon.
385 amour constant.
386 Andalusian.
387 anemoneflora.
388 Antwerp.
389 Arcadian.
390 arcaro.
391 archbishop.
392 ardoise.
393 Armenian.
394 armida.
395 Assyrian.
396 Athenian.
397 augusta.
398 aurelia.
399 baden.
400 balbec.
401 beaute frappante.
402 beaute insurmontable.
403 beaute panache.
404 beaute renommee.
405 beaute rouge.
406 beaute sanspareille.
407 beaute tendre.
408 belladonna.
409 belle actrise.
410 belle aimable.
411 belle aurore descemet.
412 belle brune.
413 belle cataline.
414 belle cerisie.
415 belle d'aunay.
416 belle du jour.
417 belle flamande.
418 belle forme.
419 belle galathee.
420 belle hative.
421 belle incarnate.
422 belle inconnue.
423 belle matilde.
424 belle mahueca.
425 belle parade.
426 belle Tigridia.
427 belle zulme.
428 belle rouge.
429 belle sans flatterie
430 belle sanspareille.
431 belle therese.
432 belle vue.
433 bellona.
434 Berkshire.
435 bifera carnea.
436 bifera de Naples.
437 bengale floride.
438 bengale thisbe.
439 bifera grandiflora.
440 bishop. M.L.R. 20.
441 bizard royal.
442 black frizzled.
443 black purple.
444 blanche superbe.
445 blondine.
446 blush Italian.
447 blush velvet.
448 bold.

GARDEN VARIETIES.

449 Bonaparte.
450 Bonifacius.
451 bouquet blanc.
452 bouquet panache.
453 bouquet parfait.
454 bouquet superb.
455 Bourbon.
456 Brabant.
457 bracelet d'amour.
458 brigitte.
459 brilliant.
460 brune brillante.
461 brunette aimable.
462 brunette superbe.
463 Brunswick.
464 bucephalus.
465 bullata.
466 cabinet.
467 Calypso.
468 camellote.
469 cannabina.
470 canopus.
471 carnation.
472 Carthaginian.
473 Castile.
474 Catalonian.
475 cecropia.
476 Ceres.
477 cervalis.
478 champion.
479 chance.
480 changeable.
481 charmante pourpre.
482 chausse.
483 chiron.
484 cicris pale rose.
485 Clementina.
486 Cleopatra.
487 comtesse de Genlis.
488 cornelian.
489 cossack.
490 couleur a la mode.
491 couleur de cendre
492 couleur de cerise.
493 couleur excellent.
494 coupee.
495 couronne.
496 couronne des roses.
497 couronne imperiale.
498 cramoisi eblouissant.
499 cramoisi elegant.
500 cramoisi fonce.
501 cramoisi imperial.
502 cramoisi incomparable.
503 cramoisi minor.
504 cramoisi nouveau.
505 cramoisi panache.
506 cramoisi sanspareil.
507 cramoisi triomphant.
508 crimson.
509 crimson perpetual.
510 crown imperial.
511 crown purple.
512 cybele.
513 danæ.
514 Danish.
515 dark mignonne.

GARDEN VARIETIES.

516 dark mottled.
517 dark shell.
518 darling.
519 de bengal gros violet.
520 Dejanira.
521 delicate.
522 Derby.
523 descemets.
524 diadem.
525 damascena argentea.
526 dianthiflora.
527 Dickson's duchess.
528 Dido.
529 don des dames.
530 Dione.
531 discolor.
532 Dorothee.
533 double apple bearing. [M.L.R. 99.
534 double dog.—60.
535 double mimms.
536 double Pæony.
537 double purple.
538 double red thornless.
539 double white thornless.
540 duc de Brabant.
541 Duchess.
542 duchess d'Angouleme.
543 duchesse de Berri.
544 duchesse d'Oldenburgh.
545 duke of Clarence.
546 Durham.
547 Dutch Cinnamon.
548 Dutch crimson.
549 Dutch velvet.
550 dwarf burnet-le.
551 dwarf Chester.
552 dwarf prolific.
553 early Provins.
554 early red.
555 eglanteria alba.
556 eglanteria pumila.
557 eglantine sweet briar.
558 Egyptian.
559 elegans.
560 enchanters.
561 erato.
562 Etna.
563 euphrosyne.
564 evratina.
565 ex alba rosea.
566 fair maid.
567 favonius.
568 favorite.
569 favorite des dames.
570 fausse unique.
571 felicie.
572 felicite.
573 Felix.
574 feu amoureux.
575 feuille chiffonee.
576 feuille crenulee.
577 feuille de chene.
578 feuille de frene.
579 few-spined.
580 fine panachee.
581 fine crimson.

GARDEN VARIETIES.

582 fine purple.
583 flavia pourpre.
584 Flemish.
585 flesh-coloured.
586 flesh-coloured four seasons.
587 fleur de parade.
588 fleur de pomme.
589 fleur et feuille marbree.
590 fleur panachee.
591 flora.
592 flore nigricante.
593 florentine.
594 flore rubra.
595 floribunda.
596 florio.
597 flos puniceus.
598 folie de corse.
599 formidable.
600 four seasons semidouble.
601 franconian.
602 Frankfort.
603 Frankfort agate.
604 freckled.
605 frilled.
606 frizzled.
607 gallica foliacea.
608 garnett.
609 Gascony.
610 Genoese.
611 Genoese velvet.
612 gienvieve.
613 globe.
614 gloomy.
615 gloria mundi.
616 gloria mundi flore pallida.
617 gloria mundi pourpre.
618 gloria rubrorum.
619 gloriosa.
620 glowing.
621 grand Alexandre.
622 grande Angloise.
623 grand Cæsar.
624 grand centifolia.
625 grande chausse.
626 grand cramoisi.
627 grande foncee.
628 grand Mogul.
629 grand pivoine.
630 grande pompadour.
631 grand pyramidal.
632 grand rouge.
633 grand triumphant.
634 grandesse royale.
635 grandeur royal.
636 great Mogul.
637 grey.
638 grisdeline.
639 grisdeline sans epines.
640 Hainault.
641 Haarlem.
642 harpagus.
643 Helena.
644 Hebe.
645 hero.
646 Hertford.
647 Hildesheim.
648 Hollandia magniflora.

GARDEN VARIETIES.

649 hortulanus.
650 hundred leaved mignonne.
651 hyacinth.
652 hybrida perfecta.
653 hybride nouvelle.
654 iconium.
655 idumea.
656 illustrious.
657 imperatrice.
658 imperatrice de France.
659 Indian queen.
660 inermis.
661 iris noir.
662 Isabelle.
663 Isis.
664 jaqueline.
665 jeanne d'arc.
666 Jersey.
667 jessica.
668 jolie.
669 Josephine.
670 Julian.
671 king Agrippa.
672 king of Mexico.
673 la belle elise.
674 la belle rôsine.
675 l'abondance.
676 la constance.
677 la coquette.
678 la Diane.
679 l'admirable.
680 la fidele.
681 la gracieuse.
682 la grandesse.
683 l'aimable de Stors.
684 lake.
685 la maculee.
686 la magnifique.
687 la majesteuse.
688 la mignarde.
689 l'amitie.
690 la moderne.
691 Lancaster.
692 lanckman.
693 la negresse.
694 la parfaite.
695 la Parisienne.
696 la petite lisette.
697 la plus belle.
698 la plus rouge.
699 la pomme grenade
700 la precieuse pourpre.
701 la reine.
702 la reine des roses.
703 large platter.
704 large perfect.
705 la rose de Medicis
706 la rose d'Ispahan.
707 la royale.
708 la superbe.
709 la superbe en brun.
710 la tendresse.
711 la victorieuse.
712 la virginité.
713 leafy.
714 Leander.
715 le dauphin.

GARDEN VARIETIES.

716 Lee's perpetual.
717 le grandeur.
718 le grand lowendael.
719 le grand suwarrow.
720 le grand visir.
721 Leipsick.
722 les alliées.
723 le violet triomphant.
724 light 100 leaved.
725 l'impayable.
726 l'importante.
727 lively.
728 l'obscurité.
729 Lodona.
730 Lodoiska.
731 l'ombre panaché.
732 l'ombre sanspareille.
733 London pride.
734 Louis 18th.
735 Lubeck.
736 Ludolph.
737 Ludovicus.
738 Luxemburg.
739 Lyonnoise.
740 lystra.
741 madder.
742 magdalen.
743 maiden blush.
744 mantle.
745 marbled.
746 marble apple bearing.
747 Margaretta.
748 Marie anne.
749 marquis de la Romana.
750 Marseilles.
751 maxima.
752 mere gigon.
753 merveilleuse.
754 Mexican.
755 Milanese.
756 Minerva.
757 mirabelle.
758 miroir des dames.
759 Mogul.
760 mon bijou.
761 monstrosa.
762 monstrous cluster.
763 monstrous 100 id. M.L.R. 78.
764 Montpelier.
765 morin.
766 morning star.
767 mottled.
768 mourning.
769 multiplex.
770 Napolean.
771 Napoli di romana.
772 Narbonne.
773 Nassau.
774 negro.
775 negre panaché.
776 Neptune.
777 new mottled.
778 new Provins.
779 nigritienne.
780 Niobe.
781 noblesse.
782 noir foncé.

GARDEN VARIETIES.

783 non plus ultra.
784 Normandica.
785 nouvelle favorite.
786 nouvelle de Provins.
787 nouvelle pivoine.
788 Oldenburg.
789 Oliver.
790 Olympic.
791 omphale.
792 orient.
793 orion.
794 ornement de park.
795 ornement de violet.
796 oublie des François.
797 painted.
798 painted Belgic.
799 Palestine.
800 panachée admirable.
801 panachée nouvelle.
802 panachée sanspareille.
803 panachée superbe.
804 Pannonian.
805 paradise.
806 Paris 100-leaved.
807 Parnassus.
808 parson.
809 party coloured.
810 Patmos.
811 Palmyra.
812 Paulina.
813 Pearson's gigantic.
814 Pegasus.
815 pencilled mignonne.
816 pencilled Provins.
817 Penelope.
818 perfecta.
819 perle de l'orient.
820 perpetuelle rouge.
821 Peruvian.
822 petit Cæsar.
823 petit cramoisi.
824 petit favorite.
825 petit mignon.
826 petit panaché.
827 phœnix.
828 pierian.
829 pilgrim.
830 pink velvet.
831 plicata purpurea.
832 Pomeranian.
833 pomegranate.
834 pomona.
835 pompone.
836 pompone blanc.
837 pompone bifera.
838 pompone quatre saisons.
839 pompone varin.
840 Poniatowski.
841 Pope's cluster.
842 portlandica grandiflora.
843 portlandica perpetua.
844 Portobella.
845 Portugal.
846 pourpre agreable.
847 pourpre de Paris.
848 pourpre de Tyre.
849 pourpre sans epines.

GARDEN VARIETIES.

850 pourpre de Vienne.
851 pourpre imperial.
852 pourpre incomparable.
853 pourpre obscur.
854 pourpre sans defaut.
855 pourpre sanspareil.
856 pourpre superb.
857 predominant.
858 Presburg.
859 prince.
860 prince d'Aremberg.
861 princely.
862 prince regent.
863 princess Charlotte.
864 princesse noble.
865 professor.
866 proliferous carmine.
867 purple crimson.
868 purple crown.
869 purple imperial.
870 purple velvet.
871 pyramide pourpre.
872 quatre saisons blanche.
873 quatre saisons François.
874 quatre saisons panaché.
875 quatre saisons sans epines.
876 queen's Provins.
877 ragged robin.
878 ranunculus.
879 Raphael,
880 Ratisbon.
881 ravenna.
882 red cluster.
883 red crown.
884 red Provins.
885 red velvet.
886 refulgent.
887 regina florum.
888 reine Caroline.
889 reine d'Hongrie.
890 renoncule nouvelle.
891 rex rubrorum.
892 riche en fleurs.
893 roi des negres.
894 roi de Rome.
895 roi de Maroc.
896 roi des pays bas.
897 roi des pourpres.
898 Roman.
899 Rosabel.
900 Rosanna.
901 rose agreeable.
902 rose bouquet.
903 rose de Ceres.
904 rose des dames.
905 rose du roi.
906 rose d'Orleans.
907 rose du prince.
908 rose la mode.
909 rose lee.
910 rose pivoine.
911 rose prolifere.
912 rouge agreable.
913 rouge bien vif.
914 rouge eclatant.
915 rouge formidable.
916 rouge frappant.

GARDEN VARIETIES.

917 rouge luisant.
918 rouge panaché.
919 rouge sans epines.
920 rouge semidouble.
921 rouge vegetable.
922 royal bouquet.
923 royal carmine.
924 royal crimson.
925 royal gabina.
926 royal mantle.
927 royal viscous.
928 rubrispina.
929 rubiginosa umbellata.
930 ruby.
931 sable.
932 St. Antoine.
933 St. Catharine.
934 St. George.
935 St. Germain.
936 St. Gothard.
937 St. Jago.
938 St. Mark.
939 St. Patrick.
940 sans defaut.
941 sans petales.
942 Sarmatian.
943 scarlet Brabant.
944 sceptre.
945 scone purple.
946 semidouble hep.
947 semidouble mignonne.
948 semidouble monthly.
949 semidouble new.
950 seigneur d'Ærtzelaar.
951 septum cerise.
952 Seville.
953 Sheffield.
954 Shylock.
955 Silenus.
956 Silesian.
957 shining semidouble.
958 simplicité.
959 singuliere agate.
960 Sirius.
961 soliditas.
962 Southampton.
963 Spartan.
964 spineless red.
965 spiral.
966 stæbon.
967 standard.
968 state.
969 Stephanus.
970 Stepney. M.L.R.46.
971 striped monthly.
972 striped Provins.
973 striped velvet.
974 sugarloaf.
975 sulphurea.
976 sulphurea minor.
977 Sultan. M.L.R. 38.
978 superb.
979 superb amaranth.
980 superbe brune.
981 superbe pyramide.
982 surpasse Singleton.
983 surpasse tout.

Garden Varieties.

984 Swiss.
985 Syrian.
986 Tangiers.
987 ten-leaved.
988 temple d'Apollon.
989 tête de mort.
990 Theseus.
991 Tigris.
992 tricolor.
993 tomentosa alba.
994 toujours.
995 tous les mois gris.
996 transparent.
997 transparent nouvelle.
998 Trebonius.
999 tree burnet-leav'd.
1000 tree pæony.
1001 tresorier.
1002 triangular.
1003 triomphe.
1004 triomphe des dames.
1005 triomphe royale.
1006 Triton.
1007 turban.
1008 two-coloured 100-leaved.
1009 two-coloured mignonne.

Garden Varieties.

1010 vacuna.
1011 vagrant.
1012 velours cramoisie.
1013 veloute.
1014 venerable.
1015 venetatus.
1016 Venetian.
1017 ventome noir.
1018 Venus.
1019 venusta.
1020 veritas.
1021 vermillion.
1022 vesta.
1023 Vesuvius.
1024 victoria.
1025 Vidua.
1026 villosa nouvelle.
1027 Vilmorin.
1028 violette.
1029 violette agreeable.
1030 violette aimable.
1031 violette brillante.
1032 violette curieuse.
1033 violette foncée.
1034 violette maculée.
1035 violette nouvelle.

Garden Varieties.

1036 violette sansparelle.
1037 violette superbe.
1038 violette superieure.
1039 virgin's.
1040 virginale.
1041 virbilia.
1042 virgo cramoisie.
1043 ulterio.
1044 ultramarine.
1045 umbrella.
1046 unique rouge.
1047 Waterloo.
1048 Watson's blush.
1049 Watson's white.
1050 Wellington.
1051 woolly-leaved.
1052 white damask.
1053 white pompone.
1054 York.
1055 Yorkshire blush.
1056 Yorkshire Provins.
1057 zabet.
1058 zatre.
1059 Zenobia.

Subordo II. *POTENTILLÆ.* Juss. gen. 337.

RUBUS. W.	Bramble.	Icosandria Polygynia. L.				
1 pinnatus. S.S.	pinnate.	C. B. S.	1789.	6. 7.	G. ħ.	
2 rosæfolius. S.S.	Rose-leaved.	Mauritius.	1811.	10. 4.	G. ħ.	Smith ic. 3. t. 60.
3 coronarius.	double-flow'r'd.	China.	——	——	H. ħ.	Botan. magaz. 1783.
rosæfolius β coronarius. B.M.						
4 micranthus. D.P.	small-flowered.	Nepaul.	1818.	6. 8.	H. ħ.	Botan. regist. 854.
pauciflorus. B.R. *excl. syn.*						
5 distans. D.P.add.	distant-leaved.	——	——	——	H. ħ.	
pinnatus. D.P. 234. *nec aliorum.*						
6 asper. D.P.	rough.	——	1822.	——	H. ħ.	
7 apetalus. S.S.	petalless.	Mauritius.	1823.	....	S. ħ.	
8 sanguinolentus. S.S.	red-wooded.	——	——	6. 8.	S. ħ.	
9 parvifolius. S.S.	small-leaved.	China.	1818.	6. 8.	H. ħ.	Botan. regist. 496.
10 Idæus. S.S.	Raspberry.	Britain.	....	5. 6.	H. ħ.	Eng. bot. 2442.
11 fruticosus. S.S.	common.	——	....	6. 9.	H. ħ.	—— 715.
12 affinis. Wei.	related.	——	....	——	H. ħ.	Weihe. rub. germ. t. 3.
13 suberectus. E.B.	upright.	——	....	——	H. ħ.	Eng. bot. 2572.
14 Linkianus.	double-flow'r'd.	.....	....	——	H. ħ.	
15 corylifolius. E.B.	Hazel-leaved.	Britain.	....	7.	H. ħ.	Eng. bot. 827.
16 nitidus. S.S.	glossy-leaved.	——	....	7. 8.	H. ħ.	Weihe. rub. germ. t. 4.
17 leucostachys. S.S.	white-spiked.	——	....	——	H. ħ.	
18 rhamnifolius. Wei.	Rhamnus-ld.	——	....	7. 8.	H. ħ.	Weihe. rub. germ. t. 6.
19 cordifolius. Wei.	heart-leaved.	Germany.	....	——	H. ħ.	
20 rubricaulis. Wei.	red-stalked.	——	....	——	H. ħ.	
21 plicatus. S.S.	plaited-leaved.	Britain.	....	7.	H. ħ.	Weihe. rub. germ. t. 1.
22 Sprengelii. S.S.	Sprengel's.	Germany.	1816.	——	H. ħ.	
23 Menkii. S.S.	velvetty.	——	——	——	H. ħ.	
24 Schlechtendalii. S.S.	Schlechtendale's.	——	——	——	H. ħ.	
25 tiliæfolius. S.S.	Lime-tree ld.	——	——	——	H. ħ.	
26 Schleicheri. S.S.	Schleicher's.	——	1824.	——	H. ħ.	
27 horridus. S.S.	very prickly.	——	....	6. 7.	H. ħ.	
28 villosus. S.S.	shaggy.	N. America.	1777.	7. 8.	H. ħ.	
29 cuneifolius. S.S.	wedge-leaved.	——	1811.	6. 8.	H. ħ.	
30 laciniatus. S.S.	jagged-leaved.	.....	....	6. 9.	H. ħ.	Willd. hort. ber. t. 82.

31	jamaicensis. s.s.	Jamaica.	Jamaica.	1820.	——	S. ♄.	Sloan. j. 2. t. 213. f. 1.
32	cæsius. s.s.	Dewberry.	Britain.	....	6. 7.	H. ♄.	Eng. bot. 826.
33	sanctus. L.en.	obovate-leaved.	Levant.	....	——	H. ♄.	
34	tomentosus. s.s.	woolly-leaved.	Germany.	1816.	——	H. ♄.	
35	glandulosus. s.s.	glandular-stalk'd.	Britain.	....	7. 8.	H. ♄.	
36	hirtus. s.s.	hairy.	Hungary.	1816.	——	H. ♄.	
37	ulmifolius.	elm-leaved.	Spain.	1824.	....	H. ♄.	
38	occidentalis. s.s.	American raspberry.	N.Amer.	1696.	5. 6.	H. ♄.	Dill. elt. t. 247. f. 319.
39	hispidus. w.	bristly.	Canada.	1768.	8.	H. ♄.	
40	trivialis. Ph.	American dewberry.	N.Amer.	1789.	6. 7.	H. ♄.	
41	flagellaris. Ph.	shining-leaved.	———	——	——	H. ♄.	
42	tetraphyllus. W.en.	four-leaved.	———	1812.	——	H. ♄.	
43	argutus. L.en.	sharp-toothed.	———	1824.	——	H. ♄.	
44	foliolosus. D.P.2d. *microphyllus.* D.P. 224. *nec aliorum.*	leafy.	Nepaul.	1823.	7. 8.	H. ♄.	
45	pedunculosus. D.P.	long-peduncled.	———	1820.	——	H. ♄.	
46	moluccanus. s.s.	Molucca.	Molucca.	1810.	6. 7.	S. ♄.	
47	reflexus. s.s.	reflexed.	China.	1818.	——	G. ♄.	Botan. regist. 461.
48	rugosus. D.P.	rugose.	Nepaul.	——	——	H. ♄.	
49	parviflorus. N.	Vine-leaved.	N. America.	....	——	H. ♄.	
50	odoratus. s.s.	flowering Raspberry.	———	1700.	——	H. ♄.	Botan. magaz. 323.
51	inermis. s.s.	smooth.	———	1805.	——	H. ♄.	
52	canadensis. s.s.	purple stalked.	———	1811.	——	H. ♄.	
53	strigosus. s.s.	strigose.	———	....	——	H. ♄.	
54	obovalis. s.s.	roundly-oval-l^d.	———	1823.	5. 7.	H. ♄.	
55	saxatilis. E.B.	stone.	Britain.	....	6.	H. ♃.	Eng. bot. 2233.
56	arcticus. E.B.	dwarf crimson.	Scotland.	....	5. 8.	H. ♃.	—— —— 1585.
57	pistillatus. s.s.	close-styled.	Labrador.	1802.	6. 7.	H. ♃.	Exot. bot. 2. t. 86.
58	Chamæmorus. E.B.	Cloud-berry.	Britain.	....	——	H. ♃.	Eng. bot. 716.
59	stellatus. s.s.	stellate.	N.America.	1823.	——	H. ♃.	
DALIBARDA. M.		DALIBARDA.	Icosandria Polygynia.				
1	repens. L. *violæoides.* M.	Violet-leaved.	N.America.	1768.	5. 6.	H. ♃.	Mich. amer. 1. t. 27.
DRYAS. W.		DRYAS.	Icosandria Polygynia. L.				
	octopetala. W.	mountain.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 451.
SIEVERSIA. Br.		SIEVERSIA.	Icosandria Polygynia.				
1	geoides. s.s. *Dryas geoides.* Pall.	Geum-like.	Siberia.	1780.	6.	H. ♃.	Jacq. vind. 3. t. 68.
2	reptans. s.s. *Geum reptans.* W.	creeping.	Switzerland.	1775.	6. 8.	H. ♃.	Jacq. aust. 5. t. app. 22.
3	montana. s.s. *β minor.*	mountain. *small mountain.*	Austria. ———	1597. ——	5. 9. ——	H. ♃. H. ♃.	Jacq. aust. 4. t. 373. Barrel. rar. t. 399.
4	anemonoides. s.s.	Anemone-like.	N.America.	1824.	——	H. ♃.	Pall. it. 3. n. 92. t. E. e. f. 4.
GEUM. S.S.		AVENS.	Icosandria Polygynia. L.				
1	agrimonoides. s.s.	Agrimony-l^d.	N.America.	1811.	6. 7.	H. ♃.	
2	strictum. W.	upright.	———	1778.	5. 6.	H. ♃.	Jacq. ic. 1. t. 93.
3	hirsutum. L.en.	hairy.	———	1818.	——	H. ♃.	
4	intermedium. W.en.	intermediate.	Europe.	1794.	5. 8.	H. ♃.	W. hort. ber. 1. t. 69.
5	rivale. s.s.	water.	Britain.	.....	6. 7.	H. ♃.	Eng. bot. 106.
6	pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1804.	——	H. ♃.	Lam. ill. t. 44.
7	macrophyllum. W.	large-leaved.	Kamtschatka.	——	——	H. ♃.	
8	atlanticum. s.s.	Atlantic.	Africa.	1820.	——	H. ♃.	
9	heterophyllum.	various-leaved.	.....	....	——	H. ♃.	
10	hybridum. Jacq.	hybrid.	Europe.	....	——	H. ♃.	Jacq. ic. 1. t. 94.
11	inclinatum. Sch.	inclinate.	Switzerland.	1824.	——	H. ♃.	
12	radiatum. M.	radiate.	N.America.	1822.	——	H. ♃.	
13	virginianum. s.s.	Virginian.	———	....	7. 8.	H. ♃.	
14	album. s.s. *canadense.* Jacq.	white-flowered.	———	1730.	——	H. ♃.	Jacq. vind. 2. t. 175.
15	urbanum. s.s.	common.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 1400.
COMARUM. W.		COMARUM.	Icosandria Polygynia. L.				
	palustre. E.B.	marsh cinquefoil.	Britain.	....	6. 7.	H. ♃.	Eng. bot. t. 172.
TORMENTILLA. W.		SEPTFOIL.	Icosandria Polygynia. L.				
1	erecta. W. *officinalis.* E.B. *Potentilla Tormentilla.* s.s.	common.	Britain.	....	5. 10.	H. ♃.	Eng. bot. 863.
2	reptans. W. *Potentilla nemoralis.* s.s.	large-flowered.	———	....	6. 7.	H. ♃.	——— 864.
POTENTILLA. W.		CINQUEFOIL.	Icosandria Polygynia. L.				
1	fruticosa. W.	shrubby.	England.	....	6. 8.	H. ♄.	Eng. bot. 88.

2	floribunda. Ph.	cluster-flow'r'd.	N.America.	1811.	6. 10.	H. ½.	Wats. dend. brit. t. 70.
3	glabra. B.C.	white-flow'r'd.	Davuria.	1818.	——	H. ½.	Lodd. bot. cab. 914.
4	pensylvanica. s.s.	Pensylvanian.	N.America.	1725.	6. 8.	H. ¼.	Jacq. vind. 2. t. 189.
5	viscosa. s.s.	clammy.	Siberia.	1797.	7. 8.	H. ¼.	
6	splendens. D.P. *striata.* s.s.	silver-leaved.	Nepaul.	1818.	7. 10.	H. ¼.	Swt. br. fl. gar. 150.
7	arguta. s.s.	sharp-toothed.	N.America.	——	5. 7.	H. ¼.	
8	pimpinelloides. s.s.	Burnet-leaved.	Levant.	1758.	6. 8.	H. ¼.	Buxb. cent. 1. t. 48.
9	Sprengeliana. s.s.	Sprengel's.	Siberia.	1824.	——	H. ¼.	
10	geoides. s.s.	Aven's-like.	Tauria.	1820.	——	H. ¼.	
11	sericea. s.s.	silky.	Siberia.	1780.	5. 6.	H. ¼.	
12	agrimonioides. s.s.	Agrimony-l^d.	Caucasus.	1823.	6. 8.	H. ¼.	
13	verticillaris. s.s.	whorled.	Siberia.	——	——	H. ¼.	
14	bifurca. s.s.	bifid-leaved.	———	1773.	6. 7.	H. ¼.	Gmel. it. 1. t. 27. f. 1.
15	ruthenica. W.	Russian.	———	1799.	5. 6.	H. ¼.	Moris. s. 2. t. 20. f. 2.
16	supina. s.s.	trailing.	———	1696.	7. 8.	H. ¼.	Jacq. aust. 5. t. 406.
17	multifida. s.s.	cut-leaved.	———	1759.	5. 6.	H. ¼.	
18	fragarioides. s.s.	Strawberry-l^d.	———	1773.	——	H. ¼.	Gmel. sib. 3. t. 34. f. 2.
19	Anserina. s.s.	Wild Tansey-rock.	Britain.	....	5. 9.	H. ¼.	Eng. bot. 861.
20	rupestris. s.s.	England.	....	——	H. ¼.	——— 2058.	
21	Salesovii. s.s.	suffruticose.	Siberia.	1823.	6. 8.	H. ½.	
22	recta. s.s.	upright.	S. Europe.	1648.	6. 7.	H. ¼.	
23	obscura. s.s.	obscure.	Siberia.	1816.	——	H. ¼.	
24	hirta. s.s.	hairy.	S. Europe.	1725.	5. 9.	H. ¼.	
25	taurica. s.s.	Taurian.	Tauria.	1824.	——	H. ¼.	
26	intermedia. s.s. *opaca.* E.B. *non* L.	various-leaved.	Scotland.	——	6. 7.	H. ¼.	Eng. bot. 2449.
27	pedata. s.s.	pedate-leaved.	Italy.	1818.	....	H. ¼.	Lodd. bot. cab. 579.
28	laciniosa. s.s.	jagged.	Hungary.	——	——	H. ¼.	
29	stipularis. s.s.	large-stipuled.	Siberia.	1807.	——	H. ¼.	
30	pumila. s.s.	dwarf.	N.America.	1818.	5. 6.	H. ¼.	
31	astracanica. s.s.	Astracan.	Siberia.	1787.	6. 8.	H. ¼.	Jacq. ic. 1. t. 92.
32	canescens. DC.	canescent.	S. Europe.	1822.	——	H. ¼.	
33	argentea. s.s.	silvery.	Britain.	....	——	H. ¼.	Eng. bot. 89.
34	calabra. T.s.	Calabrian.	Italy.	1825.	——	H. ¼.	Ten. fl. nap. 1. t. 45.
35	Guntheri. s.s.	Gunther's.	Bohemia.	1823.	——	H. ¼.	
36	collina. s.s.	hill.	Germany.	——	——	H. ¼.	
37	Dethomasii. T.s.	silky-haired.	Italy.	1825.	——	H. ¼.	Ten. fl. nap. 1. t. 44.
38	patula. s.s.	spreading.	Hungary.	1806.	——	H. ¼.	
39	aurea. E.B. *crocea.* s.s. *alpestris.* C.F.B. ed. 4.	saffron-colour'd.	Scotland.	——	6. 7.	H. ¼.	Eng. bot. 561.
40	Halleri. Ser. *aurea.* s.s.	Haller's.	Europe.	....	——	H. ¼.	Hall. hist. t. 21. f. 4.
41	canadensis. s.s.	Canadian.	N.America.	1818.	5. 8.	H. ¼.	
42	incisa. s.s.	jagged.	.....	——	——	H. ¼.	
43	opaca. s.s.	opaque-leaved.	N.America.	....	6. 7.	H. ¼.	
44	verna. E.B.	spring.	Britain.	....	3. 5.	H. ¼.	Eng. bot. 37.
45	subacaulis. s.s.	short-stalked.	S. Europe.	1820.	4. 6.	H. ¼.	
46	simplex. s.s. *sarmentosa.* W.en.	sarmentose. *caroliniana.* Lam.	N.America.	1804.	5. 8.	H. ¼.	
47	reptans. E.B.	common.	Britain.	....	6. 8.	H. ¼.	Eng. bot. 862.
48	bithynica. L.en.	Bithynian.	Bithynia.	1822.	——	H. ¼.	
49	thuringiaca. L.en.	Thuringian.	Thuringia.	——	——	H. ¼.	
50	Weinmannii. L.C.	Weinmann's.	—— ——	——	——	H. ¼.	Lodd. bot. cab. 706.
51	alba. E.B.	white-flowered.	Wales.	....	7. 8.	H. ¼.	Eng. bot. 1384.
52	valderia. s.s.	woolly.	S. Europe.	1818.	6. 8.	H. ¼.	All.ped.n.1454.t.24.f.1
53	lupinoides. s.s.	close-flowered.	———	1739.	6. 7.	H. ¼.	Lodd. bot. cab. 654.
54	Clusiana. s.s.	Clusius's.	Alps.	1806.	7. 8.	H. ¼.	Botan. magaz. 1327.
55	caulescens. s.s.	caulescent.	Austria.	1759.	5. 6.	H. ¼.	Jacq. aust. t. 220.
56	formosa. D.P. *nepalensis.* H. ex. fl. ss.	handsome.	Nepaul.	1820.	6. 9.	H. ¼.	Swt. br. fl. gar. t. 136.
57	atrosanguinea. D.P.	dark crimson.	———	——	——	H. ¼.	——— t. 124.
58	norvegica. s.s.	Norwegian.	N. Europe.	1764.	6. 7.	H. ♂.	Flor. dan. 171.
59	hirsuta. s.s.	hairy-leaved.	N.America.	1820.	——	H. ¼.	
60	monspeliensis. W.	Montpelier.	France.	1680.	7. 8.	H. ⊙.	Moris. h. s. 2. t. 20. f. 2.
61	grandiflora. s.s.	great-flower'd.	Siberia.	1640.	6. 7.	H. ¼.	Botan. magaz. 75.
62	velutina. s.s.	velvetty.	S. France.	....	——	H. ¼.	
63	nivea. s.s.	snowy-leaved.	S. Europe.	1816.	6. 8.	H. ¼.	Lodd. bot. cab. 460.

64	micrantha. s.s.	small-blossom'd.	Pyrenees.	——	——	H. 4.	
65	frigida. s.s.	frigid.	Alps.	——	——	H. 4.	
66	Brauneana. s.s.	small.	—— ——	——	——	H. 4.	Lodd. bot. cab. 480.
	minima. B.C.						
67	tridentata. s.s.	trifid-leaved.	Scotland.	....	5. 6.	H. 4.	Eng. bot. 2389.
68	fragariastrum. Ehr.	Strawberry-like.	Britain.	....	3. 4.	H. 4.	—— 1785.
	Fragaria sterilis. E.B. *Comarum fragarioides.* W.en.						
69	Jamesoniana. s.s.	Jameson's.	Greenland.	1822.	6. 7.	H. 4.	
70	nitida. s.s.	glossy.	Austria.	1798.	——	H. 4.	Jacq. aust. 5. t. 25.
71	apenninum. T.s.	Apennine.	Italy.	1825.	——	H. 4.	Ten. fl. nap. 1. t. 46.
72	vinosa. L.c.	vinous.	.....	....	——	H. 4.	
FRAGARIA. DC.		STRAWBERRY.	Icosandria Polygynia. L.				
1	monophylla. s.s.	one-leaved.	.....	1778.	5. 6.	H. 4.	Botan. magaz. 63.
2	vesca. DC.	wood.	Britain.	....	4. 6.	H. 4.	Eng. bot. 1524.
	α sylvestris. DC.	*common.*	——	....	——	H. 4.	
	β semperflorens. DC.	*ever-bearing.*	.....	....	4. 11.	H. 4.	Nois. jard. fr. t. 11. f. 2.
	γ minor. DC.	*small English.*	Britain.	....	4. 6.	H. 4.	
	δ hortensis. DC.	*garden.*	—— ——	....	——	H. 4.	
	ε effagellis. DC.	*short-shooted.*	.....	....	——	H. 4.	
	ζ multiplex. DC.	*double-blossom'd.*	.....	....	——	H. 4.	Blackw. herb. t. 77. f. 3.
	η botryformis. DC.	*crown-flowered.*	.....	....	——	H. 4.	
	θ muricata. DC.	*bristly-styled.*	.....	....	——	H. 4.	
3	calycina. DC.	large-calyxed.	France.	....	——	H. 4.	
4	collina. DC.	Alpine.	Germany.	1768.	4. 11.	H. 4.	
	α rubra.	*red fruited.*	—— ——	——	——	H. 4.	
	β alba,	*white fruited.*	—— ——	——	——	H. 4.	
5	platanoides. DC.	plane-leaved.	N. America?	....	4. 6.	H. 4.	
6	Majaufea. DC.	plaited-leaved.	France.	....	——	H. 4.	
	α bifera. DC.	*double-bearing.*	—— ——	....	4. 11.	H. 4.	
	β dubia. DC.	*flat-fruited.*	—— ——	....	4. 8.	H. 4.	
7	Breslingea. DC.	leathery-leav'd.	—— ——	....	4. 6.	H. 4.	
	α abortiva. DC.	*sterile.*	—— ——	....	——	H. 4.	
	β nigra. DC.	*black.*	—— ——	....	——	H. 4.	
	γ pendula. DC.	*pear-fruited.*	—— ——	....	——	H. 4.	
	δ hispida. DC.	*Longchamp.*	—— ——	....	——	H. 4.	
	ε viridis. DC.	*green-fruited.*	—— ——	....	——	H. 4.	Nois. jard. fr. t. 13. f. 2.
	ζ pratensis. DC.	*dwarf.*	—— ——	....	——	H. 4.	
8	elatior. DC.	Hautboy.	England?	....	4. 6.	H. 4.	Eng. bot. 2197.
	α moschata. DC.	*musky.*	.....	....	——	H. 4.	Nois. jard. fr. t. 13. f. 1.
	β dioica. DC.	*diœcious.*	.....	....	——	H. 4.	
9	virginiana. DC.	scarlet.	N. America.	1629.	——	H. 4.	Duham. arb. 1. t. 5.
	β hybrida. DC.	*hybrid.*	.....	....	——	H. 4.	
10	grandiflora. W.	Pine.	Surinam.	1759.	——	H. 4.	Mill. ic. 2. t. 288.
	α ananassa. DC.	*large.*	——	——	——	H. 4.	Nois. jard. fr. t. 14. f. 2.
	β calyculata. DC.	*Bath.*	.....	....	——	H. 4.	—— t. 11. f. 1. et 14. f. 1.
	γ tincta. DC.	*Canterbury.*	.....	....	——	H. 4.	Dill. hort. t. 20. f. 140.
11	chilensis. DC.	Chili.	S. America.	1727.	5. 6.	H. 4.	Duham. arb. 1. t. 3.
12	canadensis. DC.	Canada.	Canada.	....	——	H. 4.	
13	indica. DC.	yellow-flow'r'd.	Nepaul.	1805.	5. 10.	H. 4.	Botan. regist. 61.
	Duchesnea fragiformis. L.T.						
COMAROPSIS. DC.		COMAROPSIS.	Icosandria Polygynia.				
1	fragarioides. DC.	strawberry-like.	N. America.	1803.	5. 6.	H. 4.	Mich. amer. 1. t. 28.
	Dalibarda fragarioides. M.						
2	Doniana. DC.	Don's.	—— ——	——	——	H. 4.	Botan. magaz. 1567.
	Dalibarda fragarioides. B.M.						
WALDSTEINIA. S.S.		WALDSTEINIA.	Icosandria Digynia. L.				
	geoides. s.s.	Avens-leaved.	Hungary.	1804.	6. 7.	H. 4.	Lodd. bot. cab. 492.
SIBBALDIA. DC.		SIBBALDIA.	Pentandria Pentagynia. L.				
1	procumbens. DC.	procumbent.	Britain.	....	6. 8.	H. 4.	Eng. bot. 897.
2	parviflora. DC.	small-flowered.	Levant.	....	——	H. 4.	Will. a. ber. 1799. t. 5. f. 4.
3	erecta. DC.	upright.	Siberia.	1806.	——	H. 4.	Amm. ruth. t. 15.
4	polygynia. DC.	many-styled.	——	1824.	——	H. 4.	
AREMONIA. DC.		AREMONIA.	Octandria Digynia.				
	agrimonoides. DC.	Agrimony like.	Italy.	1739.	6. 8.	H. 4.	Col. ecphr. 1. t. 144.
	Spallanzania agrimonoides. s.s. *Agrimonia agrimonoides.* L.						
AGRIMONIA. DC.		AGRIMONY.	Dodecandria Digynia. L.				
1	Eupatoria. DC.	common.	Britain.	....	6. 7.	H. 4.	Eng. bot. 1335.
2	nepalensis. D.P.	Nepaul.	Nepaul.	1820.	——	H. 4.	
3	odorata. DC.	sweet-scented.	Italy.	1640.	7.	H. 4.	

4 pilosa. DC.	hairy.	Siberia.	1820.	——	H.4.		
5 suaveolens. DC.	fragrant.	N.America.	1820.	6. 7.	H.4.		
6 repens. DC.	creeping.	Levant.	1737.	7. 9.	H.4.		
7 parviflora. DC.	small-flowered.	N.America.	1766.	7.	H.4.		
8 striata. M.	white-flowered.	————	1812.	6. 8.	H.4.		

SUBORDO III. *SANGUISORBEÆ.* DC. prodr. v. 2. p. 588.

ALCHIMILLA. DC.	**LADIES MANTLE.** Di-Tetrandria Monogynia. L.					
1 capensis. DC.	Cape.	C. B. S.	1818.	4. 6.	G.4.	Lam. ill. t. 86. f. 2.
2 vulgaris. DC.	common.	Britain.	....	6. 8.	H.4.	Eng. bot. 597.
β *variegata.*	*variegated-leav'd.*	————	....	——	H.4.	
γ *glabra.* DC.	*smooth.*	Pyrenees.	....	——	H.4.	
3 hybrida. DC.	mountain.	Saxony.	....	——	H.4.	Pluk. t. 240. f. 2.
montana. W.en.						
4 pubescens. DC.	pubescent.	Caucasus.	1813.	——	H.4.	Willd. hort. ber. 2. t. 79.
5 alpina. DC.	silvery.	Britain.	....	7.	H.4.	Eng. bot. 244.
6 sericea. DC.	silky.	Caucasus.	1813.	6. 8.	H.4.	
7 pentaphylla. DC.	five-leaved.	Switzerland.	1784.	7.	H.4.	Bocc. mus. p. 18. t. 1.
8 sibbaldiæfolia. DC.	Sibbaldia-ld.	Mexico.	1823.	——	F.4.	H. et B. n. g. am. 6. t 561.
9 arvensis. DC.	Parsley piert.	Britain.	....	4. 6.	H.⊙.	Eng. bot. 1011.
Aphanes W. *Aphanes arvensis.* L.						
CEPHALOTUS. DC.	**CEPHALOTUS.** Dodecandria Hexagynia.					
follicularis. DC.	pitcher-plant.	N. Holland.	1822.	....	G.4.	Lab. nov. holl. 2. t. 145.
ACÆNA. Kth.	**ACÆNA.** Tri-Pentandria Monogynia.					
1 latebrosa. DC.	hairy.	C. B. S.	1774.	4. 6.	G.4.	Gært. fruct. 1. t. 32.
2 pinnatifida. DC.	pinnatifid.	Chili.	1823.	——	G.4.	Fl. per. 1. t. 104. f. 1. b.
3 sericea. DC.	silky.	Port Desire.	....	——	G.4.	Jacq. f. ecl. 1. t. 55.
ANCISTRUM. Kth.	**ANCISTRUM.** Di-Pentandria Monogynia.					
1 sanguisorbæ. L.	Burnet-leaved.	N. Zealand.	1796.	6.	F.4.	Gært. fruct. t. 32.
2 ovalifolium.	oval-leaved.	Peru.	1802.	5. 6.	F.4.	Vent. h. cels. t. 5.
repens. V.						
3 argenteum. Kth.	silvery-leaved.	S. America.	1823.	——	F.ħ.	Fl. per. 1. t. 103. f. b.
4 adscendens.	ascending.	Magellan.	——	——	H.4.	
5 lævigatum.	smooth.	————	1790.	6. 8.	H.4.	
6 magellanicum. Lam.	Magellan.	————	....	——	H.4.	Lam. ill. t. 22. f. 2.
7 lucidum. Lam.	shining.	Falkland Isl.	1777.	5. 6.	H.4.	———— t. 22. f. 3.
SANGUISORBA. DC.	**GREAT-BURNET.** Tetrandria Monogynia. L.					
1 officinalis. DC.	officinal.	Britain.	....	6. 8.	H.4.	Eng. bot. 1312.
β *auriculata.* DC.	*eared.*	Italy.	....	——	H.4.	Bocc. mus. 19. t. 9.
2 carnea. DC.	flesh-coloured.	.....	1818.	——	H.4.	
3 mauritanica. DC.	Barbary.	Algiers.	....	——	H.4.	Moris. ox. s. 8. t. 18. f. 4.
4 tenuifolia. DC.	slender-leaved.	Dahuria.	1820.	——	H.4.	Schran. h. monac. t. 69.
5 media. DC.	short-spiked.	Canada.	1785.	——	H.4.	Moris. ox. s. 8. t. 18. f. 8.
6 canadensis. DC.	Canadian.	————	1633.	——	H.4.	——— sect. 8. t. 18. f. 12.
POTERIUM. DC.	**BURNET.** Monœcia Polyandria. L.					
1 spinosum. DC.	prickly shrubby.	Levant.	1595.	4. 8.	G.ħ.	Moris. ox. s. 8. t. 18. f. 5.
β *crispum.* DC.	*curled-leaved.*	————	....	——	G.ħ.	
γ *inerme.* DC.	*spineless.*	————	....	——	G.ħ.	
2 caudatum. DC.	shrubby.	Canaries.	1779.	1. 4.	G.ħ.	Botan. magaz. 2341.
3 Sanguisorba. DC.	common.	England.	....	7.	H.4.	Eng. bot. 860.
4 agrimonifolium. DC.	Agrimony-ld.	Spain.	1818.	6. 7.	H.4.	
5 hybridum. W.	sweet.	France.	1683.	——	H.4.	Barrel. ic. t. 632.
6 polygamum. DC.	Hungarian.	Hungary.	1803.	7. 8.	H.4.	W. et K. hung. 2. t. 198.
CLIFFORTIA. DC.	**CLIFFORTIA.** Dioecia Polyandria. L.					
1 ilicifolia. DC.	Holly-leaved.	C. B. S.	1714.	5. 9.	G.ħ.	Linn. hort. cliff. t. 30.
2 cordifolia. DC.	heart-leaved.	————	1816.	——	G.ħ.	
3 tridentata. DC.	three-toothed.	————	1752.	6. 7.	G.ħ.	
4 ruscifolia. DC.	Ruscus-leaved.	————	——	——	G.ħ.	Linn. hort. cliff. t. 31.
arachnoides. B.C. 280.						
5 cuneata. DC.	wedge-leaved.	————	1787.	4.	G.ħ.	
6 strobilifera. DC.	cone-bearing.	————	1816.	5. 7.	G.ħ.	Pluk. alm. t. 275. f. 2.
7 ericæfolia. DC.	heath-leaved.	————	1799.	7. 9.	G.ħ.	
8 sarmentosa. DC.	twiggy.	————	1795.	6. 8.	G.ħ.	
9 falcata. DC.	falcate-leaved.	————	1816.	——	G.ħ.	

10	ternata. DC.	ternate-leaved.	———	——	——	G. ħ.	Linn. hort. cliff. t. 32.
11	trifoliata. DC.	three-leaved.	———	1752.	4. 7.	G. ħ.	Pluk. alm. t. 310. f. 4.
12	obcordata. DC.	obcordate.	———	1790.	6. 8.	G. ħ.	
13	obliqua. DC.	oblique-leaved.	———	1816.	——	G. ħ.	
14	crenata. DC.	notched-leaved	———	1791.	7. 8.	G. ħ.	
15	pulchella. DC.	beautiful.	———	1795.	4. 5.	G. ħ.	
16	cinerea. DC.	cinereous.	———	1800.	6. 7.	G. ħ.	

ORDO LXXII.

SPIRÆACEÆ. *Don. prodr. fl. nepal. p.* 227.

KERRIA. DC.		KERRIA. Icosandria Penta-Octogynia.					
	japonica. DC.	Japanese.	Japan.	1804.	5. 9.	H. ħ.	
	flore pleno.	*double-flowered.*	———	——	——	H. ħ.	Botan. magaz. 1296.
	Corchorus japonicus. B.M.						
SPIRÆA. DC.		SPIRÆA. Icosandria Pentagynia. L.					
1	opulifolia. DC.	Guelder-rose-ld.	N.America.	1690.	6. 7.	H. ħ.	Schmidt arb. 1. t. 52.
2	ulmifolia. DC.	Elm-leaved.	Siberia.	1790.	——	H. ħ.	Jacq. vind. 2. t. 140.
3	flexuosa. DC.	flexuose.	.....	1820.	——	H. ħ.	
4	bella. D.P.	red-flowered.	Nepaul.	1818.	6. 8.	H. ħ.	Botan. magaz. 2426.
5	chamædrifolia. DC.	Germander-ld.	Siberia.	1789.	6. 7.	H. ħ.	Pall. ross. 1. t. 15.
6	oblongifolia. W.K.	oblong-leaved.	Hungary.	1816.	5. 6.	H. ħ.	W. et K. hung. 3. t. 235.
7	trilobata. DC.	three-lobed.	Siberia.	1801.	5.	H. ħ.	Pall. ross. 1. t. 17.
8	alpina. DC.	Alpine.	———	1806.	7.	H. ħ.	——— 1. t. 20.
9	thalictroides. DC.	meadow rue-ld.	———	1790.	5.	H. ħ.	——— 1. t. 18.
10	hypericifolia. W.	Hypericum-ld.	N.America.	1640.	4. 5.	H. ħ.	Schmidt arb. 1. t. 26.
11	uralensis.	Fischer's.	Siberia.	1822.	——	H. ħ.	
	hypericifolia. a. uralensis. DC.						
12	acutifolia. W.en.	acute-leaved.	———	——	——	H. ħ.	
13	crenata. L.	Hawthorn-ld.	———	1739.	——	H. ħ.	Schmidt arb. 1. t. 45.
14	obovata. W.K.	obovate-leav'd.	Hungary.	1816.	5. 6.	H. ħ.	
15	ceanothifolia. DC.	Ceanothus-ld.	.....	1820.	——	H. ħ.	
16	corymbosa. DC.	corymbose.	Virginia.	1812.	5. 6.	H. ħ.	Lodd. bot. cab. 671.
17	betulæfolia. DC.	Birch-leaved.	Siberia.	——	6. 7.	H. ħ.	Pall. ross. 1. t. 16.
18	lævigata. DC.	smooth-leaved.	———	1774.	4. 6.	H. ħ.	Schmidt arb. 1. t. 49.
19	salicifolia. E.B.	Willow-leaved.	Britain.	....	6. 8.	H. ħ.	Eng. bot. 1468.
20	alba. W.D.	white-flowered.	.....	....	——	H. ħ.	Wats. dend. brit. 133.
21	carpinifolia. W.D.	Hornbeam-ld.	N. America.	....	7. 8.	H. ħ.	——— 66.
22	tomentosa. DC.	tomentose.	———	1736.	8. 9.	H. ħ.	Schmidt arb. 1. t. 51.
23	sorbifolia. DC.	Service-leaved.	Siberia.	1759.	8.	H. ħ.	——— 1. t. 58.
	β *alpina.* DC.	*dwarf.*	Kamtschatka.	1817.	——	H. ħ.	Pall. ross. 1. t. 25.
24	Aruncus. DC.	Goat's-beard.	Siberia.	1633.	6. 7.	H. ¼.	——— 1. t. 26.
	β ? *americana.* DC.	*American.*	N. America.	....	——	H. ¼.	
25	Ulmaria. DC.	Meadow-sweet.	Britain.	....	6. 10.	H. ¼.	Eng. bot. 960.
	α *tomentosa.* DC.	*tomentose.*	———	....	——	H. ¼.	
	β *multiplex.* DC.	*double-flowered.*	———	....	——	H. ¼.	
	γ *variegata.*	*variegated-ld.*	———	....	——	H. ¼.	
26	lobata. DC.	lobed-leaved.	Siberia.	1765.	7. 8.	H. ¼.	Jacq. vind. 1. t. 88.
27	palmata. DC.	palmated.	China.	1823.	——	H. ¼.	
28	digitata. DC.	digitate.	Siberia.	——	——	H. ¼.	Pall. ross. 1. t. 27.
29	Filipendula. DC.	Dropwort.	Britain.	....	6. 10.	H. ¼.	Eng. bot. 284.
	β *multiplex.* DC.	*double-flowered.*	———	....	——	H. ¼.	
GILLENIA. DC.		GILLENIA. Dodecandria Pentagynia.					
1	trifoliata. DC.	three-leaved.	N.America.	1713.	6. 7.	H. ¼.	Botan. magaz. 489.
	Spiræa trifoliata. B.M.						
2	stipulacea. DC.	large-stipuled.	N.America.	1805.	6. 7.	H. ¼.	Bart. med. bot. t. 6.
	Spiræa stipulacea. Ph.						

ORDO LXXIII.

RESEDACEÆ. *DC. theor. ed.* 1. *p.* 214.

RESEDA. W.	RESEDA. Dodecandria Trigynia. L.						
1 Luteola. W.	Dyers weed.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 320.
2 crispata. L.en.	curled-leaved.	S. Europe.	1820.	——	H.⊙.	
3 virescens. S.S.	greenish.	Spain.	——	——	H.⊙.	
4 canescens. S.S.	hoary.	———	1597.	5. 7.	H.♃.	Clus. hist. 1. t. 295.
5 glauca. S.S.	glaucous.	S. Europe.	1700.	——	F.♃.	Pluk. alm. t. 107. f. 2.
6 scoparia. S.S.	Broom-like.	Teneriffe.	1815.	8. 9.	G.♄.	
7 dipetala. S.S.	two-petaled.	C. B. S.	1774.	8.	G.♂.	
8 linifolia. S.S.	flax-leaved.	S. Europe.	1820.	7. 8.	F.♂.	
9 sesamoides. S.S.	spear-leaved.	France.	1787.	——	H.⊙.	All. ped. 2. t. 88. f. 3.
10 mediterranea. S.S.	Mediterranean.	Palestine.	1791.	6. 9.	H.⊙.	Jacq. ic. 3. t. 475.
11 odorata. S.S.	Mignonette.	Egypt.	1752.	6. 10.	H.⊙.	Botan. magaz. 29.
β frutescens. B.R.	*tree mignonette.*	.....	——	——	G.♄.	Botan. regist. 227.
12 Phyteuma. S.S.	trifid.	S. Europe.	——	6. 9.	H.⊙.	Jacq. aust. 2. t. 132.
13 incisa. T.C.	cut-leaved.	Italy.	1825.	——	H.⊙.	
14 ramosissima. S.S.	branching.	Spain.	1816.	——	H.♃.	
15 saxatilis. S.S.	rock.	———	——	——	H.♃.	
stricta. P.S.						
16 pruinosa. S.S.	papillose-l^d.	Egypt.	1823.	——	H.♃.	
17 lutea. S.S.	Base-rocket.	Britain.	....	7. 8.	H.♂.	Eng. bot. 321.
18 undata. S.S.	wave-leaved.	Spain.	1739.	6. 8.	H.♃.	Barrel. rar. t. 587.
19 alba. S.S.	upright white.	S. Europe.	1596.	5. 10.	H.♂.	Lobel. ic. 222.
20 fruticulosa. S.S.	frutescent.	Spain.	1794.	9.	G.♄.	Jacq. ic. 3. t. 474.
21 bipinnata. S.S.	bipinnate.	———	1816.	6. 8.	G.♄.	
22 myriophylla. T.C.	numerous-l^d.	Italy.	1825.	——	H.♃.	

ORDO LXXIV.

SALICARIÆ. *Juss. gen. p.* 331.

LAGERSTRŒMIA. W.	LAGERSTRŒMIA. Icosandria Monogynia. Roxb.					
1 indica. W.	Indian.	China.	1759.	8. 10.	S.♄.	Botan. magaz. 405.
2 reginæ. W.	oblong-leaved.	E. Indies.	1792.	....	S.♄.	Roxb. cor. 1. t. 65.
3 grandiflora. H.B.	large-flowered.	———	1809.	....	S.♄.	
4 parviflora. H.B.	small-flowered.	———	1816.	....	S.♄.	
GRISLEA. W.	GRISLEA. Octandria Monogynia. L.					
1 tomentosa. W.	downy.	E. Indies.	1804.	5. 12.	S.♄.	Botan. regist. 30.
Woodfordia floribunda. P.L.						
2 secunda. W.	secund.	Caracas.	1824.	....	S.♄.	
LAWSONIA. W.	LAWSONIA. Octandria Monogynia. L.					
1 inermis. W.	smooth.	Egypt.	1759.	....	S.♄.	Rauw. ic. 60. t. 7.
2 spinosa. W.	prickly.	E. Indies.	1759.	....	S.♄.	Rheed. mal. 1. t. 40.
LYTHRUM. W.	LYTHRUM. Dodecandria Monogynia. L.					
1 Salicaria. W.	common.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1061.
2 tomentosum. Mill.	woolly.	N.America.	....	——	H.♃.	
Salicaria β pubescens. Ph.						
3 Græfferi. T.S.	Græffer's.	Italy.	1825.	....	H.♃.	
4 diffusum. B.F.G.	spreading.	N.America.	1822.	7. 9.	H.♃.	Swt. br. fl. gar. 149.
virgatum. Ph. *nec aliorum.*						
5 virgatum. W.	slender-branched.	Austria.	1776.	6. 9.	H.♃.	Botan. magaz. 1003.
6 alatum. Ph.	winged-stalk'd.	N.America.	1812.	5. 11.	F.♃.	Botan. magaz. 1813.
7 Kennedianum. Kth.	Kennedy's.	New Spain.	1824.	——	G.♄.	
8 lineare. W.	linear-leaved.	N.America.	1812.	7. 8.	H.♃.	

9 hyssopifolium. W.	Hyssop-leaved.	England.	....	8.	H.⊙.	Eng. bot. 292.
10 thymifolium. W.	Thyme-leaved.	S. Europe.	1820.	——	H.⊙.	Barrel. ic. 773. f. 2.
NESÆA. Kth.	NESÆA. Dec-Dodecandria Monogynia.					
1 triflora. Kth. *Lythrum triflorum.* W.	three-flowered.	America.	1802.	8.	H.4.	
2 verticillata. Kth.	whorl-flowered.	N.America.	1759.	7. 9.	H.4.	
3 salicifolia. Kth.	willow-leaved.	Mexico.	1824.	9. 10.	G.ħ.	
CUPHEA. Kth.	CUPHEA. Dodecandria Monogynia.					
1 viscosissima. W.	clammy.	America.	1776.	7. 10.	H.⊙.	Swt. br. fl. gar. 60.
2 procumbens. S.S.	procumbent.	Mexico.	1816.	7. 9.	H.⊙.	Botan. regist. 182.
3 spicata. S.S. *circæoides.* B.M. 2201.	Circæa-like.	S. America.	1819.	8. 10.	H.⊙.	Cav. ic. 4. t. 381.
4 virgata. S.S.	twiggy.	Mexico.	1824.	——	H.⊙.	—— 4. t. 382. f. 1.
5 decandra. S.S.	decandrous.	Jamaica.	1789.	6. 10.	S.ħ.	
6 parviflora. H.K.F.	small-flow'r'd.	W. Indies.	1824.	10. 12.	S.ħ.	Hook. ex. flor. 161.
7 Simsii. *serpyllifolia.* B.M. *non* Kth.	Sims's.	Trinidad.	1823.	8.	S.ħ.	Botan. magaz. 2580.
8 Melvilla. B.R.	Melville's.	W. Indies.	1822.	6. 10.	S.ħ.	Botan. regist. 852.
AMMANNIA. S.S.	AMMANNIA. Tetrandria Monogynia. L.					
1 ægyptiaca. W.	Egyptian.	Egypt.	1818.	7. 8.	H.⊙.	
2 caspica. M.B.	Caspian.	Astracan.	——	——	H.⊙.	
3 viridis. R.S.	green.	.....	——	——	H.⊙.	
4 baccifera. R.S.	berry-bearing.	E. Indies.	1820.	7. 8.	S.⊙.	
5 auriculata. R.S.	eared.	Egypt.	——	——	S.⊙.	Willd. hort. ber. t. 7.
6 multiflora. S.S.	many-flowered.	E. Indies.	1818.	——	S.⊙.	
7 diffusa. R.S.	spreading.	——	——	——	S.⊙.	
8 sanguinolenta. R.S.	bloody.	Jamaica.	1803.	——	S.⊙.	
9 octandra. R.S. *coccinea.* P.S.	octandrous.	E. Indies.	1818.	——	S.⊙.	
10 pentandra. S.S.	pentandrous.	——	1823.	——	S.⊙.	
11 debilis. R.S.	cluster-flow'r'd.	——	1778.	——	S.⊙.	
12 rubra. D.P.	red-flowered.	Nepaul.	1822.	7. 8.	H.⊙.	
13 ramosior. R.S.	branching.	Virginia.	1759.	——	H.⊙.	
14 humilis. R.S.	small.	N.America.	1823.	——	H.⊙.	
15 latifolia. R.S.	broad-leaved.	W.Indies.	1733.	——	S.⊙.	Sloan. jam. 1. t. 7. f. 4.
16 rotundifolia. D.P.	round-leaved.	Nepaul.	1818.	——	H.⊙.	
GONOCARPUS. Th. micranthus. Th.	GONOCARPUS. Tetrandria Monogynia. small-flowered.	China.	1805.	6. 9.	H.⊙.	Thunb. jap. 69. t. 15.
PEPLIS. W. Portula. W.	WATER PURSLANE. Hexandria Monogynia. L. common.	Britain.	....	7. 9.	H.⊙.	Eng. bot. 1211.
ACISANTHERA. J. quadrata. P.S.	ACISANTHERA. Decandria Monogynia. four-sided.	Jamaica.	1804.	....	S.ħ.	Brown. jam. t. 22. f. 1.

ORDO LXXV.

ONAGRARIÆ. *Jussieu.*

MONTINIA. L. caryophyllacea. H.K. *acris.* W.	MONTINIA. Dicœcia Tetrandria. L. Sea-purslane ld.	C. B. S.	1774.	7.	G.ħ.	Smith spic. 14. t. 15.
CIRCÆA. W.	ENCHANTER'S NIGHT-SHADE. Diandria Monogynia.					
1 lutetiana. W.	common.	Britain.	...	6. 8.	H.4.	Eng. bot. 1056.
2 alpina. W.	mountain.	——	....	6. 9.	H.4.	—— 1057.
LOPEZIA. R.S.	LOPEZIA. Monandria Monogynia. L.					
1 racemosa. B.M. *mexicana.* R.S.	smooth.	Mexico.	1792.	8. 10.	G.♂.	Botan. magaz. 254.
2 coronata. R.S.	coronet-flow'r'ing.	——	1805.	7. 9.	H.⊙.	Swt. br. fl. gar. 108.
3 pumila. Kth.	dwarf.	——	1825.	——	H.⊙.	
4 hirsuta. R.S.	hairy.	——	1796.	9. 11.	G.♂.	Jacq. coll. 5. t. 15. f. 4.
5 miniata. DC. *frutescens.* R.S.	frutescent.	——	1824.	——	G.ħ.	

LUDWIGIA. W.	LUDWIGIA. Tetrandria Monogynia. L.						
1 alternifolia. W. *macrocarpa.* M.	large-capsuled.	Virginia.	1752.	6. 7.	H.☉.	Lam. ill. 1. t. 77.
2 hirsuta. Ph.	hairy.	N.America.	1812.	6. 8.	H.♃.	
ISNARDIA. W.	ISNARDIA. Tetrandria Monogynia. L.					
palustris. W.	marsh.	Europe.	1776.	7.	H.☉.	Schk. han. 1. t. 25.
JUSSIÆA. J.	JUSSIÆA. Oct-Decandria Monogynia.					
1 suffruticosa. W.	tall.	India.	1808.	8. 9.	S.♃.	Andr. repos. 621.
2 ovalifolia. B.M.	oval-leaved.	Madagascar.	1823.	7. 8.	S.♃.	Botan. magaz. 2530.
3 hirta. S.S.	hairy.	W. Indies.	——	——	S.♃.	Plum. ic. t. 174. f. 2.
4 octovalvis. P.S.	spear-leaved.	S. America.	....	7. 9.	S.♂.	
5 scabra. W.en.	rough.	———	1816.	——	S.♃.	
6 erecta. W.	upright.	———	1739.	——	S.♂.	Plum. ic. t. 175. f. 2.
7 grandiflora. S.S.	great-flowered.	Carolina.	1812.	7.10.	G.♃.	Botan. magaz. 2122.
8 leptocarpa. N.	narrow-podd'd.	Missisippi.	1824.	7. 9.	H.♃.	
9 repens. S.S.	creeping.	E. Indies.	1816.	——	S.♃.	Rheed. mal. 2. t. 51.
ŒNOTHERA. L.	EVENING-PRIMROSE. Octandria Monogynia. L.					
1 biennis. W.	common.	N.America.	1629.	6. 9.	H.♂.	Eng. bot. 1534.
2 grandiflora. B.M.	large-flowered.	———	1778.	6. 8.	H.♂.	Botan. magaz. 2068.
3 parviflora. W.	small-flowered.	———	1757.	——	H.♂.	Meerb. ic. 1. t. 34.
4 cruciata. N.	cross-petaled.	———	1821.	6.10.	H.♃.	
5 muricata. W.	prickly-stalked.	———	1789.	7. 8.	H.♂.	Mur. com. got. 6. t. 1.
6 longiflora. W.	long-flowered.	Buenos Ayres.	1776.	7. 9.	H.♂.	Botan. magaz. 365.
7 corymbosa. B.M.	corymbose.	Mexico.	1816.	7.10.	G.♂.	——— 1974.
8 villosa. W.	villous.	C. B. S.	1791.	7. 8.	G.♂.	
9 nocturna. W.	night-smelling.	———	1790.	4. 8.	G.♂.	Jacq. ic. 3. t. 455.
10 sinuata. W.	scollop-leaved.	N.America.	1770.	7.	H.☉.	Mur. com. got. 5. t. 9.
11 gauroides. W.en.	Gaura like.	———	1816.	7. 8.	H.♄.	
12 striata. L.en.	streaked.	.....	——	6. 9.	H.☉.	
13 odorata. S.S.	sweet scented.	Patagonia.	1790.	4. 8.	H.♃.	Botan. regist. 147.
β *undulata.*	*purple-stalked.*	———	——	——	H.♃.	Botan. magaz. 2403.
14 serrulata. N.	saw-leaved.	N.America.	1821.	6.10.	H.♃.	Swt. br. fl. gar. 133.
15 media. L.en.	intermediate.	———	——	7. 9.	H.♃.	
16 dentata. S.S.	toothed.	Chili.	1818.	6. 9.	H.☉.	Lindl. collect. t. 10.
17 salicifolia. Desf.	Willow-leaved.	.....	——	——	H.☉.	
18 micrantha. S.S. *hirta.* L.en.	small-blossom'd.	California.	1820.	——	H.☉.	
19 cheiranthifolia. S.S.	Wallflower-ld.	Chili.	——	——	H.♃.	
20 purpurea. S.S.	purple-flow'r'd.	N.America.	1794.	5. 9.	H.☉.	Botan. magaz. 352.
21 Romanzovii. S.S.	Romanzoff's.	———	1819.	——	H.☉.	Botan. regist. 562.
22 tenella. S.S.	slender.	Chili.	1822.	——	H.☉.	Botan. magaz. 2424.
23 albicaulis. N.	white-stalked.	N.America.	1811.	——	H.♃.	
24 mollissima. S.S.	soft wave-ld.	Buenos Ayre.	1732.	6. 10.	H.♂.	Schk. handb. 1. t. 105.
25 pinnatifida. N.	pinnatifid.	Missouri.	1811.	5. 8.	H.☉.	
26 cæspitosa. S.S.	tufted.	N.America.	——	6. 7.	H.♃.	Botan. magaz. 1593.
27 acaulis. S.S.	short-stalked.	Chili.	1822.	——	F.♃.	Botan. regist. 763.
28 tetraptera. S.S.	white-flowered.	Mexico.	1796.	6. 8.	H.☉.	Botan. magaz. 468.
29 speciosa. N.	handsome.	Louisiana.	1821.	——	H.♃.	Hook. ex. flor. 80.
30 rosea. S.S.	rose-coloured.	Peru.	1783.	5. 8.	F.♄.	Botan. magaz. 317.
31 triloba. N. *rhizocarpa.* S.S.	root-flowering.	Louisiana.	1821.	6.10.	H.♃.	——— 2566.
32 macrocarpa. Ph.	broad-leaved.	N.America.	1811.	6. 8.	H.♃.	Swt. br. fl. gar. 5.
33 missourensis. B.M. *alata.* N.	narrow-leaved.	———	——	——	H.♃.	Botan. magaz. 1592.
34 fruticosa. N.	frutescent.	———	1737.	——	H.♃.	——— 332.
35 tetragona. Roth.	blunt-leaved.	———	....	——	H.♃.	
36 ambigua. S.S.	ambiguous.	———	....	——	H.♃.	
37 Fraseri. S.S.	Fraser's.	———	1811.	5.10.	H.♃.	Botan. magaz. 1674.
38 glauca. S.S.	glaucous.	———	1812.	——	H.♃.	——— 1606.
39 serotina.	late-flowered.	———	1820.	7.10.	H.♄.	
40 linearis. S.S.	linear-leaved.	———	....	6. 8.	H.♃.	
41 pumila. S.S.	dwarf.	———	1757.	5. 9.	H.♃.	Botan. magaz. 355.
42 spectabilis. Bern.	showy.	.....	1822.	——	H.♃.	
GAURA. W.	GAURA. Octandria Monogynia.					
1 mutabilis. S.S.	changeable.	S.America.	1795.	7. 8.	F.♂.	Botan. magaz. 388.
2 biennis. S.S.	biennial.	N.America.	1762.	8.10.	H.♂.	—— 389.
3 coccinea. N.	scarlet.	Louisiana.	1811.	——	H.♃.	
4 fruticosa. S.S.	shrubby.	S.America.	1816.	7. 9.	G.♄.	Jacq. ic. 3. t. 457.

5 œnotheriflora. z.	Œnothera-fld.	S.America.	1616.	7. 9.	F. ♃.		
6 tripetala. s.s.	three-petaled.	Mexico.	1804.	8. 9.	H.⊙.	Cav. ic. 4. t. 396. f. 1.	
EPILOBIUM. W.	WILLOW-HERB.	Octandria Monogynia. L.					
1 angustifolium. w.	Rose-Bay.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1947.	
2 spicatum. N.	spike-flowered.	N.America.	....	——	H.♃.		
3 angustissimum. w.	narrow-leaved.	EuropeAlps.	1775	....	H.♃.	Botan. magaz. 76.	
4 Halleri. Retz.	Haller's.	Switzerland.	1798.	6. 9.	H.♃.		
Dodonæi. All.	*angustissimum.* β. w.						
5 latifolium. w.	Orache-leaved.	N.Europe.	1779.	7. 8.	H.♃.	Sal. par. lond. 58.	
Chamænerium halimifolium. P.L.							
6 hirsutum. w.	Codlins&Cream.	Britain.	....	——	H.♃.	Eng. bot. 838.	
7 parviflorum. E.B.	small-flowered.	—— ——	....	——	H.♃.	—— —— 795.	
8 villosum. w.	villous.	C. B. S.	1799.	——	G.♃.		
9 montanum. w.	mountain.	Britain.	....	——	H.♃.	Eng. bot. 1177.	
10 roseum. E.B.	pale smooth-ld.	England.	....	——	H.♃.	—— —— 693.	
11 alsinifolium. E.B.	Chickweed-ld.	Britain.	....	——	H.♃.	—— —— 2000.	
12 coloratum. Ph.	Pink-flowered.	N.America.	1805.	....	H.♃.		
13 tetragonum. w.	square-stalked.	Britain.	....	——	H.♃.	Eng. bot. 1948.	
14 palustre. E.B.	round-stalked.	—— ——	....	——	H.♃.	—— —— 346.	
15 davuricum. s.s.	Davurian.	Davuria.	1816.	——	H.⊙.		
16 alpestre. s.s.	simple-stalked.	Switzerland.	....	——	H.♃.		
17 alpinum. w.	Alpine.	Britain.	....	6.	H.♃.	Eng. bot. 2001.	
TRAPA. S.S.	WATER-CALTROPS.	Tetrandria Monogynia. L.					
1 natans. s.s.	European.	Europe.	1781.	6. 8.	H.*w.*⊙.	Botan. regist. 259.	
2 quadrispinosa. s.s.	four-spined.	E. Indies.	1823.	——	S.*w.*⊙.		
3 bicornis. s.s.	Chinese.	China.	1790.	....	G.*w.*♃.	Gært. sem. 2. t. 95.	
4 bispinosa. s.s.	two-spined.	E. Indies.	1822.	6. 9.	S.*w.*⊙.		
FUCHSIA. S.S.	FUCHSIA.	Octandria Monogynia. L.					
1 coccinea. s.s.	scarlet.	Chili.	1788.	5. 8.	F.ħ.	Botan. magaz. 97.	
2 gracilis. B.R.	slender.	—— ——	1822.	——	F.ħ.	Botan. regist. 847.	
decussata. B.M. 2507.	*non* R.P.						
β *tenella.*	*weak.*	—— ——	——	——	F.ħ.		
3 macrostemma. s.s.	large-crowned.	Chili.	1823.	....	G.ħ.	Flor. per. t. 323. f. b.	
4 lycioides. s.s.	Box-thorn-ld.	—— ——	1796.	4.10.	G.ħ.	Botan. magaz. 1024.	
5 arborescens. B.M.	arborescent.	Mexico.	1823.	6.10.	G.ħ.	—— —— 2620.	
6 excorticata. s.s.	changeable-cold.	N.Zealand.	1821.	8. 4.	G.ħ.	Botan. regist. 857.	

ORDO LXXVI.

COMBRETACEÆ. *Brown prodr.* 351.

COMBRETUM. L.	COMBRETUM.	Oct-Decandria Monogynia.				
1 laxum. s.s.	loose-racemed.	S. America.	1822.	....	S.ħ.⌒.	Lam. ill. t. 282. f. 1.
2 purpureum. s.s.	scarlet-flow'r'd.	Madagascar.	1818.	8. 9.	S.ħ.⌒.	Botan. regist. 429.
3 decandrum. w.	Roxburgh's.	E. Indies.	1822.	....	S.ħ.	Roxb. corom. 1. t. 59.
Roxburghii. s.s.						
4 secundum. s.s.	side-flow'ring.	W. Indies.	——	....	S.ħ.	Jacq. am. pict. t. 260.
5 comosum. G.D.	tufted.	Sierra Leon.	——	....	S.ħ.⌒.	
6 intermedium. G.D.	intermediate.	—— ——	——	....	S.ħ.⌒.	
7 grandiflorum. G.D.	large-flower'd.	—— ——	——	....	S.ħ.⌒.	
QUISQUALIS. S.S.	QUISQUALIS.	Decandria Monogynia. L.				
1 indica. B.R.	Indian.	China.	1815.	5. 8.	S.ħ.⌒.	Botan. regist. 492.
2 pubescens.	pubescent.	E. Indies.	——	....	S.ħ.⌒.	
CACOUCIA. Aub.	CACOUCIA.	Dodecandria Monogynia.				
coccinea. Aub.	scarlet.	Guiana.	1815.	....	S.ħ.⌒.	Aub. gui. 1. t. 179.
Schousbœa coccinea. w.						
BUCIDA. W.	OLIVE-BARK-TREE.	Decandria Monogynia. L.				
Buceras. w.	Jamaica.	Jamaica.	1793.	7.10.	S.ħ.	Botan. regist. 907.
TERMINALIA. W.	TERMINALIA.	Polygamia Monœcia. L.				
1 mauritiana. s.s.	Mauritius.	Mauritius.	1822.	....	S.ħ.	
2 latifolia. s.s.	broad-leaved.	W. Indies.	1816.	....	S.ħ.	
3 Catappa. s.s.	large-leaved.	E. Indies.	1778.	....	S.ħ.	Jacq. ic. 1. t. 197.

4 subcordata. Kth.	heart-leaved.	W. Indies.	1810.	....	S. ♄.	
5 moluccana. s.s.	smooth-leaved.	Molucca's.	——	....	S. ♄.	
6 Chebula. s.s.	oval-leaved.	E. Indies.	1796.	....	S. ♄.	Roxb. corom. 2. t. 197.
7 Bellerica. s.s.	axillary-fld.	—— ——	1818.	....	S. ♄.	
8 procera. s.s.	tall.	—— ——	1816.	....	S. ♄.	
9 angustifolia. w. *Benzoin.* L?	narrow-leaved.	—— ——	1692.	....	S. ♄.	Jacq. vind. 3. t. 100.
10 citrina. H.B.	Citron-leaved.	—— ——	1823.	....	S. ♄.	
11 gangetica. H.B.	Ganges.	—— ——	——	....	S. ♄.	
12 biticaria. H.B.	Silhet.	—— ——	1824.	....	S. ♄.	
13 arbuscula. P.S.	tree like.	S. America.	1822.	...	S. ♄.	
GETONIA. S.S.	GETONIA. Decandria Monogynia.					
1 floribunda. s.s.	many-flowered.	E. Indies.	1815.	....	S. ♄. ⌣	Roxb. corom. t. 87.
2 nutans. H.B.	nodding.	—— ——	1823.	....	S. ♄. ⌣	
CONOCARPUS. W.	BUTTON-TREE.	Pentandria Monogynia. L.				
1 erecta. w.	upright.	Jamaica.	1752.	....	S. ♄.	Catesb. car. 2. t. 33.
2 procumbens. w.	procumbent.	Cuba.	1730.	....	S. ♄.	Jacq. amer. t. 52. f. 2.
3 latifolia. H.B.	broad-leaved.	E. Indies.	1816.	....	S. ♄.	

ORDO LXXVII.

LOASEÆ. *Jussieu. ann. mus. d'hist. nat. v. 5. p. 18.*

Sect. I. LOASEÆ VERÆ. *Kunth synops. 3. p. 402.*

LOASA. S.S.	LOASA. Polyadelphia Icosandria.					
1 nitida. H.E.F.	shining-leaved.	Peru.	1822.	8.10.	H.⊙.	Hook. ex. fl. 83.
2 acanthifolia. B.R.	Acanthus-lfd.	Chili.	——	——	H.⊙.	Botan. regist. 785.
3 tricolor. B.R.	three-colour'd.	—— ——	——	——	H.⊙.	—— —— 667.
4 volubilis. s.s.	climbing.	—— ——	——	——	F.⊙. ⌣	Juss.an.m.c.25.t.5.f.1.
BARTONIA. B.M.	BARTONIA. Icosandria Monogynia.					
1 ornata. Ph. *decapetala.* B.M.	naked-seeded.	Missouri.	1811.	7. 9.	G. ♂.	Botan. magaz. 1487.
2 nuda. Ph.	winged-seeded.	—— ——	——	——	G. ♃.	
MENTZELIA. S.S.	MENTZELIA. Icosandria Monogynia.					
1 hispida. s.s.	hispid.	Mexico.	1824.	6. 9.	G. ♃.	Cav. ic. 1. t. 70.
2 aspera. s.s.	rough.	America.	1773.	7. 8.	S.⊙.	Plum. ic. 174. f. 1.
3 oligosperma. s.s. *aurea.* N.	few-seeded.	Louisiana.	1812.	5. 6.	G. ♃.	Botan. magaz. 1760.

Sect. II. TURNERACEÆ. *Kunth synops. 3. p. 406.*

TURNERA. Kth.	TURNERA. Pentandria Trigynia. L.					
1 ulmifolia. R.s.	Elm-leaved.	Jamaica.	1733.	6. 9.	S. ♄.	Hort. cliff. t. 10.
2 angustifolia. B.M.	narrow-leav'd.	—— ——	——	4. 9.	S. ♄.	Botan. magaz. 281.
3 elegans. R.s.	elegant.	Brazil.	1821.	——	S. ♄.	
4 cuneiformis. R.s.	wedge-leaved.	—— ——	1812.	——	S. ♄.	
5 trioniflora. B.M.	Ketmia-fld.	—— ——	——	——	S. ♄.	Botan. magaz. 2106.
6 Pumilea. R.s.	nettle-leaved.	Jamaica.	1796.	8. 9.	S.⊙.	Pet. gaz. 59. t. 38. f. 9.
7 cistoides. R.s.	Cistus-like.	America.	1774.	6.10.	H.⊙.	Plum. ic. t. 150. f. 1.
PIRIQUETA. Kth.	PIRIQUETA. Pentandria Trigynia.					
racemosa. *Turnera racemosa.* W.	clustered.	.....	1789.	7.10.	H.⊙.	Jacq. vind. 3. t. 94.

ORDO LXXVIII.

MYRTACEÆ. *Kunth. synops.* 3. *p.* 410.

Sect. I. MYRTEÆ. *Kth. loc. cit.* 410.

ALANGIUM. L.	ALANGIUM.	Icosandria Monogynia.					
1 decapetalum. s.s.	Sage-leaved.	E. Indies.	1779.	....	S. ♄.	Rheed. mal. 4. t. 17.
2 hexapetalum. s.s.	six-petal'd.	———	1822.	....	S. ♄.	——— 4. t. 26.
PHILADELPHUS. S.S. SYRINGA.		Icosandria Monogynia. L.				
1 coronarius. s.s.	common.	S. Europe.	1596.	5. 6.	H. ♄.	Botan. magaz. 391.
β variegatus.	*striped-leaved.*	———	....	——	H. ♄.	
γ multiplex.	*double-blossom'd.*	———	....	——	H. ♄.	
2 nanus. Mill.	dwarf.	.....	....	——	H. ♄.	
3 grandiflorus. Ph.	large-flowered.	Carolina.	1811.	6. 7.	H. ♄.	Wats. dend. brit. t. 46.
4 hirsutus. N.	hairy.	Louisiana.	1816.	——	H. ♄.	——— t. 47.
5 inodorus. Ph.	scentless.	Carolina.	1738.	——	H. ♄.	Botan. magaz. 1478.
LEPTOSPERMUM. W.	LEPTOSPERMUM.	Icosandria Monogynia.				
1 grandifolium. s.s.	large-leaved.	N. S. W.	1803.	6. 7.	G. ♄.	Botan. magaz. 1810.
2 emarginatum. s.s.	emarginate.	———	1816.	——	G. ♄.	
3 sericeum. s.s.	silky-leaved.	N.Holland.	1820.	——	G. ♄.	
4 marginatum. s.s.	white margin'd.	———	1816.	——	G. ♄.	
5 pubescens. s.s.	pubescent.	N. S. W.	1774.	——	G. ♄.	
6 lanigerum. s.s.	woolly-leaved.	———	——	——	G. ♄.	
7 scoparium. s.s.	N.ZealandTea.	N.Zealand.	1772.	——	G. ♄.	Andr. reposit. 622.
8 rubricaule. L.en.	red-stalked.	N. S. W.	1812.	——	G. ♄.	
9 tuberculatum. s.s.	tuberculate.	———	1816.	——	G. ♄.	
10 grandiflorum. B.C.	large-flowered.	———	——	——	G. ♄.	Lodd. bot. cab. 514.
11 attenuatum. s.s.	fine-branched.	———	1795.	5. 7.	G. ♄.	
12 flavescens. s.s.	yellowish.	———	1787.	——	G. ♄.	Sch. s. han. 24. t. 14.
13 triloculare. s.s.	trilocular.	———	1816.	——	G. ♄.	Vent. malm. 86.
14 juniperinum. s.s.	Juniper-leaved.	———	1790.	6. 7.	G. ♄.	——— 89.
15 baccatum. s.s.	berry-fruited.	———	——	——	G. ♄.	Cav. ic. 4. t. 331. f. 2.
16 arachnoideum. s.s.	cobweb.	———	1795.	5. 7.	G. ♄.	Gært. sem. 1. t. 35.
17 parvifolium. s.s.	small-leaved.	———	——	6. 7.	G. ♄.	
18 imbricatum. s.s.	imbricated.	———	1800.	——	G. ♄.	
19 ambiguum. s.s.	hook-leaved.	———	1791.	——	G. ♄.	Sm. exot. bot. 1. t. 59.
20 ? flexuosum. s.s.	flexuose-stalk'd.	N.Holland.	1812.	——	G. ♄.	
21 ? salignum. s.s.	Willow-leaved.	———	——	....	G. ♄.	
22 ? ovalifolium.	oval-leaved.	———	——	....	G. ♄.	
Fabricia myrtifolia. Hort. *non.* W.						
FABRICIA. G.	FABRICIA.	Icosandria Monogynia.				
1 myrtifolia. s.s.	opposite-leav'd.	N. Holland.	....	....	G. ♄.	Gært. sem. 1. t. 355. f. 4.
2 lævigata. s.s.	smooth-leaved.	N. S. W.	1788.	5. 6.	G. ♄.	Botan. magaz. 1804.
3 ? sericea.	silky-leaved.	N. Holland.	....	....	G. ♄.	
CALLISTEMON. B.R.	CALLISTEMON.	Icosandria Monogynia.				
1 speciosum. C.C.	splendid.	N. S. W.	1803.	3. 6.	G. ♄.	Botan. magaz. 1761.
Metrosideros speciosa. B.M.						
2 lanceolatum. C.C.	spear-leaved.	———	1788.	11. 6.	G. ♄.	——— 260.
Metrosideros citrina. B.M.						
3 salignum. C.C.	Willow-leaved.	———	——	5. 7.	G. ♄.	——— 1821.
4 rigidum. B.R.	rigid-leaved.	———	1800.	3. 6.	G. ♄.	Botan. regist. 393.
Metrosideros viminalis. Hort. *non.* Sm.						
5 lineare. C.C.	linear-leaved.	———	1788.	6. 7.	G. ♄.	Sert. han. 19. t. 11.
6 viridiflorum.	green-flowered.	———	1820.	——	G. ♄.	Botan. magaz. 2602.
rusicifolium. C.C.	*Metrosideros viridiflora.* B.M.					
7 pinifolium.	Pine-tree-ld.	N. S. W.	....	6. 7.	G. ♄.	
8 ? marginatum.	margined.	———	1816.	....	G. ♄.	Cav. ic. 4. t. 332.
Metrosideros marginata. Cav.						
MELALEUCA. H.K.	MELALEUCA.	Polyadelphia Icosandria. L.				
1 Leucadendron. W.	aromatic.	E. Indies.	1796.	....	S. ♄.	Rumph. amb. 2. t. 16.
2 Cajuputi. H.B.	Cajuputi-tree.	———	1816.	....	S. ♄.	——— 2. t. 17. f. 1.

3	viridiflora. W.	green-flowered.	N. S. W.	1798.	....	G. h.	Cav. ic. 4. t. 333.
4	paludosa. H.K.	long-leav'd red.	N.Holland.	1803.	7. 9.	G. h.	
5	globifera. H.K.	globe-fruited.	—— ——	——	....	G. h.	
6	diosmifolia. A.R.	Diosma-leaved.	—— ——	1794.	6. 7.	G. h.	Andr. reposit. 476.
7	stypheloides. H.K.	Styphelia-ld.	N. S. W.	1793.	5. 6.	G. h.	
8	genistifolia. H.K.	Genista-leaved.	—— ——	——	——	G. h.	Sm. exot. bot. 1. t. 55.
9	striata. H.K.	rigid-leaved.	N. Holland.	1803.	——	G. h.	
10	thymoides. H.K.	yellow spear-ld.	—— ——	——	——	G. h.	Lab. nov. holl. 2. t. 167.
11	imbricata. L.en.	imbricated.	—— ——	——	——	G. h.	
12	lanceolata. L.en.	spear-leaved.	—— ——	1812.	——	G. h.	Otto hort. ber. 36.
13	squamea. H.K.	scaly-branched.	V. Diem. Isl.	1805.	6. 7.	G. h.	Botan. regist. 477.
14	nodosa. H.K.	Whin-leaved.	N. S. W.	1790.	——	G. h.	Sm. exot. bot. 1. t. 35.
15	ericifolia. H.K.	Heath-leaved.	—— ——	1788.	7. 9.	G. h.	—— —— —— 1. t. 34.
16	armillaris. H.K.	pale-flowered.	—— ——	——	6. 7.	G. h.	Andr. reposit. 175.
17	uncinata. H.K.	hook-leaved.	N. Holland.	1803.	....	G. h.	
18	scabra. H.K.	rough-thread-ld.	—— ——	——	6. 7.	G. h.	
19	pulchella. H.K.	pendulous.	—— ——	——	6. 9.	G. h.	Lodd. bot. cab. 200.
20	incana. B.R.	hoary.	N. S. W.	1812.	6. 8.	G. h.	Botan. regist. 410.
	canescens. Hort. ber.		*lanata.* Hort.				
21	thymifolia. H.K.	Thyme-leaved.	N. S. W.	1792.	7. 9.	G. h.	Sm. exot. bot. 1. t. 36.
	coronata. A.R. 218.						
22	decussata. H.K.	decussate.	N. Holland.	1803.	6. 9.	G. h.	Botan. magaz. 2260.
23	rotundifolia. C.C.	round-leaved.	V. Diem. Isl.	1822.	6. 8.	G. h.	
24	fulgens. H.K.	splendid.	N. Holland.	1803.	——	G. h.	Botan. regist. 103.
25	linariifolia. H.K.	Toad-flax-ld.	N. S. W.	1793.	7. 9.	G. h.	Sm. exot. bot. 1. t. 56.
26	hypericifolia. H.K.	Hypericum-ld.	—— ——	1792.	——	G. h.	Andr. reposit. 200.
27	squarrosa. H.K.	Myrtle-leaved.	—— ——	1794.	6. 8.	G. h.	Botan. magaz. 1935.
28	calycina. H.K.	permanent-cup'd.	N. Holland.	1803.	——	G. h.	
29	parviflora. L.en.	small-flowered.	—— ——	——	——	G. h.	Otto hort. ber. 37.
30	densa. H.K.	whorl-leaved.	—— ——	——	....	G. h.	
TRISTANIA. H.K.		TRISTANIA.	Polyadelphia Icosandria.				
1	nereifolia. H.K.	Oleander-ld.	N. S. W.	1804.	7. 9.	G. h.	Botan. magaz. 1058.
	Melaleuca nereifolia. B.M.						
2	laurina. H.K.	Laurel-leaved.	—— ——	1798.	....	G. h.	
3	depressa. L.C.	depressed.	—— ——	1820.	....	G. h.	
4	conferta. H.K.	Pittosporum-ld.	—— ——	1805.	7. 9.	G. h.	
	Pittosporum hirtum. Hort.						
5	arborescens.	arborescent.	N. Holland.	1822.	....	G. h.	
CALOTHAMNUS. H.K.		CALOTHAMNUS.	Polyadelphia Icosandria.				
1	quadrifida. H.K.	four-cleft.	N. Holland.	1803.	1. 12.	G. h.	Botan. magaz. 1506.
2	villosa. H.K.	hairy 5-cleft.	—— ——	——	——	G. h.	Lodd. bot. cab. 92.
3	gracilis. H.K.	slender-leaved.	—— ——	——	——	G. h.	
BEAUFORTIA. H.K.		BEAUFORTIA.	Polyadelphia Icosandria.				
1	decussata. H.K.	splendid.	N. Holland.	1803.	3. 8.	G. h.	Botan. regist. 18.
2	sparsa. H.K.	alternate-ld.	—— ——	——	....	G. h.	
BÆCKEA. L.T.		BÆCKEA.	Octandria Monogynia.				
1	frutescens. Sm.	Chinese.	China.	1806.	9. 12.	G. h.	Osb. voy. v. 2. t. 1.
2	virgata. B.M.	slender.	N. S. W.	——	8. 10.	G. h.	Botan. magaz. 2127.
3	linifolia. L.T.	Flax-leaved.	—— ——	1820.	6. 8.	G. h.	
4	denisfolia. L.T.	close-leaved.	—— ——	1812.	——	G. h.	
5	camphorata. L.T.	camphor-scent'd.	—— ——	1823.	——	G. h.	
METROSIDEROS. S.S.		METROSIDEROS.	Icosandria Monogynia.				
1	vera. L. Col.	Ironwood.	E. Indies.	1815.	5. 8.	S. h.	Lindl. collect. 18.
2	hispida. L.T.	rough.	N. S. W.	1789.	——	G. h.	Sm. exot. bot. 1. t. 42.
3	floribunda. L.T.	many-flow'r'd.	—— ——	1788.	——	G. h.	
4	costata. L.T.	ribbed.	—— ——	1810.	——	G. h.	Gært. sem. 1. t. 34. f. 2.
5	glomulifera. L.T.	cluster-flow'r'd.	—— ——	1805.	5. 6.	G. h.	
6	angustifolia. L.T.	narrow-leaved.	C. B. S.	1787.	....	G. h.	
*EUCALYPTUS. L.T.		EUCALYPTUS.	Icosandria Monogynia.				
1	robusta. L.T.	brown gum-tree.	N. S. W.	1794.	8. 9.	G. h.	Sm. nov. holl. t. 13.
2	reticulata. L.en.	netted-leaved.	—— ——	1816.	....	G. h.	
3	pilularis. L.T.	small-fruited.	—— ——	1804.	2. 5.	G. h.	
4	rostrata. Cav.	beaked.	—— ——	——	....	G. h.	Cav ic. 4. t. 342.
5	cornuta. S.S.	horned.	N. Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
6	globulus. S.S.	variable-leav'd.	—— ——	1804.	5. 6.	G. h.	Lab. nov. holl. 1. t. 13.
	pulverulenta. Hort. *non* B.M.						
7	incrassata. S.S.	thick-leaved.	—— ——	1820.	....	G. h.	

* We suspect that many of these species will belong to Metrosideros when the Flowers are seen.

8	marginata. L.T.	thick-edged.	N. S. W.	1794.	4. 7.	G. h.	
9	longifolia. L.en.	long-leaved.	N. S. W.	1818.	——	G. h.	
10	tereticornis. L.T.	long-horned.	—— ——	1804.	——	G. h.	
11	resinifera. L.T.	red gum-tree.	—— ——	1788.	——	G. h.	Andr. repos. 400.
12	multiflora. s.s.	many-flow'r'd.	N.Holland.	1820.	——	G. h.	
13	capitellata. L.T.	headed.	N. S. W.	1804.	——	G. h.	White's voy. 226. t.f.a.
14	saligna. L.T.	willow-like.	—— ——	——	——	G. h.	
15	persicifolia. B.C.	Peach-leaved.	—— ——	1812.	——	G. h.	Lodd. bot. cab. 501.
16	media. L en.	taper-pointed.	—— ——	1820.	....	G. h.	
17	mucronata. L.en.	mucronate.	—— ——	——	....	G. h.	
18	triantha. L.en.	three-flowered.	—— ——	——	4. 6.	G. h.	
19	elongata. L.en.	elongated.	—— ——	——	——	G. h.	
20	myrtifolia. L.en.	Myrtle-leaved.	—— ——	1812.	——	G. h.	
21	microphylla. L.en.	small-leaved.	—— ——	1816.	——	G. h.	
22	stenophylla. L.en.	slender-leaved.	—— ——	——	....	G. h.	
23	angustifolia. L.en.	narrow-leaved.	—— ——	——	....	G. h.	
24	viminalis. s.s.	slender.	N. Holland.	——	...	G. h.	
25	verrucosa. C.C.	warted.	N. S. W.	——	....	G. h.	
26	hypericifolia. L.en.	Hypericum-ld.	—— ——	1804.	....	G. h.	
27	purpurascens. L.en.	purple-veined.	—— ——	——	....	G. h.	
28	albicaulis. C.C.	white-stemm'd.	V.Diem.Isl.	1822.	....	G. h.	
29	perfoliata. C.C.	perfoliate-ld.	—— ——	1812.	4. 6.	G. h.	
30	pulverulenta. B.M.	powdered.	N.Holland.	1816.	11. 3.	G. h.	Botan. magaz. 2087.
	cordata. B.C. 322. *non* Lab.						
31	hirsuta. L.en.	hairy.	N. S. W.	1804.	3. 6.	G. h.	
32	undulata. C.C.	wave-leaved.	—— ——	——	....	G. h.	
33	alata. C.C.	winged-stalked.	V.Diem.Isl.	1822.	....	G. h.	
34	botryoides. L.T.	flat-peduncled.	N. S. W.	1803.	4. 7.	G. h.	Cav. ic. 4. t. 341.
35	hæmastoma. L.T.	red-mouthed.	—— ——	——	——	G. h.	
36	amygdalina. s.s.	Almond-leaved.	N.Holland.	1822.	....	G. h.	
37	piperita. L.T.	Peppermint tree.	N. S. W.	1788.	4. 7.	G. h.	White's voy. t. c. ic.
38	obliqua. L.T.	oblique-leaved.	V.Diem.Isl.	1774.	7. 8.	G. h.	Sal. par. lond. 15.
39	corymbosa. L.T.	corymbus-fld.	N. S. W.	1788.	....	G. h.	Cav. ic. 4. t. 340.
40	paniculata. L.T.	panicled.	—— ——	1804.	....	G. h.	
41	ovata. s.s.	oval-leaved.	N.Holland.	1822.	....	G. h.	
CALYTRIX. Lab.		CALYTRIX. Icosandria Monogynia.					
1	glabra. B.R.	smooth.	N. S. W.	1818.	4. 6.	G. h.	Botan. regist. 409.
2	pubescens.	pubescent.	N.Holland.	1824.	——	G. h.	
CARYOPHYLLUS. P.S. CLOVE-TREE. Icosandria Monogynia.							
	aromaticus. P.S.	aromatic.	Moluccas.	1797.	....	S. h.	Rumph. amb. 2. t. 1.2.
	Eugenia caryophyllata. W. *Myrtus Caryophyllus.* s.s.						
EUGENIA. W.		EUGENIA. Icosandria Monogynia. L.					
1	malaccensis. W.	Malay Apple.	E. Indies.	1768.	5. 8.	S. h.	Andr. reposit. 458.
2	macrocarpa. H.B.	large-fruited.	—— ——	1822.	....	S. h.	
3	glandulifera. H.B.	glandular.	—— ——	1823.	....	S. h.	
4	pulchella. H.B.	pretty.	—— ——	1822.	....	S. h.	
5	aquea. H.B.	watery.	—— ——	1819.	....	S. h.	
6	acuminata. H.B.	taper-pointed.	—— ——	1816.	5. 6.	S. h.	
7	ternifolia. H.B.	three-leaved.	—— ——	1822.	....	S. h.	
8	obtusifolia. H.B.	blunt-leaved.	—— ——	1823.	....	S. h.	
9	amplexicaulis. H.B.	stem-clasping.	—— ——	1820.	....	S. h.	
10	cerasoides. H.B.	Cherry-fruited.	—— ——	1823.	....	S. h.	
11	Jambos. W.	narrow-leaved.	—— ——	1768.	2. 7.	S. h.	Botan. magaz. 1696.
12	baruensis. W.	many-flowered.	S. America.	....	....	S. h.	Jacq. ic. 3. t. 480.
13	axillaris. W.	axillary.	Jamaica.	1793.	9.	S. h.	
14	fragrans. W.	sweet scented.	—— ——	1790.	4. 5.	S. h.	Botan. magaz. 1242.
15	Mini. W.	small-fruited.	Guiana.	1803.	...	S. h.	Aub. gui. 1. t. 197.
16	Smithii. Poir.	Smith's.	N. S. W.	1790.	5. 9.	G. h.	Botan. magaz. 1872.
	elliptica. Sm. *non* Lam.						
17	myrtifolia. B.M.	Myrtle-leaved.	N.Holland.	1812.	——	G. h.	—— —— 2230.
	Myrtus australis. s.s.						
18	ligustrina. W.	Privet-leaved.	Hispaniola.	1798.	8.	S. h.	
19	uniflora. W.	one-flowered.	Brazil.	1759.	1. 3.	S. h.	Botan. magaz. 473.
20	zeylanica. A.R.	Ceylon.	E. Indies.	1798.	6. 7.	S. h.	Andr. reposit. 619.
21	balsamica. W.en.	balsamic.	.....	1816.	....	S. h.	Jacq. frag. t. 45. f. 2.
22	latifolia. W.	broad-leaved.	Guiana.	1793.	....	S. h.	Aub. gui. 1. t. 199.
23	bracteata. W.	bracteate.	E. Indies.	1820.	....	S. h.	
24	macrophylla. Lam.	large-leaved.	—— ——	——	....	S. h.	
25	buxifolia. W.	Box-leaved.	W. Indies.	1822.	4. 6.	S. h.	

26 floribunda. W.	many-flowered.	W. Indies.	——	....	S. h.		
27 obovata. Poir.	obovate-leaved.	Isl. France.	1823.	....	S. h.		
MYRTUS.	MYRTLE. Icosandria Monogynia. L.						
1 communis. W.	common.	S. Europe.	1597.	7. 8.	G. h.	Duham. arb. e. n. t. 43.	
α *romana.*	*broad-leaved.*	——	——	——	G. h.	Mill. ic. t. 184. f. 1.	
β *tarentina.*	*Box-leaved.*	——	——	——	G. h.		
γ *italica.*	*upright Italian.*	——	——	——	G. h.		
δ *bætica.*	*Orange-leaved.*	——	——	——	G. h.	Blackwell t. 114.	
ε *lusitanica.*	*Portugal.*	——	——	——	G. h.	Clus. hist. 1. t. 1.	
ζ *belgica.*	*broad-ld. Dutch.*	——	——	——	G. h.		
η *mucronata.*	*Rosemary-ld.*	——	——	——	G. h.		
ϑ *multiplex.*	*double-blossom'd.*	——	——	——	G. h.		
ι *variegata.*	*striped-leaved.*	——	——	——	G. h.		
χ *maculata.*	*blotch-leaved.*	——	——	——	G. h.		
2 tenuifolia. L.T.	slender-leaved.	N. Holland.	1824.	....	G. h.		
3 tomentosa. W.	woolly-leaved.	China.	1776.	6. 6.	S. h.	Botan. magaz. 250.	
4 affinis.	smooth-leaved.	——	1823.	....	S. h.		
5 biflora. W.	two-flowered.	Jamaica.	1759.	4. 5.	S. h.	Brown. jam. t. 25. f. 3.	
6 lucida. W.	shining.	Surinam.	1793.	....	S. h.		
7 trinervia. L.T.	three-nerved.	N. S. W.	1823.	....	S. h.		
8 dumosa. W.	bushy.	W. Indies.	1793.	6. 7.	S. h.		
9 disticha. W.	globe-berried.	Jamaica.	——	4. 7.	S. h.	Botan. magaz. 867.	
10 Pimenta. W.	narrow-ld. Allspice.	W. Ind.	1723.	5. 7.	S. h.	—— 1236.	
11 acris. W.	broad-ld. Allspice.	——	1759.	——	S. h.	Lodd. bot. cab. 178.	
Pimenta. B.C. *non.* W. *pimentoides.* LY.							
12 coriacea. W.	Sumach-leaved.	Hispaniola.	1759.	——	S. h.	Plum. ic. t. 208. f. 2.	
13 virgultosa. W.	twiggy.	W. Indies.	1787.	7. 8.	S. h.	—— t. 208. f. 1.	
14 Gregii. W.	Greg's.	Dominica.	1776.	5. 7.	S. h.	Gært. sem. 1. t. 33. f. 3.	
CALYPTRANTHES. W.	CALYPTRANTHES. Icosandria Monogynia.						
1 Zuzygium. W.	oval-leaved.	W. Indies.	1778.	5. 7.	S. h.	Brown. jam. t. 7. f. 2.	
2 Jambolana. W.	Jambolana-tree.	E. Indies.	1796.	....	S. h.	Rumph. amb. 1. t. 42.	
3 caryophyllifolia. W.	Clove-leaved.	——	1822.	....	S. h.		
Eugenia caryophyllifolia. H.B.							
4 Chytraculia. W.	forked.	Jamaica.	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.	
PSIDIUM. S.S.	GUAVA. Icosandria Monogynia. L.						
1 pyriferum. S.S.	Pear-fruited.	W. Indies.	1656.	6. 7.	S. h.	Rumph. amb. 1. t. 47.	
2 latifolium. L.en.	broad-leaved.	.....	....	——	S. h.		
3 aromaticum. S.S.	aromatic.	W. Indies.	1779.	....	S. h.	Aub. gui. 1. t. 191.	
4 Cattleyanum. S.S.	Cattley's.	.....	1816.	1. 12.	S. h.	Lindl. collect. 16.	
5 guianense. S.S.	Guiana.	Guiana.	1823.	....	S. h.		
6 sapidissimum. S.S.	pleasant.	.....	——	6. 7.	S. h.		
7 cordatum. S.S.	spice.	W. Indies.	1811.	5. 7.	S. h.	Botan. magaz. 1779.	
8 pomiferum. S.S.	apple-fruited.	——	1692.	6. 7.	S. h.	Rheed. mal. 3. t. 35.	
9 polycarpon. L.T.	many-fruited.	——	1809.	4. 8.	S. h.	Linn. trans. v. 11. t. 17.	
10 montanum. S.S.	mountain.	——	1779.	5. 7.	S. h.		
11 oligospermum. S.S.	few-seeded.	.....	....	....	S. h.		
12 chinense. L.C.	yellow Chinese.	China.	....	1. 4.	S. h.		
13 fragrans. L.C.	fragrant.	.....	....	4. 8.	S. h.		
14 myrtifolia. L.C.	Myrtle-leaved.	.....	....	——	S. h.		
PUNICA. W.	POMEGRANATE. Icosandria Monogynia. L.						
1 nana. W.	dwarf.	W. Indies.	1723.	7. 9.	G. h.	Botan. magaz. 634.	
2 Granatum. W.	common.	S. Europe.	1548.	6. 9.	H. h.	—— 1832.	
β *multiplex.*	*double-flowered.*	——	....	——	H. h.		
γ *alba.*	*whitish-flow'r'd.*	.....	....	——	H. h.	Andr. reposit. 96.	
δ *flava.*	*yellowish.*	.....	....	——	H. h.		
DECUMARIA. W.	DECUMARIA. Dodecandria Monogynia. L.						
1 barbara. Ph.	smaller.	Carolina.	1785.	7. 8.	H. h.		
2 sarmentosa. Ph.	larger.	——	1758.	——	H. h.	Act. par. 1. t. 13.	

Sect. II. LECYTHIDEÆ. *Kth. synops.* 3. *p.* 424.

LECYTHIS. S.S.	LECYTHIS. Icosandria Monogynia.					
1 Ollaria. S.S.	sessile-leaved.	Brazil.	1820.	....	S. h.	
2 bracteata. S.S.	bracted.	Guiana.	——	....	S. h.	Aub. gui. 2. t. 282.
Couroupita guianensis. Aub.						

GUSTAVIA. L. GUSTAVIA. Monadelphia Polyandria. L.
angusta. W. large-flowered. Guiana. 1794. .... S. ♄. Aub. gui. 1. t. 192.
Pirigara tetrapetala. AUB.

STRAVADIUM. J. STRAVADIUM. Monadelphia Polyandria.
1 acutangulum. acute-angled. E. Indies. 1822. .... S. ♄. Rheed. mal. 4. t. 7.
Barringtonia acutangula. H.B. *Eugenia acutangula.* L.
2 racemosum. racemed. ——— —— .... S. ♄. Rumph. amb. 3. t. 116.
Barringtonia racemosa. H.B. *Eugenia racemosa.* L.

BARRINGTONIA. L. BARRINGTONIA. Monadelphia Polyandria. L.
speciosa. W. Laurel-leaved. E. Indies. 1786. .... S. ♄. Rumph. amb. 3. t. 114.
Butonica speciosa. Lam.

ORDO LXXIX.

MELASTOMACEÆ. *Juss. gen.* 328

MEMECYLON. W. MEMECYLON. Octandria Monogynia. L.
1 edule. S.S. eatable. E. Indies. 1823. .... S. ♄.
2 capitellatum. S.S. Ceylon. ——— 1796. 7. S. ♄. Burm. zeyl. 76. t. 30.

PETALOMA. S.S. PETALOMA. Decandria Monogynia.
1 myrtilloides. S.S. sessile-leaved. Jamaica. 1818. .... S. ♄.
2 alternifolia. S.S. alternate-leav'd. E. Indies. 1823. .... S. ♄.

BLAKEA. L. BLAKEA. Dodecandria Monogynia. L.
trinervia. S.S. three-ribbed. Jamaica. 1789. 6. 7. S. ♄. Botan. magaz. 451.

MELASTOMA. D.D. MELASTOMA. Decandria Monogynia.
1 sanguinea. B.M. red-veined. St^s. Sunda. 1818. 5. 12. S. ♄. Botan. magaz. 2241.
2 macrocarpa. D.D. large-fruited. E. Indies. 1793. 1. 8. S. ♄. ——— 529.
malabathrica. B.M. *non* L.
3 affinis. D.D. likened. ——— 1816. —— S. ♄.
4 malabathrica. L. Malabar. ——— .... —— S. ♄. Botan. regist. 672.
5 aspera. W. rough. ——— 1815. 8. 11. S. ♄. Burm. zeyl. t. 72.
6 candida. D.D. white-leaved. China. 1820. 4. 8. S. ♄.
7 nepalensis. B.C. Nepaul. Nepaul. 1819. 2. 6. S. ♄. Lodd. bot. cab. 707.
8 octandra. W. octandrous. Ceylon. 1815. .... S. ♄.
9 corymbosa. H.K. corymbose. Sierra Leon. 1792. 4. 8. S. ♄. Botan. magaz. 904.
10 elongata. G.D. tuberous-root'd. ——— 1822. .... S. ♄.

MICONIA. D.D. MICONIA. Decandria Monogynia.
1 ecostata. ribless. Jamaica. 1793. 5. 6. S. ♄.
Melastoma ecostata. H.K.
2 tetrandra. D.D. tetrandrous. Jamaica. 1815. .... S. ♄.
3 trinervia. D.D. three-nerved. ——— 1793. 7. S. ♄.
4 purpurea. D.D. purple. Guiana. 1804. 4. 8. S. ♄. Aub. gui. 1. t. 154.
5 lævigata. D.D. smooth. S. America. 1815. —— S. ♄. Botan. regist. 363.
6 grandifolia. D.D. large-leaved. ——— 1818. —— S. ♄.
Melastoma grandifolia. And. mss. *latifolia.* Bondp. mss. in Herb. Lamb.
7 rubescens. D.D. reddish. ——— 1820. —— S. ♄.
Melastoma rubescens. Bondp. mss. in H.L.
8 tenuifolia. D.D. slender-leaved. ——— —— —— S. ♄.
Melastoma tenuifolia. Bondp. mss. in H.L.
9 angustata. D.D. narrow-leaved. Trinidad. —— —— S. ♄.
10 impetiolaris. D.D. great-leaved. Guiana. 1822. .... S. ♄. Bondp. mon. t. 29.
11 decussata. D.D. cross-branched. ——— 1818. 3. 6. S. ♄.
12 semicrenata. D.D. semicrenate. W. Indies. 1823. .... S. ♄.
13 Acinodendron. oval-leaved. Jamaica. 1804. .... S. ♄. Plum. ic. 142. f. 2.
14 purpurascens. D.D. purplish. W. Indies. 1822. 3. 6. S. ♄.

CHITONIA. D.D. CHITONIA. Decandria Monogynia.
1 Fothergilla. D.D. Fothergill's. S. America. 1815. .... S. ♄. Aub. gui. 1. t. 175.
Melastoma Fothergilla. S.S. *Fothergilla mirabilis.* AUB.
2 albicans. D.D. white-leaved. Jamaica. —— .... S. ♄.
3 macrophylla. D.D. large-leaved. W. Indies. 1820. .... S. ♄.

PLEROMA. D.D. PLEROMA. Decandria Monogynia.
1 granulosa. D.D. rough-leaved. S. America. 1818. 4. 8. S. ♄. Botan. regist. 671.
Melastoma granulosa. B.R. *Rhexia Fontanesii.* Kth.

2 heteromalla. D.D.	woolly-leaved.	———	——	——	S. ħ.	———	644.
Melastoma heteromalla. B.R.							
3 viminea. D.D.	slender.	———	1820.	——	S. ħ.	———	664.
Rhexia viminea. B.R.							
4 holosericea. D.D.	silky.	Brazil.	1816.	——	S. ħ.	———	323.
Rhexia holosericea. B.R.							
TOCOCA. Aub.	Tococa. Decandria Monogynia.						
1 Aubletii. D.D.	Aublet's.	Guiana.	1822.	....	S. ħ.	Aub. gui. 1. t. 174.	
guianensis. Aub. *Melastoma physiphora.* Vahl.							
2 lanata. D.D.	woolly.	W. Indies.	——	....	S. ħ.		
Melastoma lanata. And. C.							
CLIDEMIA. D.D.	Clidrmia. Decandria Monogynia.						
1 hirta. D.D.	hairy.	Jamaica.	1740.	3. 6.	S. ħ.	Botan. magaz. 1971.	
Melastoma hirta. B.M.							
2 elegans. D.D.	elegant.	Trinidad.	1822.	——	S. ħ.	Aub. gui. 1. t. 167.	
3 rubra. D.D.	red.	Guiana.	1793.	5. 6.	S. ħ.	———	1. t. 161.
4 cernua. D.D.	nodding.	Jamaica.	1820.	——	S. ħ.		
Melastoma cernua. Bondp. mss. in H. Lamb.							
5 microphylla. D.D.	small-leaved.	———	——	——	S. ħ.		
6 holosericea. D.D.	silky-leaved.	Brazil.	——	——	S. ħ.	Pluk. mant. 4. t. 252. f. 2.	
7 velutina. D.D.	velvetty-leav'd.	Jamaica.	1818.	7. 10.	S. ħ.		
8 nivea. D.D.	snowy-white.	———	1820.	——	S. ħ.	Bondp. mon. t. 44.	
Melastoma nivea. B.							
9 aggregata. D.D.	clustered.	———	——	——	S. ħ.		
ACIOTIS. D.D.	Aciotis. Decandria Monogynia.						
1 discolor. D.D.	two-coloured.	W. Indies.	1793.	8. 9.	S. ħ.	Plum. ic. t. 42. f. 1.	
Melastoma discolor. W.							
2 aquatica. D.D.	marsh.	S. America.	——	——	S. ħ.	Aub. gui. 1. t. 169.	
Rhexia aquatica. W.							
MERIANIA. Swartz.	Mountain Rose. Decandria Monogynia.						
purpurea. P.S.	purple-flow'r'd.	Jamaica.	1825.	....	S. ħ.		
OSBECKIA. W.	Osbeckia. Oct-Decandria Monogynia.						
1 zeylanica. W.	Ceylon.	Ceylon.	1749.	5. 9.	S. ħ.	Botan. regist. 505.	
2 chinensis. W.	Chinese.	China.	1816.	——	S. ħ.	———	542.
Melastoma osbeckioides. B.M. 2238. *Rhexia glomerata.* B.C. 334.							
3 stellata. D.P.	starry-haired.	Nepaul.	1818.	——	S. ħ.	———	674.
4 nepalensis. H.E.F.	handsome.	———	1820.	——	S. ħ.	Hook. ex. flor. t. 31.	
speciosa. D.P.							
RHEXIA. W.	Rhexia. Octandria Monogynia. L.						
1 mariana. W.	Maryland.	N. America.	1759.	6. 8.	H. ↄ.	Pluk. mant. t. 428. f. 1.	
α purpurea. Ph.	*purple-flowered.*	———	——	——	H. ↄ.		
β rubella. Ph.	*reddish-flowered.*	———	——	——	H. ↄ.	Swt. br. fl gar. 41.	
2 virginica. W.	Virginian.	———	——	——	H. ↄ.	Botan. magaz. 968.	
3 ciliosa. M.	ciliated.	———	1812.	——	F. ↄ.	Pursh. fl. amer. 1. t. 10.	
4 angustifolia. N.	narrow-leaved.	———	——	——	H. ↄ.		
mariana γ exalbida. M.							

ORDO LXXX.

TAMARISCINEÆ. *Desvaux.*

TAMARIX. R.S.	Tamarisk. Tetr-Pent-Decandria Trigynia.					
1 gallica. R.S.	red-wooded.	England.	....	7. 8.	H. ħ.	Eng. bot. 1318.
2 indica. R.S.	Indian.	E. Indies.	....	....	S. ħ.	
3 articulata. R.S.	jointed.	———	1816.	....	S. ħ.	Vahl. symb. 2. t. 32.
4 dioica. H.B.	diœcious.	———	1812.	....	S. ħ.	
5 germanica. R.S.	green-wooded.	Germany.	1582.	6. 9.	H. ħ.	Flor. dan. t. 234.

ORDO LXXXI.

CUCURBITACEÆ. *Juss. gen.* 393.

GRONOVIA. W.	GRONOVIA. Pentandria Monogynia. L.						
scandens. w.	climbing.	Jamaica.	1731.	6. 7.	S.♃.◡.	Jacq. ic. 2. t. 338.
SICYOS. W.	SICYOS. Monœcia Monadelphia. W.						
1 angulata. w.	angular-leav'd.	N.America.	1710.	7. 9.	H.☉.◡.	Lam. ill. t. 796.
2 parviflora. w.	small-flowered.	Mexico.	1823.	——	H.☉.◡.	
3 microphylla. Kth.	small-leaved.	—— ——	——	——	H.☉.◡.	
4 vitifolia. w.	Vine-leaved.	.....	——	——	H.☉.◡.	
SECHIUM. Sw.	CHOKO. Monœcia Monadelphia.						
edule. Sw.	eatable.	S. America.	1823.	7. 8.	F.☉.◡.	
BRYONIA. W.	BRYONY. Monœcia Monadelphia. W.						
1 scabra. w.	globe-fruited.	C. B. S.	1774.	9. 10.	G.♃.◡.	
2 verrucosa. w.	rough.	Canaries. .	1779.	6. 10.	G.♃.◡.	
3 punctata. w.	dotted.	C. B. S.	1816.	——	G.♃.◡.	
4 cordata. w.	cordate.	—— ——	——	——	G.♃.◡.	
5 grandis. w.	great-flowered.	E. Indies.	1783.	5. 8.	S.♃.◡.	Rumph.am.5.t.166.f.1.
6 epigæa. w.	umbel-flower'd.	—— ——	1815.	——	S.♃.◡.	
7 scabrella. w.	rough-seeded.	—— —	1781.	6. 7.	S.☉.◡.	
8 latebrosa. w.	hairy.	Canaries.	1779.	6. 8.	G.♃.◡.	
9 triloba. w.	three-lobed.	C. B. S.	1816.	——	G.☉.◡.	
10 dioica. w.	common.	Britain.	....	5. 9.	H.♃.◡.	Eng. bot. 439.
11 alba. w.	white.	Europe.	1807.	6. 7.	H.♃.◡.	Lam. ill. t. 796.
12 cretica. w.	Cretan.	Candia.	1759.	7. 9.	G.♃.◡.	Desf. an. mus. 12. t. 17.
13 quinqueloba. w.	five-lobed.	C. B. S.	....	6. 10.	G.♃.◡.	Botan. regist. 82.
14 ficifolia. w.	Fig-leaved.	BuenosAyres.	1726.	——	G.♃.◡.	Dill. elth. t. 50. f. 58.
15 divisa. w.en.	divided-leaved.	.....	1818.	——	G.♃.◡.	
16 palmata. w.	palmated.	Ceylon.	1778.	7. 8.	S.♃.◡.	
17 Garcini. w.	Ceylon.	——— —	1818.	——	S.♃.◡.	Burm. ind. t. 57. f. 3.
18 laciniosa. w.	laciniated.	E. Indies.	1710.	——	S.♃.◡.	Herm. lugd. t. 97.
19 africana. w.	African.	C. B. S.	1759.	——	G.♃.◡.	Herm. parad. t. 708.
20 dissecta. w.	smooth-leaved.	———	1710.	——	G.♃.◡.	
21 pinnatifida. B.T.	pinnatifid.	—— ——	1816.	——	G.♃.◡.	
22 tenella. H.B.	slender.	E. Indies.	1820.	——	S.♃.◡.	
23 filiformis. H.B.	filiform.	—— ——	——	——	S.♃.◡.	
ELATERIUM. L.	ELATERIUM. Monœcia Monandria. W.						
tamnoides. W.en.	Tamus-leaved.	Mexico.	1818.	6. 9.	H.☉.◡.	
MELOTHRIA. W.	MELOTHRIA. Triandria Monogynia. W.						
pendula. w.	pendulous.	America.	1752.	6. 7.	H.☉.	Plum. ic. t. 66. f. 2.
ANGURIA. W.	ANGURIA. Monœcia Diandria. W.						
trilobata. w.	three-lobed.	Carthagena.	1793.	——	S.♃.◡.	Jacq. amer. pict. t. 234.
LUFFA. P.S.	LUFFA. Monœcia Pentandria.						
1 fœtida. P.S.	stinking.	Isl.France.	1812.	6. 10.	F.☉.◡.	Botan. magaz. 1638.
2 acutangula. H.B.	acute-angled.	E. Indies.	1818.	——	F.☉.◡.	
3 clavata. H.B.	upright.	———	1820.	——	F.☉.	
4 amara. H.B.	bitter.	——— —	——	——	F.☉.◡.	
5 graveolens. H.B.	strong-scented.	———	1823.	——	F.☉.◡.	
6 racemosa. H.B.	racemed.	—— ——	——	——	F.☉.◡.	
MOMORDICA. W.	MOMORDICA. Monœcia Monandria. W.						
1 Balsamina. w.	Balsam Apple.	India.	1568.	6. 7.	F.☉.◡.	
2 Charantia. w.	hairy.	E. Indies.	1710.	——	F.☉.◡.	Botan. magaz. 2455.
3 muricata. w.	tubercled.	——— —	....	——	F.☉.◡.	Rheed. mal. 8. t. 10.
4 operculata. w.	rough-fruited.	W. Indies.	1731.	6. 9.	F.☉.◡.	Comm. rar. t. 22.
5 ? Luffa. w.	Egyptian.	Egypt.	1739.	7. 8.	F.☉.◡.	
6 monadelpha. H.B.	perennial.	E. Indies.	1812.	——	S.♃.◡.	
7 dioica. H.B.	diœcious.	———	1820.	——	S.♃.◡.	Rheed. mal. 8. t. 18.
8 mixta. H.B.	mixed.	———	——	——	S.♃.◡.	
9 umbellata. H.B.	umbel-flower'd.	—— ——	1818.	——	S.♃.◡.	
10? Elaterium. w.	squirting Cucumber.	S.Europe.	1548.	6. 7.	H.♃.	Botan. magaz. 1914.
CUCUMIS. W.	CUCUMBER. Monœcia Monadelphia. W.						
1 Colycinthis. w.	bitter.	C. B. S.	1551.	5. 8.	F.☉.	

2 prophetarum. W.	globe.	Levant.	1777.	6. 9.	F.⊙.	Jacq. vind. 1. t. 9.
3 africanus. L.	African.	C. B. S.	1816.	——	H.⊙.	Herm. parad. t. 134.
4 Anguria. W.	round prickly.	Jamaica.	1692.	7. 8.	F.⊙.	Mill. ic. 1. t. 38.
5 acutangulus. W.	acute-angled.	India.	——	6. 9.	F.⊙.	Jacq. vind. 3. t. 73. 74.
6 Melo. W.	Melon.	Tartary.	1570.	6. 9.	F.⊙.	
7 deliciosus. Roth.	delicious.	E. Indies.	1818.	——	F.⊙.	
8 Dudaim. W.	Apple-fruited.	Levant.	1705.	7. 8.	H.⊙.	Andr. reposit. 548.
9 Chate. W.	hairy.	———	1759.	6. 7.	H.⊙.	Alp. ægypt. t. 117.
10 pubescens. W.	pubescent.	.....	1815.	6. 9.	F.⊙.	
11 sativus. W.	common.	E. Indies.	1573.	7. 9.	H.⊙.	
12 Momordica. H.B.	Momordica-like.	———	1812.	——	F.⊙.	
13 utilitissimus. H.B.	useful.	———	1820.	——	F.⊙.	
14 turbinatus. H.B.	top-shaped.	———	——	——	F.⊙.	
15 anguinus. W.	Snake-fruited.	———	——	——	F.⊙.	Rumph. amb. 5. t. 148.
16 flexuosus. W.	flexuose-snake.	———	1597.	5. 9.	F.⊙.	Ger. herb. 763. f. 3.
17 maderaspatanus. W.	Madras.	———	1805.	7. 8.	F.⊙.	Pluk. alm. t. 170. f. 2.
18 integrifolius. H.B.	entire-leaved.	———	1825.	——	F.⊙.◡.	

CUCURBITA. W. Gourd. Monœcia Monadelphia. W.

1 lagenaria. W.	bottle.	India.	1597.	7. 9.	H.⊙.◡.	Rumph. amb. 5. t. 144.
2 Pepo. W.	Pumpkin.	Levant.	1570.	6. 8.	H.⊙.◡.	
3 Potira. P.S.	large-fruited.	.....	....	——	H.⊙.◡.	
4 moschata. Duc.	musky.	.....	....	——	H.⊙.◡.	
5 maxima. Duc.	largest.	.....	....	——	H.⊙.◡.	
6 aurantia. W.	orange-fruited.	.....	1802.	——	H.⊙.◡.	
7 ovifera. W.	egg-shaped.	Astracan.	....	——	H.⊙.◡.	
8 verrucosa. W.	warted.	.....	1658.	——	H.⊙.◡.	
9 Melopepo. W.	Squash.	.....	1597.	5. 9.	H.⊙.◡.	Moris. s. 1. t. 8.
10 Citrullus. W.	Water Melon.	S. Europe.	——	——	F.⊙.	Rumph. amb. 5. t. 146.

TRICHOSANTHES. W. Snake-Gourd. Monœcia Monadelphia. W.

1 Anguina. W.	common.	China.	1755.	5. 6.	F.⊙.◡.	Botan. magaz. 722.
2 dioica. H.B.	dicœcious.	E. Indies.	1820.	——	S.ɣ.◡.	
3 cucumerina. W.	Cucumber-like.	———	1804.	6. 7.	F.⊙.◡.	Rheed. mal. 8. t. 15.
4 lobata. H.B.	lobed-leaved.	———	1812.	——	F.⊙.◡.	
5 cordata. H.B.	heart-leaved.	———	1823.	....	S.⊙.◡.	

CERATOSANTHES. J. Horn-Gourd. Monœcia Monadelphia.

tuberosa.	tuberous-root'd.	W. Indies.	1810.	6. 7.	S.ɣ.	Plum. ic. 24.
Trichosanthes tuberosa. W.						

CARICA. W. Papaw-tree. Dicœcia Decandria. L.

1 Papaya. W.	common.	India.	1690.	7. 8.	S.ħ.	Botan. regist. 459.
2 caulifiora. W.	stem-flowering.	Caracas.	1806.	6. 8.	S.ħ.	Jacq. schœn. 3. t. 311.
3 microcarpa. W.	small-fruited.	—— ——	——	——	S.ħ.	——— 3. t. 309-10.
4 monoica. Desf.	monœcious.	.....	1816.	....	S.ħ.	
5 spinosa. W.	spiny.	Guiana.	1822.	....	S.ħ.	Aub. gui. 2. t. 246.

ORDO LXXXII.

FICOIDEÆ. *Juss. gen.* 315.

REAUMURIA. W. Reaumuria. Icosandria Pentagynia.

hypericoides. W.	Hypericum-like.	Syria.	1800.	7. 10.	G.ħ.	Botan. magaz. 2057.

NITRARIA. W. Nitraria. Dodecandria Monogynia. W.

1 caspica. W.en.	Caspian.	Caspia.	1822.	....	H.ħ.	
2 Schoberi. W.	Siberian.	Siberia.	1778.	5. 8.	H.ħ.	Andr. reposit. 529.
3 tridentata. W.	African.	Barbary.	1822.	....	H.ħ.	

SESUVIUM. W. Sesuvium. Icosandria Trigynia. L.

1 pedunculatum. Dc.	peduncled.	W. Indies.	1692.	6. 8.	S.ɣ.	Lam. ill. t. 434. f. 1.
2 sessile. P.S.	sessile-flow'r'd.	—— ——	....	——	S.ɣ.	DC. plant. grass. 9.
Portulacastrum. W.						
3 revolutifolium. W.en.	revolute-leav'd.	S. America.	....	7. 8.	S.ɣ.	Botan. magaz. 1701.
4 longifolium. W.en.	long-leaved.	———	1816.	——	S.⊙.	
5 repens. W.en.	creeping.	E. Indies.	——	——	S.⊙.	Rumph. amb. 5. t. 72. f. 1.

AIZOON. W.	Aizoon. Icosandria Pentagynia. L.						
1 canariense. W.	Purslane-ld.	Canaries.	1731.	7. 8.	H.⊙.	Andr. reposit. 201.
2 perfoliatum. W.	perfoliate.	C. B. S.	1816.	6. 8.	G.♄.	
3 glinoides. W.	hairy.	—— ——	1774.	——	G.♄.	
4 hispanicum. W.	Spanish.	Spain.	1728.	7. 8.	H.⊙.	DC. plant. grass. 30.
5 lanceolatum. W.	spear-leaved.	C. B. S.	1752.	8.	G.♂.	
GLINUS. W.	Glinus. Dodecandria Pentagynia. L.					
lotoides. W.	hairy.	S. Europe.	1788.	7.	H.⊙.	Bocc. sic. 21. t. 11.
MESEMBRYANTHEMUM. Fig-marygold. Icosandria Pentagynia. L.						
1 minutum. H.B.	small-white.	C. B. S.	1795.	9. 11.	I.♃.	Botan. magaz. 1376.
2 minimum. H.B.	small chequer'd.	—— ——	1776.	9. 12.	I.♃.	Pet. gaz. t. 39. 3.
3 perpusillum. H.B.	small exserted.	—— ——	1819.	——	I.♃.	
4 obcordellum. H.B.	glaucous chequer'd.	—— ——	1776.	10. 2.	I.♃.	Botan. magaz. 1647.
5 obconellum. H.B.	green chequer'd.	—— ——	1794.	——	I.♃.	
6 ficiforme. H.B.	fig-shaped.	—— ——	1819.	....	I.♃.	
7 truncatellum. H.B.	large dotted.	—— ——	1795.	10. 2.	I.♃.	
8 fibuliforme. H.B.	cloth button.	—— ——	——	11.	I.♃.	
9 uvæforme. H.B.	Grape-like.	—— ——	1820.	....	I.♃.	Burm. dec. t. 10. f. 2?
10 nuciforme. H.B.	nut-shaped.	—— ——	1790.	....	I.♃.	
11 testiculare. H.B.	broad short white.	—— ——	1774.	11.	I.♃.	
12 octophyllum. H.B.	narrow short white.	—— ——	——	——	I.♃.	Botan. magaz. 1573.
testiculare. B.M.						
β *longiusculum*.	*longer-leaved*.	—— ——	——	——	I.♃.	
γ *roseum*.	*rosy*.	—— ——	——	——	I.♃.	
13 obtusum. H.B.	obtuse cloven.	—— ——	1792.	3. 4.	I.♃.	
14 fissum. H.B.	cloven white.	—— ——	1776.	....	I.♃.	
15 digitiforme. H.B.	finger-formed.	—— ——	1775.	....	I.♃.	
digitatum. H.K?						
16 magnipunctum. H.B.	great dotted club.	—— ——	1816.	9. 11.	I.♃.	
α *sesquiunciale*. H.B.	*thickest-leaved*.	—— ——	——	....	I.♃.	
β *unciale*. H.B.	*thinner-leaved*.	—— ——	——	....	I.♃.	
17 nobile. H.P.	noble.	—— ——	——	11.	I.♃.	
18 canum. H.B.	hoary club-ld.	—— ——	1795.	....	I.♃.	
19 aloides. H.B.	Aloe-like.	—— ——	1816.	9. 11.	I.♃.	
20 caninum. H.B.	dog-chop.	—— ——	1717.	8. 10.	G.♄.	DC. plant. grass. 95.
21 vulpinum. H.B.	fox-chop.	—— ——	1795.	——	G.♄.	
22 hybridum. H.B.	hybrid.	Hybrid.	....	——	G.♃.	
23 albidum. H.B.	white.	C. B. S.	1714.	7. 8.	G.♃.	Botan. magaz. 1824.
24 tigrinum. H.P.	tiger-chop.	—— ——	1790.	9. 11.	G.♃.	Botan. regist. 260.
25 felinum. H.P.	cat-chop.	—— ——	1730.	8. 11.	G.♃.	DC. plant. grass. 152.
26 lupinum. H.P.	wolf's chop.	—— ——	1822.	....	G.♃.	
27 mustelinum. H.P.	weasel-chop.	—— ——	1818.	8. 11.	G.♃.	
28 murinum. H.P.	mouse-chop.	—— ——	1790.	9.	G.♃.	
29 dolabriforme. H.B.	hatchet-leaved.	—— ——	1705.	5. 11.	G.♄.	Botan. magaz. 32.
30 carinans. H.B.	scymetar-ld.	—— ——	1820.	....	G.♃.	
31 scapiger. H.P.	great-scaped.	—— ——	1822.	8. 9.	G.♃.	
32 denticulatum. H.B.	toothed, beak'd.	—— ——	1793.	4.	G.♃.	
α *canum*. H.B.	*white-leaved*.	—— ——	——	——	G.♃.	
β *glaucum*. H.B.	*glaucous-leaved*.	—— ——	——	——	G.♃.	
γ *candidissimum*. H.B.	*whitest*.	—— ——	——	——	G.♃.	
33 robustum. H.B.	robust-beaked.	—— ——	1795.	....	G.♃.	
34 compactum. H.B.	compact.	—— ——	1780.	11.	G.♄.	
35 quadrifidum. H.B.	quadrifid.	—— ——	1795.	——	G.♄.	
36 bifidum. H.B.	bifid beaked.	—— ——	——	——	G.♃.	
37 bibracteatum. H.B.	double-bracted.	—— ——	1803.	4. 11.	G.♄.	
38 rostratum. H.B.	heron-beaked.	—— ——	1732.	4. 5.	G.♃.	Dill. elth. f. 229.
β *tuberculatum*. H.B.	*tuberculate*.	—— ——	....	——	G.♃.	
39 ramulosum. H.B.	small-beaked.	—— ——	1803.	3. 11.	G.♄.	
40 pisiforme. H.B.	pea-shaped.	—— ——	1796.	...	I.♃.	
41 moniliforme. H.B.	necklace.	—— ——	1791.	3. 4.	I.♃.	
42 scalpratum. H.B.	great tongue.	—— ——	1714.	8. 10.	G.♃.	Dill. elth. t. 183. f. 224.
43 fragrans. H.B.	sweet-scented.	—— ——	1820.	——	G.♃.	
44 præpingue. H.B.	soft-tongue.	—— ——	1792.	——	G.♃.	
45 medium. H.B.	large-tongue.	—— ——	1816.	——	G.♃.	
46 cultratum. H.B.	long cultrated.	—— ——	1820.	——	G.♃.	
47 lucidum. H.B.	high-polished.	—— ——	1768.	——	G.♃.	Dill. elth. f. 227.
48 adscendens. H.B.	long-peduncl'd.	—— ——	1805.	8. 11.	G.♃.	
49 pustulatum. H.B.	blist'r'd tongue.	—— ——	1816.	——	G.♃.	

50	longum. H.R.	long thin-l^{d}.	C. B. S.	1735.	8. 10.	G. ♃.	
	α flaccidum. H.R.	*long-flaccid.*	———	——	——	G. ♃.	Botan. magaz. 1866.
	depressum. B.M. *nec aliorum.*						
	β declive. H.R.	*lesser erect-edg'd.*	———	——	——	G. ♃.	
	γ angustius. H.R.	*tufted narrow-l^{d}.*	———	1819.	——	G. ♃.	
	δ purpurascens. H.R.	*purple green.*	———	1819.	——	G. ♃.	
	ε uncatum. H.R.	*leaden green.*	———	——	——	G. ♃.	
	ζ attollens. H.R.	*narrow dark.*	———	——	——	G. ♃.	
51	linguæforme. H.R.	common tongue.	———	1732.	11. 3.	G. ♃.	Dill. elth. f. 226?
	β rufescens. H.R.	*reddish green.*	———	1804.	....	G. ♃.	
	γ subcruciatum. H.R.	*subcruciate.*	———	1820.	8. 11.	G. ♃.	
	δ prostratum. H.R.	*prostrate.*	———	——	——	G. ♃.	
	ε assurgens. H.R.	*assurgent.*	———	1819.	——	G. ♃.	
52	latum. H.R.	broad tongue.	———	1732.	——	G. ♃.	Dill. elth. f. 225.
	β breve. H.R.	*short flat.*	———	1802.*	——	G. ♃.	
53	depressum. H.R.	small recurving-l^{d}.	———	1795.	9. 11.	G. ♃.	Dill. elth. f. 226?
	α pallens. H.R.	*light green.*	———	——	——	G. ♃.	
	β lividum. H.R.	*rufous green.*	———	1819.	——	G. ♃.	
54	cruciatum. H.R.	soft cruciate.	———	1792.	5. 11.	G. ♄.	
55	taurinum. H.R.	Bull's-horn.	———	1795.	9. 11.	G. ♄.	
56	Salmii. H.R.	Prince de Salm's.	———	1818.	——	G. ♃.	
	α decussatum. H.R.	*decussate.*	———	——	——	G. ♃.	
	β semicruciatum. H.R.	*semicruciate.*	———	1820.	——	G. ♃.	
	γ angustifolium. H.R.	*narrow-leaved.*	———	——	——	G. ♃.	
57	surrectum. H.R.	thick acute tongue.	———	1810.	——	G. ♃.	
58	heterophyllum. H.R.	various-leaved.	———	1795.	——	G. ♃.	
59	angustum. H.R.	narrow tongue.	———	1790.	3. 10.	G. ♃.	
	β pallidum. H.R.	*paler-leaved.*	———	1819.	....	G. ♃.	
	γ heterophyllum. H.K.	*semcylindric-l^{d}.*	———	....	8. 10.	G. ♃.	Andr. reposit. 549.
60	difforme. H.R.	difformed.	———	1732.	——	G. ♄.	Dill. elth. f. 242.
61	bidentatum. H.R.	double-toothed.	———	1816.	——	G. ♃.	
	α minus. H.R.	*smaller.*	———	——	——	G. ♃.	
	β majus. H.R.	*larger.*	———	——	——	G. ♃.	
62	semicylindricum. H.R.	small difform'd.	———	1732.	3. 11.	G. ♄.	Dill. elth. t. 194. f. 241.
63	gibbosum. H.R.	great pale gibbous.	———	1780.	1. 4.	G. ♃.	
64	luteo-viride. H.R.	long pale gibbous.	———	1795.	——	G. ♄.	
65	perviride. H.R.	dark green gibbous.	———	1792.	1. 5.	G. ♄.	
66	pubescens. H.R.	hoary gibbous.	———	——	——	G. ♄.	
67	calamiforme. H.R.	white fl^{d}. quill.	———	1717.	7. 9.	G. ♄.	DC. plant. grass. t. 5.
68	obsubulatum. H.R.	reversed quill.	———	1796.	....	G. ♄.	
69	cylindricum. H.R.	cylindric quill.	———	1792.	9. 2.	G. ♄.	
70	teretifolium. H.R.	round quill.	———	1794.	——	G. ♄.	
71	teretiusculum. H.R.	roundish quill.	———	——	——	G. ♄.	
72	bellidiflorum. H.R.	daisy-flowered.	———	1717.	6. 8.	G. ♄.	Dill. elth. 224. t. 233.
	α glaucescens. H.R.	*small glaucous.*	———	——	——	G. ♄.	
	β subulatum. H.R.	*great green.*	———	1768.	——	G. ♄.	DC. plant. gras. t. 41.
	γ viride. H.R.	*pea green.*	———	1822.	——	G. ♄.	
73	acutum. H.R.	great awl-l^{d}.	———	1793.	11. 4.	G. ♃.	
74	punctatum. H.R.	middle-spotted.	———	....	....	G. ♃.	
75	diminutum. H.R.	small awl-l^{d}.	———	1789.	4.	G. ♃.	
	β cauliculatum. H.R.	*stalked.*	———	1817.	——	G. ♃.	
76	loreum. H.R.	leathery-stalk'd.	———	1732.	9.	G. ♄.	Dill. elth. t. 200. f. 255.
	β congestum. H.R.	*crowded-leaved.*	———	1805.	....	G. ♄.	
77	diversifolium. H.R.	short horn-l^{d}.	———	1726.	3. 10.	G. ♄.	Dill. elth. t. 198. f. 262.
	α majus. H.R.	*larger.*	———	——	——	G. ♄.	
	β glaucius. H.R.	*glaucescent.*	———	....	——	G. ♄.	
	γ brevifolium. H.R.	*short-leaved.*	———	....	8.	G. ♄.	
	δ læte-virens. H.R.	*pale green.*	———	....	....	G. ♄.	
	ε atro-virens. H.R.	*dark green.*	———	....	8. 9.	G. ♄.	
78	decipiens. H.R.	middle horn-l^{d}.	———	1820.	....	G. ♄.	
79	dubium. H.R.	round stalked.	———	1800.	11. 5.	G. ♄.	Bradl. succ. d. 4. t. 40.
80	corniculatum. H.R.	long horn-l^{d}.	———	1732.	3. 5.	G. ♄.	DC. plant. gras. 106.
81	procumbens. H.R.	purple-jointed.	———	1820.	....	G. ♄.	
82	tricolorum. H.R.	three-coloured.	———	1794.	10.	G. ♄.	
83	pugioniforme. H.R.	great dagger-l^{d}.	———	1714.	7. 9.	G. ♄.	DC. plant. gras. 72.
	β carneum. H.R.	*flesh-coloured.*	———	....	——	G. ♄.	
	γ purpureum. H.R.	*purple.*	———	....	——	G. ♄.	
	δ bienne. H.R.	*biennial.*	———	....	——	G. ♂.	

84	capitatum. H.R.	lesser dagger-ld.	C. B. S.	1717.	7. 9.	G. ♄.	Botan. regist. 494.
	β *ramigerum.* H.R.	*branching.*	——	1816.	——	G. ♄.	
85	brevicaule. H.R.	dwarf dagger-ld.	——	——	——	G. ♄.	
86	coruscans. H.R.	glittering dagger.	——	1813.	——	G. ♄.	
87	elongatum. H.R.	tuberous long-ld.	——	1793.	5.	G. ♄.	
	α *grandiflorum.*	*large-flowered.*	——	——	——	G. ♄.	
	β *minus.* H.R.	*lesser.*	——	——	——	G. ♄.	Botan. regist. 493.
88	geminiflorum. H.R.	small pale.	——	1819.	——	G. ♄.	
89	simile. H.R.	short-jointed.	——	——	....	G. ♄.	
90	laxum. H.R.	long-jointed.	——	——	....	G. ♄.	
91	sarmentosum. H.R.	sarmentose.	——	1805.	4.	G. ♄.	
92	rigidicaule. H.R.	stiff-stemmed.	——	1819.	....	G. ♄.	
93	Schollii. H.R.	Scholl's.	——	1818.	....	G. ♄.	Jacq. frag. t. 51. f. 2.
	aduncum. Jacq. *non* H. *recurvum.* H.S.S.						
94	filamentosum. H.R.	thready.	——	1732.	3. 4.	G. ♄.	Dill.elth. t. 212. f. 273.
95	serrulatum. H.R.	rosy-stalked.	——	1795.	11. 12.	G. ♄.	
	α *glaucum.* H.R.	*glaucous.*	——	——	——	G. ♄.	
	β *viridius.* H.R.	*greenish.*	——	——	——	G. ♄.	
96	rubricaule. H.R.	deep red-stalk'd.	——	1802.	12. 2.	G. ♄.	
	α *gracilius.* H.R.	*slenderest.*	——	——	——	G. ♄.	
	β *densius.* H.R.	*crowded.*	——	....	....	G. ♄.	
	γ *subvirens.* H R.	*tall-green.*	——	....	....	G. ♄.	
97	acinaciforme. H.R.	great scymetar-ld.	——	1714.	8. 9.	G. ♄.	Dill. elth. f. 270. 271.
	α *breve.* H.R.	*short-branched.*	——	——	——	G. ♄.	Andr. reposit. 506.
	β *longum.* H.R.	*longer-branched.*	——	——	——	G. ♄.	
98	lævigatum. H.R.	smooth scymetar.	——	1802.	——	G. ♄.	
99	rubro-cinctum. H.R.	red-edged.	——	1811.	——	G. ♄.	
	α *crassum.* H.R.	*thick-leaved.*	——	——	....	G. ♄.	
	β *compressum.* H.R.	*compressed.*	——	....	....	G. ♄.	
	γ *tenerum.* H.R.	*tender.*	——	....	....	I. ♄.	
100	subalatum. H.R.	wing-stalked.	——	1802.	....	G. ♄.	
101	edule. H.R.	Hottentot's-fig.	——	1690.	7. 8.	G. ♄.	Dill. elth. t. 212. f. 272.
102	dimidiatum. H.R.	lesser eatable.	——	1811.	....	G. ♄.	
103	glaucescens. H.R.	glaucescent.	N.Holland.	1804.	7.	G. ♄.	
104	Rossi. H.R.	Ross's.	V.Diem.Isl.	1821.	....	G. ♄.	
105	virescens. H.R.	virescent.	N.Holland.	1804.	6. 8.	G. ♄.	
106	æquilaterale. H.R.	equal angled.	——	1791.	——	G. ♄.	
107	virens. H.R.	smooth-edged green.	C. B. S.	1821.	....	G. ♄.	
108	reptans. H.R.	creeping.	——	1774.	6. 8.	G. ♄.	
109	australe. H.R.	New Zealand.	N.Zealand.	1773.	——	G. ♄.	
110	crassifolium. H.R.	thick-leaved.	C. B. S.	1727.	5. 8.	G. ♄.	Dill. elth. t. 208, f. 257.
111	clavellatum. H.R.	club-ld. creeping.	N.Holland.	1803.	6. 7.	G. ♄.	
	β *aggregatum.* H.R.	*cluster branched.*	——	——	——	G. ♄.	
	γ *minus.* H.R.	*shorter-branch'd.*	——	——	——	G. ♄.	
112	forficatum. H.R.	scissor-leaved.	C. B. S.	1758.	9. 10.	G. ♄.	Jacq. vind. 1. t. 26.
113	geminatum. H.R.	white twin-shooted.	——	1792.	....	G. ♄.	
114	marginatum. H.R.	white-edged.	——	1793.	....	G. ♄.	
115	rostellum. H.R.	little prostrate beak.	——	1820.	8. 10.	G. ♄.	
116	perfoliatum. H.R.	great-hooked.	——	1714.	6. 8.	G. ♄.	Dill. elth. t. 192. f. 240.
	α *tricanthum.* H.R.	*three-thorned.*	——	——	——	G. ♄.	Bradl. suc. 5. t. 46.
	β *monacanthum.* H.R.	*one-thorned.*	——	——	——	G. ♄.	Bradl. suc. dec. 3. f. 26.
117	uncinellum. H.R.	small-hooked.	——	1819.	...	G. ♄.	
118	uncinatum. H.R.	greenish-hook'd.	——	1725.	8.	G. ♄.	DC. plant. grass. 54.
119	semidentatum. H.R.	slender-hook'd.	——	1818.	....	G. ♄.	
120	viride. H.R.	deep green.	——	1792.	7.	G. ♄.	
121	acutangulum. H.P.	sharp-angled.	——	1820.	...	G. ♄.	
122	curtum. H.R.	short-sheathed.	——	1811.	....	G. ♄.	
	β *majus.* H.R.	*larger.*	——	——	....	G. ♄.	
	γ *politum.* H.R.	*polished.*	——	——	....	G. ♄.	
123	hamatum. W.	hook'd sheathing.	——	——	....	G. ♄.	
124	vaginatum. H.R.	rough sheathing.	——	1802.	7. 8.	G. ♄.	
	β *parviflorum.* H.R.	*smaller-flow'r'd.*	——	——	——	G. ♄.	
125	parviflorum. H.R.	small-flowered.	——	1800.	8.	G. ♄.	
126	rigidum. H.R.	rigid.	——	1793.	——	G. ♄.	
127	tenellum. H.R.	least perfoliate.	——	1792.	——	G. ♄.	
128	imbricatum. H.R.	imbricated.	——	1792.	7.	G. ♄.	
129	multiflorum. H.R.	many-flowered.	——	——	7. 9.	G. ♄.	Pluk. phyt. t. 117. f. 1.
	α *majus.* H.R.	*larger white.*	——	——	——	G. ♄.	
	β *minus.* H.R.	*lesser white.*	——	——	——	G. ♄.	

	γ *rubrum*. H.B.	*red-flowered*.	C. B. S.	1816.	....	G. ♄.	
	δ *patens*. H.R.	*single flowered*.	——	——	....	G. ♄.	
	ε *nitens*. H.R.	*bright-green*.	——	....	....	G. ♄.	
130	umbellatum. H.R.	umbel-flower'd.	——	1727.	6. 9.	G. ♄.	Dill. elth. t. 208. f. 268.
131	tumidulum. H.R.	tumid.	——	1802.	8.	G. ♄.	
132	foliosum. H.R.	many-leaved.	——	——	9.	G. ♄.	
133	lineolatum. H.R.	tumid sheath'd.	——	1819.	....	G. ♄.	
	β *minus*. H.R.	*lesser*.	——	——	....	G. ♄.	
	γ *nitens*. H.R.	*glittering*.	——	——	...	G. ♄.	
134	serratum. H.R.	saw-keeled.	——	1707.	6. 7.	G. ♄.	Dill. elth. t. 192. f. 238.
135	lacerum. H.R.	ragged-keeled.	——	1792.	6.	G. ♄.	
136	heteropetalum. H.R.	various-petal'd.	——	1794.	5. 8.	G. ♄.	
137	glaucinum. H.R.	glaucine.	——	1818.	....	G. ♄.	
	α *angustum*. H.R.	*slenderest-ld*.	——	——	....	G. ♄.	
	β *crassum*. H.R.	*thicker-leaved*.	——	——	....	G. ♄.	
138	mutabile. H.R. *filamentosum*. DC.	changeable.	——	1792.	7. 9.	G. ♄.	DC. plant. gras. 60.
139	inclaudens. H.R.	open-flowered.	——	1805.	6. 9.	G. ♄.	Andr. reposit. 388.
140	caulescens. H.R.	smooth delta-ld.	——	1731.	5. 7.	G. ♄.	Dill. elth. f. 243-4.
141	deltoides. H.R.	great delta-ld.	——	——	5.	G. ♄.	DC. plant. gras. 53.
142	muricatum. H.R.	small delta-ld.	——	——	——	G. ♄.	Dill. elth. t. 195. f. 246.
	β *minus*. H.R.	*smaller-leaved*.	——	....	——	G. ♄.	
143	microphyllum. H.R.	small-green-ld.	——	1795.	——	G. ♄.	
144	mucronatum. H.R.	bristle-pointed.	——	1794.	....	G. ♄.	
145	pygmæum. H.R.	pygmy connate.	——	1820.	....	G. ♄.	
146	canescens. H.R. *pulchellum*. H.S.	small grey-ld.	——	1793.	4.	G. ♄.	
	β *revolutum*. H.R.	*revolving*.	——	1819.	——	G. ♄.	
147	maximum. H.R.	great crescent-ld.	——	1787.	8. 8.	G. ♄.	
148	lunatum. H.R.	small crescent-ld.	——	....	....	G. ♄.	
149	falcatum. H.R.	small sickle-ld.	——	1727.	6. 8.	G. ♄.	Dill. elth. f. 275-6.
150	decumbens. H.R.	dwarf decumbent.	——	1759.	5. 10.	G. ♄.	
151	incurvum. H.R.	incurved.	——	1802.	6.	G. ♄.	
	β *dilatans*. H.R.	*dilated*.	——	1805.	9. 10.	G. ♄.	
	γ *pallidius*. H.R.	*pale-flowering*.	——	——	——	G. ♄.	
	δ *densifolium*. H.R.	*dense lesser-ld*.	——	1819.	——	G. ♄.	
	ε *roseum*. H.R.	*rosy*.	——	——	——	G. ♄.	
152	confertum. H.R.	crowded-ld.	——	1805.	——	G. ♄.	
153	falciforme. H.R.	sickle-shaped.	——	——	7. 8.	G. ♄.	
154	glomeratum. H.R.	clustered.	——	1732.	6. 8.	G. ♄.	Dill. elth. t. 213. f. 274.
155	inflexum. H.R.	inflex-leav'd.	——	1818.	....	G. ♄.	
156	scabrum. H.R.	rough.	——	1731.	7.	G. ♄.	Dill. elth. t. 197. f. 251.
	α *pallidum*. H.R.	*pale-bloomed*.	——	——	——	G. ♄.	
	β *purpureum*. H.R.	*purple*.	——	——	——	G. ♄.	
157	versicolor. H.R.	changeable rough.	——	1795.	5. 8.	G. ♄.	
158	retroflexum. H.R.	reflex-flower'd.	——	1794.	5. 10.	G. ♄.	
159	imbricans. H.R.	imbricate-ld.	——	1818.	....	G. ♄.	
160	deflexum. H.R.	smooth deflex'd.	——	1774.	7. 10.	G. ♄.	
161	leptaleon. H.R.	slender deflex'd.	——	1820.	——	G. ♄.	
162	polyanthon. H.R.	copious-flow'r'd.	——	1803.	8.	G. ♄.	
163	flexile. H.R.	little flexile.	——	1820.	——	G. ♄.	
164	polyphyllum. H.R.	crowded-ld.	——	1819.	6. 10.	G. ♄.	
165	violaceum. H.R.	deep violaceous.	——	1820.	10.	G. ♄.	
166	emarginatum. H.R.	notch-petal'd.	——	1732.	6. 8.	G. ♄.	Dill. elth. t. 197. f. 250.
167	dilatatum. H.R.	gibbous-keeled.	——	1795.	7.	G. ♄.	
168	virgatum. H.R.	slender-twigg'd.	——	1793.	2. 4.	G. ♄.	
169	bracteatum. H.R.	double-bracted.	——	1774.	7. 10.	G. ♄.	
170	anceps. H.R.	broad-bracted.	——	1811.	9. 10.	G. ♄.	
	β *pallidum*. H.R.	*paler-flowered*.	——	——	——	G. ♄.	
171	gracile. H.R. *stellatum*. H.S. *non* DC.	slender bracteate.	——	1794.	8. 11.	G. ♄.	
	β *gracilius*. H.R.	*pale flat-bracted*.	——	....	——	G. ♄.	
172	radiatum. H.R.	radiate.	——	1732.	——	G. ♄.	Dill. elth. t. 197. f. 249.
173	compressum. H.R.	rough compress'd.	——	1792.	7. 9.	G. ♄.	
174	patulum. H.R.	paler-flowered.	——	1811.	10. 11.	G. ♄.	
175	asperum. H.R.	large rough-ld.	——	1818.	....	G. ♄.	
	α *majus*. H.R.	*broader-leaved*.	——	——	....	G. ♄.	
	β *cæruleseens*. H.R.	*bluish-leaved*.	——	1820.	....	G. ♄.	
176	formosum. H.R.	white-ey'd red.	——	——	8. 9.	G. ♄.	

177	spectabile. H.R.	glaucous showy.	C. B. S.	1787.	5. 8.	G. ♄.	Botan. magaz. 396.
178	conspicuum. H.R.	dark red showy.		1806.	9. 10.	G. ♄.	
179	blandum. H.R.	fair-flowered.		1816.	6. 12.	G. ♄.	Botan. regist. 582.
180	curviflorum. H.R.	incurving white.		1818.	——	G. ♄.	
181	aureum. H.R.	great orange.		1750.	3. 10.	G. ♄.	Botan. magaz. 262.
182	aurantium. H.R.	glaucous orange.		1793.	6. 8.	G. ♄.	
183	glaucum. H.R.	great gold-fld.		1696.	6. 7.	G. ♄.	DC. plant. gras. 116.
184	cymbifolium. H.P.	greater boat-ld.		1823.	....	G. ♄.	
185	strictum. H.R.	upright boat-ld.		1795.	....	G. ♄.	
186	mucroniferum. H.P.	mucronate boat-ld.		1823.	....	G. ♄.	
187	cymbiforme. H.R.	small boat-ld.		1793.	....	G. ♄.	
188	graniforme. H.R.	grain-leaved.		1727.	9. 10.	G. ♄.	Bradl. succ. 2. t. 20.
189	molle. H.R.	soft.		1774.	10.	G. ♄.	
190	coccineum. H.R.	scarlet-flow'r'd.		1696.	5. 9.	G. ♄.	Botan. magaz. 59.
	α obtusum. H.R.	*blunt-calyxed.*		——	——	G. ♄.	DC. plant. grass. 83.
	β acutius. H.R.	*acute-calyxed.*		....	——	G. ♄.	
	γ minus. H.R.	*lesser.*		....	——	G. ♄.	
191	bicolorum. H.R.	two-coloured.		1732.	——	G. ♄.	
	α erectum. H.R.	*tall upright.*		——	——	G. ♄.	Dill.elth. t. 202. f. 258.
	β patulum. H.R.	*spreading.*		....	——	G. ♄.	
	γ minus. H.R.	*dwarf spreading.*		....	——	G. ♄.	
192	inæquale. H.R.	unequal-cupp'd.		1716.	——	G. ♄.	Bradl. succ. 1. t. 7.
193	tenuifolium. H.R.	slender-leav'd.		1700.	6. 9.	G. ♄.	Dill.elth. t. 201. f. 256.
	β erectum. H.R.	*upright slender-ld.*		...	——	G. ♄.	DC. plant. gras. 82.
194	variabile. H.R.	changeable-fld.		1796.	6. 8.	G. ♄.	
	α densius. H.R.	*rough close-ld.*		——	——	G. ♄.	
	β laxius. H.R.	*smoother distant-ld.*		——	——	G. ♄.	
195	spiniforme. H.R.	thorn-shaped.		1793.	9. 10.	G. ♄.	
	β subaduncum. H.R.	*greater hook-ld.*		1810.	10.11.	G. ♄.	
196	curvifolium. H.R.	great curve-ld.		1799.	10.	G. ♄.	
197	flexifolium. H.R.	lesser curve-ld.		1818.	....	G. ♄.	
	α perviride. H.R.	*dark-green.*		——	....	G. ♄.	
	β lætè virens. H.R.	*apple-green.*		——	....	G. ♄.	
198	aduncum. H.R.	small curve-ld.		1795.	2. 3.	G. ♄.	
199	filicaule. H.R.	thready-stem'd.		1800.	9.	G. ♄.	
200	spinosum. H.R.	thorny.		1714.	6. 9.	G. ♄.	Dill.elth. t.208. f. 265.
201	productum. H.R.	great-cupped.		1820.	6. 8.	G. ♄.	
202	stipulaceum H. .R.	tall, stipuled.		1728.	5. 8.	G. ♄.	Dill. elth. f. 267& 268.
203	corallinum. H.R.	coral-stemmed.		1819.	....	G. ♄.	
204	Haworthii. H.R.	Haworth's.		1793.	6. 1.	G. ♄.	
205	læve. H.R.	blunt white-ld.		1774.	7. 9.	G. ♄.	
206	veruculatum. H.R.	long spit-ld.		1731.	5. 6.	G. ♄.	
	α Dillenii. H.R.	*Dillenius's.*		——	——	G. ♄.	Dill. elth. f. 259.
	β Candollii. H.R.	*cluster spit-ld.*		——	——	G. ♄.	DC. plant. gras. 86.
207	purpuro-croceum. H.R.	purple saffron-fld.		1780.	8. 10.	G. ♄.	
	β flavo-croceum. H.R.	*yellow-saffron.*		1816.	5. 9.	G. ♄.	
208	croceum. H.R.	saffron-flow'r'd.		——	10.11.	G. ♄.	Jacq.frag.p.17.t.11.f.2.
209	crystallinum. H.R.	diamond.		1727.	5. 8.	G. ♂.	DC. plant. gras. 128.
210	glaciale. H.R.	Ice-plant.	Greece.	1787.	——	G.⊙.	
211	pinnatifidum. H.R.	jagged-leaved.	C. B. S.	1774.	5. 10.	G.⊙.	Botan. magaz. 67.
212	sessiliflorum. H.R.	small ice-plant.		——	7. 8.	G.⊙.	
	α luteum. H.R.	*yellow-flowered.*		——	——	G.⊙.	
	β album. H.R.	*white-flowered.*		——	1816.	G.⊙.	
213	humifusum. H.R.	narrow-ld.ice-pl.		1774.	——	G. ♄.	
214	Aitoni. H.R.	Aiton's.		——	6. 10.	G. ♂.	Jacq. vind. 3. t. 7.
215	lanceolatum. H.R.	spear-leaved.		1795.	5. 8.	G.⊙.	
	α album. H.R.	*white-flowered.*		——	——	G.⊙.	
	β roseum. H.R.	*rosy.*		1812.	——	G.⊙.	
216	cordifolium. H.R.	heart-leaved.		1774.	5. 9.	G. ♃.	DC. plant. gras. 102.
217	pomeridianum. H.R.	great yellow-fld.		——	7. 9.	G.⊙.	Botan. magaz. 540.
	β Andrewsii. H.R.	*Andrews's.*		....	——	G.⊙.	Andr. reposit. 57.
218	Candollii. H.R. *helianthoides.* DC.	Decandolle's. *nec aliorum.*		....	——	G.⊙.	DC. plant. gras. 135.
219	pilosum. H.R.	hairy yellow.		1800.	6. 8.	G.⊙.	Breyn. cent. t. 79.
220	calendulaceum. H.R.	hispid narrow-cup'd.		1819.	8.	G.⊙.	
221	helianthoides. H.R.	spatula-leaved.		1774.	8. 10.	G.⊙.	
222	limpidum. H.R.	transparent.		——	7.	G.⊙.	Jacq. ic. 3. t. 288.
223	tricolor. H.R.	annual 3-colour'd.		1820.	4. 7.	G.⊙.	
	α pyropæum. H.R.	*the ruby.*		——	——	G.⊙.	Botan. magaz. 2144.

	β roseum. H.R.	*the rosy.*	C. B. S.	——	——	G.⊙.	
	γ album. H.R.	*blush white.*	——	1819.	——	G.⊙.	
224	villosum. H.R.	villous.	——	1759.	7.	G.♄.	
225	caducum. H.R.	deciduous.	——	1774.	7. 8.	G.⊙.	
226	apetalum. H.R.	dwarf spreading.	——	——	——	G.⊙.	Jacq. vind. 3. t. 6.
227	nodiflorum. H.R.	knot-flowered.	Egypt.	1739.	8. 10.	G.⊙.	DC. plant. gras. 88.
228	ciliatum. H.R.	ciliated.	C. B. S.	1774.	....	G.♄.	
229	geniculiflorum. H.R.	joint-flowered.	——	1727.	7. 9.	G.♄.	DC. plant. gras. 17.
230	Tripolium. H.R.	Aster-leaved.	——	1700.	6. 10.	G.♂.	Dill. elth. t. 179. f. 220.
231	expansum. H.R. *tortuosum.* DC.	houseleek-ld.	——	1705.	7. 8.	G.♄.	DC. plant. gras. 94.
232	varians. H.R.	varying.	——	1706.	7. 10.	G.♄.	Pet. gaz. t. 78. f. 10.
233	tortuosum. H.R.	twisting-ld.	——	1705.	6. 10.	G.♄.	Dill. elth. t. 181. f. 222.
234	pallens. H.R. *expansum.* DC.	pale-flowered.	——	1774.	7. 8.	G.♄.	DC. plant. gras. 47.
235	crassicaule. H.P.	thick-stalked.	——	1822.	5.	G.♄.	
236	loratum. H.R.	glaucous strap-ld.	——	1819.	——	G.♄.	
237	relaxatum. H.R.	livid strap-ld.	——	....	——	G.♄.	
238	anatomicum. H.R.	skeleton-leav'd.	——	1803.	7. 8.	G.♄.	
239	rectum. H.R.	upright egg-ld.	——	1819.	....	G.♄.	
240	crassuloides. H.R.	Crassula-like.	——	——	7. 8.	G.♄.	
241	incomptum. H.R.	persistent cup'd.	——	1816.	——	G.♄.	
242	splendens. H.R.	shining white-fld.	——	1710.	6. 8.	G.♄.	DC. plant. gras. 35.
243	flexuosum. H.R.	flexuose-leaved.	——	1795.	7. 8.	G.♄.	
244	acuminatum. H.P.	long-cupped.	——	1820.	8. 9.	G.♄.	
245	sulcatum. H.R.	acute-cupped.	——	1819.	——	G.♄.	
246	fastigiatum. H.R.	level-topped.	——	1794.	7. 9.	G.♄.	
	β reflexum. H.R.	*reflex-leaved.*	——	1792.	8. 9.	G.♄.	
247	micranthon. H.R.	small-blossom'd.	——	1804.	....	G.♄.	
248	junceum. H.R.	Rushy.	——	1800.	8. 10.	G.♄.	
249	granulicaule. H.P.	shagreen-stem'd.	——	1821.	....	G.♄.	
250	tenue. H.R.	slender rushy.	——	1819.	....	G.♄.	
251	spinuliferum. H.R.	spinulescent.	——	1794.	6. 10.	G.♄.	
252	grossum. H.R.	gouty.	——	1774.	8. 10.	G.♄.	
253	salmoneum. H.R.	salmon-colour'd.	——	1819.	——	G.♄.	
254	canaliculatum. H.R.	channel-leaved.	——	1791.	7. 10.	G.♄.	
255	viridiflorum. H.R.	green-flowered.	——	1774.	7. 11.	G.♄.	Botan. magaz. 326.
256	tenuiflorum. H.R.	slender-flow'r'd.	——	1824.	....	G.♄.	Jacq. frag. 52. f. 3.
257	longispinulum. H.P.	rosy-cupp'd yellow.	——	1821.	8. 11.	G.♄.	
258	nitidum. H.R.	shrubby crystalline.	——	1790.	7. 10.	G.♄.	
259	subincanum. H.P.	soft-leav'd white.	——	1821.	8. 9.	G.♄.	
260	brachiatum. H.R.	three-forked.	——	1774.	6. 8.	G.♄.	
261	testaceum. H.R.	tile-coloured.	——	1816.	——	G.♄.	
262	tuberosum. H.R.	tuberous shrubby.	——	1714.	6. 10.	G.♄.	DC. plant. gras. 78.
	β minus. H.R.	*lesser-leaved.*	——	——	——	G.♄.	
263	noctiflorum. H.R.	night-flowering.	——	——	6. 8.	G.♄.	DC. plant. gras. 10.
	α phœniceum. H.R.	*deep rosy.*	——	——	——	G.♄.	Dill. elth. f. 262.
	β stramineum. H.R.	*straw-coloured.*	——	——	——	G.♄.	—— f. 263.
	γ elatum. H.R.	*tall-rosy.*	——	1819.	——	G.♄.	
264	fulvum. H.R.	grey-barked.	——	1732.	——	G.♄.	
265	horizontale. H.R.	spreading-ld.	——	1795.	——	G.♄.	
266	speciosum. H.R.	glitt'ring orange.	——	1793.	5. 10.	G.♄.	
267	micans. H.R.	glitt'ring orange.	——	1704.	5. 8.	G.♄.	Botan. magaz. 448.
268	maculatum. H.R.	spotted-stalked.	——	1793.	....	G.♄.	
269	flavum. H.R.	small glittering.	——	1820.	8.	G.♄.	
270	obliquum. H.R.	bright afternoon fig.	——	1819.	——	G.♄.	
271	parvifolium. H.R.	small triquetrous.	——	1820.	7. 10.	G.♄.	
272	brevifolium. H.R.	short-leaved.	——	1777.	——	G.♄.	
273	subglobosum. H.R.	globular.	——	1795.	——	G.♄.	
274	pulverulentum. H.R.	powdered.	——	1792.	5.	G.♄.	
275	hispidum. H.R.	hispid-stalked.	——	1704.	5. 10.	G.♄.	DC. plant. gras. 66.
	α Dillenii. H.R.	*the bushy.*	——	——	——	G.♄.	Dill. elth. f. 278.
	β platypetalum. H.R.	*tall.*	——	1820.	——	G.♄.	
276	hirtellum. H.R.	dwarf bristly.	——	1792.	5. 11.	G.♄.	
277	candens. H.R.	trailing hispid.	——	1820.	——	G.♄.	
278	floribundum. H.R.	crowded-fld.	——	1704.	5. 10.	G.♄.	Dill. elth. t. 214. f. 280.
279	torquatum. H.R.	twisted hairy.	——	1820.	——	G.♄.	—— f. 279.
280	calycinum H. .R.	hispid long-cup'd.	——	1819.	——	G.♄.	
281	striatum. H.R,	striped bristly.	——	1727.	——	G.♄.	Dill. elth. t. 215. f. 281.

282	attenuatum. H.R.	slender hispid.	——	1820.	——	G. ♄.	
283	hispifolium. H.R.	hispid-leaved.	——	1814.	——	G. ♄.	
	α fastigiatum. H.R.	*level-topped.*	——	——	——	G. ♄.	
	β roseum. H.R.	*rosy-flowered.*	——	——	——	G. ♄.	
284	echinatum. H.R.	hedge-hog.	——	1774.	7. 10.	G. ♄.	DC. plant. gras. 24.
	α luteum.	*yellow.*	——	——	——	G. ♄.	
	β album.	*white-flowered.*	——	——	——	G. ♄.	
285	strumosum. H.R.	tuberous hedge-hog.	——	1820.	——	G. ♄.	
286	barbatum. H.P.	bearded bushy.	——	1793.	5. 10.	G. ♄.	Botan. magaz. 70.
287	stelligerum. H.P.	procumbent bearded.	——	1705.	6. 8.	G. ♄.	DC. plant. gras. 28.
288	bulbosum. H.P.	bearded tuberous.	——	1820.	——	G. ♄.	
289	intonsum. H.P.	black bearded.	——	——	7.	G. ♄.	
	α rubicundum. H.P.	*red-flowered.*	——	——	——	G. ♄.	
	β album. H.P.	*white-flowered.*	——	——	——	G. ♄.	
290	stellatum. H.P.	small-bearded.	——	1716.	9. 10.	G. ♄.	DC. plant. gras. 29.
291	densum. H.P.	dwarf-bearded.	——	1732.	5. 8.	G. ♄.	Botan. magaz. 1220.

HYMENOGYNE. H.R. HYMENOGYNE. Icosandria Pentagynia.

glabra. H.R.	smooth.	C. B. S.	1787.	7. 8.	G. ☉.	
Mesembryanthemum glabrum. H.S. *non* A.R.						

TETRAGONIA. W. TETRAGONIA. Icosandria Pentagynia. L.

1	expansa. H.S.	horned.	N.Zealand.	1772.	8. 9.	G. ♂.	DC. plant. gras. 113.
2	crystallina. H.S.	diamond.	Peru.	1788.	6. 12.	G. ☉.	—— —— —— 34.
3	fruticosa. H.S.	shrubby.	C. B. S.	1712.	7. 9.	G. ♄.	Mill. ic. 2. t. 268. f. 2.
4	linearis. H.R.	linear-leaved.	——	1819.	9.	G. ♄.	
5	obovata. H.R.	obovate-leav'd.	——	——	....	G. ♄.	
6	decumbens. H.S.	trailing.	——	1758.	7. 9.	G. ♄.	DC. plant. gras. 23.
7	Tetrapteris. H.S.	wing-seeded.	——	1795.	——	G. ♄.	
8	spicata. H.S.	spiked.	——	——	——	G. ♄.	
9	herbacea. H.S.	tuberous-root'd.	——	1752.	6. 7.	G. ♃.	Comm. hort. 2. t. 102.
10	echinata. H.S.	hedge-hog.	——	1774.	5. 8.	G. ♂.	DC. plant. gras. 113.

ORDO LXXXIII.

HYGROBIÆ. *Rich. analyse du fruit. p.* 34.

HALORAGIS. W. HALORAGIS. Octandria Tetragynia.

1	Cercodia. W.	whorl-flowered.	N.Zealand.	1772.	4. 9.	G. ♄.	Jacq. ic. 1. t. 69.
	alata. Jacq. *Cercodia erecta.* Mur.						
2	prostrata. W.	prostrate.	N. S. W.	1816.	——	G. ♄.	

SERPICULA. W. SERPICULA. Monœcia Tetrandria. L.

	repens. W.	creeping.	C. B. S.	1789.	7. 8.	G. ♃.	Lam. ill. t. 758.

MYRIOPHYLLUM. W. WATER-MILFOIL. Monœcia Polyandria. L.

1	spicatum. W.	spiked.	Britain.	....	6. 8.	H.w. ♃.	Eng. bot. 83.
2	verticillatum. W.	verticillate.	England.	....	7.	H.w. ♃.	—— —— 216.

PROSERPINACA. W. PROSERPINACA. Triandria Trigynia.

1	palustris. Ph.	marsh.	N.America.	1822.	7. 8.	H.w. ☉.	
2	pectinata. Ph.	pectinated.	——	——	——	H.w. ☉.	

CALLITRICHE. W. WATER-STARWORT. Monandria Digynia. L.

1	verna. R.S.	vernal.	Britain.	....	4. 6.	H.w. ☉.	Eng. bot. 722.
2	autumnalis. R.S.	autumnal.	——	....	6. 10.	H.w. ☉.	Gmel. sib. III. t. 1.

HIPPURIS. W. MARE'S-TAIL. Monandria Monogynia. L.

	vulgaris. W.	common.	Britain.	....	5.	H.w. ♃.	Eng. bot. 763.

ORDO LXXXIV.

PORTULACEÆ. *Juss. gen.* 312.

CLAYTONIA. W. CLAYTONIA. Pentandria Monogynia. L.

1	virginica. W.	Virginian.	N.America.	1748.	8. 5.	H. ♃.	Botan. magaz. 941.
2	caroliniana. M.	spatula-leaved.	——	1789.	——	H. ♃.	Plak. alm. t. 102. f. 2.
	spathulæfolia. Par. lond. 71.						

3 lanceolata. Ph.	spear-leaved.	———	1812.	——	H.4.	Pursh. fl. am. 1. t. 8.
4 sibirica. W.	Siberian.	Siberia.	1768.	5. 8.	H.⊙.	Swt. br. fl. gar. 16.
5 alsinoides. B.M.	chickweed-like.	Nootka sound.	1794.	8. 6.	H.⊙.	Botan. magaz. 1309.
6 perfoliata. B.M.	small-flowered.	N. America.	——	5. 8.	H.⊙.	——— 1336.
LIMEUM. W.	LIMEUM. Heptandria Digynia. L.					
africanum. W.	African.	C. B. S.	1774.	6. 7.	G.4.	
TRIANTHEMA. W.	TRIANTHEMA. Pent-Decandria Mono-Digynia.					
1 monogyna. W.	Purslane-ld.	Jamaica.	1710.	7. 8.	S.⊙.	DC. plant. gras. 109.
2 obcordata. H.B.	obcordate.	E. Indies.	1820.	——	S.⊙.	
3 decandra. W.	trailing.	———	1762.	——	S.⊙.	Burm. ind. t. 31. f. 3.
CORRIGIOLA. W.	STRAPWORT. Pentandria Trigynia. L.					
littoralis. W.	sand.	England.	....	7. 8.	H.⊙.	Eng. bot. 668.
TELEPHIUM. W.	ORPINE. Pentandria Trigynia. L.					
Imperati. W.	true.	S. Europe.	1658.	6. 8.	H.4.	Lam. ill. t. 213.
PORTULACARIA. W.	PURSLANE-TREE. Pentandria Trigynia.					
afra. W.	African.	Africa.	1732.	....	G.ħ.	Jacq. coll. 1. t. 22.
MONTIA. W.	CHICKWEED. Triandria Trigynia. L.					
fontana. W.	water.	Britain.	....	4. 5.	H.⊙.	Eng. bot. 1206.
PORTULACA. S.S.	PURSLANE. Dodecandria Monogynia. L.					
1 sativa. H.S.	garden.	S. America.	1652.	6. 9.	H.⊙.	
β *aurea*. H.S.	*golden*.	———	——	——	H.⊙.	
2 oleracea. H.S.	small.	Europe.	1562.	6. 7.	H.⊙.	DC. plant. gras. 123.
3 parvifolia. H.S.	small-leaved.	Jamaica.	1799.	8.	H.⊙.	
4 pilosa. H.S.	hairy.	W. Indies.	1690.	6. 8.	S.ħ.	Botan. regist. 792.
5 foliosa. B.R.	leafy.	Guinea.	1822.	——	S.4.	——— 793.
6 guineensis. S.S.	Guinea.	———	——	——	S.ħ.	
7 involucrata. H.R.	leafy-flow'r'd.	.....	1819.	8. 9.	S.ħ.	
8 halimoides. L.	Halimus-leav'd.	Jamaica.	1823.	——	S.⊙.	Sloan. hist. 1. t. 129. f. 3.
9 quadrifida. H.S.	quadrifid.	E. Indies.	1773.	——	S.⊙.	Jacq. coll. 2. t. 17. f. 4.
10 meridiana. H.S.	noonday.	———	1791.	5. 6.	S.⊙.	
TALINUM. J.	TALINUM. Dodecandria Monogynia.					
1 triangulare. H.S.	triangular.	W. Indies.	1739.	8. 9.	S.ħ.	Jacq. obs. 1. t. 23.
2 crassifolium. H.S.	thick-leaved.	.....	1800.	——	S.ħ.	Jacq. vind. 3. t. 52.
3 patens. H.S.	spreading-fld.	S. America.	1776.	8. 10.	S.♂.	——— 1. t. 151.
4 cuneifolium. W.	wedge-leaved.	Arabia.	1823.	——	S.ħ.	
5 paniculatum. P.S.	panicled.	S. America.	1812.	——	S.ħ.	
6 Andrewsii.	Andrews's.	W. Indies.	——	——	S.ħ.	Andrews's repos. 253.
patens. A.R. *nec aliorum*.						
7 reflexum. H.S.	reflex-flow'r'd.	———	1800.	——	S.♂.	Botan. magaz. 1543.
8 ciliatum. H.E.F.	ciliated.	Chili.	1823.	——	S.⊙.	Hook. ex. flor. 82.
9 teretifolium. B.C.	round-leaved.	N. America.	1820.	7. 8.	G.4.	Lod. bot. cab. 819.
ANACAMPSEROS. B.M.	ANACAMPSEROS. Dodecandria Monogynia.					
1 rotundifolia.	round-leaved.	C. B. S.	1732.	7. 9.	I.ħ.	DC. plant. gras. 3.
Talinum Anacampseros. W. *Rulingia Anacampseros*. H.S.						
2 arachnoides. B.M.	cobweb.	———	1790.	——	I.ħ.	Botan. magaz. 1366.
3 varians.	various-leaved.	———	1812.	——	I.ħ.	
Rulingia varians. H.S.S.						
4 rufescens. H.R.	rufescent.	———	1818.	——	I.ħ.	
5 rubens. H.S.	red-leaved.	———	1796.	——	I.ħ.	
6 filamentosa. B.M.	thready.	———	1795.	——	I.ħ.	Botan. magaz. 1367.
7 polyphylla.	many-leaved.	———	1818.	——	I.ħ.	Pluk. phyt. 41. t. 6.
Rulingia polyphylla. H.R.						
8 lanceolata. H.S.	spear-leaved.	———	1796.	——	I.4.	
9 angustifolia.	narrow-leaved.	———	1819.	——	I.ħ.	
Rulingia angustifolia. H.R.						

ORDO LXXXV.

OPUNTIACEÆ. *Kth. synops. 3. p. 368.*

CACTUS. H.S.	MELON-THISTLE. Icosandria Monogynia. L.					
1 melocactus. H.S.	Turk's-cap.	W. Indies.	1688.	7. 8.	D.S.ħ.	DC. plant. gras. 112.
2 macrocanthos. H.R.	large-spined.	S. America.	1820.	——	D.S.ħ.	

3 ? depressus. H.S.	depressed.	———	1780.	....	D.S. ♄.		
4 ? parvispineus. H.S.S.	small-spined.	W. Indies.	1815.	....	D.S. ♄.		
5 ? erinaceus. H.S.S.	hedgehog.	.....	1818.	....	D.S. ♄.		
6 ? senilis. H.P.	grey-headed.	Mexico.	1823.	....	D.S. ♄.		
7 ? latispinus. H.P.	broad-spined.	—— ——	——	....	D.S. ♄.		
8 ? nobilis. L. *recurvus.* H.S.	recurv'd-spin'd.	Peru.	1768.	....	D.S. ♄.		
9 ? intortus. H.S.	twisted.	Antigua.	——	....	D.S. ♄.		
10 ? reductus. S.S. *nobilis.* H.S. *non.* L.	removed.	Mexico.	1796.	....	D.S. ♄.		

MAMMILLARIA. H.S. MAMMILLARIA. Icosandria Monogynia.

1 simplex. H.S. *Cactus mammillaris.* S.S.	small red-spin'd.	W. Indies.	1688.	7. 8.	D.S. ♄.	DC. plant. gras. 111.	
2 prolifera. H.S.	white-spined.	———	——	——	D.S. ♄.		
3 discolor. H.S.	large discolor'd.	.....	1800.	....	D.S. ♄.		
4 straminea. H.S.S.	straw-spined.	.....	1811.	....	D.S. ♄.		
5 flavescens. H.S.S.	yellow-spined.	S. America.	——	....	D.S. ♄.		
6 conica. H.S.S.	cone-beaded.	.....	1803.	....	D.S. ♄.		
7 parvimamma. H.S.S. *Cactus Microthele.* S.S.	small-beaded.	.....	1817.	....	D.S. ♄.		
8 magnimamma. H.P.	large-beaded.	Mexico.	1823.	....	D.S. ♄.		
9 lanifera. H.P.	wool-bearing.	———	——	....	D.S. ♄.		
10 stellata. *Cactus stellatus.* S.S.	hoary-starry.	S. America.	1816.	6. 9.	D.S. ♄.	Lodd. bot. cab. 79.	
11 geminispina. H.P.	twin-spined.	Mexico.	1823.	....	D.S. ♄.		
12 coronaria. H.R.	the great.	S. America.	1820.	....	D.S. ♄.		
13 vivipara. H.S.S.	viviparous.	Louisiana.	1813.	6. 8.	D.S. ♄.		
14 missouriensis. *Cactus mamillaris.* N.	Missouri.	Missouri.	——	——	G. ♄.		
15 pusilla. *Cactus pusillus.* S.S.	small.	.....	1820.	....	G. ♄.		

CEREUS. H.S. CEREUS. Icosandria Monogynia.

1 gibbosus. *Cactus gibbosus.* B.R.	gibbous.	.....	1808.	6. 8.	D.S. ♄.	Botan. regist. 137.	
2 Hystrix. *Cactus Hystrix.* H.S.S.	Porcupine.	W. Indies.	1818.	....	D.S. ♄.		
3 abnormis. *Cactus abnormis.* S.S.	irregular.	S. America.	1816.	....	D.S. ♄.		
4 regalis. H.S.S.	royal.	.....	....	....	D.S. ♄.		
5 multangularis. H.S.S.	many-angled.	S. America.	1815.	....	D.S. ♄.		
6 euphorbioides. H.S.S.	Euphorbia-like.	———	....	....	D.S. ♄.		
7 heptagonus. H.S.	great 7-angled.	W. Indies.	1728.	7.	D.S. ♄.		
8 hexagonus. H.S.	great 6-angled.	Surinam.	1690.	7. 8.	D.S. ♄.	Andr. repos. 513.	
9 peruvianus. H.S.	great Peruvian.	Peru.	1728.	8.	D.S. ♄.	DC. plant. gras. 58.	
10 eburneus. S.S.	ivory-thorned.	S. America.	1818.	——	D.S. ♄.		
11 nobilis. H.S. *Cactus Haworthii.* S.S.	noble.	W. Indies.	1811.	....	D.S. ♄.		
12 grandis. H.S.S.	straddling-spin'd.	Brazil.	....	....	D.S. ♄.		
13 tetragonus. H.S.	great 4-angled.	S. America.	1710.	7.	D.S. ♄.		
14 pentagonus. H.S.	5-angled.	—— ——	1769.	7. 8.	D.S. ♄.		
15 triangularis. H.S.	great triangular.	W. Indies.	1690.	——	D.S. ♄. ⌣.	Bot. mag. 1384.	
16 quadrangularis. H.S.	quadrangular.	S. America.	1809.	....	D.S. ♄. ⌣.	Pl. am. t. 199. f. 1.	
17 trigonus. H.S.	small triangular.	———	——	...	D.S. ♄. ⌣.	——— t. 200. f. 2.	
18 triqueter. H.S.	least triangular.	—— ——	1794.	....	D.S. ♄. ⌣.		
19 bifrons. H.S.S.	rooting 4-angular.	St. Domingo.	1818.	....	D.S. ♄. ⌣.		
20 speciosissimus. *Cactus speciosissimus.* B.R. *speciosus.* W.en.	beautiful.	S. America.	1816.	6. 9.	D.S. ♄. ⌣.	Bot. regist. 486.	
21 Royeni. H.S.	Royen's 9-angl'd.	W. Indies.	1728.	....	D.S. ♄.		
22 lanuginosus. H.S.	woolly.	—— ——	1690.	7. 8.	D.S. ♄.	Herm. parad. t. 115.	
23 griseus. H.S.	grey-spined.	S. America.	1809.	9. 10.	D.S. ♄.		
24 fulvispinosus. H.S.	tawny-spined.	—— ——	1795.	....	D.S. ♄.		
25 repandus. H.S.	waved short-spin'd.	W. Indies.	1728.	8. 10.	D.S. ♄.	Botan. regist. 336.	
26 subrepandus. H.S.S.	waved long-spin'd.	—— ——	1817.	....	D.S. ♄.		
27 obtusus. H.R.	blunt 3-angled.	.....	1820.	....	D.S. ♄.		
28 serpentinus. H.S.S.	white-spined.	S. America.	1817.	....	D.S. ♄.		
29 prismaticus. H.S.S.	prismatic.	———	1818.	....	D.S. ♄.		
30 imbricatus. H.R.	imbricated.	.....	1820.	....	D.S. ♄.		
31 niger. H.R.	the black.	S. America.	——	....	D.S. ♄.		

32	cylindricus. H.S.	cylindrical.	Peru.	1799.	....	D.S. ½.	
33	strictus. L.en.	straight.	S.America.	1822.	....	D.S. ½.	
34	albispinus. L.en.	green,white-spin'd.	———	——	....	D.S. ½.	
35	crenulatus. L.en.	crenulate.	W. Indies.	——	....	D.S. ½.	
36	flavispinus. L.en.	yellow-spined.	....	——	....	D.S. ½.	
37	albisetosus. H.S.S.	trailing white-spin'd.	St. Domingo.	1816.	..	D.S. ½. ⌣.	
38	reptans. H.S.S.	creeping.	W. Indies.	1813.	...	D.S. ½. ⌣.	
39	grandiflorus. H.S.	night-flow'ring.	Jamaica.	1700.	6. 8.	D.S. ½. ⌣.	Andr. reposit. 508.
40	flagelliformis. H.S.	creeping.	Peru.	1690.	8. 6.	G. ½. ⌣.	Botan. magaz. 17.
41	speciosus.	rose-flowered.	S. America.	1816.	5. 8.	G. ½.	Botan. regist. 304.
	Cactus speciosus. B.R. *Epiphyllum speciosum.* H.S.S.						
42	truncatus.	truncated.	Brazil.	1818.	——	S. ½.	——— 696.
	Cactus truncatus. B.R. *Epiphyllum truncatum.* H.S.S.						
EPIPHYLLUM. H.S.		EPIPHYLLUM.	Icosandria Monogynia.				
1	alatum. H.S.S.	gibbous-tooth'd.	W. Indies.	1818.	....	D.S. ½.	
2	phyllanthoides.	Phyllanthus-like.	S. America.	1820.	6. 7.	D.S. ½.	Botan. magaz. 2092.
	Cactus phyllanthoides. B.M.						
3	Phyllanthus. H.S.	Spleenwort-l^d.	———	1710.	6. 7.	D.S. ½.	DC. plant. gras. 145.
OPUNTIA. H.S.		INDIAN-FIG.	Icosandria Monogynia.				
1	Brasiliensis. H.S.S.	round-stemm'd.	Brazil.	1817.	....	D.S. ½.	
2	elatior. H.S.	great black-spin'd.	S. Amer.	1731.	7. 8.	D.S. ½.	Dill. elt. t. 294. f. 379.
3	Tuna. H.S.	great yellow-spin'd.	———	——	——	D.S. ½.	——— t. 295. f. 380.
4	Dillenii. H.S.S.	Dillenius's.	———	——	9. 10.	D.S. ½.	Botan. regist. 255.
	Cactus Dillenii. B.R.						
5	nigricans. H.S.	lesser black-spin'd.	———	1795.	8.	D.S. ½.	Botan. magaz. 1557.
6	humilis. H.S.	humble.	W. Indies.	——	....	D.S. ½.	
7	polyantha. H.S.	many-flower'd.	S. America.	1811.	7. 8.	D.S. ½.	DC. plant. gras. c. ic.
8	vulgaris. H.S.	common dwarf.	S. Europe.	1596.	7. 9.	F. ½.	Knor. thes. 1. t. F. a.
	Cactus Opuntia. S.S.						
9	stricta. H.S.	oval upright.	S. America.	1796.	——	D.S. ½.	DC. plant. gras. c. ic.
	Cactus Opuntia inermis. DC.						
10	tuberculata. H.S.S.	tuberculated.	.....	1818.	....	D.S. ½.	
11	crassa. H.S.S.	thick-lobed.	Mexico.	1817.	....	G. ½.	
12	monacantha. H.S.S.	one-spined.	S. America.	1816.	....	D.S. ½.	
13	elongata. H.S.S.	various-spined.	———	——	....	D.S. ½.	
14	maxima. H.S.	great oblong.	———	1768.	....	D.S. ½.	
15	decumana. H.R.	great.	———	1820.	....	D.S. ½.	
16	Ficus-indica. H.S.	Indian-fig.	———	1731.	7. 8.	D.S. ½.	
17	cochinellifera. H.S.	Cochineal.	———	1688.	7. 9.	D.S. ½.	Andr. reposit. 533.
18	lanceolata. H.S.	spear-shaped.	———	1796.	7.	D.S. ½.	
19	triacantha.	three-spined.	———	....	....	D.S. ½.	
	Cactus triacanthos. W.en.						
20	tomentosa. L.en.	woolly-branch'd.	———	1824.	....	D.S. ½.	
21	subinermis. L.en.	nearly smooth.	———	——	....	D.S. ½.	
22	spinosissima. H.S.	cluster-spined.	Jamaica.	1732.	7.	D.S. ½.	
23	ferox. H.S.S.	ferocious.	S. America.	1817.	....	D.S. ½.	
24	polyacantha. H.S.S.	many-spined.	Missouri.	1814.	....	H. ½.	
	Cactus ferox. N. *non.* W.en.						
25	media. H.S.S.	lesser many-spin'd.	———	——	....	H. ½.	
26	fragilis. H.S.S.	brittle-jointed.	———	——	....	H. ½.	
27	pusilla. H.S.	greater Pin-pillow.	S. Amer.	1805.	6.	D.S. ½.	
28	curassavica. H.S.	Pin pillow.	Curassao.	1690.	6. 7.	D.S. ½.	Knor. thes. 2. t. O. 2.
	α major. H.S.	*larger.*	———	——	——	D.S. ½.	
	β media. H.S.	*middle.*	———	——	——	D.S. ½.	
	γ minor. H.S.	*smaller.*	———	——	——	D.S. ½.	
	δ longa. H.R.	*longer.*	Brazil.	1820.	——	D.S. ½.	
29	foliosa. W.en.	glaucous.	S. America.	1817.	——	D.S. ½.	
RHIPSALIS. G.		RHIPSALIS.	Icosandria Monogynia.				
1	Cassutha. G.	naked.	W. Indies.	1758.	9.	D.S. ½.	Hook. exot. fl. 2.
	Cactus pendulus. W.						
2	parasiticus. H.S.	hairy.	S. America.	1800.	....	D.S. ½.	DC. plant. gras. 59.
3	fasciculatus. H.S.S.	cluster-branch'd.	———	1817.	....	D.S. ½.	
4	salicornoides. H.S.S.	Salicornia-like.	W. Indies.	1818.	5. 8.	D.S. ½.	Botan. magaz. 2461.
5	mesembryanthoides.	fig-mary gold.	———	——	....	D.S. ½.	
6	grandiflorus. H.R.	great-flowered.	.....	——	7. 8.	D.S. ½.	
	Cactus funalis. S.S.						
PERESKIA. H.S.		BARBADOES GOOSEBERRY.	Icosandria Monogynia.				
1	aculeata. H.S.	short-spined.	W. Indies.	1696.	10. 11.	S. ½.	Dill. elt. t. 227. f. 294.
	Cactus Pereskia. W.						

2	longispina. H.S.S.	long-spined.	S. America.	1808.	....	S. ♄.	
3	grandifolia. H.S.S.	great-leaved.	Brazil.	1818.	....	S. ♄.	

ORDO LXXXVI.

GROSSULARIÆ. *DC. fl. fr. ed.* 3. *v.* 4. *p.* 405.

RIBES. R.S. CURRANT. Pentandria Monogynia. L.

1	rubrum. R.S.	red.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 1289.
	β album.	*white.*	———	....	——	H. ♄.	
2	petræum. R.S.	rock.	England.	....	5.	H. ♄.	Eng. bot. 705.
3	multiflorum. R.S.	many-flow'r'd.	Hungary.	1818.	——	H. ♄.	Botan. magaz. 2368.
4	spicatum. R.S.	acid.	England.	...	——	H. ♄.	Eng. bot. 1290.
5	rigens. R.S.	rigid.	N.America.	1812.	4. 5.	H. ♄.	
6	procumbens. R.S.	trailing.	Dahuria.	1804.	5. 6.	H. ♄.	Pall. ross. 2. t. 65.
7	prostratum. R.S.	glandulous.	N.America.	1777.	4. 5.	H. ♄.	L'Herit. stirp. 1. t. 2.
8	alpinum. R.S.	Alpine.	Britain.	....	——	H. ♄.	Eng. bot. 704.
9	triste. R.S.	dark-coloured.	Siberia.	1818.	——	H. ♄.	
10	sanguineum. R.S.	red-flowered.	N.America.	1820.	——	H. ♄.	
11	aureum. R.S.	golden.	Missouri.	1812.	——	H. ♄.	Botan. regist. 125.
12	nigrum. R.S.	black.	Britain.	....	——	H. ♄.	Eng. bot. 1291.
13	floridum. R.S.	Pensylvanian.	N.America.	1729.	——	H. ♄.	Dill. elt. t. 244. f. 315.
14	laxiflorum. R.S.	loose-flowered.	———	1812.	——	H. ♄.	
15	resinosum. R.S.	clammy.	———	1800.	——	H. ♄.	Botan. magaz. 1583.
16	glandulosum. R.S.	glandular-calyx'd.	Chili.	1820.	5. 6.	H. ♄.	Flor. peruv. t. 233. f. b.
17	hirtellum. R.S.	hairy.	N.America.	1812.	4. 5.	H. ♄.	
18	gracile. R.S.	slender.	———	——	——	H. ♄.	
19	triflorum. R.S.	three-flower'd.	———	——	——	H. ♄.	Willd. hort. ber. 1. t. 61.
20	orientale. R.S.	oriental.	Syria.	1820.	——	H. ♄.	
21	Diacantha. R.S.	two-spined.	Siberia.	1781.	5. 6.	H. ♄.	Pall. ross. II. t. 66.
22	reclinatum. R.S.	procumbent.	Germany.	1683.	4. 5.	H. ♄.	
23	oxyacanthoides. R.S.	Hawthorn-l^d.	N.America.	1705.	——	H. ♄.	Dill. elt. t. 159. f. 166.
24	lacustre. R.S.	swamp.	———	1812.	——	H. ♄.	Lodd. bot. cab. 884.
25	Cynosbati. R.S.	prickly-fruited.	Canada.	1759.	4.	H. ♄.	Schmidt. arb. 98.
26	caucasicum. R.S.	Caucasean.	Caucasus.	1820.	4. 5.	H. ♄.	
27	uva-crispa. R.S.	smooth Gooseberry.	England.	...	——	H. ♄.	Eng. bot. 2057.
28	Grossularia. R.S.	rough Gooseberry.	———	....	——	H. ♄.	——— 1292.

GARDEN VARIETIES.

a red fruited.

1 Ackerley's Rodney.
2 Ackerley's seedling.
3 Adam's Cheshire sheriff.
4 Alcock's king.
5 Alcock's duke of York.
6 Alexander the great.
7 Andrews's conqueror.
8 Ashton's seedling.
9 Ashton's red globe.
10 Astley's seedling.
11 Beaufremont.
12 Beggar lad.
13 Black Wallnut.
14 Black eagle.
15 Black bull.
16 Black ram.
17 Black king.
18 Black virgin.
19 Black dragon.
20 Blackley's swing'em.
21 Boardman's royal oak.
22 Bradshaw's redcap.

GARDEN VARIETIES.

23 Brundrit's Atlas.
24 Calderbank's seedling.
25 Carpenter.
26 Carthington's conqueror.
27 Champaign.
28 Chapman's incomparable.
29 Cheadle's surprize.
30 Cheetham's bright Venus.
31 Chelmerdine's Cheshire.
32 Clarke's seedling.
33 Clyton's Britannia.
34 Coe's Hannibal.
35 Crimson Wallnut.
36 Damson.
37 Dean's glory of England.
38 Down's Cheshire round.
39 Dickinson's sapphire.
40 Elliot's red hot ball.
41 Fairlow's Lord Hood.
42 Fisher's conqueror.
43 Fok's jolly smoaker.
44 Fok's royal.
45 Gerriot's Achilles.

GARDEN VARIETIES.

46 Gill's first seedling.
47 Gill's second seedling.
48 Gordon's emperor.
49 Gordon's nonsuch.
50 Gregory's perfection.
51 Gregory's supreme.
52 Gregory's great Britain conqueror.
53 Hall's porcupine.
54 Halmon's dumpling.
55 Heart of oak.
56 Hector.
57 High sheriff.
58 Hippard's attractor.
59 Hogbean's king.
60 Hott's regulator.
61 Hulton's great Cæsar.
62 Jackson's hero.
63 Jackson's slim.
64 Jackson's scarlet seedling.
65 Jared's Achilles.
66 Jared's Admiral Keppel.
67 Johnson's twig'em.

GARDEN VARIETIES.

68 Johnny lad.
69 Kenyon's Samson.
70 Knight's colonel Tarleton.
71 Knight's scarlet seedling.
72 Lancashire farmer.
73 Late red.
74 Late damson.
75 Layforth's seedling.
76 Lee's red lion.
77 Lee's black.
78 Lincolnshire top.
79 Little John.
80 Livesey's Duke William.
81 Lomack's victory.
82 Malkin wood.
83 Mason's Hercules.
84 Mather's admiral.
85 Mather's Alexander.
86 Mather's black lady.
87 Monk's Charles Fox.
88 Monk's Watkin.
89 Mongrel.
90 Morello.
91 Moss weather.
92 Murrey.
93 Mussey's black prince.
94 Nero.
95 New champaign.
96 Old rough red.
97 Ostrich's egg.
98 Oswego sylvan.
99 Pendleton's Mogul.
100 Pendleton's matchless.
101 Pendleton's bullocks heart
102 Pineapple.
103 Plum.
104 Proctor's scarlet nonsuch.
105 Raffold's beauty.
106 Raspberry.
107 Ratcliff's red lion.
108 Rawlinson's favourite.
109 Rawlinson's king.
110 Raymond's red.
111 Read's jolly red nose.
112 Red mogul.
113 Red Orleans.
114 Red supreme.
115 Red wolf.
116 Red Lion.
117 Richmond red.
118 Rider's black prince.
119 Rider's old England.
120 Ring's sheriff.
121 Ring's governor Penn.
122 Ring's free bearer.
123 Rombouillon.
124 Shaw's hilly dean.
125 Shelmardine's red rose.
126 Shelmardine's Cheshire stag.
127 Siddal's top.
128 Singleton's Mogul.
129 Stanley's earl of Derby.
130 Stanley's Oronoco.
131 Stapleton's black prince.
132 Stuckley's red.
133 Taylor's red rose.

GARDEN VARIETIES.

134 Taylor's voluntary.
135 Thorpe's master top.
136 Thorpe's master Wolfe.
137 Tilletson's saint John.
138 Tilletson's seedling.
139 Tom of Lincoln.
140 Trop's pretty Betty.
141 Twamblow's seedling.
142 Two pounders.
143 Victory.
144 Wareham russet.
145 Warrington red.
146 Welchman's red.
147 Whitley's plentiful bearer
148 Whittington's royal princess.
149 Wild's red Wallnut.
150 Worthington's defiance.
151 Worthington's Emperor of Morocco.
152 Worthington's glory of eccles.
153 Worthington's seedling.
154 Worthington's conqueror.
155 Worthington's hero.
156 Worthington's Cornwallis.

β yellow fruited.

157 Adern's seedling.
158 Bangen.
159 Barley's seedling.
160 Bell's bright farmer.
161 Blackley's eclipse.
162 Bradshaw's yellow top.
163 Brundrit's Sir Sydney.
164 Cartenden's Goliath's champion.
165 Caton's canary.
166 Chad's golden lion.
167 Cheadle's golden lion.
168 Chetham's brandy yellow.
169 Clyton's canary.
170 Coe's Diogenes.
171 Coe's Washington.
172 Cooke's golden champion.
173 Davenport's defender.
174 Davenport's creeping Ceres.
175 Early brown.
176 Goldfinch.
177 Golden ball.
178 Golden drop.
179 Goliath.
180 Hamnet's Kilton.
181 Hill's golden pumpkin.
182 Hill's royal governor.
183 Honeycomb.
184 Hulm's dumpling.
185 Jackson's golden drop.
186 Kershaw's yellow willow.
187 Large amber.
188 Leigh's prince of Orange.
189 Maddock's drop of gold.
190 Mason's jolly gipsy.
191 Mason's golden conqueror
192 Nixon's golden eagle.
193 Oswego sylvan.

GARDEN VARIETIES.

194 Parkinson's goldfinder.
195 Pendleton's nonsuch.
196 Rawlinson's yellow amber.
197 Ridder's speel-scented Lemon.
198 Rider's Goliath.
199 Rider's brandy yellow.
200 Robin Hood.
201 Robinson Crusoe.
202 Smith's sparkles.
203 Stanley's golden ball.
204 Stanley's independent.
205 Stanley's golden griffin.
206 Stanley's mullion.
207 Stanley's dolphin.
208 Sweet amber.
209 Taylor's Nimrod.
210 Thorp's lamb.
211 Unsworth's primrose.
212 Williamson's yellow hornet.
213 Wittington's gold'n sceptre
214 Wrigley's melon.
215 Yellow seedling.

γ green fruited.

216 Blackley's green chissel.
217 Boardman's green oak.
218 Brundrit's tickle Toby.
219 Chadwick's hero.
220 Creeping germings.
221 Cucumber.
222 Dean's Lord Hood.
223 Early green hairy.
224 Fok's green goose.
225 General Carlton.
226 Green globe.
227 Green gage.
228 Green chancellor.
229 Green dragon.
230 Green fig.
231 Green dorrington.
232 Green Gascoign.
233 Green Griffin.
234 Green gros berry.
235 Green nonsuch.
236 Green Wallnut.
237 Green sugar.
238 Harrison's favourite.
239 Harrison's Cæsar.
240 Heilton's Cæsar.
241 Jackson's green John.
242 Jackson's green disart.
243 Jay's wing.
244 Johnson's green willow.
245 Lee's victory.
246 Mills's Langley green.
247 Monk's Joseph.
248 Nield's gage.
249 Nixon's Myrtle.
250 Old ball.
251 Oswego sylvan.
252 Pomme water.
253 Rawlingson's royal George
254 Read's pleasure.
255 Royal George.
256 Robinson's stump.

GARDEN VARIETIES.

257 Sharret's green gage.
258 Shelmardine's genteelly green.
259 Shipley's unicorn.
260 Smith's green mask.
261 Spronson's saint David.
262 Stanley's Reine Claude.
263 Stanley's green Margill.
264 Stanley's syringe.
265 Taylor's rainbow.
266 Taylor's green-lined.
267 Trial.
268 Triumph.
269 Winning's green.
270 Worthington's Patrick.
271 Worthington's vanguard.
272 Wrigley's favourite.
273 Yates's Duke of Bedford.
274 Yearsley's black lion.

ẞ white fruited.

275 Adams's snowball.
276 Atkinson's Whitehall.
277 Boardman's highland queen.

GARDEN VARIETIES.

278 Button's silver heels.
279 Calderbank's white.
280 Chapman's highland white
281 Cheshire white wallnut.
282 Crawford's seedling.
283 Davenport's lady.
284 Extra white.
285 Gibson's Apollo.
286 Gregory's highland king.
287 Gregory's mount pleasant.
288 Heroine.
289 Holding's white muslin.
290 Joye's white groat.
291 Johnson's white globe.
292 Kenyon's white genteelly.
293 Kenyon's white lion.
294 Liptrot's Duke of Bedford
295 Mather's white mogul.
296 Mills's white champion.
297 Milkmaid.
298 Miss bold.
299 Moore's white bear.
300 Nayden's rule all.
301 Nield's white rose.

GARDEN VARIETIES.

302 Nield's white stag.
303 Nixon's heart.
304 Pigeon's egg.
305 Platt's white.
306 Redford's lily.
307 Rider's white hellebore.
308 Royal white.
309 Squire Haughton's barradoe.
310 Stafford's white imperial.
311 Sugarloaf.
312 Swan's-egg.
313 Thin-skinned crystal.
314 Thorp's white queen.
315 White crystal.
316 White belmont.
317 White imperial.
318 White lion.
319 White mogul.
320 White olive.
321 White Orleans.
322 White wallnut.
323 Whittington's rose.
324 Woodward's whitesmith.

ORDO LXXXVII.

PARONYCHIEÆ. *St. Hilaire in ann. mus.*

LŒFLINGIA. W.	LŒFLINGIA.	Triandria Monogynia. L.					
hispanica. W.	Spanish.	Spain.	1770.	6.	H.⊙.	Cav. ic. 1. t. 47.
MINUARTIA. W.	MINUARTIA.	Triandria Trigynia. L.				
1 dichotoma. W.	forked.	Spain.	1771.	6. 7.	H.⊙.	Act.stock.1758.t.1.f.2.
2 campestris. W.	field.	—— ——	1806.	——	H.⊙.	—— t. 1. f. 3.
3 montana. W.	mountain.	—— ——	——	——	H.⊙.	Lœf. it. rar. t. 1. f. 4.
QUERIA. W.	QUERIA. Triandria Trigynia. L.					
hispanica. W.	Spanish.	Spain.	1800.	5. 9.	H.⊙.	
POLYCARPON. W.	ALL-SEED. Triandria Trigynia.					
tetraphyllum. W.	four-leaved.	England.	....	7.	H.⊙.	Eng. bot. 1031.
POLLICHIA. W.	POLLICHIA. Monandria Monogynia. L.					
campestris. W.	whorl-leaved	C. B. S.	1780.	9.	G.♂.	Smith. spicil. 1. t. 1.
MNIARUM. B.P.	MNIARUM. Monandria Monogynia.					
biflorum. B.P.	two-flowered.	N.Holland.	1818.	5. 7.	G.♃.	Forst. gen. 1. t. 1.
SCLERANTHUS. W.	KNAWEL. Decandria Digynia. L.					
1 annuus. W.	annual.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 351.
2 perennis. W.	perennial.	—— ——	....	8. 9.	H.♃.	—— 352.
ILLECEBRUM. B.P.	KNOT-GRASS. Pentandria Monogynia. L.					
1 verticillatum. R.S.	whorled.	England.	....	7.	H.♃.	Eng. bot. 895.
2 cymosum. B.P.	cymose.	S. Europe.	1817.	6. 7.	H.♃.	Flor. græc. t. 245.
3 echinatum. R.S.	bristly.	—— ——	——	——	H.♃.	Schrad.journ.1801.t.4.
PARONYCHIA. J.	PARONYCHIA. Pentandria Monogynia.					
1 polygonifolia. J.	Polygonum-ld.	S. Europe.	1816.	5. 8.	H.♃.	Vill. delph. 2. t. 16.
2 italica. R.S.	Italian.	Italy.	——	——	H.♃.	
3 hispanica. DC.	mountain.	S. Europe.	1640.	——	H.♃.	Flor. græc. t. 246.
Illecebrum Paronychia. W.						
4 pubescens. DC.	pubescent.	Pyrenees.	1818.	——	H.♃.	
5 serpyllifolia. R.S.	Thyme-leaved.	S. France.	1820.	——	H.♃.	Hacq. pl. alp. 3.t.2.f.1.
6 capitata. R.S.	capitate.	Spain.	1683.	6. 8.	F.♃.	Flor. græc. t. 247.
7 nivea. R.S.	villous.	—— ——	1812.	——	F.♃.	Barrel. ic. 687.
8 tenuifolia. L.en.	slender-leav'd.	.....	1822.	——	H.⊙.	
9 alsinifolia. R.S.	Chickweed-ld.	Spain.	....	——	H.⊙.	Scop. del. ins. t. 13.

ANYCHIA. M.	ANYCHIA. Pentandria Monogynia.						
dichotoma. R.S.	forked.	N.America.	1806.	5. 8.	H.♂.	Ort. dec. t. 15. f. 2.
Queria canadensis. W.						
HAGEA. P.S.	HAGEA. Pentandria Monogynia.						
1 diffusa.	forked.	Canaries.	1779.	7. 8.	H.⊙.	Willd. hort. ber. t. 11.
Mollia diffusa. W. *Lahaya diffusa.* R.S.						
2 latifolia. R.S.	broad-leaved.	———	1816.	——	G.♄.	
3 aristata. R.S.	bearded.	———	1780.	6. 7.	G.♄.	
Mollia aristata. H.K.						
4 polycarpoides. R.S.	Polycarpon-like.	Sicily.	1818.	6. 8.	H.♃.	
5 gnaphaloides. R.S.	woolly-leaved.	Barbary.	——	——	H.♄.	
HERNIARIA. R.S.	RUPTURE-WORT. Pentandria Digynia. L.						
1 glabra. R.S.	smooth.	England.	....	7.	H.♃.	Eng. bot. 206.
2 hirsuta. R.S.	hairy.	———	....	7. 8.	H.♃.	——— 1379.
3 cinerea. DC.	cinereous.	Montpelier.	1816.	——	H.♃.	
4 alpina. R.S.	Alpine.	S. France.	——	——	H.♃.	
5 fruticosa. R.S.	frutescent.	S. Europe.	1814.	5. 8.	H.♄.	
6 incana. R.S.	hoary.	———	1818.	——	H.♄.	Pluk. alm. t. 53. f. 3.
7 polygonoides. R.S.	Knot-grass like.	———	1752.	——	F.♄.	Cavan. ic. 2. t. 181.

ORDO LXXXVIII.

CRASSULACEÆ. *Jussieu.*

BULLIARDA. DC.	BULLIARDA. Tetrandria Tetragynia.					
Vaillanti. DC.	Vaillant's.	S. Europe.	1825.	6. 8.	H.w.⊙.	DC. plant. gras. t. 74.
TILLÆA. R.S.	TILLÆA. Tetrandria Tetragynia. L.					
1 aquatica. R.S.	water.	N. Europe.	1816.	6. 8.	H.w.⊙.	Ust. N. ann. 6. t. 1.
2 muscosa. R.S.	mossy.	England.	....	6. 10.	H.⊙.	Eng. bot. 116.
VAUANTHES. H.R.	V-FLOWER. Pentandria Pentagynia. H.					
chloræflora. H.R.	Chlora-flow'r'd.	C. B. S.	1774.	6. 7.	H.⊙.	Herm. lugdb. t. 553.
Crassula dichotoma. W.						
GLOBULEA. H.S.	GLOBULEA. Pentandria Pentagynia. H.					
1 cultrata. H.S.	sharp-leaved.	C. B. S.	1732.	7. 8.	G.♄.	Botan. magaz. 1940.
Crassula cultrata. B.M.						
2 atropurpurea. H.P.	dingy purple.	———	1823.	——	G.♄.	
3 radicans. H.P.	rooting-branch'd	———	——	12. 3.	G.♄.	
4 lingua. H.P.	larger tongue-l^d.	———	——	5. 6.	G.♄.	
5 lingula. H.P.	lesser tongue-l^d.	———	——	——	G.♄.	
6 capitata. H.R.	large-l^d. grey.	———	1819.	7. 8.	G.♃.	
7 obvallata. H.S.	houseleek-l^d.	———	1795.	——	G.♄.	DC. plant. gras. 61.
Crassula obvallata. DC.						
8 canescens. H.S.	grey.	———	1800.	——	G.♃.	
9 paniculata. H.P.	panicled.	———	1823.	——	G.♃.	
10 impressa. H.P.	impressed.	———	1822.	——	G.♃.	
β *minor.* H.P.	*lesser.*	———	——	——	G.♃.	
11 sulcata. H.R.	sulcate.	———	1820.	5. 9.	G.♃.	
12 nudicaulis. H.S.	naked-stem'd.	———	1732.	——	G.♃.	DC. plant. gras. 183.
Crassula nudicaulis. DC.						
13 hispida. H.P.	hispid.	———	1823.	10. 11.	G.♄.	
14 mesembryanthoides.	Fig-marygold like.	———	1822.	7. 9.	G.♄.	
15 mollis. H.P.	soft.	———	1774.	——	G.♄.	
Crassula mollis. W.						
16 subincana. H.P.	hoary frutescent.	———	1822.	——	G.♄.	
α *decumbens.* H.P.	*decumbent.*	———	——	——	G.♄.	
β *erecta.* H.P.	*erect.*	———	——	——	G.♄.	
TURGOSEA. H.R.	TURGOSEA. Pentandria Pentagynia. H.					
1 linguæfolia. H.R.	tongue-leaved.	C. B. S.	1803.	8.	G.♃.	
Crassula linguæfolia. H.S.						
2 tomentosa. H.R.	tomentose.	———	1790.	4. 5.	G.♄.	
3 pertusa. H.R.	impress-dotted.	———	1818.	9. 11.	G.♃.	Com. præl. t. 29 ?

4	turrita. H.R.	tower-like.	C. B. S.	——	2. 8.	G. ♂.	
	Crassula turrita. H.S.S.						
	β *rosea.* H.S.S.	*rose-colour'd.*	——	——	——	G. ♂.	
5	obovata. H.R.	obovate-leav'd.	——	——	7. 8.	G. ♂.	
6	aloides. H.R.	ovate hispid.	——	1774.	6. 8.	G. ♂.	
7	capitella. H.R.	square-spiked.	——	——	7. 8.	G. ♂.	
CRASSULA. H.R.		CRASSULA.	Pentandria Pentagynia. L.				
1	moschata. H.S.	musky.	N. S. W.	1794.	5. 11.	H. ☉.	
2	diffusa. H.S.	diffuse.	C. B. S.	1774.	6. 8.	H. ☉.	
3	sparsa. H.S.	alternate-l^d.	——	——	——	G. ♂.	
4	expansa. H.S.	awl-leaved.	——	——	——	H. ☉.	
5	verticillaris. H.S.	whorl-flower'd.	S.Europe.	1788.	7. 8.	H. ☉.	
6	Magnolii. DC.	Magnol's.	——	...	——	H. ☉.	Magn.bot.p.237.et228.
7	rubens. H.S.	annual red.	Italy.	1759.	5. 8.	H. ☉.	DC. plant. gras. 55.
8	pulchella. H.R.	pretty.	C. B. S.	1778.	7. 8.	H. ☉.	
9	glabra. H.R.	smooth cluster'd.	——	1774.	6. 10.	H. ☉.	
10	glomerata. H.S.	rough cluster'd.	——	——	8. 10.	H. ☉.	DC. plant. gras. 67.
11	centauroides. H.S.	Centaury-fl^d.	——	——	5. 6.	G. ♂.	Botan. magaz. 1765.
12	lineolata. H.S.	channelled.	——	——	6. 8.	G. ♂.	
13	subulata. R.S.	awl-leaved.	——	1820.	——	H. ☉.	Petiv. gaz. t. 89. f. 8.
14	retroflexa. H.S.	orange-flow'r'd.	——	1788.	——	H. ☉.	
15	orbicularis. H.S.	starry.	——	1731.	7. 9.	G. ♃.	DC. plant. gras. t. 43.
16	rosularis. H.R.	great starry.	——	1819.	——	G. ♃.	
17	Cotyledon. H.S.	Cotyledon-l^d.	——	1800.	——	G. ♃.	
18	cordata. H.S.	heart-leaved.	——	1774.	5. 8.	G. ♄.	DC. plant. gras. t. 121.
19	spathulata. H.S.	notch-leaved.	——	——	7. 9.	G. ♄.	—— t. 49.
20	pellucida. H.S.	pellucid.	——	1732.	6. 9.	G. ♄.	Jacq. frag. t. 131.
21	marginalis. H.S.	marginated.	——	1774.	7. 8.	G. ♄.	Jacq. schœnb. t. 471.
22	punctata. H.S.	dotted.	——	1759.	4. 8.	G. ♄.	
23	perfilata. H.S.	filed.	——	1785.	9.	G. ♄.	Scop. d. ins. 3. t. 6. C.
	perfossa. DC. pl. gr. t. 28.						
24	argentea. R.S.	silvery-leaved.	——	1820.	7. 9.	G. ♄.	
25	imbricata. H.S.	whip-cord.	——	1760.	6. 7.	G. ♄.	
26	ericoides. H.P.	large whipcord.	——	1820.	9. 10.	G. ♄.	
27	columnaris. H.S.	columnar.	——	1789.	7. 10.	G. ♄.	Burm. afr. t. 9. f. 2.
28	squamulosa. H.R.	small scaly.	——	1817.	6. 9.	G. ♄.	
29	scabrella. H.R.	patent-leaved.	——	1820.	——	G. ♄.	
30	scabra. H.R.	rough-leaved.	——	1730.	6. 7.	G. ♄.	Dill. elt. t. 99. f. 117.
31	bullulata. H.R.	roughyellow-fl^d.	——	1800.	——	G. ♄.	Mart. cent. t. 24.
32	corymbulosa. L.en.	small corymb'd.	——	1821.	——	G. ♄.	
33	ramuliflora. L.en.	branch-flow'r'd.	——	——	——	G. ♄.	
34	dejecta. R.S.	dejected.	——	——	——	G. ♄.	Jacq. schœnb. t. 428.
35	biconvexa. H.S.	double convex.	——	1800.	8.	G. ♄.	
36	concinnella. H.P.	elegant.	——	1822.	....	G. ♄.	
37	concinna. H.R.	small neat.	——	1820.	....	G. ♄.	
38	ligulifolia. H.R.	latchet-leaved.	——	——	....	G. ♄.	
39	ciliata. H.S.	ciliated.	——	1732.	7. 8.	G. ♄.	DC. plant. gras. 7.
40	albiflora. B.M.	white-flower'd.	——	1820.	7. 9.	G. ♄.	Botan. magaz. 2391.
41	lactea. H.S.	milk white.	——	1774.	9. 2.	G. ♄.	—— —— 1771.
42	obliqua. H.S.	oblique-leav'd.	——	1759.	4. 5.	G. ♄.	DC. plant. gras. 79.
43	arborescens. H.S.	arborescent.	——	1739.	5. 6.	G. ♄.	Botan. magaz. 384.
	Cotyledon. B.M.						
44	revolvens. H.P.	recurving-l^d.	——	1820.	8. 10.	G. ♄.	
45	filicaulis. H.P.	thready-stem'd.	——	——	——	G. ♄.	
46	bibracteata. H.P.	double-bracted.	——	——	——	G. ♄.	
	α *minor.* H.P.	*smaller.*	——	——	——	G. ♄.	
	β *major.* H.P.	*larger.*	——	——	——	G. ♄.	
47	biplanata. H.P.	flat-leaved.	——	——	9. 10.	G. ♄.	
48	acutifolia. H.S.	acute-leaved.	——	1795.	9. 11.	G. ♄.	DC. plant. gras. t. 2.
49	tetragona. H.S.	square-leaved.	——	1711.	8. 9.	G. ♄.	—— —— —— t. 19.
50	ramosa. H.S.	branching.	——	1774.	7. 8.	G. ♄.	
51	telephioides. H.R.	Orpine-like.	——	1820.	——	G. ♄.	
CURTOGYNE. H.R.		CURTOGYNE.	Pentandria Pentagynia.				
1	undulata. H.R.	lesser-waved.	C. B. S.	1797.	8. 11.	G. ♄.	Ledd. bot. cab. 584.
	Crassula undulata. R.S.						
2	undata. H.R.	greater-waved.	——	1818.	——	G. ♄.	
KALOSANTHES. H.R.		KALOSANTHES.	Pentandria Pentagynia.				
1	coccinea. H.R.	scarlet.	C. B. S.	1710.	6. 8.	G. ♄.	Botan. magaz. 495.
	Crassula coccinea. B.M. *Dietrichia coccinea.* Trat.						

2	media. H.R.	great changeable.	——	1820.	——	G. ♄.	
3	versicolor. H.R.	various-color'd.	——	1816.	——	G. ♄.	Botan. regist. 820.
	Crassula versicolor. B.R.						
4	bicolor. H.R.	two-coloured.	——	1820.	——	G. ♄.	
5	odoratissima. H.R.	sweet-scented.	——	1793.	6. 7.	G. ♄.	Andr. reposit. 26.
	Crassula odoratissima. A.R. *Dietrichia odoratissima.* Trat.						
6	flava.	yellow.	——	1802.	8. 9.	G. ♄.	Pluk. alm. t. 314. f. 2.
	Crassula flava. L. *Larochea? flava.* H.S.						
7	cymosa. H.R.	cyme-flowered.	——	1800.	——	G. ♄.	
8	biconvexa. H.P.	convex-leaved.	——	1822.	7. 8.	G. ♄.	
9	jasminea. H.R.	Jasmine-fld.	——	1812.	6. 8.	G. ♄.	Botan. magaz. 2178.
	Crassula jasminea. B.M.						
LAROCHEA. H.R.		LAROCHEA. Pentandria Pentagynia.					
1	falcata. H.R.	falcated.	C. B. S.	1785.	6. 9.	G. ♄.	DC. plant. gras. t. 106.
	Crassula falcata. B.M. 2088. *Rochea falcata.* DC.						
	β *minor.* H.R.	*lesser falcated.*	——	1821.	——	G. ♄.	
2	perfoliata. H.R.	great perfoliate.	——	1725.	7. 8.	G. ♄.	DC. plant. gras. 13.
	β *alba.* H.R.	*white perfoliate.*	——	——	——	G. ♄.	
SEPTAS. H.S.		SEPTAS. Heptandria Heptagynia. L.					
1	capensis. H.S.	Cape.	C. B. S.	1774.	8. 9.	G. ♃.	Andr. repos. 98.
2	globiflora. B.M.	globe-flow'ring.	——	1809.	3. 5.	G. ♃.	Botan. magaz. 1472.
3	umbella. H.S.	skreen.	——	1800.	7.	G. ♃.	Jacq. vind. 2. t. 352.
	Crassula umbella. Jacq.						
COTYLEDON. H.S.		NAVELWORT. Decandria Pentagynia. L.					
1	orbiculata. H.S.	round-leaved.	C. B. S.	1789.	7. 8.	G. ♄.	
2	ovata. H.S.	ovate-leaved.	——	1789.	7. 10.	G. ♄.	Botan. magaz. 321.
	orbiculata. B.M.						
3	oblonga. H.S.	oblong-leaved.	——	1690.	——	G. ♄.	
4	triflora. H.R.	three-flowered.	——	1821.	——	G. ♄.	
5	ramosa. H.S.S.	branching.	——	1768.	——	G. ♄.	Moris. sect. 12. t. 7. f. 39.
6	ramosissima. H.S.S.	cluster-branch'd.	——	1816.	....	G. ♄.	
7	fascicularis. H.S.	clustered.	——	1759.	7. 9.	G. ♄.	Burm. afr. 41. t. 18.
8	hemisphærica. H.S.	thick-leaved.	——	1731.	6. 7.	G. ♄.	DC. plant. gras. 87.
9	spuria. H.S.	narrow-leav'd.	——	——	7. 8.	G. ♄.	Comm. rar. t. 23.
10	mucronata. S.S.	mucronate.	——	1818.	....	G. ♄.	Burm. dec. t. 19. f. 2.
	undulata. H.S.S.						
11	jasminiflora. H.R.	Jasmine-fld.	——	——	6. 8.	G. ♄.	
12	elata. H.S.S.	tall powdered.	——	1816.	——	G. ♄.	
13	cuneata. H.S.S.	large pubesc'nt.	——	1813.	....	G. ♄.	
14	cornscans. H.S.S.	sparkling.	——	1818.	3. 5.	G. ♄.	Botan. magaz. 2601.
	canalifolia. H.P.						
15	curviflora. B.M.	curv'd-flow'r'd.	——	1813.	7. 8.	G. ♄.	—— 2044.
	purpurea. H.S.S. *vix Thunb.*						
16	decussata. B.M.	cross-leaved.	——	——	5. 6.	G. ♄.	—— 2518.
	papillaris. H.S.S. *non Thunb.*						
17	tricuspidata. H.P.	trident-leaved.	——	1820.	....	G. ♄.	
18	cacalioides. H.R.	Cacalia-leaved.	——	——	5. 6.	G. ♄.	
19	rhombifolia. H.P.	rhomb-leaved.	——	1823.	....	G. ♄.	
20	mammillaris. H.S.S.	mammillary.	——	1818.	5. 7.	G. ♄.	Burm. dec. t. 21. f. 1.
21	canaliculata. H.S.S.	channel-leav'd.	——	1818.	....	G. ♄.	
22	maculata. H.R.	spotted-leaved.	——	——	5. 7.	G. ♄.	
23	coccinea. Cav.	scarlet.	....	1816.	1. 8.	G. ♄.	Botan. magaz. 2572.
24	tuberculosa. S.S.	tubercled.	C. B. S.	1822.	....	G. ♄.	
25	ungulata. S.S.	ungulate.	——	——	....	G. ♄.	
26	gracilis. H.S.S.	slender.	Portugal.	1800.	5. 8.	G. ♄.	
27	cæspitosa. H.M.N.	tongue-leaved.	California.	1796.	6. 8.	G. ♃.	
	linguæformis. H.K.						
28	dichotoma. H.R.	fork-spined.	C. B. S.	1818.	——	G. ♄.	
29	spinosa. S.S.	spiny.	Siberia.	....	....	F. ♃.	
30	serrata. H.S.	notch-leaved.	Crete.	1732.	6. 7.	H. ♃.	Dill. elt. t. 95. f. 112.
31	hispanica. H.S.	Spanish.	Spain.	1790.	——	H. ♂.	DC. plant. gras. 122.
32	Umbilicus. E.B.	Pennywort.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 325.
33	lutea. E.B.	yellow.	England.	....	——	H. ♃.	—— —— 1532.
OROSTACHYS. F.		OROSTACHYS. Decandria Pentagynia.					
	Malacophyllum. F.	annual.	Davuria.	1815.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. G. f. 1.
	Cotyledon malacophyllum. W.						
KALANCHOE. H.S.		KALANCHOE. Octandria Tetragynia.					
1	spathulata. DC.	yellow spathulate.	China.	1820.	7. 9.	D.S. ♄.	DC. plant. gras. 63.
2	ægyptiaca. DC.	red spathulate.	Egypt.	——	——	D.S. ♄.	—— —— —— 64.

3	rotundifolia. H.P.	round Orpine-ld.	C. B. S.	1820.	7. 9.	G.♄.		
	Crassula rotundifolia. H.P. 128.							
4	acutiflora. H.R.	white flower'd.	E. Indies?	1806.	——	D.S.♄.	Andr. reposit. 460.	
	Veria acutiflora. A.R.							
5	Verea. P.S.	Vere's.	Sierra Leon.	1793.	——	D.S.♄.	——	21.
	Veria crenata. A.R. *Cotyledon crenatum.* B.M. 1436.							
6	laciniata. DC.	cut-leaved.	E. Indies.	1731.	7. 8.	D.S.♄.	DC. plant. gras. 100.	
7	ceratophylla. H.R.	buck's-horn-ld.	China.	1830.	9. 1.	D.S.♄.		
BRYOPHYLLUM. P.L.		BRYOPHYLLUM.	Octandria Tetragynia.					
	calycinum. P.L.	large-cupped.	Mauritius.	1800.	4. 7.	D.S.♄.	Parad. lond. 3.	
RHODIOLA. L.		ROSE-ROOT.	Dioecia Octandria. L.					
	rosea. L.	common.	Britain.	....	5. 7.	H.♃.	Eng. bot. 508.	
SEDUM. L.		STONECROP.	Decandria Pentagynia. L.					
1	maximum. L.en.	great purple.	Spain.	1794.	7. 8.	H.♃.		
	Anacampseros maxima. H.S.							
2	albicans.	great white.	Europe.	——	——	H.♃.		
	Anacampseros albicans. H.S.							
3	triphyllum.	three-ld. purple.	Portugal.	——	——	H.♃.		
	purpureum. L.en. *Anacampseros triphylla.* H.S.							
4	verticillatum. W.	whorl-leaved.	S. Europe.	....	7. 9.	H.♃.	Amœn. ac. 2. t. 4. f. 14.	
5	argutum.	lance-toothed.	Carpathian m.	1820.	——	H.♃.		
	Anacampseros arguta. H.R.							
6	pancidens. H.R.	few-toothed.	.....	....	——	H.♃.		
7	pectinatum.	pectinated.	.....	....	——	H.♃.		
	Anacampseros pectinata. H.R.							
8	Telephium. E.B.	common Orpine.	Britain.	....	——	H.♃.	Eng. bot. 1819.	
	Anacampseros vulgaris. H.S.							
9	Anacampseros. W.	evergreen.	France.	1596.	7. 8.	H.♃.	Botan. magaz. 118.	
	Anacampseros sempervirens. H.S.							
10	telephioides. M.	Rhodiola-like.	N. America.	1810.	——	H.♃.		
11	lividum. W.en.	livid.	.....	1820.	——	H.♃.		
12	Aizoon. W.	yellow Orpine.	Siberia.	1757.	7. 9.	H.♃.	DC. plant. gras. 101.	
13	populifolium. W.	Poplar-leaved.	——	1780.	7. 8.	H.♄.	Botan. magaz. 211.	
14	divaricatum. W.	spreading.	Madeira.	1777.	6. 7.	G.♄.		
15	ciliare.	fringed.	Caucasus.	1810.	7. 9.	H.♃.	Botan. magaz. 1807.	
	oppositifolium. B.M. *Anacampseros ciliaris.* H.R.							
16	spurium. W.en.	greater fringed.	——	——	——	H.♃.	——	2370.
17	dentatum. H.R.	large-toothed.	.....	——	——	H.♃.		
18	hybridum. W.	Germander-ld.	Siberia.	1766.	5. 7.	H.♃.	Mur. c. got. 6. t. 5.	
19	ternatum. M.	dwarf 3-leav'd.	N. America.	1789.	7. 8.	H.♃.	Botan. regist. 142.	
20	stellatum. W.	starry.	S. Europe.	1640.	6. 7.	H.⊙.	Cam. hort. 7. ic. 2.	
21	Cepæa. W.	panicled.	France.	——	7. 8.	H.⊙.	W. et K. hung. t. 104.	
	spatulatum. W.K.							
22	sempervivoides. F.	houseleek-ld.	Iberia.	1823.	6. 8.	H.♃.	Botan. magaz. 2474.	
23	ochroleucum. H.P.	tall sharp-cupp'd.	Greece.	....	7. 8.	F.♃.		
24	altissimum. DC.	tall blunt-cupp'd.	Italy.	1769.	——	H.♃.	Jacq. vind. 1. t. 81.	
	Jacquini. H.P. *Sempervivum sediforme.* Jacq.							
25	cœrulescens. H.P.	great straw-fld.	.....	....	——	H.♃.		
26	reflexum. H.P.	reflex-leaved.	Britain.	....	6. 7.	H.♃.	Eng. bot. 695.	
27	septangulare. H.P.	7-angled glaucous.	Europe.	....	7. 8.	H.♃.	DC. plant. gras. 115.	
	rupestre. DC. *non* L. *collinum.* W.en. *ex* H.P.							
28	glaucum. H.P.	glaucous short-ld.	England.	....	6. 7.	H.♃.	Eng. bot. 2477.	
29	minus. H.P.	lesser short-ld.	.....	....	——	H.♃.	DC. plant. gras. 116.	
	reflexum. DC. *non* H.P.							
30	spirale. H.P.	small 7-angled.	.....	1820.	6. 7.	H.♃.	DC. plant. gras. 118.	
	sexangulare. DC. *non* E.B.							
31	recurvatum. H.P.	slender recurv'd	.....	——	——	H.♃.		
32	anopetalum. H.P.	broader-leaved.	S. France.	1815.	——	H.♃.		
	β aurantiacum. H.P.	*orange-colour'd.*	——	....	——	H.♃.		
33	virens. H.P.	deep green-ld.	Portugal.	1774.	——	H.♃.		
34	rupestre. H.P.	expanding glaucous.	England.	....	——	H.♃.	Eng. bot. 170.	
	virescens. W.en.							
35	Forsterianum. E.B.	Forster's.	Wales.	....	7. 8.	H.♃.	——	1803.
36	quadrifidum. W.	four-cleft.	N. Asia.	1800.	——	H.♃.	Pall. it. 3. a. t. P. f. 1.	
37	nudum. W.	naked-branch'd.	Madeira.	1777.	——	G.♄.		
38	quinquefidum. H.R.	linear-leaved.	.....	....	——	H.♃.		
39	hexapetalum. H.R.	six-petaled.	.....	....	——	H.♃.		
40	sexfidum. H.R.	six-cleft.	Cancasus.	1818.	——	H.⊙.		
41	monregalense. W.en.	clammy.	S. Europe.	1816.	6. 7.	H.♃.	Lodd. bot. cab. 464.	

42	hispanicum. W.	Spanish.	Spain.	1732.	——	H.4.	Jacq. aust. 5. t. a. 47.
43	album. E.B.	white.	England.	....	6. 7.	H.4.	Eng. bot. 1578.
44	villosum. E.B.	hairy.	Britain.	....	——	H.4.	—— 171.
45	annuum. W.	annual.	N.Europe.	1739.	7. 9.	H.⊙.	
46	atratum. W.	dark annual.	Italy.	1795.	——	H.⊙.	Jacq. aust. 1. t. 8.
47	dasyphyllum. E.B.	thick-leaved.	England.	....	6. 7.	H.4.	Eng. bot. 656.
48	pallidum. M.B.	pale-red.	Caucasus.	1820.	7. 9.	H.⊙.	
49	cæruleum. W.	blue pubescent.	N. Africa.	1821.	——	H.♄.	Botan. regist. 620.
50	sexangulare. E.B.	insipid.	England.	....	6. 7.	H.4.	Eng. bot. 1946.
51	acre. E.B.	biting.	Britain.	....	——	H.4.	—— —— 339.
52	saxatile. W.	rock.	S. Europe.	1826.	7. 9.	H.4.	
53	pallens. H.R.	5-petaled glaucous.	.....	....	——	H.⊙?	
54	oblongum. H.R.	oblong-leaved.	England.	....	7. 8.	H.4.	
55	anglicum. H.R.	small English.	——	....	——	H.4.	Eng. bot. 171.
	β microphyllum. H.R.	*least English.*	——	....	——	H.4.	
MONANTHES. H.R.		Monanthes.	Dodecandria Heptagynia.				
	polyphylla. H.R.	many-leaved.	Canaries.	1777.	7. 9.	G.4.	Botan. magaz. 93.
	Sempervivum monanthos. B.M.						
SEMPERVIVUM. L.		Houseleek.	Dodecandria Dodecagynia. L.				
1	arboreum. W.	tree.	Levant.	1640.	12. 3.	G.♄.	Botan. regist. 99.
	β variegatum. H.R.	*variegated.*	—— ——	....	——	G.♄.	
	γ atropurpureum. H.R	*dark-purple-l^d.*	—— ——	....	——	G.♄.	
2	canariense. W.	Canary.	Canaries.	1699.	6. 7.	G.♄.	DC. plant. gras. 141.
3	glutinosum. W.	clammy.	Madeira.	1777.	7. 8.	G.♄.	Botan. regist. 278.
4	Smithii. B.M.	Smidt's.	Canaries.	1815.	9.	G.♄.	Botan. magaz. 1090.
5	tabulæforme. H.R.	table-shaped.	Madeira.	——	7. 9.	G.♄.	
6	aureum. S.S.	chalice formed.	—— ——	——	6. 7.	G.♄.	Botan. regist. 898.
	calyciforme. H.S.S.						
7	spurium. H.R.	spurious.	Hybrid.	....	——	G.♄.	
8	barbatum. S.S.	bearded.	Madeira.	1815.	——	G.♄.	
	lineolare. H.S.S.						
9	glandulosum. W.	gland-edged.	—— ——	1777.	8. 5.	G.♄.	
10	ciliatum. S.S.	ciliated.	Teneriffe.	1815.	....	G.♄.	
11	cæspitosum. S.S.	latchet-leaved.	Madeira.	1815.	9. 4.	G.♄.	Botan. magaz. 1978.
	ciliatum. B.M. *non* W.	*ciliare.* H.S.S.					
12	hybridum. H.R.	hybrid.	Hybrid.	....	——	G.♄.	
13	laxum. H.R.	loose-flowered.	....	1820.	7. 10.	G.♂.	
14	villosum. W.	small shrubby villous.	Madeira.	1777.	6. 7.	G.♄.	
15	stellatum. H.R.	annual villous.	——	1790.	7. 8.	H.⊙.	Botan. magaz. 1809.
	villosum. B.M.						
16	tortuosum. W.	twisted.	Canaries.	1779.	——	G.♄.	—— —— —— 206.
17	dodrantale. W.en,	smooth-l^d annual.	Teneriffe.	1815.	——	H.⊙.	
18	africanum. H.S.	African.	C. B. S.	1768.	....	G.4.	
19	teeterum. W.	common.	Britain.	....	6. 9.	H.4.	Eng. bot. 1330.
20	grandiflorum. H.R.	great-flowered.	Germany.	1731.	6. 7.	H.4.	Botan. magaz. 567.
	globiferum. B.M.	*non* L.					
21	flagelliforme. S.S.	whip-lash.	Siberia.	1818.	——	H.4.	
22	hirtum. W.	hairy.	Italy.	1804.	——	H.4.	Schmidt ic. t. 17.
23	montanum. W.	red-flowered.	Switzerland.	1752.	——	H.4.	DC. plant. gras. 106.
24	globiferum. H.R.	hen & chicken.	Germany.	....	——	H.4.	Botan. magaz. 1457.
25	arachnoideum. W.	cobweb.	Italy.	1699.	——	H.4.	—— —— —— 66.
26	cuspidatum. H.R.	pin pointed.	Siberia.	1790.	8.	H.4.	Gmel. sib. t. 67. f. 2.
PENTHORUM. W.		Penthorum.	Decandria Pentagynia. L.				
	sedoides. W.	American.	Virginia.	1768.	7. 8.	H.4.	Lam. ill. t. 390.

ORDO LXXXIX.

SAXIFRAGEÆ. *Juss. gen.* 308.

SAXIFRAGA. L.		Saxifrage.	Decandria Digynia. L.				
1	crassifolia. L.T.	thick-leaved.	Siberia.	1765.	8. 5.	H.4.	Botan. magaz. 196.
	Bergenia crassifolia. Mœn.	*Megasea crassifolia* H.R.					
2	cordifolia. L.T.	heart-leaved.	——	1779.	——	H.4.	

3	media.	intermediate.	———	1819.	——	H.4.		
	Megasea média. H.R.							
4	lingulata. L.T.	fringed-leaved.	Nepaul.	1818.	——	H.4.	Swt. br. fl. gar. 59.	
	Megasea ciliata. H.R.							
5	Geum. L.T.	kidney-leaved.	Ireland.	....	6. 7.	H.4.	Eng. bot. 61.	
6	hirsuta. L.T.	hirsute.	———	....	5. 6.	H.4.	——— 2822.	
7	polita. L.en.	polished.	———	....	——	H.4.		
	Robertsonia polita. H.S.							
8	dentata. L.en.	toothed.	———	....	——	H.4.		
	Robertsonia dentata. H.S.							
9	crenata.	crenated.	.....	1790.	——	H.4.		
	Robertsonia crenata. H.S.							
10	sphæroidea.	spheeroid.	Pyrenees?	1800.	——	H.4.		
	Robertsonia sphæroidea. H.S.							
11	punctata. L.	dotted-flow'r'd.	Siberia.	1699.	——	H.4.		
12	serrata. L.en.	sawed-leaved.	Ireland.	....	——	H.4.		
	Robertsonia serrata. H.S.							
13	umbrosa. L.T.	London pride.	Britain.	....	4. 6.	H.4.	Eng. bot. 633.	
14	cuneifolia. L.T.	wedge-leaved.	Switzerland.	1768.	5. 6.	H.4.	W. et K. hung. 1. t. 44.	
15	hybrida. L.en.	hybrid.	.....	1820.	——	H.4.	Sternb. sax. 17. t. 8. f. 3	
16	stellaris. L.T.	starry.	Britain.	....	6. 7.	H.4.	Eng. bot. 167.	
	δ Schleicheri. L.T.	*Schleicher's.*	Switzerland.	1819.	——	H.4.		
	Spatularia stellaris. γ depilata. H.R.							
17	leucanthemifolia. L.T.	Stock-leav'd.	N. America.	1812.	——	H.4.	Lap. pyr. sax. t. 25.	
18	sarmentosa. L.T.	sarmentose.	China.	1771.	——	F.4.	Botan. magaz. 92.	
	Diptera sarmentosa. Bork. *Ligularia sarmentosa.* H.R.							
19	cuscutæformis. H.C.	dodder-like.	———	1815.	2. 7.	F.4.	Lodd. bot. cab. t. 186.	
	Ligularia minor. H.R.							
20	erosa. L.T.	jagged-leaved.	N. America.	1812.	5. 6.	H.4.		
	Aulaxis nuda. H.R.							
	β hirsuta. L.T.	*hairy.*	———	——	——	H.4.		
	Aulaxis micranthifolia. H.R.							
21	rotundifolia. L.T.	round-leaved.	Austria.	1596.	——	H.4.	Botan. magaz. 424.	
	Miscopetalum rotundifolium. H.R.							
	β repanda. L.T.	*repand.*	———	....	——	H.4.	Sternb. saxif. t. 5.	
22	granulata. L.T.	grain-rooted.	Britain.	....	5.	H.4.	Eng. bot. 500.	
	β multiplex.	*double-flowered.*	——	....	——	H.4.		
23	cernua. L.T.	drooping.	Scotland.	....	7.	H.4.	Eng. bot. 664.	
	Lobaria cernua. H.R.							
24	sibirica. L.T.	Siberian.	Siberia.	1802.	5. 6.	H.4.	Sternb. sax. t. 12. f. 4?	
25	rivularis. L.T.	Alpine brook.	Scotland.	....	6. 7.	H.4.	Eng. bot. 2275.	
	Lobaria rivularis. H.R.							
26	hederacea. L.T.	Ivy-leaved.	Levant.	1752.	7.	H.⊙.	Flor. græc. t. 379.	
27	Hirculus. L.T.	yellow marsh.	England.	....	8.	H.4.	Eng. bot. 1009.	
	Hirculus ranunculoides. H.R.							
28	flagellaris. L.T.	flagelliferous.	Baffin's Bay.	1820.	——	H.4.	Sternb. sax. p. 25. t. 6.	
29	aizoides. L.T.	smaller mountain.	Britain.	....	7. 8.	H.4.	——— t. 8. f. 1.	
	β autumnalis.	*larger mountain.*	——	....	——	H.4.	Eng. bot. 39.	
	Leptasea aizoides. H.R.							
30	bronchialis. L.T.	spiny-fringed.	Siberia.	1819.	——	H.4.	Gmel. sib. 4. t. 65. f. 2.	
31	tenella. L.T.	slender.	Carinthia.	1824.	——	H.4.	Jacq. coll. 3. t. 17.	
32	aspera. L.T.	rough.	Switzerland.	1752.	8.	H.4.	Jacq. aust. 5. t. 31.	
	Ciliaria aspera. H.R.							
33	bryoides. L.T.	thread-moss like.	——	——	6. 7.	H.4.	Jacq. misc. 2. t. 5. f. 1.	
34	hieracifolia. L.T.	Hawkweed-lf.	Hungary.	1789.	5. 6.	H.4.	W. et K. hung. 1. t. 18.	
35	pensylvanica. L.T.	Pensylvanian.	N. America.	1732.	——	H.4.	Dill. elt. t. 258. f. 328.	
	β glabra.	*smoother-leaved.*	———	——	——	H.4.		
36	semipubescens. L.T.	semipubescent.	———	....	——	H.4.		
	Micranthes semipubescens. H.S.							
37	virginiensis. L.T.	Virginian.	——	1790.	5. 7.	H.4.	Botan. magaz. 1654.	
	Dermasea pilosa. H.R.							
38	congesta. H.S.L.	close-headed.	——	1812.	——	H.4.		
	nivalis. Ph. *nec aliorum.*							
39	nivalis. L.T.	clustered Alpine.	Britain.	....	6. 7.	H.4.	Eng. bot. 440.	
	Dermasea nivalis. H.R.							
40	Cotyledon. L.T.	pyramidal.	Alps Europe.	1596.	5. 7.	H.4.	Flor. dan. t. 241.	
	Chondrosea pyramidalis. H.R.							
41	intermedia.	related.	.....	1808.	7.	H.4.		
	Chondrosea intermedia. H.R.							

42	lingulata. L.T. *longifolia.* S.S.	tongue-leaved.	Pyrenees.	....	5. 7.	H.4.		
	β media. L.T.	*middle.*	———	....	——	H.4.	Sternb. sax. p. 1. t.1.a.	
43	crustata. L.en.	crusted.	———	....	——	H.4.	——— t. 1. b.	
44	Aizoon. L.T.	large margined.	———	1731.	——	H.4.	Jacq. aust. t. 438.	
45	recta. P.S. *intacta.* L.T. *Chondrosea Aizoon.* H.R.	straight-leav'd.	Alps Europe.	....	5. 7.	H.4.	Lap. pyr. sax. t. 15.	
	β minor. H.R.	*lesser.*	———	....	——	H.4.		
	γ parviflos. H.R.	*smaller-flower'd.*	———	....	——	H.4.		
46	mutata. L.T.	saffron-colour'd.	Switzerland.	1779.	6. 7.	H.4.	Botan. magaz. 251.	
47	aretioides. L.T.	Aretia-like.	———	1825.	....	H.4.	Lap. pyr. sax. t. 13.	
48	Burseriana. L.T.	Burser's.	Italy.	——	5. 6.	H.4.	Jacq. misc. 1. t.17. f.3.	
49	retusa. L.T.	purple-flow'r'd.	Pyrenees.	....	3. 4.	H.4.	Lap. pyr. sax. t. 16.	
50	oppositifolia. L.T. *Antiphylla cærulea.* H.R.	opposite-leav'd.	Britain.	....	——	H.4.	Eng. bot. t. 9.	
51	biflora. L.T.	two-fld purple.	Switzerland.	1825.	——	H.4.	Lap. pyr. sax. t. 17.	
52	cæsia. L.T.	grey.	———	1752.	5. 6.	H.4.	Jacq. aust. 4. t. 374.	
53	androsacea. L.T.	Androsace-ld.	———	1792.	——	H.4.	Jacq. aust. 4. t. 389.	
54	sedioides. L.T.	Stonecrop-like.	Europe.	1825.	....	H.4.	Jacq. misc.2. t.21.f.22.	
55	tenera. L.T. *planifolia.* S.S.	flat-leaved.	Switzerland.	——	5. 6.	H.4.	Sternb. sax. t. 9. f. 4.	
56	geranioides. L.S.	cranesbill-ld.	Pyrenees.	1770.	4. 5.	H.4.	Lap. pyr. sax. t. 43.	
57	irrigua. L.T.	crowfoot-ld.	Siberia.	1820.	——	H.4.	M.B. cent. pl. rar.t.73.	
58	pedatifida. L.T. *β minor.* H.R.	pedatifid. *smaller villous.*	Scotland. ———	....	5. 6. ——	H.4. H.4.	Eng. bot. 2278.	
59	quinquefida. H.R.	quinquefid.	———	....	——	H.4.		
60	ceratophylla. L.T.	shining-calyx'd.	Spain.	1804.	——	H.4.	Botan. magaz. 1651.	
61	ajugifolia. L.T.	Bugle-leaved.	Pyrenees.	1770.	6. 7.	H.4.	Lap. pyr. sax. t. 31.	
62	affinis. L.T.	affined.	Ireland.	....	——	H.4.		
63	pentadactyla. L.T.	five-fingered.	Pyrenees.	1815.	5. 6.	H.4.	Lap. pyr. sax. t. 40.	
64	decipiens. L.T. *palmata.* E.B.	palmate.	Wales.	....	——	H.4.	Eng. bot. 455.	
65	hirta. L.T.	hairy.	Ireland.	....	——	H.4.	——— 2291.	
66	platypetala. L.T.	broad-petaled.	Scotland.	....	6.	H.4.	——— 2276.	
66	incurvifolia. L.T.	incurved-ld.	Ireland.	....	——	H.4.		
68	denudata. L.T.	half naked.	Scotland.	....	——	H.4.		
69	Sternbergii. L.T.	Sternberg's.	Germany.	....	5. 6.	H.4.	Sternb. sax. t. 24.	
70	pulchella. L.T.	pretty.	———	1818.	——	H.4.		
71	tridentata. L.T.	three-toothed.	.....	....	——	H.4.		
72	cæspitosa. L.T.	tufted.	Wales.	....	——	H.4.	Eng. bot. 794.	
73	exarata. L.T. *nervosa.* Lap.	furrowed.	Pyrenees.	1818.	——	H.4.	Lap. pyr. sax. t. 39.	
74	moschata. L.T.	musky.	———	....	——	H.4.	Jacq. misc. 2. t. 21. f.2.	
75	muscoides. L.T. *Muscaria muscoides.* H.R.	Moss like.	England.	....	——	H.4.	Lap. pyr. sax. t. 35.	
76	pygmæa. L.T. *moschata.* E.B. *non* Jacq. *Muscaria cæspitosa.* H.R.	pigmy.	Scotland.	....	——	H.4.	Eng. bot. 2214.	
77	tridactylites. E.B. *Tridactylites annua.* H.R.	Rue-leaved.	Britain.	....	3. 5.	H.⊙.	——— 501.	
78	controversa. S.S.	confused.	N. Europe.	....	——	H.⊙.	Sternb. sax. t. 16.	
79	petræa. L.T.	rock.	Carinthia.	1752.	4. 5.	H.⊙.	Jacq. ic. 1. t. 81.	
80	adscendens. L.T. *aquatica.* St.	ascending.	Pyrenees.	——	5. 6.	H.4.	Sternb. sax. t.19. f.1.2.	
81	condensata. L.T.	close.	Scotland.	....	....	H.4.	Gmel. fl. bad. t. 3.	
82	elongella. L.T.	long peduncled.	———	....	——	H.4.	Eng. bot. 2277.	
83	leptophylla. L.T. *β angustifida.* L.T.	narrow-leaved. *narrow-lobed.*	Wales. ———	....	5. 6. ——	H.4. H.4.		
84	lætevirens. L.T.	light-green.	Scotland.	....	——	H.4.		
85	hypnoides. L.T. *β viscosa.* L.T. *γ angustifolia.* L.T. *δ muscosa.* L.T. *ε pulchella.* L.T. *ζ spatulata.* H.R. *η latifida.* H.R. *θ rhodopetala.* H.R. *ι recurvula.* H.R. *κ aristata.* H.R. *λ septifida.* H.R.	mossy. *viscous.* *narrow-leaved.* *tufted.* *larger.* *spatulate.* *broad-cleft.* *rosy-petaled,* *recurving-cup'd.* *awned.* *seven-cleft.*	Britain. ——— ——— ——— ——— ——— ——— ——— ——— ———	....	4. 6. —— —— —— —— —— —— —— —— ——	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 454.	

86 lanceolata. H.B.	spear-leaved.	Europe.	1806.	——	H. 4.	
obtusa. H.B.	*blunt-leaved.*	—— ——	1820.	——	H. 4.	
87 altifida. H.B.	deep-cleft.	—— ——	....	——	H. 4.	
88 viscosa. H.B.	viscous.	—— ——	....	——	H. 4.	
89 quinquedens. H.B.	five-toothed.	—— ——	....	——	H. 4.	
90 Haworthii. H.S.L.	Haworth's.	—— ——	....	——	H. 4.	
hirta. H.B. non E.B.						
HEUCHERA. L.	HEUCHERA.	Pentandria Digynia. L.				
1 americana. L.	viscid.	N.America.	1656.	5. 7.	H. 4.	Pluk alm. t. 58. f. 3.
viscida. Ph.						
2 pubescens. Ph.	pubescent.	—— ——	1812.	——	H. 4.	
3 hispida. Ph.	hispid.	—— ——	1820.	——	H. 4.	
4 villosa. M.	villous.	—— ——	1812.	——	H. 4.	
5 caulescens. Ph.	caulescent.	—— ——	...	——	H. 4.	
TIARELLA. L.	TIARELLA.	Decandria Digynia. L.				
1 cordifolia. Ph.	heart-leaved.	N.America.	1731.	4. 5.	H. 4.	Botan. magaz. 1589.
2 Menziesii. Ph.	leafy-stemmed.	—— ——	1812.	——	H. 4.	
3 polyphylla. D.P.	many-leaved.	Nepaul.	1818.	——	H. 4.	
ASTILBE. D.P.	ASTILBE.	Oct-Decandria Digynia.				
decandra. D.P.	decandrous.	Carolina.	1812.	5. 6.	F. 4.	Vent. malm. 54.
Tiarella biternata. V.						
MITELLA. L.	MITELLA.	Decandria Digynia. L.				
1 diphylla. W.	two-leaved.	N.America.	1731.	4. 5.	H. 4.	Botan. regist. 166.
2 cordifolia. W.	heart-leaved.	—— ——	1812.	——	H. 4.	Lam. ill. t. 273. f. 3.
3 reniformis. Lam.	kidney-leaved.	—— ——	1758.	6. 8.	H. 4.	—— —— t. 273. f. 2.
nuda. W.						
4 prostrata. M.	prostrate.	—— ——	1812.	5. 6.	H. 4.	
CHRYSOSPLENIUM. L.	GOLDEN SAXIFRAGE.	Oct-Decandria Digynia.				
1 alternifolium. W.	alternate-lf.	Britain.	....	4. 5.	H. 4.	Eng. bot. 54.
2 oppositifolium. W.	opposite-leav'd.	—— ——	....	——	H. 4.	—— —— 490.
3 nepalense. D.P.	Nepaul.	Nepaul.	1824.	——	H. 4.	
ADOXA. L.	MOSCHATEL.	Oct-Decandria Tetragynia.				
Moschatellina. E.B.	tuberous.	Britain.	....	3. 5.	H. 4.	Eng. bot. 453.
HYDRANGEA. L.	HYDRANGEA.	Decandria Digynia. L.				
1 arborescens. W.	shrubby.	Virginia.	1736.	7. 8.	H. ħ.	Botan. magaz. 437.
vulgaris. Ph.						
2 cordata. Ph.	heart-leaved.	Carolina.	1806.	——	H. ħ.	Wats. dend. brit. t. 42.
3 radiata. W.	white-leaved.	—— ——	1786.	——	H. ħ.	Lam. ill. t. 370. f. 2.
nivea. Wats. dend. brit. 42.						
4 heteromalla. D.P.	woolly-leaved.	Nepaul.	1823.	....	H. ħ.	
5 quercifolia. W.	Oak-leaved.	Florida.	1803.	6. 9.	F. ħ.	Botan. magaz. 975.
6 hortensis. W.	changeable.	China.	1788.	4. 9.	F. ħ.	—— —— 438.

ORDO XC.

CUNONIACEÆ. *Brown.*

WEINMANNIA. L.	WEINMANNIA.	Octandria Digynia. L.				
1 glabra. L.	smooth.	W. Indies.	1818.	5. 7.	S. ħ.	Lam. ill. t. 318. f. 1.
2 hirta. W.	hairy.	—— ——	——	——	S. ħ.	
3 elliptica. K.S.	elliptic-leaved.	Peru.	1823.	....	G. ħ.	
4 ovata. K.S.	oval-leaved.	—— ——	——	....	G. ħ.	Cav. ic. 6. t. 566.
CUNONIA. L.	CUNONIA.	Decandria Digynia. L.				
capensis. W.	Cape.	C. B. S.	1816.	5. 7.	G. ħ.	Botan. regist. 828.
CALLICOMA. A.R.	CALLICOMA.	Dodecandria Digynia.				
serratifolia. A.R.	saw-leaved.	N. S. W.	1793.	5. 8.	G. ħ.	Andr. reposit. 566.
CERATOPETALUM. Sm.	CERATOPETALUM.	Decandria Monogynia.				
gummiferum. Sm.	gum-bearing.	N.Holland.	1820.	....	G. ħ.	Sm. n. holl. 1. t. 3.
BAUERA. Sal.	BAUERA.	Polyandria Digynia. H.K.				
1 rubiæfolia. Sal.	Madder-leaved.	N. S. W.	1793.	7. 12.	G. ħ.	Sal. ann. bot. 1. t. 10.
rubioides. A.R. 198. B.M. 715.						
2 humilis. L.en.	dwarf.	—— ——	1804.	——	G. ħ.	

ORDO XCI.

UMBELLIFERÆ. *Juss. gen.* 218.

ARCTOPUS. S.S.	ARCTOPUS.	Polygamia Dicœcia. L.					
echinatus. S.S.	rough.	C. B. S.	1774.	6. 9.	G. ♃.	Botan. regist. 705.
ERYNGIUM. S.S.	ERYNGO.	Pentandria Digynia L.				
1 aquaticum. S.S.	marsh.	N. America.	1699.	7. 9.	H. ♃.	Botan. regist. 372.
2 longifolium. S.S.	long-leaved.	Mexico.	1812.	——	G. ♃.	Cav. ic. 6. t. 555.
3 bromelifolium. S.S.	Bromelia-ld.	New Spain.	1822.	....	G. ♃.	Laroch. eryng. t. 28.
4 ebracteatum. S.S.	bractless.	Monte Video.	1810.	7. 9.	G. ♃.	—— t. 32.
5 planum. S.S.	flat-leaved.	Europe.	1596.	——	H. ♃.	Jacq. aust. 4. t. 391.
6 tricuspidatum. S.S.	trifid.	Spain.	1699.	9.	H. ♂.	Laroch. eryng. t. 9.
7 asperifolium. S.S.	rough-leaved.	.....	1824.	6. 8.	H. ♃.	—— t. 11.
8 dichotomum. S.S.	forked.	S. Europe.	——	7. 9.	H. ♃.	Desf. atl. 1. t. 55.
9 cæruleum. M.B.	blue.	Caucasus.	1816.	——	H. ♃.	
10 giganteum. S.S.	gigantic.	Armenia.	1823.	——	H. ♃.	
11 alpinum. S.S.	Alpine.	Switzerland.	1597.	——	H. ♃.	Botan. magaz. 922.
β rigidum. P.S.	*rigid.*	France.	1816.	——	H. ♃.	
12 virgatum. S.S.	oval-leaved.	N. America.	1810.	6. 7.	H. ♃.	Laroch. eryng. t. 20.
13 gracile. S.S.	slender.	New Spain.	1818.	7. 9.	G. ♃.	—— t. 24.
14 corniculatum. S.S.	horned.	Portugal.	1803.	6. 8.	H. ♃.	Botan. magaz. 1427.
15 tenue. S.S.	slender annual.	——	....	——	H. ☉.	Moris. sect. 7. t. 35. f. 15.
16 pusillum. S.S.	dwarf.	Spain.	1640.	——	H. ♃.	Laroch. eryng. t. 16.
17 virginianum. S.S.	Virginian.	Virginia.	....	7. 9.	H. ♃.	—— t. 19.
18 serratum. S.S.	serrated.	New Spain.	1823.	8. 10.	G. ♃.	Cav. ic. 6. t. 55.
19 fœtidum. S.S.	stinking.	W. Indies.	1714.	——	S. ♃.	Sloan. jam. t. 156. f. 3. 4.
20 maritimum. S.S.	sea Holly.	Britain.	....	7. 10.	H. ♃.	Eng. bot. 718.
21 campestre. S.S.	field.	——	....	7. 8.	H. ♃.	—— 57.
22 Bourgati. S.S.	cut-leaved.	S. France.	1731.	6. 8.	H. ♃.	Gouan. ill. 7. t. 3.
23 amethystinum. S.S.	amethystine.	Styria.	1648.	7. 8.	H. ♃.	W. et K. hung. 3. t. 215.
24 dilatatum. S.S.	dilated.	Portugal.	....	——	H. ♃.	Laroch. eryng. t. 4.
25 comosum. S.S.	tufted.	New Spain.	1818.	——	S. ♃.	—— t. 7.
26 azureum. R.S.	azure blue.	.....	——	——	H. ♃.	
ECHINOPHORA. S.S.	ECHINOPHORA.	Pentandria Digynia. L.				
1 spinosa. S.S.	prickly.	England.	....	7.	H. ♃.	Eng. bot. 2413.
2 tenuifolia. S.S.	fine-leaved.	Apulia.	1731.	7. 8.	H. ♃.	Flor. græc. t. 266.
ACTINOTUS. Lab.	ACTINOTUS.	Pentandria Digynia.				
Helianthi. Lab.	larger.	N. S. W.	1821.	6. 12.	G. ♄.	Botan. regist. 654.
Eriocalia major. Ex. bot. 80.						
SANICULA. S.S.	SANICLE.	Pentandria Digynia. L.				
1 europæa. S.S.	wood.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 98.
2 canadensis. S.S.	Canadian.	Canada.	1809.	——	H. ♃.	
3 marilandica. S.S.	Maryland.	N. America.	1765.	——	H. ♃.	Jacq. ic. 2. t. 348.
DONDIA. S.S.	DONDIA.	Pentandria Digynia. L.				
Epipactis. S.S.	dwarf.	S. Europe.	1818.	5. 7.	H. ♃.	Jacq. aust. 5. t. 11.
Astrantia Epipactis. W.						
ASTRANTIA. S.S.	ASTRANTIA.	Pentandria Digynia. L.				
1 major. W.	great black.	Alps Europe.	1596.	5. 9.	H. ♃.	Exot. bot. 2. t. 76.
2 carniolica. W.	Carniolian.	Carniola.	1812.	5. 6.	H. ♃.	Jacq. aust. 5. app. t. 10.
3 caucasica. R.S.	Caucasean.	Caucasus.	1824.	——	H. ♃.	
intermedia. M.B.						
4 maxima. Pall.	Hellebore-ld.	——	1804.	6. 7.	H. ♃.	Botan. magaz. 1553.
helleborifolia. P.L. 60. *heterophylla.* M.B.						
5 minor. W.	small.	Switzerland.	1686.	5. 6.	H. ♃.	Sm. exot. bot. 2. t. 77.
HYDROCOTYLE. S.S.	MARSH-PENNYWORT.	Pentandria Digynia. L.				
1 vulgaris. S.S.	common.	Britain.	....	5. 6.	H. w. ♃.	Eng. bot. 751.
2 umbellata. S.S.	umbelled.	N. America.	1795.	7. 8.	H. w. ♃.	Spreng. umb. 1. t. 1.
3 americana. S.S.	American.	——	1790.	5. 8.	H. w. ♃.	—— p. 3. t. 2. f. 3.
4 villosa. S.S.	villous.	C. B. S.	1795.	8.	G. w. ♃.	
5 nepalensis. M.E.F.	Nepaul.	Nepaul.	1818.	2. 6.	G. w. ♃.	Hook. ex. flor. 20.
hispida. D.P.						
6 nitidula. S.S.	glossy.	Java.	1821.	——	S. w. ♃.	—— 29.

CHONDROCARPUS. N. CHONDROCARPUS. Pentandria Digynia. N.
1 repanda. N. Pilewort-ld. N.America. 1806. 6. 7. G.w.♃. Spreng. umb. t.2. f. 4.
Hydrocotyle repanda. S.S. *Glyceria repanda.* N.
2 asiatica. N. thick-leaved. Asia. 1690. 7. 8. G.w.♃. Rheed. mal. 10. t. 46.
3 sibthorpioides. N. Sibthorpia-like. Mauritius. 1818. —— S.w.♃.
SPANANTHE. S.S. SPANANTHE. Pentandria Digynia. S.S.
paniculata. S.S. panicled. Caracas. 1795. 7. 8. S.♂. Jacq. ic. 2. t. 350.
Hydrocotyle Spananthe. W.
TRACHYMENE. L.T. TRACHYMENE. Pentandria Digynia. S.S.
incisa. L.T. cut-leaved. N. S. W. 1820. 6. 8. G.♃. Linn. trans. 10. t. 21. f. 2.
BUPLEURUM. S.S. HARE'S-EAR. Pentandria Digynia. L.
1 arborescens. S.S. arborescent. C. B. S. 1816. .... G.ħ.
Tenoria arborescens. R.S.
2 coriaceum. S.S. thick-leaved. Gibraltar. 1784. 7. 8. G.ħ. Jacq. ic. 2. t. 351.
3 fruticosum. S.S. shrubby. S. Europe. 1596. —— H.ħ. Flor. græc. t. 268.
4 fruticescens. S.S. frutescent. Spain. 1752. 8. 9. H.ħ. Cav. ic. 2. t. 196.
5 plantagineum. S.S. plantain-ld. Barbary. 1800. —— G.ħ. Desf. atl. 1. t. 57.
β *canescens.* P.S. *hoary.* ———— —— —— G.ħ.
6 spinosum. S.S. thorny. Spain. 1752. —— G.ħ. Gouan. ill. 8. t. 2. f. 3.
7 difforme. S.S. various-leaved. C. B. S. —— —— G.ħ. Burm. afr. t. 71. f. 1.
8 rotundifolium. S.S. round-leaved. England. .... 6. 7. H.⊙. Eng. bot. 99.
9 protractum. S.S. protracted. Portugal. 1824. —— H.⊙.
10 heterophyllum. S.S. various-leaved. Egypt. —— —— H.⊙.
11 aureum. S.S. golden. Siberia. —— —— H.♃.
12 longifolium. S.S. long-leaved. Switzerland. 1713. 5. 7. H.♃. Moris. sect. 9. t. 11.
13 pyrenaicum. S.S. Pyrenean. Pyrenees. 1814. —— H.♃. Gouan. ill. t. 4.
14 angulosum. W. angular-leaved. Switzerland. 1759. —— H.♃. Moris. sect. 9. t. 12.
15 ranunculoides. W. Crowfoot-like. Pyrenees. 1790. 7. 8. H.♃. Park. theatr. f. 7.
16 caricifolium. W. Carex-leaved. S. France. 1824. —— H.♃.
17 Burserianum. W.en. Burser's. ———— 1820. —— H.♃.
18 graminifolium. S.S. Grass-leaved. Switzerland. 1768. 5. 7. H.♃. Jacq. ic. 1. t. 50.
19 stellatum. S.S. starry. ———— 1775. —— H.♃. Hall. helv. t. 18.
20 falcatum. S.S. twisted-stalk'd. Germany. 1739. 5. 9. H.♃. Jacq. aust. 2. t. 158.
scorzoneræfolium. W.en.
21 rigidum. R.S. rigid. S. France. —— —— H.♃. Moris. sect. 9. t. 12.
22 nudum. S.S. naked-stalked. C. B. S. 1778. 10. G.♃.
23 canariense. S.S. cut-leaved. Canaries. 1780. 7. G.♂.
Crithmum latifolium. L. *Tenoria canariensis.* R.S.
24 Odontites. S.S. narrow-leaved. England. .... —— H.⊙. Eng. bot. 2468.
Odontites lutcola. R.S.
25 junceum. S.S. linear-leaved. S. Europe. 1732. 7. 8. H.⊙. Moris. sect. 9. t. 12.
β *Gerardi.* R.S. *Gerard's.* ———— 1804. —— H.⊙. Jacq. aust. t. 256.
26 baldense. R.S. channel-leav'd. M. Baldo. 1818. —— H.⊙. W. et K. hung. 3. t. 257.
exaltatum. P.S.
27 lancifolium. Horn. lance-leaved. ..... 1824. 6. 9. H.⊙.
28 semicompositum. S.S. dwarf. Spain. 1778. —— H.⊙. Flor. græc. t. 261.
Odontites semicomposita. R.S.
29 Pollichii. R.S. Pollich's. Italy. 1820. —— H.⊙.
30 tenuissimum. S.S. slender. England. .... 7. 8. H.⊙. Eng. bot. 478.
31 trifidum. S.S. trifid-umbel'd. Italy. 1824. 6. 9. H.♃.
HERMAS. S.S. HERMAS. Polygamia Monœcia. W.
1 gigantea. S.S. gigantic. C. B. S. 1794. 6. 7. G.♃. Thunb. act. pet. 14. t. 11.
2 villosa. S.S. villous. ———— 1795. —— G.♃. Burm. afr. t. 71. f. 2.
depauperata. L.
3 ciliata. S.S. ciliated. ———— 1816. —— G.♃. ———— t. 72. f. 1.
PIMPINELLA. S.S. BURNET SAXIFRAGE. Pentandria Digynia. L.
1 magna. S.S. great. England. .... 6. 8. H.♃. Eng. bot. 408.
2 media. P.S. middle. Germany. .... —— H.♃. Hoff. deut. fl. t. 297.
orientalis. Jacq. aust. t. 297.
3 dissecta. W. cut-leaved. France. .... —— H.♃. Retz. obs. 3. t. 2.
4 rotundifolia. M.B. round-leaved. Caucasus. 1816. —— H.♂. Spr. Anl. ed. 2. t. 4. f. 1. 4.
Sison rotundifolius. S.S.
5 Saxifraga. W. common. Britain. .... —— H.♃. Eng. bot. 407.
6 nigra. W.en. black-rooted. Germany. 1688. —— H.♃. Moris. sect. 9. t. 5.
7 lateriflora. L.en. side-flowering. Hungary. 1816. —— H.♃.
8 dichotoma. W. dichotomous. Spain. 1798. —— H.♃.
TRINIA. Hof. TRINIA. Pentandria Digynia. L.en.
1 Hoffmanni. M.B. Hoffman's. England. .... 5. 6. H.♃. Eng. bot. 1209.
Pimpinella dioica. B.B.

2 Henningii. M.B.	Henning's.	Hungary.	1803.	6. 8.	H.4.	W. et K. hung. t. 72.
Pimpinella glauca. W.						
TRAGIUM. S.S.	TRAGIUM. Pentandria Digynia. S.S.					
1 Anisum. L.en.	Anise.	Egypt.	1551.	6. 8.	H.⊙.	Moris. sect. 9. t. 9.
Sison Anisum. R.S.	*Anisum vulgare.* G.					
2 Columnæ. S.S.	Columna's.	S. Europe.	1824.	——	H.4.	Column. phyt. t. 17.
Pimpinella Tragium. P.S.						
3 peregrinum. S.S.	nodding.	Italy.	1640.	——	H.4.	Jacq. vind. 2. t. 131.
4 aromaticum. S.S.	aromatic.	Caucasus.	1824.	——	H.4.	
5 Broteri. S.S.	Bubon-like.	Portugal.	1814.	——	H.4.	
Pimpinella bubonoides. P.S.						
6 Schousbœi. R.S.	villous-flow'r'd.	Morocco.	1824.	——	H.4.	
Pimpinella villosa. Schous.						
LEDEBURIA. L.en.	LEDEBURIA. Pentandria Digynia. L.en.					
pimpinelloides. L.en.	Taurian.	Tauria.	1824.	6. 8.	H.4.	
Tragium tauricum. S.S.						
SESELI. S.S.	MEADOW SAXIFRAGE. Pentandria Digynia. S.S.					
1 elatum. S.S.	tall.	Austria.	1710.	7. 8.	H.4.	Gouan. ill. 16. t. 8.
2 glaucum. S.S.	glaucous.	France.	1759.	——	H.4.	Jacq. aust. 2. t. 144.
3 montanum. S.S.	mountain.	Italy.	1658.	6. 7.	H.4.	Jacq. vind. 2. t. 129.
4 annuum. S.S.	annual.	Europe.	1816.	7. 8.	H.♂.	Jacq. aust. t. 55.
Carum simplex. W.						
5 dubium. S.S.	doubtful.	———	1818.	——	H.4.	
6 pimpinelloides. S.S.	nodding-fld.	S. Europe.	1796.	——	H.4.	
7 Hippomarathrum. S.S.	various-ld.	Austria.	1656.	——	H.4.	Jacq. aust. 2. t. 143.
8 tortuosum. S.S.	crooked.	S. Europe.	1597.	10.	H.4.	Moris. sect. 9. t. 6.
9 leucospermum. S.S.	woolly-headed.	Hungary.	1805.	7.	H.4.	W. et K. hung. t. 89.
10 proliferum. S.S.	prolific.	.....	1823.	5. 8.	H.4.	
11 chærophylloides. S.S.	Chervil-like.	C. B. S.	1816.	——	G.4.	
12 divaricatum. S.S.	shining-leaved.	N.America.	1812.	6. 7.	H.4.	Botan. magaz. 1742.
13 striatum. S.S.	striped-stalked.	C. B. S.	1816.	7. 8.	G.4.	
14 gracile. S.S.	slender.	Hungary.	1805.	6. 7.	H.4.	W. et K. hung. 2. t. 117.
15 ammoides. S.S.	Milfoil-leaved.	S. Europe.	1759.	——	H.⊙.	Jacq. vind. 1. t. 52.
16 verticillatum. S.S.	whorled.	S. Europe.	1825.	——	H.⊙.	
17 varium. S.S.	various-leaved.	.....	1818.	7. 8.	H.4.	
18 corsicum. L.en.	dwarf annual.	Corsica.	1825.	——	H.⊙.	
19 Pallasii. Bess.	Pallas's.	Siberia.	1823.	——	H.4.	
20 Lobelianum. Bess.	Lobel's.	.....	——	——	H.4.	
SISON. S.S.	SISON. Pentandria Pentagynia. L.					
1 Amomum. E.B.	hedge.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 954.
2 segetum. E.B.	corn.	England.	....	8.	H.⊙.	——— 228.
3 peregrinus. S.S.	Parsley-leav'd.	Portugal.	1633.	6. 7.	H.♂.	Jacq. vind. 3. t. 18.
Ligusticum peregrinum. Jacq.						
4 aureus. S.S.	golden.	N.America.	1699.	5. 6.	H.4.	
Smyrnium aureum. W. *Thaspium aureum.* N.						
5 integerrimus. S.S.	entire-leaved.	———	1759.	6.	H.4.	
6 capillaceus. S.S.	slender-leaved.	———	1812.	7. 8.	H.⊙.	
7 Ammi. S.S.	narrow-leaved.	S. Europe.	1824.	——	H.⊙.	Jacq. vind. t. 200.
ÆGOPODIUM. L.	GOUT-WEED. Pentandria Digynia. L.					
Podagraria. E.B.	common.	Britain.	....	5. 7.	H.4.	Eng. bot. 940.
Sison Podagraria. S.S.						
CARUM. S.S.	CARAWAY. Pentandria Digynia. L.					
Carvi. S.S.	common.	Britain.	....	6.	H.♂.	Eng. bot. 1503.
Faniculum Carvi. L.en.						
CNIDIUM. S.S.	CNIDIUM. Pentandria Digynia. S.S.					
1 Monnieri. S.S.	annual.	S. Europe.	1771.	7. 8.	H.⊙.	Jacq. vind. 1. t. 62.
Selinum Monnieri. Jacq.						
2 pyrenæum. S.S.	Pyrenean.	Pyrenees.	1739.	6. 7.	H.4.	Gouan. ill. t. 7. f. 2.
Ligusticum pyrenaicum. W. *Seseli aristatum.* H.K.						
3 Silaus. S.S.	meadow.	England.	....	6. 8.	H.4.	Eng. bot. 2142.
Peucedanum Silaus. E.B.						
4 alsaticum. S.S.	small-headed.	Austria.	1774.	——	H.4.	Jacq. aust. 1. t. 70.
5 Fischeri. S.S.	Fischer's.	Siberia.	1820.	——	H.4.	
Angelica Fischeri. R.S. *Ligusticum Fischeri.* L.en.						
ŒNANTHE. S.S.	WATER-DROPWORT. Pentandria Digynia. L.					
1 fistulosa. S.S.	common.	Britain.	....	6. 8.	H.4.	Eng. bot. 868.
2 tenuifolia. S.S.	slender-leaved.	C. B. S.	1816.	6. 8.	G.4.	
3 peucedanifolia. S.S.	round-rooted.	S. Europe.	....	——	H.w.4.	Pollich. palat. t. 3.
4 silaifolia. S.S.	oblong-rooted.	England.	....	——	H.w.4.	Eng. bot. 348.
peucedanifolia. E.B. *non* S.S.						

5 gymnorhiza. s.s.	naked rooted.	N. Europe.	1824.	——	H.w.4.		
6 pimpinelloides. s.s.	Burnet Saxifrage.	England.	....	——	H.w.4.	Eng. bot. 347.	
7 prolifera. s.s.	proliferous.	S. Europe.	1739.	——	H.w.4.	Jacq. vind. 3. t. 62.	
8 globulosa. s.s.	globe-headed.	Portugal.	1710.	——	H.♂.	Gouan. ill. 18. t. 9.	
9 crocata. s.s.	poisonous.	Britain.	....	——	H.w.4.	Eng. bot. 2313.	
10 Phellandrium. s.s.	waterHemlock.	——	....	6. 7.	H.w.♂.	—— 684.	
Phellandrium aquaticum. E.B.							
11 apiifolia. s.s.	Parsley-leaved.	Portugal.	1806.	6. 8.	H.4.		
12 australis. R.s.	southern.	S. Europe.	1824.	——	H.4.		
13 involucrata. Cav.	involucred.	Spain.	——	——	H.4.		
14 interrupta. s.s.	interrupted.	C. B. S.	1816.	——	G.4.		
15 inebrians. s.s.	various-leaved.	——	——	8. 9.	G.4.		
APIUM. S.S.	PARSLEY. Pentandria Digynia. L.						
1 Petroselinum. s.s.	common.	Sardinia.	1548.	6. 7.	H.♂.	Moris. sect. 9. t.8. f.2.	
β *crispum.*	*curled-leaved.*	——	....	——	H.♂.	—— 9. t. 8. f. 3.	
2 romanum. Zuc.	large.	Greece.	....	——	H.♂.		
3 prostratum. s.s.	prostrate.	V.Diem.Isl.	1818.	——	G.♂.	Vent. malm. t. 81.	
4 graveolens. s.s.	Celery.	Britain.	....	6. 8.	H.♂.	Eng. bot. 1210.	
α *fistulosum.*	*hollow-stalked.*	——	....	——	H.♂.		
β *solidum.*	*solid-stalked.*	——	....	——	H.♂.		
γ *rubrum.*	*red-stalked.*	——	....	——	H.♂.		
δ *napaceum.* Mill.	*Turnep-rooted.*	.....	....	——	H.♂.		
MEUM. S.S.	BAWD-MONEY. Pentandria Digynia. S.S.						
1 athamanticum. s.s.	common.	Britain.	....	4. 6.	H.4.	Eng. bot. 2249.	
2 heterophyllum. s.s.	Coriander-ld.	Pyrenees.	1778.	7.	H.♂.	Jacq. vind. t. 198.	
Æthusa Bunius. W.							
3 Mutellina. s.s.	Alpine.	Austria.	1774.	7. 8.	H.4.	Jacq. aust. t. 56.	
Phellandrium Mutellina. L.							
4 sibiricum. s.s.	Siberian.	Siberia.	1820.	——	H.4.		
FŒNICULUM. G.	FENNEL. Pentandria Digynia.						
1 vulgare. G.	common.	Britain.	....	7. 8.	H.4.	Eng. bot. 1208.	
Anethum Fœniculum. E.B. *Meum Fœniculum.* S.S.							
2 dulce. DC.	sweet.	S. Europe.	1824.	——	H.⊙.	DC.hort.m.ined.t.96.	
3 segetum.	hedge.	Portugal.	1796.	6. 7.	H.⊙.		
4 piperitum.	peppery.	Italy.	1824.	——	H.♂.		
Meum piperitum. R.s. *Anethum piperitum.* Bert.							
ANETHUM. L.en.	DILL. Pentandria Digynia. L.						
1 graveolens. W.	common.	Spain.	1570.	6. 7.	H.♂.	Hoff. umb.gen.t.1.f.13.	
Pastinaca Anethum. S.S.							
2 segetum. L.en.	Portugal.	Portugal.	1796.	——	H.⊙.	Jacq. vind. t. 132.	
3 Sowa. H.B.	Indian.	E. Indies.	1810.	——	H.⊙.		
SMYRNIUM. S.S.	ALEXANDERS. Pentandria Digynia. L.						
1 Olusatrum. s.s.	common.	Britain.	....	5. 6.	H.♂.	Eng. bot. 230.	
2 perfoliatum. W.	perfoliate.	Italy.	1596.	5.	H.4.	Lobel. ic. 709.	
Dodonæi. S.S.							
3 Dioscoridis. s.s.	Dioscorides.	S. Europe.	....	——	H.♂.	Flor. græc. t. 289.	
4 apiifolium. s.s.	Smallage-ld.	Candia.	1731.	5. 7.	H.4.		
5 nudicaule. s.s.	naked-stalked.	Caucasus.	1820.	——	H.4.	Spreng. umb. t. 4. f.7.	
6 cordatum. s.s.	heart-leaved.	N.America.	1759.	6. 7.	H.4.		
CACHRYS. L.en.	CACHRYS. Pentandria Digynia. L.						
1 odontalgica. s.s.	Pallas's.	Siberia.	1824.	7. 8.	H.4.		
2 Morisoni. s.s.	Morison's.	S. Europe.	1710.	——	H.4.	Moris. umb. t. 3. f. 1.	
CRITHMUM. L.en.	SAMPHIRE. Pentandria Digynia. L.						
1 Libanotis. L.en.	smooth-seeded.	Sicily.	1570.	7. 8.	H.4.	Schk. handb. 1. t. 65.	
Cachrys Libanotis. S.S.							
2 maritimum. W.	sea.	Britain.	....	7. 9.	H.4.	Eng. bot. 819.	
HIPPOMARATHRUM.	HIPPOMARATHRUM. Pentandria Digynia.						
siculum. L.en.	hairy-seeded.	Sicily.	1640.	7. 8.	H.4.	Moris. umb. t. 3. f.2.	
Cachrys sicula. S.S.							
RUMIA. L.en.	RUMIA. Pentandria Digynia.						
taurica. L.en.	Taurian.	Tauria.	1820.	7. 8.	H.4.	Hoff. umb.p.178. f. 17.	
Cachrys taurica. S.S.							
ULOSPERMUM. L.en.	ULOSPERMUM. Pentandria Digynia.						
dichotomum. L.en.	dichotomous.	Barbary.	1800.	6. 7.	H.⊙.	Desf. atl. 1. t. 66.	
Conium dichotomum. Desf. *Cachrys dichotoma.* S.S. *Tordylium peregrinum.* W							
CORIANDRUM. S.S.	CORIANDER. Pentandria Digynia. L.						
sativum. s.s.	common.	England.	....	6.	H.⊙.	Eng. bot. 67.	
BIFORIS. S.S.	BIFORIS. Pentandria Digynia. S.S.						
1 flosculosa. s.s.	flosculose.	S. Europe.	1640.	6. 7.	H.⊙.	Moris. sect. 9. t. 11.	
Corion testiculatum. L.en. *Coriandrum testiculatum.* L.							

2 radians. s.s.	rayed.	Tauria.	....	——	H.⊙.		
SILER. S.S.	SILER. Pentandria Digynia. S.S.						
1 aquilegifolium. s.s.	Columbine-l^d.	Austria.	1796.	5. 7.	H.♃.	Jacq. aust. 2. t. 147.	
Laserpitium aquilegifolium. W.							
2 caucasicum. s.s.	Caucasean.	Caucasus.	1823.	——	H.♃.		
Cachrys latifolia. M.B.							
3 salsum. s.s.	fine-leaved.	Siberia.	1804.	7. 8.	H.♃.	Pall. act. pet. 1779. t. 8.	
Sison salsum. L.							
CICUTA. S.S.	COWBANE. Pentandria Digynia. L.						
1 virosa. s.s.	long-leaved.	Britain.	....	7.	H.♃.	Eng. bot. 479.	
2 davurica. s.s.	Daurian.	Siberia.	1824.	——	H.♃.	Gmel. sib. 1. t. 47.	
3 maculata. s.s.	spotted.	N. America.	1759.	7. 8.	H.♃.	Pluk. alm. t. 76. f. 1.	
4 bulbifera. s.s.	bulb-bearing.	————	1823.	——	H.♃.		
ÆTHUSA. R.S.	FOOLS-PARSLEY. Pentandria Digynia. L.						
1 Cynapium. W.	common.	Britain.	....	7. 9.	H.⊙.	Eng. bot. 1192.	
2 cynapioides. M.B.	Caucasean.	Caucasus.	1820.	——	H.⊙.		
3 elata. L.en.	tall.	Siberia.	——	——	H.⊙.		
4 fatua. R.s.	fine-leaved.	.....	1781.	——	H.♃.		
PHYSOSPERMUM. S.S.	PHYSOSPERMUM. Pentandria Digynia. S.S.						
commutatum. s.s.	Cornish.	England.	....	7. 8.	H.♃.	Eng. bot. 683.	
Ligusticum cornubiense. E.B.							
PLEUROSPERMUM. S.S.	PLEUROSPERMUM. Pentandria Digynia. S.S.						
austriacum. s.s.	Austrian.	Austria.	1596.	6. 8.	H.♃.	Jacq. aust. 2. t. 151.	
Ligusticum austriacum. W.							
HASSELQUISTIA. S.S.	HASSELQUISTIA. Pentandria Digynia. L.						
1 ægyptiaca. s.s.	Egyptian.	Egypt.	1768.	7.	H.⊙.	Jacq. vind. 1. t. 37.	
2 cordata. s.s.	heart-leaved.	.....	1787.	——	H.⊙.	———— 2. t. 193.	
TORDYLIUM. S.S.	HARTWORT. Pentandria Digynia. L.						
1 syriacum. s.s.	Syrian.	Syria.	1597.	7.	H.⊙.	Jacq. vind. 1. t. 54.	
2 officinale. s.s.	officinal.	England.	....	——	H.⊙.	Eng. bot. 2440.	
3 apulum. s.s.	small.	Italy.	1739.	——	H.⊙.	Jacq. vind. 1. t. 53.	
4 maximum. s.s.	great.	England.	....	6. 7.	H.⊙.	Eng. bot. 1173.	
5 lusitanicum. W.en.	Portugal.	Portugal.	1820.	——	H.⊙.		
ZOSIMIA. M.B.	ZOSIMIA. Pentandria Digynia.						
absinthifolia. L.en.	Wormwood-l^d.	Persia.	1816.	7. 8.	H.⊙.	Vent. choix. t. 92.	
Heracleum absinthifolium. s.s. *Tordylium absinthifolium.* P.s.							
THYSSELINUM. R.S.	THYSSELINUM. Pentandria Digynia. S.S.						
1 palustre. s.s.	marsh.	Britain.	....	7. 8.	H.♃.	Eng. bot. 229.	
Selinum palustre. E.B.							
2 Plinii. s.s.	Pliny's.	Switzerland.	....	——	H.♃.	Moris. sect. 9. t. 17.	
CALLISACE. F.	CALLISACE. Pentandria Digynia.						
davurica. F.	Daurian.	Dauria.	1820.	7. 8.	H.♃.		
Thysselinum davuricum. s.s.							
CAUCALIS. S.S.	BUR-PARSLEY. Pentandria Digynia. L.						
1 grandiflora. s.s.	great-flowered.	S. Europe.	1648.	7. 8.	H.⊙.	Jacq. aust. 1. t. 54.	
2 latifolia. s.s.	broad-leaved.	England.	....	——	H.⊙.	Eng. bot. 198.	
3 daucoides. s.s.	small.	————	....	——	H.⊙.	———— 197.	
4 platycarpos. s.s.	broad-seeded.	S. Europe.	1800.	7. 8.	H.⊙.	Jacq. vind. 3. t. 10.	
5 mauritanica. s.s.	Barbary.	Barbary.	1823.	——	H.⊙.		
6 leptophylla. s.s.	fine-leaved.	Europe.	1739.	——	H.⊙.	Jacq. vind. t. 195.	
7 pumila. W.	dwarf.	S. Europe.	1640.	7. 8.	H.⊙.	Cav. ic. 2. t. 101.	
8 orientalis. M.B.	villous-fruited.	Caucasus.	1699.	6. 7.	H.♂.	Moris. s. 9. t. 14. f. 5.	
9 pulcherrima. M.B.	setose-fruited.	————	1816.	——	H.♂.		
10 littoralis. M.B.	sea-shore.	Odessa.	1824.	——	H.♂.		
Cachrys littoralis. s.s.							
DAUCUS. S.S.	CARROT. Pentandria Digynia. L.						
1 Carota. W.	wild.	Britain.	....	6. 7.	H.♂.	Eng. bot. 1174.	
β lutea.	*yellow-rooted, garden.* ————		....	——	H.♂.		
γ aurantia.	*long-orange.* ————		....	——	H.♂.		
δ præcox.	*early horn.* ————		....	——	H.♂.		
2 mauritanicus. W.	fine-leaved.	Spain.	1768.	——	H.♂.	All. ped. 2. t. 61. f. 1.	
3 polygamus. L.en.	polygamous.	————	....	——	H.♂.	Jacq. vind. 3. t. 78.	
4 maritimus. E.B.	sea-side.	England.	....	——	H.♂.	Eng. bot. 2560.	
5 gummifer. s.s.	gum-bearing.	Italy.	1722.	——	H.♂.	Moris. sect. 9. t. 13.	
6 hispidus. s.s.	hispid.	Barbary.	1804.	——	H.♂.	Desf. atl. t. 63.	
7 Gingidium. s.s.	shining-leaved.	France.	1722.	——	H.♂.	Moris. s. 9. t. 13. f. 4.	
lucidus. W.							
8 muricatus. s.s.	prickly-seeded.	Barbary.	1683.	——	H.⊙.	———— t. 14. f. 4.	
9 littoralis. s.s.	sea-shore.	Greece.	1823.	——	H.⊙.	Flor. græc. t. 271.	

TRACHYSPERMUM. L.en. TRACHYSPERMUM. Pentandria Pentagynia.

	copticum. L.en.	Egyptian.	Egypt.	1773.	6. 7.	H.⊙.	Jacq. vind. 9. t. 196.
	Daucus copticus. S.S. *Ammi copticum.* L. *Bunium copticum.* S.S.						
TORILIS. S.S.		TORILIS. Pentandria Digynia. S.S.					
1	Anthriscus. S.S.	upright.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 987.
2	infesta. E.F.	spreading.	———	....	——	H.⊙.	——— 1314.
	helvetica. S.S. *arvensis.* L.en. *Caucalis infesta.* E.B.						
3	nodosa. S.S.	knotted.	———	....	5. 7.	H.⊙.	——— 199.
4	crinita. S.S.	whorl-leaved.	Barbary.	1804.	6. 7.	H.♃.	Desf. atl. t. 62.
	Daucus crinitus. Desf.						
5	trichosperma. S.S.	trifid-umbelled.	Egypt.	1818.	5. 7.	H.⊙.	
OLIVERIA. V.		OLIVERIA. Pentandria Digynia. S.S.					
	decumbens. V.	Thyme-scent'd.	Bagdad.	1816.	5. 7.	H.⊙.	Venten. cels. 21.
ATHAMANTA. S.S.		SPIGNELL. Pentandria Digynia. L.					
1	panacifolia. S.S.	Parsnep-leav'd.	Sicily.	1752.	7. 8.	H.♃.	Bocc. sic. 1. t. 1.
	Cachrys panacifolia. W.						
2	Libanotis. W.	mountain.	England.	....	7. 8.	H.♃.	Eng. bot. 138.
3	condensata. W.	close-headed.	Siberia.	1773.	7. 9.	H.♃.	Gmel. sib. 1. t. 44.
4	sibirica. W.	Siberian.	———	1771.	7. 8.	H.♃.	Lam. ill. t. 194. f. 1.
5	sicula. S.S.	Flixweed-ld.	Sicily.	1696.	6. 7.	H.♃.	Ten. fl. nap. 1. t. 25.
6	Matthioli. S.S.	fine-leaved.	Carniola.	1802.	——	H.♃.	Jacq. ic. rar. 1. t. 57.
7	cretensis. S.S.	candy-carrot.	Austria.	1596.	——	H.♃.	Jacq. aust. 1. t. 62.
8	incana. S.S.	hoary.	Siberia.	1802.	7. 8.	H.♃.	
9	annua. W.	annual.	Candia.	1731.	6. 7.	H.⊙.	
10	Oreoselinum. W.	divaricated.	Germany.	1768.	7. 8.	H.♃.	Jacq. aust. 1. t. 68.
BUBON. W.		BUBON. Pentandria Digynia. L.					
1	macedonicum. W.	Macedonian.	Greece.	1596.	6. 8.	G.♂.	Lobel. ic. 708.
	Athamanta macedonica. S.S.						
2	buchtormensis. S.S.	Siberian.	Siberia.	1822.	7. 8.	H.♃.	
3	glaucus. S.S.	glaucous.	Tauria.	1824.	——	H.♃.	
	Seseli petraum. M.B.						
4	rigidus. S.S.	rigid.	Europe.	1710.	6. 8.	H.♂.	Bocc. mus. 2. t. 76.
5	gummiferus.	gum-bearing.	Crimea.	1804.	7. 9.	H.♂.	Sm. exot. bot. t. 120.
	Seseli gummiferum. B.M. 2259.						
6	dichotomus. L.en.	forked.	Tauria.	1816.	——	H.♂.	Botan. magaz. 2073.
	Seseli dichotomum. B.M.						
7	cuneifolius. S.S.	wedge-leaved.	Sicily.	1823.	——	H.♃.	Moris. sect. 9. t. 7.
	siculus. R.S. *Seseli cuneifolius.* M.B.						
8	Galbanum. W.	Lovage-leaved.	C. B. S.	1596.	7. 8.	G.♄.	Jacq. vind. 3. t. 36.
BUNIUM. E.B.		EARTH-NUT.	Pentandria Digynia. L.				
1	flexuosum. E.B.	common.	England.	....	5. 6.	H.♃.	Eng. bot. 988.
2	Bulbocastanum. W.	great.	Portugal.	....	——	H.♃.	Flor. dan. 220.
CAPNOPHYLLUM. S.S.		CAPNOPHYLLUM. Pentandria Digynia. S.S.					
	africanum. S.S.	Rue-leaved.	C. B. S.	1759.	6. 9.	H.⊙.	Jacq. vind. t. 194.
	Conium africanum. W. *Rumia capensis.* L.en.						
SCANDIX. S.S.		CICELY. Pentandria Digynia. L.					
1	Pecten. S.S.	Venus's-comb.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1397.
2	australis. S.S.	radiated.	S. Europe.	1713.	5. 6.	H.⊙.	Flor. græc. t. 285.
3	pinnatifida. S.S.	cut-leaved.	Persia.	1805.	——	H.⊙.	Venten. cels. 14.
MYRRHIS. S.S.		MYRRH. Pentandria Digynia. S.S.					
1	odorata. S.S.	sweet-scented.	Britain.	....	5. 6.	H.♃.	Eng. bot. 697.
2	Claytoni. S.S.	sweet-rooted.	N.America.	1806.	7. 8.	H.♃.	Spreng. umb. t. 3. f. 6.
3	aromatica. S.S.	aromatic.	Scotland.	1726.	6. 8.	H.♃.	Jacq. aust. 2. t. 150.
	Chærophyllum aromaticum. Jacq.						
4	hirsuta. S.S.	hairy-leaved.	Switzerland.	1769.	6. 7.	H.♃.	——— 2. t. 148.
5	cicutaria.	Cicuta-like.	S. Europe.	1816.	——	H.♃.	
	Chærophyllum cicutarium. L.en.						
6	aurea. S.S.	golden.	Scotland.	....	6.	H.♃.	Eng. bot. 2108.
	Chærophyllum aureum. E.B.						
7	bulbosa. S.S.	bulbous-rooted.	Europe.	1726.	6. 7.	H.♂.	Jacq. aust. 1. t. 63.
8	temulenta. E.F.	rough.	Britain.	....	7. 8.	H.♂.	Eng. bot. 1521.
9	maculata.	spotted.	S. Europe.	1824.	6. 7.	H.♃.	
	Chærophyllum maculatum. W.en.						
10	capensis. S.S.	Cape.	C. B. S.	1816.	——	G.♂.	
11	colorata. S.S.	color'd-bract'd.	Illyria.	1806.	7. 8.	H.♂.	Moris. s. 9. t. 10. f. 6.
12	canadensis. S.S.	Canada.	N.America.	1699.	——	H.♃.	—— sect. 9. t. 11.
	Sison canadense. W.						
13	procumbens. S.S.	procumbent.	———	——	6. 7.	H.⊙.	—— s. 9. t. 11. f. ult.
14	rosea. S.S.	rose-coloured.	Iberia.	1824.	——	H.♂.	Hoff. umb. t. 1. B. f. 33.

15 tenuifolia. s.s.	slender-leaved.	Morocco.	——	——	F.♂.		
CHÆROPHYLLUM. S.S. CHERVIL.	Pentandria Digynia. L.						
1 sativum. s.s.	garden.	Britain.	....	6.	H.⊙.	Eng. bot. 1268.	
Scandix cerefolium. E.B.							
2 sylvestre. s.s.	smooth.	—— ——	....	4. 5.	H.♃.	—— ——	752.
3 monogonum. L.en.	one-angled.	Hungary.	1820.	4. 6.	H.♃.		
4 angulatum. Kit.	angular.	—— ——	——	——	H.♃.		
5 nitidum. Wahl.	glossy-seeded.	Carpathian-m.	—	——	H.♃.		
6 Biebersteinii. Lag.	Bieberstein's.	Caucasus.	1824.	5. 6.	H.♃.		
ANTHRISCUS. S.S.	ROUGH CHERVIL.	Pentandria Digynia. S.S.					
1 vulgaris. s.s.	common.	Britain.	....	5. 6.	H.⊙.	Eng. bot. 818.	
Scandix anthriscus. E.B.							
2 nemorosa. s.s.	wood.	Caucasus.	1823.	7. 8.	H.♃.	Hoff.umb.2.t.1.B.f.19.	
3 fumarioides. s.s.	Fumitory like.	Hungary.	1818.	——	H.♂.	W. et K. hung.3.t.224.	
4 nodosa. s.s.	knotted.	Sicily.	1656.	5. 6.	H.♃.	Jacq. vind. 3. t. 25.	
AMMI. S.S.	BISHOP'S WEED.	Pentandria Digynia. L.					
1 majus. s.s.	great.	S. Europe.	1551.	6. 7.	H.⊙.	Flor. græc. t. 278.	
2 Bœberi. L.en.	Bœber's.	Crete.	1818.	7. 8.	H.♃.		
cicutæfolium. R.s.							
3 Visnaga. s.s.	Toothpick.	S. Europe.	1596.	6. 8.	H.⊙.	Gært. fr. 1. t. 107.	
Visnaga daucoides. G.							
4 glaucifolium. s.s.	glaucous-leav'd.	France.	1816.	——	H.♃.	Lapeyr. pyr. t. 75.	
5 acaule. s.s.	stalkless.	Caucasus.	1823.	——	H.♂.		
CUMINUM. S.S.	CUMIN.	Pentandria Digynia. L.					
Cyminum. s.s.	officinal.	Egypt.	1594.	6. 7.	H.⊙.	Cav. ic. 4. t. 360.	
SIUM. S.S.	WATER-PARSNEP.	Pentandria Digynia. L.					
1 latifolium. s.s.	broad-leaved.	Britain.	....	7. 8.	H.w.♃.	Eng. bot. 204.	
2 lancifolium. s.s.	spear-leaved.	Siberia.	1823.	——	H.w.♃.	Gmel. sib. 1. t. 47.	
3 angustifolium. s.s.	narrow-leav'd.	Britain.	....	——	H.w.♃.	Eng. bot. 139.	
4 nodiflorum. s.s.	procumbent.	—— ——	....	——	H.w.♃.	——	639.
5 repens. s.s.	creeping.	—— ——	....	6.	H.w.♃.	——	1431.
6 Falcaria. s.s.	decurrent.	Europe.	1726.	7. 8.	H.♃.	Jacq. aust. 3. t. 257.	
7 Sisarum. s.s.	Skirret.	China.	1548.	——	H.♃.	Schkuhr. hand. 1. t. 69.	
8 siculum. s.s.	Sicilian.	Sicily.	1686.	——	H.♃.	Jacq. vind. 2. t. 133.	
9 inundatum. E.F.	water.	Britain.	....	5. 6.	H.w.⊙.	Eng. bot. 227.	
Sison inundatum. E.B.							
10 verticillatum. s.s.	whorled-leav'd.	—— ——	....	7. 8.	H.w.♃.	—— ——	895.
11 peucedanoides. s.s.	Sulphurwort-like.	Caucasus.	1823.	——	H.♃.		
CONIUM. S.S.	HEMLOCK.	Pentandria Digynia. L.					
1 maculatum. s.s.	common.	Britain.	....	6. 7.	H.♂.	Eng. bot. 1191.	
2 croaticum. W.K.	Hungarian.	Hungary.	....	——	H.♂.		
3 rigens. W.	fine-leaved.	C. B. S.	1787.	6. 7.	G.♄.		
Bunium rigens. s.s.							
4 Arracacha. H.E.F.	Arracacha.	S. America.	1823.	4. 5.	S.♃.	Hook. ex. flor. 152.	
LIGUSTICUM. S.S.	LOVAGE.	Pentandria Digynia. L.					
1 Levisticum. s.s.	common.	Italy.	1596.	6. 7.	H.♃.	Schk. hand. t. 68.	
2 scoticum. s.s.	Scotch.	Britain.	....	——	H.♃.	Eng. bot. 1207.	
3 nodiflorum. s.s.	knot-flowered.	Apennines.	1818.	——	H.♃.	Allion. ped. t. 72.	
verticillatum. W.K. 2. t. 171.							
4 peloponesiacum.s.s.	Hemlock-l[d].	Switzerland.	1596.	5. 7.	H.♃.	Jacq. aust. app. t. 13.	
5 obtusifolium. s.s.	blunt-leaved.	Tangiers.	1824.	7. 8.	H.♃.		
6 Cervaria. s.s.	broad-leaved.	Europe.	1597.	——	H.♃.	Jacq. aust. 1. t. 69.	
Athamanta Cervaria. Jacq.							
7 athamantoides. s.s.	Carrot-leaved.	Pyrenees.	1784.	——	H.♃.	Scop. carn. t. 10.	
Ammi daucifolium. W. *Athamanta pyrenaica.* Jacq. vind. 2. t. 107.							
8 alatum. s.s.	winged-stalk'd.	Caucasus.	1823.	——	H.♃.		
9 apioides. s.s.	Parsley-leaved.	Europe.	1791.	6. 7.	H.♃.	Jacq. aust. 5. ap. t. 44.	
Laserpitium silaifolium. Jacq.							
10 simplex. s.s.	shining.	Switzerland.	1775.	7.	H.♂.	Jacq. misc. 2. t. 2.	
Laserpitium simplex. Jacq. *lucidum.* H.K.							
11 ferulaceum. s.s.	Fennel-leaved.	Levant.	1752.	6.	H.♃.	Allion. ped. t. 60.	
Laserpitium dauricum. Jacq. vind. 3. t. 38.							
12 candicans. s.s.	pale.	.....	1780.	7. 8.	H.♃.		
13 actæifolium. R.s.	Actæa-leaved.	N.America.	1824.	——	H.♃.		
14 Fontanesii. s.s.	fine-leaved.	Algiers.	....	6. 7.	H.♃.	Deaf. atl. 1. t. 71.	
Laserpitium peucedanoides. Dest.							
MELANOSELINUM. H.	BLACK-PARSLEY.	Pentandria Digynia.					
1 decipiens. H.	shrubby.	Madeira.	1785.	6. 7.	G.♄.	Wend. s. han. 3. t. 13.	
2 Seguieri. H.	Fennel-leaved.	Italy.	1774.	7. 8.	H.♃.	Jacq. vind. 1. t. 61.	

OREOSELINUM. H.	**Oreoselinum.**	**Pentandria Digynia.**					
1 latifolium. M.B.	broad-leaved.	Caucasus.	1816.	7. 8.	H. ♃.		
2 austriacum. H.	Austrian.	Austria.	1804.	——	H. ♃.	Jacq. aust. 1. t. 71.	
Selinum austriacum. Jacq.							
3 montanum. Lag.	mountain.	Switzerland.	1816.	——	H. ♃.		
4 polymorphum. Lag.	variable.	Russia.	1824.	——	H. ♃.		
5 baicalense. Lag.	Baical.	Siberia.	——	——	H. ♃.		
6 rablense. H.	linear-leaved.	N. Europe.	1816.	——	H. ♃.	Flor. dan. t. 1330.	
Selinum lineare. S.S.	*Ferula rablensis.* W.						
7 Bellardi. Lag.	Bellard's.	———	1824.	——	H. ♃.		
8 elegans. Lag.	elegant.	———	——	——	H. ♃.		
9 peucedanoides. H.	Sulphurwort-like.	S. France.	——	——	H. ♃.		
10 Chabræi. M.B.	fine-leaved.	Europe.	1791.	——	H. ♃.	Jacq. aust. 1. t. 72.	
11 podolicum. H.	Polish.	Poland.	1819.	——	H. ♃.		
12 caucasicum. M.B.	Caucasean.	Caucasus.	1824.	——	H. ♃.		
Imperatoria caucasica. S.S.							
SELINUM. L.	**Milk-Parsley.**	**Pentandria Digynia. L.**					
1 Carvifolia. W.	Caraway-ld.	Austria.	1774.	7. 8.	H. ♃.	Jacq. aust. 1. t. 16.	
2 pyrenæum. L.en.	Pyrenean.	Pyrenees.	1818.	——	H. ♃.	Gouan. ill. p. 11. t. 5.	
Angelica pyrenæa. S.S.							
3 Angelicastrum. Lk.	Angelica like.	....	——	——	H. ♃.		
Angelica lancifolia. S.S.							
PEUCEDANUM. S.S.	**Sulphurwort.**	**Pentandria Digynia. L.**					
1 officinale. S.S.	officinal.	England.	....	5. 7.	H. ♃.	Eng. bot. 1767.	
2 album. Hort.	white-flowered.	.....	1824.	....	H. ♃.		
3 alsaticum. W.	small-headed.	Austria.	1774.	6. 8.	H. ♃.	Jacq. aust. 1. t. 70.	
4 gallicum. S.S.	French.	France.	1816.	——	H. ♃.	Gmel. sib. 1. t. 41.	
5 italicum. P.S.	yellow-flow'r'd.	Italy.	....	5. 7.	H. ♃.		
6 ruthenicum. S.S.	Russian.	Russia.	1824.	6. 8.	H. ♃.		
7 arenarium. S.S.	sand.	Hungary.	1816.	6. 7.	H. ♃.	W.et K.hung. 1. t. 20.	
8 Matthioli. S.S.	late-flowering.	Italy.	1824.	7. 8.	H. ♃.		
9 alpestre. S.S.	Alpine.	France.	1739.	6. 7.	H. ♃.		
10 aureum. S.S.	golden.	Canaries.	1779.	6.	G. ♂.	Botan. regist. 559.	
11 tenuifolium. S.S.	slender-leaved.	C. B. S.	1816.	6. 8.	G. ♂.		
12 Vocontiorum. S.S.	dwarf.	Dauphiny.	1800.	5. 7.	H. ♃.	Vill. delph. 2. t. 14.	
Heracleum pumilum. Vill.							
HERACLEUM. S.S.	**Cow-parsnep.**	**Pentandria Digynia. L.**					
1 Sphondylium. W.	common.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 939.	
2 flavescens. W.	yellowish.	Austria.	1789.	6. 7.	H. ♃.	Jacq. aust. 2. t. 173.	
3 elegans. W.	rough-leaved.	———	1800.	5. 6.	H. ♃.	——— 2. t. 175.	
4 angustifolium. W.	narrow-leaved.	———	....	——	H. ♃.	——— 2. t. 174.	
5 longifolium. Jacq.	long-leaved.	———	....	——	H. ♃.	——— 2. t. 374.	
6 sibiricum. S.S.	Siberian.	Siberia.	1768.	——	H. ♃.	Gmel. sib. 1. t. 50.	
7 Panaces. S.S.	Fig-leaved.	———	1596.	7. 8.	H. ♃.	Lobel. ic. 701.	
8 pyrenaicum. W.	Pyrenean.	Pyrenees.	1804.	——	H. ♃.		
9 amplifolium. Lap.	large-leaved.	———	——	——	H. ♃.	Lap. fl. pyr. t. 79.	
10 gummiferum. W.	gum-bearing.	———	1816.	——	H. ♃.	Wild.hort.ber. t.53.54.	
11 speciosum. Hort.	handsome.	———	——	——	H. ♃.		
12 asperum. M.B.	rough.	Caucasus.	——	——	H. ♃.		
13 villosum. S.S.	villous.	Siberia.	——	——	H. ♃.		
14 marginatum. F.	margined.	———	——	——	H. ♃.		
15 pubescens. M.B.	pubescent.	Caucasus.	1824.	——	H. ♃.		
16 alpinum. S.S.	Alpine.	Swizerland.	1739.	6. 7.	H. ♃.	Barrel. ic. 55.	
17 austriacum. S.S.	Austrian.	Austria.	1816.	——	H. ♃.	Jacq. aust. t. 61.	
Tordylium siifolium. W.							
18 ligusticifolium. S.S.	Lovage-leaved.	Tauria.	1824.	——	H. ♂.		
19 subvillosum. F.	subvillous.	Siberia.	1820.	——	H. ♃.		
20 giganteum. F.	gigantic.	———	——	——	H. ♃.		
21 basvicum. F.	stately.	———	——	——	H. ♃.		
22 laciniatum. F.	jagged.	———	1824.	——	H. ♃.		
23 tauricum. F.	Taurian.	Tauria.	1823.	....	H. ♃.		
24 lanatum. M.	woolly.	N. America.	——	6. 7.	H. ♃.		
PASTINACA. S.S.	**Parsnep.**	**Pentandria Digynia. L.**					
1 lucida. S.S.	shining-leav'd.	S. Europe.	1771.	6. 7.	H. ♂.	Jacq. vind. 2. t. 199.	
2 sativa. W.en.	cultivated.	.....	....	7.	H. ♂.	Flor. dan. t. 1206.	
3 opaca. W.en.	wild.	Britain.	....	——	H. ♂.	Eng. bot. 556.	
sativa β arvensis. P.S.							
4 graveolens. S.S.	strong-scented.	Tauria.	1819.	7. 8.	H. ♃.	Hoff. umb. t. 1. B. f. 6.	
5 pimpinellifolia. S.S.	Burnet Saxifrage.	Caucasus.	1824.	——	H. ♂.	Buxb. cent. 3. t. 27.	

6 dissecta. s.s.	cut-leaved.	Levant.	1816.	6. 7.	H. ♂.	Venten. cels. t. 78.
7 rigida. s.s.	Virginian.	Virginia.	1774.	7. 8.	H. ♃.	Moris. s. 9. t. 7. f. 1.
Sium rigidum. W.						
8 nudicaulis. s.s.	naked-stalked.	N. America.	1816.	——	H. ♃.	
Smyrnium nudicaule. Ph.						
9 divaricata. Desf.	spreading.	.....	1824.	....	H. ♃.	
FERULA. S.S.	GIANT-FENNEL.	Pentandria Digynia. L.				
1 lævigata. s.s.	smooth.	C. B. S.	1774.	12. 3.	G. ♄.	
Bubon lævigatum. W.						
2 Opopanax. s.s.	rough.	S. Europe.	1640.	6. 7.	H. ♃.	W. et K. hung. 3. t. 211.
Pastinaca Opopanax. W.						
3 Asa fœtida. s.s.	Asa fœtida.	Persia.	1818.	7. 8.	H. ♃.	
4 communis. s.s.	common.	S. Europe.	1597.	6. 7.	H. ♃.	Moris. s. 9. t. 15. f. 3.
5 glauca. s.s.	glaucous.	Italy.	1596.	——	H. ♃.	
6 nodiflora. s.s.	knot-flowered.	S. Europe.	——	——	H. ♃.	Desf. atl. 1. t. 67.
sulcata. Desf.						
7 Ferulago. s.s.	Fennel-leaved.	——	——	——	H. ♃.	Jacq. aust. 5. ap. t. 5.
nodiflora. Jacq. non s.s.						
8 thyrsiflora. s.s.	thyrse-flower'd.	Crete.	1823.	——	P. ♃.	Flor. græc. t. 280.
9 tingitana. s.s.	Tangier.	Barbary.	1680.	——	H. ♂.	Herm. parad. t. 165.
10 stricta. s.s.	upright.	C. B. S.	1816.	——	G. ♃.	
11 sibirica. s.s.	Siberian.	Siberia.	1804.	——	H. ♃.	W. et K. hung. 1. t. 20.
Peucedanum sibiricum. W.						
12 caspica. s.s.	Caspian.	Caspia.	1824.	——	H. ♃.	Spreng. umb. t. 7. f. 14.
13 orientalis. s.s.	eastern.	Levant.	1759.	7. 8.	H. ♃.	Tourn. it. 3. t. 220.
14 persica. s.s.	stinking.	Persia.	1782.	——	H. ♃.	Andr. repos. 558.
15 longifolia. s.s.	long-leaved.	Wolga.	1823.	——	H. ♃.	
16 meoides. s.s.	Meum-like.	Levant.	——	——	H. ♃.	
ANGELICA. S.S.	ANGELICA.	Pentandria Digynia. L.				
1 Archangelica. s.s.	garden.	England.	....	6. 8.	H. ♂.	Eng. bot. 2561.
2 sylvestris. s.s.	wild.	Britain.	....	——	H. ♃.	——— 1128.
3 Razoulii. s.s.	decurrent-ld.	Pyrenees.	1816.	——	H. ♃.	Gouan. ill. 13. t. 6.
4 atropurpurea. s.s.	dark purple.	Canada.	1759.	7. 8.	H. ♃.	Cornut. canad. t. 199.
5 flavescens. Bess.	yellowish.	Pyrenees.	1816.	——	H. ♃.	
6 lucida. s.s.	shining.	Canada.	1640.	——	H. ♂.	Jacq. vind. 3. t. 24.
7 pratensis. s.s.	field.	Galicia.	1824.	——	H. ♃.	
IMPERATORIA. S.S.	MASTERWORT.	Pentandria Digynia. L.				
1 Osthruthium. s.s.	common.	Scotland.	....	5. 7.	H. ♃.	Eng. bot. 1380.
2 verticillaris. s.s.	whorl-flowered.	Italy.	1683.	7.	H. ♃.	Jacq. vind. 2. t. 130.
Angelica verticillaris. W.						
3 angustifolia. s.s.	narrow-leaved.	Alps Europe.	1818.	8. 9.	H. ♃.	Moris. sect. 9. t. 4.
Selinum Imperatorioides. Lam.						
THAPSIA. S.S.	DEADLY CARROT.	Pentandria Digynia. L.				
1 villosa. s.s.	villous.	S. Europe.	1710.	6. 7.	H. ♃.	Moris. s. 9. t. 18. f. 3.
2 fœtida. s.s.	stinking.	Spain.	1596.	7. 8.	H. ♃.	——— t. 18. f. 7.
3 gummifera. s.s.	gum-bearing.	S. Europe.	1824.	——	H. ♃.	Desf. atl. 1. t. 72.
Laserpitium gummiferum. Desf.						
4 Asclepium. s.s.	oriental.	Levant.	....	——	H. ♃.	Flor. græc. t. 286.
5 garganica. s.s.	Garganian.	Barbary.	1683.	——	H. ♃.	Gouan. ill. 13. t. 10.
6 trifoliata. s.s.	three-leaved.	N. America.	1759.	6. 7.	H. ♃.	
LASERPITIUM.	LASERWORT.	Pentandria Digynia. L.				
1 latifolium. s.s.	broad-leaved.	Europe.	1640.	6. 7.	H. ♃.	Jacq. aust. t. 146.
2 Libanotis. s.s.	pubescent.	S. Europe.	1824.	——	H. ♃.	Lob. ic. 705.
3 marginatum. s.s.	purple-margin'd.	Hungary.	1818.	——	H. ♃.	W. et K. hung. 2. t. 192.
4 trilobum. s.s.	three-lobed.	S. Europe.	1640.	5. 7.	H. ♃.	——— —— 3. t. 253.
alpinum. W. K.						
5 aquilegifolium. W.	Columbine-ld.	Austria.	1796.	——	H. ♃.	Jacq. aust. 2. t. 147.
6 Siler. s.s.	mountain.	—— ——	1640.	——	H. ♃.	——— 2. t. 145.
7 angustifolium. W.	narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♃.	Moris. s. 9. t. 19. f. 9.
8 peucedanoides. W.	fine-leaved.	Italy.	....	——	H. ♃.	Jacq. ic. 2. t. 350.
9 hirsutum. s.s.	hairy.	Switzerland.	1759.	——	H. ♃.	Hall. stirp. t. 19.
10 Archangelica. s.s.	spotted-stalked.	Hungary.	1818	——	H. ♃.	Jacq. ic. 1. t. 58.
11 pilosum. s.s.	sulphur-color'd.	Caucasus.	1759.	——	H. ♃.	
12 pruthenicum. s.s.	Prussian.	Germany.	——	7. 8.	H. ♃.	Jacq. aust. 2. t. 153.
13 hispidum. M.B.	hispid.	Caucasus.	1818.	——	H. ♃.	
14 Athamantæ. s.s.	branching.	Siberia.	——	——	H. ♂.	
15 gallicum. s.s.	French.	S. Europe.	1683.	6. 7.	H. ♃.	Pluk. phyt. t. 198. f. 6.
16 ferulaceum. W.	Fennel-leaved.	Levant.	1752.	——	H. ♃.	Tourn. it. 2. t. 121.
17 triquetrum. V.	winged.	———	1816.	——	H. ♃.	Vent. cels. t. 97.

ARTEDIA. S.S.	ARTEDIA. Pentandria Digynia. L.						
squamata. S.S.	Fennel-leaved.	Levant.	1740.	7.	H.⊙.	Lam. ill. t. 193.
LAGŒCIA. L.	WILD CUMIN. Pentandria Monogynia. L.						
cuminoides. S.S.	common.	Levant.	1640.	6. 7.	H.⊙.	Lam. ill. t. 242.

ORDO XCII.

ARALIACEÆ. *Juss. gen. p.* 217.

PANAX. L.	PANAX. Polygamia Dioecia. L.					
1 quinquefolium. W.	Ginseng.	N.America.	1740.	6.	H.4.	Botan. magaz. 1333.
2 trifolium. W.	lesser.	———	1759.	5. 6.	H.4.	——— 1334.
pusilla. a. B.M.						
3 fruticosum. W.	shrubby.	Ternate.	1800.	8. 9.	S.ħ.	Andr. reposit. 595.
4 digitatum. H.B.	fingered.	E. Indies.	1818.	....	S.ħ.	
5 arboreum. W.	tree.	N.Zealand.	1822.	....	G.ħ.	
6 chrysophyllum. R.S.	golden-leaved.	Guiana.	——	....	S.ħ.	Aub. gui. 2. t. 360.
7 conchifolium. H.B.	shell-leaved.	———	1820.	....	S.ħ.	Rumph. amb. 4. t. 31.
8 aculeatum. W.	prickly.	China.	1773.	11.	S.ħ.	Jacq. ic. 3. t. 664.
CUSSONIA. W.	CUSSONIA. Pentandria Digynia. L.					
1 thyrsiflora. W.	thyrse-flower'd.	C. B. S.	1795.	8. 10.	G.ħ.	Th.nov.act.ups.3. t.12.
2 spicata. W.	spike-flowered.	———	1789.	——	G.ħ.	——— 3. t. 13.
SCIODAPHYLLUM. S.S.	SCIODAPHYLLUM. Pentandria Pentagynia. S.S.					
1 acuminatum. S.S.	acuminate-petal'd.	Peru.	1818.	....	S.ħ.	Flor. peruv. t. 310.
Actinophyllum acuminatum. R.P.						
2 conicum. S.S.	conical-flow'r'd.	———	——	....	S.ħ.	——— p. 75. t. 309.
3 pedicellatum. S.S.	pedicelled.	———	——	....	S.ħ.	——— t. 308.
Actinophyllum pedicellatum. R.P.						
4 Brownii. S.S.	upright.	W. Indies.	1793.	6. 8.	S.ħ.	Brown jam. t.19. f.1.2.
Aralia Sciodaphyllum. W.						
ARALIA. D.P.	ARALIA. Pentandria Pentagynia. L.					
1 pentaphylla. S.S.	five-l^d. prickly.	China.	1822.	....	G.ħ.	
2 spinosa. S.S.	Angelica tree.	Virginia.	1688.	9.	H.ħ.	Comm. hort. 1. t. 47.
3 racemosa. S.S.	berry-bearing.	N.America.	1658.	6. 9.	H.4.	Schkuhr. hand. 1. t. 86.
4 nudicaulis. S.S.	naked-stalked.	———	1731.	6. 7.	H.4.	Pluk. alm. t. 238. f. 5.
5 hispida. S.S.	hispid.	———	1799.	——	H.ħ.	Botan. magaz. 1085.
6 pubescens. DC.	pubescent.	New Spain.	1819.	....	S.ħ.	DC. mons. ined. t. 45.
GASTONIA. J.	GASTONIA. Dodecandria Dodecagynia.					
palmata. H.B.	palmate-leaved.	E. Indies.	1818.	3. 4.	S.ħ.	Botan. regist. 894.
HEDERA. D.P.	IVY. Pentandria Mono-Pentagynia.					
1 umbraculifera.	large.	E. Indies.	1818.	3. 4.	S.ħ.	
Aralia umbraculifera. H.B.						
2 digitata. H.B.	fingered.	———	——	——	S.ħ.	
3 aculeata. D.P.	prickly Nepaul.	Nepaul.	1816.	....	F.ħ.	
4 fragrans. D.P.	fragrant.	———	——	....	F.ħ.	
5 cochleata.	shell-leaved.	E. Indies.	1820.	....	S.ħ.	Rumph. amb. 4. t. 31.
Aralia cochleata. R.S.						
6 arborea. R.S.	tree.	Jamaica.	——	....	S.ħ.	Jacq. schœnb. t. 51.
7 capitata. R.S.	cluster-flow'r'd.	W. Indies.	1777.	8.	S.ħ.	Smith ic. pict. 4.
8 canariensis. R.S.	Irish.	Canaries.	1807.	9. 10.	H.ħ.	Willd.ber.m.2.t.5.f.1.
9 Helix. R.S.	common.	Britain.	....	——	H.ħ.	Eng. bot. 1267.
β *poetica.* R.S.	*Poet's.*	———	....	——	H.ħ.	
γ *albo-variegata.*	*white-variegated.*	———	....	——	H.ħ.	
δ *flavo-variegata.*	*yellow-variegated.*	———	....	——	H.ħ.	

ORDO XCIII.

CAPRIFOLIACEÆ. *Juss. gen. p.* 210.

CORNUS. L.	Dogwood.	Tetrandria Monogynia. L.					
1 alternifolia. R.S.	alternate-l*d*.	N.America.	1760.	9.	H. ♄.	Schm. arb. 2. t. 70.
2 paniculata. R.S.	panicled.	———	1758.	6. 7.	H. ♄.	——— 2. t. 68.
3 stricta. R.S.	upright.	———	——	——	H. ♄.	——— 2. t. 67.
β variegata.	*variegated-l*d*.*	———	——	——	H. ♄.	
4 oblonga. F.I.	oblong-leaved.	Nepaul.	1818.	....	H. ♄.	
5 circinata. R.S.	Pensylvanian.	N.America.	1784.	7. 8.	H. ♄.	Schm. arb. 2. t. 69.
6 alba. R.S.	white berried.	Siberia.	1741.	6. 9.	H. ♄.	——— 2. t. 65.
7 sibirica. L.C.	Siberian.	———	....	——	H. ♄.	
8 sericea. R.S.	blue-berried.	N.America.	1683.	8.	H. ♄.	Schm. arb. 2. t. 64.
9 sanguinea. R.S.	common.	Britain.	....	6. 7.	H. ♄.	Eng. bot. 249.
β variegata.	*variegated.*	———	....	——	H. ♄.	
10 mascula. R.S.	Cornelian Cherry.	Europe.	1596.	2. 4.	H. ♄.	Flor. græc. t. 151.
β variegata.	*variegated.*	———	——	——	H. ♄.	
11 florida. R.S.	great-flower'd.	N.America.	1731.	4. 5.	H. ♄.	Botan. magaz. 526.
12 canadensis. R.S.	Canadian.	Canada.	1774.	6. 8.	H. ♃.	——— 880.
13 suecica. R.S.	dwarf.	Britain.	....	4.	H. ♃.	Eng. bot. 310.
SAMBUCUS. L.	Elder.	Pentandria Trigynia. L.				
1 Ebulus. R.S.	herbaceous.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 475.
2 humilis. Mill.	dwarf.	....	....	——	H. ♃.	
3 nigra. R.S.	common.	Britain.	....	5. 7.	H. ♄.	Eng. bot. 476.
β variegata.	*variegated.*	———	....	——	H. ♄.	
γ aurea.	*golden-leaved.*	———	....	——	H. ♄.	
δ pulverulenta.	*powdered-leaved.*	———	....	——	H. ♄.	
ε monstrosa.	*deformed.*	———	....	——	H. ♄.	
ζ virescens.	*green-fruited.*	———	....	——	H. ♄.	
η ulbida.	*white-fruited.*	———	....	——	H. ♄.	
4 laciniata. L.en.	Parsley-leaved.	.....	...	——	H. ♄.	Schm. arb. t. 144.
5 canadensis. R.S.	Canadian.	N.America.	1761.	6. 8.	H. ♄.	——— t. 142.
6 racemosa. R.S.	red-berried.	S. Europe.	1596.	5. 6.	H. ♄.	Jacq. ic. 1. t. 59.
α purpurea.	*purple-flowered.*	———	——	——	H. ♄.	
β flavescens.	*yellowish.*	———	——	——	H. ♄.	
7 pubens. R.S.	pubescent.	N.America.	1812.	——	H. ♄.	
VIBURNUM. L.	Viburnum.	Pentandria Trigynia. L.				
1 molle. R.S.	soft.	N.America.	1812.	6. 7.	H. ♄.	
2 acerifolium. R.S.	Maple-leaved.	———	1736.	——	H. ♄.	Wats. dend. brit. 118.
3 edule. R.S.	eatable-fruited.	———	1812.	7.	H. ♄.	
4 Oxycoccos. R.S.	Cranberry like.	———	....	——	H. ♄.	
5 Opulus. R.S.	Guelder-Rose.	Britain.	....	5. 6.	H. ♄.	Eng. bot. 882.
β roseum. R.S.	*Snowball tree.*	.....	....	——	H. ♄.	Schm. arb. t. 174.
γ variegatum.	*variegated-l*d*.*	.....	....	——	H. ♄.	
6 davuricum. R.S.	Siberian.	Dahuria.	1785.	6. 7.	H. ♄.	Pall. ross. 1. t. 38.
7 lantanoides. R.S.	Lantana like.	N.America.	....	5. 6.	H. ♄.	
8 Lantana. R.S.	wayfaring-tree.	Britain.	....	——	H. ♄.	Eng. bot. 331.
9 Lentago. R.S.	tree.	N.America.	1761.	7.	H. ♄.	Wats. dend. brit. 21.
10 squamatum. R.S.	scaly.	———	1812.	6. 7.	H. ♄.	——— t. 24.
11 pyrifolium. R.S.	pear-leaved.	———	....	5. 6.	H. ♄.	——— t. 22.
12 prunifolium. R.S.	plum-leaved.	———	1731.	——	H. ♄.	——— t. 23.
13 pubescens. R.S.	pubescent.	———	1736.	6. 7.	H. ♄.	
14 dentatum. R.S.	tooth-leaved.	———	——	——	H. ♄.	Wats. dend. brit. 25.
15 lævigatum. R.S.	Cassioberry bush.	———	1724.	7. 8.	H. ♄.	Mill. ic. 1. t. 83. f. 1.
16 nitidum. R.S.	shining-leaved.	———	1758.	5. 6.	H. ♄.	
17 cassinoides. R.S.	thick-leaved.	———	1761.	6. 7.	H. ♄.	
18 obovatum. R.S.	obovate-leaved.	———	1812.	5. 6.	H. ♄.	
19 odoratissimum. B.R. *chinense.* Zeyh.	sweet-scented.	China.	1810.	5. 6.	G. ♄.	Botan. regist. 456.
20 nudum. R.S.	oval-leaved.	N.America.	1752.	5. 6.	H. ♄.	Wats. dend. brit. 20.
21 villosum. R.S.	villous.	Jamaica.	1820.	4. 6.	S. ♄.	
22 rugosum. R.S. *rigidum.* Vent. malm. t. 98.	rugged-leaved.	Canaries.	1796.	4. 5.	H. ♄.	Botan. regist. 376.

23	strictum. L en.	upright Laurestine.	S.Europe.	1596.	3. 5.	H. ♄.	
	β *virgatum.*	*twiggy.*	———	——	——	H. ♄.	
24	Tinus. R.s.	common Laurestine.	———	——	12. 4.	H. ♄.	Botan. magaz. 38.
25	lucidum. R.s.	shining Laurestine.	———	——	2. 5.	H. ♄.	Clus. hist. 1. 49. ic.
SYMPHORIA. S.S.		St. PETER'S-WORT. Pentandria Monogynia.					
1	glomerata. s.s.	common.	N.America.	1730.	8. 9.	H. ♄.	Schmidt arb. t. 115.
2	racemosa. s.s.	Snowberry.	———	1812.	7. 9.	H. ♄.	Wats. dend. brit. 7.
DIERVILLA. J.		DIERVILLA. Pentandria Monogynia.					
	humilis. P.s.	yellow-flow'r'd.	N.America.	1739.	6. 7.	H. ♄.	Botan. magaz. 1796.
	lutea. Ph. *Tournefortii.* R.s. *canadensis.* s.s. *Lonicera Diervilla.* L.						
LONICERA. W.		HONEYSUCKLE. Pentandria Monogynia. L.					
1	Caprifolium. W.	early.	England.	....	4. 6.	H. ♄. ⌣.	Eng. bot. 799.
	β *rubra.*	*early red.*	S. Europe.	....	——	H. ♄. ⌣.	Schmidt arb. t. 106.
2	etrusca. s.s.	Italian.	Italy.	....	——	H. ♄.	Samviag. al. mont. t.1.
	Caprifolium etruscum. R.s.						
3	dioica. s.s.	small-flowered.	N.America.	1766.	6. 7.	H. ♄. ⌣.	Botan. regist. 138.
	Caprifolium parviflorum. Ph. *bracteosum.* M.						
4	flava. B.M.	yellow-flow'r'd.	———	1810.	5. 7.	H. ♄. ⌣.	Botan. magaz. 1318.
	Fraseri. s.s. *Caprifolium Fraseri.* Ph.						
5	pubescens.	pubescent.	———	1820.	——	H. ♄. ⌣.	Hook. ex. flor. 27.
	Goldii. s.s. *Caprifolium pubescens.* H.E.F.						
6	grata. s.s.	evergreen.	N.America.	1730.	6. 8.	H. ♄. ⌣.	Hort. angl. n. 10. t. 8.
7	sempervirens. s.s.	trumpet.	———	1656.	5. 8.	H. ♄. ⌣.	Botan. magaz. 781.
	β *minor.*	*smaller.*	Carolina.	1812.	——	H. ♄. ⌣.	——— —— 1753.
8	Periclymenum. s.s.	Woodbine.	Britain.	....	5. 7.	H. ♄. ⌣.	Eng. bot. 800.
	α *vulgaris.* H.K.	*common.*	———	....	——	H. ♄. ⌣.	Schmidt arb. t. 107.
	β *serotina.* H.K.	*late-red.*	.....	....	——	H. ♄. ⌣.	——— t. 108.
	γ *belgica.* H.K.	*dutch.*	.....	....	——	H. ♄. ⌣.	Hort. angl. n. 5. t. 6.
	δ *quercifolia.* H.K.	*Oak-leaved.*	Britain.	....	——	H. ♄. ⌣.	
	ε *variegata.* H.K.	*variegated-ld.*	———	....	——	H. ♄. ⌣.	
9	implexa. s.s.	Minorca.	Minorca.	1772.	6. 9.	H. ♄.	
10	japonica. W.	Japan.	China.	1806.	7. 9.	H. ♄. ⌣.	Botan. regist. 70.
	Caprifolium japonicum. R.s. NON D.P.						
11	chinensis. W.D.	Chinese.	———	1814.	4. 8.	H. ♄. ⌣.	Wats. dend. brit. 117.
	glabrata. F.I. *flexuosa.* B.R. *nec aliorum.*						
12	alpigena. s.s.	red-berried.	Switzerland.	1596.	4. 5.	H. ♄.	Schmidt arb. t. 112.
13	microphylla. s.s.	small-leaved.	Siberia.	1818.	5. 6.	H. ♄.	
14	sibirica. R.s.	Siberian.	———	....	——	H. ♄.	
15	orientalis. R.s.	oriental.	Levant.	1820.	——	H. ♄.	
	caucasica. Pall.						
16	punicea. B.M.	crimson-fl^d.	.....	——	4. 5.	H. ♄.	Botan. magaz. 2469.
17	iberica. R.s.	Iberian.	Iberia.	1818.	5. 6.	H. ♄.	
18	cærulea. R.s.	blue-berried.	Switzerland.	1629.	3. 4.	H. ♄.	Botan. magaz. 1965.
19	villosa. R.s.	villous.	Canada.	1818.	4. 5.	H. ♄.	
	Xylosteum villosum. M.						
20	Xylosteum. R.s.	fly.	England.	....	6. 7.	H. ♄.	Eng. bot. 916.
21	canescens. R.s.	canescent.	Barbary.	1820.	——	H. ♄.	Desf. atl. 1. t. 52.
	biflora. Desf.						
22	canadensis. R.s.	Canadian.	Canada.	1812.	4. 5.	H. ♄.	
23	tatarica. R.s.	Tartarian.	Tartary.	1752.	——	H. ♄.	Pall. ros. 1. t. 86.
	α *alba.*	*white-flowered.*	———	——	——	H. ♄.	
	β *rubra.*	*red-flowered.*	———	——	——	H. ♄.	Botan. regist. t. 31.
24	nigra. R.s.	black-berried.	Switzerland.	1597.	3. 4.	H. ♄.	Schmidt arb. 110.
25	flexuosa. R.s.	flexuose.	China.	1806.	7. 9.	H. ♄.	
26	pyrenaica. R.s.	Pyrenean.	Pyrenees.	1739.	5.	H. ♄.	Magn. hort. t. 209.
TRIOSTEUM. R.S.		FEVERWORT. Pentandria Monogynia. L.					
1	perfoliatum. R.s.	perfoliate.	N.America.	1730.	6. 7.	H. ♃.	Swt. br. fl. gar. 151.
2	angustifolium. R.s.	narrow-leaved.	———	1699.	——	H. ♃.	Pluk. alm. t. 104. f. 2.
LINNÆA. W.		LINNÆA. Didynamia Angiospermia. L.					
	borealis. W.	two-flowered.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 433.

ORDO XCIV.

RHIZOPHOREÆ. *Brown.*

RHIZOPHORA. L.	RHIZOPHORA.	Octandria Monogynia.				
Mangle. s.s.	common.	India.	1818.	....	S. ħ.	Jacq. amer. t. 89.

ORDO XCV.

LORANTHEÆ. *Juss. ann. mus.* 12. *p.* 292.

LORANTHUS. L.	LORANTHUS.	Hexandria Monogynia.				
europæus. s.s.	European.	Europe.	1824.	....	H. ħ.	Jacq. aust. t. 80.
VISCUM. L.	MISSELTOE.	Diœcia Tetrandria. L.				
album. E.B.	common.	England.	....	5.	H. ħ.	Eng. bot. 1470.

ORDO XCVI.

RUBIACEÆ. *Juss. gen.* 196.

Sect. I. GUETTARDEÆ. *Kunth synops.* 3. *p.* 67.

GUETTARDA. S.S.	GUETTARDA.	Monœcia Tetr-Pent-Hexandria.				
1 hirsuta. s.s.	hairy.	Peru.	1822.	....	S. ħ.	Flor. per. 2. t. 145. f. a.
Laugeria hirsuta. R.P.						
2 tomentosa. s.s.	tomentose.	Jamaica.	——	....	S. ħ.	
3 lucida. s.s.	glossy.	———	1818.	....	S. ħ.	Vahl. symb. 3. t. 57.
Laugeria lucida. Sw.						
4 scabra. s.s.	rough.	W. Indies.	——	....	S. ħ.	Vent. choix. 1. t. 1.
Matthiola scabra. L.						
5 rugosa. s.s.	rough-leaved.	———	1793.	....	S. ħ.	
6 speciosa. s.s.	great-flowered.	E. Indies.	1771.	....	S. ħ.	Rheed. mal. 4. t. 47. 48.
VANGUERIA. J.	VANGUERIA.	Pentandria Monogynia. S.S.				
1 edulis. s.s.	eatable.	E. Indies.	1809.	....	S. ħ.	Lam. ill. t. 159.
2 spinosa. H.B.	spiny.	———	1818.	....	S. ħ.	
ERITHALIS. S.S.	ERITHALIS.	Pentandria Monogynia. L.				
fruticosa. s.s.	shrubby.	Jamaica.	1793.	7. 8.	S. ħ.	Jacq. am. p. t. 260. f. 20.
odorifera. R.s.						

Sect. II. HAMELIACEÆ. *Kth. synops.* 3. *p.* 63.

HAMELIA. S.S.	HAMELIA.	Pentandria Monogynia. L.				
1 axillaris. s.s.	axillary-fl^{d}.	Jamaica.	1820.	7. 8.	S. ħ.	
2 ventricosa. s.s.	large-flowered.	W. Indies.	1778.	9. 11.	S. ħ.	Sal. par. lond. 55.
grandiflora. P.L.						
3 chrysantha. s.s.	yellow-flow'r'd.	———	1820.	——	S. ħ.	Jacq. ic. 2. t. 335.
4 patens. s.s.	spreading.	———	1752.	7. 8.	S. ħ.	Exot. bot. 1. t. 24.
5 sphærocarpa. P.s.	round-fruited.	Peru.	1811.	——	S. ħ.	Flor. per. t. 221. f. b.

ISERTIA. S.S.	ISERTIA. Hexandria Monogynia. S.S.						
coccinea. S.S.	scarlet-flow'r'd.	S. America.	1820.	....	S. ♄.	Aub. gui. 1. t. 123.

Sect. III. GARDENIEÆ. *Sal. par. lond.* 46.

MUSSÆNDA. R.S.	MUSSÆNDA. Pentandria Monogynia. L.					
1 frondosa. R.S.	frondose.	E. Indies.	1815.	5. 10.	S. ♄.	Botan. regist. 517.
2 glabra. R.S.	smooth.	———	1820.	——	S. ♄.	
3 pubescens. R.S.	pubescent.	China.	1805.	5. 9.	G. ♄.	Botan. magaz. 2099.
4 arcuata. R.S.	arched.	Isle France.	1822.	....	S. ♄.	
LUCULIA. B.F.G.	LUCULIA. Pentandria Monogynia.					
gratissima. B.F.G.	sweet-scented.	Nepaul.	1818.	10. 2.	G. ♄.	Swt. br. fl. gar. 145.
Cinchona gratissima. F.I. *Mussænda Luculia.* D.P.						
RANDIA. R.S.	RANDIA. Pentandria Monogynia. R.S.					
1 aculeata. R.S.	prickly.	W. Indies.	1733.	5. 6.	S. ♄.	Botan. magaz. 1841.
Gardenia Randia. W.						
2 obovata. R.S.	obovate-leaved.	Peru.	1818.	——	S. ♄.	Flor. per. 2. t. 220. f.b.
3 rotundifolia. R.S.	round-leaved.	———	——	——	S. ♄.	
4 macrantha. R.S.	large-flowered.	Sierra Leon.	1796.	8. 9.	S. ♄.	Sal. par. lond. 93.
longiflora. P.L. *non* R.S.						
5 racemósa. H.B.	racemed.	E. Indies.	1818.	....	S. ♄.	
6 longiflora. R.S.	long-flowered.	E. Indies.	1818.	....	S. ♄.	Lam. ill. t. 156. f. 3.
Gardenia multiflora. W.						
GARDENIA. R.S.	GARDENIA. Pentandria Monogynia. L.					
1 amœna. S.S.	crimson-tipped.	China.	1810.	6. 8.	S. ♄.	Botan. magaz. 1904.
2 dumetorum. S.S.	bushy.	E. Indies.	1779.	7. 9.	S. ♄.	Roxb. cor. 2. t. 136.
Posoqueria dumetorum. F.I. *Canthium coronatum.* Lam.						
3 uliginosa. S.S.	marsh.	———	1802.	——	S. ♄.	——— 2. t. 135.
4 nutans. H.B.	drooping.	———	1818.	——	S. ♄.	
Posoqueria nutans. F.I.						
5 spinosa. S.S.	thorny.	China.	1804.	——	S. ♄.	Thunb. gar. n. 7. t. 2. f. 4.
6 armata. S.S.	armed.	W. Indies.	1818.	....	S. ♄.	Jacq. amer. pict. t. 71.
Mussænda spinosa. Jacq.						
7 tetracantha. S.S.	four-thorned.	New Spain.	1818.	....	S. ♄.	
8 longispina. H.B.	long-spined.	E. Indies.	1812.	....	S. ♄.	
Posoqueria longispina. F.I.						
9 fragrans. S.S.	fragrant.	———	1822.	....	S. ♄.	
Posoqueria fragrans. F.I.						
10 esculenta. S.S.	esculent.	China.	1823.	5. 6.	S. ♄.	
11 florida. S.S.	Cape Jasmine.	———	1754.	7. 10.	S. ♄.	Botan. regist. 449.
β *flore-pleno.*	*double-flowered.*	———	——	——	S. ♄.	Ehret. pict. t. 15.
12 angustifolia. B.C.	narrow-leaved.	———	1820.	——	S. ♄.	Lodd. bot. cab. 512.
13 radicans. S.S.	rooting.	———	1804.	3. 6.	G. ♄.	Botan. regist. 73.
14 latifolia. S.S.	broad-leaved.	E. Indies.	1787.	....	S. ♄.	Roxb. cor. 2. t. 134.
15 lucida. F.I.	glossy-leaved.	———	1820.	....	S. ♄.	
16 Thunbergia. S.S.	starry.	C. B. S.	1773.	1. 3.	S. ♄.	Botan. magaz. 1004.
17 Rothmannia. S.S.	spotted-fld.	———	1774.	7.	G. ♄.	——— 690.
18 micrantha. R.S.	small-flowered.	China.	1806.	6. 8.	S. ♄.	Thunb. gar. n. 8. t. 1. f. 2.
19 montana. F.I.	mountain.	E. Indies.	1818.	——	S. ♄.	
20 campanulata. F.I.	bell-flowered.	———	1812.	——	S. ♄.	
OXYANTHUS. DC.	OXYANTHUS. Pentandria Monogynia.					
speciosus. DC.	tube-flowered.	Sierra Leon.	1789.	7. 12.	S. ♄.	Botan. magaz. 1992.
Gardenia tubiflora. A.R. 188.						
GENIPA. R.S.	GENIP-TREE. Pentandria Monogynia.					
1 oblongifolia. R.S.	oblong-leaved.	Peru.	1823.	....	S. ♄.	Flor. per. 2. t. 220. f. a.
2 americana. R.S.	American.	S. America.	1779.	....	S. ♄.	Plum. ic. t. 136.
3 Merianæ. R.S.	hairy.	Cayenne.	1800.	....	S. ♄.	Merian. sur. t. 43.
Duroia eriopila. L.						
WEBERA. S.S.	WEBERA. Pentandria Monogynia.					
1 corymbosa. S.S.	corymbose.	E. Indies.	1759.	4. 6.	S. ♄.	Botan. regist. 119.
2 cymosa. S.S.	cymose.	———	1811.	....	S. ♄.	
BURCHELLIA. B.R.	BURCHELLIA. Pentandria Monogynia.					
1 capensis. B.R.	broad-leaved.	C. B. S.	1818.	3. 6.	G. ♄.	Botan. regist. 466.
2 parviflora. B.R.	smaller-fld.	———	——	——	G. ♄.	——— 891.
bubalina. B.M. 2339.						

CATESBÆA. S.S.	CATESBÆA. Tetrandria Monogynia. L.						
1 spinosa. S.S.	spiny.	Isl. Prov.	1726.	5. 9.	S. ♄.	Botan. magaz. 131.
2 latifolia. B.R.	broad-leaved.	W. Indies.	1818.	9. 11.	S. ♄.	Botan. regist. 858.
3 parviflora. S.S.	small-flowered.	———	1810.	....	S. ♄.	Sloan. h. 2. t. 207. f. 1.
FERNELIA. J.	FERNELIA. Tetrandria Monogynia.					
1 obovata. Lam.	obovate-leaved.	Isl. France.	1816.	....	S. ♄.	
2 buxifolia. Lam.	Box-leaved.	———	———	....	S. ♄.	
Coccocypselum buxifolium. S.S.						
COCCOCYPSELUM. S.S.	COCCOCYPSELUM. Tetrandria Monogynia. S.S.					
repens. S.S.	creeping.	W. Indies.	1793.	5.	S. ♄.	Brown. jam. t. 6. f. 1.

Sect. IV. CINCHONEÆ. *Kth. synops.* 3. *p.* 47.

PORTLANDIA. S.S.	PORTLANDIA. Pentandria Monogynia. L.					
1 grandiflora. R.S.	great-flowered.	Jamaica.	1775.	6. 8.	S. ♄.	Sm. ic. pict. 1. t. 6.
2 coccinea. R.S.	scarlet-flow'r'd.	———	1812.	....	S. ♄.	
COUTAREA. S.S.	COUTAREA. Hexandria Monogynia. S.S.					
speciosa. S.S.	Laurel-leaved.	Guiana.	1803.	....	S. ♄.	Aub. gui. 1. t. 122.
Portlandia hexandra. Jacq. am. pict. t. 88.						
EXOSTEMMA. R.S.	EXOSTEMMA. Pentandria Monogynia. R.S.					
1 caribæum. R.S.	Caribean.	W. Indies.	1780.	6. 9.	S. ♄.	Andr. reposit. 481.
Cinchona caribæa. W.						
2 floribundum. R.S.	many-flowered.	———	1794.	....	S. ♄.	Lamb. cinch. 27. t. 7.
PINCKNEYA. M.	PINCKNEYA. Pentandria Monogynia.					
pubens. M.	pubescent.	Georgia.	1786.	6. 7.	F. ♄.	Mich. amer. t. 13.
HYMENODICTYON.	F.I. HYMENODICTYON. Pentandria Monogynia.					
1 thyrsiflorum. Wall.	thyrse-flower'd.	E. Indies.	1816.	....	S. ♄.	
2 excelsum. Wall.	tall.	———	———	....	S. ♄.	Roxb. cor. 2. t. 106.
Cinchona excelsa. R.S.						
HILLIA. S.S.	HILLIA. Tetr-Hexandria Monogynia. S.S.					
1 longiflora. S.S.	long-flowered.	W. Indies.	1789.	2. 3.	S. ♄.	Botan. magaz. 721.
2 tetrandra. S.S.	mountain.	Jamaica.	1793.	6. 7.	S. ♄.	
MACROCNEMUM. L.	MACROCNEMUM. Pentandria Monogynia. L.					
jamaicense. R.S.	Jamaica.	Jamaica.	1806.	....	S. ♄.	Swartz obs. t. 3. f. 1.
RONDELETIA. R.S.	RONDELETIA. Pentandria Monogynia. L.					
1 americana. R.S.	American.	W. Indies.	1752.	8.	S. ♄.	Plum. ic. t. 242. f. 1.
2 lævigata. R.S.	smooth-leaved.	———	1790.	7. 8.	S. ♄.	
3 racemosa. R.S.	racemed.	———	1818.	———	S. ♄.	Brown. jam. 143. t. 2. f. 3.
4 tomentosa. R.S.	downy-leaved.	———	———	———	S. ♄.	
5 hirta. R.S.	hairy.	———	1776.	6. 8.	S. ♄.	Lodd. bot. cab. 350.
6 paniculata. F.I.	panicled.	E. Indies.	1820.	....	S. ♄.	

Sect. V. HEDYOTIDEÆ. *Kth. synops.* 3. *p.* 40.

HEDYOTIS. R.S.	HEDYOTIS. Tetrandria Monogynia. L.					
1 diffusa. R.S.	spreading.	E. Indies.	1818.	7. 9.	S. ☉.	
2 herbacea. R.S.	herbaceous.	———	1816.	6. 9.	S. ☉.	Rheed. mal. 10. t. 35.
3 umbellata. R.S.	Indian Madder.	E. Indies.	1792.	7. 8.	S. ♃.	Roxb. cor. 1. t. 3.
Oldenlandia umbellata. L.						
4 cymosa. R.S.	Hyssop-leaved.	Jamaica.	1739.	6. 10.	S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.
Oldenlandia corymbosa. W.						
5 ramosissima. R.S.	branching.	.....	1816.	———	S. ☉.	
6 biflora. R.S.	two-flowered.	E. Indies.	———	———	S. ☉.	
7 lactea. R.S.	milk-coloured.	———	———	———	S. ☉.	
MANETTIA. R.S.	MANETTIA. Tetrandria Monogynia. L.					
1 Lygistum. R.S.	veined-leaved.	W. Indies.	1822.	2. 4.	S. ♄. ⌣.	Brown. jam. t. 3. f. 2.
2 coccinea. R.S.	scarlet.	Trinidad.	1806.	12. 4.	S. ♄. ⌣.	Botan. regist. 693.
BOUVARDIA. R.S.	BOUVARDIA. Tetrandria Monogynia.					
1 triphylla. R.S.	three-leaved.	Mexico.	1794.	4. 11	G. ♄.	Sal. par. lond. 88.
Jacquini. S.S. *Houstonia coccinea.* A.R. 106.						
α pubescens.	*pubescent.*	———	———	———	G. ♄.	Botan. regist. 107.
β glabra.	*smooth.*	———	———	———	G. ♄.	
2 versicolor. S.S.	various-color'd.	S. America.	1814.	7. 1.	S. ♄.	Botan. regist. 245.

DENTELLA. W.	DENTELLA. Pentandria Monogynia. W.							
repens. W.	creeping.	N.Holland.	1802.	7.		H.⊙.		Lam. ill. t. 118.
SPERMADICTYON. B.R.	SPERMADICTYON. Pentandria Monogynia.							
suaveolens. B.R.	sweet-scented.	E. Indies.	1816.	8.	12.	S. ♄.		Botan. regist. 348.
Hamiltonia suaveolens. F.I.								

Sect. VI. CEPHALANTHEÆ. *Kth. synops.* 3. *p.* 37.

NAUCLEA. R.S.	NAUCLEA. Pentandria Monogynia. L.							
1 Adina. Sm.	Myrtle-leaved.	China.	1804.	7.	8.	S. ♄.		Botan. regist. 893.
Adina globiflora. P.L. 118.								
2 orientalis. R.S.	oriental.	E. Indies.	1800.	....		S. ♄.		
3 Cadamba. F.I.	broad-leaved.	—— ——	1823.	....		S. ♄.		Rheed. mal. 3. t. 33.
4 undulata. F.I.	wave-leaved.	—— ——	——	....		S. ♄.		
5 cordifolia. R.S.	heart-leaved.	—— ——	——	....		S. ♄.		Roxb. cor. 1. t. 53.
SARCOCEPHALUS. Afz.	SARCOCEPHALUS. Pentandria Monogynia.							
esculentus. Afz.	eatable-fruited.	Sierra Leon.	1822.	6.	8.	S. ♄.		Hort. trans. 5. t. 18.
CEPHALANTHUS. L.	BUTTON-WOOD. Tetrandria Monogynia. L.							
occidentalis.	American.	N. America.	1735.	8.		S. ♄.		Schmidt arb. 1. t. 45.
MORINDA. L.	MORINDA. Pentandria Monogynia. L.							
1 umbellata. R.S.	umbelled.	E. Indies.	1809.	....		S. ♄.		
2 citrifolia. R.S.	broad-leaved.	Otaheite.	1793.	....		S. ♄.		Rheed. mal. 1. t. 52.
3 bracteata. F.I.	bracted.	E. Indies.	1816.	....		S. ♄.		
4 angustifolia. F.I.	narrow-leaved.	——	——	....		S. ♄.		
5 Royoc. R.S.	Laurel-leaved.	W. Indies.	1793.	7.	10.	S. ♄.		Jacq. vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops.* 3. *p.* 20.

MITCHELLA. L.	MITCHELLA. Tetrandria Monogynia. L.							
repens. L.	creeping.	N. America.	1761.	6.		H. ♄.		Cat. car. 1. t. 20.
PAVETTA. R.S.	PAVETTA. Tetrandria Monogynia. L.							
1 indica. R.S.	Indian.	E. Indies.	1791.	8.	10.	S. ♄.		Burm. ind. t. 18. f. 3.
2 arenosa. R.S.	tubercled.	China.	....	8.	10.	S. ♄.		Botan. regist. 196.
indica. B.R. *nec aliorum.*								
IXORA. L.	IXORA. Tetrandria Monogynia. L.							
1 grandiflora. B.R.	great-flowered.	E. Indies.	1814.	7.	9.	S. ♄.		Botan. regist. 154.
coccinea. L. *non* B.M.								
2 Bandhuca. F.I.	stem-clasping.	—— ——	——	1.	4.	S. ♄.		—— —— —— 513.
3 fulgens. F.I.	glossy.	—— ——	1820.	....		S. ♄.		Rumph. amb. 4. t. 46.
longifolia. Sm. *lanceolata.* Lam.								
4 flammea. S.P.	flame-coloured.	China.	1690.	4.	8.	S. ♄.		Botan. magaz. 109.
coccinea. B.M. *stricta.* F.I.								
5 crocata. B.R.	saffron-color'd.	—— ——	1820.	——		S. ♄.		Botan. regist. 782.
6 incarnata. B.C.	flesh-coloured.	—— ——	——	——		S. ♄.		Lodd. bot. cab. 729.
7 blanda. B.R.	charming.	—— ——	1812.	——		S. ♄.		Botan. regist. 100.
8 alba. W.	white.	E. Indies.	1768.	6.		S. ♄.		Rheed. mal. 2. t. 14.
9 cuneifolia. F.I.	wedge-leaved.	E. Indies.	1820.	——		S. ♄.		—— —— —— 648.
10 brachiata. F.I.	brachiate-panicled.	—— ——	——	——		S. ♄.		
11 Pavetta. A.R.	fragrant.	—— ——	....	——		S. ♄.		Andrews's reposit. 78.
12 parviflora. F.I.	small-flowered.	—— ——	1800.	8.	10.	S. ♄.		Vahl symb. 3. t. 52.
13 barbata. F.I.	bearded.	—— ——	1822.	6.	8.	S. ♄.		Botan. magaz. 2505.
14 undulata. F.I.	wave-leaved.	—— ——	1818.	——		S. ♄.		
15 rosea. F.I.	rose-coloured.	—— ——	1820.	4.	8.	S. ♄.		Botan. regist. 540.
16 obovata. R.S.	obovate-leav'd.	—— ——	....	....		S. ♄.		
purpurea. F.?								
CHOMELIA. W.	CHOMELIA. Tetrandria Monogynia. W.							
spinosa. W.	spiny.	W. Indies.	1793.	....		S. ♄.		Jacq. amer. 18. t. 18.
SIDERODENDRON. S.S.	IRON-TREE. Tetrandria Monogynia. W.							
triflorum. S.S.	three-flowered.	W. Indies.	1793.	....		S. ♄.		Jacq. amer. 19. t. 175. f. 9
TETRAMERIUM. G.	TETRAMERIUM. Tetrandria Monogynia. S.S.							
1 odoratissimum. S.S.	sweet-scented.	W. Indies.	1793.	4.	6.	S. ♄.		Jacq. amer. t. 47.
Coffea occidentalis. W. *Ixora americana.* Sw.								
2 paniculatum. S.S.	panicled.	Guiana.	1822.	....		S. ♄.		Aub. guian. t. 58.

COFFEA. L.	Coffee-tree.	Pentandria Monogynia. L.					
arabica. W.	Arabian.	Yemen.	1696.	8. 11.	S. ♄.	Botan. magaz. 1303.
CEPHAELIS. S.S.	Cephaelis.	Pentandria Monogynia. L.				
1 elata. S.S.	tall.	Jamaica.	1793.	....	S. ♄.	
2 axillaris. S.S.	axillary-fld.	Brazil.	1816.	4. 5.	S. ♄.	Lind. coll. 21.
calycina. L. col.						
3 pedunculata. P.L.	long-peduncl'd.	SierraLeon.	....	2. 4.	S. ♄.	Sals. par. lond. 103.
PSYCHOTRIA. R.S.	Psychotria.	Pentandria Monogynia. L.				
1 asiatica. R.S.	Indian.	E. Indies.	1806.	4. 5.	S. ♄.	Jacq.amer.p.t.260.f.19
2 glabrata. R.S.	smooth.	Jamaica.	1822.	——	S. ♄.	
3 citrifolia. R.S.	Citron-leaved.	W. Indies.	1793.	1. 12.	S. ♄.	
4 elliptica. B.R.	elliptic-leaved.	Brazil.	1820.	2. 6.	S. ♄.	Botan. regist. 607.
5 parasitica. R.S.	parasitic.	W. Indies.	1802.	5. 8.	S. ♄.	Jacq. amer. t. 51. f. 1.
6 brachiata. R.S.	cross-branched.	———	1793.	....	S. ♄.	
7 pubescens. R.S.	pubescent.	Jamaica.	1812.	....	S. ♄.	
8 undata. R.S.	wave-leaved.	Bahama.	1818.	4. 6.	S. ♄.	Jacq. schœnb.3. t.260.
GEOPHILA. D.P.	Geophila.	Pentandria Monogynia.				
reniformis. D.P.	kidney-leaved.	W. Indies.	1793.	4. 6.	S. ♃.	Jacq. amer. t. 46.
Psychotria herbacea. W.						
CHIOCOCCA. W.	Snowberry.	Pentandria Monogynia. L.				
racemosa. W.	cluster-flow'r'd.	Jamaica.	1729.	2.	S. ♄.	Andr. reposit. 284.
ERNODEA. S.S.	Ernodea.	Tetrandria Monogynia. W.				
montana. S.S.	mountain.	Sicily.	1820.	6. 7.	H. ♄.	Flor. græc. t. 143.
Asperula calabrica. L.						
SERISSA. S.S.	Serissa.	Pentandria Monogynia. W.				
fœtida. S.S.	Japanese.	Japan.	1787.	5. 9.	G. ♄.	Botan. magaz. 361.
β *multiplex*.	*double-flowered*.	———	——	——	G. ♄.	
PLOCAMA. W.	Plocama.	Pentandria Monogynia. W.				
pendula. W.	pendulous.	Canaries.	1779.	....	G. ♄.	
? PÆDERIA. W.	Pæderia.	Pentandria Monogynia. L.				
fœtida. W.	stinking.	China.	1806.	...	G. ♄. ⌣	Icon. Kæmpf. 9.

Sect. VIII. Spermacoceæ. *Kth. synops.* 3. *p.* 14.

RICHARDSONIA. Kth.	Richardsonia.	Hexandria Monogynia. L.				
scabra. B.F.G.	rough.	S.America.	1812.	9. 10.	H. ☉.	Swt. br. fl. gar. 91.
PHYLLIS. W.	Bastard Hare's-ear.	Pentandria Digynia. L.				
Nobla. W.	Canary.	Canaries.	1699.	6. 7.	G. ♄.	Dill. elth. t. 299. f.386.
DIODIA. S.S.	Diodia.	Tetrandria Monogynia. W.				
1 virginica. S.S.	Virginian.	Virginia.	1820.	6. 8.	H. ♃.	Jacq. ic. 1. t. 29.
2 sarmentosa. S.S.	sarmentose.	W. Indies.	1821.	——	S. ♄.	
3 verticillata. S.S.	whorl-leaved.	SantaCruz.	——	....	S. ♃.	
BIGELOVIA. S.S.	Bigelovia.	Tetrandria Monogynia. S.S.				
1 verticillata. S.S.	whorl-flowered.	Africa.	1732.	6. 8.	S. ♄.	Dill. elth. t. 277. f.358.
Spermacoce verticillata. L.						
2 commutata. S.S.	starry-headed.	W. Indies.	1818.	——	S. ♃.	
3 stricta. S.S.	upright.	———	1821.	——	S. ☉.	
Spermacoce stricta. L.						
SPERMACOCE. S.S.	Button-weed.	Tetrandria Monogynia. L.				
1 glabra. S.S.	smooth.	N.America.	1823.	7. 8.	H. ☉.	
2 diodina. S.S.	Diodia-like.	———	1820.	——	H. ☉.	
3 hispida. S.S.	bristly.	E. Indies.	1781.	8. 9.	S. ☉.	Burm. zeyl. t. 20. f. 3.
4 latifolia. S.S.	broad-leaved.	Guiana.	1803.	7.	S. ♂.	Aub. gui. t. 19. f. 1.
5 cornifolia. S.S.	Dogwood-ld.	Brazil.	1820.	8. 9.	S. ☉.	
6 stylosa. S.S.	long-styled.	Manila.	——	——	S. ☉.	
7 suffruticosa. S.S.	suffruticose.	.....	1823.	7. 8.	S. ♄.	
8 radicans. S.S.	rooting.	Guiana.	1803.	——	S. ♃.	Aub. gui. 1. t. 20. f. 4.
9 tenuior. S.S.	slender.	W. Indies.	1732.	6. 8.	H. ☉.	Sch. hand. 1. t. 22.
10 lanceolata. L.en.	spear-leaved.	———	1818.	——	H. ☉.	
11 hirta. S.S.	hairy.	Jamaica.	1822.	7. 9.	H. ☉.	Jacq. ic. t. 308.
12 scabra. S.S.	rough.	E. Indies.	1816.	——	S. ☉.	Rheed. mal. 9. t. 76.
13 rubra. S.S.	Cross-wort.	S. America.	1760.	7. 8.	S. ♂.	Jacq. schœn. 3. t. 256.
strigosa. B.M. 1558.						
14 Fischeri. S.S.	Fischer's.	Jamaica.	1820.	——	S. ☉.	
15 Roxburghii. S.S.	Roxburgh's.	E. Indies.	1818.	——	S. ♂.	
lævis. P.I. *non* Lam.						

KNOXIA. S.S.	KNOXIA.	Tetrandria Monogynia. W.					
1 corymbosa. S.S.	Sumatra.	E. Indies.	1818.	4. 6.	S.♄.		
Spermacoce sumatrensis. F.I.							
2 umbellata. S.S.	umbel-flower'd.	Nepaul.	1820.	——	S.♄.		
Spermacoce teres. F.I.							

Sect. IX. GALEÆ. *Kth. synops.* 3. *p.* 10.

ANTHOSPERMUM. W. AMBER-TREE.	Dioecia Tetrandria. L.					
æthiopicum. S.S.	Ethiopian.	C. B. S.	1692.	6. 7.	G.♄.	Pluk. alm. t. 183. f. 1.
CRUCIANELLA. R.S. CROSS-WORT.	Tetrandria Monogynia. L.					
1 angustifolia. R.S.	narrow-leaved.	S. Europe.	1658.	6. 7.	H.⊙.	Sm. exot. bot. 2. t. 109.
2 ciliata. R.S.	ciliated.	Levant.	1805.	7. 8.	H.⊙.	
3 patula. R.S.	spreading.	Spain.	1798.	6. 7.	H.⊙.	
4 latifolia. R.S.	broad-leaved.	S. Europe.	1633.	——	H.⊙.	Flor. græc. t. 139.
5 ægyptiaca. R.S.	Egyptian.	Egypt.	1800.	——	H.⊙.	
6 monspeliaca. R.S.	Montpelier.	S. France.	1791.	7. 8.	H.⊙.	Flor. græc. t. 140.
7 maritima. R.S.	sea-side.	————	1640.	——	G.♄.	Sabb. hort. 2. t. 13.
8 americana. R.S.	American.	Vera Cruz.	....	——	S.♄.	
9 pubescens. R.S.	pubescent.	Candia.	1799.	7. 8.	G.♃.	
10 molluginoides. R.S.	Mollugo-like.	Caucasus.	1800.	——	H.♃.	Buxb. cent. 2. t. 30. f. 1.
anomala. M.B.						
SHERARDIA. R.S.	SHERARDIA.	Tetrandria Monogynia. L.				
arvensis. R.S.	little.	Britain.	....	4. 9.	H.⊙.	Eng. bot. 691.
RUBIA. R.S.	MADDER.	Tetrandria Monogynia. L.				
1 tinctorum. R.S.	dyer's.	S. Europe.	1596.	6.	H.♃.	Flor. græc. t. 141.
2 splendens. R.S.	glossy.	Portugal.	1812.	6. 8.	H.♄.	
3 galioides. R.S.	Galium-like.	Canaries.	1816.	——	F.♄.	
4 peregrina. R.S.	wild.	England.	....	7.	H.♃.	Eng. bot. 851.
5 lucida. R.S.	shining.	Majorca.	1762.	——	F.♄.	Flor. græc. t. 142.
6 fruticosa. R.S.	prickly-leaved.	Canaries.	1779.	9.	F.♄.	
7 Bocconi. R.S.	Boccone's.	Italy.	1823.	——	H.♃.	
8 angustifolia. R.S.	narrow-leaved.	S. Europe.	1772.	7. 8.	F.♄.	Lam. ill. t. 60. f. 2.
9 cordifolia. R.S.	heart-leaved.	Siberia.	1783.	7.	H.♃.	Pall. it. 3. ap. t. L. f. 1.
ASPERULA. R.S.	WOODRUFF.	Tetrandria Monogynia. L.				
1 lævigata. R.S.	shining.	S. Europe.	1775.	6.	H.♃.	Moris. his. 3. t. 21. f. 4.
2 taurina. R.S.	broad-leaved.	Italy.	1739.	4. 6.	H.♃.	Lob. ic. 800. f. 1.
3 longiflora. R.S.	long-flowered.	Hungary.	1818.	——	H.♃.	W. et K. hung. 2. t. 150.
4 aristata. R.S.	awned.	S. Europe.	1823.	——	H.♃.	
5 supina. R.S.	trailing.	Caucasus.	——	6. 7.	H.♃.	
6 brevifolia. R.S.	short-leaved.	Levant.	1818.	——	H.♄.	
7 cynanchica. R.S.	small.	England.	....	7.	H.♃.	Eng. bot. 63.
8 alpina. S.S.	Alpine.	Caucasus.	1825.	——	H.♃.	
9 crassifolia. R.S.	thick-leaved.	Levant.	1775.	6.	H.♃.	
10 scabra. S.S.	rough.	Italy.	1824.	——	H.♃.	
11 tinctoria. R.S.	narrow-leaved.	Europe.	1764.	6. 7.	H.♃.	Tabern. ic. 151.
12 montana. R.S.	mountain.	Hungary.	1801.	——	H.♃.	
13 arvensis. R.S.	field.	Europe.	1596.	7.	H.⊙.	Lobel. ic. t. 891. f. 2.
14 arcadiensis. S.S.	Arcadian.	Arcadia.	1819.	5.	H.♃.	Botan. magaz. 2146.
15 hirta. R.S.	thick-rooted.	Pyrenees.	——	5. 6.	H.♃.	Ram. phil. t. 9. f. 1. 2.
16 hirsuta. R.S.	hairy creeping.	S. Europe.	1820.	——	H.♃.	
repens. Brot.						
17 incana. R.S.	hoary.	Crete.	1823.	6. 7.	H.♃.	Flor. græc. t. 119.
18 galioides. S.S.	glaucous.	S. Europe.	1710.	6. 9.	H.♃.	Jacq. aust. 1. t. 61.
Galium glaucum. L.						
19 humifusa. S.S.	spreading.	Caucasus.	1825.	——	H.♃.	
20 longifolia. R.S.	long-leaved.	Greece.	1823.	——	H.♃.	Flor. græc. t. 118.
21 Aparine. R.S.	marsh.	Crete.	——	——	H.♃.	———— t. 117.
rivalis. Sm.						
22 odorata. R.S.	sweet-scented.	Britain.	....	5. 6.	H.♃.	Eng. bot. 755.
VALANTIA. S.S.	VALANTIA.	Tetrandria Monogynia. S.S.				
1 muralis. S.S.	wall.	S. Europe.	1739.	5. 7.	H.⊙.	Colum. Ecphr. t. 297.
2 hispida. S.S.	bristly.	————	1768.	——	H.⊙.	Gært. fr. C. 2. t. 24. f. 1.
3 filiformis. S.S.	least.	Canaries.	1780.	7. 9.	H.⊙.	
GALIUM. S.S.	BEDSTRAW.	Tetrandria Monogynia. L.				
1 cruciatum. S.S.	Crosswort.	Britain.	....	5. 6.	H.♃.	Eng. bot. 143.
Valantia cruciata. W.						

2	pedemontanum. s.s.	Piedmont.	Hungary.	1799.	7.	H.⊙.	W. et K. hung. 1. t.33.
3	Bauhini. s.s. *Valantia glabra.* w.	Bauhin's.	Europe.	1731.	7. 8.	H.♃.	——— 1. t. 32.
4	vernum. s.s. *Halleri.* R.s.	Haller's.	Switzerland.	1823.	5. 6.	H.♃.	
5	articulatum. s.s.	jointed.	Egypt.	1752.	7. 8.	H.⊙.	
6	rubioides. s.s.	Madder-leav'd.	S. Europe.	1775.	7.	H.♃.	Buxb. cent. 2. t. 29.
7	diffusum. s.s.	spreading.	———	1820.	——	H.♃.	
8	valantioides. s.s.	Valantia-like.	Caucasus.	1823.	——	H.♃.	
9	palustre. s.s.	water.	Britain.	....	——	H.w.♃.	Eng. bot. 1857.
10	satureiæfolium. s.s.	Savory-leaved.	Caucasus.	1818.	——	H.w.♃.	
11	trifidum. s.s.	3-fid-flowered.	N. Europe.	——	——	H.w.♃.	
12	fruticosum. s.s.	frutescent.	Crete.	1823.	7. 8.	F.ħ.	
13	Witheringii. s.s.	rough.	England.	....	6. 7.	H.♃.	Eng. bot. 2206.
14	glabrum. s.s.	smooth.	C. B. S.	1816.	——	G.♃.	
15	uliginosum. s.s.	marsh.	Britain.	....	7. 8.	H.w.♃.	Eng. bot. 1972.
16	divaricatum. s.s.	divaricate.	S. France.	1820.	——	H.⊙.	DC. ic. gal. rar. t. 24.
17	campestre. s.s.	field.	Barbary.	1818.	8. 9.	H.⊙.	
18	austriacum. R.s.	Austrian.	Europe.	1804.	6. 7.	H.♃.	Jacq. aust. t. 80.
19	Bocconi. R.s.	Boccone's.	———	1801.	5. 6.	H.♃.	Bocc. mus. t. 101.
20	obliquum. R.s.	oblique-leaved.	S. France.	....	——	H.♃.	Vill. delph. 2. n. 9. t.8.
21	pusillum. E.B.	least.	England.	....	7. 8.	H.♃.	Eng. bot. 74.
22	alpestre. R.s.	smooth-leaved.	S. Europe.	1824.	——	H.♃.	Vill.delph. 2. t. 7. *bis.*
23	tenuifolium. R.s.	slender-leav'd.	———	1820.	6. 7.	H.♃.	
24	rubrum. s.s.	red.	Italy.	1597.	——	H.♃.	Ger. herb. 967. f. 3.
25	tenuissimum. s.s.	slenderest.	Caucasus.	1818.	7. 9.	H.⊙.	
26	verum. s.s.	cheese-rennet.	Britain.	....	——	H.♃.	Eng. bot. 660.
27	tyrolense. R.s.	Tyrolese.	Tyrol.	1801.	7.	H.♃.	
28	Mollugo. R.s.	great hedge.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1673.
29	campanulatum. s.s. *glaucum.* Jacq.	bell-flowered.	Europe.	1710.	6. 9.	H.♃.	Jacq. aust. t. 81.
30	erectum. s.s.	upright.	Britain.	....	6. 7.	H.♃.	Eng. bot. 2067.
31	lucidum. R.s.	glossy.	S. Europe.	1820.	——	H.♃.	All. ped. 1. t. 77. f. 2.
32	linifolium. s.s.	Flax-leaved.	———	1759.	——	H.♃.	Barr. ic. t. 356 et 583.
33	rigidum. s.s.	rigid.	.....	1778.	——	H.♃.	
34	sylvaticum. s.s.	wood.	S. Europe.	1658.	7. 8.	H.♃.	
35	cinereum. s.s.	cinereous.	Scotland.	....	8.	H.♃.	All. ped. t. 77. f. 4.
36	aristatum. s.s.	awned.	———	....	7. 8.	H.♃.	Barr. ic. t. 356.
37	purpureum. s.s.	purple.	Switzerland.	1781.	6. 7.	H.♃.	
38	saxatile. s.s.	smooth heath.	Britain.	....	7. 8.	H.♃.	Eng. bot. 815.
39	helveticum. s.s.	Swiss.	Switzerland.	1823.	——	H.♃.	J.m.ac.p.1714.t.15.f.1.
40	tricorne. E.B.	three-flowered.	Britain.	....	7.	H.⊙.	Eng. bot. 1641.
41	spurium. E.B.	spurious.	———	....	6. 7.	H.♃.	——— 1871.
42	verrucosum. E.B. *saccharatum.* R.s.	warted.	———	....	6. 8.	H.⊙.	——— 2173.
		Valantia Aparine. w.					
43	Cucullaria. s.s.	hooded.	Levant.	1780.	5. 6.	H.⊙.	Buxb. cent. 1. t. 19. f. 2.
44	boreale. E.B.	cross-leaved.	Britain.	....	7.	H.♃.	Eng. bot. 105.
45	rotundifolium. s.s.	round-leaved.	Europe.	....	6. 7.	H.♃.	Jacq. aust. t. 94.
46	ellipticum. s.s.	elliptic-leaved.	Sicily.	1820.	——	H.♃.	Barr. ic. t. 21. f. 4.
47	pilosum. R.s.	hairy.	N. America.	1778.	——	H.♃.	
48	reflexum. s.s. *tauricum.* R.s.	reflexed.	Tauria.	1818.	——	H.♃.	
		Valantia taurica. w.					
49	maritimum. s.s.	sea-side.	S. Europe.	——	7. 8.	H.♃.	
50	anglicum. E.B.	English.	England.	....	6. 7.	H.⊙.	Eng. bot. 384.
51	parisiense. R.s.	Paris.	France.	1818.	——	H.⊙.	
52	murale. s.s. *Sherardia muralis.* w.	wall.	Italy.	1805.	6. 8.	H.⊙.	All. ped. 34. t. 77. f. 1.
53	græcum. s.s.	Candian.	Candia.	1798.	6. 7.	H.♃.	Flor. græc. t. 136.
54	Aparine. E.B.	Cleavers.	Britain.	....	5. 9.	H.⊙.	Eng. bot. 316.
55	infestum. R.s.	infesting.	Europe.	1818.	——	H.⊙.	W. et K. hung. 3. t. 202.
56	scaberrimum. R.s.	roughest.	Egypt.	——	6. 9.	H.⊙.	

ORDO XCVII.

OPERCULARIEÆ. *Juss. ann. mus.* 4. *p.* 418.

OPERCULARIA. J.	OPERCULARIA.	Tetrandria Monogynia. W.					
1 umbellata. R.S.	umbel-flower'd.	N.Holland.	1818.	6. 7.	G.ħ.	Lam. ill. t. 58. f. 1.	
2 aspera. S.S.	rough.	N.Zealand.	1790.	6. 7.	G.ħ.	Gært. fr. 1. t. 24. f. 4.	
3 hispida. S.S.	hispid.	N. S. W.	——	——	G.ħ.	Juss.an.mus.4.t.70.f.1.	
aspera. J.							
4 sessiliflora. R.S.	sessile-flow'r'd.	————	1816.	——	G.♃.	———— 4. t.70. f.2.	
5 ocymifolia. R.S.	Basil-leaved.	————	1820.	——	G.♃.		
CRYPTOSPERMUM. P.S.	CRYPTOSPERMUM.	Monandria Monogynia. P.S.					
Youngii. P.S.	Young's.	N. S. W.	1793.	7. 8.	G.♃.	Linn. trans. 3. t. 5.	
Opercularia paleata. R.S.							

ORDO XCVIII.

VALERIANEÆ. *DC. fl. fr. ed.* 3. *v.* 4. *p.* 418.

CENTRANTHUS. DC.	CENTRANTHUS.	Monandria Monogynia. R.S.				
1 ruber. DC.	common.	England.	....	6. 10.	H.♃.	Eng. bot. 1531.
Valeriana rubra. E.B.						
β albus.	*white-flowered.*	————	....	——	H.♃.	
γ carneus.	*flesh-coloured.*	————	....	——	H.♃.	
2 angustifolius. DC.	narrow-leaved.	Europe.	1731.	5. 7.	H.♃.	Flor. græc. 1. t. 29.
3 Calcitrapa. R.S.	cut-leaved.	Portugal.	1570.	——	H.⊙.	———— 1. t. 30.
VALERIANA. DC.	VALERIAN.	Triandria Monogynia. L.				
1 dioica. E.B.	dioecious.	Britain.	....	5. 7.	H.♃.	Eng. bot. 628.
2 Phu. R.S.	garden.	Germany.	1597.	——	H.♃.	Plenck. t. 28.
3 officinalis. E.B.	great wild.	Britain.	....	6. 7.	H.♃.	Eng. bot. 608.
4 sambucifolia. R.S.	Elder-leaved.	Sweden.	1818.	——	H.♃.	
5 sisymbriifolia. R.S.	water-rocket-ld.	Levant.	1820.	——	H.♃.	
6 cardamines. M.B.	Ladies-smock-ld.	Caucasus.	1823.	——	H.♃.	
7 montana. R.S.	mountain.	Switzerland.	1748.	——	H.♃.	Lodd. bot. cab. 317.
8 tripteris. R.S.	three-leaved.	————	1752.	3. 5.	H.♃.	Jacq. aust. 3. t. 268.
9 pyrenaica. E.B.	heart-leaved.	Scotland.	....	5. 6.	H.♃.	Eng. bot. 1591.
10 tuberosa. R.S.	tuberous-root'd.	S. Europe.	1629.	——	H.♃.	Lapeyr. pyr. t. 53.
11 elongata. R.S.	elongated.	Austria.	1812.	6. 7.	H.♃.	Jacq. ic. 3. t. 219.
12 supina. R.S.	creeping-root'd.	Germany.	1818.	——	H.♃.	Jacq. misc. 2. t.17. f.2.
13 saxatilis. R.S.	rock.	————	1748.	7.	H.♃.	Jacq. aust. 3. t. 267.
14 saliunca. R.S.	headed-flow'rd.	Italy.	1824.	6. 7.	H.♃.	All. ped. 1. t. 70. f. 1.
15 celtica. R.S.	raceme-flow'rd.	Switzerland.	1748.	——	H.♃.	Jacq. coll. 1. t. 1.
16 capensis. R.S.	Cape.	C. B. S.	1816.	——	F.♃.	
PATRINIA. J.	PATRINIA.	Tetrandria Monogynia. R.S.				
1 sibirica. J.	Siberian.	Siberia.	1759.	5. 6.	H.♂.	Botan. magaz. 2325.
Valeriana sibirica. L. *ruthenica.* B.M.						
2 rupestris. J.	rock.	————	1801.	——	H.♂.	Botan. magaz. 714.
Valeriana sibirica. B.M.						
3 intermedia. R.S.	intermediate.	————	1823.	——	H.♂.	
4 scabiosæfolia. S.S.	Scabious-ld.	Dahuria.	——	6. 8.	H.♃.	Swt. br. fl. gar. 154.
FEDIA. DC.	FEDIA.	Diandria Monogynia.				
Cornucopiæ. R.S.	purple.	S. Europe.	1596.	5. 8.	H.⊙.	Botan. regist. 155.
Valeriana cornucopiæ. B.R.						
VALERIANELLA. DC.	VALERIANELLA.	Triandria Monogynia.				
1 echinata. DC.	prickly-capsul'd.	S. Europe.	1807.	7. 8.	H.♃.	Du Fresn. Val. t.3.f.10.
2 olitoria. DC.	Lamb's Lettuce.	Britain.	....	4. 8.	H.⊙.	Eng. bot. 811.
Valeriana locusta. E.B. *Fedia olitoria.* R.S.						

3 carinata. DC.	keeled.	France.	....	——	H.⊙.	Dufres. val. t. 2.
4 dentata. DC.	oval-fruited.	Britain.	....	——	H.⊙.	Eng. bot. 1370.
Valeriana dentata. E.B. *Fedia dentata.* R.S.						
5 discoidea. DF.	discoid.	Italy.	1731.	4. 7.	H.♃.	Dufres. val. t. 3. n. 3.
6 vesicaria. DF.	bladdered.	Candia.	1799.	——	H.⊙.	Flor. græc. 1. t. 34.
7 coronata. DC.	prickly seeded.	Portugal.	1731.	——	H.⊙.	Dufres. val. t. 3. f. 2.
8 radiata. DF.	rayed.	N. America.	1818.	——	H.⊙.	———— t. 3. n. 7.
9 auricula. DC.	eared.	Montpelier.	——	——	H.⊙.	
10 pumila. DC.	small.	S. Europe.	1823.	——	H.⊙.	Moris. sect. 7. f. 37.
11 eriocarpa. DC.	woolly-capsul'd.	France.	——	——	H.⊙.	—— —— 7. t. 16. f. 33.
12 uncinata. DF.	hooked.	Tauria.	1818.	——	H.⊙.	
13 dasycarpa. L.en.	thick-capsuled.	————	——	——	H.⊙.	
14 tridentata. L.en.	three-toothed.	————	1823.	——	H.⊙.	

ORDO XCIX.

DIPSACEÆ. *Juss. gen.* 194.

MORINA. R.S.	MORINA. Diandria Monogynia. L.					
persica. R.S.	Persian.	Persia.	1740.	7. 8.	G.♃.	Flor. græc. 1. t. 28.
DIPSACUS. S.S.	TEASEL. Tetrandria Monogynia. L.					
1 fullonum. S.S.	manured.	Britain.	....	7.	H.♂.	Eng. bot. 2080.
2 sylvestris. S.S.	wild.	————	....	——	H.♂.	———— 1032.
3 laciniatus. S.S.	cut-leaved.	Germany.	1683.	7. 8.	H.♂.	Jacq. aust. 5. t. 403.
4 Gmelini. S.S.	Gmelin's.	Caucasus.	1820.	——	H.♂.	
5 ferox. S.S.	fierce.	Corsica.	——	——	H.♂.	Tratt. tab. t. 225.
6 pilosus. S.S.	small.	Britain.	....	8.	H.♂.	Eng. bot. 877.
SCABIOSA. S.S.	SCABIOUS. Tetrandria Monogynia. L.					
1 arvensis. S.S.	field.	Britain.	....	7. 10.	H.♃.	Eng. bot. 659.
Trichera arvensis. R.S.						
2 sylvatica. S.S.	broad-leaved.	Austria.	1633.	7.	H.♃.	Jacq. aust. 4. t. 362.
3 montana. S.S.	mountain.	Caucasus.	1823.	——	H.♃.	Jacq. f. eclog. t. 60.
4 longifolia. S.S.	long-leaved.	Hungary.	1802.	7. 8.	H.♃.	W. et K. hung. 1. t. 5.
5 pubescens. S.S.	pubescent.	—— ——	1820.	——	H.♃.	
6 ciliata. S.S.	ciliated.	————	——	——	H.♃.	
7 hybrida. S.S.	hybrid.	S. Europe.	——	6. 9.	H.⊙.	
8 integrifolia. S.S.	entire-leaved.	—— ——	1748.	6. 8.	H.⊙.	
9 australis. S.S.	creeping-root'd.	Italy.	1823.	——	H.♃.	
SUCCISA. S.S.	SUCCISA. Tetrandria Monogynia. S.S.					
1 pratensis. S.S.	Devil's-bit.	Britain.	....	8. 10.	H.♃.	Eng. bot. 878.
Scabiosa Succisa. L.						
2 glabrata.	smooth-leaved.	Austria.	1823.	7. 9.	H.♃.	
Scabiosa glabrata. R.S.						
3 syriaca. S.S.	Syrian.	Syria.	1633.	7.	H.♃.	Flor. græc. t. 105.
4 transylvanica. S.S.	Transylvanian.	Hungary.	1699.	——	H.⊙.	Jacq. vind. 2. t. 111.
5 uralensis. S.S.	Uralian.	Siberia.	1789.	7. 8.	H.⊙.	Murr. c. got. 1782. t. 4.
6 tatarica. S.S.	Tartarian.	Russia.	1759.	6. 8.	H.♂.	Lin. act. ups. 1744. t. 1.
7 alpina. S.S.	Alpine.	Switzerland.	1570.	6. 7.	H.♃.	Moris. s. 6. t. 13. f. 10.
Cephalaria alpina. R.S. *Scabiosa alpina.* W.						
8 leucantha. S.S.	white-flowered.	France.	1683.	9. 10.	H.♃.	Ger. emac. f. 8.
9 centauroides. S.S.	Centaury-like.	S. Europe.	1816.	7. 8.	H.♃.	
10 lævigata. S.S.	smooth.	Hungary.	1823.	——	H.♃.	W. et K. hung. 3. t. 230.
11 corniculata.	horned.	————	1801.	——	H.♃.	———— 1. t. 13.
Cephalaria corniculata. R.S. *Scabiosa corniculata.* W.K.						
12 rigida. S.S.	rough-leaved.	C. B. S.	1731.	7.	G.½.	
13 attenuata.	narrow-leaved.	————	1774.	7. 9.	G.½.	
trifida. S.S. *Scabiosa attenuata.* L.						
ASTEROCEPHALUS. S.S.	ASTEROCEPHALUS. Tetrandria Monogynia. S.S.					
1 prolifer. S.S.	prolific.	Egypt.	1683.	7. 9.	H.⊙.	Flor. græc. t. 107.
Scabiosa prolifera. L.						
2 graminifolius. S.S.	grass-leaved.	Switzerland.	——	6.	H.♃.	Botan. regist. 835.
Scabiosa graminifolia. E.B.						
3 creticus. S.S.	Cretan.	Crete.	1596.	6. 10.	G.½.	Moris. s. 6. t. 15. f. 31.

4	Massoni.	Masson's.	Azores.	1779.	6. 8.	H.♃.	
	lucidus. S.S. *Scabiosa lucida.* H.K. *Massoni.* H.S.L. *nitens.* R.S.						
5	dichotomus. S.S.	forked.	Sicily.	1804.	6. 8.	H.☉.	
6	africanus. S.S.	African.	Africa.	1690.	7. 10.	G.♄.	Herm. parad. t. 219.
7	palæstinus. S.S.	Palestine.	Palestine.	1771.	7. 8.	H.☉.	Jacq. vind. 1. t. 96.
8	lucidus.	shining.	France.	1800.	6. 9.	H.♃.	
	Scabiosa lucida. R.S.						
9	silenifolius. S.S.	Silene-leaved.	Hungary.	1823.	7. 8.	H.♃.	W. et K. hung. 2. t. 157.
10	canescens. S.S.	canescent.	———	1802.	——	H.♃.	——— 1. t. 53.
11	setifer. S.S.	setiferous.	France.	1820.	——	H.♃.	
12	lyratus. S.S.	lyrate-leaved.	Turkey.	1799.	——	G.♂.	
13	micranthus. S.S.	small-flowered.	Armenia.	1823.	——	H.♃.	Desf. an. mus. 11. t. 25.
14	Biebersteinii.	Bieberstein's.	Caucasus.	——	——	H.☉.	
	Scabiosa Biebersteinii. R.S. *sicula.* M.B.						
15	siculus. S.S.	Sicilian.	Sicily.	1783.	——	H.☉.	Jacq. vind. 1. t. 15.
16	amœnus. S.S.	glossy.	.....	1823.	——	H.♃.	
17	stellatus. S.S.	starry.	Spain.	1596.	——	H.☉.	Moris. s. 6. t. 15. f. 39.
18	atropurpurens. S.S.	sweet.	E. Indies.	1629.	7. 9.	H.♂.	Botan. magaz. 247.
	Scabiosa atropurpurea. B.M.						
	β *carneus.*	*flesh-coloured.*	———	——	——	H.♂.	
	γ *roseus.*	*rose-coloured.*	———	——	——	H.♂.	
	δ *variegatus.*	*variegated.*	———	——	——	H.♂.	
	ε *albus.*	*white-flowered.*	———	——	——	H.♂.	
	ζ *prolifer.*	*large-flowered.*	———	1814.	——	H.♂.	Moris. s. 6. t. 14. f. 2.
19	caucasicus. S.S.	Caucasean.	Caucasus.	1803.	7. 8.	H.♃.	Botan. magaz. 886.
	β *elegans.* S.S.	*elegant.*	———	1820.	——	H.♃.	
20	holosericeus. S.S.	silky.	Pyrenees.	——	——	H.♃.	
21	pyrenaicus.	Pyrenean.	———	1823.	——	H.♃.	Barrel. ic. 223.
22	Webbianus. S.S.	Webb's.	Levant.	1820.	——	H.♃.	Botan. regist. 717.
	Scabiosa Webbiana. B.R.						
23	crenatus. S.S.	crenated.	Sicily.	1824.	7. 8.	H.♃.	Cyril. pl. rar. 1. t. 3.
	Scabiosa coronopifolia. Flor. græc. t. 114.						
24	rutæfolius.	Rue-leaved.	———	1804.	6. 8.	H.♃.	Boec. sic. t. 40. f. 3.
25	urceolatus. S.S.	jagged.	Barbary.	——	7. 8.	H.♃.	——— t. 52.
26	argenteus. S.S.	silvery.	Levant.	1713.	6. 10.	H.♃.	Flor. græc. t. 108.
27	maritimus. S.S.	sea-side.	S. Europe.	1818.	7. 9.	H.☉.	Bauh. hist. 3. f. 2.
28	ucranicus. S.S.	Ukraine.	Ukraine.	1795.	9.	H.♃.	Gmel. sib. 2. t. 87.
29	Columbaria. S.S.	fine-leaved.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1311.
30	grandiflorus.	great-flowered.	Barbary.	1804.	6. 9.	H.♃.	Scop. del. ins. 3. t. 14.
31	altissimus. S.S.	tall.	C. B. S.	1816.	——	G.♄.	Jacq. vind. 2. t. 185.
32	mollissimus. S.S.	soft.	S. Europe.	——	7. 8.	H.♃.	
33	ochroleucus. S.S.	pale-flowered.	Germany.	1597.	——	H.♃.	Jacq. aust. 5. t. 439.
34	gramuntius. S.S.	cut-leaved.	S. Europe.	——	——	H.♃.	Gerard herb. f. 2.
35	isetensis. S.S.	Siberian.	Siberia.	1801.	——	H.♃.	Gmel. sib. 2. t. 88. f. 1.
36	banaticus. S.S.	Hungarian.	Hungary,	1800.	——	H.♃.	W. et K. hung. 1. t. 12.
37	Columnæ. Ten.	Columna's.	Italy.	1823.	——	H.♃.	
38	agrestis. S.S.	field.	Hungary.	——	——	H.♃.	W. et K. hung. 3. t. 204.
39	incanus. R.S.	hoary.	.....	——	——	H.♃.	

PTEROCEPHALUS. S.S. Pterocephalus. Tetrandria Monogynia. S.S.

1	plumosus. S.S.	feathered.	Greece.	1824.	7. 8.	H.☉.	Flor. græc. t. 3.
	Scabiosa plumosa. Sm. *Knautia plumosa.* L.						
2	Vaillantii. S.S.	Vaillant's.	S. Europe.	1739.	——	H.☉.	
	Scabiosa papposa. L.						

KNAUTIA. R.S. Knautia. Tetrandria Monogynia. L.

1	orientalis. R.S.	red-flowered.	Levant.	1713.	6. 9.	H.☉.	Schk. handb. 1. t. 22.
2	propontica. R.S.	purple-flow'r'd.	———	1768.	——	H.♂.	Lam. ill. t. 58.

ORDO C.

CALYCEREÆ. *Brown in Linn. trans. v.* 12. *p.* 132.

ACICARPHA. L.T. Acicarpha. Syngenesia Necessaria. P.S.

	spathulata. L.T.	spathulate-l^d.	Brazil,	1816.	6. 9.	G.♃.	

ORDO CI.

COMPOSITÆ. *Adanson fam.* 2. 103.

Subordo I. *CICHORACEÆ. Kth. synops.* 2. *p.* 352.

GEROPOGON. W.	Old man's-beard.	Syngenesia Polygamia Æqualis.					
1 glaber. w.	smooth.	Italy.	1704.	7. 8.	H.⊙.	Botan. magaz. 479.
2 hirsutus. w.	hirsute.	———	1759.	——	H.⊙.	Col. ecphr. 1. t. 231.
3 calyculatus. w.	perennial.	———	1774.	6. 8.	H.♃.	Jacq. vind. 2. t. 106.
TRAGOPOGON. W.	Goat's-beard.	Syngenesia Polygamia Æqualis.					
1 pratensis. w.	yellow.	Britain.	....	5. 6.	H.♂.	Eng. bot. 484.
2 mutabilis. w.	changeable.	Siberia.	1816.	——	H.♂.	Jacq. ic. 1. t. 157.
3 undulatus. w.	wave-leaved.	Crimea.	1790.	——	H.♂.	——— 1. t. 158.
4 parviflorus. L.en.	small-flowered.	.....	1822.	——	H.♂.	
5 orientalis. w.	oriental.	Levant.	1787.	6. 7.	H.♂.	
6 canus. W.K.	hoary.	Hungary.	1822.	——	H.♂.	
7 major. w.	great.	Austria.	1788.	5. 6.	H.♂.	Jacq. aust. 1. t. 29.
8 porrifolius. w.	purple.	England.	....	——	H.♂.	Eng. bot. 638.
9 floccosus. W.K.	woolly.	Hungary.	1816.	——	H.♂.	W. et K. hung. 3. t. 112.
10 dubius. L.en.	doubtful.	.....	1822.	——	H.♂.	
11 crocifolius. w.	Crocus-leaved.	Italy.	1739.	6. 7.	H.♂.	Flor. græc. 779.
12 angustifolius. w.	narrow-leaved.	———	1816.	——	H.♂.	
13 villosus. w.	hairy.	Spain.	1794.	5. 6.	H.♂.	
14 roseus. D.P.	rose-coloured.	Hungary.	1807.	7.	H.♃.	W. et K. hung. 3. t. 121.
Scorzonera rosea. W.K.						
TROXIMON. P.S.	Troximon.	Syngenesia Polygamia Æqualis.					
1 glaucum. Ph.	glaucous-l^d.	Missouri.	1811.	7. 8.	H.♃.	Botan. magaz. 1667.
2 cuspidatum. P.S.	cuspidate.	N. America.	1811.	4. 6.	H.♃.	
marginatum. N.						
ARNOPOGON. W.	Sheep's-beard.	Syngenesia Polygamia Æqualis.					
1 Dalechampii. w.	great-flowered.	S. Europe.	1739.	6. 10.	H.♃.	Botan. magaz. 1628.
2 picroides. w.	prickly-capp'd.	———	1683.	7. 8.	H.⊙.	Flor. græc. t. 781.
3 asper. w.	rough.	Montpelier.	1774.	——	H.⊙.	——— t. 782.
4 capense. w.	Cape.	C. B. S.	1824.	6. 8.	G.♂.	Jacq. ic. 3. t. 577.
SCORZONERA. W.	Viper's-grass.	Syngenesia Polygamia Æqualis.					
1 tomentosa. w.	white.	Armenia.	1789.	6. 7.	H.♃.	
2 humilis. w.	dwarf.	Europe.	1597.	8.	H.♃.	
nervosa. P.S.						
3 austriaca. W.en.	Austrian.	Austria.	....	——	H.♃.	Jacq. aust. 1. t. 36.
humilis. Jacq. NON W.						
4 plantaginifolia. Sch.	Plantain-l^d.	Switzerland.	1816.	——	H.♃.	
5 hispanica. w.	garden.	Spain.	1576.	6. 9.	H.♃.	Lam. ill. t. 647. f. 5.
6 glastifolia. w.	Woad-leaved.	Germany.	1816.	——	H.♃.	
7 taurica. M.B.	Taurian.	Tauria.	1823.	——	H.♃.	
8 rumicifolia. L.en.	Dock-leaved.	.....	1822.	——	H.♃.	
9 caricifolia. w.	Carex-leaved.	Siberia.	1805.	——	H.♃.	Pall. it. 3. ap. t. J. 1. f. 1.
10 parviflora. w.	small-flowered.	Austria.	1816.	——	H.♃.	Jacq. aust. 4. t. 305.
11 lanata. M.B.	woolly.	Iberia.	1823.	6. 7.	H.♃.	
12 purpurea. w.	purple-flow'r'd.	Austria.	1759.	5. 6.	H.♃.	Jacq. aust. 1. t. 35.
13 angustifolia. w.	narrow-leaved.	S. Europe.	1759.	6. 8.	H.♃.	W. et K. hung. 3. t. 122.
14 eriosperma. M.B.	woolly-seeded.	Siberia.	1805.	——	H.♃.	
15 ensifolia. M.B.	sword-leaved.	Caucasus.	1823.	——	H.♃.	
16 hirsuta. w.	hairy.	S. Europe.	——	——	H.♃.	All. ped. t. 31. f. 33.
PODOSPERMUM. DC.	Podospermum.	Syngenesia Polygamia Æqualis.					
1 calcitrapifolium. DC.	Calcitrapa-l^d.	Levant.	1823.	6. 8.	H.♃.	Barr. ic. 800.
2 resedifolium. DC.	spreading.	Spain.	1729.	6. 7.	H.♂.	Bocc. sic. 13. t. 7. f. 4.
3 laciniatum. DC.	cut-leaved.	S. Europe.	1640.	——	H.♂.	Jacq. aust. 4. t. 356.
4 octangulare. DC.	8-angled.	———	1820.	——	H.♂.	
5 pumilum.	small.	Spain.	1822.	7. 9.	H.⊙.	Cav. ic. 2. t. 121. f. 2.
Scorzonera pumila. w.						
6 asperrimum.	roughest.	Galatia.	——	8. 9.	H.♃.	
Scorzonera asperrima. w.						

7 asperum.	rough.	Levant.	——	7. 8.	H.♃.	Desf. an. mus. 1. t. 9.
Scorzonera aspera. Desf. *styloza.* P.S.						
8 subulatum. DC.	grass-leaved.	Portugal.	1759.	——	H.♃.	Jacq. obs. 4. t. 100.
Scorzonera graminifolia. F.G. 784.						
9 muricatum. DC.	bristly.	Piedmont.	1818.	——	H.♃.	
10 taraxacifolium.	Dandelion-ld.	Bohemia.	1801.	6. 8.	H.♃.	Jacq. ic. 1. t. 166.
Scorzonera taraxacifolia. W.						
PICRIDIUM. P.S.	PICRIDIUM. Syngenesia Polygamia Æqualis.					
1 vulgare. P.S.	various-leaved.	France.	1773.	6. 8.	H.⊙.	All. ped. 1. t. 16. f. 1.
Scorzonera picroides. L. *Sonchus picroides.* W.						
2 tingitanum. P.S.	Tangier.	Barbary.	1713.	6. 9.	H.⊙.	Botan. magaz. 142.
Scorzonera tingitana. B.M. *Sonchus tingitanus.* W.						
3 hispanicum. V.	Spanish.	Spain.	1816.	——	H.⊙.	Jacq. schœnb. 2. t. 148.
4 albidum. P.S.	pale-flowered.	France.	1781.	7. 10.	H.♃.	Jacq. ic. 1. t. 164.
Crepis albida. W.						
SONCHUS. W.	SOW-THISTLE. Syngenesia Polygamia Æqualis.					
1 maritimus. W.	sea-side.	S. Europe.	1748.	7. 9.	H.♃.	All. ped. 1. t. 16. f. 2.
2 fruticosus. W.	shrubby.	Madeira.	1777.	4. 7.	G.ħ.	Jacq. ic. 1. t. 161.
3 lævigatus. W.en.	smooth.	————	1816.	——	G.ħ.	
4 lyratus. W.en.	lyre-leaved.	————	——	——	G.ħ.	
5 hyoseridifolius. W.en.	Hyoseris-ld.	————	1818.	——	G.ħ.	
6 pinnatus. W.	wing-leaved.	————	1777.	——	G.ħ.	
7 radicatus. W.	long-rooted.	Canaries.	1780.	7.	G.ħ.	
8 palustris. W.	tall marsh.	England.	....	7. 9.	H.♃.	Eng. bot. 935.
9 uliginosus. M.B.	annual marsh.	Caucasus.	1823.	——	H.⊙.	
10 arvensis. W.	corn.	Britain.	....	——	H.♃.	Eng. bot. 674.
11 lacerus. W.	torn-leaved.	.....	1823.	——	H.⊙.	
12 oleraceus. W.	common smooth.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 843.
oleraceus α. lævis. L.						
13 asper. L.en.	rough.	————	....	——	H.⊙.	Blackw. ic. t. 30.
oleraceus β. asper. L.						
14 tenerrimus. W.	clammy.	S. Europe.	1691.	7. 8.	H.⊙.	Flor. græc. 790.
15 flexuosus. Lod.	flexuose.	.....	1822.	——	H.♃.	
16 caucasicus. Spr.	Caucasean.	Caucasus.	1820.	——	H.♃.	
17 Plumieri. W.	Plumier's.	Pyrenees.	1794.	——	H.♃.	
18 alpinus. W.	Alpine.	Scotland.	....	——	H.♃.	Eng. bot. 2425.
cæruleus. E.B.						
19 lapponicus. W.	Lapland.	Lapland.	1804.	——	H.♃.	Smith ic. ined. t. 21.
alpinus. L.						
20 leucophæus. W.	whitish-fld.	N. America.	1820.	——	H.♂.	
21 macrophyllus. W.	large-leaved.	————	——	——	H.♃.	
canadensis. P.S.						
22 floridanus. W.	small-flowered.	N. America.	1713.	7.	H.♂.	
23 acuminatus. W.	acuminate.	————	1812.	8. 9.	H.♂.	
LACTUCA. D.P.	LETTUCE. Syngenesia Polygamia Æqualis.					
1 pallida. D.P.	Canadian.	Canada.	1704.	7. 9.	H.♃.	Rob. ic. 143 et 151.
Sonchus pallidus. W.						
2 sibirica. D.P.	Siberian.	Siberia.	1759.	——	H.♃.	Gmel. sib. 2. f. 3.
Sonchus sibiricus. W.						
3 tatarica. D.P.	Tartarian.	Tartary.	1784.	6. 7.	H.♃.	
Sonchus tataricus. W.						
4 integrifolia. N.	entire-leaved.	Missouri.	1812.	——	H.♃.	
5 sonchifolia. W.	Sonchus-leav'd.	Levant.	1824.	——	H.♃.	
6 perennis. W.	perennial.	Germany.	1596.	6. 8.	H.♃.	Mill. ic. 2. t. 157.
7 tenerrima. W.	purple-flow'r'd.	S. Europe.	1815.	7. 8.	H.♃.	
8 segusiana. P.S.	various-leaved.	Piedmont.	1823.	——	H.⊙.	
9 indica. W.	Indian.	E. Indies.	1784.	8. 10.	H.⊙.	
10 viminea. L.en.	rushy-twigged.	Austria.	1789.	7. 8.	H.♂.	Jacq. aust. 1. t. 9.
Prenanthes viminea. W.						
11 muralis. D.P.	wall.	Britain.	....	7.	H.♃.	Eng. bot. 457.
Prenanthes muralis. E.B.						
12 saligna. W.	least.	England.	....	7. 8.	H.♂.	Eng. bot. 707.
13 sagittata. W.	arrow-leaved.	Hungary.	1805.	——	H.♂.	W. et K. hung. 1. t. 1.
14 altissima. M.B.	tall.	Caucasus.	1818.	——	H.♃.	
15 augustana. W.	entire-leaved.	Italy.	1791.	——	H.⊙.	All. ped. 1. t. 52. f. 1.
16 maculata. L.en.	spot-leaved.	Europe.	....	——	H.♂.	
17 virosa. W.	strong-scented.	Britain.	....	7. 9.	H.♂.	Eng. bot. 1957.
18 Scariola. W.	prickly.	England.	....	7. 8.	H.♂.	——— 208.
19 elongata. W.	elongated.	Pensylvania.	1805.	6. 7.	H.♂.	

20	cichoriifolia. DC.	Succory-leaved.	France.	1818.	——	H.4.	
21	stricta. W.	upright.	Hungary.	1805.	——	H.♂.	W. et K. hung. 1. t. 48.
22	quercina. W.	Oak-leaved.	Sweden.	1666.	5. 7.	H.⊙.	
23	intybacea. W.	Endive-leaved.	S. America.	1781.	6. 8.	H.⊙.	Jacq. ic. 1. t. 168.
24	palmata. W.	Savoy.	.....	1683.	6. 7.	H.⊙.	
25	crispa. W.	curled.	.....	1570.	——	H.⊙.	
26	sativa. W.	garden.	.....	1562.	——	H.⊙.	
CHONDRILLA. W.		GUM-SUCCORY.	Syngenesia Polygamia Æqualis.				
1	juncea. W.	common.	France.	1683.	9. 10.	H.4.	Jacq. aust. 5. t. 427.
2	Decandollei. Spr.	Decandolle's.	—— ——	1824.	7. 9.	H.⊙.	
3	graminea. M.B.	grass-leaved.	Caucasus.	——	——	H.4.	
4	latifolia. M.B.	broad-leaved.	—— ——	——	——	H.♂.	
PRENANTHES. W.		PRENANTHES.	Syngenesia Polygamia Æqualis.				
1	hispida. W.	hispid.	Siberia.	1823.	6. 8.	H.4.	
2	purpurea. W.	purple-flow'r'd.	Germany.	1658.	7. 9.	H.4.	Jacq. aust. 4. t. 317.
3	altissima. W.	tallest.	N. America.	1696.	7. 8.	H.4.	Pluk. alm. t. 317. f. 2.
4	cordata. W.	heart-leaved.	—— ——	1816.	——	H.4.	
5	virgata. Ph.	tall slender.	—— ——	1823.	8. 9.	H.4.	
6	alba. W.	white-flowered.	—— ——	1762.	7. 8.	H.4.	Botan. magas. 1079.
7	serpentaria. Ph.	Lion's-foot.	N. America.	1823.	8. 10.	H.4.	Pursh. am. sept. 2. t. 34.
8	rubicunda. Ph.	rubicund.	—— ——	——	——	H.4.	
9	racemosa. M.	racemed.	Canada.	1822.	——	H.4.	
10	spinosa. W.	prickly.	Barbary.	1640.	3. 5.	F.ħ.	Park. theatr. 804. f. 7.
11	arborea. W.en.	arborescent.	Canaries.	1823.	....	F.ħ.	
12	pinnata. W.	pinnated.	—— ——	——	....	F.ħ.	
13	hieracifolia. W.	hawkweed-l^d.	Scotland.	....	6. 9.	H.⊙.	Eng. bot. 2325.
	pulchra. DC. *Crepis pulchra.* E.B.						
LEONTODON. W.		DANDELION.	Syngenesia Polygamia Æqualis.				
1	Taraxacum. W.	common.	Britain.	....	4. 7.	H.4.	Eng. bot. 510.
2	glaucescens. M.B.	glaucescent.	Russia.	1820.	——	H.4.	
3	serotinum. W.	late-flowering.	Hungary.	1816.	7. 9.	H.4.	W. et K. hung. 2. t. 114.
4	palustre. E.B.	marsh.	Britain.	....	6. 7.	H.4.	Eng. bot. 655.
	lividus. W.K. *Taraxacum palustre.* DC.						
5	obovatum. W.	obovate-leaved.	Spain.	1805.	7.	H.4.	
6	nigricans. W.K.	black.	Hungary.	1823.	——	H.4.	
7	bessarabicum. L.en.	small-flowered.	Bessarabia.	——	——	H.4.	
8	lævigatum. W.	smooth.	Spain.	——	——	H.4.	
APARGIA. W.		APARGIA.	Syngenesia Polygamia Æqualis.				
1	aurantiaca. W.	orange-color'd.	Hungary.	1816.	5. 6.	H.4.	
2	alpina. W.	Alpine.	Austria.	——	——	H.4.	Jacq. aust. 1. t. 98.
3	crocea. W.	saffron-color'd.	Hungary.	1820.	——	H.4.	
4	hastilis. W.	shining-leaved.	S. Europe.	1796.	7. 8.	H.4.	Jacq. aust. 2. t. 164.
5	dubia. W.	tooth-leaved.	Germany.	....	8.	H.4.	
6	caucasica. M.B.	Caucasean.	Caucasus.	1823.	7. 8.	H.4.	
7	tuberosa. W.	tuberous-root'd.	France.	1683.	5. 7.	H.4.	Flor. græc. t. 797.
	Thrincia tuberosa. DC.						
8	incana. W.	hoary.	S. Europe.	1784.	5. 6.	H.4.	Jacq. aust. 3. t. 287.
9	Taraxaci. W.	Dandelion-l^d.	Britain.	....	8.	H.4.	Eng. bot. 1109.
10	autumnalis. W.	autumnal.	—— ——	....	——	H.4.	——— 330.
11	hispida. W.	rough.	———	....	7. 9.	H.4.	——— 554.
	Hedypnois hispida. E.B.						
12	crispa. W.	curled.	France.	1803.	7. 8.	H.4.	Vill. dauph. 3. p. 84. t. 26.
13	Villarsii. W.	Villars's.	———	1816.	——	H.4.	——— 3. p. 82. t. 25.
14	coronopifolia. W.	bucks-horn-l^d.	Barbary.	1820.	——	H.4.	Desf. atl. 2. t. 214.
15	aspera. W.	hairy.	Hungary.	1805.	6. 7.	H.4.	W. et K. hung. 2. t. 110.
THRINCIA. W.		THRINCIA.	Syngenesia Polygamia Æqualis.				
1	glabra. Schl.	smooth.	Switzerland.	1823.	7. 8.	H.4.	
2	hirta. W.	simple-haired.	Britain.	....	——	H.4.	Eng. bot. 555.
	Hedypnois hirta. E.B.						
3	hispida. W.	hispid.	S. Europe.	1815.	6. 8.	H.⊙.	Vill. daup. 3. p. 166. t. 25.
4	maroccana. P.S.	Morocco.	Morocco.	1799.	7. 8.	H.⊙.	
5	pygmæa. P.S.	pigmy.	Madeira.	....	——	H.⊙.	
	Hyoseris pygmæa. W.						
PICRIS. W.		OX-TONGUE.	Syngenesia Polygamia Æqualis.				
1	hieracioides. W.	Hawkweed like.	England.	....	7. 8.	H.⊙.	Eng. bot. 196.
2	dahurica. F.	Daurian.	Dahuria.	1820.	7. 8.	H.⊙.	
3	sprengeriana. P.S.	branched.	Portugal.	1788.	6. 7.	H.⊙.	Moris. s. 7. t. 5. f. 17.
	Hieracium Sprengerianum. L. *Crepis Sprengeriana.* W.en.						
4	pauciflora. W.	few-flowered.	S. France.	1818.	——	H.⊙.	Gært. fr. 2. t. 158. f. 2.

5	Rhagadiolus. P.s. *Crepis Rhagadiolus.* Jacq.	Spanish.	Spain.	——	——	H.⊙.	Jacq. schœnb. 2. t.144.
6	asplenioides. W.	Spleenwort-l^d.	Barbary.	1805.	7. 8.	H.4.	L'Herit. stirp. t. 82.
7	hispida. H.K.	hispid.	Levant.	1780.	——	H.4.	
8	strigosa. M.B.	strigose.	Caucasus.	1823.	——	H.4.	
9	kamtschatica. Led.	Kamtschatka.	Kamtschatka.	—	——	H.⊙.	
HIERACIUM. W.		HAWKWEED.	Syngenesia Polygamia Æqualis.				
1	aureum. W.	golden.	Italy.	1769.	5. 7.	H.4.	Jacq. aust. 3. t. 297.
2	alpestre. W.	smooth-leaved.	Austria.	1823.	——	H.4.	—— t. 191.
3	rupestre. W.	rock.	Switzerland.	——	——	H.4.	All. auct. t. 1. f. 2.
4	alpinum. W.	Alpine.	Britain.	....	7. 8.	H.4.	Eng. bot. 1110.
5	pumilum. W.	small.	Germany.	1804.	——	H.4.	
6	glabratum. W.	smooth.	Switzerland.	1823.	6. 8.	H.4.	
7	bulbosum. W.	bulbous-rooted.	S. Europe.	——	——	H.4.	
8	Pilosella. W.	Mouse-ear.	Britain.	....	5. 7.	H.4.	Eng. bot. 1093.
9	dubium. W.	branching.	—— ——	....	7. 8.	H.4.	—— 2332.
10	Auricula. W.	umbell'd mouse-ear.	England.	....	——	H.4.	—— 2368.
11	fallax. W.en.	hairy spear-l^d.	.....	1816.	——	H.4.	
12	angustifolium. W.	narrow-leaved.	Mt. Cenis.	1822.	——	H.4.	
13	florentinum. W. *præaltum.* DC.	Florentine.	Germany.	1796.	——	H.4.	
14	cymosum. W.	small-flowered.	Europe.	1739.	5. 6.	H.4.	Moris. s. 7. t. 8. f. 10.
15	pilloselloides. P.s.	Mouse-ear like.	France.	1823.	5. 7.	H.4.	Vill.delph.3.p.100.t.27
16	staticifolium. W.	thrift-leaved.	Europe.	1804.	6. 7.	H.4.	—— 3. p. 116. t. 27.
17	præmorsum. W.	præmorse.	Siberia.	1820.	——	H.4.	Gmel. sib. 2. t. 18.
18	succisæfolium. P.s.	Succisa-leaved.	Piedmont.	1822.	——	H.4.	
19	flagellare. W.en.	creeping.	.....	1816.	5. 7.	H.4.	
20	bifurcum. M.B.	two-forked.	S. Europe.	1822.	——	H.4.	
21	bifidum. W.en.	bifid.	Hungary.	——	6. 7.	H.4.	
22	incarnatum. W.	flesh-coloured.	Carniola.	1815.	——	H.4.	Jacq. ic. t. 573.
23	aurantiacum. W.	orange-color'd.	Scotland.	....	——	H.4.	Eng. bot. 1469.
24	venosum. W.	veined.	N.America.	1790.	——	H.4.	
25	Gronovii. W.	Gronovius's.	—— ——	1796.	——	H.4.	
26	Gmelini. W.	Gmelin's.	Siberia.	——	——	H.4.	Gmel. sib. 2. t. 8. f. 2.
27	Banhini. Schult.	Banhin's.	Switzerland.	1820.	——	H.4.	
28	Lawsoni. W.	Lawson's.	Britain.	....	——	H.4.	Eng. bot. 2083.
29	paniculatum. W.	panicled.	Canada.	1800.	——	H.4.	
30	chondrilloides. W.	Gum-succory.	Austria.	1640.	——	H.4.	Jacq. aust. 5. t. 439.
31	humile. W. *pumilum.* Jacq. *Jacquini.* Vill. delph. 3. t. 28.	low.	S. Europe.	1816.	——	H.4.	—— t. 180.
32	pictum. P.s.	painted-leaved.	Switzerland.	1823.	——	H.4.	
33	nigrescens. W.	dark-coloured.	....	1801.	7. 8.	H.4.	Willd. hort. ber. t. 10.
34	prunellæfolium. W.	Prunella-l^d.	Switzerland.	1823.	6. 7.	H.4.	All. ped. t. 15. f. 2.
35	montanum. W.	mountain.	S. Europe.	1775.	——	H.4.	Jacq. aust. 2. t. 190.
36	porrifolium. W.	Leek-leaved.	Austria.	1640.	7. 8.	H.4.	—— 3. t. 286.
37	saxatile. W.	rock.	——	1801.	——	H.4.	Jacq. ic. 1. t. 168.
38	glaucum. W.	glaucous.	S. Europe.	1807.	6. 7.	H.4.	All. ped. t. 81. f 1.
39	molle. W.	soft-leaved.	Scotland.	....	7. 8.	H.4.	Eng. bot. 2210.
40	croaticum. W.K.	Hungarian.	Hungary.	1820.	——	H.4.	
41	Sternbergii. L.en.	Sternberg's.	——	——	——	H.4.	
42	pallescens. W.en.	pale.	——	1815.	6. 7.	H.4.	W. et K. hung. 3. t. 217.
43	murorum. E.B.	wall.	Britain.	....	7.	H.4.	Eng. bot. 2062.
44	maculatum. E.B.	stained-leaved.	England.	....	7. 8.	H.4.	—— 2121.
45	ramosum. W.	branching.	Hungary.	1805.	——	H.4.	
46	sylvaticum. E.B.	wood.	Britain.	....	8.	H.4.	Eng. bot. 2031.
47	pulmonarium. E.B.	lungwort.	Scotland.	....	7. 8.	H.4.	—— 2307.
48	lapsanoides. W.	Lapsana-like.	Pyrenees.	1812.	——	H.4.	Gouan. ill. t. 21. f. 3.
49	lyratum. W.	lyre-leaved.	Siberia.	1777.	——	H.4.	Gmel. sib. 2. t. 9.
50	cerinthoides. E.B.	honeywort.	Scotland.	....	8.	H.4.	Eng. bot. 2272.
51	flexuosum. W.	bending-stalk'd.	Hungary.	1804.	7. 8.	H.4.	
52	amplexicaule. W.	heart-leaved.	Pyrenees.	1739.	——	H.4.	All. ped. 1. t. 15. f. 1.
53	grandiflorum. W.	great-flowered.	Europe.	1791.	——	H.4.	W. et K. hung. 1. t. 99.
54	intybaceum. W.	endive-leaved.	——	1794.	——	H.4.	Jacq. aust. ap. t. 43.
55	Halleri. W.	Haller's.	——	1802.	——	H.4.	Vill. danph. 3. t. 26.
56	eriophyllum. L.en.	villous.	——	1816.	——	H.4.	
57	villosum. E.B.	shaggy alpine.	Scotland.	....	——	H.4.	Eng. bot. 2379.
58	pilocephalum. L.en.	hairy-headed.	Europe.	1816.	——	H.4.	
59	trichocephalum. W.en.	three-headed.	——	1823.	——	H.4.	
60	prostratum. W.en.	prostrate.	S. Europe.	——	——	H.4.	

61	speciosissimum. W.en.	handsome.	——	——	——	H. ♃.	
62	ciliatum. W.	fringed.	Crete.	1823.	——	H. ♃.	
63	Milleri. L.en.	Miller's.	.....	....	——	H. ♃.	
64	Schraderi. P.S.	Schrader's.	Switzerland.	1823.	——	H. ♃.	
65	lanatum. W.	woolly.	Hungary.	——	——	H. ♃.	W. et K. hung. 2. t. 127.
66	andryaloides. P.S.	Andryala-like.	France.	1818.	——	H. ♃.	Vill. delph. 3. t. 29.
67	verbascifolium. P.S. *Andryala lanata.* W.	Mullein-leaved.	S. Europe.	1732.	5. 6.	H. ♃.	Mill. ic. 1. t. 146. f. 1.
68	echioides. W.	viper's-bugloss.	Hungary.	1802.	7. 8.	H. ♃.	W. et K. hung. 1. t. 85.
69	verruculatum. L.en.	warted.	....	1823.	——	H. ♃.	
70	undulatum. W.	wave-leaved.	Spain.	1778.	——	H. ♃.	
71	glutinosum. W.	clammy.	S. Europe.	1796.	——	H. ☉.	
72	Kalmii. W.	Kalm's.	Pensylvania.	1794.	8.	H. ♃.	
73	fasciculatum.	bundled.	Canada.	....	7. 8.	H. ♃.	
74	racemosum. W.	racemed.	Hungary.	1818.	——	H. ♃.	W. et K. hung. 2. t. 193.
75	foliosum. W.	leafy.	——	1805.	——	H. ♃.	—— 2. t. 145.
76	corymbosum. P.S.	corymbose.	.....	1820.	——	H. ♃.	
77	sabaudum. W.	frutescent.	Britain.	....	——	H. ♃.	Eng. bot. 349.
78	umbellatum. W.	umbel-flow'r'd.	——	....	8. 9.	H. ♃.	—— 1771.
79	prenanthoides. E.B.	rough-border'd.	Scotland.	....	6. 9.	H. ♃.	—— 2235.
80	latifolium. L.en.	broad-leaved.	Pyrenees.	1823.	——	H. ♃.	
81	denticulatum. E.B.	small-toothed.	Scotland.	....	7. 8.	H. ♃.	Eng. bot. 2122.
82	cydoniæfolium. W.en.	Quince-leaved.	France.	1816.	——	H. ♃.	
83	lævigatum. W.	smooth.	.....	1804.	8. 9.	H. ♃.	Willd. hort. ber. t. 16.
84	canescens. L.en.	canescent.	.....	1820.	7. 8.	H. ♃.	
85	bracteolatum. L.en.	bracted.	S. Europe.	1823.	——	H. ♃.	
86	coronopifolium. L.en.	Buckshorn-l^d.	.....	——	——	H. ♃.	
87	longifolium. L.en.	long-leaved.	.....	——	——	H. ♃.	
88	parviflorum. Schl.	small-flowered.	Switzerland.	——	——	H. ♃.	
89	ochroleucum. Schl.	sulphur-color'd.	——	1821.	——	H. ♃.	
90	ovatum. Schl.	oval-leaved.	——	1820.	——	H. ♃.	
91	calcareum. Horn.	spurred.	.....	1823.	——	H. ♃.	
92	compositum. Lap.	compound.	Pyrenees.	——	——	H. ♃.	
93	crassifolium. Schu.	thick-leaved.	.....	——	——	H. ♃.	
94	incisum. Hop.	cut-leaved.	Germany.	——	——	H. ♃.	
95	rotundatum. Horn.	rounded.	.....,	——	——	H. ♃.	
96	sudeticum. St.	Swedish.	Sweden.	——	——	H. ♃.	
97	virgatum. Ph.	twiggy.	N. America.	1816.	——	H. ♃.	
98	virescens. Schl.	greenish.	Switzerland.	1820.	——	H. ♃.	
99	fruticosum. W.	shrubby.	Madeira.	1785.	6. 7.	G. ♄.	

HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.

1	paludosum. D.P. *Hieracium paludosum.* E.B.	Succory-leaved.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1094.
2	pyrenaicum. D.P. *Hieracium blattarioides.* P.S.	Pyrenean.	Pyrenees.	1723.	——	H. ♃.	
3	pilosum. D.P.	hairy.	——	——	——	H. ♃.	Herm. parad. t. 184.
4	austriacum. *Crepis austriaca.* Jacq.	Austrian.	Austria.	——	——	H. ♃.	Jacq. aust. t. 441.
5	sibiricum. D.P. *Crepis sibirica.* L. *Hieracium sibiricum.* W.	Siberian.	Siberia.	1755.	——	H. ♃.	Gmel. sib. 2. t. 10.

LAGOSERIS. L.en. LAGOSERIS. Syngenesia Polygamia Æqualis.

1	bursifolia. L.en. *Crepis bursifolia.* L.	pinnatifid.	Sicily.	1823.	7. 8.	H. ♃.	Bocc. m. 2. t. 106 et 112.
2	versicolor. L.en.	various-color'd.	Dauria.	——	——	H. ♃.	
3	cernua. L.en.	nodding.	Calabria.	——	6. 8.	H. ☉.	
4	nemausensis. *Crepis nemausensis.* W.	Palestine.	S. Europe.	1794.	6. 7.	H. ☉.	Vill. delph. 3. t. 26.
5	leontodontoides. L.en.	Dandelion-like.	Italy.	1804.	7. 8.	H. ♂.	
6	raphanifolia. L.en.	Radish-leaved.	.....	1816.	6. 7.	H. ♃.	
7	taurinensis. L.en.	bladdered.	S. Europe.	1823.	5. 7.	H. ☉.	
8	intybacea. L.en.	Succory-leaved.	Portugal.	1816.	6. 7.	H. ♂.	

BORKHAUSIA. L.en. BORKHAUSIA. Syngenesia Polygamia Æqualis.

1	alpina. L.en. *Crepis alpina.* W.	Alpine.	Italy.	1739.	7.	H. ☉.	Gmel. sib. 2. t. 5.
2	rubra. L.en.	purple.	——	1632.	6. 7.	H. ☉.	Flor. græc. 801.
3	fœtida. L.en. *Crepis fœtida.* E.B.	fetid.	Britain.	....	——	H. ♂.	Eng. bot. 406.
4	graveolens. L.en.	strong-scent'd.	.....	1824.	7. 9.	H. ☉.	
5	aspera. L.en. *Crepis aspera.* W.	rough.	Sicily.	1797.	7. 8.	H. ☉.	Flor. græc. 804.

6 hispida. L.en.	hispid.	S. Europe.	1798.	——	H.⊙.	W. et K. hung. 1. t. 48.
7 nicaeensis. L.en.	glandular-haired	—— ——	1824.	——	H.⊙.	
CREPIS. L.en.	CREPIS. Syngenesia Polygamia Æqualis.					
1 rigida. W.	rigid.	Hungary.	1805.	5. 7.	H.♃.	W. et K. hung. 1. t. 19.
2 rigens. W.	bristle-leaved.	Azores.	1778.	7. 8.	G.♃.	
3 hieracioides. W.	hawkweed-like.	Hungary.	1816.	——	H.♃.	W. et K. hung. 1. t. 70.
4 tectorum. E.B.	smooth.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 1111.
5 cinerea. P.S.	red-stalked.	—— —	....	——	H.♂.	
6 Dioscoridis. W.	Dioscorides'.	France.	1772.	6. 7.	H.⊙.	Flor. græc. 808.
7 biennis. W.	biennial.	England.	....	6. 8.	H.♂.	Eng. bot. 149.
8 agrestis. W.	field.	Hungary.	1801.	7. 8.	H.⊙.	
9 bannatica. W.en.	Hungarian.	—— —	1823.	——	H.⊙.	
10 virens. W.	green.	Switzerland.	1796.	6. 7.	H.⊙.	Lobel. ic. 229. f. 2.
11 pinnatifida. W.	pinnatifid.	S. Europe.	1820.	——	H.⊙.	
12 coronopifolia. W.	fleshy-leaved.	Canaries.	1777.	8. 9.	H.⊙.	Desf. act. par. 88. t. 9.
13 filiformis. W.	fine-leaved.	Madeira.	——	6. 7.	G.♂.	
14 latifolia. P.S.	broad-leaved.	Europe.	1816.	——	H.⊙.	
15 Gmelini. Schu.	Gmelin's.	Bavaria.	1823.	——	H.⊙.	
16 rhœadifolia. M.B.	Poppy-leaved.	Caucasus.	——	——	H.⊙.	
17 pulcherrima. F.	elegant.	Siberia.	——	——	H.⊙.	
MYOSERIS. L.en.	MYOSERIS. Syngenesia Polygamia Æqualis.					
purpurea. L.en.	purple.	Tauria.	1823.	6. 7.	H.⊙.	
Lagoseris purpurea. M.B.						
HELMINTHIA. J.	HELMINTHIA. Syngenesia Polygamia Æqualis.					
echioides. W.	bristly.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 972.
Picris echioides. E.B.						
TOLPIS. G.	TOLPIS. Syngenesia Polygamia Æqualis.					
1 barbata. W.	purple-eyed.	France.	1620.	6. 7.	H.⊙.	Botan. magaz. 35.
Crepis barbata. L. *Drepania barbata.* DC.						
2 umbellata. P.S.	umbelled.	Genoa.	1818.	——	H.⊙.	
Drepania umbellata. DC.						
3 altissima. P.S.	tall.	Piedmont.	——	——	H.⊙.	Balb. diss. p. 4. t. 1.
ANDRYALA. P.S.	ANDRYALA. Syngenesia Polygamia Æqualis.					
1 cheiranthifolia. W.	various-leaved.	Madeira.	1777.	5. 10.	G.♃.	L'Herit. stirp. 35. t. 18.
2 pinnatifida. W.	wing-leaved.	——	1778.	7. 8.	G.♂.	
3 crithmifolia. W.	Samphire-ld.	—— ——	——	6. 8.	G.♂.	
4 nigricans. W.	dark-flowered.	Barbary.	1804.	——	H.⊙.	
5 ragusina. W.	downy.	Archipelago.	1753.	——	G.♃.	Mill. ic. 1. t. 146. f. 1.
6 Rothia. P.S.	Spanish.	Spain.	1810.	8.	H.⊙.	Gært. sem. 2. t. 174.
Rothia andryaloides. W.						
7 sinuata. P.S.	Stock-leaved.	—— ——	1768.	7. 8.	H.⊙.	
Rothia cheiranthifolia. W.						
8 runcinata. P.S.	hoary.	S. Europe.	1711.	7. 8.	H.♂.	
KRIGIA. W.	KRIGIA. Syngenesia Polygamia Æqualis.					
1 virginica. W.	Virginian.	N. America.	1811.	5. 7.	H.⊙.	
2 amplexicaulis. N.	stem-clasping.	—— ——	1799.	7. 8.	H.♃.	
Troximon virginicum. Ph. *Hyoseris amplexicaulis.* M.						
HYOSERIS. W.	SWINE'S SUCCORY. Syngenesia Polygamia Æqualis.					
1 radiata. W.	starry.	S. Europe.	1640.	6. 7.	H.♃.	Pluk. alm. t. 37. f. 2.
2 lucida. W.	shining.	Levant.	1770.	6. 8.	H.♃.	Schm. ic. t. 39. 41.
3 scabra. W.	rugged.	Sicily.	1789.	7. 8.	H.⊙.	Lam. ill. t. 654. f. 1.
4 hispida. W.	hispid.	Morocco.	1779.	——	H.⊙.	
5 arenaria. W.	sand.	——	1800.	——	H.⊙.	
HEDYPNOIS. W.	HEDYPNOIS. Syngenesia Polygamia Æqualis.					
1 monspeliensis. W.	branching.	S. Europe.	1683.	6. 7.	H.⊙.	
2 cretica. W.	Cretan.	Crete.	1731.	6. 7.	H.⊙.	Flor. græc. 813.
3 coronopifolia. T.C.	buckshorn-ld.	Italy.	1823.	——	H.⊙.	
4 tubæformis. T.C.	thick-tubed.	—— ——	——	——	H.⊙.	
5 mauritanica. W.	Barbary.	Barbary.	——	——	H.⊙.	
6 rhagadioloides. W.	Nipple-wort.	S. Europe.	1773.	7. 8.	H.⊙.	Cav. ic. 1. t. 43.
7 pendula. W.	pendulous.	.....	1818.	——	H.⊙.	
ARNOSERIS. G.	ARNOSERIS. Syngenesia Polygamia Æqualis.					
1 fœtida. L.en.	stinking.	Italy.	1723.	7. 8.	H.♃.	W. et K. hung. 1. t. 49.
Lapsana fœtida. W. *Hyoseris fœtida.* P.S.						
2 minima. L.en.	least.	Britain.	....	5. 6.	H.⊙.	Eng. bot. 95.
Hyoseris minima. E.B. *Lapsana pusilla.* W.						
SERIOLA. W.	SERIOLA. Syngenesia Polygamia Æqualis.					
1 lævigata. W.	smooth.	Candia.	1772.	7. 8.	H.⊙.	Desf. atl. 2. t. 216.
2 æthnensis. W.	rough.	Italy.	1763.	——	H.⊙.	Jacq. obs. 4. t. 79.

3 cretensis. W.	Cretan.	Crete.	1820.	——	H.⊙.	
4 Alliatæ. L.en.	wood.	Ætna.	1823.	——	H.⊙.	Biv. cent. pl. 2. t. 7.
5 urens. W.	stinging.	S. Europe.	1773.	——	H.⊙.	Schmid. ic. t. 32.
ROBERTIA. DC.	ROBERTIA. Syngenesia Polygamia Æqualis.					
taraxacoides. DC.	Dandelion-like.	Corsica.	1824.	7. 8.	H.♃.	Loisel. gal. 330. t. 28.
Seriola taraxacoides. Lois.						
HYPOCHÆRIS. W.	CAT'S-EAR. Syngenesia Polygamia Æqualis.					
1 helvetica. W.	one-flowered.	Switzerland.	1799.	6. 7.	H.♃.	Jacq. ic. 1. t. 165.
2 maculata. W.	spotted.	England.	••••	——	H.♃.	Eng. bot. 225.
3 minima. W.	least.	Barbary.	1797.	7. 8.	H.⊙.	Flor. græc. 816.
4 hispida. W.en.	bristly.	S. Europe.	1804.	——	H.♃.	Willd.hort. ber. 1. t. 46.
5 Balbisii. W.en.	Balbis's.	———	1822.	——	H.♃.	
6 glabra. W.	smooth.	Britain.	••••	——	H.⊙.	Eng. bot. 575.
7 radicata. W.	long rooted.	———	••••	6. 9.	H.♃.	——— 831.
Achyrophorus radicatus. G.						
LAPSANA. W.	NIPPLEWORT. Syngenesia Polygamia Æqualis.					
1 communis. W.	common.	Britain.	••••	6. 7.	H.⊙.	Eng. bot. 844.
2 crispa. W.	curled.	•••••••	1799.	7. 8.	H.⊙.	
3 pubescens. Zey.	pubescent.	Europe.	1820.	7. 8.	H.⊙.	
4 lyrata. W.en.	lyrate.	Caucasus.	1816.	——	H.♃.	
grandiflora. M.B.						
5 intermedia. M.B.	intermediate.	———	1823.	——	H.⊙.	
ZACINTHA. W.	ZACINTHA. Syngenesia Polygamia Æqualis.					
verrucosa. W.	warted.	S. Europe.	1633.	6. 7.	H.⊙.	Gært. sem. 2. t. 157. f. 7.
RHAGADIOLUS. W.	RHAGADIOLUS. Syngenesia Polygamia Æqualis.					
1 stellatus. W.	starry.	S. Europe.	1633.	6. 7.	H.⊙.	Flor. græc. 817.
2 edulis. W.	heart-leaved.	Levant.	——	——	H.⊙.	——— 818.
Lapsana Rhagadiolus. L.						
KŒLPINIA. Pall.	KŒLPINIA. Syngenesia Polygamia Æqualis.					
linearis. Pall.	linear-leaved.	Levant.	1788.	7.	H.⊙.	Flor. græc. 819.
Rhagadiolus Kœlpinia. W. *Lapsana Kœlpinia.* L.						
CATANANCHE. W.	CATANANCHE. Syngenesia Polygamia Æqualis.					
1 cœrulea. W.	blue.	S. Europe.	1596.	7. 10.	H.♃.	Botan. magaz. 223.
2 lutea. W.	yellow.	Candia.	1640.	6. 7.	H.⊙.	Flor. græc. 821.
CICHORIUM. W.	SUCCORY. Syngenesia Polygamia Æqualis.					
1 Intybus. W.	common.	Britain.	••••	6. 8.	H.♃.	Eng. bot. 539.
2 pumilum. W.	dwarf.	•••• ••	1799.	7. 8.	H.⊙.	Jacq. obs. 4. t. 80.
3 Endivia. W.	Endive.	E. Indies.	1548.	——	H.⊙.	
α latifolia.	*broad-leaved.*	———	——	——	H.⊙.	
β crispa.	*curled-leaved.*	———	——	——	H.⊙.	
γ leucophylla.	*white-leaved.*	———	••••	——	H.⊙.	
4 divaricatum. W.	branching.	Barbary.	1798.	——	H.⊙.	
5 spinosum. W.	prickly.	Candia.	1633.	——	F.♂.	Bauh. prodr. t. 62.
SCOLYMUS. W.	GOLDEN-THISTLE. Syngenesia Polygamia Æqualis.					
1 maculatus. W.	annual.	S. Europe.	1633.	7. 8.	H.⊙.	Flor. græc. 824.
2 hispanicus. W.	Spanish.	———	1658.	7. 9.	H.♃.	——— 825.
3 grandiflorus. W.	great-flowered.	Barbary.	1820.	——	H.♃.	Desf. atl. 2. t. 216.

SUBORDO II. *LABIATIFLORÆ. Lagasca et DC. in ann. mus.*

LERIA. DC.	LERIA. Syngenesia Polygamia Superflua.					
1 nutans. DC.	drooping-fld.	W. Indies.	1793.	6. 7.	S.♂.	Plum. ic. t. 41. f. 1.
Tussilago nutans. W.						
2 albicans. DC.	woolly-leaved.	Jamaica.	1821.	——	S.⊙.	
CHAPTALIA. V.	CHAPTALIA. Syngenesia Polygamia Necessaria.					
tomentosa. V.	woolly.	N. America.	1806.	5. 6.	H.♃.	Botan. magaz. 2257.
Tussilago integrifolia. M.						
CHUQUIRAGA. J.	CHUQUIRAGA. Syngenesia Polygamia Æqualis.					
insignis. Kth.	large-flowered.	S. America.	1824.	••••	G.♄.	Lam. ill. t. 691.
Johannia insignis. W.						
TRIPTILION. R.P.	TRIPTILION. Syngenesia Polygamia Æqualis.					
cordifolium. B.R.	heart-leaved.	Peru.	1823.	6. 8.	H.⊙.	Botan. regist. 853.
PERDICIUM. DC.	PERDICIUM. Syngenesia Polygamia Superflua.					
Anandria. DC.	Siberian.	Siberia.	1759.	8.	H.♃.	Gmel. sib. 2. t. 68. f. 1.
TRIXIS. DC.	TRIXIS. Syngenesia Polygamia Superflua.					
senecioides. H.B.F.	Groundsel-like.	Chili.	1822.	8. 10.	F.♃.	Hook. ex. flor. 101.

Subordo III. *CARDUACEÆ. Don prodr. p.* 166.

Div. I. Carduaceæ veræ. *Kth. synops.* 2. *p.* 363.

ARCTIUM. L.	Burdock.	Syngenesia Polygamia Æqualis.					
1 Lappa. W.	smooth-headed.	Britain.	....	7. 8.	H. ♂.	Eng. bot. 1228.
2 minus. M.B.	smaller.	Europe.	....	——	H. ♂.	
Lappa minor. DC.						
3 Bardana. W.	woolly-headed.	Britain.	....	——	H. ♂.	Eng. bot. 2478.
tomentosum. P.S.						
SERRATULA. D.P.	Sawwort.	Syngenesia Polygamia Æqualis.					
1 pulchella. B.M.	purple-scaled.	Siberia.	1823.	6. 7.	H. ♃.	Botan. magaz. 2589.
2 depressa. L.T.	depressed.	Caucasus.	1820.	——	H. ♃.	Linn. trans. v. 11. t. 38.
3 elegans. L.T.	elegant.	——	——	——	H. ♃.	—— v. 11. t. 37.
4 alpina. B.B.	Alpine.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 599.
Saussurea alpina. DC.						
5 angustifolia. W.	narrow-leaved.	Siberia.	1816.	——	H. ♃.	Gmel. sib. 2. t. 33.
6 discolor. W.	two-coloured.	Europe.	——	——	H. ♃.	Moris. s. 7. t. 22. f. 1.
Saussurea discolor. DC.						
β lapathifolia. DC.	*Dock-leaved.*	——	——	——	H. ♃.	
7 serrata.	saw-leaved.	——	——	——	H. ♃.	
Saussurea serrata. DC.						
8 salicifolia. W.	Willow-leaved.	Siberia.	1796.	——	H. ♃.	Gmel. sib. 2. t. 27.
9 alata.	winged.	Europe.	1823.	——	H. ♃.	
Saussurea alata. DC. *non Serratula alata.* W.en.						
10 salsa. M.B.	salt.	Caucasus.	1824.	——	H. ♃.	
CARDUUS. D.P.	Thistle.	Syngenesia Polygamia Æqualis.					
1 alatus. B.F.G.	winged-stalked.	.....	1812.	6. 8.	H. ♂.	Swt. br. fl. gar. 103.
2 tinctorius. D.P.	common.	Britain.	....	7. 10.	H. ♃.	Eng. bot. 38.
Serratula tinctoria. E.B.						
3 quinquefolius. D.P.	five-leaved.	Persia.	1804.	7. 8.	H. ♃.	Botan. magaz. 1871.
Serratula quinquefolia. B.M.						
4 coronatus. D.P.	lyre-leaved.	Italy.	1739.	7. 8.	H. ♃.	Gmel. sib. 2. t. 20.
Serratula coronata. W.						
5 centauroides. D.P.	Centaury-like.	Siberia.	1804.	——	H. ♃.	—— 1. t. 40.
6 radiatus. W.K.	rayed.	Hungary.	1800.	——	H. ♂.	W. et K. hung. 1. t. 11.
7 polyclonos. W.	Siberian.	Siberia.	1823.	——	H. ♃.	
8 argutus.	sharply-tooth'd.	——	1823.	——	H. ♃.	
Serratula arguta. L.en.						
9 cyanoides. W.	blue-bottle-l^d.	Siberia.	1778.	——	H. ♃.	Gmel. sib. 2. t. 15.
10 simplex.	one-flowered.	Caucasus.	1817.	——	H. ♃.	Botan. magaz. 2482.
mollis. W. *Serratula simplex.* DC.						
11 xeranthemoides.	everlasting-fl^d.	——	1804.	——	H. ♃.	Gmel. sib. 2. t. 47. f. 1.
Serratula xeranthemoides. M.B. *Centaurea radiata.* W.						
12 lycopilfolius. W.	various-leaved.	France.	1823.	——	H. ♃.	Vill. delph. 3. t. 19.
Serratula heterophylla. DC.						
13 leucographus. W.	white-spotted.	Italy.	1752.	6. 7.	H. ☉.	Jacq. vind. 3. t. 23.
14 arabicus. W.	Arabian.	Arabia.	1789.	7. 8.	H. ☉.	Jacq. ic. 1. t. 166.
15 nutans. W.	musk.	Britain.	....	——	H. ☉.	Eng. bot. 1112.
16 carlinoides. W.en.	Pyrenean.	Pyreneas.	1784.	——	H. ♂.	Gouan. ill. t. 28.
Carlina pyrenaica. L.						
17 carlinæfolius. W.	Carline-leaved.	——	1804.	——	H. ♂.	
18 acanthoides. W.	welted.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 978.
19 hamulosus. W.	hooked.	Hungary.	1802.	——	H. ☉.	
20 tenuiflorus. E.B.	slender-flow'r'd.	Britain.	....	——	H. ☉.	Eng. bot. 412.
21 crispus. W.	curled.	Europe.	1804.	7. 8.	H. ♂.	Flor. dan. t. 621.
22 candicans. W.	hoary.	Hungary.	1805.	——	H. ♂.	W. et K. hung. 1. t. 83.
23 personatus. W.	cut-leaved.	Austria.	1776.	——	H. ♂.	Jacq. aust. 4. t. 348.
24 polyanthemus. W.	many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
25 paniculatus. W.	panicled.	S. Europe.	1781.	——	H. ♃.	
26 pycnocephalus. W.	Italian.	——	1739.	7. 9.	H. ♃.	Jacq. vind. 1. t. 34.
27 onopordioides. M.B.	Onopordum-like.	Iberia.	1824.	7. 8.	H. ♃.	
28 argentatus. W.	white Egyptian.	Egypt.	1789.	6. 8.	H. ☉.	Jacq. vind. 2. t. 192.
29 arctioides. W.	pinnated.	Hungary.	1804.	7. 8.	H. ♃.	

30	alpestris. W.	alpine.	———	1805.	——	H.4.	
31	defloratus. W.	different-leav'd.	Austria.	1570.	7. 9.	H.4.	Jacq. aust. 1. t. 89.
32	Argemone. DC.	Argemone-ld.	Pyrenees.	1816.	——	H.4.	
33	parviflorus. W.	small-flowered.	S. Europe.	1781.	6. 7.	H.4.	
34	crassifolius. W.en.	thick-leaved.	.....	1805.	7.	H.4.	
35	sumanus. L.en.	Pollini's.	Italy.	1823.	7. 8.	H.4.	
36	striplicifolius. L en.	Orach-leaved.	Russia.	——	——	H.4.	
37	nitidus. W.	glossy.	Hungary.	1806.	——	H.4.	W. et K. hung. 1. t. 52.
38	nudicaulis. P.s.	naked-stalked.	S. Europe.	1789.	——	H.4.	Cav. ic. 3. t. 226.
	cerinthoides. W. *glaucus.* Cav. *Centaurea nudicaulis.* L. *Serratula nudicaulis.* DC.						
39	cichoraceus. Rau.	Succory-leav'd.	Europe.	1824.	——	H.4.	
40	orientalis. M.B.	oriental.	Iberia.	1804.	7.	H.4.	
41	salinus. M.B.	narrow-leaved.	Siberia.	——	——	H.4.	
SILYBUM. G.		SILYBUM.	Syngenesia Polygamia Æqualis.				
1	marianum. G.	milk.	Britain.	....	7.	H.♂.	Eng. bot. 976.
	Carduus marianus. E.B.						
2	cernuum. G.	nodding.	Siberia.	1755.	6. 7.	H.4.	Mill. ic. 2. t. 248.
	Cnicus cernuus. W.						
CIRSIUM. G.		HORSE-THISTLE.	Syngenesia Polygamia Æqualis.				
1	palustre. DC.	marsh.	Britain.	....	7. 8.	H.♂.	Eng. bot. 974.
	Carduus palustris. E.B. *Cnicus palustris.* W.						
2	elatum. L.en.	tall.	.....	1823.	——	H.4.	
3	uliginosum. M.B.	swamp.	Narzana.	1820.	——	H.4.	
4	canum. L.en.	hoary.	Austria.	1633.	——	H.4.	Jacq. aust. 1. t. 42-3.
5	Acarna. DC.	yellow.	Spain.	1683.	7. 9.	H.⊙.	Cavan. ic. 1. t. 53.
6	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1818.	7. 8.	H.4.	Jacq. obs. 4. t. 95.
7	monspessulanum. DC.	Montpelier.	Montpelier.	1596.	6. 7.	H.4.	
8	pannonicum. L.en.	Hungarian.	Hungary.	1816.	7. 9.	H.4.	Jacq. aust. 3. t. 5.
9	strictum. L.en.	straight.	Naples.	1820.	——	H.4.	
10	lanceolatum. DC.	common.	Britain.	....	6. 9.	H.♂.	Eng. bot. 107.
	Carduus lanceolatus. E.B. *Cnicus lanceolatus.* W.						
11	desertorum. L.en.	desert.	Siberia.	1823.	7. 8.	H.4.	
12	ciliatum. L.en.	fringed.	———	1787.	8.	H.4.	Murr. com. got. 6. t. 5.
13	serrulatum. M.B.	serrulate.	Tauria.	1820.	7. 8.	H.4.	
14	lanifiorum. M.B.	woolly-flow'r'd.	———	1823.	——	H.4.	
15	arachnoideum. M.B.	cobweb.	———	——	——	H.4.	
16	strigosum. M.B.	strigose.	Caucasus.	1818.	——	H.♂.	
17	horridum. M.B.	very spiny.	———	1820.	——	H.4.	
18	munitum. M.B.	armed.	———	1816.	——	H.4.	
19	obvallatum. M.B.	crowded-fl^{d}.	———	——	——	H.4.	
20	scleranthum. M.B.	Carlina-like.	———	1824.	——	H.♂.	
	carlinoides. F. *Carlina Echinus.* M.B.						
21	echinatum. L.en.	hedgehog.	Barbary.	——	——	H.4.	
22	eriophorum. DC.	woolly-headed.	Britain.	....	——	H.♂.	Eng. bot. 386.
	Carduus eriophorus. E.B. *Cnicus eriophorus.* W.						
23	ferox. DC.	fierce.	S. Europe.	1683.	——	H.♂.	All. ped. 1. t. 50.
24	discolor. L.en.	two-coloured.	N. America.	1803.	——	H.♂.	
25	inerme. L.en.	unarmed.	Pyrenees.	1818.	——	H.4.	
26	altissimum. L.en.	giant.	N. America.	1726.	8. 9.	H.4.	Dill. elth. t. 69. f. 89.
27	pratense.	meadow.	Britain.	....	6. 7.	H.4.	Eng. bot. 177.
	anglicum. DC. *Carduus pratensis.* E.B. *Cnicus pratensis.* W.						
28	heterophyllum. DC.	melancholy.	———	....	7. 8.	H.4.	——— 675.
29	helenioides. L.en.	Elecampane-ld.	Siberia.	1804.	——	H.4.	
30	serratuloides. L.en.	sawwort-like.	———	1752.	6. 10.	H.4.	Jacq. aust. 2. t. 127.
31	heteromallum.	Nepaul.	Nepaul.	1820.	——	H.♂.	
	Cnicus heteromallus. D.P. *Carduus candicans.* Wal.						
32	arvense. DC.	corn or way.	Britain.	....	7.	H.4.	Eng. bot. 975.
	Serratula arvensis. W. *Carduus arvensis.* E.B. *Cnicus arvensis.* Ph.						
33	rivulare. L.en.	river.	Hungary.	1804.	7. 8.	H.4.	Jacq. aust. 1. t. 91.
	tricephalodes. DC. *Cnicus rivularis.* W.						
	β salisburgense.	*smaller.*	———	——	——	H.4.	
34	ambiguum. DC.	ambiguous.	S. Europe.	1823.	——	H.4.	
35	orgyale. L.en.	tall.	.....	——	——	H.4.	
36	carniolicum. Scop.	Carniola.	Carniola.	1792.	——	H.4.	Scop. carn. 1006. t. 54.
37	pauciflorum.	few-flowered.	Hungary.	1816.	——	H.♂.	W. et K. hung. 2. t. 161.
38	tataricum. All.	Tartarian.	Siberia.	1775.	7. 8.	H.4.	Jacq. aust. 1. t. 90.
39	rigens. L.en.	upright alpine.	Switzerland.	——	——	H.4.	LaChenal. act. h. 4. t. 16.
40	oleraceum. DC.	pale-flowered.	Europe.	1570.	——	H.4.	Flor. dan. 860.
41	Erisithales. L.en.	clammy.	France.	1752.	6. 8.	H.4.	Jacq. aust. 4. t. 310.
	glutinosum. DC. *Cnicus Erisithales.* W.						

42	mite. L.en.	soft.	Russia.	1818.	——	H.⊙.	
43	ochroleucum. DC.	pale yellow.	Switzerland.	1801.	7.	H.♃.	
44	bulbosum. DC.	tuberous.	England.	....	8. 10.	H.♃.	Eng. bot. 2562.
	Cnicus tuberosus. E.B. *Carduus tuberosus.* L.						
45	setosum. M.B.	setose.	Tauria.	1823.	7. 8.	H.♃.	
46	acaule. DC.	dwarf.	Britain.	....	——	H.♃.	Eng. bot. 161.
	Carduus acaulis. E.B. *Cnicus acaulis.* W.						
	β *caulescens.* P.S.	*stalked.*	————	....	——	H.♃.	
47	Casabonæ. DC.	fish-bone.	S. Europe.	1714.	6. 8.	F.♂.	Schmidt ic. t. 51-52.
48	stellatum. DC.	starry.	Italy.	1665.	6. 7.	H.⊙.	Flor. græc. 830.
49	Diacantha. L.en.	two-spined.	Barbary.	1800.	——	F.♂.	Lab. ic. pl. syr. 1. t. 3.
	Cnicus ulex. W. Jacq. schœnb. 2. t. 145.						
50	syriacum. L.en.	Syrian,	Levant.	1771.	7. 8.	H.⊙.	Flor. græc. 831.
51	spinosissimum. Scop.	feathery-headed.	Switzerland.	1759.	6. 8.	H.♃.	Botan. magaz. 1366.
52	echinocephalum.	prickly-headed.	Levant.	1823.	——	H.♃.	
	Cnicus echinocephalus. W.						
53	carthamoides. L.en.	Carthamus-like.	————	1823.	——	H.♃.	
54	pygmæum. DC.	pigmy.	Austria.	1816.	——	H.♃.	Jacq. aust. t. 440.
	Serratula pygmæa. W.						

ERYTHROLÆNA. ERYTHROLÆNA. Syngenesia Polygamia Æqualis.

	conspicua. B.F.G.	conspicuous.	Mexico.	1824.	9. 10.	F.♂.	Swt. br. fl. gar. 134.

ONOPORDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.

1	Acanthium. E.B.	woolly.	Britain.	....	7. 8.	H.♂.	Eng. bot. 977.
2	tauricum. W.	Taurian.	Tauria.	1800.	——	H.♂.	
3	virens. DC.	green.	S. Europe.	1822.	——	H.♂.	
4	macrocanthum. W.	long-spined.	Barbary.	1798.	——	H.♂.	Schousb. maroc. t. 5.
5	illyricum. W.	Illyrian.	S. Europe.	1648.	——	H.♂.	Jacq. vind. 2. t. 148.
6	arabicum. W.	Arabian.	————	1686.	7.	H.♂.	———— 2. t. 149.
7	elatum. Sm.	tall.	Greece.	1818.	7. 8.	H.♂.	
8	deltoides. W.	Siberian.	Siberia.	1784.	8.	H.♃.	
9	græcum. W.	Grecian.	Greece.	1799.	6. 7.	H.♃.	Gouan. ill. t. 25.
10	cynaroides. L.en.	Cynara-like.	Caucasus.	1823.	7. 8.	H.♃.	
	Carthamus cynaroides. M.B.						
11	viscosum. Schr.	viscous.	Europe.	——	——	H.♂.	
12	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1818.	——	H.♃.	
13	acaulon. W.	dwarf.	.....	1730.	——	H.♂.	Jacq. ic. 1. t. 167.

BERARDIA. P.S. BERARDIA. Syngenesia Polygamia Æqualis.

	subacaulis. P.S.	round-leaved.	Italy.	1791.	7. 8.	H.♃.	Vill. dauph. 3. t. 22.
	Arctium lanuginosum. DC. *Onopordum rotundifolium.* W.						

CYNARA. W. ARTICHOKE. Syngenesia Polygamia Æqualis.

1	Cardunculus. W.	Cardoon.	Candia.	1658.	8. 9.	H.♃.	Tabern. ic. 696.
2	Scolymus. W.	common.	S. Europe.	1548.	——	H.♃.	Blackw. t. 458.
3	horrida. W.	very prickly.	Madeira.	1778.	——	G.♃.	Flor. græc. 834.
4	humilis. W.	dwarf.	Spain.	1613.	7. 8.	H.♃.	Pluk. alm. t. 81. f. 2.
5	glomerata. W.	Cape.	C. B. S.	1816.	——	G.♃.	
6	pygmæa. W.	small.	Spain.	1824.	——	H.♃.	

CESTRINUS. Cass. CESTRINUS. Syngenesia Polygamia Æqualis.

	carthamoides. Cass.	Carthamus-like.	Barbary.	1799.	7.	H.♃.	Desf. atl. 2. t. 223.
	Cynara acaulis. W. *Serratula acaulis.* DC.						

CARLINA. W. CARLINE-THISTLE. Syngenesia Polygamia Æqualis.

1	acaulis. W.	dwarf.	Italy.	1640.	6.	H.♃.	Knorr. thes. 2. t. c. 1.
	β *caulescens.* P.S.	*stalked.*	————	——	——	H.♃.	
2	acanthifolia. W.	Acanthus-ld.	Pyrenees.	1818.	6. 7.	H.♃.	Allion. ped. t. 51.
3	simplex. P.S.	single-flow'r'd.	Hungary.	1816.	——	H.♃.	W.et K. hung. 2. t. 152.
4	aggregata. W.	clustered.	————	1804.	6. 9.	H.♃.	
5	lyrata. W.	lyre-leaved.	C. B. S.	1816.	——	G.♂.	
6	lanata. W.	woolly.	S. Europe.	1683.	6. 7.	H.⊙.	Garid. aix. t. 21.
7	corymbosa. W.	corymbed.	————	1640.	7. 8.	H.♃.	Flor. græc. 837.
8	vulgaris. W.	common.	Britain.	....	5. 9.	H.♂.	Eng. bot. 1144.
9	racemosa. W.	racemed.	Spain.	1658.	6. 8.	H.⊙.	

STOBÆA. W. STOBÆA. Syngenesia Polygamia Æqualis.

	pinnata. W.	Carthamus-like.	C. B. S.	1812.	1. 12	G.♄.	Botan. magaz. 1788.

CARTHAMUS. BASTARD SAFFRON. Syngenesia Polygamia Æqualis.

	tinctorius. W.	common.	Egypt.	1551.	6. 7.	H.⊙.	Botan. regist. 170.

HERACANTHA. L.en. HERACANTHA. Syngenesia Polygamia Æqualis.

1	lanata. L.en.	woolly.	S. Europe.	1596.	7. 8.	H.⊙.	Botan. magaz. 2143.
	Carthamus lanatus. B.M. *Centaurea lanata.* DC.						
2	cretica. L.en.	Cretan.	Candia.	1781.	6. 7.	H.⊙.	
	Carthamus creticus. W.						

3 taurica. L.en.	Taurian.	Tauria.	1818.	——	H.⊙.	
4 glauca.	glaucous.	Iberia.	——	——	H.⊙.	
Carthamus glaucus. M.B.						
ONOBROMA. G.	ONOBROMA. Syngenesia Polygamia Æqualis.					
1 tingitana.	Tangier.	Barbary.	1759.	6. 7.	H.♃.	Cavan. ic. 2. t. 128.
Carthamus tingitanus. W.						
2 cærulea. L.en.	blue-flowered.	Spain.	1640.	——	H.♃.	Botan. magaz. 2298.
Carthamus cæruleus. W.						
CARDUNCELLUS. DC.	CARDUNCELLUS. Syngenesia Polygamia Æqualis.					
1 vulgaris. DC.	common.	France.	1776.	5. 6.	H.♃.	Lob. ic. 2. p. 20.
Carthamus Carduncellus. W.						
2 mitissimus. DC.	small.	———	1734.	6. 7.	H.♃.	
3 ? arborescens.	tree.	Spain.	1731.	7. 8.	G.ħ.	
Carthamus arborescens. W.						
CARLOWIZIA. DC.	CARLOWIZIA. Syngenesia Polygamia Æqualis.					
salicifolia. DC.	Willow-leaved.	Madeira.	1784.	8.	G.ħ.	
Carthamus salicifolius. W. *Onobroma salicifolium.* L.en.						
ATRACTYLIS. W.	ATRACTYLIS. Syngenesia Polygamia Æqualis.					
humilis. W.	dwarf.	Spain.	1759.	6. 7.	H.♃.	Cav. ic. 1. t. 54.
ACARNA. W.	ACARNA. Syngenesia Polygamia Æqualis.					
1. gummifera. W.	gummy-rooted.	S. Europe.	1640.	6. 8.	H.♃.	Cavan. ic. 3. t. 226.
2 cancellata. W.	netted.	———	——	6. 7.	H.⊙.	Lam. ill. t. 662. f. 1.
Atractylis cancellata. P.s.						
STOKESIA. W.	STOKESIA. Syngenesia Polygamia Æqualis.					
cyanea. W.	blue-flowered.	Carolina.	1766.	8.	G.♃.	L'Herit. sert. 27. t. 28.
STÆHELINA. W.	STÆHELINA. Syngenesia Polygamia Æqualis.					
1 dubia. W.	Rosemary-lf.	S. Europe.	1640.	6. 7.	H.ħ.	Lam. ill. t. 666. f. 4.
2 arborescens. W.	Storax-leaved.	Candia.	1739.	7. 9.	F.ħ.	Flor. græc. t. 345.
3 chamæpence. W.	Pine-leaved.	———	1640.	7. 11.	F.ħ.	——— t. 347.
PTERONIA. W.	PTERONIA. Syngenesia Polygamia Æqualis.					
1 camphorata. W.	aromatic.	C. B. S.	1774.	6. 7.	G.ħ.	Pluk. mant. t. 345. f. 2.
2 stricta. W.	cluster-flow'r'd.	———	——	4. 6.	G.ħ.	
3 echinata. W.	prickly-cupp'd.	———	1820.	——	G.ħ.	
4 flexicaulis. W.	bending-stalk'd.	———	1818.	6. 8.	G.ħ.	
5 fasciculata. W.	cluster-flow'r'd.	———	1816.	——	G.ħ.	
6 pallens. W.	pale.	———	——	——	G.ħ.	
7 oppositifolia. W.	opposite-leav'd.	———	1774.	7.	G.ħ.	Lam. ill. t. 667. f. 2.
8 glomerata. W.	crowded.	———	1823.	6. 8.	G.ħ.	
9 scariosa. W.	window-cupp'd.	———	1815.	——	G.ħ.	
ZŒGEA. W.	ZŒGEA. Syngenesia Polygamia Frustranea.					
Leptaurea. W.	yellow-flow'r'd.	Levant.	1779.	7. 8.	H.⊙.	Jacq. ic. 1. t. 173.
LEUZEA. DC.	LEUZEA. Syngenesia Polygamia Frustranea.					
1 conifera. DC.	cone.	S. Europe.	1683.	6. 9.	H.♃.	DC. ann. mus. 16. t. 14.
Centaurea conifera. W.						
2 altaica. L.en.	large-flowered.	Altay.	1818.	——	H.♃.	
3 australis.	New Holland.	N. Holland.	1821.	8. 9.	H.♃.	Swt. br. fl. gar. ic.
GALACTITES. DC.	GALACTITES. Syngenesia Polygamia Frustranea.					
tomentosa. DC.	woolly.	S. Europe.	1788.	7.	H.⊙.	DC. ann. mus. 16. t. 16.
Centaurea galactites. W.						
CRUPINA. Cas.	CRUPINA. Syngenesia Polygamia Frustranea.					
1 vulgaris. Cas.	black-seeded.	Italy.	1596.	6. 7.	H.⊙.	Colum. ecph. 1. t. 34.
Centaurea Crupina. W.						
2 Lippii. P.s.	Lippi's.	Egypt.	1739.	——	H.⊙.	Isn. act. par. 1719. t. 10.
Centaurea Lippii. W.						
CENTAUREA. J.	CENTAURY. Syngenesia Polygamia Frustranea.					
1 moschata. W.	sweet sultan.	Persia.	1629.	7. 10.	H.⊙.	Knor. thes. 2. t. C. 4.
2 glauca. W.	glaucous.	Caucasus.	1805.	6. 7.	H.⊙.	
3 suaveolens. W.	yellow sultan.	Levant.	1683.	7. 10.	H.⊙.	Swt. brit. fl. gar. 1. t. 51.
4 alpina. W.	Alpine.	Italy.	1640.	7. 8.	H.♃.	Cornut. can. 69. t. 70.
5 Centaurium. W.	great.	———	1596.	——	H.♃.	
6 ruthenica. W.	Russian.	Russia.	1806.	——	H.♃.	Gmel. sib. 2. t. 41.
7 phrygia. W.	feathery-cupp'd.	Switzerland.	1633.	6. 10.	H.♃.	Flor. dan. 520.
8 rivularis. P.s.	river-side.	Portugal.	1812.	7. 9.	H.♃.	
9 salicifolia. W.	Willow-leaved.	Caucasus.	1816.	——	H.♃.	
10 austriaca. W.	Austrian.	Austria.	1815.	6. 10.	H.♃.	
11 pectinata. W.	pectinated.	France.	1727.	7. 10.	H.♃.	
12 uniflora. W.	one-flowered.	S. Europe.	1824.	6. 8.	H.♃.	Bocc. mus. 2. t. 2.
13 flosculosa. W.	floscalose.	Italy.	1817.	——	H.♃.	
14 nervosa. W.en.	nerved.	S. Europe.	1815.	6. 9.	H.♃.	

15	tricocephala. W.	downy-cupped.	Siberia.	1805.	7. 8.	H.4.	Gmel.sib. 2. t. 45. f.1.2.
16	hyssopifolia. W.	Hyssop-leaved.	Spain.	1812.	——	F.h.	Barrel. ic. 896.
17	coronopifolia. W.	Buck's-horn-l4.	Levant.	1739.	6. 7.	H.⊙.	
18	procumbens. P.S.	procumbent.	Italy.	1821.	——	H.4.	
19	nigra. W.	black knapweed.	Britain.	....	5. 8.	H.4.	Eng. bot. 278.
20	pratensis. P.S.	field.	France.	1824.	——	H.4.	
21	nigrescens. W.	dark.	Hungary.	1805.	6. 8.	H.4.	
22	Triumfetti. W.	Cenisian.	Mt. Cenis.	——	——	H.4.	
23	montana. W.	mountain.	Austria.	1596.	——	H.4.	Botan. magaz. 77.
24	sequana. P.S.	silvery-fringed.	S. Europe.	1816.	——	H.4.	Barrel. ic. 889.
	axillaris. W. *variegata.* Lam.						
25	Cyanus. W.	blue-bottle.	Britain.	....	——	H.⊙.	Eng. bot. 277.
	Cyanus segetum. Mœn.						
26	americana. N.	American.	N.America.	1823.	7. 10.	H.⊙.	Swt. br. fl. gar. ic.
27	ochroleuca. W.	Caucasean.	Caucasus.	1801.	7. 8.	H.4.	Botan. magaz. 1175.
28	ovina. W.	small-flowered.	Caucasus.	1803.	7. 11.	H.4.	
29	paniculata. W.	panicled.	Europe.	1640.	7. 8.	H.♂.	Jacq. aust. 4. t. 330.
30	intybacea. Lam.	Succory-leaved.	S. Europe.	1778.	7. 9.	H.4.	
31	spinosa. W.	prickly-branch'd.	Candia.	1640.	——	F.4.	Botan. magaz. 2498.
32	ragusina. W.	white-leaved.	————	1710.	6. 7.	G.h.	———— 494.
33	argentea. W.	silver-leaved.	————	1739.	7. 8.	F.h.	Barrel. ic. t. 218.
34	Cineraria. W.	hoary-leaved.	Italy.	1710.	——	H.4.	Moris. s. 7. t. 26. f. 20.
35	cinerea. W.	gray.	—— ——	——	6. 7.	H.4.	Jacq. vind. 1. t. 92.
36	dealbata. M.B.	mealy.	Caucasus.	1804.	7. 8.	H.4.	
37	cicutæfolia. Horn.	Cicuta-leaved.	Europe.	1824.	——	H.4.	
38	maculosa. P.S.	spotted-cupp'd.	Siberia.	1816.	——	H.4.	Gmel. sib. 2. t. 44. f. 1. 2.
39	sempervirens. W.	evergreen.	Spain.	1683.	——	H.4.	Bocc. sic. t. 39. f. 3.
40	coriacea. W.	leathery-leav'd.	Hungary.	1804.	6. 7.	H.4.	W.et K. hung. 2. t. 195.
41	Scabiosa. W.	greater-knapweed.	Britain.	....	6. 8.	H.4.	Eng. bot. 56.
42	tatarica. W.	Tartarian.	Tartary.	1801.	7. 8.	H.4.	
43	Stœbe. W.	wing-leaved.	Austria?	1759.	6. 7.	H.4.	
44	Fischeri. W.en.	Fischer's.	Siberia.	1816.	——	H.4.	
45	macrocephala. W.	large-headed.	Caucasus.	1805.	6. 8.	H.4.	Botan. magaz. 1248.
46	atropurpurea. W.	dark purple.	Hungary.	1802.	——	H.4.	W.et K. hung. 2. t. 116.
47	calocephala. W.en.	smooth-stalked.	Levant.	1816.	——	H.4.	
48	canariensis. W.en.	Canary.	Teneriffe.	1815.	——	G.h.	
49	orientalis. W.	oriental.	Levant.	1759.	7. 8.	H.4.	
50	arachnoidea. P.S.	cobweb.	Italy.	1823.	——	H.4.	
51	sibirica. W.	Siberian.	Siberia.	1782.	——	H.4.	Gmel. sib. 2. t. 42. f. 2.
52	diluta. W.	pale-flowered.	S. Europe.	1781.	——	H.4.	
53	alata. W.	winged-stalk'd.	Tartary.	——	8. 9.	H.4.	Venten. cels. 80.
54	elongata. Desf.	elongated.	Barbary.	1822.	——	H.4.	
55	Behen. W.	saw-leaved.	Levant.	1797.	7. 8.	H.⊙.	
56	repens. W.	creeping.	————	1739.	6. 8.	H.4.	
57	Jacea. W.	brown knapweed.	England.	....	7. 9.	H.4.	Eng. bot. 1676.
58	decumbens. P.S.	decumbent.	France.	1815.	——	H.4.	
59	amara. W.	bitter.	Italy.	....	7. 8.	H.4.	Bocc. mus. 31. t. 17.
60	alba. W.	white-flowered.	Spain.	1597.	6. 9.	H.4.	
61	splendens. W.	shining.	—— ——	——	7. 8.	H.♂.	
62	nitens. W.	glittering.	Caucasus.	1823.	——	H.⊙.	Buxb. cent. 2. t. 15. f. 1.
63	tagana. W.	Portugal.	Portugal.	1640.	——	H.4.	Brot. phyt. lus. t. 3.
64	babylonica. W.	Babylonian.	Levant.	1710.	6. 9.	H.4.	Alp. exot. t. 282.
65	glastifolia. W.	wood-leaved.	Siberia.	1731.	——	H.4.	Botan. magaz. 62.

RHAPONTICUM. D.C. RHAPONTICUM. Syngenesia Polygamia Frustranea.

1	scariosum. Lam.	common.	Switzerland.	1640.	7. 8.	H.4.	Botan. magaz. 1752.
	Centaurea Rhapontica. B.M.						
	β *lyratum.* DC.	*lyrate.*	—— ——	....	——	H.4.	
2	uniflorum. DC.	one-flowered.	Siberia.	1796.	——	H.4.	Gmel. sib. 2. t. 38.
	Cnicus uniflorus. W.						

CROCODILIUM. J. CROCODILIUM. Syngenesia Polygamia Frustranea.

1	cucullatum.	blush-flowered.	Levant.	1777.	7. 8.	H.⊙.	Barrel. rar. t. 503.
	Centaurea Crocodylium. W. *Calcitrapa cucullata.* Mœn.						
2	peregrinum.	soft-leaved.	S. Europe.	1749.	——	H.♂.	
	Centaurea peregrina. W.						
3	muricatum.	muricated.	Spain.	1621.	——	H.⊙.	
4	aureum.	great golden.	S. Europe.	1768.	7. 9.	H.4.	Botan. magaz. 421.
	Centaurea aurea. B.M.						
5	salmanticum. Sp.	ragwort-leav'd.	————	1596.	7. 8.	H.♂.	Jacq. vind. 1. t. 64.
6	verutum. Sp.	dwarf.	Levant.	1780.	8. 9.	H.⊙.	Jacq. ic. 1. t. 178.

CALCITRAPA. J.	STAR-THISTLE.	Syngenesia Polygamia Frustranea.					
1 sordida. P.S.	sordid.	.....	1817.	7. 8.	H.4.		
Centaurea sordida. W.							
2 pubescens. P.S.	downy.	.....	1804.	——	H.4.		
3 rupestris. P.S.	rock.	Italy.	——	——	H.4.	Column.ecph.1.t.etf.2.	
4 collina. P.S.	hill.	S. Europe.	1596.	6. 7.	H.4.		
5 centauroides. L.en.	lyre-leaved.	———	1739.	5. 7.	H.4.	Column. ecph. 1. t. 35.	
6 reflexa. L.en.	crook-spined.	Iberia.	1801.	7. 8.	H.4.		
7 parviflora. L.en.	small-flowered.	———	1823.	——	H.4.		
8 hybrida. L.en.	hybrid.	Italy.	1831.	——	H.♂.		
9 eriophora. P.S.	woolly-headed.	Portugal.	1714.	6. 10.	H.⊙.		
10 balsamita. L.en.	bristle-spined.	Armenia.	1824.	7. 8.	H.4.		
11 rigida. L.en.	rigid.	.....	——	——	H.4.		
12 stellata. Lam.	common.	England.	....	——	H.⊙.	Eng. bot. 125.	
Centaurea Calcitrapa. E.B.							
13 phœnicea.	Phœnician.	Levant.	1683.	6. 7.	H.⊙.		
Centaurea calcitrapoides. W.							
14 ægyptiaca.	Egyptian.	Egypt.	1790.	6. 9.	F.4.		
15 ? benedicta.	blessed thistle.	Spain.	1548.	6. 10.	H.⊙.	Zorn. ic. 122.	
SERIDIA. J.	SERIDIA.	Syngenesia Polygamia Frustranea.					
1 aspera.	rough.	S. Europe.	1772.	6. 10.	H.⊙.	Bocc. mus. 35. t. 26.	
Centaurea aspera. W.							
2 napifolia.	Turnep-leaved.	Candia.	1691.	7. 9.	H.⊙.	Herm. parad. t. 189.	
3 straminea.	straw-coloured.	Egypt.	1801.	7. 8.	H.⊙.	Willd. hort. ber. 26.	
4 polyacantha.	many-spined.	Portugal.	1804.	——	H.⊙.		
5 prolifera.	proliferous.	Egypt.	1816.	——	H.⊙.	Vent. hort. cels. t. 16.	
6 auriculata.	eared.	.....	——	——	H.⊙.		
Centaurea auriculata. P.S.							
7 Isnardi.	Jersey.	Jersey.	....	——	H.4.	Eng. bot. 2256.	
Centaurea Isnardi. E.B.							
8 sphærocephala.	globe-headed.	S. Europe.	1683.	——	H.4.	Botan. magaz. 2551.	
Centaurea sphærocephala. B.M.							
9 sicula.	Sicilian.	Sicily.	1710.	——	H.4.	Bocc. sic. t. 8. f. 1.	
10 Adami.	Adam's.	Siberia.	1804.	——	H.⊙.		
11 melitensis.	cluster-headed.	Malta.	1710.	——	H.⊙.	Bocc. sic. t. 35.	
12 sulphurea.	sulphur-color'd.	.....	1815.	——	H.⊙.		
13 solstitialis.	St. Barnaby's.	England.	....	——	H.⊙.	Eng. bot. 243.	
Centaurea solstitialis. E.B.							
14 pullata.	sad-coloured.	S. Europe.	1714.	6. 7.	H.♂.	Mill. ic. 2. t. 152. f. 2.	
15 ferox.	hedgehog.	Barbary.	1790.	7. 9.	F.4.	Desf. atl. 2. t. 242.	
16 romana.	Roman.	Rome.	1739.	——	H.♂.	Barrel. rar. t. 504.	
17 cruenta.	obovate-leaved.	.....	1816.	6. 8.	H.4.		
18 sonchifolia.	Sow-thistle-ld.	S. Europe.	1780.	8. 10.	H.4.	Pluk. phyt. 39. f. 1.	
19 latifolia.	purple-flower'd.	Spain.	1686.	6. 8.	H.4.	Pluk. alm. t. 38. f. 1.	
Centaurea scridis. W.							
CARDOPATUM. J.	CARDOPATUM.	Syngenesia Polygamia Segregata.					
corymbosum. P.S.	umbelled.	S. Europe.	1640.	6. 7.	H.4.	Moris. s. 7. t. 33. f. 17.	
Brotera corymbosa. W.							

Div. II. ECHINOPSIDEÆ. *Kth. synops. 2. p. 364.*

ROLANDRA. W.	ROLANDRA.	Syngenesia Polygamia Segregata. L.				
argentea. W.	silver-leaved.	W. Indies.	1714.	7.	S.ħ.	Sloan. jam. 1. t. 7. f. 3.
ECHINOPS. W.	GLOBE-THISTLE.	Syngenesia Polygamia Segregata. L.				
1 sphærocephalus. W.	great.	Austria.	1596.	7. 8.	H.4.	Flor. græc. 923.
β *exaltatus.* Schr.	*tall.*	———	1820.	....	H.4.	
2 spinosus. W.	thorny-headed.	Egypt.	1597.	——	H.4.	Flor. græc. 924.
3 paniculatus. B.R.	panicled.	Spain.	1815.	——	H.♂.	Botan. regist. 356.
4 horridus. P.S.	horrid.	Persia.	1817.	——	H.4.	
5 viscosus. M.B.	viscous.	Caucasus.	1823.	——	H.♂.	
6 tauricus. W.en.	Taurian.	Tauria.	1816.	——	H.4.	
7 ruthenicus. M.B.	Russian.	Russia.	1819.	——	H.4.	
8 Ritro. W.	small.	Europe.	1570.	7. 9.	H.4.	Botan. magaz. 932.
9 tenuifolius. F.	slender-leaved.	Russia.	1823.	——	H.4.	
10 strictus. B.M.	upright.	———	1822.	8. 10.	H.♂ ?	Botan. magaz. 2457.

11 strigosus. W.	annual.	Spain.	1729.	7. 9.	H.⊙.	Botan. magaz. 2109.
12 lanuginosus. W.	woolly.	Levant.	1736.	6. 7.	H.♃.	Flor. græc. 926.
GUNDELIA. W.	GUNDELIA. Syngenesia Polygamia Segregata. L.					
Tournefortii. W.	Tournefort's.	Levant.	1789.	6. 8.	H.♃.	Mill. ic. t. 287.
SPHÆRANTHUS.	SPHÆRANTHUS. Syngenesia Polygamia Segregata. L.					
1 mollis. H.B.	soft.	E. Indies.	1818.	7. 9.	S.⊙.	
2 indicus.	Indian.	———	1699.	8. 12.	S.♃.	Burm. zeyl. t. 94. f. 3.
3 africanus. W.	African.	C. B. S.	1759.	7. 8.	G.⊙.	Pluk. mant. t. 108. f. 7.
ANGIANTHUS. W.C.	ANGIANTHUS. Syngenesia Polygamia Segregata.					
tomentosus. W.C.	woolly.	N. Holland.	1803.	7. 8.	G.♃.	Wend. coll. 2. t. 48.
Cassinia aurea. H.K. *non* L.T.						
BROTERA. P.S.	BROTERA. Syngenesia Polygamia Segregata. P.S.					
trinervata. P.S.	three-nerved.	S. America.	1799.	7. 8.	H.⊙.	Schr.b. jour. 180. 2. t. 5.
Contrayerva. Spr. *Nauenburgia trinervata.* W.						
ŒDERA. W.	ŒDERA. Syngenesia Polygamia Segregata. L.					
prolifera. W.	proliferous.	C. B. S.	1789.	5. 6.	G.♄.	Botan. magaz. 1637.
ELEPHANTOPUS. W.	ELEPHANT'S-FOOT. Syngenesia Polygamia Segregata. L.					
1 scaber. W.	rough-leaved.	E. Indies.	1695.	6. 9.	S.♃.	Rheed. mal. 10. t. 7.
2 carolinianus. W.	Carolina.	America.	1732.	7. 9.	G.♃.	Dill. elth. t. 106. f. 126.
3 tomentosus. W.	woolly.	W. Indies.	1733.	7. 8.	S.♃.	
4 mollis. K.S.	soft-leaved.	Caracas.	1825.	——	S.♃.	
5 nudiflorus. W.	naked-flow'r'd.	W. Indies.	1822.	——	S.♄.	
6 spicatus. W.	spiked.	———	——	——	S.♄.	Sloan. hist. 1. t. 150. f. 3. 4
7 angustifolius. W.	narrow-leaved.	———	1823.	——	S.♄.	——— t. 148. f. 4.
STŒBE. W.	STŒBE. Syngenesia Polygamia Segregata. L.					
1 æthiopica. W.	Juniper-leaved.	C. B. S.	1759.	8.	G.♄.	
Seriphium æthiopicum. P.S.						
2 ericoides. W.	Heath-like.	———	1816.	7. 9.	G.♄.	Moris. s. 7. t. 18. f. 12.
3 cinerea. W.	Heath-leaved.	———	1774.	——	G.♄.	Pluk. mant. t. 297. f. 1.
Seriphium cinereum. P.S.						
4 reflexa. W.	reflex-leaved.	———	1816.	——	G.♄.	
CÆSULIA. Roxb.	CÆSULIA. Syngenesia Polygamia Segregata. L.T.					
axillaris. W.	axillary-flow'r'd.	E. Indies.	1804.	7. 9.	S.♃.	Andr. reposit. 431.
LAGASCA. Cav.	LAGASCA. Syngenesia Polygamia Segregata. L.T.					
mollis. W.	soft.	S. America.	1815.	6. 9.	S.⊙.	Botan. magaz. 1804.
NOCCA. W.	NOCCA. Syngenesia Polygamia Segregata.					
1 rubra.	red-flowered.	Mexico.	1823.	....	S.♄.	Hum. et Bondp. 4. t. 311.
Lagascea rubra. K.S.						
2 suaveolens.	sweet-scented.	———	——	....	S.♄.	
Lagascea suaveolens. K.S.						
3 latifolia. L.H.	broad-leaved.	———	——	....	S.♄.	

Div. III. VERNONIACEÆ. *Kth. synops. 2. p. 367. et* ASTEREÆ. *l. c. p. 399.*

AMPHEREPHIS. K.S.	AMPHEREPHIS. Syngenesia Polygamia Æqualis.					
intermedia. L.en.	intermediate.	Brazil.	1822.	7. 9.	G.♃.	Pl. sel. hrt. ber. t. 5.
ASCARICIDA. Cass.	ASCARICIDA. Syngenesia Polygamia Æqualis.					
anthelmintica.	Indian.	E. Indies.	1770.	8. 9.	S.♂.	Rheed. mal. 2. t. 24.
indica. Cass. *Vernonia anthelmintica.* W. *Conyza anthelmintica.* L.						
VERNONIA. W.	VERNONIA. Syngenesia Polygamia Æqualis. W.					
1 noveboracensis. W.	long-leaved.	N. America.	1710.	9. 11.	H.♃.	Dill. elt. t. 268. f. 342.
2 prælta. W.	tall.	———	1732.	——	H.♃.	——— t. 264. f. 343.
3 angustifolia. Ph.	narrow-leaved.	———	1817.	——	H.♃.	
4 glauca. W.	glaucous-leav'd.	———	1710.	——	H.♃.	Dill. elt. t. 262. f. 341.
oligophylla. M.						
5 altissima. N.	tallest.	———	1823.	——	H.♃.	
6 pandurata. L.en.	fiddle form.	———	——	——	H.♃.	
7 sericea. B.R.	silky.	Brazil.	1818.	9. 1.	S.♄.	Botan. regist. 522.
8 arborescens. P.S.	tree.	Jamaica.	1733.	11. 12.	S.♄.	
9 fruticosa. P.S.	shrubby.	S. America.	1818.	——	S.♄.	Plum. ic. 95. f. 1.
Conyza fruticosa. L.						
10 flexuosa. B.M.	flexuose-branch'd.	Brazil.	1823.	9. 10.	S.♄.	Botan. magaz. 2477.
LIATRIS. W.	LIATRIS. Syngenesia Polygamia Æqualis. W.					
1 spicata. W.	long-spiked.	N. America.	1732.	8. 10.	H.♃.	Swt. br. fl. gar. 49.
β *pumila.* B.C.	*dwarf.*	———	....	——	H.♃.	Lodd. bot. cab. 147.
2 pycnostachya. M.	pubescent.	———	1732.	——	H.♃.	Dill. elt. t. 72. f. 83.

3	heterophylla. Ph.	various-leaved.	N.America.	1790.	7. 8.	H.♃.		
4	intermedia. B.R.	intermediate.	———	1823.	8. 9.	H.♃.	Botan. regist. 948.	
5	cylindracea. M.	cylindrical-cup'd.	———	1811.	. 10.	H.♃.		
6	pilosa. Ph.	hairy-leaved.	———	1789.	——	H.♃.	Botan. regist. 595.	
7	gracilis. Ph.	smooth-leaved.	———	1812.	——	H.♃.		
8	turbinata. B.F.G.	turbinate-cup'd.	———	1823.	——	H.♃.	Swt. br. fl. gar. ic.	
9	elegans. W.	hairy-cup'd.	———	1787.	9. 10.	H.♃.	Botan. regist. 267.	
10	sphæroidea. M.	globular-cup'd.	———	1817.	8. 10.	H.♃.	Swt. br. fl. gar. 87.	
11	scariosa. W.	scariose-cup'd.	———	1739.	9. 10.	H.♃.	Botan. regist. 590.	
12	squarrosa. W.	rough-cup'd.	———	1732.	9. 10.	H.♃.	Swt. br. fl. gar. 44.	
13	paniculata. W.	panicled.	———	1826.	8. 10.	H.♃.		
14	odoratissima. W.	sweet-scented.	Carolina.	1786.	——	F.♃.	Andr. reposit. 633.	
15	corymbosa. W.	corymbose.	N.America.	1825.	——	F.♃.		

BRACHYLÆNA. L.T. BRACHYLÆNA. Syngenesia Polygamia Superflua.

neriifolia. *Baccharis neriifolia.* W.	Oleander-ld.	C. B. S.	1752.	8. 11.	G.♄.		

BACCHARIS. W. PLOWMAN'S-SPIKENARD. Syngenesia Polygamia Superflua.

1	ivæfolia. W.	Peruvian.	America.	1696.	7. 8.	G.♄.	Schk. handb. 3. t. 244.
2	angustifolia. M.	narrow-leaved.	N.America.	1812.	7. 9.	G.♄.	
3	glomeruliflora. M.	close-flowered.	———	1817.	8. 10.	H.♄.	
4	halimifolia. W.	Groundsel-tree.	———	1688.	10. 11.	H.♄.	Schmidt arb. t. 89.
5	Dioscoridis. W.	Dioscorides'.	Levant.	1822.	7. 9.	G.♄.	Rauw. it. 4. t. 54.
6	scoparia. P.S. *Calea scoparia.* L.	broom.	Jamaica.	——	——	S.♄.	Brown. jam. t. 84. f. 4.
7	parviflora. P.S.	small-flowered.	Peru.	——	....	S.♄.	
8	fœtida. W. *Conyza camphorata.* Ph.	Camphor-scent'd.	N.America.	1704.	8. 10.	G.♃.	Dill. elt. t. 89. f. 105.

CONYZA. W. FLEA-BANE. Syngenesia Polygamia Superflua. L.

1	squarrosa. W.	great.	Britain.	....	7. 8.	H.♂.	Eng. bot. 1196.
2	marylandica. Ph.	Maryland.	N. America.	....	8. 10.	H.☉.	Dill. elt. t. 88. f. 104.
3	patula. W.	spreading.	China.	1758.	7. 9.	H.☉.	Mill. ic. 2. t. 247.
4	axillaris. W.	axillary.	.....	1824.	——	H.☉.	
5	bifrons. W.	oval-leaved.	N.America.	1739.	8. 9.	H.♃.	Pluk. alm. t. 87. f. 4.
6	purpurascens. W.	purplish.	Jamaica.	1822.	——	S.☉.	Sloan. hist. 1. t. 159. f. 1.
7	candida. L. *verbascifolia.* W.	woolly.	Candia.	1714.	6. 7.	F.♄.	Flor. græc. 865.
8	limonifolia. P.G. *candida.* W. *non* L.	white-leaved.	———	....	——	F.♄.	Barr. ic. t. 217.
9	balsamifera. W.	balsamiferous.	China.	1818.	——	S.♃.	Rumph. amb. 6. t. 24. f. 1.
10	chinensis. W.	Chinese.	———	1796.	7. 8.	S.♂.	——— 6. t. 14. f. 2.
11	cinerea. W.	grey.	E. Indies.	....	——	S.☉.	——— 6. t. 14. f. 1.
12	fastigiata. W.en.	clustered.	.....	1820.	——	H.☉.	
13	prolifera. W.	proliferous.	Java.	1819.	7. 9.	S.♄.	Rumph. am. 5. t. 104. f. 1.
14	hirsuta. W.	shaggy.	China.	1707.	8. 9.	G.♂.	
15	ægyptiaca. W.	Egyptian.	Egypt.	1778.	7. 9.	H.☉.	Jacq. vind. 3. t. 19.
16	pinnatifida. R.	pinnatifid.	E. Indies.	1816.	——	S.♄.	
17	Gouani. W.	Gouan's.	Canaries.	1772.	7. 8.	G.♂.	Jacq. vind. 3. t. 79.
18	sicula. W.	red-stalked.	Sicily.	1779.	8. 9.	H.☉.	Bocc. sic. t. 31. f. 4.
19	aurita. W.	eared.	E. Indies.	1818.	——	S.☉.	
20	fœtida. W.	stinking.	Africa.	1724.	——	G.♃.	Mill. ic. 2. t. 233.
21	amœna. L.en.	pretty.	———	1816.	——	S.♃.	
22	glomerata. L.en.	crowded.	.....	1824.	——	S.♃.	
23	spatulata. L.en.	spatulate.	.....	1824.	7. 9.	S.♃.	
24	adnata. H.S. *Baccharis adnata.* W.en.	decurrent.	Mexico.	——	——	S.♄.	
25	thapsoides. M.B.	Thapsus-leav'd.	CaspianSea.	1806.	——	H.♃.	
26	sordida. W.	small-flowered.	S. Europe.	1570.	——	F.♄.	Barr. ic. t. 368.
27	saxatilis. W.	stone.	———	1640.	7. 8.	F.♄.	Schk. handb. 3. t. 241.
28	rupestris. W.	rock.	Arabia.	1790.	——	G.♄.	Schmidel ic. t. 36.
29	Tenorii. L.en.	Tenore's.	S. Europe.	1824.	....	F.♄.	
30	sericea. W.	snowy.	Canaries.	1779.	....	G.♄.	
31	geminiflora. L.en.	twin-flowered.	S. Europe.	1824.	....	F.♄.	
32	inuloides. W.	cluster-flow'r'd.	Teneriffe.	1780.	7. 8.	G.♄.	Jacq. ic. 1. t. 171.
33	odorata. W.	sweet-scented.	India.	1759.	6. 8.	S.♄.	Plum. ic. t. 97.
34	incisa. W.	cut-leaved.	C. B. S.	1774.	——	G.♄.	
35	carolinensis. W.	Carolina.	Carolina.	1823.	——	G.♄.	Jacq. ic. 3. t. 185.
36	virgata. W.	wing-stalked.	America.	1783.	8. 9.	G.♃.	Sloan. hist. 1. t. 152. f. 5.
37	rugosa. H.K.	St. Helena.	St. Helena.	1772.	11.	G.♄.	

CARPESIUM. W.	CARPESIUM. Syngenesia Polygamia Superflua. L.						
1 cernuum. W.	drooping.	Austria.	1739.	7. 8.	H.4.	Jacq. aust. 3. t. 204.
2 abrotanoides. W.	Southernwood like.	China.	1768.	——	H.4.	Osbeck it. t. 10.
INULA. W.	INULA. Syngenesia Polygamia Superflua. L.					
1 Helenium. W.	Elecampane.	Britain.	....	7. 8.	H.4.	Eng. bot. 1546.
2 Oculus-Christi. W.	hoary.	Austria.	1759.	7. 9.	H.4.	Jacq. aust. 3. t. 223.
3 britannica. W.	creeping-root'd.	Germany.	——	——	H.4.	Flor. dan. 413.
4 dysenterica. W.	meadow.	England.	....	8. 9.	H.4.	Eng. bot. 1115.
5 undulata. W.	wave-leaved.	Egypt.	1739.	7. 10.	H.⊙.	
6 indica. W.	Indian.	E. Indies.	——	——	S.⊙.	Burm. zeyl. t. 55. f. 2.
7 Pulicaria. W.	small fleawort.	England.	....	8. 9.	H.⊙.	Eng. bot. 1196.
Pulicaria vulgaris. G.						
8 arabica. W.	Arabian.	Arabia.	1823.	——	H.⊙.	Pluk. alm. t. 149. f. 4.
9 squarrosa. W.	net-leaved.	S. Europe.	1768.	7. 9.	H.4.	Flor. græc. 875.
10 viscosa. W.	clammy.	Barbary.	1633.	7. 8.	G.4.	Jacq. vind. 2. t. 165.
Erigeron viscosum. Jacq.						
11 tuberosa. P.S.	tuberous-root'd.	S. Europe.	1640.	——	H.4.	Moris. s. 7. t. 19. f. 20.
Erigeron tuberosum. W.						
12 salicina. W.	willow-leaved.	N. Europe.	1648.	8. 9.	H.4.	Flor. dan. t. 786.
13 Bubonium. W.	Austrian.	Austria.	1801.	7. 9.	H.4.	Jacq. aust. 5. ap. t. 19.
14 hirta. W.	hairy.	————	1789.	6. 9.	H.4.	———— 4. t. 358.
15 glandulosa. W.	glandular.	Georgia.	1804.	7. 8.	H.4.	Botan. magaz. 1907.
16 mollis. L.en.	soft.	.....	1823.	——	H.4.	
17 suaveolens. W.	woolly-leaved.	S. Europe.	1758.	6. 8.	H.4.	Jacq. vind. 3. t. 51.
18 Vaillantii. W.	Vaillant's.	France.	1739.	——	H.4.	Hall. helv. n. 78. t. 2.
19 mariana. W.	American.	N.America.	1742.	7. 8.	H.4.	Mill. ic. 1. t. 57. f. 1.
20 germanica. W.	German.	Germany.	1759.	6. 7.	H.4.	Jacq. anst. 2. t. 134.
21 ensifolia. W.	sword-leaved.	Austria.	1793.	7. 9.	H.4.	———— 2. t. 162.
22 crithmifolia. W.	Samphire-l^d.	England.	....	8. 9.	H.4.	Eng. bot. 68.
23 provincialis. W.	oval-leaved.	France.	1778.	7. 8.	H.4.	
24 montana. W.	mountain.	S. Europe.	1759.	——	H.4.	Garid. aix. t. 10.
25 bifrons. W.	Italian.	————	1713.	6. 8.	H.4.	Herm. parad. t. 127.
26 thapsoides. L.en.	Mullein-like.	.....	1823.	——	H.4.	
27 gossypina. M.	cottony.	N.America.	——	——	H.4.	
28 saturejoides. W.	Savory-leaved.	Vera Cruz.	1733.	....	S.4.	Reliq. houst. 8. t. 19.
29 fœtida. W.	stinking.	Malta.	1688.	6. 8.	H.⊙.	Bocc. sic. 26. t. 13.
30 odora. W.	sweet-scented.	S. Europe.	1824.	——	H.4.	Moris. s. 7. t. 21. f. 6.
31 villosa. L.	villous.	.....	——	——	H.⊙.	
Pulicaria villosa. L.en.						
IXODIA. H.K.	IXODIA. Syngenesia Polygamia Æqualis.					
achillæoides. H.K.	Milfoil-like.	N.Holland.	1803.	3. 9.	G.♄.	Botan. magaz. 1534.
HUMEA. Sm.	HUMEA. Syngenesia Polygamia Æqualis.					
elegans. H.K.	elegant.	N. S. W.	1800.	6. 10.	G.♂.	Exot. bot. 1. t. 1.
CASSINIA. L.T.	CASSINIA. Syngenesia Polygamia Æqualis.					
1 spectabilis. L.T.	Humea-like.	N. Holland.	1821.	5. 10.	G.♂.	Botan. regist. 678.
2 affinis. L.T.	related.	N. S. W.	1823.	4. 6.	G.♄.	
3 aurea. L.T.	golden.	————	1821.	——	G.♄.	Botan. regist. 764.
4 longifolia. L.T.	long-leaved.	————	——	——	G.♄.	
5 leptophylla. L.T.	narrow-leaved.	N. Zealand.	——	——	G.♄.	
OZOTHAMNUS. L.T.	OZOTHAMNUS. Syngenesia Polygamia Æqualis.					
1 cinereus. L.T.	rusty.	V.Diem.Isl.	1820.	4. 8.	G.♄.	Lab. nov. hol. 2. t. 182.
Chrysocoma cinerea. Lab.						
2 rosmarinifolius. L.T.	Rosemary-l^d.	————	1822.	——	G.♄.	———— 2. t. 181.
Eupatorium rosmarinifolium. Lab.						
3 ferrugineus. L.T.	ferruginous.	————	——	——	G.♄.	———— 2. t. 180.
Eupatorium ferrugineum. Lab.						
AMMOBIUM. Br.	AMMOBIUM. Syngenesia Polygamia Æqualis.					
alatum. B.M.	winged-stalk'd.	N. S. W.	1823.	8. 9.	F.4.	Swt.br. fl. gar. 48.
ANTENNARIA. L.T.	ANTENNARIA. Syngenesia Polygamia Superflua. L.					
1 dioica. L.T.	red-flowered.	Britain.	....	5. 7.	H.4.	Eng. bot. 267.
Gnaphalium dioicum. E.B.						
2 alpina. L.T.	Alpine.	Alps Europ.	1775.	6. 7.	H.4.	
3 carpatica. L.T.	Carpathian.	Carp.mount.	——	——	H.4.	Flor. dan. t. 332.
Gnaphalium alpinum. W. *non.* L.						
4 plantaginea. L.T.	Plantain-l^d.	Virginia.	1759.	6. 7.	H.4.	Pluk. alm. t. 348. f. 9.
Gnaphalium plantaginifolium. W.						
5 margaritacea. L.T.	pearly.	England.	....	7. 9.	H.4.	Eng. bot. 2018.
6 triplinervis. D.P.	triple-nerved.	Nepaul.	1823.	6. 9.	F.4.	Botan. magaz. 2468.
7 contorta. D.P.	twisted-leaved.	————	1818.	——	F.4.	Botan. regist. 605.

LEONTOPODIUM. L.T.	Lion's-foot.	Syngenesia Polygamia Superflua. L.						
helveticum. D.D.	Swiss.	Switzerland.	1776.	6. 7.	H. ♃.	Botan. magaz. 1958.		
Gnaphalium Leontopodium. B.M.								
GNAPHALIUM. L.T.	Everlasting.	Syngenesia Polygamia Superflua. L.						
1 luteo-album. W.	Jersey.	Jersey.	....	7. 8.	H. ☉.	Eng. bot. 1002.		
2 albescens. W.	white Jamaica.	Jamaica.	1793.	....	S. ♄.			
3 sanguineum. W.	bloody.	Egypt.	1768.	5. 7.	H. ♃.	Rauw. it. 285. t. 87.		
4 undulatum. W.	wave-leaved.	Africa.	1732.	6. 9.	H. ☉.	Dill. elth. t. 108. f. 130.		
5 obtusifolium. W.	blunt-leaved.	N. America.	1699.	7. 9.	H. ☉.	——— t. 108. f. 131.		
6 purpureum. W.	purple-flow'r'd.	S. America.	1732.	6. 9.	G. ♂.	——— t. 109. f. 132.		
7 involucratum. W.	involucred.	N. Zealand.	1823.	7. 8.	G. ♃.	Botan. magaz. 2582.		
8 americanum. W.en.	Jamaica.	Jamaica.	1815.	....	S. ♃.			
9 pensylvanicum. W.en.	American.	N. America.	——	7. 9.	H. ☉.			
10 sylvaticum. W.	highland.	Britain.	....	8. 9.	H. ♃.	Eng. bot. 913.		
11 rectum. W.	upright wood.	———	....	——	H. ♃.	——— 124.		
12 coarctatum. W.	crowded.	Chili.	1820.	——	H. ☉.			
13 supinum. W.	dwarf.	Scotland.	....	6. 7.	H. ♃.	Eng. bot. 1193.		
14 pusillum. W.	small.	Sweden.	1818.	——	H. ♃.	Krock. siles. t. 41.		
15 sphæricum. W.en.	sphærical.	S. Europe.	——	——	H. ♃.			
16 cephaloideum. W.en.	headed.	———	——	——	H. ☉.			
17 uliginosum. W.	marsh.	Britain.	....	8. 9.	H. ☉.	Eng. bot. 1194.		
18 germanicum. W.	common.	———	....	6. 8.	H. ☉.	——— 948.		
19 gallicum. W.	narrow-leaved.	England.	....	——	H. ☉.	——— 2369.		
20 pyramidatum. W.	pyramidal.	S. Europe.	1779.	——	H. ☉.			
21 minimum. W.	least.	Britain.	....	7. 8.	H. ☉.	Eng. bot. 1157.		
22 arvense. W.	corn.	Europe.	1804.	——	H. ☉.			
23 australe. F.	southern.	S. Europe.	1823.	——	H. ☉.			
METALASIA. L.T.	Metalasia.	Syngenesia Polygamia Superflua.						
1 muricata. L.T.	muricate.	C. B. S.	1816.	6. 9.	G. ♄.			
2 divergens.	spreading.	———	——	——	G. ♄.	Burm. afr. t. 72. f. 2.		
Gnaphalium divergens. W.								
3 fastigiata.	close-flowered.	———	1812.	5. 8.	G. ♄.	Petiv. gaz. 12. t. 7. f. 3.		
Gnaphalium fastigiatum. W.								
4 mucronata. L.T.	mucronate.	———	1824.	——	G. ♄.	Burm. afr. t. 66. f. 3.		
SPIRALEPIS. D.D.	Spiralepis.	Syngenesia Polygamia Superflua.						
1 squarrosa. D.D.	squarrose.	C. B. S.	1816.	7. 10.	G. ♄.	Jacq. frag. t. 3. f. 4.		
Gnaphalium squarrosum. Jacq.								
2 glomerata. D.D.	cluster-flow'r'd.	———	1774.	8. 9.	G. ♃.			
3 ? declinata. D.D.	creeping.	———	1787.	7. 9.	G. ♃.			
Gnaphalium declinatum. W.								
ASTELMA. Br.	Astelma.	Syngenesia Polygamia Superflua.						
1 eximium. B.R.	giant.	C. B. S.	1793.	6. 9.	G. ♄.	Botan. regist. 582.		
Gnaphalium eximium. A.R. 684.								
2 milleflorum. D.D.	many-flowered.	———	1802.	6. 9.	G. ♄.			
Gnaphalium milleflorum. W.								
3 spiralis. D.D.	spiral-leaved.	———	1801.	7. 10.	G. ♄.	Andr. reposit. 262.		
Elichrysum spirale. W.								
4 variegatum. D.D.	large globular-fld.	———	——	5. 6.	G. ♄.			
5 speciosissimum. D.D.	showy.	———	1691.	7. 9.	G. ♄.	Andr. reposit. 51.		
Elichrysum speciosissimum. W.								
6 imbricatum. D.D.	imbricated.	———	1816.	——	G. ♄.			
Elichrysum imbricatum. W.								
7 canescens. D.D.	elegant.	———	1794.	8. 4.	G. ♄.	Botan. magaz. 420.		
8 retortum. D.D.	trailing.	———	1732.	7. 8.	G. ♄.	Dill. elth. t. 322. f. 415.		
9 Stæhelina. D.D.	keel-leaved.	———	1801.	12. 1.	G. ♄.	Andr. reposit. 428.		
10? fragrans.	fragrant.	———	1803.	7. 9.	G. ♄.	——— 313.		
Elichrysum fragrans. A.R.								
HELICHRYSUM. P.S.	Helichrysum.	Syngenesia Polygamia Superflua.						
1 grandiflorum. D.D.	great-flowered.	C. B. S.	1731.	6. 8.	G. ♄.	Burm. afr. t. 76. f. 1.		
Gnaphalium grandiflorum. W.								
2 fruticans. D.D.	frutescent.	———	1779.	——	G. ♄.	Botan. magaz. 1802.		
Astelma fruticans. B.R. 726. *Gnaphalium fruticans.* B.M. *grandiflorum* [illegible]. 489.								
3 crispum. D.D.	curled.	———	1809.	——	G. [illegible]			
4 arboreum. D.D.	shrubby.	———	1770.	2. 8.	G. ♄.			
5 congestum. D.D.	close-headed.	———	1791.	5. 6.	G. ♄.	Botan. regist. 243.		
Gnaphalium congestum. B.R.								
6 patulum. D.D.	spreading.	———	1771.	8. 1.	G. ♄.			
7 discolorum. D.D.	two-coloured.	———	1815.	5. 8.	G. ♄.	Burm. afr. t. 97. f. 4.		
8 cephalotes. D.D.	large-headed.	———	1789.	11. 1.	G. ♄.	Pluk. phyt. t. 410. f. 2.		

9? diosmæfolium.	Diosma-leaved.	——	1812.	8. 8.	G. ♄.	Vent. malm. t. 74.
Gnaphalium diosmæfolium. v.						
10 ericoides. D.D.	Heath-leaved.	——	1774.	——	G. ♄.	Botan. magaz. 435.
Gnaphalium ericoides. B.M. *non Helichrysum ericoides.* P.S.						
11 teretifolium. D.D.	round-leaved.	——	1812.	——	G. ♄.	Burm. afr. t. 77. f. 2.
12? tephrodes.	slender-leaved.	——	1816.	——	G. ♄.	
Gnaphalium tephrodes. L.en.						
13? acuminatum.	taper-pointed.	——	——	——	G. ♄.	
Gnaphalium acuminatum. L.en.						
14? lasiocaulon.	woolly-stalked.	——	1823.	6. 9.	G. ♄.	
Gnaphalium lasiocaulon. L.en.						
15 Stœchas. D.D.	common shrubby.	S.Europe.	1629.	6. 10.	H. ♄.	Barrel. ic. 410.
16 angustifolium.	narrow-leaved.	——	1818.	——	H. ♄.	
Gnaphalium angustifolium. P.S.						
17 conicum.	conical.	——	1824.	——	H. ♄.	
Gnaphalium conicum. L.en.						
18 ignescens. D.D.	red-flowered.	C. B. S.	1731.	6. 10.	G. ♄.	
19 microphyllum. D.D.	small-leaved.	Crete.	1823.	——	G. ♄.	
20? dasyanthum.	hairy-flowered.	C. B. S.	1812.	——	G. ♄.	
Gnaphalium dasyanthum. W.en.						
21 crassifolium. D.D.	thick-leaved.	S. Europe.	1774.	7. 9.	G. ♄.	
22 maritimum. D.D.	sea-side.	C. B. S.	1772.	6. 8.	G. ♄.	Burm. afr. t. 77. f. 2.
23 apiculatum. D.D.	New Holland.	V.Diem.Isl.	1804.	1. 12.	G. ♄.	Botan. regist. 240.
Gnaphalium apiculatum. B.R.						
24 fœtidum. D.D.	strong-scented.	C. B. S.	1692.	6. 9.	G. ♂.	Botan. magaz. 1987.
Gnaphalium fœtidum. B.M.						
25 cylindricum. D.D.	cylindrical.	C. B. S.	1780.	6. 8.	G. ♃.	Pluk. plyt. 298. f. 4.
26 orientale. D.D.	eastern.	Africa.	1629.	4. 8.	G. ♄.	Comm. hort. 2. t. 55.
27 arenarium. D.D.	sand.	Europe.	1739.	7. 9.	H. ♃.	Botan. magaz. 2159.
28 graveolens.	strong-smelling.	Tauria.	1819.	——	H. ♃.	
Gnaphalium graveolens. M.B.						
29 odoratissimum.	sweet-scented.	C. B. S.	1691.	4. 8.	G. ♄.	Mill. ic. 1. t. 131. f. 2.
30 candidissimum. D.D.	white-leaved.	Caucasus.	1819.	7. 9.	H. ♃.	
31 rutilans. D.D.	shining-flow'r'd.	C. B. S.	1731.	6. 7.	G. ♃.	Dill. elt. t. 107. f. 127.
32 cymosum. D.D.	branching.	Africa.	——	4. 8.	G. ♄.	—— —— t. 107. f. 128.
33 helianthemifolium. D.	Sun-rose-l^d.	C. B. S.	1774.	7. 10.	G. ♄.	Volck. norib. t. 194.
34 bracteatum. D.D.	wave-leaved.	N.Holland.	1799.	7. 10.	H. ☉.	Andr. reposit. 375.
chrysanthum. P.S. *Xeranthemum bracteatum.* V.M. t. 2.						
35 fulgidum. P.S.	great yellow.	C. B. S.	1774.	2. 10.	G. ♃.	Botan. magaz. 414.
36 dealbatum. P.S.	herbaceous.	V.Diem.Isl.	1812.	1. 12.	G. ♃.	Lab. nov. hol. 2. t. 190.
37 paniculatum. P.S.	corymb-fld.	C. B. S.	1800.	6. 9.	G. ♄.	Burm. afr. t. 67. f. 1.
argenteum. A.R. 552. *nec aliorum.*						
38 argenteum. P.S.	silvery.	——	——	——	G. ♄.	
39 rigidum. A.R.	rigid-leaved.	——	1801.	5. 6.	G. ♄.	Andr. reposit. 387.
40 herbaceum. A.R.	shining-flow'r'd.	——	1802.	7. 9.	G. ♃.	—— —— —— 487.
splendens. B.M. 1778.						

LEUCOSTEMMA. D.D. Leucostemma. Syngenesia Polygamia Superflua.

vestitum. D.D.	upright.	C. B. S.	1774.	7. 9.	G. ♄.	Burm. afr. t. 66. f. 1.
Elichrysum vestitum. W.						

PHŒNOCOMA. D.D. Phœnocoma. Syngenesia Polygamia Superflua.

prolifera. D.D.	proliferous.	C. B. S.	1789.	5. 11.	G. ♄.	Botan. regist. 21.
Elichrysum proliferum. B.R. *Xeranthemum proliferum.* L.						

APHELEXIS. D.D. Aphelexis. Syngenesia Polygamia Superflua.

1 humilis. D.D.	dwarf.	C. B. S.	1812.	6. 9.	G. ♄.	Andr. reposit. ic.
Elichrysum spectabile. B.C. 59. *pinifolium.* P.S.?						
2 sesamoides. D.D.	superb.	——	1739.	4. 6.	G. ♄.	Botan. magaz. 425.
Elichrysum sesamoides. W. *Xeranthemum sesamoides.* B.M.						
3 fasciculata. D.D.	bundle-leaved.	——	1799.	3. 9.	G. ♄.	Andr. reposit. 242.
α lutescens.	*yellowish.*	——	....	——	G. ♄.	
β versicolor.	*variegated-fld.*	——	....	——	G. ♄.	Breyn. ic. t. 16. f. 2.
γ alba.	*white-flowered.*	——	....	——	G. ♄.	Andr. reposit. 279.
δ rubra.	*red-flowered.*	——	....	——	G. ♄.	—— —— 650.
4 ericoides.	filiform.	——	1796.	——	G. ♄.	Lam. ill. t. 693. f. 2.
Helichrysum ericoides. P.S.						

FILAGO. W. Cotton-rose. Syngenesia Polygamia Necessaria. W.

pygmæa. W.	pigmy.	S. Europe.	1629.	7. 8.	H. ☉.	Cavan. ic. 1. t. 36.
Evax pygmæa. G.						

MICROPUS. W. Micropus. Syngenesia Polygamia Necessaria. W.

1 supinus. W.	trailing.	S. Europe.	1710.	6. 9.	H. ☉.	Schk. hand. 3. t. 267.
2 erectus. W.	upright.	——	1683.	——	H. ☉.	Lœfl. hisp. t. 1. f. 3.

ERIGERON. W.	**Erigeron.** Syngenesia Polygamia Superflua. L.						
1 graveolens. W.	strong-smelling.	S. Europe.	1633.	7. 8.	H.⊙.	Ger. emac. 481. f. 2.
2 compositum. Ph.	daisy-flowered.	N.America.	1811.	——	H.♃.	
3 carolinianum. W.	Hyssop-leaved.	—— ——	1727.	——	H.♃.	Dill. elt. t. 306. f. 394.
4 canadense. W.	Canada.	England.	....	8. 9.	H.⊙.	Eng. bot. 2019.
5 nudicaule. M.	naked-stalked.	N.America.	1812.	7.	H.♃.	
6 bonariense. W.	buck's-horn.	S. America.	1732.	7. 8.	H.⊙.	Dill. elt. t. 257. f. 334.
7 linifolium. W.	flax-leaved.	—— ——	....	——	H.⊙.	
8 lævigatum. L.en.	smooth.	Cayenne.	1823.	——	S.♂.	
9 delphinifolium. W.en.	Larkspur-l^d.	S. America.	1816.	——	S.♂.	
10 strigosum. W.	strigose.	N.America.	1818.	——	H.♂.	
11 heterophyllum. W.	various-leaved.	—— ——	1640.	7. 9.	H.♂.	Flor. græc. t. 486.
Aster annuus. L. *Diplopappus dubius.* Cas.						
12 chinense. W.	Chinese.	China.	1818.	——	H.⊙.	Jacq. schœnb. 3. t. 303.
13 jamaicense. W.	Jamaica.	Jamaica.	1820.	——	S.⊙.	Swartz obs. t. 8. f. 2.
14 philadelphicum. W.	spreading.	N.America.	1778.	7. 8.	H.♃.	
15 purpureum. W.	purple.	Hudson'sBay.	1776.	——	H.♃.	
16 bellidifolium. W.	Plantain-leav'd.	N.America.	1790.	——	H.♃.	
serpentarium. Hort.						
17 glaucum. B.R.	glaucous-leav'd.	S. America.	1812.	1. 12.	G.♄.	Botan. regist. 10.
18 chilense. D.P.	Chili.	Chili.	1816.	7. 9.	H.⊙.	
Conyza chilensis. L.en.						
19 Villarsii. W.	Villars's.	Piedmont.	1804.	7. 8.	H.♃.	Botan. regist. 583.
atticum. Vil.						
20 rupestre. Schl.	rock.	Switzerland.	1818.	——	H.♃.	
21 grandiflorum. Hop.	large-flowered.	—— ——	1825.	——	H.♃.	
22 acre. W.	common.	Britain.	....	——	H.♂.	Eng. bot. 1158.
23 alpinum. W.	Alpine.	Scotland.	....	7.	H.♃.	—— —— 464.
24 uniflorum. W.	dwarf.	—— ——	....	8. 9.	H.♃.	—— —— 2416.
25 gramineum. W.	grass-leaved.	Siberia.	1824.	——	H.♃.	Gmel. sib. 2. t. 76. f. 2.
26 caucasicum. M.B.	Caucasean.	Caucasus.	——	7. 8.	H.♃.	
27 asteroides. L.en.	Starwort-like.	.....	1812.	——	H.♃.	
JASONIA. Cas.	**Jasonia.** Syngenesia Polygamia Superflua.					
longifolia. Cas.	long-leaved.	N. America.	1818.	7. 8.	H.♃.	
Erigeron longifolium. P.S.						
CALOTIS. B.R.	**Calotis.** Syngenesia Polygamia Superflua.					
cuneifolia. B.R.	wedge-leaved.	N.Holland.	1819.	7. 8.	G.♄.	Botan. regist. 504.
ASTER. W.	**Starwort.** Syngenesia Polygamia Superflua. L.					
1 reflexus. W.	reflexed-leav'd.	C. B. S.	1759.	2. 9.	G.♄.	Botan. magaz. 384.
2 tomentosus. W.	tooth-leaved.	N. S. W.	1793.	5. 7.	G.♄.	Wend. s.han. p.8. t.24.
dentatus. Andr. rep. 61.						
3 stellulatus. P.S.	starry-haired.	V.Diem.Isl.	1823.	——	G.♄.	Lab.nov.hol.2. t. 195.
4 exasperatus. L.en.	rough-leaved.	N.Holland.	1816.	——	G.♄.	
5 argophyllus. P.S.	musk-scented.	V.Diem.Isl.	1804.	——	G.♄.	Botan. magaz. 1563.
6 liratus. B.M.	fluted-stemm'd.	N. S. W.	1812.	——	G.♄.	—— —— 1590.
7 sericeus. W.	silky-leaved.	Missouri.	1802.	5. 11.	G.♄.	Venten. cels. 33.
8 Cymbalariæ. W.	Ivy-leaved.	C. B. S.	1786.	5. 11.	G.♄.	Venten. malm. 95.
9 angustifolius. W.	narrow-leaved.	—— ——	1804.	5. 7.	G.♄.	Jacq. schœnb. 3. t. 270.
10 villosus. W.	villous.	—— ——	1812.	——	G.♄.	
11 obtusatus. W.	obtuse-leaved.	—— ——	1793.	——	G.♄.	
12 fruticulosus. W.	shrubby.	—— ——	1759.	3. 7.	G.♄.	Jacq. frag. 9. t. 5. f. 4.
13 filifolius. V.	thread-leaved.	—— ——	1812.	——	G.♄.	Venten. malm. t. 82.
14 aculeatus. P.S.	prickly-leaved.	V.Diem.Isl.	1816.	——	G.♄.	Lab.nov. hol. 2. t. 200.
15 tenellus. W.	slender.	C. B. S.	1769.	4. 10.	G.♄.	Botan. magaz. 33.
16 alpinus. W.	Alpine.	AlpsEurope.	1658.	5. 8.	H.♃.	—— —— —— 199.
17 pulchellus. W.	narrow-rayed.	Armenia.	1818.	——	H.♃.	
18 caucasicus. W.	Caucasean.	Caucasus.	1804.	7. 8.	H.♃.	
19 alwartensis. B.M.	large-flowered.	—— ——	....	——	H.♃.	Botan. magaz. 2221.
20 heterophyllus. W.en.	various-leaved.	N.America.	1811.	7. 9.	H.♃.	
21 macrophyllus. W.	large-leaved.	—— ——	1789.	——	H.♃.	
22 corymbosus. W.	corymbed.	—— ——	1765.	9.	H.♃.	
23 cordifolius. W.	heart-leaved.	—— ——	1759.	7. 8.	H.♃.	
24 paniculatus. W.	panicled.	—— ——	1640.	9. 10.	H.♃.	Corn. canad. t. 65.
25 sagittifolius. W.	arrow-leaved.	—— ——	1818.	7. 9.	H.♃.	
26 undulatus. W.	wave-leaved.	—— ——	1699.	8. 10.	H.♃.	Herm. parad. 96.
27 præcox. W.en.	early-flowering.	—— ——	1800.	7. 8.	H.♃.	
28 pallens. W.en.	pale-flowered.	—— ——	....	9. 10.	H.♃.	
29 conyzoides. W.	Conyza-like.	—— ——	1778.	8. 9.	H.♃.	
30 amygdalinus. Ph.	Almond-leav'd.	—— ——	1759.	7. 9.	H.♃.	
umbellatus. W.						

31	humilis. W.	low.	———	1699.	8. 10.	H. 4.	Willd. hort. ber. 67.
32	altaicus. W.en.	dwarf.	Siberia.	1804.	8. 8.	H. 4.	
33	nemoralis. H.K.	wood.	N.America.	1778.	8. 9.	H. 4.	
	ledifolius. Ph.						
34	hyssopifolius. W.	Hyssop-leaved.	———	1683.	9. 10.	H. 4.	Dodart. mem. t. 60.
35	punctatus. W.	dotted.	Hungary.	1815.	8. 9.	H. 4.	W. et K. hung. 2. t. 109.
36	acris. W.	acrid.	S. Europe.	1731.	——	H. 4.	Pluk. alm. t. 271. f. 3.
37	canus. W.	hoary-leaved.	Hungary.	1816.	——	H. 4.	W. et K. hung. 1. t. 30.
38	solidaginoides. W.	Solidago-like.	N.America.	1699.	——	H. 4.	Pluk. alm. t. 79. f. 2.
39	rigidus. Ph.	stiff-leaved.	———	1759.	8. 10.	H. 4.	——— t. 14. f. 7.
	nemoralis. W.						
40	linifolius. W.	flax-leaved.	———	1739.	7. 8.	H. 4.	
41	linariifolius. Ph.	Toad-flax-ld.	———	1699.	9. 10.	H. ♄.	
42	subulatus. M.	awl-leaved.	———	1823.	8. 10.	H. ☉.	
43	pilosus. W.	hairy.	———	1812.	——	H. 4.	
44	folioloosus. W.	leafy.	———	1732.	10.	H. 4.	Dill. elth. t. 35. f. 39.
45	tenuifolius. W.	slender-leaved.	———	1725.	9. 10.	H. 4.	Pluk. alm. t. 78. f. 5.
46	dumosus. W.	bushy.	———	1734.	——	H. 4.	Herm. parad. 96.
47	ericoides. W.	heath-leaved.	———	1758.	9.	H. 4.	
48	multiflorus. W.	many-flowered.	———	1732.	9. 10.	H. 4.	Dill. elth. t. 36. f. 40.
49	ciliatus. W.	ciliated.	———	....	——	H. 4.	
50	canescens. Ph.	canescent.	N.America.	1812.	9. 10.	H. ♂.	
	biennis. N.						
51	sparsiflorus. Ph.	scattered-fld.	———	1798.	9. 11.	H. 4.	
52	coridifolius. W.	Coris-leaved.	———	....	8. 11.	H. 4.	
53	squarrosus. W.	ragged.	———	1801.	6. 7.	H. 4.	
54	argenteus. H.K.	silver-leaved.	———	——	7. 9.	H. 4.	
55	concolor. W.	self-coloured.	———	1759.	8. 11.	H. 4.	
56	reticulatus. Ph.	netted-leaved.	———	1812.	——	H. 4.	
57	cornifolius. W.	Dogwood-ld.	———	1811.	——	H. 4.	
58	salicifolius. W.	Willow-leaved.	———	1760.	9. 10.	H. 4.	Rob. ic. 307.
59	æstivus. W.	summer.	———	1776.	7. 8.	H. 4.	
60	pannonicus. W.	Hungarian.	Hungary.	1815.	——	H. 4.	Jacq. vind. 1. t. 8.
61	Amellus. W.	Italian.	Italy.	1596.	8. 9.	H. 4.	Botan. regist. 340.
	α latifolius.	*broad-leaved.*	———	——	——	H. 4.	
	β angustifolius.	*narrow-leaved.*	———	——	——	H. 4.	
62	novæ angliæ. W.	New England.	N.America.	1710.	9. 10.	H. 4.	Botan. regist. 183.
	β rubra.	*red-flowered.*	———	1812.	——	H. 4.	——— 183. f. *inf.*
63	cyaneus. N.	bright-blue.	———	1789.	——	H. 4.	Hoff. phyt. 1. t. B. f. 1.
64	paludosus. W.	marsh.	———	1784.	——	H. 4.	
65	grandiflorus. W.	great-flowered.	———	1720.	10. 11.	H. 4.	Botan. regist. 273.
66	carolinianus. W.	tall.	Carolina.	...	8. 9.	H. ♄.	
67	oblongifolius. N.	oblong-leaved.	Missouri.	1823.	——	H. 4.	
68	phlogifolius. W.	Phlox-leaved.	N.America.	1797.	7. 10.	H. 4.	
69	patens. W.	spreading.	———	1773.	9. 11.	H. 4.	Swt. brit. fl. gar. ic.
70	Tripolium. W.	sea-side.	Britain.	....	8. 9.	H. 4.	Eng. bot. 87.
71	salignus. W.	Sallow-leaved.	Germany.	1815.	——	H. 4.	
72	puniceus. W.	red-stalked.	N.America.	1710.	7. 10.	H. 4.	Herm. fudgb. t. 651.
73	hispidus. W.	rough-stalked.	China.	1804.	9. 10.	H. 4.	Kæmpf. ic. t. 29.
74	tataricus. W.	Tartarian.	Siberia.	1818.	7. 9.	H. 4.	
75	sibiricus. W.	Siberian.	———	1768.	——	H. 4.	Gmel. sib. 2. t. 80. f. 1.
	Grindelia sibirica. Spr.						
76	incisus. F.	cut-leaved.	———	1816.	6. 9.	H. 4.	
77	elegans. W.	elegant.	.....	1790.	8. 10.	H. 4.	
78	amplexicaulis. W.	stem-clasping.	N.America.	....	9. 11.	H. 4.	
79	adulterinus. W.en.	bastard.	———	....	8. 10.	H. 4.	
80	lævigatus. W.	smooth-stem'd.	———	1794.	9. 11.	H. 4.	
81	longifolius. P.S.	long-leaved.	———	1798.	10.	H. 4.	Moris. s. 7. t. 22. f. 26.
82	versicolor. W.	various-color'd.	———	1790.	8. 9.	H. 4.	
83	mutabilis. W.	changeable.	———	1710.	9. 10.	H. 4.	Herm. lugd. t. 67
84	lævis. W.	smooth.	———	1753.	——	H. 4.	
85	concinnus. W.en.	neat.	———	1800.	——	H. 4.	
86	floribundus. W.	abundant-fld.	———	....	——	H. 4.	
87	novi belgii. W.	New-York.	———	1710.	——	H. 4.	Herm. lugd. t. 69.
88	firmus. L.en.	firm.	———	1818.	——	H. 4.	
89	bellidiflorus. W.en.	daisy-flowered.	———	....	——	H. 4.	
90	spectabilis. W.	showy.	———	1777.	8. 9.	H. 4.	
91	serotinus. W.	late-flowering.	———	....	9. 11.	H. 4.	
92	tardiflorus. W.	spear-leaved.	———	1775.	7. 9.	H. 4.	

93	blandus. Ph.	charming.	———	1800.	10.	11.	H.4.	
94	acuminatus. Ph.	acuminate.	———	1806.	8.	10.	H.4.	
95	eminens. W.en.	eminent.	———	....	9.	11.	H.4.	
96	Radula. W.	rasp-leaved.	———	1785.	——		H.4.	
97	glaucus. W.en.	glaucous-leav'd.	.....	1823.	——		H.4.	
98	prenanthoides. W.	hairy-branch'd.	N.America.	1817.	——		H.4.	
99	strictus. Ph.	upright dwarf.	———	1806.	——		H.4.	
100	Tradescanti. W.	Michaelmas daisy.	———	1633.	7.	9.	H.4.	Moris. s. 7. t. 21. f. 42.
101	vimineus. W.	slender.	———	1818.	——		H.4.	
102	recurvatus. W.	recurved.	———	1800.	8.	9.	H.4.	
103	laxus. W.en.	loose-stalked.	———	....	9.	11.	H.4.	
104	simplex. W.en.	simple-stalked.	———	....	8.	10.	H.4.	
105	polyphyllus. W.en.	many-leaved.	———	....	——		H.4.	
106	junceus. W.	slender-stalk'd.	———	1758.	9.	10.	H.4.	
107	lanceolatus. W.	lanceolate.	———	1811.	8.	11.	H.4.	
108	dracunculoides. W.	Tarragon-like.	———	——	9.	11.	H.4.	
109	fragilis. W.	brittle.	———	1800.	9.		H.4.	
110	pinifolius. L.en.	Pine-leaved.	———	1823.	——		H.4.	
111	laxiflorus. L.en.	loose-flowered.	———	....	8.	10.	H.4.	
112	miser. W.	meagre-fld.	———	1759.	9.	10.	H.4.	
113	divergens. W.	spreading downy	———	1758.	——		H.4.	
114	diffusus. W.	diffuse.	———	1777.	——		H.4.	
115	pendulus. W.	pendulous.	———	1758.	——		H.4.	
116	parviflorus. L.en.	small-flowered.	———	1822.	——		H.4.	
117	rigidulus. L.en.	stiffish.	———	——	——		H.4.	
118	myrtifolius. L.en.	Myrtle-leaved.	———	1819.	8.	9.	H.4.	
119	pulcherrimus. B.C.	beautiful.	———	1811.	9.	10.	H.4.	Lodd. bot. cab. 0.
CALLISTEMA. Cas.		CHINA ASTER.	Syngenesia Polygamia Superflua.					
	hortensis. Cas.	garden.	China.	1731.	7.	9.	H.⊙.	Dill. elth. t. 34. f. 38.
	α caerulea.	*blue-flowered.*	———	——	——		H.⊙.	
	β rubra.	*red-flowered.*	———	——	——		H.⊙.	
	γ alba.	*white-flowered.*	———	——	——		H.⊙.	
	δ variegata.	*variegated.*	———	——	——		H.⊙.	
	ε multiplex.	*double-flowered.*	———	——	——		H.⊙.	
	ζ brachyantha.	*bonnet.*	———	——	——		H.⊙.	
SOLIDAGO. W.		GOLDEN-ROD.	Syngenesia Polygamia Superflua. L.					
1	canadensis. W.	Canadian.	N.America.	1648.	7.	9.	H.4.	Schk. hand. 3. f. 246.
2	procera. W.	great.	———	1758.	9.	10.	H.4.	
3	serotina. W.	upright smooth.	———	——	7.	8.	H.4.	
4	gigantea. W.	gigantic.	———	——	8.	9.	H.4.	
5	ciliaris. W.	ciliated.	———	1811.	——		H.4.	
6	reflexa. W.	hanging-leav'd.	———	1758.	8.	9.	H.4.	
7	fragrans. W.en.	fragrant.	———	....	7.	9.	H.4.	
8	lateriflora. W.	lateral-flow'r'd.	———	1758.	8.	9.	H.4.	
9	aspera. W.	rough-leaved.	———	1732.	9.		H.4.	Dill. elth. t. 305. f. 392.
10	altissima. W.	tall.	———	1686.	8.	9.	H.4.	Mart. cent. 14.
11	recurvata. W.en.	recurved.	———	1814.	——		H.4.	
12	rugosa. Ph.	wrinkle-leaved.	———	1732.	——		H.4.	Dill. elth. t. 306. f. 396.
13	villosa. Ph	villous.	———	——	——		H.4.	
14	scabra. W.	rough.	———	1811.	——		H.4.	
15	nemoralis. W.	woolly-stalked.	———	1769.	9.		H.4.	
16	patula. W.	spreading.	———	1805.	9.	10.	H.4.	
17	ulmifolia. W.	Elm-leaved.	———	——	8.	10.	H.4.	
18	arguta. W.	sharp-notched.	———	1758.	7.	8.	H.4.	
19	juncea. W.	rush-stalked.	———	1769.	8.	9.	H.4.	
20	elliptica. W.	oval-leaved.	———	1759.	——		H.4.	
21	odora. W.	sweet smelling.	———	1699.	7.	8.	H.4.	Pluk. alm. t. 116. f. 6.
22	lævigata. N.	fleshy-leaved.	———	——	10.	11.	H.4.	
23	pyramidata. Ph.	pyramidal.	———	1812.	8.	9.	H.4.	
24	mexicana. W.	Mexican.	America.	1683.	7.	10.	H.4.	Dodart. act. 4. t. 219.
25	sempervirens. N.	evergreen.	N.America.	1699.	9.	10.	H.4.	Corn. canad. t. 169.
26	speciosa. N.	handsome.	———	1812.	——		H.4.	
27	paucifloscolosa. M.	slender-fld.	———	1811.	8.	10.	H.4.	
28	bicolor. W. *Aster bicolor.* Nees.	two-coloured.	———	1759.	8.	9.	H.4.	Pluk. alm. t. 114. f. 8.
29	petiolaris. W.	late-flowered.	———	1758.	10.	12.	H.4.	
30	stricta. W.	Willow-leaved.	———	——	9.		H.4.	
31	humilis. Ph.	dwarf.	———	1811.	7.	8.	H.4.	
32	livida. W.en.	livid.	———	....	——		H.4.	

33 hirta. W.en.	hairy.	———	....	9. 10.	H.4.		
34 lithospermifolia. Ph.	Gromwell-lf.	———	1811.	8. 10.	H.4.		
35 hispida. W.	hispid.	———	1820.	——	H.4.		
36 cæsia. W.	Maryland.	———	1732.	9. 10.	H.4.		
37 flexicaulis. W.	crook-stalked.	———	1725.	9.	H.4.	Pluk. alm. t. 235. f. 3.	
38 latifolia. L.	broad-leaved.	———	———	———	H.4.	——— t. 235. f. 4.	
39 ambigua. W.	angular-stalked.	.....	1759.	7. 8.	H.4.		
40 macrophylla. Ph.	large-leaved.	N.America.	....	8. 10.	H.4.		
41 glomerata. M.	close-flowered.	———	1820.	——	H.4.		
42 alpestris. W.K.	Alpine.	Europe.	——	7. 9.	H.4.		
43 Virgaurea. W.	common.	Britain.	....	——	H.4.	Eng. bot. 301.	
44 cambrica. W.	Welsh.	Wales.	....	7. 8.	H.4.	Dill. elth. t. 306. f. 393.	
45 axillaris. Ph.	axillary.	N.America.	1811.	8. 10.	H.4.		
46 erecta. Ph.	upright.	———	....	——	H.4.		
47 viminea. W.	twiggy.	———	1759.	9.	H.4.		
48 angustifolia. N.	narrow-leaved.	———	1824.	——	H.4.		
49 decurrens. Lour.	decurrent.	China.	1823.	8. 10.	H.4.		
50 puberula. N.	pubescent.	N.America.	——	——	H.4.		
51 minuta. W.	least.	Pyrenees.	1772.	7. 8.	H.4.	Lodd. bot. cab. 189.	
52 multiradiata. W.	Labrador.	Labrador.	1776.	——	H.4.		
53 elata. Ph.	tall hairy.	N.America.	1811.	8. 10.	H.4.		
54 rigida. W.	hard-leaved.	———	1710.	9.	H.4.	Herm. parad. 243.	
EUTHAMIA. N.	EUTHAMIA.	Syngenesia Polygamia Superflua.					
1 graminifolia. N.	grass-leaved.	N.America.	1758.	8. 10.	H.4.	Botan. magaz. 2546.	
Chrysocoma graminifolia. L. *Solidago lanceolata.* W.							
2 tenuifolia. N.	slender-leaved.	———	——	9. 10.	H.4.		
CHRYSOCOMA. W.	GOLDY-LOCKS.	Syngenesia Polygamia Æqualis. L.					
1 comaurea. W.	great shrubby.	C. B. S.	1731.	6. 8.	G.h.	Botan. magaz. 1972.	
2 patula. W.	spreading.	———	1816.	——	G.h.		
3 cernua. W.	small shrubby.	———	1712.	5. 9.	G.h.	Comm. hort. 2. t. 45.	
4 ciliaris. W.	Heath-leaved.	———	1759.	7. 10.	G.h.	——— 2. t. 48.	
5 nivea. W.	woolly-leaved.	———	1820.	5. 9.	G.h.	Jacq. schœn. 2. t. 147.	
tomentosa. Jacq. non L.							
6 scabra. W.	rugged.	———	1732.	8. 9.	G.h.	Dill. elth. t. 88. f. 103.	
7 denticulata. W.	toothed.	.....	....	——	G.h.	Jacq. schœn. 3. t. 368.	
8 Linosyris. W.	flax-leaved.	Europe.	....	9. 10.	H.4.	Eng. bot. 2505.	
9 dracunculoides. W.	Siberian.	Siberia.	....	——	H.4.		
10 biflora. W.	two-flowered.	———	1741.	8. 9.	H.4.	Gmel. sib. 2. t. 82. f. 1.	
11 graveolens. N.	Rue-scented.	Missouri.	1822.	——	H.4.		
12 nudata. N.	naked.	N.America.	1819.	——	H.4.		
13 virgata. N.	slender.	———	——	——	H.4.		
14 villosa. W.	villous.	Hungary.	1799.	——	H.4.	W. et K. hung. 1. t. 58.	
BOLTONIA. W.	BOLTONIA.	Syngenesia Polygamia Superflua. L.					
1 asteroides. W.	Starwort-fld.	N.America.	1758.	8. 10.	H.4.	Botan. magaz. 2554.	
2 glastifolia. W.	glaucous-ld.	———	——	9.	H.4.	——— 2381.	
AMELLUS. W.	AMELLUS.	Syngenesia Polygamia Superflua.					
Lychnitis. W.	Cape.	C. B. S.	1768.	6. 7.	G.h.	Botan. regist. 586.	
SIDERANTHUS. Fras.	SIDERANTHUS.	Syngenesia Polygamia Superflua.					
1 villosus.	villous.	Missouri.	1811.	8. 9.	H.4.		
Sideranthus integrifolius. Fras. *Amellus villosus.* Ph.							
2 spinulosus.	spiny.	———	——	——	H.4.		
Amellus spinulosus. Ph. *Sideranthus pinnatifidus.* Fras.							
STARKEA. W.	STARKEA.	Syngenesia Polygamia Superflua.					
umbellata. W.	umbel-flower'd.	Jamaica.	1768.	6. 7.	S.4.	Lam. ill. t. 682. f. 2.	
ANDROMACHIA. K.S.	ANDROMACHIA.	Syngenesia Polygamia Superflua.					
iguiaria. K.S.	close-flowered.	S. America.	1823.	6. 8.	G.4.	H. et B. pl. æq. 2. t. 112.	
Hierba de Santa Maria. Incolarum.							
GRINDELIA. W.en.	GRINDELIA.	Syngenesia Polygamia Superflua. W.					
1 glutinosa. Dun.	glutinous.	Mexico.	1803.	1. 12.	G.h.	Botan. regist. 187.	
Donia glutinosa. B.R. *Doronicum glutinosum.* W.							
2 inuloides. W.en.	Inula-like.	———	1815.	6. 9.	G.h.	——— 248.	
3 angustifolia. B.R.	narrow-leaved.	———	1822.	——	G.h.	——— 781.	
4 spatulata. L.en.	spatulate-lf.	———	——	——	G.h.		
5 squarrosa. Dun.	Snake-headed.	Missouri.	1811.	7. 9.	G.4.	Botan. magaz. 1706.	
6 ciliata.	ciliated.	Arkansa.	1821.	9. 10.	H.4.	Hook. ex. flor. 45.	
Donia ciliata. H.E.F.							
PODOLEPIS. Lab.	PODOLEPIS.	Syngenesia Polygamia Superflua.					
1 rugata. H.K.	wrinkle-scaled.	N.Holland.	1803.	7. 8.	G.4.	Lab. nov. holl. 2. t. 208.	
2 acuminata. H.K.	sharp-scaled.	N. S. W.	——	5. 8.	G.4.	Botan. magaz. 956.	
Scalia jacoides. B.M.							

GERBERIA. B.R.	GERBERIA. Syngenesia Polygamia Superflua.						
crenata. B.R.	crenated.	C. B. S.	1820.	4. 8.	G.♃.	Botan. regist. 865.
ARNICA. W.	ARNICA. Syngenesia Polygamia Superflua.						
1 montana. W.	mountain.	Europe.	1731.	7. 8.	H.♃.	Botan. magaz. 1749.
2 scorpioides. W.	alternate-ld.	Austria.	1710.	——	H.♃.	Jacq. aust. 4. t. 349.
3 Doronicum. W.	Clusius's.	———	1816.	——	H.♃.	——— 1. t. 92.
Clusii. All. t. 17. f. 1. 2.						
4 glacialis. W.	Alpine.	Germany.	——	——	H.♃.	Jacq. ic. 3. t. 586.
BELLIDIASTRUM. Cas.	BELLIDIASTRUM. Syngenesia Polygamia Superflua.						
Michelii. Cas.	Micheli's.	Austria.	1570.	6. 8.	H.♃.	Botan. magaz. 1196.
Arnica Bellidiastrum. B.M. *Doronicum Bellidiastrum.* L.						
DORONICUM. W.	LEOPARD'S-BANE. Syngenesia Polygamia Superflua. W.						
1 Pardalianches. W.	great.	Britain.	....	5.	H.♃.	Eng. bot. 630.
2 macrophyllum. L.en.	large-leaved.	Europe.	....	——	H.♃.	
3 scorpioides. W.	mountain.	Germany.	....	4. 6.	H.♃.	
4 caucasicum. M.B.	Caucasean.	Caucasus.	1815.	——	H.♃.	
orientale. W.en.						
5 altaicum. W.	Siberian.	Siberia.	1783.	6. 8.	H.♃.	Pall. a. pet. 1779. t. 16.
6 dentatum. L.en.	toothed.	.....	....	5. 6.	H.♃.	
7 plantagineum. L.	Plantain-ld.	S. Europe.	1570.	——	H.♃.	
8 austriacum. W.	Austrian.	Austria.	1816.	——	H.♃.	Jacq. aust. t. 130.
BELLIS. W.	DAISY. Syngenesia Polygamia Superflua. L.						
1 sylvestris. W.	large Portugal.	Portugal.	1797.	5. 7.	H.♃.	Botan. magaz. 2511.
2 perennis. W.	common.	Britain.	....	3. 8.	H.♃.	Eng. bot. 424.
β hortensis.	*large double.*	.....	....	——	H.♃.	Botan. magaz. 228.
γ fistulosa.	*red quilled.*	....	....	——	H.♃.	
δ tubulosa.	*white quilled.*	.....	....	——	H.♃.	
ε prolifera.	*Hen & Chicken.*	.....	....	——	H.♃.	
3 hybrida. Ten.	Italian.	Italy.	1824.	4. 8.	H.♃.	
4 annua. W.	annual.	S. Europe.	1759.	3. 7.	H.⊙.	Botan. magaz. 2174.
BELLIUM. W.	BELLIUM. Syngenesia Polygamia Superflua. L.						
1 bellidioides. W.	small.	Italy.	1796.	6. 9.	H.⊙.	Lam. ill. t. 684.
2 minutum. W.	dwarf.	Levant.	1772.	6.10.	H.♃.	Schreb. a.ups.1.t.5.f.2.
PSIADIA. W.	PSIADIA. Syngenesia Polygamia Necessaria. W.						
glutinosa. W.	glutinous.	Mauritius.	1796.	6. 8.	S.♄.	Jacq. schœn. 2. t. 152.

* *Omitted at page* 223, *where it should follow* APHELEXIS.

XERANTHEMUM. W.	XERANTHEMUM. Syngenesia Polygamia Superflua. L.					
1 annuum. W.	annual.	S. Europe.	1570.	7. 8.	H.⊙.	Jacq. aust. 4. t. 388.
2 inapertum. W.	small-flowered.	———	1620.	——	H.⊙.	Moris. s. 6. t. 12. f. 1.
3 orientale. W.	oriental.	Levant.	1713.	——	H.⊙.	

SUBORDO IV. *EUPATOREÆ. Kth. synops. 2. p. 408.*

KUHNIA. W.	KUHNIA. Syngenesia Polygamia Æqualis.					
1 eupatorioides. W.	Eupatorium-like.	N.America.	1812.	6. 8.	H.♃.	Linn. fil. dec. t. 11.
Critonia eupatorioides. G.						
2 Critonia. W.	glandular-ld.	———	1816.	——	H.♃.	Gært. carp. 2. t. 174. f. 7.
Critonia Kuhnia. G.						
EUPATORIUM. W.	EUPATORIUM. Syngenesia Polygamia Æqualis. L.					
1 Dalea. W.	shrubby.	Jamaica.	1773.	8.	S.♄.	Jacq. schœn. 2. t. 146.
2 parviflorum. W.	small-flowered.	———	1823.	——	S.♄.	
3 triflorum. W.	three-flowered.	Trinidad.	1821.	7. 8.	S.♄.	Aub. gui. 2. t. 314.
4 macrophyllum. W.	large-leaved.	S. America.	1824.	....	S.♃.	Plum. spec. 10. t. 129.
5 populifolium. K.s.	Poplar-leaved.	Mexico.	——	....	S.♄.	
6 canescens. W.	canescent.	S. America.	1822.	6. 8.	S.♄.	Vahl symb. 3. t. 73.
7 veronicæfolium. K.s.	Speedwell-ld.	Mexico.	1825.	....	S.♄.	H. et B. v. 4. t. 341.
8 fœniculaceum. W.	Fennel-leaved.	N.America.	1807.	6. 9.	H.♃.	
9 coronopifolium. W.	Buck's-horn-ld.	———	1819.	8. 9.	H.♃.	
10 hyssopifolium. W.	Hyssop-leaved.	———	1699.	——	H.♃.	Dill. elth. t. 115. f. 140.
11 sessilifolium. W.	sessile-leaved.	———	1777.	9. 10.	H.♃.	
12 truncatum. W.	truncate-leav'd.	———	1822.	8. 10.	H.♃.	
13 album. W.	white-flowered.	———	——	——	H.♃.	
14 lanceolatum. W.	spear-leaved.	———	1819.	8. 11.	H.♃.	
15 teucrifolium. W.	Teucrium-ld.	———	1816.	——	H.♃.	Willd. hort. ber. 32.

16	rotundifolium. W.	round-leaved.	———	1699.	7. 8.	H.♃.	Pluk. alm. t. 88. f. 4.
17	pubescens. W.	pubescent.	———	1816.	8. 10.	H.♃.	
18	ceanothifolium. W.	Ceanothus-like.	———	1812.	8. 11.	H.♃.	
19	altissimum. W.	tall.	———	1699.	9. 10.	H.♃.	Jacq. vind. 2. t. 164.
20	trifoliatum. W.	three-leaved.	———	1768.	8. 10.	H.♃.	
21	cannabinum. W.	Hemp agrimony.	Britain.	....	7. 10.	H.♃.	Eng. bot. 428.
22	syriacum. W.	Syrian.	Syria.	1807.	7. 9.	H.♃.	Jacq. ic. 1. t. 170.
23	purpureum. W	purple-stalked.	N. America.	1640.	9. 10.	H.♃.	Corn. canad. t. 72.
24	maculatum. W.	spotted-stalked.	———	1656.	8. 9.	H.♃.	Herm. parad. t. 158.
25	punctatum. Ph.	punctated.	———	1815.	——	H.♃.	
26	verticillatum. W.	whorl-leaved.	———	1811.	——	H.♃.	
27	perfoliatum. W.	Feverwort.	———	1699.	8. 10.	H.♃.	Pluk. alm. t. 87. f. 6.
28	salviæfolium. B.M.	Sage-leaved.	———	1812.	——	H.♃.	Botan. magaz. 2010.
29	lamiifolium. L.en.	Lamium-leav'd.	———	1818.	——	H.♃.	
30	paniculatum. Mill.	panicled.	———	....	——	H.♃.	
31	melissoides. W.	Balm-leaved.	———	1821.	8. 10.	H.♃.	
32	aromaticum. W.	aromatic.	———	1739.	7. 8.	H.♃.	Pluk. alm. t. 88. f. 3.
33	urticæfolium. W.	Nettle-leaved.	S. America.	1803.	——	G.♃.	Smith ined. t. 68.
34	ageratoides. W.	Ageratum-like.	N. America.	1640.	8. 10.	H.♃.	Corn. canad. t. 21.
35	deltoideum. W.	deltoid-leaved.	.....	1818.	——	S.♃.	Jacq. schœn. 3. t. 269.
36	scandens. L.en.	climbing.	S. America.	1822.	....	S.♄.	
37	squarrosum. W.	squarrose.	Mexico.	1824.	....	S.♃.	Cavan. ic. 1. t. 98.
38	atriplicifolium. W.	Orache-leaved.	W. Indies.	1820.	....	S.♄.	
39	odoratum. W.	sweet-scented.	Jamaica.	1752.	8. 10.	S.♄.	Pluk. alm. t. 177. f. 3.
40	ivæfolium. W.	Iva-leaved.	———	1794.	6. 7.	S.♃.	
41	iresinoides. K.S.	Iresine-like.	S. America.	1824.	....	S.♃.	H. et B. v. 4. t. 340.
42	pulchellum. K.S.	pretty.	Mexico.	——	....	S.♄.	——— v. 4. t. 345.
43	xalapense. K.S.	six-angled.	———	——	....	S.♄.	
44	repandum. W.	repand-leaved.	Antilles.	1822.	....	S.♄.	Plum. ic. 130. f. 1.
MIKANIA. W.		Mikania.	Syngenesia Polygamia Æqualis. W.				
1	Houstoni. W.	Houstoun's.	Jamaica.	1733.	7. 8.	S.♄.	
2	hastata. W.	halbert-leaved.	———	....	——	S.♄.	Brown jam. t. 34. f. 3.
3	scandens. W.	climbing.	N. America.	1714.	8. 9.	H.♃. ◡	Jacq. ic. 1. t. 109.
4	Guaco. K.S.	medicinal.	S. America.	1823.	....	S.♃. ◡	H. et B. pl. 2. t. 103.
5	amara. W.	bitter.	Trinidad.	1824.	....	S.♄. ◡	Aubl. gui. 2. t. 315.
6	opifera. Mart.	snakewort.	Brazil.	1822.	....	S.♄. ◡	
STEVIA. W.		Stevia.	Syngenesia Polygamia Æqualis. W.				
1	Eupatoria. W.	entire-leaved.	Mexico.	1798.	7. 9.	H.♃.	Botan. magaz. 1849.
2	purpurea. W.en.	purple-flow'r'd.	———	1812.	8. 9.	H.♃.	Botan. regist. 93.
	Eupatoria. B.R. *nec aliorum.*						
3	hyssopifolia. B.M.	Hyssop-leaved.	———	....	——	H.♃.	Botan. magaz. 1861.
4	lanceolata. Lag.	spear-leaved.	———	1824.	——	H.♃.	
5	ivæfolia. W.en.	Iva-leaved.	———	1816.	7. 9.	H.♃.	
6	serrata. W.	saw-leaved.	———	1799.	——	H.♃.	Jacq. schœn. 3. t. 300.
7	salicifolia. W.	Willow-leaved.	———	1803.	——	H.♃.	Cavan. ic. 4. t. 354.
8	ovata. W.en.	oval-leaved.	———	1816.	8. 9.	H.♃.	
9	pubescens. Lag.	pubescent.	———	1823.	——	H.♃.	
10	viscida. K.S.	rose-coloured.	———	1824.	9. 10.	H.♃.	
11	virgata. K.S.	slender.	———	——	——	H.♃.	
12	tomentosa. K.S.	tomentose.	———	1825.	——	H.♃.	
13	monardæfolia. K.S.	Monarda-l[d].	———	——	8. 9.	H.♃.	
14	angustifolia. K.S.	narrow-leaved.	———	——	——	H.♃.	
PALAFOXIA. Lag.		Palafoxia.	Syngenesia Polygamia Æqualis.				
	linearis. Lag.	linear-leaved.	Mexico.	1816.	8. 10.	G.♃.	Botan. magaz. 2132.
	Stevia linearis. W.	*Ageratum lineare.* Cav. ic. 3. t. 205.					
AGERATUM. W.		Ageratum.	Syngenesia Polygamia Æqualis. L.				
1	strictum. B.M.	upright.	Nepaul.	1820.	9. 11.	H.☉.	Botan. magaz. 2410.
2	conyzoides. W.	hairy.	America.	1714.	7. 8.	H.☉.	Schk. hand. 3. t. 238.
3	cœruleum. P.S.	blue-flowered.	S. America.	1820.	7. 8.	H.☉.	
4	mexicanum. B.M.	Mexican.	Mexico.	1823.	8. 10.	H.☉.	Swt. br. fl. gar. 89.
5	latifolium. W.	broad-leaved.	Peru.	1800.	7. 8.	H.☉.	Cavan. ic. 4. t. 357.
CŒLESTINA. Cas.		Cœlestina.	Syngenesia Polygamia Æqualis.				
1	suffruticosa.	suffruticose.	S. America.	...	7. 10.	G.♄.	Botan. magaz. 1730.
	Ageratum cœlestinum. B.M.						
2	ageratoides. K.S.	Ageratum-like.	New Spain.	1824.	——	G.♃.	
3	cœrulea. Cas.	blue-flowered.	N. America.	1732.	7. 11.	H.♃.	Dill. elth. t. 114. f. 139.
	Eupatorium cœlestinum. W.						
ALOMIA. K.S.		Alomia.	Syngenesia Polygamia Æqualis.				
	ageratoides. K.S.	white-flowered.	New Spain.	1823.	7. 9.	G.♃.	H. et B. 4. t. 354.

PIQUERIA. W.	PIQUERIA.	Syngenesia Polygamia Æqualis. W.						
1 trinervia. w.	three-nerved.	Mexico.	1798.	7. 8.	G. ♃.	Cavan. ic. 3. t. 235.
2 pilosa. K.S.	hairy.	———	1824.	——	G. ♃.	
3 latifolia.	smooth-broad-ld.	———	——	8. 12.	G. ♃.	
SELLOA. Spr.	SELLOA.	Syngenesia Polygamia Æqualis.				
glutinosa. B.R.	clammy.	Brazil.	1815.	1. 5.	G. ♄.	Botan. regist. 462.
LEYSERA. W.	LEYSERA.	Syngenesia Polygamia Superflua. W.				
1 ciliata. w.	ciliated.	C. B. S.	1816.	7. 8.	G. ♄.	
2 gnaphalodes. w.	woolly.	———	1774.	7. 9.	G. ♄.	Jacq. ic. 3. t. 588.
3 squarrosa. w.	squarrose.	———	1815.	——	G. ♄.	Pluk. alm. t. 302. f. 3.

SUBORDO. V. *JACOBEÆ. Kth. synops. 2. p. 440.*

KLEINIA. W.	KLEINIA.	Syngenesia Polygamia Æqualis. W.				
1 ruderalis. w.	glaucous-leav'd.	S. America.	1824.	7. 10.	S. ☉.	Jacq. amer. t. 127.
2 Porophyllum. w.	perforated.	———	1699.	6. 10.	S. ☉.	Cavan. ic. 3. t. 222.
3 viridiflora. K.S.	green-flowered.	Mexico.	1823.	——	S. ♄.	
4 tagetoides. K.S.	Tagetes-like.	———	——	——	H. ☉.	
5 suffruticosa. w.	suffruticose.	S. America.	1825.	——	S. ♄.	Cavan. ic. 3. t. 257.
6 colorata. K.S.	violet-colour'd.	Mexico.	——	——	H. ☉.	
CACALIA. W.	CACALIA.	Syngenesia Polygamia Æqualis. L.				
1 papillaris. w.	rough-stalked.	C. B. S.	1727.	....	G. ♄.	Dill. elth. t. 55. f. 63.
2 Anteuphorbium. w.	oval-leaved.	———	1596.	2. 3.	G. ♄.	——— t. 55. f. 2. 3.
3 Kleinia. w.	Oleander-ld.	Canaries.	1732.	9. 10.	G. ♄.	DC. plant. gras. 12.
4 Ficoides. w.	flat-leaved.	C. B. S.	1710.	6. 11.	G. ♄.	——— t. 90.
5 repens. w.	glaucous-leav'd.	———	1759.	6. 10.	G. ♄.	——— t. 42.
6 cylindrica. DC.	cylindrical.	Africa.	1818.	——	G. ♄.	——— t. ic.
7 carnosa. w.	narrow-leaved.	C. B. S.	1757.	6.	G. ♄.	
8 Haworthii. H.S.L.	woolly-leaved.	———	1795.	....	G. ♄.	
Kleinia tomentosa. H.S. *non* C. *tomentosa.* L.						
9 longifolia. H.R.	long-leaved.	.....	1820.	....	S. ♄.	
pugioniformis. L.en.						
10 articulata. w.	jointed.	C. B. S.	1775.	9. 11.	G. ♄.	DC. plant. gras. 18.
11 tomentosa. w.	tomentose.	———	1795.	——	G. ♄.	
12 reticulata. w.en.	netted.	Bourbon.	1823.	....	G. ♄.	
13 appendiculata. w.	appendaged.	Teneriffe.	1815.	6. 9.	G. ♄.	
14 salicina. Lab.	willow-leaved.	V. Diem. Isl.	1820.	4. 6.	G. ♄.	Botan. regist. 923.
15 bicolor. w.	two-coloured.	E. Indies.	1804.	9. 5.	S. ♄.	——— 110.
16 ovalis. B.R.	oval-leaved.	—— ——	..	——	S. ♄.	——— 102.
17 sonchifolia. w.	Sonchus-leav'd.	———	1768.	7.	S. ☉.	Rheed. mal. 10. t. 68.
18 coccinea. B.M.	scarlet-flow'r'd.	S. America.	1799.	6. 7.	H. ☉.	Botan. magaz. 564.
19 sagittata. w.	arrow-leaved.	Java.	1824.	——	S ☉.	
Emilea flammea. Cas.						
20 sarracenica. w.	creeping-root'd.	France.	1772.	8. 10.	H. ♃.	
21 runcinata. K.S.	runcinate.	Mexico.	1825.	....	H. ♃.	
22 hastata. w.	spear-leaved.	Siberia.	1780.	8. 10.	H. ♃.	Gmel. sib. 2. t. 66.
23 rhombifolia. w.en.	rhomb-leaved.	———	1816.	——	H. ♃.	
24 suaveolens. w.	sweet-scented.	N. America.	1752.	——	H. ♃.	
25 atriplicifolia. w.	Orache-leaved.	———	1699.	8.	H. ♃.	Pluk. alm. t. 101. f. 2.
26 cordifolia. K.S.	heart-leaved.	Mexico.	1825.	——	H. ♃.	
27 reniformis. w.	kidney-leaved.	N. America.	1801.	7. 8.	H. ♃.	
28 tuberosa. N.	tuberous-root'd.	———	1812.	——	H. ♃.	
29 alpina. w.	Alpine.	Austria.	1739.	——	H. ♃.	Jacq. aust. 3. t. 234.
Adenostyles viridis. Cas.						
30 albifrons. w.	white-leaved.	—— ——	——	——	H. ♃.	——— 3. t. 235.
Adenostyles albida. Cas.						
31 pinnata. w.en.	pinnate-leav'd.	Iberia.	1816.	——	H. ♃.	
32 peltata. K.S.	peltated.	Mexico.	1825.	——	G. ♃.	H. et Bondp. 4. t. 361.
33 scandens. w.	climbing.	C. B. S.	1774.	4.	G. ♃.	
TUSSILAGO. W.	COLTSFOOT.	Syngenesia Polygamia Superflua. L.				
1 alpina. w.	Alpine.	Austria.	1710.	3. 5.	H. ♃.	Botan. magaz. 84.
2 discolor. w.	two-coloured.	———	1633.	4. 5.	H. ♃.	Jacq. aust. 3. t. 247.
3 sylvestris. w.	wood.	———	1816.	——	H. ♃.	—— 5. app. t. 12.
4 Farfara. w.	common.	Britain.	....	3. 4.	H. ♃.	Eng. bot. 429.
β *variegata.*	*variegated-leav'd.*	—— ——	....	——	H. ♃.	
5 frigida. w.	Lapland.	Lapland.	1710.	5.	H. ♃.	Flor. dan. t. 61.

6	fragrans. w.	fragrant.	Italy.	1806.	1. 3.	H.♃.	Botan. magaz. 1388.
7	alba. w.	white butter-bur.	Europe.	1683.	1. 4.	H.♃.	Flor. dan. 524.
8	nivea. w.	downy-leaved.	Switzerland.	1713.	4.	H.♃.	Retz. obs. 2. t. 3.
	paradoxa. Retz.						
9	Petasites. E.B.	common butter bur.	Britain.	....	3. 4.	H.♃.	Eng. bot. 431.
10	hybrida. E.B.	large-leaved.	———	....	———	H.♃.	——— 430.
11	spuria. w.	lobe-leaved.	Germany.	1790.	———	H.♃.	Retz. obs. 1. t. 2.
	paradoxa. Roth.						
12	palmata. w.	cut-leaved.	Labrador.	1778.	4.	H.♃.	Hort. Kew. v. 3. t. 11.
SENECIO. W.		GROUNDSEL.	Syngenesia Polygamia Superflua.				W.
1	reclinatus. w.	grass-leaved.	C. B. S.	1774.	6. 8.	G.♂.	Jacq. ic. 1. t. 174.
2	hieracifolius. w.	hawkweed-ld.	N. America.	1699.	8.	H.☉.	Herm. parad. t. 226.
3	purpureus. w.	purple.	C. B. S.	1774.	7. 9.	G.♃.	Jacq. ic. 3. t. 560.
4	cernuus. w.	drooping.	E. Indies.	1780.	7. 8.	H.☉.	Jacq. vind. 3. t. 98.
5	erubescens. w.	blush-coloured.	C. B. S.	1774.	6. 10.	G.♂.	
6	hæmatophyllus. w.en.	purple-leaved.	———	1789.	—	G.♄.	
7	divaricatus. w.	straddling.	China.	1801.	7.	G.♂.	
8	croaticus. w.	Croatian.	Hungary.	1805.	7. 8.	H.♃.	W. et K. hung. 2. t. 143.
9	Pseudo-China. w.	Chinese.	China.	1732.	6. 8.	S.♃.	Dill. elth. t. 258. f. 335.
10	japonicus. w.	jagged-leaved.	Japan.	1774.	8.	H.♃.	
11	vulgaris. w.	common.	Britain.	....	1. 12.	H.♃.	Eng. bot. 747.
12	peucedanifolius. w.	Peucedanum-ld.	C. B. S.	1816.	6. 8.	G.♄.	Jacq. ic. 3. t. 581.
	Cacalia peucedanifolia. Jacq.						
13	arabicus. w.	Arabian.	Egypt.	1804.	7. 8.	H.♂.	
14	verbenæfolius. w.	Vervain-leav'd.	———	1803.	6. 7.	H.☉.	Jacq. vind. 1. t. 3.
15	glomeratus. L.en.	close-flowered.	N. Holland.	1816.	8. 10.	H.☉.	
16	cacalioides. L.en.	Cacalia-like.	Brazil.	1820.	———	H.☉.	
17	triflorus. w.	three-flowered.	Egypt.	1776.	7. 9.	H.☉.	
18	ægyptius. w.	Egyptian.	———	1771.	7. 8.	H.☉.	
19	crassifolius. w.	thick-leaved.	S. Europe.	1815.	———	H.☉.	
20	lividus. w.	livid.	Britain.	....	———	H.☉.	Eng. bot. 2515.
21	telephifolius. w.	Telephium-ld.	C. B. S.	1823.	———	H.☉.	Jacq. frag. 1. t. 1. f. 3.
22	trilobus. w.	three-lobed.	Spain.	1728.	6. 8.	H.☉.	
23	cinerascens. w.	gray.	C. B. S.	1774.	5. 7.	G.♄.	Jacq. schœn. 2. t. 150.
24	viscosus. w.	stinking.	Britain.	....	6. 10.	H.☉.	Eng. bot. 32.
25	sylvaticus. w.	mountain.	———	....	7. 8.	H.☉.	——— 748.
26	coronopifolius. w.	Buck'shorn-ld.	Spain.	1821.	———	H.☉.	
27	nebrodensis. w.	Nebrodes.	S. Europe.	1704.	6. 8.	H.☉.	Barrel. rar. 401.
28	glaucus. w.	sea-green.	Egypt.	1739.	———	H.☉.	
29	hastatus. w.	halberd-ld.	C. B. S.	1722.	5. 8.	G.♃.	Dill. elth. t. 153. f. 184.
30	pubigerus. w.	runcinate-ld.	———	1816.	———	G.♄.	Moris. s. 7. t. 18. f. 32.
31	vernalis. w.	spring.	Hungary.	1803.	4. 6.	H.☉.	W. et K. hung. 1. t. 24.
32	montanus. w.	smoooth mountain.	Germany.	1819.	———	H.☉.	
33	rupestris. w.	rock.	Hungary.	1805.	6. 7.	H.♃.	W. et K. hung. 2. t. 128.
34	dentatus. w.	toothed-leaved.	C. B. S.	1823.	———	G.♃.	
35	squamosus. w.	scaly.	———	1816.	———	G.♃.	
36	venustus. w.	wing-leaved.	———	1774.	5. 11.	G.♄.	Botan. regist. 901.
37	elegans. w.	elegant.	———	1700.	6. 8.	H.☉.	
	α ruber.	*red-flowered.*	———	———	———	H.☉.	
	β albus.	*white-flowered.*	———	———	———	H.☉.	
	γ pleno-albus.	*double-white.*	———	———	4. 11.	G.♄.	
	δ pleno-ruber.	*double red.*	———	———	———	G.♄.	Botan. magaz. 238.
38	speciosus. w.	red-flowered.	China.	1789.	7. 8.	G.♃.	Botan. regist. 41.
39	squalidus. w.	inelegant.	England.	....	6. 10.	H.☉.	Eng. bot. 600.
40	erucæfolius. w.	Eruca-leaved.	Europe.	1816.	7. 8.	H.♃.	
41	chrysanthemifolius.	Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H.♃.	Bocc. sic. t. 67.
42	uniflorus. w.	one-flowered.	S. Europe.	1799.	7. 8.	H.♃.	All. ped. t. 17. f. 3.
43	incanus. w.	downy.	———	1759.	———	H.♃.	Pluk. alm. t. 39. f. 6.
44	abrotanifolius.	Southernwood-ld.	———	1640.	7. 10.	H.♃.	Jacq. aust. 1. t. 79.
45	artemisiæfolius. P.S.	Wormwood-ld.	France.	1820.	———	H.♃.	
46	canadensis. w.	Canadian.	N. America.	1818.	———	H.♃.	
47	delphinifolius. w.	Larkspur-ld.	Sicily.	1823.	———	H.♃.	Vahl symb. 2. t. 43.
48	tenuifolius. w.	slender-leaved.	Britain.	....	7. 8.	H.♃.	Eng. bot. 574.
49	Jacobæa. w.	common ragwort.	———	....	———	H.♃.	——— 1130.
50	aquaticus. w.	marsh.	———	....	5. 7.	H.♃.	——— 1131.
51	aureus. w.	golden.	N. America.	1758.	7. 8.	H.♃.	
52	Balsamitæ. w.	various-leaved.	———	1819.	6. 8.	H.♃.	
53	obovatus. w.	obovate-leaved.	———	———	———	H.♃.	
54	leucophyllus. DC.	white-leaved.	S. Europe.	1821.	———	H.♃.	

55	rosmarinifolius. W.	Rosemary-l^d.	C. B. S.	.....	7. 8.	G. ♄.	Jacq. ic. 3. t. 587.
56	asper. W.	rough.	———	1774.	——	G. ♄.	
57	linifolius. W.	Flax-leaved.	Spain.	1817.	——	H. ♃.	Barrel. rar. t. 802.
58	rigescens. W.	stiff-leaved.	C. B. S.	1815.	——	G. ♄.	Jacq. coll. 5. t. 6. f. 1.
59	paludosus. W.	Bird's-tongue.	England.	....	6. 8.	H. ♃.	Eng. bot. 650.
60	persicæfolius. DC.	peach-leaved.	Pyrenees.	1817.	——	H. ♃.	Ram. bul. phil. t. 11. f. 3.
61	nemorensis. W.	branching.	Austria.	1785.	7. 8.	H. ♃.	Jacq. aust. 2. t. 184.
62	sarracenicus. W.	creeping-root'd.	Britain.	....	7. 10.	H. ♃.	Eng. bot. 2211.
63	ovatus. W.	oval-leaved.	Germany.	1817.	——	H. ♃.	
64	coriaceus. W.	leathery-leav'd.	Levant.	1728.	7. 8.	H. ♃.	Dill. elth. t. 105. f. 125.
65	Doria. W.	broad-leaved.	Austria.	1570.	7. 9.	H. ♃.	Jacq. aust. 2. t. 185.
66	macrophyllus. M.B.	large-leaved.	Caucasus.	1817.	——	H. ♃.	
67	Doronicum. W.	Leopard's-bane.	S. Europe.	1705.	——	H. ♃.	Jacq. aust. 5. t. ap. 45.
68	umbrosus. W.K.	ear-leaved.	Hungary.	1815.	——	H. ♃.	
69	Barrelieri. W.	Barrelier's.	Pyrenees.	1824.	——	H. ♃.	Barrel. ic. 146.
70	lanceus. W.	spear-leaved.	C. B. S.	1774.	7. 10.	G. ♄.	
71	oporinus. W.	Jacquin's.	———	....	——	G. ♃.	Jacq. schœn. 3. t. 304.
72	longifolius. W.	long-leaved.	———	1775.	8. 11.	G. ♄.	Comm. hort. 2. t. 71.
73	halimifolius. W.	succulent-l^d.	———	1728.	7.	G. ♄.	Dill. elth. t. 104. f. 124.
74	ilicifolius. W.	Ilex-leaved.	———	1731.	6. 7.	G. ♄.	Comm. rar. t. 42.
75	rigidus. W.	hard-leaved.	———	1704.	6. 9.	G. ♄.	Comm. hort. 2. t. 75.
76	solidaginoides. W.	Golden-rod-like.	———	1819.	——	G. ♄.	Hout. syst. 4. t. 32. f. 1.
77	vernus. Biv.	vernal.	Italy.	——	——	H. ♃.	
CINERARIA. W.		CINERARIA.	Syngenesia Polygamia Superflua. L.				
1	americana. W.	American.	S. America.	1823.	....	S. ♄.	
2	incana. P.S.	hoary.	Jamaica.	——	6. 8.	S. ♄.	
3	discolor. P.S.	two-coloured.	———	1822.	——	S. ♄.	
4	lucida. P.S.	glossy.	W. Indies.	——	——	S. ♄.	Plum. 2. ic. 154.
5	geifolia. W.	kidney-leaved.	C. B. S.	1710.	4. 8.	G. ♄.	Comm. hort. 2. t. 73.
6	canescens L.en.	small-flowered.	———	1790.	——	G. ♄.	Botan. magaz. 1990.
7	aurita. W.	purple-flower'd.	Madeira.	1777.	6. 7.	G. ♄.	——— 1786.
8	lactea. W.en.	milk-coloured.	.....	1816.	——	G. ♄.	
9	lanata. W.	woolly.	Canaries.	1780.	5. 9.	G. ♄.	Botan. magaz. 53.
10	hybrida. W.en.	hybrid.	Hybrid.	....	2. 5.	G. ♄.	
11	elatior. L.en.	tall.	.....	....	——	G. ♄.	
12	cruenta. W. *aurita.* A.R. 24.	purple-leaved.	Canaries.	1777.	——	G. ♄.	Botan. magaz. 406.
13	pulchella.	bright red-fl^d.	———	1818.	——	G. ♄.	
14	populifolia. H.K.	Poplar-leaved.	———	1780.	6. 9.	G. ♄.	Venten. malm. 100.
15	lobata. W.	lobed.	C. B. S.	1774.	6. 8.	G. ♄.	
16	malvæfolia. W.	Mallow-leaved.	Azores.	1777.	8.	G. ♃.	
17	petasites. B.M.	butter-bur-l^d.	Mexico.	1812.	12. 2.	G. ♄.	Botan. magaz. 1536.
18	præcox. W.	early-flow'ring.	———	1824.	2. 4.	G. ♄.	Cavan. ic. 3. t. 244.
19	sibirica. W.	Siberian.	Siberia.	1784.	6. 8.	H. ♃.	Botan. magaz. 1869.
20	speciosa. L.en.	large-flowered.	— ——	1818.	——	H. ♃.	Botan. regist. 812.
21	caucasica. M.B.	Caucasean.	Caucasus.	1820.	——	H. ♃.	
22	gigantea. H.K.	gigantic.	Cape Horn.	1801.	7. 8.	H. ♃.	Sm. exot. bot. 2. t. 65.
23	glauca. W.	glaucous-leav'd.	Siberia.	1790.	6. 7.	H. ♃.	Gmel. sib. 2. t. 74.
24	palustris. W.	marsh.	England.	...	——	H. ♃.	Eng. bot. 151.
25	aurantiaca. W.	orange-colour'd.	Switzerland.	1818.	5. 7.	H. ♃.	Botan. magaz. 2262.
26	campestris. W.	mountain.	N. Europe.	....	——	H. ♂.	Jacq. aust. t. 180.
27	integrifolia. E.B.	entire-leaved.	England.	....	——	H. ♃.	Eng. bot. 152.
28	longifolia. W.	long-leaved.	Austria.	1792.	6. 8.	H. ♃.	Jacq. aust. 2. t. 181.
29	crispa. W.	curled.	———	1818.	——	H. ♃.	——— 2. t. 178.
30	cordifolia. W.	heart-leaved.	———	1739.	7. 8.	H. ♃.	——— 2. t. 176.
31	media. W.K.	intermediate.	Hungary.	1818.	——	H. ♃.	
32	alpina. W.	Alpine.	Austria.	1683.	6. 8.	H. ♃.	Jacq. aust. 2. t. 177.
33	aurea. W.	golden.	Siberia.	1825.	——	H. ♃.	
34	maritima. W.	sea ragwort.	S. Europe.	1633.	7. 9.	F. ♄.	Flor. græc. 871.
35	bicolor. W.	shining-leaved.	.....	1820.	——	F. ♄.	
36	canadensis.	Canadian.	Canada.	1739.	6. 8.	H. ♃.	
37	linifolia. W.	flax-leaved.	C. B. S.	....	——	G. ♄.	Jacq. schœn. 3. t. 308.
38	angustifolia. K.s.	narrow-leaved.	Mexico.	1825.	....	G. ♄.	
39	humifusa. W.	trailing.	C. B. S.	1704.	7. 8.	G. ♃.	
40	viscosa. W.	clammy.	———	1774.	6. 8.	G. ♂.	Jacq. frag. 12. t. 7. f. 2.
AGATHÆA. Cas. *Cineraria amelloides.* W.		AGATHÆA.	Syngenesia Polygamia Superflua.				
	cœlestis. Cas.	Cape-Aster.	C. B. S.	1753.	2. 9.	G. ♄.	Botan. magaz. 249.

KAULFUSSIA. Nees.	KAULFUSSIA.	Syngenesia Polygamia Superflua.					
amelloides. Nees.	blue-flowered.	C. B. S.	1819.	6. 7.	H.⊙.	Botan. regist. 490.
TAGETES. W.	TAGETES.	Syngenesia Polygamia Superflua. L.					
1 lucida. w.	sweet-scented.	S. America.	1798.	7. 11.	G.♃.	Botan. magaz. 740.
2 patula. w.	French Marygold.	Mexico.	1573.	7. 10.	H.⊙.	——————— 150.
3 corymbosa. B.F.G.	corymbus-fld.	———	1825.	9. 11.	H.⊙.	Swt. br. fl. gar. 151.
α purpurea.	*purple-flowered.*	———	——	——	H.⊙.	
β lutea.	*yellow-flowered.*	———	——	——	H.⊙.	
4 erecta. w.	African Marygold.	———	1596.	6. 9.	H.⊙.	Lam. ill. t. 684.
5 tenuifolia. w.	fine-leaved.	———	1797.	7. 10.	H.⊙.	Swt. br. fl. gar. 141.
6 minuta. w.	small-flowered.	Chili.	1728.	8. 10.	H.⊙.	Dill. elth. t. 280. f. 362.
7 clandestina. Lag.	small-rayed.	Mexico.	1822.	——	H.⊙.	
coronopifolia. W.en.						
8 micrantha. w.	solitary-fld.	———	——	——	H.⊙.	Cavan. ic. 4. t. 352.
9 glandulosa. L.ex.	glandular.	S. America.	1825.	——	H.⊙.	
BŒBERA. W.	BŒBERA.	Syngenesia Polygamia Superflua.					
1 glandulosa. H.	glandular.	N. America.	1823.	8. 9.	H.⊙.	Venten. cels. t. 36.
chrysanthemoides. W.en. *Tagetes papposa.* v. *Dyssodia glandulosa.* Cav.						
2 Porophyllum. K.S.	Mexican.	Mexico.	——	——	H.⊙.	
Dyssodia Porophyllum. W.en.						
OTHONNA. W.	RAGWORT.	Syngenesia Polygamia Necessaria.					L.
1 flabellifolia. B.C.	fan-leaved.	C. B. S.	1822.	7. 9.	G.♄.	Lodd. bot. cab. 728.
2 pinnatifida. P.S.	pinnatifid.	———	1823.	——	G.♃.	
3 pinnata. w.	wing-leaved.	———	1759.	4. 6.	G.♃.	Botan. magaz. 768.
4 Tagetes. w.	slender-stalked.	———	1823.	7. 9.	H.⊙.	
5 pectinata. w.	Wormwood-ld.	———	1731.	4. 6.	G.♄.	Botan. magaz. 806.
6 Athanasiæ. w.	Athanasia-like.	———	1795.	11. 12.	G.♄.	Jacq. schœn. 2. t. 242.
7 abrotanifolia. w.	Southernwood-ld.	———	1692.	1. 5.	G.♄.	Botan. regist. 108.
8 digitata. w.	finger-leaved.	———	1822.	6. 9.	G.♃.	
9 retrofracta. w.	axillary-fld.	———	1812.	——	G.♄.	Jacq. schœn. 3. t. 376.
10 coronopifolia. w.	Buckshorn-ld.	———	1731.	7. 9.	G.♄.	Comm. hort. 2. t. 70.
11 cheirifolia. w.	Stock-leaved.	Barbary.	1752.	4. 6.	F.♄.	Botan. regist. 266.
12 crassifolia. w.	thick-leaved.	C. B. S.	1710.	9. 10.	G.♄.	Mill. ic. 2. t. 245. f. 2.
13 denticulata. w.	tooth-leaved.	———	1774.	4. 7.	G.♄.	Botan. magaz. 1979.
14 heterophylla. w.	various-leaved.	———	1812.	——	G.♄.	
15 Lingua. w.	tongue-leaved.	———	1787.	5. 9.	G.♃.	Jacq. schœn. 2. t. 238.
16 filicaulis. w.	Yam-rooted.	———	1791.	4. 5.	G.♃.	——————— 2. t. 241.
17 bulbosa. w.	bulbous.	———	1774.	5. 6.	G.♃.	Breyn. cent. t. 66.
18 parviflora. w.	small-flowered.	———	1704.	7. 8.	G.♄.	Volk. norib. t. 226.
19 perfoliata. H.K.	perfoliate.	———	1789.	5. 7.	G.♃.	Jacq. schœn. t. 240.
amplexicaulis. B.M. 1312. non Thunb.						
20 ericoides. w.	Heath-leaved.	———	1815.	7. 8.	G.♄.	
21 linifolia. w.	Flax-leaved.	———	1825.	——	G.♄.	
22 tenuissima. w.	fine-leaved.	———	1759.	4. 7.	G.♄.	Jacq. schœn. 2. t. 239.
23 fratescens. w.	fratescent.	———	1816.	7. 8.	G.♄.	Comm. hort. 2. t. 70.
24 arborescens. w.	tree.	———	1723.	——	G.♄.	Dill. elth. t. 103. f. 123.
25 cacalioides. w.	tuberous.	———	1774.	5. 9.	G.♃.	

SUBORDO VI. *HELIANTHEÆ. Kth. synops. 2. p. 463.*

HYMENOPAPPUS. J.	HYMENOPAPPUS.	Syngenesia Polygamia Æqualis.				
1 pedatus. Lag.	pedate-leaved.	Mexico.	1803.	7. 9.	G.⊙.	Cavan. ic. 4. t. 356.
Stevia pedata. B.M. 2040. *Florestina pedata.* Cas.						
2 scabiosæus. Ph.	Scabious-like.	Missouri.	1812.	6. 8.	H.⊙.	Jour. de hist. nat. n. 1. ic.
3 tenuifolius. Ph.	slender-leaved.	———	1811.	——	F.♂.	
SCHKUHRIA. W.	SCHKUHRIA.	Syngenesia Polygamia Superflua. L.				
abrotanoides. w.	Wormwood-ld.	Mexico.	1798.	7. 9.	H.⊙.	Schk. hand. 3. t. 250. b.
PECTIS. W.	PECTIS.	Syngenesia Polygamia Superflua. L.				
1 humifusa. w.	trailing.	W. Indies.	1822.	7. 9.	S.⊙.	Plum. ic. t. 95. f. 2.
2 prostrata. w.	prostrate.	New Spain.	1824.	——	S.⊙.	Cavan. ic. 4. t. 324.
3 ciliaris. w.	ciliated.	Hispaniola.	1793.	7.	S.⊙.	Plum. ic. 151. f. 2.
4 linifolia. w.	Flax-leaved.	Jamaica.	1732.	7. 8.	S.⊙.	Sloan. hist. 1. t. 149. f. 3.
HETEROSPERMUM. W.	HETEROSPERMUM.	Syngenesia Polygamia Superflua. W.				
pinnatum. w.	wing-leaved.	New Spain.	1799.	8. 9.	H.⊙.	Cavan. ic. 3. t. 267.
MELANANTHERA. M.	MELANANTHERA.	Syngenesia Polygamia Æqualis. P.S.				
1 Linnæi. R.S.	Linnæus's.	S. America.	1799.	6. 8.	S.♂.	Jacq. ic. 3. t. 583.
Bidens nivea. L. *Calea aspera.* Jacq.						

2 hastata. M.	hastate-leaved.	N.America.	1732.	——	G.♃.	Dill. elth. t. 47. f. 55.
β *pandurata.* Ph.	*fiddle-leaved.*	———	——	——	G.♃.	——— t. 46. f. 54.
MARSHALLIA. W.	MARSHALLIA. Syngenesia Polygamia Æqualis. W.					
1 lanceolata. Ph.	spear-leaved.	Carolina.	1812.	6. 7.	F.♃.	
2 latifolia. Ph.	broad-leaved.	———	1806.	——	F.♃.	Mich. amer. 2. t. 43.
Persoonia latifolia. M. *Trattenickia latifolia.* P.S.						
PLATYPTERIS. K.S.	PLATYPTERIS. Syngenesia Polygamia Æqualis.					
crocata. K.S.	saffron-colour'd.	Mexico.	1812.	1. 3.	S.♃.	Botan. magaz. 1627.
Spilanthes crocata. B.M.						
SPILANTHES. W.	SPILANTHES. Syngenesia Polygamia Æqualis. L.					
1 tenella. K.S.	slender.	Caracas.	1823.	8. 10.	G.☉.	
2 Pseudo-Acmella. W.	spear-leaved.	Ceylon.	1768.	7.	S.☉.	Pluk. alm. t. 159. f. 4.
3 uliginosa. W.	marsh.	Jamaica.	1820.	7. 9.	S.☉.	
4 alba. W.	white-flower'd.	Peru.	1783.	6. 7.	H.☉.	L'Herit. stirp. 7. t. 4.
5 oleracea. W.	esculent.	E. Indies.	1770.	7. 9.	S.♂.	Jacq. vind. 2. t. 135.
ACMELLA. P.S.	ACMELLA. Syngenesia Polygamia Superflua. P.S.					
1 mauritiana. P.S.	Balm-leaved.	Mauritius.	1768.	7. 8.	S.☉.	Rumph. amb. 6. t. 65.
Spilanthes Acmella. W.						
2 repens. P.S.	creeping.	N.America.	1819.	——	H.☉.	
3 occidentalis. P.S.	oval-leaved.	S. America.	1825.	——	H.☉.	
4 buphthalmoides. P.S.	Ox-eye-leaved.	———	1798.	7. 9.	H.☉.	Jacq. schœn. 2. t. 151.
LAVENIA. W.	LAVENIA. Syngenesia Polygamia Æqualis.					
erecta. W.	upright.	E. Indies.	1739.	7. 9.	S.☉.	Burm. zeyl. t. 42.
SALMEA. DC.	SALMEA. Syngenesia Polygamia Æqualis.					
1 scandens. DC.	climbing.	S. America.	1815.	4. 6.	S.♄.⌣	Botan. magaz. 2002.
Calea Amellus. L.						
2 hirsuta. DC.	hairy.	———	——	——	S.♄.⌣	
PETROBIUM. L.T.	PETROBIUM. Syngenesia Polygamia Æqualis.					
arboreum.	tree.	St. Helena.	1816.	....	S.♄.	
Spilanthus arboreus. Forst.						
CALEA. L.T.	CALEA. Syngenesia Polygamia Æqualis. L.					
1 jamaicensis. L.T.	purple-flow'r'd.	W. Indies.	1739.	6. 7.	S.♄.	Sloan. jam. 1. t. 151. f. 3.
2 cordifolia. L.T.	heart-leaved.	Jamaica.	1822.	——	S.♄.	
CALEACTE. L.T.	CALEACTE. Syngenesia Polygamia Æqualis.					
1 urticifolia. L.T.	Nettle-leaved.	Vera Cruz.	....	....	S.♄.	
Solidago urticæfolia. Mill.						
2 pinnatifida. L.T.	pinnatifid.	Brazil.	1816.	6. 8.	S.♄.	
ISOCARPHA. L.T.	ISOCARPHA. Syngenesia Polygamia Æqualis.					
oppositifolia.	opposite-leav'd.	W. Indies.	1739.	7. 8.	S.♂.	
Calea oppositifolia. W.						
NEUROLÆNA. L.T.	NEUROLÆNA. Syngenesia Polygamia Æqualis.					
lobata.	halberd-weed.	W. Indies.	1733.	6. 7.	S.♄.	Botan. magaz. 1734.
Calea lobata. B.M.						
MADIA. W.	MADIA. Syngenesia Polygamia Superflua. W.					
1 viscosa. W.	viscous.	Chili.	1794.	7. 8.	H.☉.	Botan. magaz. 2574.
2 mellosa. W.	stem-clasping.	———	1824.	——	H.☉.	
TETRAGONOTHECA.	TETRAGONOTHECA. Syngenesia Polygamia Superflua. W.					
helianthoides. W.	Sunflower-like.	Virginia.	1726.	8. 10.	H.♃.	Schk. hand. 3. t. 263.
XIMENESIA. W.	XIMENESIA. Syngenesia Polygamia Superflua. W.					
1 encelioides. W.	oval-leaved.	Mexico.	1795.	6. 11.	G.♂.	Cavan. ic. 2. t. 178.
2 fœtida. K.S.	fœtid.	———	1799.	7. 8.	H.☉.	———— t. 77.
Coreopsis fœtida. Cav. *Simsia ficifolia.* P.S.						
3 cordata. K.S.	heart-leaved.	———	——	——	H.♃.	
HELENIUM. W.	HELENIUM. Syngenesia Polygamia Superflua. W.					
1 autumnale. W.	smooth.	N.America.	1729.	8. 10.	H.♃.	Schk. hand. 3. t. 250.
2 pubescens. W.	downy.	———	1776.	8. 9.	H.♃.	
3 quadripartitum. L.en.	four-parted.	.....	1825.	——	G.♂.	
4 quadridentatum. W.	four-toothed.	Louisiana.	1790.	5. 10.	H.♃.	Botan. regist. 598.
5 pumilum. W.en.	dwarf.	N.America.	1819.	——	H.♃.	
6 mexicanum. K.S.	Mexican.	Mexico.	1823.	8. 10.	H.♃.	
ZINNIA. W.	ZINNIA. Syngenesia Polygamia Superflua. W.					
1 pauciflora. W.	yellow-flow'r'd.	Peru.	1753.	7. 8.	H.☉.	Mill. ic. 1. t. 64.
2 multiflora. W.	red-flowered.	N.America.	1770.	6. 10.	H.☉.	Botan. magaz. 149.
3 verticillata. W.	whorl-leaved.	Mexico.	1789.	7. 8.	H.☉.	Andr. repos. 189.
4 elegans. W.	purple-flow'r'd.	———	1796.	7. 10.	H.☉.	Botan. magaz. 527.
violacea. A.R. 55.						
5 tenuiflora. W.	slender-fld.	———	1799.	7. 8.	H.☉.	—— ——— 555.
6 angustifolia. K.S.	narrow-leaved.	———	1825.	——	H.☉.	
RELHANIA. W.	RELHANIA. Syngenesia Polygamia Superflua. W.					
1 squarrosa. W.	cross-leaved.	C. B. S.	1774.	5. 6.	G.♄.	

2 genistifolia. w. Genista-leav'd. ——— 1823. —— G.ħ.
3 lateriflora. w. side-flowering. ——— —— —— G.ħ.
4 pungens. w. pungent-leav'd. ——— 1820. 6. 8. G.ħ. Botan. regist. 587.

ATHRIXIA. B.R. Athrixia. Syngenesia Polygamia Superflua.
capensis. B.R. Cape. C. B. S. 1823. 6. 8. G.ɣ. Botan. regist. 681.

LONGCHAMPIA. W. Longchampia. Syngenesia Polygamia Superflua. W.
capillifolia. w. Leysera-like. Africa. 1824. 6. 8. H.⊙.
Gnaphalium leyseroides. Desf.

SANVITALIA. W. Sanvitalia. Syngenesia Polygamia Superflua. W.
procumbens. w. trailing. Mexico. 1798. 7. 8. H.⊙. Botan. regist. 707.

TRIDAX. L. Tridax. Syngenesia Polygamia Superflua. L.
procumbens. L. procumbent. Mexico. 1804. 7. 8. H.⊙.
Balbisia elongata. w.

COLUMELLIA. W. Columellia. Syngenesia Polygamia Superflua. W.
biennis. w. biennial. C. B. S. 1820. 7. 9. G.♂. Jacq. schœn. 3. t. 301.
Nestlera biennis. Spr.

ECLIPTA. W. Eclipta. Syngenesia Polygamia Superflua. L.
1 erecta. w. upright. S. America. 1690. 7. 9. H.⊙. Dill.elth. t. 113. f. 137.
2 punctata. w. dotted. W. Indies. 1822. —— S.⊙. Jacq. amer. pict. t. 197.
3 prostrata. w. trailing. E. Indies. 1732. —— S.⊙. Dill.elth. t. 113. f. 138.
4 procumbens. M. procumbent. Carolina. 1819. —— H.⊙.

CHRYSANTHELLUM. Chrysanthellum. Syngenesia Polygamia Superflua. P.S.
procumbens. P.S. procumbent. W. Indies. 1768. 6. 7. S.⊙. Swartz obs. 314. t. 8. f. 1.
Verbesina mutica. w.

SIEGESBECKIA. W. Siegesbeckia. Syngenesia Polygamia Superflua. L.
1 orientalis. w. oriental. E. Indies. 1730. 8. 10. H.⊙. Schk. hand. 3. t. 256.
2 triangularis. Cav. triangular-l^d. Mexico. .... —— H.⊙. Cav. ic. 3. t. 258.
3 iberica. w. Iberian. Iberia. 1823. —— H.⊙. Buxb. cent. 3. t. 52.
4 droseroides. B.F.G. Sundew-like. Mexico. 1825. —— H.ɣ.? Swt. br. fl. gar. ic.
5 filosculosa. w. small-flower'd. Peru. 1784. 6. 7. H.⊙. L'Herit. stirp. t. 19.

VERBESINA. W. Verbesina. Syngenesia Polygamia Superflua. L.
1 alata. w. wing-stalked. S. America. 1699. 5. 10. G.ɣ. Botan. magaz. 1716.
2 virginica. w. white-flowered. N. America. 1812. 7. 9. H.ɣ.
3 virgata. w. slender. Mexico. 1825. —— H.ɣ. Cav. ic. 3. t. 275.
4 gigantea. w. tree. W. Indies. 1758. —— S.ħ. Jacq. ic. 1. t. 175.
5 Boswellia. L. eatable. E. Indies. 1818. —— S.⊙.
6 serrata. w. saw-leaved. Mexico. 1803. 7. 10. G.ɣ. Cav. ic. 3. t. 214.
7 Siegesbeckia. w. American. Virginia. 1731. 10. 11. H.ɣ.
8 salicifolia. K.S. Willow-leaved. Mexico. 1824. —— H.ɣ.
9 dichotoma. w. forked. E. Indies. 1789. 6. 7. S.⊙. Murr. c. got. 1779. t. 4.
10 biflora. w. two-flowered. ——— 1818. 7. 9. S.⊙. Rheed. mal. 19. t. 40.
11 calendulacea. w. Marygold-fl^d. Ceylon. 1739. —— S.⊙. Burm. zeyl. t. 22. f. 1.
12 fruticosa. w. shrubby. W. Indies. 1759. 6. 8. S.ħ. Plum. ic. t. 52.

SYNEDRELLA. P.S. Synedrella. Syngenesia Polygamia Superflua. P.S.
nodiflora. P.S. sessile-flow'r'd. W. Indies. 1726. 6. 7. S.⊙. Dill.elth. t. 45. f. 53.

ENCELIA. J. Encelia. Syngenesia Polygamia Superflua. P.S.
1 canescens. P.S. canescent. Mexico. 1786. 7. 9. G.ħ. Botan. regist. 909.
Pallasia halimifolia. w. *Coreopsis limensis.* Jacq. ic. 3. t. 594.
2 halimifolia. P.S. great-flowered. ——— 1825. —— G.ħ. Cavan. ic. 3. t. 216.
Pallasia grandiflora. w.

GALINSOGEA. K.S. Galinsogea. Syngenesia Polygamia Superflua. W.
1 trilobata. w. three-lobed. Peru. 1797. 8. 11. H.⊙. Swt. br. fl. gar. 56.
2 balbisioides. K.S. Mexican. Mexico. 1825. —— H.⊙. H. et B. 4. t. 386.
3 parviflora. w. small-flowered. S. America. 1796. 6. 8. H.⊙. Cavan. ic. 3. t. 281.
Wiborgia parviflora. K.S.

PTILOSTEPHIUM. K.S. Ptilostephium. Syngenesia Polygamia Superflua.
1 coronopifolium. K.S. Buckshorn-l^d. Mexico. 1823. 8. 10. H.⊙. H. et B. 4. t. 387.
2 trifidum. K.S. trifid-leaved. ——— ——, —— H.⊙. ——— 4. t. 388.

ZALUZANIA. P.S. Zaluzania. Syngenesia Polygamia Superflua. P.S.
triloba. P.S. three-lobed. Mexico. 1798. 7. 9. F.ɣ.

PASCALIA. W. Pascalia. Syngenesia Polygamia Superflua. W.
glauca. w. glaucous-leav'd. Chili. 1799. 6. 8. H.ɣ. Andr. reposit. 549.

HELIOPSIS. P.S. Heliopsis. Syngenesia Polygamia Superflua. P.S.
1 canescens. K.S. hoary-leaved. S. America. 1820. 8. 10. H.ɣ. Botan. regist. 592.
2 lævis. P.S. smooth. N. America. 1714. 7. 10. H.ɣ. L'Herit. stirp. t. 45.
Buphthalmum helianthoides. w. *Helianthus lævis.* L.

DIOMEDEA. Cas. Diomedea. Syngenesia Polygamia Superflua.
1 glabrata. K.S. smooth. S. America. 1699. 5. 9. G.ħ. Dill. elth. t. 88. f. 43.
Buphthalmum arborescens. w.

2 bidentata. Cas.	two-toothed.	———	1696.	6. 8.	G. ½.	Dill. elth. t. 28. f. 44.
3 argentea. K.S.	silvery-leaved.	———	1823.	——	G. ½.	
BUPHTHALMUM.	Ox-eye. Syngenesia Polygamia Superflua. L.					
1 sericeum. W.	silky.	Canaries.	1779.	5. 7.	G. ½.	Botan. magaz. 1630.
2 spinosum. W.	prickly.	Spain.	1570.	6. 9.	H. ☉.	
3 aquaticum. W.	sweet-scented.	S. Europe.	1731.	7. 8.	H. ☉.	Breyn. cent. t. 77.
4 maritimum. W.	sea.	Sicily.	1640.	7. 9.	H. ¼.	Bocc. mus. t. 139.
5 salicifolium. W.	Willow-leaved.	Austria.	1759.	6. 10.	H. ¼.	Jacq. aust. 4. t. 370.
6 grandiflorum. W.	great-flowered.	———	1722.	——	H. ¼.	Moris. s. 6. t. 7. f. 23.
7 cordifolium. W.	heart-leaved.	Hungary.	1739.	6. 8.	H. ¼.	W. et K. hung. t. 113.
8 procumbens. Desf.	procumbent.	.....	1820.	——	H. ¼.	
WEDELIA. K.S.	Wedelia. Syngenesia Polygamia Necessaria. W.					
1 acapulcensis. K.S.	Acapulco.	S. America.	1823.	6. 8.	S. ½.	
2 hispida. K.S.	hispid.	New Spain.	1819.	——	S. ½.	Botan. regist. 548.
3 radiosa. B.R.	rayed.	S. America.	1822.	——	S. ½.	——— 610.
GYMNOLOMA. K.S.	Gymnoloma. Syngenesia Polygamia Necessaria.					
1 triplinerve. K.S.	triple-nerved.	S. America.	1825.	6. 9.	S. ½.	
2 maculatum. B.R.	spotted-stalk'd.	———	1822.	——	S. ½.	Botan. regist. 662.
ACTINOMERIS. N.	Actinomeris. Syngenesia Polygamia Frustranea.					
1 squarrosa. N.	squarrose.	N. America.	1640.	9. 11.	H. ¼.	Jacq. vind. 2. t. 110.
Coreopsis alternifolia. Jacq.	*Verbesina Coreopsis.* Ph.					
2 procera. N.	tall.	———	1765.	9. 10.	H. ¼.	
Coreopsis procera. H.K.						
3 helianthoides. N.	Sunflower-like.	Louisiana.	1825.	——	H. ¼.	
4 alata.	wing-stalked.	Mexico.	1803.	7. 8.	H. ¼.	Cavan. ic. 3. t. 260.
Coreopsis alata. W.						
HELIANTHUS. W.	Sunflower. Syngenesia Polygamia Frustranea. L.					
1 annuus. W.	annual.	S. America.	1596.	6. 10.	H. ☉.	
2 indicus. W.	dwarf annual.	Egypt.	1785.	——	H. ☉.	Tabern. ic. 764.
3 tuberæformis. W.	tube-flowered.	Mexico.	1799.	7. 8.	H. ☉.	Jacq. schœn. 3. t. 275.
4 dentatus. W.	tooth-leaved.	———	1798.	9. 11.	G. ¼.	Cavan. ic. 3. t. 220.
5 multiflorus. W.	many-flowered.	N. America.	1597.	8. 10.	H. ¼.	Botan. magaz. 227.
β plenus.	*double-flowered.*	———	——	——	H. ¼.	
6 tuberosus. W.	Jerusalem Artichoke.	Brazil.	1617.	9. 10.	H. ¼.	Jacq. vind. 2. t. 161.
7 pubescens. B.R.	pubescent.	N. America.	1795.	7. 10.	H. ¼.	Botan. regist. 524.
8 atrorubens. B.R.	dark-eyed.	———	1732.	——	H. ¼.	——— 506.
diffusus. B.M. 2020.	*missuricus.* Spr.					
9 lætiflorus. P.S.	pale-flowered.	———	....	——	H. ¼.	
10 divaricatus. W.	divaricate.	———	1759.	8. 10.	H. ¼.	Moris. s. 6. t. 7. f. 26.
11 trachelifolius. W.	Trachelium-ld.	———	1818.	——	H. ¼.	
12 longifolius. Ph.	long-leaved.	Georgia.	1812.	——	H. ¼.	
13 pauciflorus. N.	few-flowered.	Louisiana.	1823.	——	H. ¼.	
14 giganteus. W.	gigantic.	N. America.	1714.	9. 10.	H. ¼.	
15 altissimus. W.	tall.	———	1731.	7. 9.	H. ¼.	Jacq. vind. 2. t. 160.
16 strumosus. W.	Carrot-rooted.	———	1710.	——	H. ¼.	Boce. sic. t. 27. f. 4.
17 prostratus. W.	rough.	———	1800.	——	H. ¼.	
18 decapetalus. W.	ten-rayed.	———	1759.	8. 11.	H. ¼.	Rob. ic. 235.
19 mollis. W.	soft.	———	1805.	7. 10.	H. ¼.	
20 macrophyllus. W.	large-leaved.	———	1800.	8. 10.	H. ¼.	Willd. hort. ber. t. 70.
21 angustifolius. W.	narrow-leaved.	———	1789.	9. 10.	H. ¼.	Mill. ic. t. 234. f. 2.
22 excelsus. W.	lofty.	Mexico.	1824.	——	H. ¼.	Cav. ic. 3. t. 219.
giganteus. Cav. *non* W.						
23 linearis. W.	linear-leaved.	———	1818.	8. 10.	H. ¼.	Botan. regist. 528.
24 parviflorus. K.S.	small-flowered.	———	1824.	——	H. ¼.	H. et B. 4. t. 378.
25 cornifolius. K.S.	Dogwood-ld.	———	——	——	H. ¼.	
26 trilobatus. L.en.	three-lobed.	———	1823.	——	H. ¼.	
VIGUIERA. K.S.	Viguiera. Syngenesia Polygamia Frustranea.					
helianthoides. K.S.	Sunflower-like.	Cuba.	1825.	6. 9.	S. ¼.	H. et B. 4. t. 379.
GALARDIA. W.	Galardia. Syngenesia Polygamia Frustranea.					W.
1 bicolor. W.	two-coloured.	Carolina.	1787.	7. 10.	H. ¼.	Botan. magaz. 1602.
2 aristata. Ph.	long-awned.	N. America.	1812.	——	H. ¼.	
RUDBECKIA. W.	Rudbeckia. Syngenesia Polygamia Frustranea.					L.
1 pinnata. Ph.	fragrant.	N. America.	1803.	8. 9.	H. ¼.	Swt. br. fl. gar. 146.
2 digitata. Ph.	narrow-jagged-ld.	———	1759.	——	H. ¼.	Moris. s. 6. t. 6. f. 54.
3 laciniata. Ph.	broad jagged-ld.	———	1640.	7. 9.	H. ¼.	——— s. 6. t. 6. f. 53.
4 columnaris. Ph.	high-crowned.	———	1811.	8. 9.	H. ¼.	Botan. magaz. 1601.
5 subtomentosa. Ph.	downy-lobed.	———	1802.	——	H. ¼.	
6 triloba. Ph.	three-lobed.	———	1699.	——	H. ¼.	Botan. regist. 525.

7	hirta. Ph.	great hairy.	———	1714.	6. 11.	H.♃.	Swt. br. fl. gar. 83.
8	fulgida. Ph.	small hairy.	———	1760.	7. 8.	H.♃.	Botan. magaz. 1996.
9	lævigata. Ph.	smooth.	Carolina.	1812.	——	F.♃.	
10	amplexifolia. Ph.	stem-clasping.	Louisiana.	1793.	——	H.⊙.	Jacq. ic. 3. t. 592.
11	serotina. B.F.G.	hispid-stalked.	———	1816.	8. 10.	H.♃.	Swt. br. fl. gar. t. 4.
12	purpurea. Ph.	purple.	N.America.	1699.	7. 10.	H.♃.	Botan. magaz. 2.
13	napifolia. K.S.	Rape-leaved.	New Spain.	1824.	——	G.♃.	
COSMEA. W.		Cosmea. Syngenesia Polygamia Frustranea. W.					
1	sulphurea. W.	Southernwood-l^d	Mexico.	1799.	7. 8.	H.⊙.	Jacq. ic. 3. t. 595.
2	tenella. K.S.	slender.	———	1825.	10. 11.	G.⊙.	
3	bipinnata. W.	purple-flow'r'd.	———	1799.	——	G.⊙.	Botan. magaz. 1535.
4	crithmifolia. K.S.	Samphire-l^d.	———	1825.	——	G.⊙.	
5	parviflora. W.	white-flowered.	———	1800.	——	H.⊙.	Jacq. schœn. 3. t. 374.
DAHLIA. Cav.		Dahlia. Syngenesia Polygamia Superflua. W.					
1	superflua. H.K.	fertile-rayed.	Mexico.	1789.	7. 11.	H.♃.	Cavan. ic. 1. t. 80.
	Georgina pinnata. W.						
	α purpurea.	*purple-flowered.*	———	——	——	H.♃.	Ann. mus. 3. t. 37. f. 1.
	β lilacina.	*rose-coloured.*	———	——	——	H.♃.	Sal. par. lond. 16.
	γ pallida.	*pale-flowered.*	———	——	——	H.♃.	
	δ alba.	*white-flowered.*	———	——	——	H.♃.	
	ε flava.	*yellow-flowered.*	———	——	——	H.♃.	
	ζ cuprea.	*copper-coloured.*	———	——	——	H.♃.	
	η rubra.	*red-flowered.*	———	——	——	H.♃.	Botan. magaz. 1895. A.
	θ punicea.	*Pomegranate.*	———	——	——	H.♃.	Botan. regist. 55.
	ι atropurpurea.	*dark-purple.*	———	——	——	H.♃.	
	κ nigra.	*very dark.*	———	——	——	H.♃.	
	λ variegata.	*variegated-fl^d.*	———	——	——	H.♃.	
	μ nana.	*double dwarf lilac.*	———	——	——	H.♃.	Andr. reposit. 483.
	ν superba.	*double purple.*	———	——	——	H.♃.	Botan. magaz. 1885. B.
	ξ ranunculiflora.	*Ranunculus-fl^d.*	———	——	——	H.♃.	
	ο paeoniaflora.	*double Paony-fl^d.*	———	——	——	H.♃.	
	π coccineo-aurantiaca.	*scarlet orange.*	———	——	——	H.♃.	
	ρ sulphurea.	*sulphur-coloured.*	———	——	——	H.♃.	
	σ sulphureo-nana.	*dwarf-sulphur.*	———	——	——	H.♃.	
	τ camelliaflora.	*Camellia-fl^d.*	———	——	——	H.♃.	
2	frustranea. H.K.	barren-rayed.	———	1802.	——	H.♃.	Cavan. ic. t. 266.
	α coccinea.	*scarlet.*	———	——	——	H.♃.	Botan. magaz. 762.
	β fulgens.	*bright scarlet.*	———	——	——	H.♃.	
	γ aurantia.	*orange-coloured.*	———	——	——	H.♃.	
	δ crocea.	*saffron-coloured.*	———	——	——	H.♃.	
	ε lutea.	*yellow.*	———	——	——	H.♃.	
COREOPSIS. W.		Coreopsis. Syngenesia Polygamia Frustranea. L.					
1	ferulæfolia. W.	Fennel-leaved.	Mexico.	1799.	10. 11.	F.♃.	Jacq. schœn. 3. t. 273.
2	verticillata. W.	whorl-leaved.	N.America.	1759.	7. 10.	H.♃.	Botan. magaz. 156.
3	tenuifolia. W.	slender-leaved.	———	1780.	7. 8.	H.♃.	Pluk. man. t. 344. f. 4.
4	trichosperma. M.	pinnate-leaved.	Carolina.	1822.	8. 10.	G.♂.	
5	chrysantha. W.	Angelica-l^d.	W. Indies.	1752.	7. 9.	S.♂.	Plum. ic. 53. f. 1.
6	aurea. W.	Hemp-leaved.	N.America.	1785.	8. 9.	H.♃.	
7	tripteris. Ph.	three-leaved.	———	1737.	8. 10.	H.♃.	Moris. s. 6. t. 3. f. 44.
8	discolor. L.en.	two-coloured.	———	1818.	——	H.♃.	
9	senifolia. Ph.	sessile-leaved.	———	1812.	——	H.♃.	
10	amplexicaulis. Cav.	stem-clasping.	.....	1806.	7. 8.	H.♃.	
11	alba. W.	climbing.	Jamaica.	1699.	6. 7.	S.♃.	Herm. parad. 124.
12	incisa. B. reg.	jagged-leaved.	W. Indies.	....	9. 12.	S.♃.	Botan. regist. 7.
13	reptans. W.	trailing.	———	1792.	7. 9.	S.⊙.	Smith spic. t. 22.
14	tinctoria. N.	dyeing.	Arkansa.	1823.	6. 10.	H.⊙.	Swt. brit. fl. gar. 72.
15	palmata. N.	palmate-leav'd.	Louisiana.	——	8. 10.	H.♃.	
16	auriculata. W.	ear-leaved.	N.America.	1699.	8. 10.	H.♃.	Schk. han. 3. t. 260.
17	latifolia. W.	broad-leaved.	———	1786.	8. 9.	H.♃.	
18	argata. Ph.	sharp-notched.	Carolina.	....	——	H.♃.	
19	lanceolata. W.	spear-leaved.	———	1724.	7. 9.	H.♃.	Swt. br. fl. gar. 10.
20	crassifolia. W.	thick-leaved.	———	1786.	8. 10.	H.♃.	
21	angustifolia. W.	narrow-leaved.	N.America.	1778.	6. 8.	H.♃.	
22	rosea. N.	rose-coloured.	———	——	——	H.♃.	
BIDENS. K.S.		Bidens. Syngenesia Polygamia Frustranea.					
1	nodiflora. W.	sessile-flower'd.	E. Indies.	1732.	7. 8.	S.⊙.	Dill. elth. t. 44. f. 52.
2	tripartita. W.	trifid.	Britain.	....	7. 9.	H.⊙.	Eng. bot. 1113.
3	cernua. W.	nodding.	———	....	7. 9.	H.⊙.	——— 1114.
4	heterophylla. W.	various-leaved.	Mexico.	1803.	8. 9.	G.♃.	Orteg. dec. 8. t. 12.

5 luxurians. W.en.	luxuriant.	———	1823.	——	G.♃.		
6 frondosa. W.	smooth-stalk'd.	N.America.	1710.	7. 8.	H.⊙.	Moris. s. 6. t. 5. f. 21.	
7 foliosa. W.en.	leafy.	.....	1823.	——	H.⊙.		
8 connata. W.	connate.	N. America.	——	——	H.⊙.		
9 leucantha. W.	white-flower'd.	S. America.	....	——	H.⊙.		
10 chinensis. W.	Chinese.	China.	1801.	6. 7.	H.⊙.	Rumph.amb.6.t.15.f.2.	
11 diversifolia. W.	different-l^d.	S.America.	1811.	9. 10.	H.⊙.	Botan. magaz. 1689.	
Cosmea lutea. B.M.	*Coreopsis diversifolia.* Jacq.						
12 pilosa. W.	hairy.	N.America.	1732.	7.	H.⊙.	Dill.elth. t. 43. f. 51.	
13 sambucifolia. W.	Elder-leaved.	S.America.	1801.	7. 8.	H.♃.	Cavan. ic. 3. t. 229.	
14 odorata. W.	sweet-scented.	Mexico.	1823.	——	H.⊙.	——— 1. t. 13.	
15 bipinnata. W.	Hemlock-l^d.	N.America.	1687.	——	H.⊙.	Herm. parad. t. 123.	
16 parviflora. W.en.	small-flowered.	.....	1823.	——	H.⊙.		
17 bullata. W.	rough-leaved.	N.America.	1759.	——	H.⊙.	Arduin. spec. 2. t. 18.	
18 reflexa. L.en.	reflexed.	Mexico.	1824.	——	G.♃.		
19 crithmifolia. K.s.	Samphire-l^d.	S. America.	——	9. 10.	G.♃.		
20 angustifolia. K.s.	narrow-leaved.	New Spain.	——	——	H.♃.		
21 procera. B.R.	tall.	S. America.	1818.	——	H.♃.	Botan. regist. 684.	
OSMITES. W.	Osmites. Syngenesia Polygamia Frustranea. W.						
1 bellidiastrum. W.	Daisy-like.	C. B. S.	1816.	4. 8.	G.♄.		
2 camphorina. W.	Camphire-scent'd.	———	1794.	4. 7.	G.♄.	Seb. mus. 1. t. 90. f. 2.	
SCLEROCARPUS. W.	Sclerocarpus. Syngenesia Polygamia Frustranea. W.						
africanus. W.	African.	Guinea.	1812.	7. 8.	G.⊙.	Jacq. ic. 1. t. 176.	
CULLUMIA. H.K.	Cullumia. Syngenesia Polygamia Frustranea. H.K.						
1 ciliaris. H.K.	ciliated.	C. B. S.	1774.	5. 6.	G.♄.	Burm. afr. t. 54. f. 1.	
2 setosa. H.K.	recurved smooth-l^d.	———	1780.	6. 8.	G.♄.		
3 squarrosa. H.K.	recurv'd-awl-l^d.	———	1786.	——	G.♄.	Th. act. hafn. 3. t. 5.	
BERCKHEYA. H.K.	Berckheya. Syngenesia Polygamia Frustranea. H.K.						
1 cynaroides. W.	Artichoke-cup'd.	C. B. S.	1789.	6.	G.♃.		
2 obovata. W.	smooth shrubby.	———	1794.	6. 8.	G.♄.	Hout. n. h. 6. t. 34. f. 2.	
3 incana. W.	hoary.	———	1739.	7. 8.	G.♄.	Jacq. ic. 3. t. 591.	
4 cuneata. W.	wedge-leaved.	———	1812.	6. 8.	G.♄.	Th. act. hafn. 3. t. 10.	
5 palmata. W.	palmated.	———	1800.	——	G.♄.	——— 3. t. 13.	
6 grandiflora. W.	large-flowered.	———	1812.	——	G.♄.	Botan. magaz. 1844.	
7 uniflora. W.	single-flowered.	———	1815.	——	G.♄.	Th. act. hafn. 3. t. 7.	
8 cernua. H.K.	drooping-fl^d.	———	1774.	5. 7.	G.♂.	Meerb. ic. 1. t. 40.	
DIDELTA. H.K.	Didelta. Syngenesia Polygamia Frustranea. H.K.						
1 carnosum. H.K.	alternate-l^d.	C. B. S.	1774.	6. 7.	G.♄.	L'Her. stirp. t. 28.	
2 spinosum. H.K.	opposite-leav'd.	———	——	——	G.♄.	Wendl. obs. t. 4. f. 32.	
GORTERIA. H.K.	Gorteria. Syngenesia Polygamia Frustranea. H.K.						
personata. H.K.	procumbent.	C. B. S.	1774.	7. 8.	G.⊙.	Jacq. coll. 4. t. 21. f. 1.	
GAZANIA. H.K.	Gazania. Syngenesia Polygamia Frustranea. H.K.						
1 uniflora. B.M.	golden.	C. B. S.	1816.	7. 8.	G.♆.	Botan. magaz. 2270.	
2 rigens. H.K.	great-flowered.	———	1755.	5. 9.	G.♆.	——— 90.	
3 heterophylla. W.	various-leaved.	———	1812.	——	G.♃.	Willd. hort. ber. t. 97.	
4 Pavonia. H.K.	Peacock.	———	1804.	6. 7.	G.♃.	Botan. regist. 35.	
5 subulata. H.K.	awl-leaved.	———	1792.	7. 8.	G.♃.		
CRYPTOSTEMMA. H.K.	Cryptostemma. Syngenesia Polygamia Frustranea.						
1 calendulaceum. H.K.	Marygold-fl^d.	C. B. S.	1752.	6. 8.	H.⊙.	Botan. magaz. 2252.	
2 hypochondriacum. H.K.	divided-rayed	———	1781.	7. 8.	H.⊙.		
3 runcinatum. H.K.	Dandelion-l^d.	———	1794.	——	H.⊙.		
ARCTOTHECA. W.	Arctotheca. Syngenesia Polygamia Frustranea. H.K.						
1 repens. W.	creeping.	C. B. S.	1793.	7. 8.	G.♃.	Jacq. schœn. 3. t. 306.	
2 hirta. L.en.	hairy.	———	1818.	7. 9.	G.♃.		
SPHENOGYNE. H.K.	Sphenogyne. Syngenesia Polygamia Frustranea. H.K.						
1 anthemoides. H.K.	white-crowned.	C. B. S.	1774.	7. 9.	H.⊙.	Botan. magaz. 544.	
2 crithmifolia. H.K.	Samphire-l^d.	———	1768.	4. 8.	G.♆.	Burm. afr. t. 65. f. 1.	
3 scariosa. H.K.	scaly-cupped.	———	1774.	——	G.♆.		
4 abrotanifolia. H.K.	Southernwood-l^d.	———	1789.	5. 8.	G.♆.		
5 dentata. H.K.	small-leaved.	———	1787.	6. 7.	G.♆.	Burm. afr. t. 64.	
6 pilifera. B.R.	hair toothed.	———	1820.	——	G.♆.	Botan. regist. 604.	
7 fœniculacea.	Fennel-leaved.	———	1825.	5. 9.	G.⊙.	Jacq. schœn. 2. t. 156.	
Arctotis fœniculacea. Jacq.							
8 leucanthemoides.	Ox-eye Daisy-l^d.	———	——	——	G.⊙.	——— 2. t. 164.	
Arctotis leucanthemoides. Jacq.							
9 odorata. H.K.	smooth-seeded.	———	1774.	4. 6.	G.♆.		
TITHONIA. W.	Tithonia. Syngenesia Polygamia Frustranea. W.						
tagetiflora. W.	Tagetes-fl^d.	W. Indies.	1821.	8. 9.	S.♃.	Botan. regist. 591.	

ARCTOTIS. H.K.	**Arctotis.**	**Syngenesia Polygamia Necessaria.**					**L.**
1 acaulis. W.	dwarf.	C. B. S.	1759.	4. 7.	G. ♃.	Botan. regist. 122.
2 tricolor. W.	three-coloured.	———	1794.	5. 7.	G. ♃.	——— 131.
3 undulata. W.	wave-leaved.	———	1795.	4. 6.	G. ♃.	Jacq. schœn. 2. t.160.
4 grandiflora. H.K.	great-flowered.	———	1774.	3. 5.	G. ♂.	
5 speciosa. W.	showy.	———	1812.	6. 8.	G. ♃.	Botan. magaz. 2182.
6 glaucophylla. W.	Sea-green-ld.	———	1794.	5. 8.	G. ♃.	Jacq. schœn. 2. t.170.
7 plantaginea. W.	Plantain-ld.	———	1768.	6. 8.	G. ♃.	
8 argentea. W.	silver-leaved.	———	1774.	8.	G. ♂.	
9 rosea. W.	Rose.	———	1793.	7. 9.	G. ♃.	Jacq. schœn. 2. t. 162.
10 decumbens. W.	decumbent.	———	1790.	——	G. ♃.	——— 3. t. 381.
11 angustifolia. W.	narrow-leaved.	———	1739.	——	G. ♃.	
12 flaccida. W.	bending-stalk'd.	———	1794.	5. 7.	G. ☉.	Jacq. schœn. 2. t. 168.
13 virgata. W.	slender-twigg'd.	———	1816.	7. 9.	H. ☉.	——— 3. t. 307.
14 paniculata. W.	panicled.	———	——	——	G. ♄.	——— 3. t. 380.
15 decurrens. W.	decurrent.	———	——	6. 7.	G. ♄.	——— 2. t. 165.
16 melanocicla. W.en.	various-colour'd.	———	1812.	——	G. ♄.	
17 reptans. W.	creeping.	———	1795.	7. 9.	G. ♃.	Jacq. schœn. 3. t. 382.
18 auriculata. W.	ear-leaved.	———	——	6. 8.	G. ♄.	———2. t. 169.
19 fastuosa. W.	Orange-fld.	———	——	5. 7.	G. ♂.	———2. t. 166.
20 spinulosa. W.	thorny-leaved.	———	——	5. 8.	G. ☉.	———2. t. 167.
21 maculata. W.	spotted.	———	1812.	——	G. ♄.	Botan. regist. 130.
22 aspera. B. reg.	broad rough-ld.	———	1710.	7. 9.	G. ♄.	——— 34.
23 elatior. W.	tall.	———	1816.	——	G. ♄.	Jacq. schœn. 2. t. 172.
24 arborescens. W.	arborescent.	———	——	——	G. ♄.	——— 2. t. 171.
25 aureola. B. reg.	narrow rough-ld.	———	——	——	G. ♄.	Botan. regist. 32.
26 revoluta. W.	revolute-leav'd.	———	1824.	8. 10.	H. ☉.	Jacq. schœn. 2. t. 173.
27 cuprea. W.	copper-colour'd.	———	——	7. 8.	G. ♄.	——— 2. t. 176.
28 squarrosa. W.	squarrose.	———	1825.	——	G. ♄.	——— 2. t. 177.
29 Cineraria. W.	black-eyed.	———	——	——	G. ♃.	——— 2. t. 174.
30 bicolor. W.en.	two-coloured.	———	1812.	——	G. ♃.	
31 glabrata. W.	smooth-leaved.	———	1816.	7. 9.	G. ♄.	Jacq. schœn. 2. t. 175.
CALENDULA. W.	**Marygold.**	**Syngenesia Polygamia Necessaria.**					**L.**
1 arvensis. W.	field.	Europe.	1597.	6. 9.	H. ☉.	
2 sicula. W.en.	Sicilian.	Sicily.	1816.	——	H. ☉.	
3 stellata. W.	starry.	Barbary.	1795.	6. 9.	H. ☉.	Schk. hand. 3. t. 265.
4 officinalis. W.	common.	S. Europe.	1573.	——	H. ☉.	
β plena.	*double-flowered.*	———	——	——	H. ☉.	
5 ægyptiaca. P.s.	Egyptian.	Egypt.	1820.	——	H. ☉.	
6 suffruticosa. W.	suffrutescent.	S. Europe.	1823.	——	G. ♄.	
7 sancta. W.	pale-flowered.	Levant.	1731.	5. 9.	H. ☉.	
8 incana. W.	hoary.	Barbary.	1796.	6. 8.	H. ☉.	Desf. alt. 2. t. 245.
9 pluvialis. W.	small Cape.	C. B. S.	1699.	——	H. ☉.	Mill. ic. t. 75. f. 2.
10 hybrida. W.	great Cape.	———	1752.	6. 7.	H. ☉.	Swt. br. fl. gar. 39.
11 nudicaulis. W.	naked-stalked.	———	1731.	6. 8.	H. ☉.	Comm. hort. 2. t. 93.
12 denticulata. W.en.	toothed.	S. Europe.	1821.	——	H. ☉.	
13 graminifolia. W.	Grass-leaved.	———	1731.	5. 9.	G. ♃.	Botan. regist. 289.
14 Tragus. W.	bending-stalk'd.	———	1774.	5. 6.	G. ♄.	Botan. magaz. 408.
β flaccida. V.	*flaccid.*	———	——	——	G. ♄.	Botan. regist. 28.
15 viscosa. H.K.	viscous.	———	1700.	6. 9.	G. ♄.	Andr. reposit. 412.
Arctotis glutinosa. B.M. 1242.						
16 dentata. B.R.	tooth-leaved.	———	1790.	5. 6.	G. ♄.	Andr. reposit. c. ic.
17 oppositifolia. W.	glaucous-ld.	———	1774.	8.	G. ♄.	
18 fruticosa. W.	shrubby.	———	1752.	6. 7.	G. ♄.	Mill. ic. 2. t. 283.
19 chrysanthemifolia. V.	large-flowered.	———	1790.	9. 8.	G. ♄.	Botan. regist. 40.
20 arborescens. W.	rough-leaved.	———	1774.	12.	G. ♄.	Jacq. ic. 3. t. 596.
21 muricata. W.	muricate.	———	1816.	——	G. ♄.	
POLYMNIA. W.	**Polymnia.**	**Syngenesia Polygamia Necessaria.**					**L.**
1 canadensis. W.	Canadian.	N.America.	1768.	7. 8.	H. ♃.	Lin. am. ac. 3. t. 1. f. 5.
2 Uvedalia. W.	broad-leaved.	———	1699.	8. 10.	H. ♃.	Moris. s. 6. t. 7. f. 55.
3 maculata. Cav.	spotted-stalked.	Mexico.	1823.	9. 11.	H. ♃.	Cav. ic. 3. t. 227.
4 abyssinica. W.	upright.	Africa.	1775.	4. 5.	S. ♂.	
MELAMPODIUM. W.	**Melampodium.**	**Syngenesia Polygamia Necessaria. W.**					
1 americanum. W.	American.	Vera Cruz.	1733.	8. 10.	S. ☉.	Reliq. Houst. 9. t. 21.
2 humile. W.	dwarf.	Jamaica.	1782.	6. 10.	S. ☉.	
3 hispidum. K.s.	hispid.	New Spain.	1825.	9. 11.	H. ☉.	H. et B. 4. t. 399.
4 perfoliatum. K.s.	perfoliate.	———	1796.	8. 10.	H. ☉.	Cavan. ic. 1. t. 15.
Alcina perfoliata. Cav.						
5 longifolium. W.en.	long-leaved.	Canaries.	1820.	——	H. ☉.	

MILLERIA. *L.*	MILLERIA. Syngenesia Polygamia Necessaria. L.						
1 quinqueflora. W.	five-flowered.	Vera Cruz.	1731.	7. 10.	H.⊙.	Cavan. ic. 1. t. 82.
2 biflora. W.	two-flowered.	S. America.	1730.	——	H.⊙.	Mart. dec. 47. f. 1.
FLAVERIA. J.	FLAVERIA. Syngenesia Polygamia Necessaria. P.S.					
1 Contrayerba. K.S.	Peruvian.	Peru.	1794.	8. 10.	S.♂.	Cavan. ic. 1. t. 4.
2 angustifolia. K.S.	narrow-leaved.	Mexico.	1825.	——	H.⊙.	—— —— 3. t. 223.
3 maritima. K.S.	sea-side.	Cuba.	1822.	——	S.⊙.	
BALTIMORA. W.	BALTIMORA. Syngenesia Polygamia Necessaria. L.					
recta. W.	upright.	Vera Cruz.	1699.	6. 7.	H⊙.	Schk. ha. 3. t. 261. C.
SILPHIUM. W.	SILPHIUM. Syngenesia Polygamia Necessaria. L.					
1 laciniatum. W.	jagged-leaved.	N.America.	1781.	7. 9.	H.⊙.	Lin. fil. fas. 1. t. 3.
2 compositum. W.	scollop-leaved.	—— ——	1789.	——	H.♃.	
3 therebinthinaceum.	broad-leaved.	—— ——	1765.	8. 9.	H.♃.	Jacq. vind. 1. t. 48.
4 perfoliatum. W.	perfoliate.	—— ——	1766.	7. 10.	H.♃.	
5 conjunctum. W.en.	conjoined.	—— ——	....	——	H.♃.	
6 connatum. W.	round-stalked.	—— ——	1765.	——	H.♃.	
7 Asteriscus. W.	hairy-stalked.	—— ——	1732.	7. 9.	H.♃.	Dill.elth. t. 37. f. 42.
8 scabrum. N.	rough-leaved.	—— ——	1823.	——	H.♃.	
9 pumilum. W.	dwarf woolly.	—— ——	——	——	H.♃.	
10 trifoliatum. W.	three-leaved.	—— ——	1755.	7. 10.	H.♃.	Moris. s. 6. t. 3. f. 66.
11 ternatum. W.	various-leaved.	—— ——	1806.	——	H.♃.	
12 atropurpureum. W.	purple-stalked.	—— ——	1812.	——	H.♃.	
OSTEOSPERMUM.	OSTEOSPERMUM. Syngenesia Polygamia Necessaria. L.					
1 spinosum. H.K.	rough-leaved.	C. B. S.	1700.	2. 10.	G.♄.	Com. hort. 2. t. 43.
2 spinescens. H.K.	smooth-leaved.	—— ——	1793.	3. 6.	G.♄.	Jacq. schœn. 3. t. 277.
3 pisiferum. W.	smooth.	—— ——	1757.	3. 5.	G.♄.	Mill. ic. 2. t. 194. f. 1.
4 moniliferum. W.	Poplar-leaved.	—— ——	1714.	7. 8.	G.♄.	Dill. elth. t. 68. f. 79.
5 ilicifolium. W.	Holly-leaved.	—— ——	1816.	——	G.♄.	Burm. afr. 172. t. 62.
6 rigidum. W.	rigid.	—— ——	1774.	4. 7.	G.♄.	
7 cœruleum. W.	blue-flowered.	—— ——	——	6. 9.	G.♄.	Jacq. ic. 1. t. 179.
8 perfoliatum. W.	perfoliate.	—— ——	1816.	5. 8.	G.♄.	
9 niveum. W.	white-leaved.	—— ——	1820.	——	G.♄.	
10 corymbosum. W.	corymbed.	—— ——	——	——	G.♄.	
11 incanum. W.	hoary-leaved.	—— ——	1816.	7. 8.	G.♄.	
12 polygaloides. W.	Milkwort-ld.	—— ——	1759.	——	G.♄.	Pluk. mant. t. 382.

SUBORDO VII. *AMBROSIACEÆ. Link enum. 2. p. 266.*

PARTHENIUM. W.	PARTHENIUM. Syngenesia Polygamia Necessaria. L.					
1 integrifolium. W.	entire-leaved.	Virginia.	1661.	6. 10.	H.♃.	Willd. hort. ber. 4.
2 incanum. K.S.	hoary.	Mexico.	1824.	——	H.⊙.	H. et B. 4. t. 391.
3 Hysterophorus. W.	cut-leaved.	W. Indies.	1728.	7. 10.	H.⊙.	Botan. magaz. 2275.
IVA. W.	IVA. Syngenesia Polygamia Necessaria. L.					
1 ciliata. W.	ciliated.	N.America.	1820.	7. 8.	H.⊙.	
2 annua. W.	annual.	S. America.	1768.	——	H.⊙.	Schmidel ic. t. 16.
3 frutescens. W.	shrubby.	N.America.	1711.	8.	H.♄.	Pluk. alm. t. 37. f. 1.
AMBROSIA. W.	AMBROSIA. Monœcia Pentandria. L.					
1 integrifolia. W.	entire-leaved.	N.America.	1816.	7. 9.	H.⊙.	
2 trifida. W.	trifid-leaved.	—— ——	1699.	——	H.⊙.	Moris. s. 6. t. 1. f. 4.
3 elatior. W.	tall.	—— ——	1690.	7. 8.	H.⊙.	Herm. lugdb. t. 35.
4 artemisiæfolia. W.	Mugwort-leav'd.	—— ——	1759.	——	H.⊙.	
5 paniculata. W.	panicled.	—— ——	1811.	7. 9.	H.⊙.	Pluk. alm. t. 10. f. 5.
6 maritima. W.	sea.	Italy.	1570.	7. 8.	H.⊙.	Schk. hand. 3. t. 292.
7 cumanensis. K.S.	Cumana.	S. America.	1823.	9. 11.	G.♃.	
8 peruviana. W.	Peruvian.	Peru.	1821.	——	G.♃.	
XANTHIUM. W.	XANTHIUM. Monœcia Pentandria. L.					
1 Strumarium. W.	small burdock.	England.	....	7. 9.	H.⊙.	Eng. bot. 2544.
2 orientale. W.	oriental.	China.	1685.	——	H.⊙.	Schk. hand. 3. t. 291.
3 echinatum. W.	hedgehog.	.....	1818.	——	H.⊙.	
4 catharticum. K.S.	divided-leaved.	S. America.	1825.	9. 10.	H.⊙.	
5 spinosum. W.	spiny.	S. Europe.	1713.	7. 9.	H.⊙.	Herm. parad. 246.
NEPHELIUM. W.	NEPHELIUM. Monœcia Pentandria. L.					
lappaceum. W.	Bur-seeded.	E. Indies.	1809.	....	S.♄.	Lam. ill. t. 764.
FRANSERIA. W.	FRANSERIA. Monœcia Pentandria. W.					
1 artemisioides. W.	Mugwort-ld.	Peru.	1759.	7. 9.	G.♄.	Willd. hort. ber. t. 2.
2 ambrosioides. W.	Ambrosia-ld.	Mexico.	1796.	——	G.♄.	Cavan. ic. 2. t. 200.

SUBORDO VIII. *ANTHEMIDEÆ. Kth. synops. 2. p. 513.*

CEPHALOPHORA. W.	CEPHALOPHORA.	Syngenesia Polygamia Æqualis. W.					
glauca. w.	glaucous.	Chili.	1798.	7. 8.	H.⊙.	Cavan. ic. 6. t. 599.	
Græmia aromatica. Hook. ex. flor. 189.							
ETHULIA. W.	ETHULIA.	Syngenesia Polygamia Æqualis. W.					
1 conyzoides. w.	panicled.	India.	1776.	7. 8.	S.⊙.	Linn. fil. dec. t. 1.	
2 divaricata. w.	spreading.	———	1815.	——	S.⊙.	Lam. ill. t. 699.	
Epaltes divaricata. Cas.							
3 ramosa. H.B.	branching.	———	1818.	——	S.⊙.		
4 brasiliensis. L.en.	Brazilian.	Brazil.	1822.	——	S.♃.		
TARCHONANTHUS. W.	AFRICAN FLEABANE.	Syngenesia Polygamia Æqualis. L.					
1 camphoratus. w.	strong-scented.	C. B. S.	1690.	6. 10.	G.ħ.	Lam. ill. t. 671.	
2 dentatus. P.S.	scentless.	———	1816.	——	G.ħ.		
OTANTHUS. L.en.	OTANTHUS.	Syngenesia Polygamia Æqualis.					
maritimus. L.en.	sea-side.	England.	....	7. 9.	H.ħ.	Eng. bot. 141.	
Santolinæ maritima. E.B.							
SANTOLINA. W.	LAVENDER-COTTON.	Syngenesia Polygamia Æqualis. L.					
1 Chamæ-Cyparissus. w.	common.	S. Europe.	1573.	7.	H.ħ.	Lam. ill. t. 671. f. 3.	
2 squarrosa. w.	hoary.	———	1570.	7. 8.	H.ħ.	Moris. s. 6. t. 3. f. 17.	
3 viridis. w.	dark-green.	———	1727.	7.	H.ħ.		
4 rosmarinifolia. w.	Rosemary-l^d.	———	1683.	7. 9.	H.ħ.	Sm. exot. bot. 2. t. 62.	
5 alpina. w.	Alpine.	Italy.	1798.	——	H.♃.	Barr. rar. t. 522.	
6 eriosperma. P.S.	woolly-seeded.	———	1818.	——	H.ħ.		
7 crithmifolia. W.en.	Samphire-l^d.	S. Europe.	1823.	——	H.♃.		
8 pinnata. Viv.	wing-leaved.	———	1791.	——	G.ħ.		
9 anthemoides. w.	Chamomile-l^d.	———	1727.	7. 8.	H.♃.	Flor. græc. t. 654.	
ATHANASIA. W.	ATHANASIA.	Syngenesia Polygamia Æqualis. L.					
1 crenata. w.	crenated.	C. B. S.	1816.	6. 8.	G.ħ.		
2 punctata. w.	punctated.	———	1822.	5. 7.	G.ħ.	Petiv. gaz. t. 81. f. 6.	
3 capitata. w.	hairy.	———	1774.	1. 3.	G.ħ.	Moris. s. 6. t. 3. f. 48.	
4 pubescens. w.	villous-leaved.	———	1768.	6. 8.	G.ħ.	Comm. hort. 2. t. 47.	
5 canescens. w.	canescent.	———	1822.	——	G.ħ.	Cavan. ic. 1. t. 3.	
lanuginosa. Cav.							
6 cuneifolia. P.S.	wedge-leaved.	———	1816.	7. 9.	G.ħ.	Lam. ill. t. 670. f. 3.	
7 annua. w.	annual.	Barbary.	1686.	7. 8.	H.⊙.	Botan. magaz. 2276.	
8 dentata. w.	tooth-leaved.	C. B. S.	1759.	——	G.ħ.	Comm. rar. t. 41.	
9 trifurcata. w.	trifid-leaved.	———	1710.	——	G.ħ.	Comm. hort. 2. t. 49.	
10 virgata. w.	twiggy.	———	1815.	——	G.ħ.	Jacq. schœn. 2. t. 148.	
11 tomentosa. w.	Lavender-l^d.	———	1774.	5. 6.	G.ħ.	Lam. ill. t. 670. f. 1.	
cinerea. L.							
12 filiformis. w.	fine-leaved.	———	1787.	8.	G.ħ.		
13 crithmifolia. w.	Samphire-l^d.	———	1723.	7. 8.	G.ħ.	Comm. hort. 2. t. 50.	
14 parviflora. w.	small-flow'r'd.	———	1731.	4.	G.ħ.	Jacq. schœn. 2. t. 149.	
15 tricuspis. P.S.	three-pointed.	———	1816.	——	G.ħ.		
16 pectinata. w.	pectinated.	———	1774.	5. 6.	G.ħ.		
17 pinnata. w.	pinnated.	———	1824.	6. 8.	G.ħ.	Lam. ill. t. 670. f. 4.	
BALSAMITA. W.	COSTMARY.	Syngenesia Polygamia Æqualis. W.					
1 virgata. w.	twiggy.	Italy.	1791.	6. 7.	H.♃.	Jacq. obs. 4. t. 81.	
2 ageratifolia. w.	Ageratum-l^d.	Candia.	1605.	6. 10.	G.ħ.	Alp. exot. t. 326.	
3 vulgaris. w.	common.	Italy.	1568.	8. 9.	H.♃.	Schk. hand. 3. t. 240.	
4 annua. DC.	annual.	S. Europe.	1629.	7. 8.	H.⊙.	Mill. ic. 2. t. 227. f. 1.	
Tanacetum annuum. w.							
PENTZIA. Th.	PENTZIA.	Syngenesia Polygamia Æqualis. W.					
flabelliformis. w.	fan-leaved.	C. B. S.	1774.	5. 8.	G.ħ.	Botan. magaz. 212.	
Tanacetum flabelliforme. B.M.							
TANACETUM. W.	TANSY.	Syngenesia Polygamia Superflua. L.					
1 vestitum. w.	imbricated.	C. B. S.	1816.	8. 9.	G.ħ.		
2 linifolium. w.	Flax-leaved.	———	1774.	8.	G.ħ.		
3 suffruticosum. w.	shrubby.	———	1751.	5. 9.	G.ħ.	Comm. hort. 2. t. 109.	
4 sibiricum. w.	Siberian.	Siberia.	1823.	——	H.♃.	Gmel. sib. 2. t. 65. f. 2.	
5 argenteum. w.	silvery.	Levant.	1812.	——	H.♃.		
6 grandiflorum. w.	great-flowered.	C. B. S.	1825.	——	G.♃.		
7 myriophyllum. w.	many-leaved.	Levant.	1818.	——	H.♃.		
Achillea bipinnata. L.							

8	angulatum. W.	angular-cupp'd.	Levant.	——	——	H.4.	
	Achillea filipendulina. P.S.							
9	canariense. DC.	Canary.	Canaries.	1816.	——	G.ħ.	
10	vulgare. W.	common.	Britain.	....	——	H.4.	Eng. bot. 1229.
	β crispum.	*curled.*						
ARTEMISIA. W.		WORMWOOD.	Syngenesia Polygamia Superflua. L.				
1	judaica. W.	Judean.	Levant.	1688.	8.	G.ħ.	Plnk. alm. t. 73. f. 2.
2	valentina. W.	Spanish.	Spain.	1739.	7. 8.	F.ħ.	Barr. ic. t. 485.
3	arragonensis. W.	snowy white.	———	1816.	——	F.ħ.	Asso arrag. t. 8. f. 1.
4	subcanescens. W.en.	hoary-leaved.	S. Europe.	....	——	F.ħ.	
5	Abrotanum. W.	Southernwood.	———	1548.	8. 10.	H.ħ.	Blackw. t. 555.
6	procera. W.	tall.	S. Europe.	1816.	——	F.ħ.	Lobel. ic. 768.
	paniculata. Lam.							
7	tenuifolia. W.	slender-leaved.	.....	1732.	9. 12.	G.ħ.	Dill. elth. t. 33. f. 37.
8	afra. W.	Cape.	C. B. S.	1816.	——	G.ħ.	
9	arborescens. W.	tree.	Levant.	1640.	6. 8.	H.ħ.	Flor. græc. 856.
10	argentea. W.	silvery.	Madeira.	1777.	6. 7.	G.ħ.	
11	panciflora. M.B.	few-flowered.	Russia.	1824.	——	H.ħ.	
12	glacialis. W.	silky.	Switzerland.	1739.	7. 8.	H.4.	Jacq. aust. 5. t. ap. 35.
13	rupestris. W.	stone.	N. Europe.	....	——	H.ħ.	All. ped. t. 9. f. 1.
14	mutellina. W.	Alpine.	Alps of Eur.	1815.	——	H.4.	Vill. daup. 3. t. 35.
15	pedemontana. L.en.	Swiss.	Switzerland.	1823.	——	H.4.	
16	caucasica. W.	Caucasian.	Caucasus.	1804.	6. 7.	H.4.	
17	spicata. W.	spiked.	Switzerland.	1790.	——	H.4.	Jacq. aust. 5. t. ap. 34.
18	pectinata. W.	comb-leaved.	Dauria.	1806.	——	H.⊙.	Pall. it. 3. t. Hh. f. 2.
19	tanacetifolia. W.	Tansy-leaved.	Siberia.	1768.	7. 8.	H.♂.	All. ped. 1. t. 10. f. 3.
20	laciniata. W.	jagged.	Dauria.	1823.	——	H.4.	
21	insipida. W.	insipid.	S. Europe.	——	——	H.4.	Vill. delph. 3. t. 35.
22	Santonica. W.	Tartarian.	Siberia.	1596.	9. 11.	H.ħ.	Gmel. sib. 2. t. 51.
23	scoparia. W.	besom.	Hungary.	1790.	7. 9.	H.⊙.	W. et K. hung. 1. t. 65.
24	campestris. W.	field.	England.	....	8.	H.4.	Eng. bot. 338.
25	herbacea. W.	herbaceous.	Siberia.	1817.	——	H.4.	
26	desertorum. W.en.	desert.	———	——	——	H.4.	
27	inodora. M.B.	few-flowered.	Siberia.	1800.	——	H.4.	
	pauciflora. W.							
28	palustris. W.	marsh.	———	1804.	7. 8.	H.⊙.	Gmel. sib. 2. t. 55.
29	neglecta. W.en.	neglected.	———	1815.	——	H.4.	
30	camphorata. W.	Camphor-scent'd.	S. Europe.	1820.	——	H.ħ.	Lob. ic. t. 769. f. 1.
31	albida. W.en.	white-leaved.	.....	——	——	H.4.	
32	humilis. W.en.	dwarfish.	Carniola.	....	8. 10.	H.ħ.	
33	crithmifolia. W.	Samphire-ld.	Portugal.	1739.	8. 10.	H.ħ.	
34	saxatilis. W.	rock.	Hungary.	1816.	6. 8.	H.4.	
35	glauca. W.	glaucous.	Siberia.	1806.	——	H.4.	
36	nutans. W.	nodding.	Tartary.	1819.	7. 9.	H.4.	
37	monogyna. W.	one-styled.	Hungary.	1816.	——	H.4.	W. et K. hung. 1. t. 75.
38	palmata. W.	palmated.	S. Europe.	1739.	6. 7.	G.ħ.	
39	nivea. W.en.	snowy.	Siberia.	1815.	——	H.4.	
40	maritima. W.	drooping-fld.	Britain.	....	8. 9.	H.4.	Eng. bot. 1706.
41	gallica. W.	upright-flow'r'd.	———	....	——	H.4.	——— 1001.
42	salina. W.	sea-side.	Germany.	1817.	——	H.4.	Spreng. halens. t. 12.
43	fragrans. W.	Lavender-ld.	Armenia.	1739.	6. 7.	H.4.	
44	austriaca. W.	Austrian.	Austria.	1597.	8. 10.	H.4.	Jacq. aust. 1. t. 100.
45	vallesiaca. W.	downy.	Italy.	1739.	7. 8.	H.4.	
46	taurica. W.	Taurian.	Tauria.	1824.	——	H.4.	
47	orientalis. W.	oriental.	Armenia.	....	8. 10.	H.4.	
48	sericea. W.	silky-leaved.	———	1796.	6. 7.	H.4.	Gmel. sib. t. 64. f. 1.
49	repens. W.	creeping.	———	1805.	6. 7.	H.4.	
50	balsamita. W.en.	Balsam-scent'd.	.....	1816.	——	H.4.	
51	pontica. W.	Roman.	Austria.	1570.	9.	H.4.	Jacq. aust. 1. t. 99.
52	chamæmelifolia. W.	Chamomile-ld.	S. Europe.	1739.	7. 8.	F.4.	Vill. dauph. 3. t. 35.
53	annua. W.	annual.	Siberia.	1741.	——	H.⊙.	Am. ruth. t. 196. f. 23.
54	biennis. Ph.	biennial.	Missouri.	1804.	——	H.♂.	Botan. magaz. 2472.
55	Absinthium. W.	common.	Britain.	....	7. 10.	H.4.	Eng. bot. 1230.
56	Siversiana. W.	Sivers's.	Siberia.	1800.	7. 8.	H.♂.	
57	vulgaris. W.	Mugwort.	Britain.	....	8. 9.	H.4.	Eng. bot. 978.
58	procumbens. DC.	procumbent.	Siberia.	1823.	——	H.4.	
59	incisa. W.en.	cut-leaved.	.....	——	——	H.4.	
60	fasciculata. M.B.	fascicled.	Iberia.	1820.	——	H.4.	
61	indica. W.	Indian.	E. Indies.	1796.	9. 10.	F.4.	Rheed. mal. 10. t. 45.

62	integrifolia. W.	entire-leaved.	Siberia.	1759.	7. 8.	H.4.	Gm. sib. 2. t. 48. f. 1. 2.
63	japonica. W.	Japanese.	Japan.	1804.	10. 11.	H.4.	
64	cærulescens. W.	blueish.	England.	....	8. 10.	H.h.	Eng. bot. 2426.
65	Redowskii. Led.	inodorous.	Siberia.	1548.	7. 8.	H.4.	Gm. sib. 2. t. 59 & 60. f. 1.
	inodora. W. ex. non M.B.						
66	Dracunculus. W.	Tarragon.	S. Europe.	——	——	H.4.	
67	chinensis. W.	Chinese.	China.	1816.	——	H.h.	Gmel. sib. 2. t. 61. f. 1. 2.
ERIOCEPHALUS. W.		Woolhead.	Syngenesia Polygamia Necessaria. L.				
1	africanus. W.	cluster-leaved.	C. B. S.	1732.	1. 4.	G.h.	Botan. magaz. 833.
	frutescens. H.K.						
2	decussatus. B.T.	cross-leaved.	—— ——	1816.	3. 6.	G.h.	
3	purpureus. B.T.	purple.	—— ——	——	——	G.h.	
4	racemosus. W.	silver-leaved.	—— ——	1739.	3. 4.	G.h.	
5	spinescens. B.T.	spiny.	—— ——	1816.	——	G.h.	
HIPPIA. W.		Hippia.	Syngenesia Polygamia Necessaria. L.				
1	frutescens. W.	shrubby.	C. B. S.	1710.	2. 8.	G.h.	Botan. magaz. 1855.
2	integrifolia. W.	annual.	E. Indies.	1777.	7. 8.	S.⊙.	Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T.		Soliva.	Syngenesia Polygamia Necessaria.				
1	anthemifolia.	Chamomile-l^d.	S. America.	1812.	4. 12.	H.⊙.	J. ann. mus. t. 61. f. 1.
	Gymnostyles anthemifolia. P.S.						
2	stolonifera. L.T.	stoloniferous.	Portugal?	1818.	——	H.⊙.	
	Hippia stolonifera. P.S.						
3	pedicellata. P.S.	pedicelled.	S. America.	——	——	H.⊙.	
LIDBECKIA. W.		Lidbeckia.	Syngenesia Polygamia Superflua.				W.
1	lobata. W.	lobe-leaved.	C. B. S.	1816.	5. 6.	G.h.	Lam. ill. t. 701. f. 3.
	Lancisia lobata. P.S.	*Cotula quinqueloba.* L.					
2	pectinata. W.	silver-leaved.	C. B. S.	1774.	5. 6.	G.h.	Ber. cap. 306. t. 5. f. 9.
CENIA. J.		Cenia.	Syngenesia Polygamia Superflua.				
	turbinata. P.S.	turbinated.	C. B. S.	1713.	7. 8.	H.⊙.	Lam. ill. t. 701. f. 1.
	Lidbeckia turbinata. W. *Cotula turbinata.* L.						
COTULA. W.		Cotula.	Syngenesia Polygamia Superflua. W.				
1	anthemoides. W.	Anthemis-like.	St. Helena.	1696.	7. 8.	S.⊙.	Dill. elth. t. 23. f. 25.
2	aurea. W.	golden.	S. Europe.	1823.	7. 9.	H.⊙.	
3	nudicaulis. W.	naked-stalked.	C. B. S.	1816.	——	G.4.	Houtt. syst. t. 69. f. 4.
4	coronopifolia. W.	Buck's Horn.	—— ——	1683.	——	G.⊙.	Lam. ill. t. 700. f. 1.
5	viscosa. W.	clammy.	Vera Cruz.	1739.	8.	S.4.	
6	tanacetifolia. W.	Tansy-leaved.	C. B. S.	1780.	6. 8.	H.⊙.	Pluk. man. t. 430. f. 7.
7	sericea. W.	silky.	—— ——	1816.	——	G.4.	
GRANGEA. J.		Grangea.	Syngenesia Polygamia Superflua.				
1	cunelfolia. Lam.	wedge-leaved.	China.	1816.	7. 9.	H.⊙.	Lam. ill. t. 699. f. 2.
2	minima. W.	least.	—— ——	1768.	——	H.⊙.	
3	decumbens. Des.	decumbent.	N. Holland.	1815.	——	H.⊙.	
4	maderaspatana. Lam.	Madras.	E. Indies.	1780.	7. 8.	S.⊙.	Lam. ill. t. 699. f. 3.
	Cotula maderaspatana. W.						
5	bicolor. L.en.	two-coloured.	—— ——	1804.	——	S.⊙.	—— t. 699. f. 1.
	Cotula bicolor. W. *latifolia.* P.S.						
6	cinerea. L.en.	grey.	Egypt.	1825.	——	H.⊙.	
ANACYCLUS. W.		Anacyclus.	Syngenesia Polygamia Superflua. W.				
1	creticus. W.	trailing.	Candia.	1759.	6. 8.	H.⊙.	Ann. mus. 11. t. 22.
2	orientalis. W.	oriental.	Levant.	1731.	——	H.⊙.	Boer. lugd. 1. t. 110.
3	aureus. W.	golden-flow'r'd.	—— ——	1570.	——	H.⊙.	Lam. Ill. t. 700. f. 2.
4	radiatus. L.en.	rayed.	—— ——	1823.	——	H.⊙.	
5	clavatus. L.en.	clavate.	Barbary.	——	——	H.⊙.	
6	Pyrethrum. L.en.	Pellitory of Spain.	S. Europe.	1570.	6. 7.	H.4.	Botan. magaz. 462.
	Anthemis Pyrethrum. W.						
7	valentinus. W.	fine-leaved.	Spain.	1656.	6. 7.	H.⊙.	Schk. han. 3. t. 254. b.
8	divaricatus. Cav.	spreading.	—— ——	1824.	——	H.⊙.	
ANTHEMIS. W.		Chamomile.	Syngenesia Polygamia Superflua. L.				
1	rigescens. W.en.	rigid.	Caucasus.	1805.	7. 9.	H.4.	W. hort. ber. 1. t. 62.
	nigricans. Hort.						
2	Cota. W.	Venetian.	Italy.	1714.	7. 8.	H.⊙.	Pluk. alm. t. 17. f. 5.
3	altissima. W.	tall.	S. Europe.	1731.	8.	H.⊙.	Flor. græc. 881.
4	punctata. W.	dotted.	Levant.	1825.	7. 9.	G.h.	Desf. atl. 2. t. 139.
5	maritima. W.	sea.	England.	....	7. 8.	H.⊙.	Eng. bot. 2370.
6	tomentosa. W.	downy.	Levant.	1795.	7. 10.	H.4.	
7	ruthenica. M.B.	Russian.	Tauria.	1823.	——	H.⊙.	
8	fruticulosa. M.B.	frutescent.	—— ——	——	——	H.h.	Barrel. ic. 451.
9	pubescens. W.	pubescent.	S. Europe.	1803.	7. 8.	H.4.	
10	mixta. W.	simple-leaved.	France.	1731.	——	H.⊙.	Mich. gen. t. 30. f. 1.

11	saxatilis. W.en.	rock.	Hungary.	1807.	——	H.4.		
12	coronopifolia. W.	Buckshorn-ld.	Spain.	——	——	H.4.		
13	australis. W.	procumbent.	S. France.	1818.	——	H.4.		
14	alpina. W.	Alpine.	Europe.	——	——	H.4.	Jacq. aust. 6. ap. t. 20.	
15	carpatica. W.	Carpathian.	Carpathian-m.	—	——	H.4.		
16	corymbosa. W.	corymbose.	Austria.	1821.	——	H.4.		
17	Chamomilla. W.en.	various-leaved.	S. Europe.	——	——	H.4.		
18	chia. W.	cut-leaved.	Chio.	1731.	6. 10.	H.⊙.		
19	nobilis. W.	common.	Britain.	....	7. 9.	H.4.	Eng. bot. 980.	
20	arvensis. W.	corn.	——	....	6. 8.	H.♂.	—— —— 602.	
21	austriaca. W.	Austrian.	Austria.	1759.	5. 8.	H.⊙.	Jacq. aust. 5. t. 444.	
22	Cotula. W.	stinking.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 1772.	
23	fallax. W.en.	false Chamomile.	—— ——	——	——	H.⊙.		
24	fuscata. W.	brown-scaled.	Portugal.	1805.	7. 8.	H.⊙.		
25	peregrina. W.	close-branched.	Piedmont.	1817.	——	H.⊙.		
26	montana. W.	mountain.	Italy.	1759.	7. 10.	H.4.	Ger. prov. t. 8.	
27	incrassata. L.en.	thick-stalked.	S. Europe.	1823.	——	H.⊙.		
28	petræa. L.en.	long-stalked.	Naples.	——	——	H.⊙.		
29	globosa. W.	globe.	— ——	——	8. 9.	G.4.	Jacq. schœn. 3. t. 271.	
30	valentina. W.	purple-stalked.	S. Europe.	1596.	7. 8.	H.⊙.	Breyn. cent. t. 75.	
31	tinctoria. W.	Ox Eye.	Britain.	....	6. 11.	H.4.	Eng. bot. 1472.	
32	discoidea. W.	saw-leaved.	Italy.	1800.	7. 8.	H.⊙.		
33	apiifolia. B.R.	Parsley-leav'd.	... .	1764.	8. 9.	H.4.	Botan. regist. 527.	
CLADANTHUS. Cas.		CLADANTHUS.	Syngenesia Polygamia Superflua.					
	arabicus. Cas.	Arabian.	Barbary.	1759.	7. 8.	H.⊙.	Smith spic. 9. t. 10.	
	Anthemis arabica. W.							
MATRICARIA. W.		MATRICARIA.	Syngenesia Polygamia Superflua. L.					
1	suaveolens. W.	sweet.	Europe.	1781.	6. 8.	H.⊙.		
2	Chamomilla. W.	Wild Chamomile.	Britain.	....	5. 7.	H.⊙.	Eng. bot. 1232.	
3	capensis. W.	Cape.	C. B. S.	1699.	7. 9.	G.♂.	Seb. thes. 1. t. 16. f. 2.	
4	pusilla. W.en.	small.	.....	....	——	H.⊙.		
ACHILLEA. W.		MILFOIL.	Syngenesia Polygamia Superflua. L.					
1	lingulata. W.	tongue-leaved.	Hungary.	1815.	7. 8.	H.4.	W. et K. hung. 1. t. 2.	
2	Herba-rota. W.	Herbarota.	France.	1640.	6. 7.	H.4.	All. ped. 1. t. 9. f. 3.	
3	grandiflora. M.B.	great-flowered.	Caucasus.	1815.	7. 8.	H.4.		
4	Ptarmica. W.	Sneezewort.	Britain.	....	7. 11.	H.4.	Eng. bot. 757.	
	β *flore pleno.*	*double-flowered.*						
5	cristata. W.	slender-branch'd.	Italy.	1784.	7. 8.	H.4.		
6	Ageratum. W.	Sweet Maudlin.	S. Europe.	1570.	8. 10.	H.4.		
7	decolorans. W.en.	pale yellow.	.....	1798.	6. 8.	H.4.		
8	speciosa. W.en.	spear-leaved.	.....	1804.	7. 9.	H.4.		
9	biserrata. M.B.	two-toothed.	Iberia.	1825.	——	H.4.		
10	alpina. W.	Alpine.	Siberia.	1731.	7. 11.	H.4.	Bocc. mus. 144. t. 101.	
11	serrata. W.	saw-leaved.	Switzerland.	1686.	8. 9.	H.4.		
12	coronopifolia. W.	buckshorn-ld.	Levant.	1816.	——	H.4.		
13	Clavennæ. W.	silver-leaved.	Austria.	1656.	6. 7.	H.4.	Botan. magaz. 1287.	
14	impatiens. W.	Impatient.	Siberia.	1759.	6. 9.	H.4.	Gmel. sib. 2. t. 83. f. 1.	
15	pectinata. W.	comb-leaved.	Hungary.	1801.	8. 9.	H.4.	W. et K. hung. 1. t. 84.	
	ochroleuca. W.K. non W.							
16	Gerberi. W.	various-leaved.	Siberia.	1816.	——	H.4.	Gmel. sib. 2. t. 88. f. 2.	
17	squarrosa. W.	rough-headed.	.....	1775.	7. 8.	H.4.		
18	falcata. W.	sickle-leaved.	Levant.	1739.	6. 9.	H.4.	Lam. ill. t. 683. f. 3.	
19	tenuifolia. W.	slender-leaved.	—— ——	1733.	6. 8.	H.h.		
20	Santolina. W.	Lavender-cotton-ld.	—— ——	1759.	——	H.4.	Flor. græc. 891.	
21	anthemoides. W.	Chamomile-like.	.....	....	——	H.4.		
22	atrata. W.	black-cupped.	Austria.	1596.	7. 9.	H.4.	Jacq. aust. 1. t. 77.	
23	moschata. W.	musk.	Italy.	1775.	6. 7.	H.4.	—— —— 5. t. ap. 33.	
24	nana. W.	dwarf.	—— ——	1759.	6. 8.	H.4.	All. ped. 1. t. 9. f. 3.	
25	cretica. W.	Cretan.	Candia.	1739.	7. 8.	H.4.	Bocc. mus. t. 34.	
26	ægyptiaca. W.	Egyptian.	Levant.	1640.	7. 9.	G.4.	Flor. græc. 892.	
27	macrophylla. W.	large-leaved.	Italy.	1710.	7. 8.	H.4.	Triumf. obs. t. 23.	
28	aurea. W.	golden-flow'r'd.	Levant.	1739.	6. 9.	H.4.		
29	Eupatorium. W.	Caspian.	Caspian Shres.	1803.	7. 8.	H.4.		
30	compacta. W.	compact.	.....	——	——	H.4.		
31	pubescens. W.	downy.	Levant.	1739.	6. 9.	H.4.		
32	crithmifolia. W.	Samphire-ld.	Hungary.	1804.	7. 8.	H.4.	W. et K. hung. 1. t. 66.	
33	tanacetifolia. W.	Tansy-leaved.	Switzerland.	1658.	——	H.4.	Moris. s. 6. t. 11. f. 14.	
34	distans. W.	branching.	Italy.	1804.	7. 8.	H.4.	All. ped. t. 53. f. 1.	
35	lanata. W.en.	woolly.	.....,	——	——	H.4.		

36	magna. W.	great.	S. Europe.	1683.	6. 11.	H.♃.	Flor. græc. 896.
37	Millefolium. W.	Yarrow.	Britain.	....	6. 10.	H.♃.	Eng. bot. 758.
	β rubra.	*red-flowered.*	———	....	——	H.♃.	
38	albida. W.en.	white woolly.	.....	1819.	——	H.♃.	
39	asplenifolia. P.S.	Rose-coloured.	N. America.	1803.	6. 8.	H.♃.	Vent. cels. t. 98.
40	micrantha. W.	small-flower'd.	Levant.	1805.	6. 10.	H.♃.	
41	tomentosa. W.	tomentose.	S. Europe.	1648.	5. 10.	H.♃.	Botan. magaz. 408.
42	ochroleuca. W.	cream-colour'd.	.....	1804.	7. 9.	H.♃.	
43	montana. Sch.	mountain.	Switzerland.	1798.	——	H.♃.	
44	bannatica. W.K.	Hungarian.	Hungary.	1823.	——	H.♃.	
45	microphylla. W.	small-leaved.	Spain.	1800.	——	H.♃.	Barr. ic. 1114.
46	ligustica. W.	Ligurian.	Italy.	1791.	6. 8.	H.♃.	Flor. græc. 897.
47	nobilis. W.	showy.	Germany.	1640.	——	H.♃.	Schk. hand. 3. t. 255.
48	myriophylla. W.en.	many-leaved.	.....	1798.	7. 9.	H.♃.	
49	odorata. W.	sweet-scented.	Spain.	1729.	6. 8.	H.♃.	Jacq. col. 1. t. 21.
50	setacea. W.	bristly.	Hungary.	1805.	——	H.♃.	W. et K. hung. 1. t. 80.
51	abrotanifolia. W.	Southernwood-ld.	Levant.	1739.	——	H.♃.	
52	chamæmelifolia. DC.	Chamomile-ld.	Pyrenees.	1820.	——	H.♃.	
53	mongolica. F.	Mongolic.	Tartary.	1823.	——	H.♃.	
54	sibirica. Desf.	Siberian.	Siberia.	1800.	——	H.♃.	
55	rosea. W.K.	rosy.	Hungary.	1803.	——	H.♃.	
56	decumbens. Lam.	decumbent.	Spain.	1800.	——	H.♃.	
57	dubia. F.	doubtful.	Siberia.	——	——	H.♃.	
58	heterophylla. Spr.	different-ld.	.....	1804.	7. 9.	H.♃.	
59	leptophylla. M.B.	narrow-leaved	Tauria.	1823.	——	H.♃.	
60	holosericea. F.G.	silky-leaved.	Greece.	——	——	H.♃.	

CHRYSANTHEMUM. W. CHRYSANTHEMUM. Syngenesia Polygamia Superflua. L.

1	atratum. W.	fleshy-leaved.	Austria.	1731.	7. 8.	H.♃.	
2	Leucanthemum. W.	Ox-eye Daisy.	Britain.	....	6. 7.	H.♃.	Eng. bot. 601.
3	montanum. W.	mountain.	France.	1759.	——	H.♃.	Jacq. obs. 4. t. 91.
4	heterophyllum. W.	various-leaved.	Switzerland.	1806.	7. 8.	H.♃.	
5	paludosum. W.	marsh.	Barbary.	1817.	8. 9.	H.♃.	Desf. atl. 2. t. 238.
6	rotundifolium. W.	round-leaved.	Hungary.	1819.	7. 8.	H.♃.	
7	graminifolium. W.	Grass-leaved.	Montpelier.	1739.	5. 7.	H.♃.	Jacq. obs. 4. t. 92.
8	pulverulentum. P.S.	powdered.	Spain.	——	8. 10.	H.⊙.	Barrel. ic. 421.
9	anomalum. P.S.	anomalous.	———	1824.	7. 9.	H.♃.	
10	daucifolium. P.S.	carrot-leaved.	....	——	——	H.♃.	
11	monspeliense. W.	Montpelier.	———	1739.	6. 9.	H.♃.	Jacq. obs. 4. t. 93.
12	Achillea. W.	Milfoil-leaved.	Italy.	1775.	6. 8.	H.♃.	Mich. gen. 34. t. 29.
13	argenteum. W.	silver-leaved.	Levant.	1731.	7. 8.	H.♃.	
14	arcticum. W.	northern.	Kamtschatka.	1801.	6. 8.	H.♃.	Willd. hort. ber. 33.
15	carinatum. W.	three-coloured.	Barbary.	1796.	7. 10.	H.⊙.	Botan. magaz. 506.
16	pumilum. W.en.	small.	.....	1806.	——	H.⊙.	
17	sylvestre. W.en.	field.	.....	1804.	6. 7.	H.♃.	
18	segetum. W.	corn.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 540.
19	Myconis. W.	tongue-leaved.	Italy.	1775.	7. 8.	H.⊙.	Jacq. obs. 4. t. 94.
20	Italicum. W.	Italian.	———	1796.	6. 7.	H.♃.	
21	coronarium. W.	garden.	Sicily.	1629.	7. 9.	H.⊙.	Lam. ill. t. 678. f. 6.
22	indicum. P.S.	Indian.	China.	1819.	10. 12.	G.♆.	Hort. trans. v. 4. pl. 12.
23	sinense. L.T.	variable chinese.	———	1790.	——	H.♆.	
	Anthemis artemisiæfolia. W. *Chrysanthemum indicum.* B.M. *non* L.						
	β purpureum.	*old purple.*	———	——	——	H.♆.	Botan. magaz. 327.
	γ variabile.	*changeable white.*	———	1802?	——	H.♆.	——— 2042.
	δ tubulosum album.	*quilled white.*	———	1808.	——	H.♆.	Botan. regist. 4.
	ε superbum.	*superb white.*	———	1817.	——	H.♆.	——— 455.
	ζ tessellatum.	*tasselled white.*	———	1816.	——	H.♆.	
	η tubulosum luteum.	*quilled yellow.*	———	1802.	——	H.♆.	
	ϑ sulphureum.	*straw-coloured.*	———	——	——	H.♆.	
	ι aureum.	*golden yellow.*	———	——	——	H.♆.	Botan. regist. 4. f. sup.
	κ discolor.	*large lilac.*	———	1808.	——	H.♆.	
	λ lilacinum.	*pink or lilac.*	———	1798.	——	H.♆.	
	μ cupreum.	*buff or copper-col'd.*	———	——	——	H.♆.	
	ν fulvum.	*Spanish brown.*	———	1806.	——	H.♆.	
	ξ flammeum.	*quilled flame yellow.*	———	1819.	——	H.♆.	Hort. trans. v. 4. pl. 14.
	ο tubulosum roseum.	*quilled pink.*	———	——	——	H.♆.	Botan. regist. 616.
	π atropurpureum.	*early crimson.*	———	1820.	——	H.♆.	Hort. trans. v. 5. pl. 3. inf
	ρ aurantiacum.	*large quilled orange.*	———	——	——	H.♆.	——— v. 5. pl. 3. f. sup
	σ expansum.	*expanded light purple.*	———	——	——	H.♆.	Botan. magaz. 2656.
	τ purpurascens.	*quilled light purple.*	———	——	——	H.♆.	

v involutum.	*curled lilac.*	China.	——	——	H.♄.	Swt. br. fl. gar. 7.
φ fasciculatum.	*superb clustered yellow.*	——	——	——	H.♄.	——————— 14.
χ tubulosum carneum.	*semidouble quilled pink.*	——	——	——	H.♄.	Hort.tr.v.5.pl.17*. inf.
ψ album semiduplex.	*semidouble quilled white.*	—	——	——	H.♄.	
ω tubulosum aurantium.	*semidouble quilled orange.*		——	——	H.♄.	Hort.tr.v.5.pl.17** inf.
αα serotinum.	*late pale purple.*	—— ——	——	——	H.♄.	
ββ salmoneum.	*quilled salmon-col'd.*	———	——	——	H.♄.	Hort.tr.v.5.pl.17*.sup.
γγ parvulum.	*small yellow.*	———	——	——	H.♄.	Hort.t.5.pl.17**.f.sup.
δδ papyraceum.	*paper white.*	———	1821.	——	H.♄.	
εε pallidum.	*pale pink.*	———	1822.	——	H.♄.	

CENTROSPERMUM. Sp. CENTROSPERMUM. Syngenesia Polygamia Superflua.

chrysanthemum. SP.	yellow-flower'd.	Spain.	1821.	8. 10.	H.⊙.	
Heteranthemis hirta. SCHOT.						

PYRETHRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.

1 fœniculaceum. W.en.	Fennel-leaved.	Teneriffe.	1815.	1. 12.	G.♄.	Botan. regist. 272.
2 crithmifolium. W.en.	Samphire-l^d.	———	——	——	G.♄.	
3 anethifolium. W.en.	Dill-leaved.	———	——	——	G.♄.	
4 frutescens. W.en.	shrubby.	Canaries.	1609.	——	G.♄.	
5 coronopifolium. W.en.	Buckshorn-l^d.	———	....	——	G.♄.	
6 grandiflorum. W.en.	great-flowered.	———	1815.	——	G.♄.	
7 speciosum. W.en.	large-flowered.	———	——	——	G.♄.	
8 ptarmicæfolium. W.	Sneezewort-l^d.	Caucasus.	1803.	7. 8.	H.♃.	
9 serotinum. W.	creeping-root'd.	N.America.	1731.	9. 10.	H.♃.	Jacq. obs. 4. t. 90.
10 uliginosum. W.	marsh.	Hungary.	1816.	7. 9.	H.♃.	
11 alpinum. W.	Alpine.	Switzerland.	1759.	7. 8.	H.♃.	
12 Halleri. W.en.	Haller's.	———	1820.	——	H.♃.	Barrel. ic. 458. f.2.
13 ceratophylloides. W.en.	Stags-horn-l^d.	Piedmont.	1808.	6. 7.	H.♃.	All. ped. t. 37. f. 1.
Chrysanthemum ceratophylloides. ALL.						
14 pinnatifidum. W.en.	cut-leaved.	Madeira.	1777.	5. 8.	G.♄.	
15 maximum. DC.	broad-leaved.	Pyrenees.	1816.	——	H.♃.	
latifolium. W.						
16 Balsamita. W.	various-leaved.	Levant.	1779.	——	H.♃.	Jacq. obs. 4. t. 89.
17 macrophyllum. W.	large-leaved.	Hungary.	1803.	——	H.♃.	W. et K. hung. 1. t. 94.
18 roseum. W.en.	scarlet-flow'r'd.	Caucasus.	1804.	8. 9.	H.♃.	Botan. magaz. 1080.
Chrysanthemum coccineum. B.M.						
19 corymbosum. W.	mountain.	Germany.	1596.	6. 8.	H.♃.	Jacq. aust. 4. t. 379.
20 pulverulentum. W.en.	powdered.	Iberia.	1806.	6. 8.	H.♃.	
21 Parthenium. W.	common.	Britain.	....	6. 9.	H.♃.	Eng. bot. 1231.
β flore pleno.	*double-flowered.*	———	....	——	H.♃.	
22 parthenifolium. W.	Parthenium-l^d.	Caucasus.	1804.	6. 7.	H.♃.	Vent. cels. t. 43.
23 caucasicum. W.	Caucasian.	———	——	7. 8.	H.♃.	
24 tenuifolium. W.en.	slender-leaved.	———	1806.	——	H.♃.	
25 sericeum. M.B.	silky.	Iberia.	1824.	——	H.♃.	
26 inodorum. W.	scentless.	Britain.	....	8. 9.	H.⊙.	Eng. bot. 676.
27 maritimum. W.	sea.	———	....	6. 10.	H.♃.	——— 979.
28 parviflorum. W.	small-flow'r'd.	.....	——	——	H.⊙.	
29 achillæfolium. M.B.	Milfoil-like.	Cumana.	——	——	H.⊙.	
30 millefoliatum. W.	Milfoil-leaved.	Siberia.	1731.	5. 9.	H.♃.	Mill. ic. 1. t. 9.
31 bipinnatum. W.	wing-leaved.	———	1790.	6. 7.	H.♃.	Gmel. sib. 2. t. 85. f. 1.
32 indicum. H.K.	Indian.	E. Indies.	1810.	6. 9.	H.⊙.	Botan. magaz. 1521.

ORDO CII.

LOBELIACEÆ. *Juss. ann. mus.* 18. *p.* 1.

LOBELIA. R.S. LOBELIA. Pentandria Monogynia. R.S.

1 linearis. R.s.	linear-leaved.	C. B. S.	1791.	5. 8.	G.♄.	
2 setacea. R.s.	bristle-leaved.	———	1816.	——	G.♃.	Act.Gorenk.1811.f.11.
3 simplex. R.s.	simple-stalked.	———	1794.	——	G.♂.	
4 unidentata. R.s.	single-toothed.	———	——	——	G.♃.	Botan. magaz. 1484.
5 pinifolia. R.s.	Pine-leaved.	———	1752.	——	G.♃.	Andr. reposit. 240.
6 Dortmanna. R.s.	water.	Britain.	....	7. 8.	H.w.♃.	Eng. bot. 140.

7	paludosa. R.S.	marsh.	N. America.	1823.	——	H.w.4.		
8	Tupa. R.S.	Mullein-leav'd.	Peru.	1824.	8. 10.	G.½.	Botan. magaz. 2550.	
9	salicifolia. H.S.L.	Willow-leaved.	Chili.	1794.	6. 8.	G.½.	—— ——	1325.
	Tupa. H.K. *non* L. *gigantea.* B.M. *non* Cav.							
10	Kalmii. R.S.	Kalm's.	N.America.	1820.	7. 9.	H.4.	——	2238.
11	Nuttalli. R.S.	Nuttall's.	——	——	——	H.4.		
	gracilis. N. *nec aliorum.*							
12	pauciflora. K.S.	few-flowered.	Mexico.	1824.	——	G.4.		
	commutata. R.S.							
13	chinensis. R.S.	Chinese.	China.	1822.	——	H.⊙.		
14	bellidifolia. R.S.	Daisy-leaved.	C. B. S.	1790.	5. 8.	G.4.		
15	rhizophyta. R.S.	rooting branch'd.	——	1814.	——	G.4.	Botan. magaz. 2519.	
	decumbens. B.M. 2277 ?							
16	triquetra. R.S.	triangular.	——	1774.	——	G.4.		
17	longiflora. R.S.	long-flowered.	Jamaica.	1752.	——	S.4.	Botan. magaz. 2563.	
18	tomentosa. R.S.	tomentose.	C. B. S.	1816.	——	G.4.		
19	secunda. R.S.	side-flowering.	——	1790.	——	G.4.		
20	trialata. D.P.	three-winged.	Nepaul.	1820.	——	G.4.	Hook. ex. flor. t. 44.	
	micrantha. H.E.F. *non* K.S.							
21	alata. B.P.	winged-stalked.	N. S. W.	1804.	——	G.4.	Lab. nov. hol. 1. t.72.	
22	acuminata. R.S.	taper-pointed.	Jamaica.	1822.	6. 9.	S.½.	Sloan. his. 1. t. 95. f. 2.	
23	nicotianæfolia. R.S.	Tobacco-ld.	E. Indies.	——	——	S.4.		
24	persicifolia. R.S.	Peach-leaved.	W. Indies.	1818.	——	S.4.		
25	Cavanillesiana. R.S.	Cavanille's.	New Spain.	1825.	——	S.4.	Cavan. ic. 6. t. 518.	
	persicifolia. Cav. *non* Lam.							
26	Claytoniana. R.S.	Clayton's.	N.America.	1799.	6. 8.	H.4.	Willd. hort. ber. 80.	
	geodenioides. W. *pallida.* Roth.							
27	assurgens. R.S.	purple.	W. Indies.	1787.	6. 10.	S.½.	Andr. reposit. 553.	
28	pyramidalis. D.P.	pyramidal.	Nepaul.	1819.	7. 10.	G.4.	Botan. magaz. 2387.	
29	fulgens. R.S.	fulgent.	Mexico.	1809.	5. 9.	F.4.	Botan. regist. 165.	
30	splendens. R.S.	splendid.	——	1814.	——	F.4.	——	60.
31	cardinalis. R.S.	Cardinal flow'r.	Virginia.	1629.	——	F.4.	Botan. magaz. 320.	
32	syphilitica. R.S.	blue cardinal.	——	1665.	8. 10.	H.4.	Botan. regist. 537.	
33	debilis. R.S.	feeble.	C. B. S.	1774.	4. 8.	H.⊙.		
34	gracilis. B.P.	slender.	N. S. W.	1801.	7. 10.	G.⊙.	Botan. magaz. 741.	
35	purpurascens. B.P.	purplish.	——	1809.	6. 8.	G.4.		
36	surinamensis. R.S.	Surinam.	W. Indies.	1786.	1. 7.	S.½.	Botan. magaz. 225.	
37	Cliffortiana. S.S.	purple-flow'r'd.	S. America.	1733.	7. 8.	H.⊙.	Lin. h. clif. 426. t.26.	
38	Michauxii. N.	Michaux's.	——	····	——	H.⊙.		
	Cliffortiana. M. *non* L.							
39	inflata. R.S.	bladder-podded	N.America.	1759.	——	H.⊙.	Swt. br. fl. gar. t. 99.	
40	urens. R.S.	acrid.	England.	····	6. 7.	H.4.	Eng. bot. 953.	
41	puberula. R.S.	downy.	N.America.	1819.	——	H.4.		
42	amœna. R.S.	bright blue.	——	1812.	6. 8.	H.4.	Ann. mus. 18. t. 1. n. 1.	
43	minuta. R.S.	small.	C. B. S.	1772.	6. 9.	H.4.	Botan. magaz. 2590.	
44	minima. B.M.	least.	——	····	6. 10.	G.4.	——	2077.
45	Laurentia. R.S.	Italian.	Italy.	1778.	7.	H.⊙.	Mich. gen. 18. t. 14.	
46	campanuloides. R.S.	campanulate.	Japan.	1819.	7. 9.	G.4.	Botan. regist. 733.	
47	Erinus. R.S.	ascending.	C. B. S.	1752.	6. 9.	H.4.	Botan. magaz. 901.	
48	erinoides. R.S.	trailing.	——	1759.	6. 8.	G.♂.	Herm. lugd. t. 109.	
49	bicolor. R.S.	spotted.	——	1795.	——	H.⊙.	Botan. magaz. 514.	
50	ilicifolia. B.M.	Holly-leaved.	——	1815.	5. 9.	G.4.	——	1896.
51	pubescens. R.S.	downy-leaved.	——	1780.	6. 8.	G.4.	Jacq. schœn. 2. t. 178.	
52	hirsuta. R.S.	blue-fld. hairy.	——	1759.	5. 9.	G.4.	Burm. afr. t. 40. f. 2.	
53	zeylanica. R.S.	Ceylon.	E. Indies.	1824.	——	S.4.		
54	lutea. R.S.	yellow.	C. B. S.	1774.	6. 7.	G.4.	Botan. magaz. 1319.	
55	variifolia. B.M.	various-leaved.	——	1812.	——	G.4.	——	1692.
56	coronopifolia. R.S.	Buckshorn-ld.	——	1752.	7. 8.	G.4.	——	644.
57	Thunbergii.	upright-raceme-fld.	——	1812.	7. 10.	G.4.		
	coronopifolia. Th. *non* B.M.							
58	crenata. R.S.	notched-leav'd.	——	1794.	4. 5.	G.4.		
59	Simsii.	long-pedunel'd.	——	1819.	8. 11.	G.4.	Botan. magaz. 2251.	
	pedunculata. B.M. *non* B.P.							
60	concolor. B.P.	self-coloured.	N. S. W.	——	5. 6.	G.4.		
61	inundata. B.P.	inundated.	——	1822.	5. 8.	G.w.4.		
62	pedunculata. B.P.	long-stalked.	——	——	——	G.4.		
63	dentata. B.P.	toothed.	——	1819.	——	G.4.	Cavan. ic. 6. t. 522.	
64	gibbosa. B.P.	gibbous.	——	1824.	——	G.4.	Lab. nov. hol. 1. t.71.	
65	racemosa. B.M.	racemed.	Caribees.	1818.	7. 9.	S.½.	Botan. magaz. 2137.	

MONOPSIS. Sal.	Monopsis. Pentandria Monogynia.							
1 conspicua. H.T.	conspicuous.	C. B. S.	1812.	7. 8.	H.⊙.	Botan. magaz. 1499.
Lobelia speculum. B.M.								
2 inconspicua. H.T.	inconspicuous.	———	....	——	H.⊙.	
ISOTOMA. B.R.	Isotoma. Pentandria Monogynia.							
axillaris. B.R.	axillary-fld.	N. Holland.	1824.	7. 10.	H.⊙.	Botan. regist. 964.
CYPHIA. R.S.	Cyphia. Pentandria Monogynia. W.							
1 volubilis. R.S.	climbing.	C. B. S.	1795.	6. 8.	S.ↄ.	
2 bulbosa. R.S.	bulb-bearing.	———	1701.	8. 9.	S.ↄ.	Burm. afr. t. 38. f. 2.
3 Phyteuma. R.S.	Phyteuma-ld.	———	1820.	2. 5.	S.ↄ.	Botan. regist. 625.
4 Cardamines. R.S.	Cardamine-ld.	———	——	——	S.ↄ.	

ORDO CIII.

STYLIDEÆ. *Brown prodr.* 1. *p.* 565.

STYLIDIUM. B.P.	Stylidium. Gynandria Diandria.					
1 graminifolium. B.P.	grass-leaved.	N. S. W.	1803.	4. 8.	G.ↄ.	Botan. regist. 90.
2 lineare. B.P.	linear-leaved.	———	1820.	——	G.ↄ.	Sm. exot. bot. 2. t. 67.
Ventenatia minor. Ex. b.						
3 scandens. B.P.	climbing.	N. Holland.	1803.	7. 8.	G.ↄ.	
4 fruticosum. B.P.	frutescent.	———	——	5. 10.	G.ħ.	Sal. par. lond. 77.
glandulosum. P.L.						
5 laricifolium. B.R.	Larch-leaved.	N. S. W.	1818.	——	G.ħ.	Botan. regist. 550.
tenuifolium. B.M. 2249.						
6 adnatum. B.P.	adnate.	N. Holland.	1824.	——	G.ħ.	——— 914.

ORDO CIV.

GOODENOVIEÆ. *Brown prodr.* 1. *p.* 573.

GOODENIA. B.P.	Goodenia. Pentandria Monogynia. W.					
1 bellidifolia. B.P.	Daisy-leaved.	N. S. W.	1823.	6. 9.	G.ↄ.	
2 paniculata. B.P.	panicled.	———	——	——	G ↄ.	Cavan. ic. 6. t. 507.
3 ovata. B.P.	oval-leaved.	———	1793.	6. 10.	G.ħ.	Andr. reposit. 68.
4 grandiflora. B.P.	large-flowered.	———	1802.	6. 8.	G.ħ.	Botan. magaz. 890.
5 hederacea. B.P.	Ivy-leaved.	———	1823.	——	G.ↄ.	
EUTHALES. B.P.	Euthales. Pentandria Monogynia. R.S.					
trinervis. B.P.	three-nerved.	N. Holland.	1803.	5. 9.	G.ↄ.	Botan. magaz. 1137.
Goodenia tenella. A.R. 466.						
VELLEIA. B.P.	Velleia. Pentandria Monogynia. R.S.					
1 paradoxa. B.P.	paradoxical.	N. S. W.	1823.	6. 8.	G.ↄ.	
2 lyrata. B.P.	lyrate-leaved.	———	1819.	4. 6.	G.ↄ.	Botan. regist. 551.
3 spathulata. B.P.	spathulate.	———	1823.	——	G.ↄ.	
LECHENAULTIA. B.P.	Lechenaultia. Pentandria Monogynia. R.S.					
formosa. B.P.	handsome.	N. Holland.	1823.	6. 9.	G.ħ.	Botan. regist. 916.
SCÆVOLA. B.P.	Scævola. Pentandria Monogynia. R.S.					
1 Kœnigii. R.S.	Konig's.	E. Indies.	1818.	....	S.ħ.	
2 Plumieri. R.S.	Plumier's.	W. Indies.	1724.	....	S.ħ.	Jacq. amer. t. 179. f. 88.
Lobelia Plumieri. Jacq.						
3 Taccada. F.I.	Indian.	E. Indies.	1818.	....	S.ħ.	Gært. fruct. 1. t. 25.
4 crassifolia. B.P.	thick-leaved.	N. Holland.	1805.	8. 10.	G.ħ.	Lab. nov. hol. 1. t. 79.
5 cuneiformis. B.P.	wedge-leaved.	V. Diem. Isl.	1823.	——	G.ↄ.	——— 1. t. 80.
6 microcarpa. B.P.	small-fruited.	N. S. W.	1790.	5. 9.	G.ↄ.	Botan. magaz. 287.
Goodenia lævigata. B.M.						
7 suaveolens. B.P.	sweet-scented.	———	1798.	——	G.ↄ.	Andr. reposit. 22.
Goodenia calendulacea. A.R.						

8 hispida. B.P.	branching.	N. S. W.	1820.	5. 8.	G. ♃.	Sm. new. hol. 13. t. 5.
Goodenia ramosissima. Sm.						
DAMPIERA. B.P.	DAMPIERA.	Pentandria Monogynia. R.S.				
stricta, B.P.	upright.	N. S. W.	1814.	6. 8.	G. ♃.	

ORDO CV.

CAMPANULACEÆ. *Juss. gen.* 163.

CANARINA. W.	CANARINA.	Hexandria Monogynia. W.				
Campanula. W.	Canary.	Canaries.	1696.	1. 8.	G. ♃.	Botan. magaz. 444.
MICHAUXIA. W.	MICHAUXIA.	Octandria Monogynia. W.				
campanuloides. W.	rough-leaved.	Levant.	1787.	6. 8.	G. ♂.	Botan. magaz. 219.
LIGHTFOOTIA. R.S.	LIGHTFOOTIA.	Pentandria Monogynia. R.S.				
1 oxycoccoides. R.S.	lance-leaved.	C. B. S.	1787.	7.	G. ♄.	Sm. exot. bot. 2. t. 99.
2 subulata. R.S.	awl-leaved.	———	——	——	G. ♃.	L'Herit. s. angl. 4. t. 5.
ADENOPHORA. F.	ADENOPHORA.	Pentandria Monogynia.				
1 marsupiiflora. F.	bellied.	Dahuria.	1815.	7. 8.	H. ♃.	Botan. regist. 149.
Campanula coronata. B.R.						
2 Gmelini. F.	Gmelin's.	———	1823.	5. 8.	H. ♃.	Gmel. sib. 3. t. 33.
3 coronopifolia. F.	huck's-horn-ld.	———	1822.	——	H. ♃.	Swt. br. fl. gar. 104.
4 denticulata. F.	toothed.	———	——	5. 7.	H. ♃.	——— 116.
Campanula triscupidata. R.S.						
5 communis. F.	common.	Siberia.	1784.	5. 9.	H. ♃.	Botan. regist. 236.
Campanula liliifolia. B.R.						
β *macrolena.* R.S.	*sweet-scented.*	Hungary.	1816.	——	H. ♃.	
γ *hybrida.* R.S.	*upright-flow'r'd.*	.....	——	——	H. ♃.	
6 intermedia.	intermediate.	Siberia.	1820.	——	H. ♃.	
Campanula intermedia. R.S.						
7 stylosa. F.	long-styled.	———	——	——	H. ♃.	Gmel. sib. 3. t. 27.
8 verticillata. F.	whorl-leaved.	———	1783.	6.	H. ♃.	Pall. it. 3. t. G. f. 1.
WAHLENBERGIA. Sc.	WAHLENBERGIA.	Pentandria Monogynia.				
1 grandiflora. Sc.	great-flowered.	Siberia.	1782.	6. 8.	H. ♃.	Botan. magaz. 252.
Campanula grandiflora. B.M.						
2 pendula. Sc.	pendulous.	Madeira.	1777.	7. 8.	H. ⊙.	
Campanula lobelioides. R.S.						
3 elongata. Sc.	elongated.	.....	1816.	——	H. ⊙.	
CAMPANULA. R.S.	CAMPANULA.	Pentandria Monogynia. L.				
1 cenisia. R.S.	ciliated.	Switzerland.	1775.	6. 7.	H. ♃.	All. ped. 1. t. 6. f. 2.
2 Bellardi. R.S.	Bellardi's.	Italy.	1813.	——	H. ♃.	——— t. 85. f. 5.
3 pulla. R.S.	dark-flowered.	Austria.	1779.	——	H. ♃.	Botan. magaz. 2492.
4 Zoysii. R.S.	blunt-leaved.	Carniola.	1813.	6. 8.	H. ♃.	Jacq. ic. 2. t. 334.
5 diffusa. R.S.	diffuse.	Italy.	1818.	——	H. ♃.	
β *fragilis.* L.en.	*brittle.*	———	——	——	H. ♃.	Cyr. pl. rar. n. t. 11. f. 2.
6 carpathica. R.S.	Carpathian.	Carp. Alps.	1774.	——	H. ♃.	Botan. magaz. 117.
7 rotundifolia. R.S.	round-leaved.	Britain.	....	——	H. ♃.	Eng. bot. 866.
8 excisa. R.S.	cut-flowered.	Switzerland.	1816.	——	H. ♃.	Lodd. bot. cab. 561.
9 pusilla. R.S.	small.	Europe Alps.	....	——	H. ♃.	Scheuch. it. 4. f. 4.
10 pumila. R.S.	dwarf.	Switzerland.	....	6. 8.	H. ♃.	Botan. magaz. 512.
11 cæspitosa. R.S.	tufted.	Carniola.	1818.	——	H. ♃.	Scop. carn. ed. 2. t. 4.
12 pubescens. R.S.	pubescent.	Bohemia.	1813.	——	H. ♃.	
13 gracilis. R.M.	slender.	N. S. W.	1794.	4. 8.	G. ♂.	Botan. magaz. 691.
14 stricta. Sm.	upright.	———	——	——	G. ♂.	Sm. exot. bot. 45.
15 littoralis. Lab.	sea-side.	———	1820.	——	G. ♂.	Lab. nov. hol. 1. t. 70.
16 quadrifida. B.P.	quadrifid.	———	1822.	——	G. ♂.	
17 Waldsteiniana. R.S.	Waldstein's.	Hungary.	——	6. 8.	H. ♃.	W. et K. hung. t. 136.
18 virgata. R.S.	twiggy.	N. America.	1823.	——	H. ♃.	
19 linifolia. R.S.	Flax-leaved.	Sweden.	1816.	——	H. ♃.	Vill. delph. 1. t. 10.
20 Scheuchzeri. S.S.	Scheuchzer's.	Alps Europe.	1813.	——	H. ♃.	Lodd. bot. cab. 486.
21 patula. R.S.	spreading.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 42.
22 neglecta. R.S.	neglected.	Europe.	1818.	——	H. ♃.	
23 Rapunculus. R.S.	Rampion.	Britain.	....	——	H. ♃.	Eng. bot. 283.

24	persicifolia. R.S.	Peach-leaved.	Europe.	1596.	7. 9.	H.♃.	Flor. dan. t. 1067.
	α cærulea.	*blue-flowered.*	——	....	——	H.♃.	
	β alba.	*white-flowered.*	——	....	——	H.♃.	
	γ maxima. B.M.	*large-flowered.*	——	....	——	H.♃.	Botan. magaz. 397.
	δ albo-plena.	*double white.*	——	....	——	H.♃.	
	ε cæruleo-plena.	*double blue.*	——	....	——	H.♃.	
25	pyramidalis. R.S.	pyramidal.	Carniola.	1596.	——	H.♃.	
26	versicolor. R.S.	various-color'd.	Greece.	1788.	——	H.♃.	Andr. reposit. 396.
	planiflora. W.en. *non* Lam. *Willdenowiana.* R.S.						
27	obliqua. R.S.	oblique-fl^d.	N. Europe.	1818.	6. 7.	H.♂.	Jacq. schœn. 3. t. 336.
28	americana. R.S.	American.	N.America.	1763.	7.	H.♂.	
29	nitida. H.K.	glossy.	——	1731.	7. 8.	H.♃.	Dodart. mem. 4. t. 113.
	α cærulea.	*blue-flowered.*	——	——	——	H.♃.	
	β alba.	*white-flowered.*	——	——	——	H.♃.	
30	aurea. R.S.	golden-flow'r'd.	Madeira.	1777.	7. 9.	G.♄.	Botan. regist. 57.
	α latifolia. R.S.	*broad-leaved.*	——	——	——	G.♄.	Duham. ed. nov. t. 41.
	β angustifolia. R.S.	*narrow-leaved.*	——	——	——	G.♄.	Jacq. schœn. 4. t. 472.
31	rhomboidea. R.S.	Germander-l^d.	Switzerland.	1775.	7.	H.♃.	Barrel. ic. 567.
32	Alpini. R.S.	Alpinus'.	Italy.	1823.	7. 9.	H.♃.	
33	latifolia. R.S.	giant.	Britain.	....	7.	H.♃.	Eng. bot. 302.
	alba.	*white-flowered.*	——	....	——	H.♃.	Flor. dan. t. 86.
34	macrantha. L.en.	great-flowered.	Russia.	1822.	6. 7.	H.♃.	Botan. magaz. 2552.
35	eriocarpa. R.S.	woolly-capsul'd.	Caucasus.	1824.	——	H.♃.	
36	urticifolia. R.S.	Nettle-leaved.	Germany.	1800.	8.	H.♃.	
37	Trachelium. R.S.	throatwort.	Britain.	....	6. 8.	H.♃.	Eng. bot. 12.
38	rapunculoides. R.S.	creeping.	England.	....	6. 7.	H.♃.	—— —— 1360.
39	infundibuliformis. B.M.	funnel-shap'd.	.....	1817.	——	H.♃.	Botan. magaz. 2632.
40	ucranica. R.S.	Ukraine.	Ukraine.	1819.	——	H.♃.	
41	trachelioides. R.S.	throatwort-like.	Caucasus.	1818.	——	H.♃.	
42	bononiensis. R.S.	panicled.	Italy.	1773.	8. 9.	H.♃.	Moris. s. 5. t. 4. f. 38.
43	simplex. DC.	simple-stalk'd.	—— ——	1823.	7. 8.	H.♃.	
44	obliquifolia. R.S.	oblique-leaved.	—— ——	1820.	——	H.♃.	Ten. fl. neap. t. 17.
45	trichocalycina. R.S.	long-pointed-calyx'd.	Italy.	1824.	7. 8.	H.♃.	—— —— —— t. 16.
46	ruthenica. R.S.	Russian.	Russia.	1815.	6. 8.	H.♃.	Buxb. cent. 5. t. 19.
47	graminifolia. R.S.	grass-leaved.	Hungary.	1823.	——	H.♃.	W. et K. hung. 3. t. 254.
48	glomerata. R.S.	clustered.	Britain.	....	5. 9.	H.♃.	Eng. bot. 90.
49	elliptica. R.S.	elliptic-leaved.	Hungary.	1819.	——	H.♃.	Bocc. mus. 70. t. 58.
50	aggregata. R.S.	crowded-fl^d.	Bavaria.	——	——	H.♃.	
51	speciosa. R.S.	specious.	Siberia.	——	——	H.♃.	Botan. regist. 620.
	glomerata β dahurica B.R.						
52	foliosa. R.S.	leafy.	Italy.	——	6. 9.	H.♃.	Ten. fl. neap. t. 18.
53	Cervicaria. R.S.	wave-leaved.	Germany.	1768.	7.	H.♂.	Flor. dan. t. 787.
54	multiflora. R.S.	many-flowered.	Hungary.	1814.	6. 7.	H.♂.	W. et K. hung. t. 263.
	macrostachya. W.en.						
55	collina. R.S.	Sage-leaved.	Caucasus.	1803.	7. 8.	H.♃.	Botan. magaz. 927.
56	azurea. R.S.	azure.	Switzerland.	1778.	6. 7.	H.♃.	—— —— —— 551.
57	Lorei. R.S.	Pollini's.	M^t. Baldo.	1819.	6. 9.	H.⊙.	—— —— —— 2581.
58	lactiflora. R.S.	milk-coloured.	Caucasus.	1814.	7. 9.	H.♃.	Botan. regist. 241.
59	thyrsoidea. R.S.	long-spiked.	Switzerland.	1785.	6. 8.	H.♂.	Botan. magaz. 1290.
60	peregrina. R.S.	rough-leaved.	C. B. S.	1794.	——	G.♂.	—— —— —— 1257.
61	cernua. R.S.	nodding-fl^d.	—— ——	1804.	——	G.♂.	
62	capensis. R.S.	Cape.	—— ——	1803.	——	G.⊙.	Botan. magaz. 782.
	Roella decurrens. A.R. 228.						
63	Allioni. R.S.	Allioni's.	S. Europe.	1816.	——	H.♃.	All. ped. n. 418. t. 6. f. 3.
64	barbata. R.S.	bearded.	Italy.	1752.	——	H.♃.	Botan. magaz. 1258.
65	punctata. R.S.	dotted-flower'd.	Siberia.	1813.	5. 6.	H.♃.	—— —— —— 1723.
66	Medium. R.S.	Canterbury.	Germany.	1597.	6. 9.	H.♂.	Knor. delic. 1. t. 9.
67	betonicifolia. R.S.	Betony-leaved.	Olympus.	1823.	——	H.♂.	Flor. græc. t. 210.
68	spicata. R.S.	spiked.	Switzerland.	1786.	7.	H.♂.	All. ped. 1. t. 46. f. 2.
69	alpina. R.S.	Alpine.	—— ——	1779.	——	H.♃.	Botan. magaz. 957.
70	mollis. R.S.	soft.	Syria.	1788.	5. 8.	G.♃.	—— —— —— 404.
71	saxatilis. R.S.	rock.	Candia.	1768.	——	G.♃.	Barrel. ic. t. 813.
72	alliariæfolia. R.S.	Alliaria-leav'd.	Caucasus.	1803.	8. 9.	H.♃.	Sal. par. lond. 26.
	macrophylla. B.M.						
73	sarmatica. B.R.	gum-bearing.	Siberia.	——	6. 8.	H.♃.	Botan. regist. 237.
	gummifera. R.S. *betonicæfolia.* M.B.						
74	lamiifolia. R.S.	Lamium-l^d.	Caucasus.	1818.	——	H.♃.	Buxb. cent. 5. t. 18.
75	pendula. R.S.	pendulous.	—— ——	1824.	——	H.♃.	
76	sibirica. R.S.	Siberian.	Siberia.	1783.	7. 9.	H.♃.	Botan. magaz. 659.

77	divergens. R.S.	divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
	spathulata. W.K.						
78	lingulata. R.S.	tongue-leaved.	———	1804.	7. 8.	H. ♃.	——— ——— 1. t. 64.
79	caucasica. R.S.	Caucasian.	Caucasus.	——	——	H. ♃.	
80	laciniata. R.S.	jagged-leaved.	Greece.	1788.	5. 8.	G. ♃.	Andr. reposit. 385.
81	capitata. R.S.	headed.	———	1768.	6. 7.	H. ♃.	Botan. magaz. 811.
82	lanuginosa. R.S.	woolly.	.....	1824.	——	H. ♂.	
83	Erinus. R.S.	forked.	S. Europe.	1768.	7. 8.	H. ☉.	Moris. s. 5. t. 3. f. 25.
84	drabifolia. R.S.	Draba-leaved.	Athens.	1823.	——	H. ☉.	Flor. græc. t. 215.
85	erinoides. R.S.	Erinus-like.	Africa.	——	——	H. ☉.	Herm. lugd. t. 111 ?
86	Elatines. R.S.	trailing-stalk'd.	S. Europe.	——	7. 9.	H. ♃.	All.ped.n.422. t. 7. f. 1.
87	hederacea. R.S.	Ivy-leaved.	England.	....	5. 6.	H. ♃.	Eng. bot. 73.
88	hispidula. R.S.	hispid-calyxed.	C. B. S.	1816.	7. 9.	H. ☉.	Comm. hort. 2. t. 37.
PRISMATOCARPUS.		L'H. Venus-looking-glass.		Pentandria Monogynia.			
1	fruticosus. L'H.	shrubby.	C. B. S.	1787.	8.	G. ♄.	
2	nitidus. L'H.	shining.	———	——	6. 8.	H. ☉.	L'Her. sert. ang. 2. t. 3.
	Campanula Prismatocarpus. W.						
3	Speculum. L'H.	common.	S. Europe.	1596.	5. 8.	H. ☉.	Botan. magaz. 102.
	β *albus.*	*white-flowered.*	———	——	——	H. ☉.	
4	hirsutus. T.N.	hairy.	Italy.	1823.	——	H. ☉.	Ten. fl. neap. t. 19.
5	falcatus. T.N.	falcate.	———	——	——	H. ☉.	——— ——— t. 20.
6	hybridus. L'H.	corn.	England.	....	——	H. ☉.	Eng. bot. 375.
7	pentagonius. L'H.	five-angled.	Turkey.	1686.	——	H. ☉.	Botan. regist. 56.
8	perfoliatus.	perfoliate.	N. America.	1680.	——	H. ☉.	Moris. s. 5. t. 2. f. 23.
	Campanula perfoliata. R.S. *amplexicaulis.* M.						
ROELLA.	R.S.	Roella.	Pentandria Monogynia. L.				
1	ciliata. R.S.	ciliate.	C. B. S.	1774.	6. 9.	G. ♄.	Botan. magaz. 378.
2	filiformis. R.S.	filiform.	———	1816.	——	G. ♄.	Lam. ill. t. 123. f. 2.
3	decurrens. R.S.	decurrent.	———	1787.	7. 9.	H. ☉.	L'Her. sert. ang. 4. t. 6.
4	squarrosa. R.S.	trailing.	———	——	7. 8.	G. ♃.	
5	muscosa. R.S.	moss-like.	———	1802.	8. 10.	H. ☉.	
PHYTEUMA.	R.S.	Phyteuma.	Pentandria Monogynia. L.				
1	paniciflorum. R.S.	few-flowered.	Germany.	1823.	6. 8.	H. ♃.	
2	globularisefolium. R.S.	Globularia-l^d.	S. Europe.	——	——	H. ♃.	
3	Scheuchzeri. R.S.	Scheuchzer's.	Switzerland.	1818.	5. 6.	H. ♃.	Botan. magaz. 1797.
4	scorzonerifolium. R.S.	Scorzonera-l^d.	Europe.	1817.	——	H. ♃.	——— ——— 2271.
5	hemisphæricum. R.S.	linear-leaved.	Switzerland.	1752.	7.	H. ♃.	Jacq. ic. 2. t. 333.
6	comosum. R.S.	tufted.	Austria.	——	6. 7.	H. ♃.	Jacq. aust. ap. t. 50.
7	orbiculare. R.S.	round-headed.	England.	....	6. 8.	H. ♃.	Eng. bot. 142.
8	Charmelii. R.S.	long-bracted.	Pyrenees.	1819.	——	H. ♃.	Vill. delph. 2. t. 11. f. 3. A
9	cordatum. B.M.	heart-leaved.	S. Europe.	1804.	7. 8.	H. ♃.	Botan. magaz. 1466.
10	ellipticum. R.S.	elliptic-leaved.	Switzerland.	1820.	——	H. ♃.	Vill. delph. 2. t. 11. f. 2.
11	nigrum. R.S.	black-flowered.	Bohemia.	——	——	H. ♃.	
12	betonicifolium. R.S.	Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♃.	Botan. magaz. 2066.
13	spicatum. R.S.	spiked.	Europe.	1597.	——	H. ♃.	Flor. dan. 362.
14	Halleri. R.S.	Haller's.	Switzerland.	1819.	——	H. ♃.	
	β *ovatum.* W.	*oval-spiked.*	———	1814.	——	H. ♃.	
15	strictum. B.M.	upright.	S. Europe.	1819.	——	H. ♃.	Botan. magaz. 2145.
16	virgatum. R.S.	slender-branch'd.	Levant.	1823.	7. 9.	H. ♃.	Lab. syr. 2. p. 11. t. 6.
17	campanuloides. R.S.	Campanula-like.	Caucasus.	1804.	6. 8.	H. ♃.	Botan. magaz. 1915.
18	canescens. R.S.	canescent.	Hungary.	1804.	6. 8.	H. ♃.	W. et K. hung. 1. t. 14.
19	pinnatum. R.S.	winged-leav'd.	Candia.	1640.	——	G. ♃.	Venten. cels. 52.
TRACHELIUM.	R.S.	Throatwort.	Pentandria Monogynia. L.				
1	cœruleum. R.S.	blue.	Italy.	1640.	7. 9.	H. ♂.	Botan. regist. 72.
2	diffusum. R.S.	shrubby.	C. B. S.	1787.	——	G. ♄.	
JASIONE.	R.S.	Sheep's Scabious.	Pentandria Monogynia. W.				
1	montana. R.S.	mountain.	Britain.	....	6, 7.	H. ♃.	Eng. bot. 882.
2	perennis. R.S.	perennial.	France.	1787.	——	H. ♃.	Botan. regist. 505.

ORDO CVI.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GESNERIA. L.	Gesneria.	Didynamia Angiospermia. L.						
1 tomentosa. s.s.	woolly.	S. America.	1752.	11. 6.	S. ½.	Botan. magaz. 1023.
2 scabra. s.s.	rough.	Jamaica.	1822.	6. 8.	S. ½.	
3 corymbosa. s.s.	corymbose.	———	——	——	S. ½.	
4 prasinata. s.s.	green-flowered.	Brazil.	1816.	5. 6.	S. ½.	Botan. regist. 428.
5 aggregata. s.s.	clustered.	———	——	6. 10.	S. ½.	——— ——— 329.
6 bulbosa. s.s.	bulbous-rooted.	———	——	5. 8.	S. ¼.	——— ——— 343.
7 acaulis. s.s.	stemless.	Jamaica.	1793.	——	S. ¼.	Sloan. jam. t. 192. f. 1.
BESLERIA. L.	Besleria.	Didynamia Angiospermia. L.						
1 cristata. s.s.	crested.	W. Indies.	1739.	6. 8.	S. ½.	Jacq. amer. t. 119.
2 coccinea. s.s.	scarlet.	Guiana.	1824.	5. 8.	S. ½.	Aub. gui. 2. t. 255.
3 dichrus. s.s.	two-coloured.	Brazil.	1823.	——	S. ½.	
4 pulchella. s.s.	large-flowered.	W. Indies.	1806.	——	S. ½.	Botan. magaz. 1146.
5 melittifolia. s.s.	Balm-leaved.	Guiana.	1739.	6. 7.	S. ½.	Sm. exot. bot. 1. t. 54.
6 serrulata. s.s.	saw-leaved.	W. Indies.	1806.	——	S. ½.	Jacq. schœn. 3. t. 290.
7 lutea. s.s.	yellow-flow'r'd.	Guiana.	1739.	7. 8.	S. ½.	Plum. ic. 49. f. 1.
8 grandifolia. s.s.	large-leaved.	Brazil.	1823.	——	S. ½.	
9 hirtella. s.s.	hairy-leaved.	———	——	——	S. ½.	
10 ihcarnata. s.s.	flesh-coloured.	Guiana.	——	——	S. ½.	Aub. gui. 2. t. 256.
GLOXINIA. S.S.	Gloxinia.	Didynamia Angiospermia. W.						
1 maculata. s.s.	spotted-stalk'd.	S. America.	1739.	7. 10.	S. ¼.	Botan. magaz. 1191.
2 speciosa. s.s.	many-flow'r'd.	Brazil.	1815.	6. 11.	S. ¼.	Botan. regist. 213.
β alba.	*white-flowered.*	———	....	——	S. ¼.	

ORDO CVII.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.	Whortle-berry.	Oct-Decandria Monogynia.						
1 Myrtillus. W.	Blea-berry.	Britain.	....	4. 6.	H. ½.	Eng. bot. 456.
2 stamineum. Ph.	long-stamen'd.	N.America.	1772.	5. 6.	H. ½.	Pluk. alm. t. 349. f. 3.
3 album. Ph. *stamineum.* A.R. *non* Ph.	white-flowered.	———	——	——	H. ½.	Andr. reposit. 208.
4 pallidum. W.	pale.	———	——	——	H. ½.	
5 uliginosum. W.	great Bilberry.	Britain.	....	4. 5.	H. ½.	Eng. bot. 581.
6 diffusum. W. *arboreum.* M.	tree.	N.America.	1765.	5. 11.	H. ½.	Botan. magaz. 1007.
7 dumosum. B.M. *hirtellum.* H.K.	bushy.	———	1774.	5. 6.	H. ¼.	——— ——— 1106.
β humile. W.D.	*dwarf.*	———	——	——	H. ½.	Wats. dend. brit. 32.
8 frondosum. W.	blunt-leaved.	———	1761.	——	H. ½.	Andr. reposit. 140.
9 venustum. H.K.	red-twigged.	———	1770.	——	H. ½.	
10 resinosum. W.	clammy.	———	1772.	——	H. ½.	Wang. am. t. 30. f. 60.
β rubescens.	*red-flowered.*	———	——	——	H. ½.	Botan. magaz. 1388.
11 parviflorum. A.R.	small-flower'd.	———	1804.	——	H. ½.	Andr. reposit. 125.
12 corymbosum. W.	corymbose.	———	1806.	6. 7.	H. ½.	Wats. dend. brit. 123.
13 amœnum. W.	broad-leaved.	———	1765.	5. 6.	H. ½.	Botan. regist. 400.
14 virgatum. W.	twiggy.	———	1767.	4. 5.	H. ½.	Andr. reposit. 181.
β angustifolium. W.D.	*narrow-leaved.*	———	——	——	H. ½.	Wats. dend. brit. 84.
15 marianum. W.D.	Maryland.	———	1812.	5. 6.	H. ½.	——— ——— 124.
16 grandiflorum. W.D.	great-flower'd.	———	——	7. 8.	H. ½.	——— —— 125. A.
17 elongatum. W.D.	elongated.	———	——	——	H. ½.	——— ——— 125. B.
18 minutiflorum. W.D.	minute-flow'r'd.	———	——	——	H. ½.	——— ——— 125. C.

19	glabrum. W.D.	smooth.	N. America.	——	——	H. ♄.	Wats.dend.brit.125.D.
20	mucronatum. L.	mucronate.	———	....	5. 6.	H. ♄.	
21	fuscatum. W.	cluster-flow'r'd.	———	1770.	——	H. ♄.	Botan. regist. 902.
	formosum. A.R. 97.						
	β angustifolium. Ph.	*narrow-leaved.*	———	——	——	H. ♄.	
22	galezans. M.	Gale-leaved.	———	1806.	——	H. ♄.	
23	ligustrinum. W.	Privet-leaved.	———	....	——	H. ♄.	
24	tenellum. W.	Pensylvanian.	———	1772.	——	H. ♄.	Wats. dend. brit. 35.
	pensylvanicum. M.						
25	angustifolium. W.	narrow-leaved.	———	1776.	4. 5.	H. ♄.	
	myrtilloides. M.						
26	Arctostaphylos. W.	oriental.	Levant.	1777.	6. 8.	H. ♄.	Botan. magaz. 974.
27	maderense. S.S.	Madeira.	Madeira.	1810.	7. 9.	H. ♄.	Andr. reposit. 30.
	Arctostaphylos. A.R.						
28	meridionale. W.	Jamaica.	Jamaica.	1778.	3. 6.	G. ♄.	
29	crassifolium. S.S.	thick-leaved.	Carolina.	1787.	6. 7.	F. ♄.	Botan. magaz. 1152.
30	myrtifolium. M.	Myrtle-leaved.	———	1812.	5. 7.	F. ♄.	
31	nitidum. S.S.	glossy-leaved.	———	1794.	5. 6.	F. ♄.	Botan. regist. 466.
	β decumbens. B.M.	*decumbent.*	———	——	——	F. ♄.	Botan. magaz. 1550.
32	myrsinites. M.	Myrsine-leav'd.	———	....	——	F. ♄.	
33	buxifolium. S.S.	Box-leaved.	N.America.	1794.	——	H. ♄.	Botan. magaz. 923.
34	Vitis Idæa. W.	Cow-berry.	Britain.	....	4. 6.	H. ♄.	Eng. bot. 698.
	α minor.	*smaller.*	———	....	——	H. ♄.	Lodd. bot. cab. 1023.
	β major.	*larger.*	N. America.	....	——	H. ♄.	——— ——— 616.
35	hallerisefolium. Lod.	Halleria-leav'd.	———	....	5. 6.	H. ♄.	
OXYCOCCUS. P.S.		CRANBERRY.	Octandria Monogynia.				
1	palustris. P.S.	common.	Britain.	....	5. 6.	H. ♄.	Eng. bot. 319.
	Vaccinium Oxycoccos. E.B. *Schollera Oxycoccos.* Roth.						
2	macrocarpus. Ph.	large-fruited.	N.America.	1760.	5. 8.	H. ♄.	Wats. dend. brit. 122.
3	erectus. Ph.	upright.	———	1806.	6. 8.	H. ♄.	——— ——— 31.
	Vaccinium erythrocarpum. M.						
4	hispidulus. P.S.	Thyme-leaved.	———	1776.	5. 7.	H. ♄.	Mich. amer. 1. t. 23.
	Vaccinium hispidulum. W. *Arbutus thymifolia.* Alt. *Gualtheria serpyllifolia.* Ph.						

ORDO CVIII.

ERICEÆ. *Don Prodr. p.* 148.

Sect. I. *ERICÆÆ VERÆ.*

ARCTOSTAPHYLOS. K.S.		ARCTOSTAPHYLOS.	Decandria Monogynia.				
1	Uva-ursi. S.S.	Bear-berry.	Britain.	....	4. 6.	H. ♄.	Eng. bot. 714.
	Arbutus Uva-ursi. E.B. *Mairania Uva-ursi.* Desv.						
2	alpina. S.S.	Alpine.	Scotland.	....	4. 5.	H. ♄.	——— 2030.
ARBUTUS. K.S.		STRAWBERRY-TREE.	Decandria Monogynia. L.				
1	Unedo. S.S.	common.	Ireland.	....	9. 12.	H. ♄.	Eng. bot. 2377.
	β rubra.	*red-flowered.*	———	....	——	H. ♄.	Lodd. bot. cab. 128.
	γ flore pleno.	*double-flowered.*	———	....	——	H. ♄.	
	δ schizopetala.	*jagged-petaled.*	———	....	——	H. ♄.	
	ε integrifolia.	*entire-leaved.*	———	....	——	H. ♄.	
	ζ crispa.	*curled-leaved.*	———	....	——	H. ♄.	
	η salicifolia.	*Willow-leaved.*	———	....	——	H. ♄.	
2	canariensis. S.S.	long-leaved.	Canaries.	1796.	5. 6.	G. ♄.	Botan. magaz. 1577.
3	hybrida. S.S.	hybrid.	Hybrid.	....	——	H. ♄.	Botan. regist. 612.
	serratifolia. B.C. 150.	*andrachnoides.* L.en.					
4	Andrachne. S.S.	oriental.	Levant.	1724.	3. 4.	G. ♄.	——— ——— 118.
5	laurifolia. S.S.	Laurel-leaved.	Mexico.	1825.	....	G. ♄.	
6	phillyreæfolia. S.S.	Phillyrea-l^d.	Peru.	1812.	....	G. ♄.	
7 ?	pumila. S.S.	dwarf.	Magellan.	1824.	....	G. ♄.	
GUALTHERIA. S.S.		GUALTHERIA.	Decandria Monogynia. L.				
1	procumbens. S.S.	trailing.	N.America.	1762.	7. 9.	H. ♄.	Andr. reposit. 116.
2	fragrans. D.P.	fragrant.	Nepaul.	1824.	....	H. ♄.	Wal.as.res.13.p.297.ic.

ENKIANTHUS. B.M.	ENKIANTHUS.	Decandria Monogynia.						
1 quinqueflorus. B.R.	Canton.	China.	1812.	10. 2.	G. ħ.	Botan. regist. 884.
2 reticulatus. B.R.	netted-leaved.	———	1820.	——	G. ħ.	——— 885.
ANDROMEDA. N.	ANDROMEDA.	Decandria Monogynia. L.						
1 hypnoides. W.	Moss-like.	Lapland.	1798.	6. 7.	H. ħ.	Flor. dan. 10.
2 mariana. W.	Maryland.	N.America.	1736.	——	H. ħ.	Pluk. mant. t. 448. f. 6.
α ovalis.	*oval-leaved.*	———	——	——	H. ħ.	Botan. magaz. 1579.
β oblonga.	*oblong-leaved.*	———	——	——	H. ħ.	
3 jamaicensis. W.	Jamaica.	Jamaica.	1793.	....	S. ħ.	
4 speciosa. Ph.	large-flowered.	Carolina.	1800.	6. 9.	H. ħ.	
α nitida. Ph.	*smooth leaved.*	———	——	——	H. ħ.	Botan. magaz. 970.
cassinæfolia. B.M.						
β glauca. W.D.	*glaucous-leaved.*	———	——	——	H. ħ.	Wats. dend. brit. 26.
γ pulverulenta. Ph.	*mealy-leaved.*	———	——	——	H. ħ.	Botan. magaz. 667.
5 rosmarinifolia. S.S.	Rosemary-ld.	N.America.	....	5. 9.	H. ħ.	Pall. ros. 2. t. 70. f. B.
6 glaucophylla. L.en.	glaucous-leav'd.	———	....	——	H. ħ.	Lodd. bot. cab. 546.
polifolia β latifolia. B.C.						
7 polifolia. W.	marsh.	Europe.	....	——	H. ħ.	
α media. H.K.	*wild Rosemary.*	Britain.	....	——	H. ħ.	Eng. bot. 713.
β oleifolia.	*Olive-leaved.*	Europe.	....	——	H. ħ.	
γ ? subulata. P.S.	*awl-leaved.*	———	....	——	H. ħ.	
8 calyculata. Ph.	Box-leaved.	.....	1748.	2. 4.	H. ħ.	
α ventricosa. H.K.	*globe-flowered.*	Russia.	——	——	H. ħ.	Botan. magaz. 1286.
β nana. B.C.	*dwarf.*	.....	....	——	H. ħ.	Lodd. bot. cab. 862.
γ latifolia. H.K.	*broad-leaved.*	Newfoundland.	..	——	H. ħ.	——— 530.
9 angustifolia. Ph.	narrow-leaved.	N. America.	....	——	H. ħ.	
crispa. L.en.						
10 fasciculata. W.	bundled-fld.	Jamaica.	1822.	....	S. ħ.	
11 buxifolia. P.S.	Box-leaved.	Mauritius.	——	....	S. ħ.	Sm. ic. ined. 1. t. 59.
12 coriacea. W.	thick-leaved.	N.America.	1765.	6. 8.	H. ħ.	Botan. magaz. 1095.
nitida. M. *lucida.* Lam. *mariana.* Jacq. ic. 3. t. 465. *nec aliorum.*						
13 acuminata. W.	acute-leaved.	———	——	8.	H. ħ.	Sm. exot. bot. 2. t. 89.
14 Catesbæi. W.	spiny-leaved.	———	1793.	6. 7.	H. ħ.	Botan. magaz. 1955.
spinulosa. Ph.						
15 axillaris. W.	axil-flowering.	———	1765.	5. 8.	H. ħ.	Duham. ar. ed. nov. t. 39.
β longifolia.	*long-leaved.*	———	——	——	H. ħ.	Botan. magaz. 2357.
16 floribunda. Ph.	many-flowered.	Georgia.	1812.	5. 6.	H. ħ.	——— 1566.
17 racemosa. W.	branching.	N.America.	1736.	7.	H. ħ.	
18 spicata. W.D.	spiked.	———	....	6. 7.	H. ħ.	Wats. dend. brit. 26.
19 arborea. W.	Sorrel-tree.	———	1752.	7. 9.	H. ħ.	Botan. magaz. 905.
20 ovalifolia. D.P.	oval-leaved.	Nepaul.	1823.	....	G. ħ.	Wall. as. res. 13. p. 39. ic.
LYONIA. N.	LYONIA.	Decandria Monogynia. N.						
1 ferruginea. N.	rusty-leaved.	Georgia.	1784.	6. 7.	G. ħ.	Venten. malm. 80.
Andromeda ferruginea. W.						
2 rigida. N.	rigid.	———	1774.	4. 5.	G. ħ.	Lodd. bot. cab. 430.
3 salicifolia. W.D.	Willow-leaved.	N. America.	....	6. 7.	H. ħ.	Wats. dend. brit. 28.
4 paniculata. N.	panicled.	———	1748.	5. 6.	H. ħ.	——— t. 27.
5 capreæfolia. W.D.	tendril-leaved.	———	1812.	7.	H. ħ.	——— t. 127.
6 multiflora. W.D.	many-flowered.	———	——	——	H. ħ.	——— t. 128.
7 frondosa. N.	bristly-flow'r'd.	———	1806.	5. 6.	H. ħ.	
MYLOCARYUM. W.	en. BUCKWHEAT-TREE.	Decandria Monogynia. W.						
ligustrinum. Ph.	Privet-leaved.	Georgia.	1786.	5. 6.	G. ħ.	Botan. magaz. 1635.
Cliftonia ligustrina. S.S.						
CLETHRA. W.	CLETHRA.	Decandria Monogynia. W.						
1 alnifolia. S.S.	Alder-leaved.	N.America.	1731.	8. 10.	H. ħ.	Lam. ill. t. 369.
2 tomentosa. S.S.	woolly-leaved.	———	——	——	H. ħ.	Wats. dend. brit. t. 29.
3 scabra. S.S.	rough-leaved.	Georgia.	1806.	——	H. ħ.	
4 acuminata. S.S.	acute-leaved.	Carolina.	——	——	H. ħ.	
5 paniculata. S.S.	panicled.	N.America.	1770.	——	H. ħ.	
6 arborea. S.S.	tree.	Madeira.	1784.	——	G. ħ.	Botan. magaz. 1057.
β variegata.	*variegated.*	———	——	——	G. ħ.	
γ minor.	*dwarf.*	———	....	——	G. ħ.	
7 ferruginea. S.S.	ferruginous.	S. America.	1818.	——	G. ħ.	
CYRILLA. L.	CYRILLA.	Pentandria Monogynia. L.						
racemiflora. L.	Carolina.	Carolina.	1765.	6. 8.	F. ħ.	Botan. magaz. 2456.
caroliniana. P.S. *Itea Cyrilla.* W.						
BROSSÆA. L.	BROSSÆA.	Pentandria Monogynia. L.						
coccinea. L.	scarlet.	S. America.	....	....	S. ħ.	Lam. ill. t. 111. f. 3.

BLÆRIA. W.	BLÆRIA. Tetrandria Monogynia. W.						
1 ericoides. s.s.	heath-leaved.	C. B. S.	1774.	8. 10.	G. h.	Wendl. coll. 1. t. 25.
2 muscosa. s.s.	Moss-leaved.	———	——	6. 8.	G. h.	
3 fasciculata. s.s.	close-headed.	———	1812.	——	G. h.	
4 paucifolia. s.s.	few-leaved.	———	——	——	G. h.	Wendl. coll. 2. t. 43.
5 articulata. s.s.	jointed.	———	1795.	5. 6.	G. h.	——— 2. t. 44.
6 scabra. s.s.	rough.	———	1806.	——	G. h.	——— 1. t. 31.
7 depressa. R.S.	depressed.	———	1816.	——	G. h.	
8 purpurea. s.s.	purple-flow'r'd.	———	1791.	——	G. h.	
9 dumosa. s.s.	bushy.	———	1806.	6. 8.	G. h.	Wendl. coll. 2. t. 38.
10 glabella. s.s.	smooth.	———	1816.	——	G. h.	Seb. thes. 1. t. 20. f. 2.
11 ciliaris. s.s.	fringed.	———	1795.	——	G. h.	Wendl. coll. 2. t. 49.
SYMPIEZA. R.S.	SYMPIEZA. Tetrandria Monogynia. R.S.					
capitellata. R.S.	headed.	C. B. S.	1812.	6. 8.	G. h.	Wendl. coll. 2. t. 37.
Blæria bracteata. Wend.						
CALLUNA. Sal.	CALLUNA. Octandria Monogynia.					
vulgaris. W.en.	common.	Britain.	....	6. 8.	H. h.	Eng. bot. 1013.
Erica vulgaris. E.B.						
α carnea.	*flesh-coloured.*	———	....	——	H. h.	
β alba.	*white-flowered.*	———	....	——	H. h.	
γ multiplex.	*double-flowered.*	———	....	——	H. h.	
ERICA. W.	HEATH. Octandria Monogynia. L.					
1 absinthoides. H.K.	Wormwood-like.	C. B. S.	1792.	3. 6.	G. h.	
2 actæa. L.en.	cluster-leaved.	———	1810.	——	G. h.	
3 acuminata. A.H.	pointed-leaved.	———	1798.	5. 6.	G. h.	Andr. heaths. v. 3.
β pallida.	*pale-flowered.*	———	——	——	G. h.	
4 acuta. A.H.	pointed-cupp'd.	———	1799.	5. 8.	G. h.	Andr. heaths. v. 2.
5 acutangularis. Lod.	acute-angled.	———	1823.	——	G. h.	
6 adenophora. s.s.	gland-haired.	———	1810.	——	G. h.	
7 aggregata. s.s.	clustered.	———	——	——	G. h.	Wendl. er. f. 13. n. 5.
8 Aitoniana. H.K.	Aiton's.	———	1790.	6. 9.	G. h.	Botan. magaz. 429.
9 albens. H.K.	pallid.	———	1789.	3. 8.	G. h.	——— 440.
10 albida. Lod.	white-flowered.	———	1823.	5. 8.	G. h.	
11 alopecuroides. s.s.	fox-tail.	———	1812.	——	G. h.	Lodd. bot. cab. 874.
12 ambigua. s.s.	ambiguous.	———	1798.	——	G. h.	Andr. heath. c. ic.
cylindrica. A.H. non Th.						
13 amœna. H.K.	feathery.	———	1795.	3. 7.	G. h.	Wend. eric. 17. p. 73. ic.
plumosa. A.H.						
14 ampullacea. H.K.	flask.	———	1790.	6. 8.	G. h.	Botan. magaz. 303.
15 andromedæflora. H.K.	Andromeda-fld	———	1803.	3. 6.	G. h.	——— 1250.
16 anthina. s.s.	full-flowering.	———	1811.	——	G. h.	
17 aperta. s.s.	open-flowered.	———	——	——	G. h.	
18 Aphanes. s.s.	Parsley-piert.	———	1820.	——	G. h.	
19 arborea. s.s.	tree.	S. Europe.	1658.	2. 6.	G. h.	
β stylosa. P.s.	*long-styled.*	———	——	——	G. h.	
20 arbuscula. B.C.	little-tree.	C. B. S.	1818.	4. 8.	G. h.	Lodd. bot. cab. 843.
21 arctata. Lod.	arched.	———	——	——	G. h.	
22 Archeriana. H.K.	Lady Archer's.	———	1796.	8. 11.	G. h.	Andr. heath. v. 2. ic.
23 ardens. H.K.	ardent.	———	1800.	4. 6.	G. h.	Botan. regist. 115.
24 argentiflora. s.s.	silvery-flow'r'd.	———	1816.	——	G. h.	Andr. heath. c. ic.
25 aristata. H.K.	awned.	———	1801.	3. 8.	G. h.	Botan. magaz. 1249.
26 armata. s.s.	spiny-cupped.	———	1816.	——	G. h.	
27 assurgens. L.en.	assurgent.	———	——	5. 8.	G. h.	
28 aurea. H.K.	golden.	———	1799.	7. 9.	G. h.	Andr. heath. v. 2.
29 auricularis. L.T.	eared.	———	....	3. 7.	G. h.	
30 australis. H.K.	Spanish.	Spain.	1769.	4. 7.	H. h.	Andr. heath. v. 3.
31 axillaris. W.	axillary.	C. B. S.	1798.	5. 7.	G. h.	
32 azaleæfolia. L.T.	Azalea-leaved.	———	——	5. 8.	G. h.	
33 baccans. H.K.	Arbutus-fld.	———	1774.	4. 7.	G. h.	Botan. magaz. 358.
34 Bandoniæ. Lod.	Lady Bandon's.	———	1816.	5. 8.	G. h.	
35 Banksii. H.K.	Banks's.	———	1787.	2. 7.	G. h.	Andr. heath. v. 1.
36 barbata. H.K.	bearded.	———	1799.	5. 8.	G. h.	——— v. 2.
37 bella. s.s.	pretty.	———	——	——	G. h.	
38 Bergiana. H.K.	Bergius's.	———	1787.	4. 8.	G. h.	Lodd. bot. cab. 939.
quadriflora. A.H. v. 2.						
39 bicolor. W.	two-coloured.	———	1790.	8. 3.	G. h.	
calathiflora. L.T.						
40 biflora. B.C.	two-flowered.	———	1820.	5. 8.	G. h.	Lodd. bot. cab. 683.
41 blanda. H.K.	charming.	———	1800.	4. 9.	G. h.	Andr. heath. v. 3.

42	Blandfordiana. H.K.	Blandford's.	C. B. S.	1800.	8. 6.	G. h.	Botan. magaz. 1798.
43	Benplandiana. B.M.	Bonpland's.	———	1816.	——	G. h.	——— 2126.
44	borboniæfolia. L.T.	Berbonia-le.	———	——	——	G. h.	
45	Bowieana. B.C.	Bowie's.	———	——	8. 9.	G. h.	Lodd. bot. cab. 942.
46	brachialis. L.T.	armed.	———	1792.	——	G. h.	
47	bracteata. W.	red-bracted.	———	1800.	5. 7.	G. h.	
48	bracteolaris. P.S.	bracteate.	———	——	8. 7.	G. h.	
49	brevifolia. L.T.	short-leaved.	———	....	8. 1.	G. h.	
50	bruniades. W.	Brunia-like.	———	1790.	4. 7.	G. h.	
51	buccinæformis. L.T.	Buccinium-fld.	———	....	——	G. h.	
52	cæsia. L.T.	grey.	———	1795.	2. 5.	G. h.	
53	caffra. A.H.	sweet-scented.	———	1774.	8. 10.	G. h.	Lodd. bot. cab. 196.
54	callosa. S.S.	callous-leaved.	———	1799.	6. 9.	G. h.	Andr. heath. ic.
	annaliculata β minor. A.H.						
55	calycina. W.	calycine.	———	——	——	G. h.	
56	calyculata. P.S.	rusty-flowered.	———	1800.	5. 7.	G. h.	
57	campanulata. H.K.	bell-flowered.	———	1791.	4. 8.	G. h.	Andr. heath. v. 1.
58	campylophylla. S.S.	hook-leaved.	———	1802.	3. 5.	G. h.	
	incurva. A.H.						
59	canaliculata. H.K.	channelled.	———	1799.	8. 2.	G. h.	Andr. heath. v. 3.
60	canescens. H.K.	canescent.	———	1790.	5. 8.	G. h.	——— v. 2.
	eriocephala. A.H. *non* Lam.						
61	capax. L.T.	capacious.	———	1806.	——	G. h.	
62	capitata. H.K.	downy-headed.	———	1774.	3. 7.	G. h.	Andr. heath. v. 1.
63	carduifolia. L.T.	Carduus-leav'd.	———	1806.	5. 7.	G. h.	
64	carinata. B.C.	keeled.	———	——	6. 9.	G. h.	Lodd. bot. cab. 1671.
65	carnea. H.K.	early dwarf.	Germany.	1763.	1. 8.	H. h.	Botan. magaz. 471.
	herbacea. B.M.						
66	carniula. B.C.	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. 926.
67	catervæfolia. L.T.	huddled-leav'd.	———	1790.	4. 7.	G. h.	
68	Celsiana. Lod.	Cels's.	———	....	——	G. h.	
69	cephalotes. W.	purple-headed.	———	1812.	3. 7.	G. h.	
70	cerinthoides. H.K.	honeywort-fld.	———	1774.	5. 9.	G. h.	Botan. magaz. 220.
	a glabriuscula.	*smoothish.*	———	——	——	G. h.	
	β hispida.	*bristly.*	———	——	——	G. h.	
71	cernua. H.K.	drooping-fld.	———	1791.	8. 12.	G. h.	
72	cerviciflora. L.T.	Stag's-horn-fld.	———	....	3. 7.	G. h.	
	inaperta. Hort.						
73	chlamydiflora. L.T.	cloak'd-fld.	———	1801.	5. 9.	G. h.	
74	ciliaris. W.	ciliated.	Portugal.	1759.	7. 9.	H. h.	Botan. magaz. 484.
75	ciliciflora. L.T.	fringe-flower'd.	C. B. S.	....	5. 8.	G. h.	
76	cinerascens. W.	greyish.	———	....	——	G. h.	
77	cinerea. W.	fine-leaved.	Britain.	....	6. 9.	H. h.	Eng. bot. 1015.
	a atropurpurea.	*dark-purple.*	———	....	——	H. h.	
	β rubra.	*red-flowered.*	———	....	——	H. h.	
	γ carnea.	*flesh-coloured.*	———	....	——	H. h.	
	δ alba.	*white-flowered.*	———	....	——	H. h.	
78	cistifolia. Linn.	Cistus-leaved.	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. ic.
	barbata β minor. A.H.						
79	clavæflora. H.K.	club-flowered.	———	1779.	8. 10.	G. h.	Andr. heath. v. 3.
	sessiliflora. A.H. *non* L.						
80	clavata. S.S.	clubbed.	———	1812.	——	G. h.	Andr. heath. ic.
81	Clintoniæ. Lee.	Lady Clinton's.	———	1816.	5. 8.	G. h.	
82	coarctata. S.S.	close.	———	....	——	G. h.	Wendl. eric. f. 19. n. 1.
83	coccinea. H.K.	scarlet-flow'r'd.	———	1783.	1. 12.	G. h.	Andr. heath. v. 1.
84	colorans. B.R.	changing-col'd.	———	1812.	1. 6.	G. h.	Botan. regist. 601.
85	comosa. H.K.	tufted.	———	1787.	4. 8.	G. h.	Ic. hort. kew. 18.
	a rubra.	*red-flowered.*	———	——	——	G. h.	Wendl. eric. 18. p. 7. ic.
	β alba.	*white-flowered.*	———	——	——	G. h.	Andr. heath. v. 2.
86	complanata. S.S.	flattened.	———	....	——	G. h.	
87	Comptoniana. S.S.	L. Northampton's.	———	1820.	——	G. h.	Andr. heath. ic.
88	concava. B.C.	concave-fld.	———	1808.	2. 5.	G. h.	Lodd. bot. cab. 184.
89	concinna. H.K.	blush.	———	1775.	7. 10.	G. h.	Andr. heath. v. 2.
90	concolor. Lod.	self-coloured.	———	....	3. 6.	G. h.	
91	conferta. H.K.	crowded-fld.	———	1800.	10. 2.	G. h.	Andr. heath. v. 2.
92	confertifolia. S.S.	crowded-leav'd	———	....	5. 8.	G. h.	
93	congesta. S.S.	close-headed.	———	1812.	——	G. h.	Wendl. eric. f. 17. n. 5.
94	conica. Lod.	conical.	———	1820.	——	G. h.	
95	conspicua. H.K.	conspicuous.	———	1774.	——	G. h.	Andr. heath. v. 2.

96	constantia. Lee.	constant-flr.	C. B. S.	....	——	G. h.	
97	cordata. H.K.	heart-leaved.	———	1799.	4. 7.	G. h.	Andr. heath. v. 3.
98	corifolia. H.K.	Coris-leaved.	———	1774.	8. 12.	G. h.	Botan. magaz. 422.
	articularis. B.M. *calycina.* A.H.						
99	corydalis. L.T.	winged anther'd.	———	....	2. 5.	G. h.	
100	costata. H.K.	ribbed-flow'r'd.	———	1795.	2. 6.	G. h.	Andr. heath. v. 1.
101	Coventryana. B.C.	Lord Coventry's.	———	1806.	5. 6.	G. h.	Lodd. bot. cab. 423.
102	cristæflora. L.T.	crested.	———	1803.	——	G. h.	
103	crossota. S.S.	fringed-calyx'd.	———	....	——	G. h.	
104	cruciformis. S.S.	cross-like.	———	1818.	——	G. h.	Andr. heath. ic.
105	cruenta. H.K.	bloody-flow'r'd.	———	1774.	9. 5.	G. h.	—— ——— v. 1.
106	cubica. H.K.	cube-flowered.	———	1790.	4. 7.	G. h.	——— ——— v. 1.
	β minor. B.C.	*lesser cube-fld.*	———	——	——	G. h.	Lodd. bot. cab. 972.
107	cumuliflora. L.T.	heap-flowered.	———	1801.	5. 9.	G. h.	
108	curviflora. H.K.	curve-flowered.	———	1774.	7. 10.	G. h.	Andr. heath. v. 1.
109	curvirostris. L.T.	declining.	———	1790.	——	G. h.	
	declinata. Hort.						
110	Cushiniana. Lee.	Cushin's.	———	1816.	——	G. h.	
111	cuspidigera. L.T.	cuspidate.	———	....	2. 5.	G. h.	
112	cyrillæflora. L.T.	Cyrilla-flow'r'd.	———	1800.	2. 8.	G. h.	
113	daphnæflora. B.C.	Daphne-fld.	———	1791.	4. 5.	G. h.	Lodd. bot. cab. 543.
114	daphnoides. B.C.	Daphne-like.	———	——	——	G. h.	——— —— 154.
115	decolorans. W.	discoloured.	———	....	——	G. h.	
116	decora. H.K.	graceful.	———	1790.	11. 1.	G. h.	Andr. heath. v. 3.
117	deflexa. Lod.	deflexed.	———	....	5. 8.	G. h.	
118	demissa. Lod.	low.	———	1810.	——	G. h.	
119	densa. S.S.	dense.	———	——	——	G. h.	Andr. heath. ic.
120	densifolia. W.	dense-leaved.	———	1811.	3. 8.	G. h.	
121	denticulata. W.	tooth-calyxed.	———	——	——	G. h.	Lodd. bot. cab. 1090.
122	depressa. H.K.	depressed.	———	1789.	6. 8.	G. h.	Andr. heath. v. 2.
	rupestris. A.H.						
123	dianthifolia. L.T.	pink-leaved.	———	1796.	3. 8.	G. h.	
124	diaphana. S.S.	transparent.	———	1800.	5. 8.	G. h.	Andr. heath. c. ic.
	transparens. B.C. 177. *non* Th.						
125	dichrus. S.S.	Andrew's 2-color'd.	———	1790.	8. 5.	G. h.	Andr. heath. ic.
	bicolor. A.H. *non* W.						
126	Dickensoni. Lod.	Mr. Dickenson's.	———	1809.	——	G. h.	
	α alba.	*white-flowered.*	———	——	——	G. h.	
	β rubra.	*red-flowered.*	———	——	——	G. h.	
127	diosmæfolia. L.T.	Diosma-leaved.	———	1792.	3. 7.	G. h.	
128	diotæflora. L.T.	Diotis-flower'd.	———	1795.	3. 8.	G. h.	
129	discolor. H.K.	different-col'd.	———	1788.	10. 3.	G. h.	Andr. heath. v. 1.
130	doliiformis. L.T.	tun-bellied.	———	1798.	5. 9.	G. h.	
131	Donniana. Lee.	Donn's.	———	1812.	——	G. h.	
132	dumosa. A.H.	bushy.	———	——	——	G. h.	Andr. heath. ic.
133	echiiflora. H.K.	Echium-fld.	———	1798.	2. 7.	G. h.	——— v. 3.
134	elata. H.K.	tall.	———	1790.	7. 9.	G. h.	——— ——— v. 2.
135	elegans. H.K.	elegant.	———	1799.	11. 5.	G. h.	Botan. magaz. 960.
136	elongata. B.C.	elongated.	———	1820.	3. 6.	G. h.	Lodd. bot. cab. 738.
137	emarginata. A.H.	hairy cupped.	———	1800.	6. 10.	G. h.	Andr. heath. ic.
138	embothriifolia. L.T.	Embothrium-ld.	———	....	2. 5.	G. h.	
139	empetrifolia. H.K.	crowberry-ld.	———	1774.	4. 7.	G. h.	Botan. magaz. 447.
140	empetroides. H.K.	close-flowered.	———	1788.	5. 8.	G. h.	Andr. heath. v. 3.
141	epistomia. Lod.	spiggot.	———	1800.	——	G. h.	
142	equisetifolia. L.T.	Equisetum-ld.	———	——	——	G. h.	
	articularis. Hort.						
143	erosa. B.C.	gnawed-petal'd.	———	1816.	——	G. h.	Lodd. bot. cab. 133.
144	erubescens. H.K.	reddish-fld.	———	1800.	3. 8.	G. h.	Andr. heath. v. 3.
145	Ewerana. H.K.	Ewer's.	———	1793.	7. 11.	G. h.	——— ——— v. 2.
	α glabra.	*smooth-leaved.*	———	——	——	G. h.	
	β longiflora.	*long-flowered.*	———	——	——	G. h.	
	γ pilosa.	*hairy-leaved.*	———	——	——	G. h.	
146	exigua. L.T.	small downy.	———	1790.	3. 9.	G. h.	
147	eximia. Lod.	choice.	———	1811.	——	G. h.	
148	exserta. Lod.	exserted.	———	1820.	——	G. h.	
149	expansa. Lod.	expanded.	———	1811.	——	G. h.	
150	expromta. S.S.	woolly-branch'd.	———	——	——	G. h.	
151	exsudans. B.C.	sweating.	———	1810.	8. 10.	G. h.	Lodd. bot. cab. 287.
152	exsurgens. H.K.	quiver-formed.	———	1792.	1. 12.	G. h.	Andr. heath. v. 1.

153	fabrilis. L.T.	tiled-leaved.	C. B. S.	1791.	4. 8.	G. ħ.	
154	fallax. L.T.	viscous-flow'r'd.	——	....	11. 3.	G. ħ.	
155	fascicularis. H.K. *coronata.* A.H.	cluster-flow'r'd. *radiiflora.* L.T.	——	1787.	2. 7.	G. ħ.	Andr. heath. v. 1.
156	fastigiata. W. *Walkeri.* A.H.	Walker's.	——	1792.	2. 7.	G. ħ.	—— v. 1.
157	fausta. L.T.	bristly-leaved.	——	1795.	4. 6.	G. ħ.	
158	ferruginea. H.K.	rusty.	——	1798.	5. 7.	G. ħ.	Andr. heath. v. 3.
159	festa. L.T.	angular-stalk'd.	——	....	3. 5.	G. ħ.	
160	fibula. L.en.	button.	——	1812.	5. 6.	G. ħ.	
161	filamentosa. H.K.	long-peduncl'd.	——	1800.	1. 12.	G. ħ.	Botan. regist. 6.
162	filiformis. L.T.	filiform.	——	....	2. 5.	G. ħ.	
163	fimbriata. A.H.	fringed.	——	1800.	3. 7.	G. ħ.	Andr. heath. ic.
164	finitima. Lod.	related.	——	....	——	G. ħ.	
165	fistulæflora. L.T. *tenuiflora β alba.* A.H.	white slender-fld. *Cliffordiana.* B.C. 34.	——	1800.	7. 11.	G. ħ.	Andr. heath. v. 3.
166	flaccida. L.en.	flaccid.	——	1810.	——	G. ħ.	
167	flagellaris. L.en.	whipcord.	——	——	——	G. ħ.	
168	flammea. H.K. *bibax.* L.T.	flame-flow'r'd.	——	1798.	10. 5.	G. ħ.	Andr. heath. v. 2.
169	flava. H.K. *β imbricata.* B.M.	3-leaved yellow. *imbricated.*	——	1795. ——	9. 4. ——	G. ħ. G. ħ.	—— v. 2. Botan. magaz. 1815.
170	flexicaulis. H.K. *glandulosa.* A.R. *nec aliorum.*	crook-stalked.	——	1800.	5. 1.	G. ħ.	Andr. heath. v. 2.
171	flexuosa. H.K.	zigzag.	——	1792.	4. 7.	G. ħ.	Andr. heath. v. 1.
172	floribunda. B.C.	many-flowered.	——	1800.	11. 3.	G. ħ.	Lodd. bot. cab. 176.
173	florida. H.K.	florid.	——	1803.	5. 8.	G. ħ.	Thunb. eric. n. 64. t. 6.
174	follicularis. H.K. *Petiveriana.* A.H.	yellow pencill'd.	——	1794.	2. 7.	G. ħ.	Andr. heath. v. 1.
175	formosa. W. *α alba.* *β rubra.*	handsome. *white-flowered. reflexa alba.* Hort. *red-flowered. reflexa rubra.* Hort.	——	1795.	3. 8.	G. ħ.	Thunb. eric. n. 82. t. 3.
176	fragrans. H.K.	fragrant.	——	1803.	3. 7.	G. ħ.	Botan. magaz. 2181.
177	fucata. Wend.	painted.	——	1811.	——	G. ħ.	
178	fugax. L.T.	fugacious.	——	1800.	3. 5.	G. ħ.	
179	furfurosa. H.K. *monadelpha.* A.H. *non* B.M.	columnar-threaded.	——	1789.	8. 12.	G. ħ.	Andr. heath. v. 1.
180	gelida. H.K. *gibba.* W. *alveiflora.* L.T.	green verticillate.	——	1790.	4. 7.	G. ħ.	—— v. 2.
181	gemmifera. B.M.	jewel.	——	1802.	7. 10.	G. ħ.	Botan. magaz. 2266.
182	genistæfolia. L.T.	Genista-leaved.	——	....	10. 5.	G. ħ.	
183	glabra. L.en.	glabrous.	——	1802.	5. 8.	G. ħ.	
184	glandulosa. Th.	glandular-haired.	——	1801.	——	G. ħ.	
185	glauca. H.K.	glaucous-leaved.	——	1792.	——	G. ħ.	Botan. magaz. 580.
186	globosa. W.	globular-fld.	——	1789.	7. 9.	G. ħ.	Andr. heath. ic.
187	glomerata. S.S.	glomerate.	——	1812.	——	G. ħ.	Andr. heath. ic.
188	glomiflora. L.T.	round-flower'd.	——	....	4. 9.	G. ħ.	
189	glutinosa. H.K. *droseroides.* A.H.	glutinous.	——	1787.	7. 10.	G. ħ.	Icon. hort. kew. 17.
190	gnaphalodes. W.	cudweed-like.	——	1812.	2. 4.	G. ħ.	Pluk. m. 68. t. 346. f. 11.
191	graciliS. H.K.	gracile.	——	1794.	2. 6.	G. ħ.	Wend. eric. 8. p. 9. ic.
192	grandiflora. H.K.	great-flowered.	——	1775.	5. 9.	G. ħ.	Botan. magaz. 189.
193	grandinosa. B.C.	hail-flowered.	——	1820.	——	G. ħ.	Lodd. bot. cab. 627.
194	halicacaba. H.K.	bladder-fld.	——	1780.	5. 8.	G. ħ.	Andr. heath. v. 2.
195	helianthemifolia. L.T.	plain-leaved.	——	1796.	6. 9.	G. ħ.	
196	Hibbertiana. H.K.	Hibbert's.	——	1800.	——	G. ħ.	Andr. heath. v. 3.
197	hirsuta. B.C.	hairy.	——	1812.	5. 8.	G. ħ.	Lodd. bot. cab. 754.
198	hirta. W.	hairy-leaved.	——	1795.	4. 7.	G. ħ.	Thunb. eric. n. 56. t. 2.
199	hirtiflora. B.M.	hairy-flowered.	——	1790.	——	G. ħ.	Botan. magaz. 481.
200	hispida. S.S.	hispid.	——	1791.	7. 9.	G. ħ.	Andr. heath. ic.
201	hispidula. W.	bristly-stemm'd.	——	——	6. 8.	G. ħ.	
202	holosericea. L.T.	velvetty.	——	....	2. 7.	G. ħ.	
203	horizontalis. H.K.	horizontal-ld.	——	1800.	7. 9.	G. ħ.	Andr. heath. v. 2.
204	Humeana. B.C.	Sir A. Hume's.	——	1808.	5. 7.	G. ħ.	Lodd. bot. cab. 389.
205	humifusa. L.T.	low.	——	....	6. 7.	G. ħ.	
206	hyacinthoides. H.K.	Hyacinth-fld.	——	1798.	6. 8.	G. ħ.	Andr. heath. v. 3.
207	hyssopifolia. L.T.	Hyssop-leaved.	——	1800.	5. 9.	G. ħ.	
208	ignescens. H.K.	fiery.	——	1792.	3. 7.	G. ħ.	Andr. heath. v. 2.
209	imbecilla. *gracilis.* L.T. *nec aliorum.*	feeble.	——	1793.	6. 7.	G. ħ.	

210	imbricata. W.	imbricated.	C. B. S.	1786.	5. 8.	G. h.	
211	imperialis. S.S.	imperial.	———	1816.	——	G. h.	Andr. heath. ic.
212	incana. S.S.	hoary.	———	——	——	G. h.	Wend. er. f.18. n.4. ic.
213	incarnata. W.	flesh-coloured.	———	1791.	——	G. h.	Andr. heath. ic.
214	incurva. W.	incurved.	———	....	——	G. h.	
215	inflata. W.	inflated.	———	1800.	5. 9.	G. h.	
216	infundibuliformis.	funnel-flow'r'd.	———	1812.	——	G. h.	Lodd. bot. cab. 589.
217	intertexta. B.C.	interwoven.	———	1810.	——	G. h.	——— 1034.
218	intervallaris. L.T.	distant-leaved.	———	....	5. 11.	G. h.	
219	Irbyana. A.H.	Irby's.	———	1800.	6. 10.	G. h.	Andr. heath. v. 3.
220	jasminiflora. H.K.	Jasmine-fl^d.	———	1794.	——	G. h.	——— v. 1.
221	jubata. S.S.	crest-flowered.	———	1816.	——	G. h.	
222	Juliana. S.S.	Julian's.	———	1812.	5. 10.	G. h.	Lodd. bot. cab. 799.
223	labialis. L.T.	lipped.	———	....	——	G. h.	
224	lachneæfolia. H.K.	Lachnea-leav'd.	———	1793.	5. 7.	G. h.	Andr. heath. v. 3.
225	lactiflora. B.C.	milk-coloured.	———	1816.	——	G. h.	Lodd. bot. cab. 901.
226	lævis. A.H.	smooth.	———	1790.	3. 6.	G. h.	Andr. heath. v. 3.
227	Lambertiana. H.K.	Lambert's.	———	1800.	5. 8.	G. h.	——— v. 2.
228	lanata. W.	woolly.	———	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
229	lanceolata. P.S.	spear-leaved.	———	1791.	6. 12.	G. h.	
230	lanuginosa. H.K.	large brown-fl^d.	———	1803.	9. 1.	G. h.	Andr. heath. v. 3.
231	lasciva. L.T.	imbricate-calyx'd.	———	1800.	1. 8.	G. h.	
232	lasiophylla. S.S.	downy-leaved.	———	1816.	5. 8.	G. h.	
233	lateralis. H.K.	side-flowered.	———	1791.	3. 7.	G. h.	Andr. heath. v. 1.
234	latifolia. H.K.	broad-leaved.	———	1800.	5. 8.	G. h.	——— v. 2.
235	lavandulæfolia. L.T.	Lavender-l^d.	———	1795.	——	G. h.	
236	Lawsoni. B.M.	red slender-fl^d.	———	1802.	4. 7.	G. h.	Botan. magaz. 1720.
237	laxa. H.K.	loose-flowered.	———	1800.	9. 2.	G. h.	Andr. heath. v. 3.
238	Leeana. H.K.	Lee's.	———	1788.	8. 1.	G. h.	——— v. 1.
239	leucantha. L.en.	white-blossom'd.	———	1803.	1. 5.	G. h.	——— v. 2.
	leucanthera. A.H. *non* L.						
240	leucanthera. W.	white-tipped.	———	1803.	2. 6.	G. h.	
241	Linnæana. H.K.	Linnæus's.	———	1790.	1. 5.	G. h.	Andr. heath. v. 2.
	Linnæoides. A.H.						
242	longiflora. B.C.	long-flowered.	———	....	4. 8.	G. h.	Lodd. bot. cab. 983.
243	longifolia. W.	long-leaved.	———	1787.	2. 7.	G. h.	Wend. eric. t. 3.
	pinea. Wend.						
244	longipedunculata.	long-stalked.	———	1818.	3. 8.	G. h.	Lodd. bot. cab. 103.
245	lucida. H.K.	lucid.	———	1800.	4. 1.	G. h.	Andr. heath. v. 2.
246	lutea. H.K.	yellow.	———	1774.	2. 5.	G. h.	——— v. 1.
247	lyrigera. L.T.	lyre-bearing.	———	1790.	——	G. h.	
248	magnifica. S.S.	magnificent.	———	1816.	4. 8.	G. h.	Andr. heath. ic.
249	mammosa. W.	nipple.	———	1762.	7. 10.	G. h.	——— v. 1.
	α purpurea.	*purple-flowered.*	———	——	——	G. h.	Lodd. bot. cab. 125.
	β pallida.	*pale-flowered.*	———	——	——	G. h.	——— 951.
250	margaritacea. H.K.	pearl-flowered.	———	1775.	5. 9.	G. h.	Andr. heath. v. 1.
251	marifolia. H.K.	Marum-leaved.	———	1773.	5. 7.	G. h.	——— v. 1.
252	Massoni. H.K.	Masson's.	———	1787.	7. 10.	G. h.	Botan. magaz. 336.
253	mediterranea. W.	Mediterranean.	Portugal.	1648.	3. 5.	H. h.	——— 471.
254	melanthera. W.	dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. 867.
255	melastoma. A.H.	black-anthered.	———	1795.	4. 7.	G. h.	——— 333.
256	mellifera. S.S.	honey-bearing.	———	1816.	——	G. h.	
257	metulæflora. H.K.	nine-pin.	———	1798.	6. 8.	G. h.	Botan. magaz. 612.
258	microphylla. Lod.	small-leaved.	———	....	——	G. h.	
259	microstoma. S.S.	aggregate-fl^d.	———	1816.	——	G. h.	
260	mirabilis. Lod.	wonderful.	———	——	3. 8.	G. h.	
261	modesta. L.T.	modest.	———	....	——	G. h.	
262	mollearis. P.S.	soft-leaved.	———	1803.	4. 10.	G. h.	
263	mollis. S.S.	soft.	———	1816.	——	G. h.	
264	mollissima. Lod.	softest.	———	....	——	G. h.	
265	monadelpha. B.M.	monadelphous.	———	1789.	5. 7.	G. h.	Botan. magaz. 1370.
	Banksia β purpurea. A.H.						
266	Monsoniæ. H.K.	Lady Monson's.	———	1787.	4. 9.	G. h.	——— 1915.
267	montana. Lod.	mountain.	———	1816.	——	G. h.	
268	moschata. A.H.	musky.	———	1805.	5. 7.	G. h.	Andr. heath. ic.
269	mucosa. H.K.	mucous.	———	1787.	2. 4.	G. h.	——— v. 1.
270	mucronata. S.S.	mucronate.	———	1812.	4. 8.	G. h.	Andr. heath. ic.
271	multiflora. H.K.	many-flow'r'd.	France.	1731.	6. 11.	G. h.	——— v. 2.
272	munda. L.T.	neat-flowered.	C. B. S.	....	5. 7.	G. h.	

273	mundula. B.C.	neat.	C. B. S.	1816.	3. 8.	G. h.	Lodd. bot. cab. 114.
274	Muscari. H.K.	musk.	———	1790.	——	G. h.	Andr. heath. v. 1.
275	mutabilis. H.K.	mutable.	——	1798.	2. 10.	G. h.	——— v. 3.
276	nana. L.T.	dwarf.	——	1792.	5. 8.	G. h.	
	depressa. A.H.						
277	nidiflora. L.T.	nest-flowered.	——	....	10. 5.	G. h.	
278	nidularia. B.C.	nest-like.	——	1816.	5. 8.	G. h.	Lodd. bot. cab. 764.
279	nigricans. S.S.	black-stamen'd.	——	——	——	G. h.	
280	nigrita. H.K.	black-tipped.	——	1790.	3. 7.	G. h.	Andr. heath. v. 1.
281	nitida. H.K.	shining.	——	1800.	7. 10.	G. h.	——— v. 3.
282	nivea. S.S.	snowy.	——	1816.	5. 9.	G. h.	
283	Niveni. H.K.	Niven's.	——	1799.	2. 7.	G. h.	Andr. heath. v. 2.
284	nodiflora. L.T.	knot-flowered.	——	——	3. 8.	G. h.	
285	nolæflora. L.T.	bell-shaped.	——	....	2. 5.	G. h.	
286	notabilis. S.S.	notable.	——	1816.	3. 8.	G. h.	
287	nudiflora. W.	small-bracted.	———	1783.	7. 8.	G. h.	
288	obbata. H.K.	bottle.	——	1796.	4. 7.	G. h.	Andr. heath. v. 2.
289	obcordata. S.S.	obcordate.	——	1812.	——	G. h.	
290	obliqua. H.K.	oblique-leaved.	———	1789.	8. 10.	G. h.	Andr. heath. v. 1.
291	obtusa. B.C.	obtuse.	——	1816.	5. 8.	G. h.	Lodd. bot. cab. 1027.
292	octogona. Lod.	eight-angled.	——	——	——	G. h.	
293	odorata. H.K.	perfumed.	——	1804.	4. 7.	G. h.	Andr. heath. v. 3.
294	ollula. S.S.	close-smooth-l^d.	——	1812.	——	G. h.	——— c. ic.
295	onosmæflora. L.T.	Onosma-fl^d.	——	1789.	9. 5.	G. h.	Andr. heath. v. 1.
	glutinosa. A.H. *viscosa.* Wend.						
296	oppositifolia. A.H.	opposite-leav'd.	——	1804.	3. 5.	G. h.	Andr. heath. c. ic.
	α alba.	*white-flowered.*	——	——	——	G. h.	
	β rubra. B.C.	*red-flowered.*	——	——	——	G. h.	Lodd. bot. cab. 1060.
297	ovata. B.C.	ovate.	——	1791.	2. 5.	G. h.	——— 417.
298	oxycoccifolia. L.T.	Cranberry-l^d.	——	——	——	G. h.	
299	pallens. S.S.	pale.	———	1812.	3. 8.	G. h.	Andr. heath. ic.
300	pallida. S.S.	pallid.	——	——	——	G. h.	
301	palliiflora. L.T.	pale-flowered.	———	....	2. 8.	G. h.	
302	palustris. H.K.	marsh.	——	1799.	5. 10.	G. h.	Andr. heath. v. 2.
303	paniculata. W.	panicled.	———	1774.	2. 8.	G. h.	
304	pannosa. L.T.	cloth-flowered.	——	....	2. 6.	G. h.	
305	parilis. L.T.	matched.	———	1789.	5. 8.	G. h.	
306	Parmentieri. B.C.	Parmentier's.	———	1816.	——	G. h.	Lodd. bot. cab. 197.
	rosea. Lod.	*rose-coloured.*	——	——	——	G. h.	
307	parviflora. L.T.	small-fl^d. downy.	——	1790.	3. 9.	G. h.	
308	Passerina. W.	sparrow-wort.	——	1800.	11. 5.	G. h.	Petiv. gaz. t. 8. f. 7.
309	patens. A.H.	spreading.	———	——	3. 6.	G. h.	Andr. heath. v. 3.
310	Patersoni. H.K.	Paterson's.	———	1791.	3. 8.	G. h.	——— v. 1.
311	pavettæflora. L.T.	Pavetta-fl^d.	———	....	5. 8.	G. h.	
312	pectinifolia. L.T.	pectinated.	———	1800.	11. 6.	G. h.	
313	pedunculata. S.S.	peduncled.	——	1810.	5. 9.	G. h.	
314	pellucida. A.H.	pellucid.	———	1800.	10. 6.	G. h.	Andr. heath. v. 3.
315	pendula. W.	pendulous.	———	1791.	7. 8.	G. h.	Lodd. bot. cab. 902.
316	penicillata. A.H.	pencilled.	———	1774.	4. 7.	G. h.	Andr. heath. v. 2.
317	penicilliflora. L.T.	white-pencill'd.	———	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. ic.
318	periplocæfolia. L.T.	Periploca-l^d.	———	....	8. 12.	G. h.	
319	persoluta. H.K.	garland.	———	1774.	2. 5.	G. h.	Botan. magaz. 342.
320	perspicua. H.K.	clear-flowered.	——	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. ic.
	β Linnæa. A.H. v. 2.						
321	petiolata. H.K.	rosemary-l^d.	———	1774.	3. 7.	G. h.	Andr. heath. v. 3.
322	Petiveriana. H.K.	Petiver's.	———	——	——	G. h.	Lam. ill. t. 288. f. 3.
323	Peziza. B.C.	button-flower'd.	———	....	5. 8.	G. h.	Lodd. bot. cab. 265.
324	phylicoides. W.	Phylica-like.	——	1800.	4. 7.	G. h.	
325	physodes. H.K.	sticky.	———	1788.	3. 7.	G. h.	Botan. magaz. 443.
326	picta. Lod.	painted.	———	1800.	——	G. h.	
327	pilosa. S.S.	pilose.	———	——	——	G. h.	Lodd. bot. cab. 606.
328	pilulifera. W.	ball-bearing.	———	1789.	4. 5.	G. h.	
329	pinea. S.S.	Pine-tree-l^d.	———	1790.	8. 12.	G. h.	
330	pityophylla. S.S.	Pine-leaved.	———	——	6. 12.	G. h.	Andr. heath. ic.
	pinifolia. A.H.						
331	Plukenetiana. H.K.	Plukenet's.	———	1774.	4. 7.	G. h.	Andr. heath. v. 1.
	β pallida.	*pale-flowered.*	——	——	——	G. h.	
332	præcox. Lod.	early dwarf.	———	1805.	2. 5.	G. h.	

333	prægnans. A.H.	swelled.	C. B. S.	1796.	5. 7.	G. h.	Andr. heath. v. 8.
	β *coccinea.*	*scarlet-flowered.*	———	——	——	G. h.	
334	præstans. S.S.	excelling.	———	——	——	G. h.	Andr. heath. ic.
335	primuloides. A.H.	Cowslip-fld.	———	1802.	4. 7.	G. h.	Botan. magaz. 1548.
336	princeps. H.K.	fine red.	———	1800.	——	G. h.	Andr. heath. v. 2.
337	procera. S.S.	lofty.	———	1791.	——	G. h.	
338	procumbens. S.S.	procumbent.	———	1816.	——	G. h.	
339	propendens. H.K.	pendent.	———	1800.	7. 8.	G. h.	Botan. magaz. 2140.
340	protrudens. Lem.	protruding.	———	1816.	5. 8.	G. h.	
341	pubescens. H.K.	pale downy.	———	1790.	2. 12.	G. h.	
342	pubigera. L.T.	pubescent-fld.	———	1792.	1. 5.	G. h.	
343	pudibunda. L.T.	nodding.	———	1812.	3. 8.	G. h.	
	nutans. Wend.						
344	pulchella. W.	neat.	———	——	——	G. h.	
345	pulverulenta. Lod.	powdered.	———	——	——	G. h.	
346	pulviniformis. L.T.	cushion.	———	....	2. 5.	G. h.	
347	pumila. S.S.	short.	———	1812.	3. 8.	G. h.	Andr. heath. ic.
348	pura. B.C.	clear.	———	....	5. 8.	G. h.	Lodd. bot. cab. 72.
349	purpurea. H.K.	purple-flow'r'd.	———	1789.	1. 12.	G. h.	Andr. heath. v. 2.
350	pusilla. L.T.	low.	———	....	6. 7.	G. h.	
351	pygmæa. S.S.	pigmy.	———	1812.	5. 8.	G. h.	Andr. heath. ic.
352	pyramidalis. H.K.	pyramidal.	———	1787.	2. 5.	G. h.	Botan. magaz. 366.
353	pyramidiformis. S.S.	pyramid-form'd.	———	1818.	——	G. h.	
354	quadræflora. L.T.	four-flowered.	———	....	3. 8.	G. h.	
355	radiata. H.K.	rayed.	———	1798.	8. 11.	G. h.	Andr. heath. v. 1.
356	racemosa. W.	racemed.	———	1795.	4. 5.	G. h.	
357	racemifera. H.K.	compact-flow'r'd.	———	1803.	4. 6.	G. h.	Andr. heath. v. 2.
358	ramentacea. H.K.	slender-branch'd.	———	1786.	7. 12.	G. h.	——— v. 1.
359	ramulosa. Viv.	Italian.	Italy.	1826.	5. 8.	H. h.	
360	recurvata. B.C.	recurved.	C. B. S.	....	——	G. h.	Lodd. bot. cab. 1098.
361	reflexa. S.S.	reflexed.	———	....	——	G. h.	
362	refulgens. A.H.	refulgent.	———	1816.	5. 9.	G. h.	Andr. heath. ic.
363	regerminans. W.	clustered-fld.	———	1791.	5. 8.	G. h.	
364	resinosa. H.K.	varnished.	———	1803.	——	G. h.	Botan. magaz. 1139.
	vernex. A.H. v. S.						
365	retorta. H.K.	recurved-fld.	———	1787.	——	G. h.	Botan. magaz. 362.
366	retroflexa. H.K.	jointed.	———	——	7. 9.	G. h.	Andr. heath. ic.
	pulchella. A.H. *non* Th.	*articularis.* Th. *non* L.					
367	rigidifolia. S.S.	rigid-leaved.	———	1816.	6. 8.	G. h.	
368	rosea. H.K.	rose-coloured.	———	1796.	6. 10.	G. h.	Andr. heath. v. 2.
369	rubella. B.M.	reddish.	———	1812.	5. 8.	G. h.	Botan. magaz. 2165.
370	rubens. H.K.	red-flowered.	———	1796.	6. 9.	G. h.	
371	rugosa. S.S.	wrinkled.	———	1812.	——	G. h.	Andr. heath. ic.
372	Russeliana. B.C.	Duke of Bedford's.	———	....	——	G. h.	Lodd. bot. cab. 1013.
373	sacciflora. L.T.	sack-flowered.	———	....	3. 7.	G. h.	
374	Sainsburyana. S.S.	Sainsbury's.	———	1804.	7. 9.	G. h.	Andr. heath. ic.
375	salax. L.T.	broad-stigma'd.	———	1796.	5. 9.	G. h.	
376	Salisburyana. S.S.	Salisbury's.	———	....	——	G. h.	Andr. heath. ic.
377	sanguinea. B.C.	bloody.	———	....	3. 8.	G. h.	Lodd. bot. cab. 36.
378	sanguinolenta. B.M.	dark-flowered.	———	1812.	——	G. h.	Botan. magaz. 2206.
379	Savileana.	Savile's.	———	1800.	6. 7.	G. h.	Lodd. bot. cab. 96.
380	scabriuscula. B.C.	roughish.	———	1800.	——	G. h.	——— ——— 517.
381	scariosa. B.C.	scariose.	———	——	——	G. h.	——— ——— 477.
382	sceptriformis. L.T.	sceptre-like.	———	1790.	5. 9.	G. h.	
383	Schollii. B.C.	Scholl's.	———	——	——	G. h.	Lodd. bot. cab. 538.
384	scoparia. W.	small green-fld.	———	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
385	Sebana. H.K.	Seba's.	———	1774.	3. 6.	G. h.	Andr. heath. v. 1.
	α *fusca.* Lod.	*brown-flowered.*	———	——	——	G. h.	
	β *lutea.* Lod.	*yellow-flowered.*	———	——	——	G. h.	Lodd. bot. cab. 260.
	γ *minor.* Lod.	*smaller.*	———	——	——	G. h.	
386	selaginifolia. L.T.	Selago-leaved.	———	1801.	2. 6.	G. h.	
387	serpyllifolia. B.C.	Serpyllum-lfd.	———	1812.	5. 8.	G. h.	Lodd. bot. cab. 744.
388	serratifolia. H.K.	saw-leaved.	———	1790.	8. 12.	G. h.	Andr. heath. v. 1.
389	serrulata. Lod.	sawed.	———	1814.	6. 8.	G. h.	
390	setacea. A.H.	bristly-leaved.	———	1796.	2. 8.	G. h.	Andr. heath. v. 1.
391	sexfaria. H.K.	six-angled.	———	1774.	5. 8.	G. h.	——— ——— v. 2.
392	Shannoniæ. A.H.	Lady Shannon's.	———	1800.	6. 7.	G. h.	Lodd. bot. cab. 168.
393	sicæfolia. L.T.	dagger-leaved.	———	1791.	2. 7.	G. h.	
394	simpliciflora. H.K.	single-flowered.	———	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.

395	Smithiana. Lod.	Smith's.	C. B. S.	1810.	——	G. h.	
396	soccifiora. L.T.	green-pencill'd.	——	1799.	4. 5.	G. h.	Andr. heath. v. 1.
	Sebana viridis. A.H.						
397	Solandri. H.K.	Solander's.	——	1800.	3. 9.	G. h.	Andr. heath. v. 2.
398	sordida. H.K.	sordid.	——	1790.	8. 5.	G. h.	—— v. 1.
	laniflora. Wend.						
399	Sparrmanni. H.K.	Sparrman's.	——	1794.	9. 3.	G. h.	Andr. heath. v. 3.
	aspera. A.H. *hystriciflora.* L.T.						
400	sparsa. Lod.	scattered.	——	1816.	3. 8.	G. h.	
401	speciosa. H.K.	specious.	——	1800.	6. 9.	G. h.	Andr. heath. v. 2.
402	spicata. H.K.	spiked.	——	1789.	1. 12.	G. h.	—— v. 1.
403	spiralis. Lod.	spiral.	——	1816.	5. 8.	G. h.	
404	splendens. W.	splendid.	——	1792.	4. 9.	G. h.	Wend. eric. 8. p.5, ic.
405	spumosa. H.K.	spumous.	——	1786.	5. 8.	G. h.	Lodd. bot. cab. 566.
406	spuria. H.K.	spurious.	——	1796.	4. 8.	G. h.	Andr. heath. v. 1.
407	squamæflora. L.T.	scaly-flowered.	——	....	5. 11.	G. h.	
408	squamosa. H.K.	scaly-cupped.	——	1794.	4. 6.	G. h.	Andr. heath. v. 3.
409	squarrosa. L.T.	squarrose.	——	....	3. 8.	G. h.	
410	stagnalis. L.T.	stagnant.	——	1790.	3. 6.	G. h.	
411	staminea. A.H.	reflex-stamen'd.	——	1799.	6. 9.	G. h.	Andr. heath. v. 3.
412	stellata. B.C.	starry.	——	1806.	——	G. h.	Lodd. bot. cab. 893.
413	stellifera. s.s.	star-bearing.	——	——	4. 8.	G. h.	Andr. heath. ic.
414	stricta. H.K.	straight-branch'd.	S. Europe.	1765.	8. 11.	G. h.	—— v. 2.
415	strigosa. H.K.	dwarf downy.	C. B. S.	1775.	3. 8.	G. h.	
416	struthiolæflora. Lod.	Struthiola-fl^d.	——	1812.	5. 8.	G. h.	
417	stylaris. s.s.	prominent-styl'd.	——	——	——	G. h.	
418	stylosa. L.T.	long-styled.	——	1789.	1. 8.	G. h.	
419	suaveolens. B.C.	sweet.	——	....	5. 11.	G. h.	Lodd. bot. cab. 24.
420	subulata. s.s.	awl-leaved.	——	1818.	6. 8.	G. h.	
421	sulphurea. B.M.	sulphur-color'd.	——	1812.	3. 5.	G. h.	Botan. magaz. 1984.
422	Swainsoniana. s.s.	Swainson's.	——	....	6. 7.	G. h.	Andr. heath. ic.
423	tardiflora. L.T.	pubescent.	——	1790.	3. 8.	G. h.	Botan. magaz. 480.
	pubescens. B.M. *non* L.						
424	taxifolia. H.K.	yew-leaved.	——	1788.	7. 11.	G. h.	Andr. heath. v. 1.
425	tegulæfolia. L.T.	tiled.	——	....	1. 5.	G. h.	
426	tenella. H.K.	delicate.	——	1791.	8. 5.	G. h.	Andr. heath. v. 2.
427	tenuiflora. A.H.	slender yellow-fl^d.	——	1800.	4. 6.	G. h.	—— v. 3.
428	tenuifolia. H.K.	slender-leaved.	——	1794.	4. 8.	G. h.	Seb. mus. 1. t. 73. f. 6.
429	tenuis. L.T.	slender.	——	1790.	8. 2.	G. h.	
430	tenuissima. s.s.	very-slender.	——	1803.	2. 8.	G. h.	Wend. eric. 6. p. 9. ic.
431	tetragona. H.K.	square-flower'd.	——	1789.	7. 9.	G. h.	Andr. heath. v. 3.
432	Tetralix. H.K.	cross-leaved.	Britain.	....	6. 8.	H. h.	Eng. bot. 1014.
	α rubra.	*red-flowered.*	——	....	——	H. h.	
	β carnea.	*flesh-coloured.*	——	....	——	H. h.	
	γ alba.	*white-flowered.*	——	....	——	H. h.	
433	teucriifolia. s.s.	Teucrium-l^d.	C. B. S.	1812.	5. 9.	G. h.	
434	thalictriflora. s.s.	meadow-rue-fl^d.	——	1810.	——	G. h.	
435	Thunbergii. H.K.	Thunberg's.	——	1794.	5. 8.	G. h.	Botan. magaz. 1214.
436	thymifolia. H.K.	Thyme-leaved.	——	1789.	——	G. h.	Andr. heath. v. 2.
437	tiaræflora. H.K.	turban-flow'r'd.	——	1800.	——	G. h.	—— v. 3.
438	togata. B.M.	large-cupped.	——	1812.	6. 8.	G. h.	Botan. magaz. 1626.
439	tomentosa. L.T.	woolly-flow'r'd.	——	....	2. 8.	G. h.	
440	tortuosa. Lod.	twisted.	——	1816.	3. 6.	G. h.	
441	tragulifera. L.T.	broad-anther'd.	——	....	5. 8.	G. h.	
442	translucens. Lee.	translucent.	——	1797.	——	G. h.	
443	transparens. Th.	transparent.	——	1800.	——	G. h.	
444	triceps. B.C.	three-headed.	——	1809.	——	G. h.	Lodd. bot. cab. 962.
445	tricolor. H.S.L.	three-coloured.	——	1803.	6. 9.	G. h.	Andr. heath. v. 3.
	aristata minor. A.H. *non tricolor.* s.s.						
446	triflora. H.K.	three-flowered.	——	1774.	3. 6.	G. h.	Wend. eric. 12. p. 13.
447	triphylla. L.en.	three-leaved.	——	1812.	——	G. h.	
448	triumphans. B.C.	triumphant.	——	——	5. 10.	G. h.	Lodd. bot. cab. 257.
449	trossula. B.C.	dapper.	——	——	——	G. h.	—— 668.
450	tubercularis. L.T.	tubercled.	——	1790.	2. 8.	G. h.	
451	tubiflora. H.K.	tube-flowered.	——	1775.	4. 7.	G. h.	Andr. heath. v. 1.
452	tumida. B.R.	tumid.	——	1812.	5. 9.	G. h.	Botan. regist. 65.
453	turbiniflora. L.T.	top-flowered.	——	1793.	10. 2.	G. h.	
454	turgida. L.en.	turgid.	——	1800.	3. 6.	G. h.	
455	turrigera. L.T.	Cypress.	——	1796.	6. 9.	G. h.	
	cupressina. Hort.						

456	umbellata. H.K.	umbelled.	Portugal.	1782.	5. 7.	G. ½.	Andr. heath. v. 2.
457	unica. S.S.	one-flowered.	C. B. S.	1812.	——	G. ½.	
	pedunculata. A.H. *nec aliorum.*						
458	urceolaris. H.K.	pitcher-flow'r'd.	———	1778.	——	G. ½.	Icon. hort. kew. 16.
459	ursina. Lee.	shaggy.	———	1812.	4. 8.	G. ½.	
460	vagans. H.K.	Cornish.	Cornwall.	....	7. 8.	H. ½.	Eng. bot. 8.
	β alba.	*white-flowering.*	———	....	——	H. ½.	
461	velitaris. L.T.	javelin-flow'r'd.	C. B. S.	1790.	1. 6.	G. ½.	
462	vellerifiora. H.K.	woolly-flow'r'd.	———	1774.	2. 6.	G. ½.	Andr. heath. v. 1.
	bruniades. A.H.						
463	ventricosa. H.K.	porcelain.	———	1787.	4. 9.	G. ½.	Botan. magaz. 350.
464	verecunda. L.T.	blushing.	———	....	——	G. ½.	Andr. heath. ic.
	cernua. A.H.						
465	vernicifiua. L.T.	viscous-leaved.	———	1804.	3. 9.	G. ½.	
466	versicolor. H.K.	various-color'd.	———	1790.	11. 5.	G. ½.	Andr. heath. v. 1.
467	verticillata. A.H.	verticillate.	———	1774.	7. 10.	G. ½.	——— v. 1.
468	vesicularis. L.T.	bladdered.	———	1796.	2. 8.	G. ½.	
469	vestiflua. L.T.	clothed.	———	....	3. 6.	G. ½.	
470	vestita. H.K.	tremulous.	———	1789.	1. 12.	G. ½.	
	α alba. H.K.	*white.*	———	——	——	G. ½.	Andr. heath. v. 1.
	β incarnata. H.K.	*flesh-coloured.*	———	1789.	1. 12.	G. ½.	——— v. 2.
	γ purpurea. H.K.	*purple-flowered.*	———	——	——	G. ½.	——— v. 1.
	δ rosea. H.K.	*rose-coloured.*	———	——	——	G. ½.	——— v. 2.
	ε fulgida. H.K.	*bright red.*	———	——	——	G. ½.	——— v. 2.
	ζ coccinea. H.K.	*scarlet.*	———	——	——	G. ½.	——— v. 1.
	η lutea. H.K.	*yellow.*	———	——	——	G. ½.	——— v. 3.
471	villosa. H.K.	villous.	———	1800.	2. 6.	G. ½.	——— v. 3.
472	viridescens. B.C.	greenish.	———	....	1. 6.	G. ½.	Lodd. bot. cab. 233.
473	viridipurpurea. W.	green & purple.	Portugal.	....	5. 8.	F. ½.	Linn. eric. n. 9. f. fl.
474	viridis. H.K.	green-flowered.	C. B. S.	1800.	——	G. ½.	Andr. heath. v. 2.
475	viscaria. H.K.	clammy-flow'r'd.	———	1774.	3. 7.	G. ½.	Icon. hort. kew. 1.
476	xeranthemifolia. L.T.	Xeranthemum-l.	———	1812.	5. 8.	G. ½.	
MENZIESIA. Sm.		MENZIESIA. Octandria Monogynia.					
1	ferruginea. S.S.	ferruginous.	N.America.	1811.	5. 6.	H. ½.	Sm. ic. ined. 1. t. 56.
2	globularis. S.S.	globular-fld.	———	1806.	——	H. ½.	Sal. par. lond. 44.
	ferruginea β. B.M. 1571.						
3	polifolia. S.S.	Irish.	Ireland.	....	6. 9.	H. ½.	Eng. bot. 35.
	Erica Daboecia. E.B.						
	β nana.	*dwarf.*	.....	....	——	H. ½.	
4	cærulea. S.S.	yew-leaved.	Scotland.	....	6. 7.	H. ¼.	Eng. bot. 2169.
PYROLA. S.S.		WINTER-GREEN. Decandria Monogynia. L.					
1	uniflora. S.S.	single-flower'd.	Britain.	....	6. 7.	H. ¼.	Eng. bot. 146.
2	secunda. S.S.	serrated.	———	....	——	H. ¼.	——— 517.
3	minor. S.S.	lesser.	———	....	——	H. ¼.	——— 158.
	β rosea. E.B.	*rose-coloured.*	England.	....	7. 8.	H. ¼.	——— 2543.
4	media. S.S.	intermediate.	———	....	6. 7.	H. ¼.	——— 945.
5	rotundifolia. S.S.	round-leaved.	Britain.	....	——	H. ¼.	——— 213.
6	asarifolia. S.S.	Asarum-leaved.	N.America.	1822.	——	H. ¼.	
7	chlorantha. S.S.	cream-colour'd.	———	——	——	H. ¼.	
CHIMAPHILA. Ph.		CHIMAPHILA. Decandria Monogynia.					
1	umbellata. S.S.	umbelled.	N.America.	1752.	6. 8.	H. ¼.	Botan. magaz. 778.
	corymbosa. Ph. *Pyrola umbellata.* L.						
2	maculata. S.S.	spotted-leaved.	———	——	——	H. ¼.	Botan. magaz. 897.
DIAPENSIA. W.		DIAPENSIA. Pentandria Monogynia. L.					
	lapponica. W.	obtuse-leaved.	Lapland.	1801.	2. 3.	H. ¼.	Botan. magaz. 1106.
PYXIDANTHERA. M.		PYXIDANTHERA. Pentandria Monogynia.					
	barbulata. M.	barbed.	Carolina.	1806.	7.	G. ¼.	Mich. amer. t. 17.
GALAX. W.		GALAX. Pentandria Monogynia. W.					
	aphylla. W.	heart-leaved.	N.America.	1786.	6. 7.	H. ¼.	Botan. magaz. 754.
	cordifolia. H.K. *Blandfordia cordata.* A.R.						

Sect. II. *MONOTROPEÆ. Don prodr. p.* 151.

HYPOPITHYS. N.		YELLOW BIRDS-NEST. Decandria Monogynia. L.					
	europæa. N.	common.	Britain.	.:..	6. 7.	H. ¼.	Eng. bot. 69.
	Monotropa Hypopitys. E.B.						

MONOTROPA. N.	MONOTROPA.	Decandria Monogynia. L.					
uniflora. N.	one-flowered.	N.America.	1822.	6. 8.	H. ¼.	Hook. ex. flor. 85.

Sect. III. *RHODORACEÆ. Don prodr. p.* 152.

KALMIA. W.	KALMIA. Decandria Monogynia. L.					
1 latifolia. W.	broad-leaved.	N.America.	1734.	5. 7.	H. ½.	Botan. magaz. 175.
2 angustifolia. W.	narrow-leaved.	———	1736.	——	H. ½.	——— 331.
β *variegata.*	*variegated.*	———	——	——	H. ½.	
γ *minima.*	*least.*	———	....	——	H. ½.	
δ *nana.*	*dwarf.*	———	....	——	H. ½.	
ε *pumila.*	*small.*	———	....	——	H. ½.	
ζ *rosea.*	*rose-coloured.*	———	....	——	H. ½.	
η *rubra.* B.C.	*red-flowered.*	———	....	——	H. ½.	Lodd. bot. cab. 502.
ϑ *ovata.* Ph.	*oval-leaved.*	New Jersey.	....	——	H. ½.	
3 glauca. W.	glaucous.	N.America.	1767.	4. 5.	H. ½.	Botan. magaz. 177.
4 rosmarinifolia. Ph.	Rosemary-l^d.	———	1812.	——	H. ½.	
5 hirsuta. W.	hairy.	———	1786.	8. 9.	H. ½.	Botan. magaz. 138.
EPIGÆA. W.	EPIGÆA. Decandria Monogynia. L.					
repens. W.	creeping.	N.America.	1736.	7. 8.	H. ½.	Botan. regist. 201.
RHODORA. W.	RHODORA. Decandria Monogynia. L.					
canadensis. W.	Canadian.	N.America.	1767.	4. 5.	H. ½.	Botan. magaz. 474.
RHODODENDRON. W.	RHODODENDRON. Decandria Monogynia. L.					
1 maximum. W.	large.	N.America.	1736.	6. 8.	H. ½.	Botan. magaz. 951.
2 album. Ph.	white-flower'd.	———	1811.	——	H. ½.	
3 purpureum. Ph.	purple-flow'rd.	———	....	——	H. ½.	
4 ponticum. W.	common.	Gibraltar.	1763.	5. 6.	H. ½.	Botan. magaz. 650.
β *roseum.*	*rose-coloured.*	———	....	——	H. ½.	
γ *album.*	*white.*	———	....	——	H. ½.	
δ *variegatum.*	*variegated.*	———	....	——	H. ½.	
ε *marginatum.*	*silver-edged.*	———	....	——	H. ½.	
ζ *multiplex.*	*double-blossom'd.*	———	....	——	H. ½.	
5 punctatum. W.	dotted-leaved.	N.America.	1786.	6. 8.	H. ½.	Andr. reposit. 36.
α *minus.* W.D.	*smallest.*	———	——	——	H. ½.	Wats. dend. brit. 162.
β *major.* B.R.	*larger.*	———	1813.	——	H. ½.	Botan. regist. 37.
6 obtusum. W.D.	blunt-leaved.	Hybrid.	....	6. 8.	H. ½.	Wats. dend. brit. 162.
7 azaleoides. S.S.	Azalea-like.	———	....	——	H. ½.	Andr. reposit. 379.
ponticum β *subdecidnum.* A.R.						
8 hybridum. B.R.	Herbert's hybrid.	———	....	——	H. ½.	Botan. regist. 195.
9 arboreum. Sm.	tree.	India.	1817.	4. 6.	G. ½.	——— 899.
β *roseum.*	*rose-coloured.*	———	——	——	G. ½.	
γ *niveum.*	*snowy white.*	———	——	——	G. ½.	
10 campanulatum. D.P.	bell-flowered.	Nepaul.	1824.	....	G. ½.	
11 anthopogon. D.P.	bearded-fl^d.	———	——	....	G. ½.	
12 setosum. D.P.	bristly.	———	1820.	....	G. ½.	
13 dauricum. W.	Daurian.	Siberia.	1780.	2. 4.	H. ½.	Botan. magaz. 696.
β *altaicum.* F.	*Altay.*	———	1824.	——	H. ½.	
γ *atrovirens.* B.R.	*dark green.*	———	....	——	H. ½.	Botan. regist. 194.
14 myrtifolium. B.C.	Myrtle-leaved.	Hybrid.	....	6. 8.	H. ½.	Lodd. bot. cab. 908.
15 ferrugineum. W.	rusty-leaved.	Switzerland.	1752.	5. 7.	H. ½.	Jacq. aust. 3. t. 255.
16 hirsutum. W.	hairy-leaved.	———	1656.	——	H. ½.	Botan. magaz. 1853.
17 chrysanthum. W.	yellow.	Siberia.	1796.	6. 7.	H. ½.	Sal. par. lond. 80.
officinale. P.L.						
18 caucasicum. W.	Caucasean.	Caucasus.	1803.	5. 7.	H. ½.	Botan. magaz. 1145.
19 catawbiense. M.	Catawba.	N.America.	1809.	6. 8.	H. ½.	——— 1671.
20 Catesbæi. Lod.	Catesby's.	———	....	——	H. ½.	
21 camtschaticum. W.	Kamtschatka.	Kamtschatka.	1803.	....	H. ½.	Pall. ros. 1. t. 38.
22 chamæcistus. W.	Thyme-leaved.	Siberia.	1786.	5. 6.	H. ½.	Botan. magaz. 488.
AZALEA. W.	AZALEA. Pentandria Monogynia. L.					
1 indica. W.	Indian.	China.	1808.	3. 5.	G. ½.	
α *punicea.*	*red-flowered.*	———	——	——	G. ½.	Botan. magaz. 1480.
β *alba.*	*white-flowered.*	———	1819.	——	G. ½.	Botan. regist. 811.
γ *purpurea.*	*double-purple.*	———	——	——	G. ½.	Botan. magaz. 2509.
δ *lutea.*	*double yellow.*	———	1826.	——	G. ½.	
2 sinensis. B.C.	Chinese.	———	1824.	——	G. ½.	Lodd. bot. cab. 885.

3	pontica. W.	yellow.	Turkey.	1793.	5. 6.	H. ½.	Botan. magaz. 433.
	β *cupræa.*	*copper-coloured.*	——	....	——	H. ½.	
	γ *glauca.*	*glaucous.*	——	....	——	H. ½.	
	δ *pallida.*	*pale.*	——	....	——	H. ½.	
	ε *albiflora.* B.M.	*white-flowered.*	——	....	——	H. ½.	Botan. magaz. 2383.
	ζ *tricolor.*	*three-coloured.*	——	....	——	H. ½.	
4	calendulacea. Ph.	yellow	American.	N. America.	1806.	——	H. ½.
	α *crocea.*	*saffron-coloured.*	——	——	——	H. ½.	Botan. magaz. 1721.
	β *chrysolecta.*	*golden.*	——	....	——	H. ½.	
	γ *grandiflora.*	*large-flowered.*	——	....	——	H. ½.	
	δ *cuprea.*	*copper-coloured.*	——	....	——	H. ½.	
	ε *splendens.*	*shining.*	——	....	——	H. ½.	
	ζ *flammea.*	*flame-coloured.*	——	1812.	——	H. ½.	Botan. regist. 145.
	η *triumphans.*	*triumphant.*	——	——	——	H. ½.	
	Θ *ignescens.*	*fiery-flowered.*	——	——	——	H. ½.	
5	canescens. M.	canescent.	——	1812.	5. 6.	H. ½.	
6	speciosa. W.M.	large-calyxed.	——	....	——	H. ½.	Wats. dend. brit. 116.
	α *major.*	*large scarlet.*	——	....	——	H. ½.	Lodd. bot. cab. 624.
	β *crispa.*	*curled.*	——	....	——	H. ½.	
	γ *aurantia.*	*orange.*	——	....	——	H. ½.	
	δ *obliqua.*	*oblique-leaved.*	——	....	——	H. ½.	
	ε *prunifolia.*	*Plum-leaved.*	——	....	——	H. ½.	
	ζ *cucullata.*	*hollow-leaved.*	——	....	——	H. ½.	
	η *revoluta.*	*revolute.*	——	....	——	H. ½.	
	Θ *ciliata.*	*fringed.*	——	....	——	H. ½.	
	ι *acutifolia.*	*acute-leaved.*	——	....	——	H. ½.	
	κ *undulata.*	*wave-leaved.*	——	....	——	H. ½.	
	λ *tortulifolia.*	*twisted-leaved.*	——	....	——	H. ½.	
7	nudiflora. W.	small calyxed.	——	1734.	——	H. ½.	
	α *alba.*	*early white.*	——	——	——	H. ½.	
	β *albo-plena.*	*double white.*	——	....	——	H. ½.	
	γ *blanda.*	*blush-flowered.*	——	....	——	H. ½.	
	δ *carnea.*	*pale red.*	——	1734.	——	H. ½.	Botan. regist. 120.
	ε *carolinana.*	*Carolina.*	——	....	——	H. ½.	
	ζ *coccinea.*	*scarlet.*	——	....	——	H. ½.	Botan. magaz. 180.
	η *corymbosa.*	*corymb-flower'd.*	——	....	——	H. ½.	
	Θ *crispa.*	*curled.*	——	....	——	H. ½.	
	ι *cumulata.*	*bundled.*	——	....	——	H. ½.	
	κ *discolor.*	*two-coloured.*	——	....	——	H. ½.	
	λ *fastigiata.*	*crowded.*	——	....	——	H. ½.	
	μ *florida.*	*abundant-flo.*	——	....	——	H. ½.	
	ν *globosa.*	*globose.*	——	....	——	H. ½.	
	ξ *glomerata.*	*clustered.*	——	....	——	H. ½.	
	ο *incana.*	*hoary-leaved.*	——	....	——	H. ½.	
	π *incarnata.*	*flesh-coloured.*	——	....	——	H. ½.	
	ρ *mirabilis.*	*wonderful.*	——	....	——	H. ½.	
	σ *montana.*	*mountain.*	——	....	——	H. ½.	
	τ *pallida.*	*pale-flowered.*	——	....	——	H. ½.	
	υ *paludosa.*	*marsh.*	——	....	——	H. ½.	
	φ *papilionacea.*	*Butterfly.*	——	....	——	H. ½.	
	χ *partita.*	*five-parted.*	——	....	——	H. ½.	
	ψ *parviflora.*	*small-flowered.*	——	....	——	H. ½.	
	ω *prolifera.*	*proliferous.*	——	....	——	H. ½.	
	αα *pumila.*	*dwarf.*	——	....	——	H. ½.	
	ββ *purpurascens.*	*purplish.*	——	....	——	H. ½.	
	γγ *purpurea.*	*purple.*	——	....	——	H. ½.	
	δδ *purpurea-plena.*	*double purple.*	——	....	——	H. ½.	
	εε *rosea.*	*rosy.*	——	....	——	H. ½.	
	ζζ *ruberrima.*	*dark-red.*	——	....	——	H. ½.	
	ηη *rubescens.*	*reddish.*	——	....	——	H. ½.	
	ΘΘ *rubicunda.*	*rubicund.*	——	....	——	H. ½.	
	ιι *rubra.* B.C.	*red-flowered.*	——	....	——	H. ½.	Lodd. bot. cab. 61.
	κκ *rubro-plena.*	*double-red.*	——	....	——	H. ½.	
	λλ *rufa.*	*rufous.*	——	....	——	H. ½.	
	μμ *rutilans.*	*deep red.*	——	....	——	H. ½.	
	νν *semiduplex.*	*semidouble.*	——	....	——	H. ½.	
	ξξ *staminea.*	*long-stamened.*	——	....	——	H. ½.	
	οο *stellata.*	*starry.*	——	....	——	H. ½.	
	ππ *tricolor.*	*three-coloured.*	——	....	——	H. ½.	

ρρ *variabilis.*	*variable.*	N.America.	....	5. 6.	H. ♄.		
σσ *variegata.*	*variegated.*	———	....	——	H. ♄.		
ττ *versicolor.*	*various-coloured.*	———	....	——	H. ♄.		
υυ *violacea.*	*violet.*	———	. ..	——	H. ♄.		
8 bicolor. Ph.	two-coloured.	———	1784.	——	H. ♄.	Trew. ehret. t. 48.	
9 viscosa. Ph.	viscid.	———	——	7. 8.	H. ♄.	Meerb. ic. 2. t. 9.	
α *odorata.*	*common white.*	———	——	——	H. ♄.		
β *crispa.*	*curled.*	———	——	——	H. ♄.		
γ *dealbata.*	*powdered.*	———	——	——	H. ♄.		
δ *vittata.*	*striped-flowered.*	———	——	——	H. ♄.		
ε *penicillata.*	*pencilled.*	———	——	——	H. ♄.		
ζ *variegata.*	*variegated.*	———	——	——	H. ♄.		
η *rubescens.*	*reddish-flower'd.*	———	——	——	H. ♄.		
θ *pubescens.*	*pubescent.*	———	——	——	H. ♄.	Lodd. bot. cab. 441.	
ι *fissa.*	*narrow-petaled.*	———	——	——	H. ♄.		
10 arborescens. Ph.	arborescent.	———	1818.	5. 7.	H. ♄.		
11 nitida. Ph.	glossy-leaved.	———	1812.	6. 8.	H. ♄.	Botan. regist. 414.	
12 glauca. Ph.	glaucous dwarf.	———	1784.	6.	H. ♄.	Wats. dend. brit. 5.	
13 hispida. Ph.	tall glaucous.	———	——	6. 8.	H. ♄.	——— 6.	
LOISELEURIA. R.S.	LOISELEURIA.	Pentandria Monogynia. R.S.					
procumbens. R.S.	trailing.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 865.	
Azalea procumbens. L. *Chamædedon procumbens.* L.en.							
AMMYRSINE. Ph.	AMMYRSINE.	Decandria Monogynia. Ph.					
buxifolia. Ph.	box-leaved.	N.America.	1736.	4. 5.	H. ♄.	Botan. regist. 531.	
Ledum buxifolium. W. *Leiophyllum thymifolium.* S.S.							
LEDUM. Ph.	LEDUM.	Decandria Monogynia. L.					
1 palustre. W.	marsh.	Europe.	1762.	4. 5.	H. ♄.	Flor. dan. 1031.	
β *decumbens.*	*dwarf.*	Hudson's-bay.	—	——	H. ♄.		
2 latifolium. W.	broad-leaved.	N.America.	1763.	——	H. ♄.		
BEFARIA. L.	BEFARIA.	Dodecandria Monogynia. L.					
racemosa. S.S.	sweet-scented.	Florida.	1810.	6. 7.	G. ♄.	Vent. cels. t. 51.	
paniculata. M. *Bejaria racemosa.* Ph.							
?ITEA. L.	ITEA.	Pentandria Monogynia. L.					
virginica. L.	Virginian.	N.America.	1744.	6. 8.	H. ♄.	Wats. dend. brit. 12.	

ORDO CIX.

EPACRIDEÆ. *Brown prodr.* 1. *p.* 535.

Sect. I. *EPACRIDEÆ VERÆ.*

DRACOPHYLLUM. B.P.	DRACOPHYLLUM.	Pentandria Monogynia.				
secundum. B.P.	side-flowering.	N. S. W.	1824.	4. 6.	G. ♄.	
SPRENGELIA. Sm.	SPRENGELIA.	Pentandria Monogynia.				
incarnata. B.P.	flesh-coloured.	N. S. W.	1793.	4. 6.	G. ♄.	Botan. magaz. 1719.
ANDERSONIA. B.P.	ANDERSONIA.	Pentandria Monogynia.				
sprengelioides. B.P.	Sprengelia-like.	N. Holland.	1803.	3. 7.	G. ♄.	Botan. magaz. 1645.
LYSINEMA. B.P.	LYSINEMA.	Pentandria Monogynia.				
1 conspicuum. B.P.	conspicuous.	N.Holland.	1824.	....	G. ♄.	
2 pungens. B.P.	pungent.	N. S. W.	1804.	3. 6.	G. ♄.	Cav. ic. 4. t. 346.
α *alba.*	*white-flowered.*	———	——	——	G. ♄.	Lodd. bot. cab. 38.
Epacris attenuata. B.C.						
β *rubra.*	*red-flowered.*	———	——	——	G. ♄.	Botan. magaz. 1199.
Epacris rosea. B.C. acc. *Epacris pungens.* B.M.						
EPACRIS. B.P.	EPACRIS.	Pentandria Monogynia.				
1 purpurascens. B.P.	rigid.	N. S. W.	1803.	2. 6.	G. ♄.	Botan. magaz. 844.
pungens. B.M.						
β *rubra.*	*red-flowered.*	———	——	——	G. ♄.	Lodd. bot. cab. 876.
2 pulchella. B.P.	sweet-scented.	———	1804.	3. 6.	G. ♄.	——— 170.
3 microphylla. B.P.	small-leaved.	———	1817.	——	G. ♄.	
4 grandiflora. B.P.	crimson.	———	1803.	1. 6.	G. ♄.	Botan. magaz. 982.
5 impressa. B.P.	impressed.	V.Diem.Isl.	1824.	2. 5.	G. ♄.	Lab. nov. hol. 1. t. 58.

6 obtusifolia. B.P.	blunt-leaved.	N. S. W.	1804.	4. 6.	G. ħ.	Sm. exot. bot. 1. t. 40.
7 paludosa. B.P.	marsh.	———	1824.	——	G. ½.	
8 exserta. B.P.	exserted.	V.Diem.Isl.	1812.	——	G. ħ.	

Sect. II. *STYPHELIÆ.*

TROCHOCARPA. B.P. TROCHOCARPA. Pentandria Monogynia.						
laurina. B.P.	Laurel-leaved.	N. S. W.	1820.	....	G. ½.	Linn. trans. 8. t. 9.
Styphelia cornifolia. L.T.						
MONOTOCA. B.P.	MONOTOCA. Pentandria Monogynia.					
1 lineata. B.P.	lineated.	V.Diem.Isl.	1804.	5. 8.	G. ½.	Lab. nov. hol. 1. t. 61.
2 elliptica. B.P.	elliptic-leaved.	N. S. W.	1802.	——	G. ½.	
LEUCOPOGON. B.P.	LEUCOPOGON. Pentandria Monogynia.					
1 lanceolatus. B.P.	small-flowered.	N. S. W.	1790.	5. 8.	G. ½.	Andr. reposit. 287.
Styphelia parviflora. A.R.						
2 Richei. B.P.	oblong-leaved.	———	1824.	——	G. ½.	Lab. nov. hol. 1. t. 60.
3 virgatus. B.P.	twiggy.	———	——	——	G. ħ.	——— 1. t. 64.
4 amplexicaulis. B.P.	stem-clasping.	———	1815.	——	G. ½.	Linn. trans. 8. t. 8.
5 microphyllus. B.P.	small-leaved.	———	1818.	——	G. ħ.	Cavan. ic. 4. t. 349. f. 2.
6 juniperinus. B.P.	Juniper-leaved.	———	1804.	4. 6.	G. ħ.	Lodd. bot. cab. 447.
LISSANTHE. B.P.	LISSANTHE. Pentandria Monogynia.					
1 subulata. B.P.	awl-leaved.	N. S. W.	1823.	4. 7.	G. ½.	
2 strigosa. B.P.	strigose.	———	——	——	G. ½.	Sm. new holl. 48.
CYATHODES. B.P.	CYATHODES. Pentandria Monogynia.					
glauca. B.P.	glaucous.	V.Diem.Isl.	1818.	4. 6.	G. ħ.	Lab. nov. holl. 1. t. 81.
STENANTHERA. B.P.	STENANTHERA. Pentandria Monogynia.					
pinifolia. B.P.	Pine-leaved.	N. S. W.	1811.	5. 7.	G. ½.	Botan. regist. 218.
ASTROLOMA. B.P.	ASTROLOMA. Pentandria Monogynia.					
humifusum. B.P.	Juniper-leav'd.	N. S. W.	1807.	5. 10.	G. ħ.	Botan. magaz. 1439.
STYPHELIA. B.P.	STYPHELIA. Pentandria Monogynia.					
1 tubiflora. B.P.	crimson.	N. S. W.	1802.	5. 8.	G. ħ.	Sm. new holl. 45. t. 14.
2 triflora. B.P.	three-flowered.	———	1796.	——	G. ½.	Botan. magaz. 1297.
3 viridiflora. B.P.	green-flower'd.	———	1791.	4. 6.	G. ½.	Andr. reposit. 312.
4 latifolia. B.P.	broad-leaved.	———	1823.	....	G. ½.	
5 longifolia. B.P.	long-leaved.	———	1807.	4. 6.	G. ħ.	Botan. regist. 24.

*** *SUBCLASSIS* III. *COROLLIFLORÆ.* DC.

ORDO CX.

SYMPLOCINEÆ. *Don Prodr. p.* 144.

SYMPLOCOS. L'H.	SYMPLOCOS. Polyadelphia Polyandria. L.					
1 coccinea. K.S.	scarlet.	Mexico.	1825.	....	S. ħ.	H. et B. pl. æq. 1. t. 52.
2 tinctoria. W.	Laurel-leaved.	Carolina.	1780.	....	G. ħ.	Catesb. car. 1. t. 54.
Hopea tinctoria. Ph.						
3 sinica. B.R.	Chinese.	China.	1822.	4. 6.	G. ħ.	Botan. regist. 710.
4 crataegoides. D.P.	Hawthorn-like.	Nepaul.	1824.	....	G. ½.	

ORDO CXI.

STYRACINEÆ. *Kth. synops.* 2. *p.* 315.

STYRAX. W.	STORAX. Decandria Monogynia. L.					
1 officinale. W.	officinal.	Italy.	1597.	7.	H. ħ.	Andr. reposit. 631.
2 grandifolium. W.	great-leaved.	N.America.	1765.	——	H. ħ.	Wats. dend. brit. 129.

3 pulverulentum. W.	powdered.	N.America.	1794.	6. 7.	H. ½.	Watt. dend. brit. t. 41.
4 lævigatum. W.	smooth.	———	1765.	7. 8.	H. ½.	Botan. magaz. 921.
glabrum. W.D. 40. non Sw.						
HALESIA. W.	Snowdrop-tree. Dodecandria Monogynia. L.					
1 tetraptera. W.	four-winged.	Carolina.	1756.	4. 5.	H. ½.	Botan. magaz. 910.
2 parviflora. B.R.	small-flower'd.	———	1812.	5.	H. ½.	Botan. regist. 952.
3 diptera. W.	two-winged.	N.America.	1758.	4. 5.	H. ½.	Cavan. dis. 6. t. 187.

ORDO CXII.

MYRSINEÆ. *Brown prodr.* 532.

MÆSA. J.	Mæsa. Pentandria Monogynia.					
1 indica.	Indian.	E. Indies.	1812.	2. 6.	S. ½.	Botan. magaz. 2052.
Baobotrys indica. F.I.						
2 tomentosa. D.P.	tomentose.	Nepaul.	1818.	——	S. ½.	
3 argentea. F.I.	silvery-leaved.	E. Indies.	——	——	S. ½.	
4 macrophylla. F.I.	large-leaved.	———	1829.	——	S. ½.	
JACQUINIA. W.	Jacquinia. Pentandria Monogynia. W.					
1 arborea. W.	blunt-leaved.	W. Indies.	1820.	....	S. ½.	
2 armillaris. W.	armed-leaved.	———	1768.	....	S. ½.	Jacq. amer. pict. t. 86.
3 aurantiaca. H.K.	orange-color'd.	SandwichIsl.	1796.	4. 9.	S. ½.	Botan. magaz. 1689.
4 ruscifolia. W.	Ruscus-leaved.	S. America.	1729.	....	S. ½.	
5 macrocarpa. Cav.	large capsuled.	———	1820.	....	S. ½.	Cavan. ic. 5. t. 488.
ARDISIA. W.	Ardisia. Pentandria Monogynia. W.					
1 acuminata. W.	acuminate.	Guiana.	1803.	7. 8.	S. ½.	Botan. magaz. 1078.
Myrsine Icacorea. R.S.						
2 solanacea. W.	Nightshade-like.	E. Indies.	1798.	6. 9.	S. ½.	Botan. magaz. 1077.
3 paniculata. F.I.	panicled.	———	1818.	3. 8.	S. ½.	Botan. regist. 696.
4 colorata. F.I.	red-flowered	———	1816.	——	S. ½.	Lodd. bot. cab. 465.
5 umbellata. F.I.	umbel-flower'd.	———	1809.	6. 9.	S. ½.	——— 881.
littoralis. A.R. 880.						
6 lanceolata. F.I.	leathery-leav'd.	———	1818.	——	S. ½.	
7 elegans. A.R.	elegant.	———	1809.	7. 9.	S. ½.	Andr. reposit. 623.
crenata. F.I.						
8 punctata. B.R.	spotted-fld.	China.	1823.	6. 9.	S. ½.	Botan. regist. 827.
9 lentiginosa. B.R.	freckled.	———	1809.	3. 12.	G. ½.	——— 533.
crenulata. B C. 2. non Vent. *crenata.* B.M. 1950.						
10 macrocarpa. F.I.	large-fruited.	Nepaul.	1824.	....	S. ½.	
11 complanata. F.I.	pubescent.	Pinang.	——	....	S. ½.	
12 thyrsiflora. D.P.	thyrse-flower'd.	Nepaul.	——	....	S. ½.	
13 pyramidalis. Cav.	pyramidal.	Santa Cruz.	1818.	4. 9.	S. ½.	Lodd. bot. cab. 448.
14 excelsa. W.	Laurel-leaved.	Madeira.	1784.	7. 8.	G. ½.	Gært. sem. 1. t. 77. f. 1.
Myrsine Heberdenia. R.S.						
15 serrulata. W.	saw-leaved.	W. Indies.	1820.	——	S. ½.	Plum. ic. 80.
16 crenulata. V.	crenulated.	Antilles.	1809.	6. 9.	S. ½.	Venten. choix. t. 5.
17 lateriflora. W.	side-flowering.	W. Indies.	1793.	——	S. ½.	
18 canaliculata. W.	channelled.	E. Indies.	1824.	4. 8.	S. ½.	Lodd. bot. cab. 1083.
EMBELIA. L.	Embelia. Pentandria Monogynia. L.					
1 robusta. F.I.	robust.	E. Indies.	1823.	....	S. ½.	
MYRSINE. B.P.	Myrsine. Polygamia Dioecia. L.					
1 africana. S.S.	African.	C. B. S.	1691.	3. 5.	G. ½.	Comm. hort. 1. t. 64.
2 retusa. S.S.	round-leaved.	Azores.	1778.	6.	G. ½.	Venten. cels. 86.
3 semiserrata. F.I.	semiserrate.	Nepaul.	1822.	....	G. ½.	
4 capitellata. F.I.	axillary headed.	———	——	....	G. ½.	
5 bifaria. F.I.	bifarious.	———	——	....	G. ½.	
6 subspinosa. D.P.	spiny-leaved.	———	1823.	....	G. ½.	
7 coriacea. B.P.	leathery-ld.	Jamaica.	1822.	....	S. ½.	
Samara coriacea. Sw.						
8 Samara. S.S.	oval-leaved.	C. B. S.	1770.	11. 2.	G. ½.	
Samara pentandra. W.						
9 melanophleos. S.S.	Laurel-leaved.	———	1783.	3. 6.	G. ½.	Jacq. vind. 1. t. 71.
Sideroxylon melanophleum. W.						

10 mitis. s.s.	pointed-leav'd.	C. B. S.	....	6. 9.	G. ½.	Botan. magaz. 1858.
Sideroxylon mite. B.M. *Scleroxylum mite.* W.en. *Manglilla Milleriana.* P.s.						
11 venulosa. s.s.	veined-leaved.	———	1816.	——	G. ½.	
12 canariense. s.s.	Canary.	Canaries.	——	——	G. ½.	
13 variabilis. B.P.	variable.	N. S. W.	1820.	——	G. ½.	

ORDO CXIII.

SAPOTEÆ. *Brown prodr.* 1. *p.* 528.

INOCARPUS. W.	OTAHEITE-CHESTNUT.	Decandria Monogynia.				W.
edulis. W.	eatable.	South-sea Isl.	1793.	....	S. ½.	Lam. ill. t. 302.
BUMELIA. S.S.	BUMELIA.	Pentandria Monogynia. W.				
1 lycioides. s.s.	Boxthorn-le.	N. America.	1758.	8.	H. ½.	Duham. arb. 2. t. 68.
2 oblongifolia. N.	oblong-leaved.	Missisipi.	1818.	7. 8.	H. ½.	
3 tenax. R.s.	silvery-leaved.	Carolina.	1765.	——	H. ½.	Watts. dend. brit. t. 10.
chrysophylloides. W.D. *Sideroxylon tenax.* L.						
4 lanuginosa. R.s.	woolly-leaved.	———	——	——	H. ½.	
5 reclinata. s.s.	reclined.	———	1806.	——	H. ½.	Ventem. choix. 22.
6 strigosa. s.s.	strigose.	.....	....	——	G. ½.	
Sideroxylon strigosum. W.en.						
7 nigra. s.s.	black.	W. Indies.	1806.	....	S. ½.	
8 salicifolia. s.s.	Willow-leav'd.	S. America.	1758.	....	S. ½.	Sloan. hist. 2. t. 206. f. 2.
9 fœtidissima. s.s.	fetid.	W. Indies.	....	5. 7.	S. ½.	
10 rotundifolia. s.s.	round-leaved.	———	1816.	——	S. ½.	
SERSALISIA. B.P.	SERSALISIA.	Pentandria Monogynia.				
sericea. B.P.	silky-leaved.	N. Holland.	1772.	....	G. ½.	
Sideroxylon sericeum. W.						
SIDEROXYLON. W.	IRON-WOOD.	Pentandria Monogynia. L.				
1 inerme. W.	smooth.	C. B. S.	1692.	7.	G. ½.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. W.	tomentose.	E. Indies.	1818.	....	S. ½.	Roxb. corom. 1. t. 28.
ARGANIA. R.S.	ARGANIA.	Pentandria Monogynia.				
Sideroxylum. R.s.	spiny.	Morocco.	1711.	7.	H. ½.	Comm. hort. 1. t. 83.
Sideroxylum spinosum. L. *Elæodendron Argan.* W.						
CHRYSOPHYLLUM. W.	STAR-APPLE.	Pentandria Monogynia. L.				
1 Cainito. W.	broad-leaved.	W. Indies.	1737.	5. 6.	S. ½.	Jacq. amer. t. 97. f. 1.
β *jamaicense.*	*purple-fruited.*	———	——	——	S. ½.	——— t. 58.
γ *caruleum.*	*blue-fruited.*	———	——	——	S. ½.	——— t. 97.
δ *microphyllum.*	*small-leaved.*	———	——	——	S. ½.	Jacq. amer. pict. t. 53.
2 monopyrenum. W.	acute-leaved.	———	1816.	——	S. ½.	Burm. amer. t. 69.
3 argenteum. W.	silvery.	Martinico.	1758.	....	S. ½.	Jacq. amer. pict. t. 51.
4 macrophyllum. G.D.	large-leaved.	Sierra Leon.	1822.	....	S. ½.	
5 glabrum. W.	smooth-leaved.	Martinico.	1818.	....	S. ½.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.				
ferrugineum. R.P.	ferruginous.	S. America.	1823.	....	S. ½.	Flor. peruv. 2. t. 167.
ACHRAS. J.	SAPOTA.	Hexandria Monogynia. S.S.				
1 Sapota. W.	common.	S. America.	1731.	4. 6.	S. ½.	Jacq. amer. 57. t. 41.
β *Zapotilla.* Jacq.	*Naseberry-tree.*	———	——	——	S. ½.	——— 57. t. 41. b.
2 australis. B.P.	New Holland.	N. S. W.	1823.	....	G. ½.	
LUCUMA. J.	LUCUMA.	Pentandria Monogynia.				
1 mammosum. K.s.	Mammee.	S. America.	1739.	5. 8.	S. ½.	Jacq. amer. t. 182. f. 19.
2 Bonplandii. K.s.	Bonpland's.	Havannah.	1822.	....	S. ½.	
3 obovatum. K.s.	obovate-leaved.	Peru.	——	....	S. ½.	Flor. peruv. 3. t. 289.
4 salicifolium. K.s.	Willow-leaved.	Mexico.	1823.	....	S. ½.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia. L.				
1 Elengi. s.s.	pointed-leaved.	E. Indies.	1796.	5. 7.	S. ½.	Roxb. cor. 1. t. 14.
2 dissecta. s.s.	oval-leaved.	South-sea Isl.	1804.	....	S. ½.	
3 hexandra. s.s.	hexandrous.	E. Indies.	1816.	....	S. ½.	
4 Kauki. s.s.	obtuse-leaved.	———	1796.	5. 8.	S. ½.	Rumph. amb. 3. t. 8.
IMBRICARIA. J.	IMBRICARIA.	Octandria Monogynia.				
borbonica. G.	Bourbon.	Bourbon.	1820.	....	S. ½.	
BASSIA. L.	BASSIA.	Dodecandria Monogynia. L.				
1 longifolia. W.	long-leaved.	E. Indies.	1811.	....	S. ½.	Lam. ill. t. 298.
2 latifolia. W.	broad-leaved.	———	1790.	....	S. ½.	Roxb. cor. 1. t. 19.
3 butyracea. D.P.	butter-tree.	Nepaul.	1823.	....	S. ½.	

ORDO CXIV.

EBENACEÆ. *Brown prodr.* 1. *p.* 524.

MABA. J.	MABA.	Dicœcia Hexandria. W.					
buxifolia. P.S.	Box-leaved.	E. Indies.	1810.	....	S. ♄.	Roxb. cor. 1. t. 45.	
Ferreola buxifolia. ROXB.							
CARGILLIA. B.P.	CARGILLIA.	Polygamia Dicœcia.					
australis. B.P.	southern.	N. S. W.	1816.	....	G. ♄.		
DIOSPYROS. S.S.	DATE PLUM.	Polygamia Dicœcia. W.					
1 virginiana. S.S.	Virginian.	N. America.	1629.	6. 7.	H. ♄.	Wats. dend. brit. 146.	
2 pubescens. S.S.	pubescent.	———	1812.	4.	H. ♄.		
3 reticulata. S.S.	netted.	Mauritius.	1823.	....	S. ♄.		
4 Ebenaster. S.S.	Ebenus-like.	E. Indies.	1792.	....	S. ♄.	Rumph. amb. 1. t. 6.	
5 melanoxylon. S.S.	black-wooded.	———	1817.	....	S. ♄.	Roxb. cor. 1. t. 46.	
6 Ebenum. S.S.	smooth.	———	1792.	....	S. ♄.	Rotb. act. hafn. 2. t.5.	
7 montana. S.S.	mountain.	———	1819.	....	S. ♄.		
8 obovata. S.S.	four-seeded.	W. Indies.	1796.	5. 7.	S. ♄.	Jacq. schœn. 3. t. 313.	
9 sylvatica. S.S.	wood.	E. Indies.	1812.	....	S. ♄.	Roxb. cor. 1. t. 47.	
10 Embryopteris. S.S.	glutiniferous.	———	1796.	5. 8.	S. ♄.	Botan. regist. 499.	
Embryopteris glutinifera. B.C. 1. t. 70.							
11 lobata. S.S.	lobed-fruited.	China.	1822.	——	G. ♄.		
12 vaccinioides. Lod.	Vaccinium-like.	———	——	——	G. ♄.		
13 edulis. Lod.	eatable.	E. Indies.	——	....	S. ♄.		
14 Lotus. S.S.	European.	Italy.	1596.	6. 7.	H. ♄.	Mill. ic. t. 116.	
15 Kaki. S.S.	Japan.	Japan.	1789.	——	G. ♄.	Kæmp. amœn. t. 806.	
16 hirsuta. S.S.	hairy.	Ceylon.	1816.	....	S. ♄.		
17 chloroxylon. S.S.	cluster-flower'd.	E. Indies.	1822.	....	S. ♄.		
18 cordifolia. S.S.	heart-leaved.	———	1794.	....	S. ♄.	Roxb. cor. 1. t. 50.	
ROYENA. W.	ROYENA.	Decandria Digynia. L.					
1 lucida. W.	shining-leaved.	C. B. S.	1690.	5. 6.	G. ♄.	Lam. ill. t. 370. f. 1.	
2 villosa. W.	heart-leaved.	———	1774.	6. 7.	G. ♄.		
3 pallens. W.	pale.	———	1789.	——	G. ♄.		
4 myrtifolia. W.	Myrtle-leaved.	———	1812.	——	G. ♄.		
5 glabra. W.	smooth.	———	1731.	7. 9.	G. ♄.	Comm. hort. 1. t. 65.	
6 pubescens. W.	pubescent.	———	1752.	——	G. ♄.	Botan. regist. 500.	
7 hirsuta. W.	hairy-leaved.	———	——	——	G. ♄.	Lam. ill. t. 370. f. 2.	
8 angustifolia. W.	willow-leaved.	———	1789.	6. 7.	G. ♄.		
9 latifolia. W.	broad-leaved.	———	1816.	....	G. ♄.		
10 ambigua. V.	obovate-leaved.	———	1815.	6. 7.	G. ♄.	Vent. malm. t. 17.	
11 polyandra. W.	oval-leaved.	———	1774.	....	G. ♄.		

ORDO CXV.

OLEINÆ. *Brown prodr.* 1. *p.* 522.

FRAXINUS. W.	ASH-TREE.	Polygamia Dicœcia. L.				
1 excelsior. W.	common.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 1692.
β *argentea.*	*silver-striped.*	———	....	——	H. ♄.	
γ *pendula.*	*weeping.*	———	....	——	H. ♄.	
δ *horizontalis.*	*horizontal.*	———	....	——	H. ♄.	
ε *jaspidea.*	*coloured branch'd*	———	....	——	H. ♄.	
ζ *crosa.*	*crose-leaved.*	———	....	——	H. ♄.	
2 aurea. W.	yellow barked.	.....	....	....	H. ♄.	
3 atrovirens. P.S.	green curl'd-l.	.....	....	....	H. ♄.	
4 nana. W.	dwarf.	.....	....	....	H. ♄.	

5	verrucosa. L.m.	warted.	.....	....	4. 5.	H. ½.	
6	heterophylla. S.S.	various-leaved.	England.	....	——	H. ½.	Eng. bot. 2476.
	simplicifolia. B.B.						
7	parvifolia. S.S.	small-leaved.	Levant.	1816.	——	H. ½.	
8	lentiscifolia. S.S.	Lentiscus-ld.	Aleppo.	1710.	5. 6.	H. ½.	Pluk. alm. t. 182. f. 4.
9	argentea. S.S.	silver-leaved.	Corsica.	1825.	...	H. ½.	
10	sambucifolia. S.S.	Elder-leaved.	N.America.	1800.	....	H. ½.	
11	oxycarpa. S.S.	sharp-leaved.	Tauria.	1815.	5. 6.	H. ½.	
	oxyphylla. M.B.						
12	pallida. S.S.	pale.	N.America.	1818.	....	H. ½.	
13	rufa. S.S.	rufous.	———	1822.	....	H. ½.	
14	fusca. S.S.	brown branch'd.	———	——	....	H. ½.	
15	nigra. S.S.	black-twigged.	———	1818.	4. 6.	H. ½.	
16	elliptica. S.S.	elliptic-leaved.	———	1824.	....	H. ½.	
17	ovata. S.S.	oval-leaved.	———	——	....	H. ½.	
18	Richardi. S.S.	Richard's.	———	——	....	H. ½.	
19	alba. S.S.	grey branched.	———	1825.	....	H. ½.	
20	cinerea. S.S.	cinereous.	———	1818.	....	H. ½.	
21	viridis. S.S.	green-branch'd.	———	1816.	....	H. ½.	
22	longifolia. S.S.	long-leaved.	———	1825.	....	H. ½.	
23	rubicunda. S.S.	red-veined.	———	——	....	H. ½.	
24	pulverulenta. S.S.	powdered.	———	——	....	H. ½.	
25	mixta. S.S.	mixed.	———	——	....	H. ½.	
26	expansa. S.S.	expanded.	———	——	....	H. ½.	
27	platycarpa. S.S.	flat-seeded.	———	1816.	4. 6.	H. ½.	Catesb. car. t. 80.
28	quadrangulata. S.S.	four-sided.	———	1811.	——	H. ½.	Mich. f. arb. ic.
29	epiptera. S.S.	dotted-stalked.	———	——	——	H. ½.	——— t. 33.
	discolor. M.						
30	lancea. Bosc.	lance-leaved.	———	1823.	——	H. ½.	
31	pannosa. S.S.	cloth-leaved.	———	1818.	——	H. ½.	
32	pubescens. S.S.	pubescent.	———	1783.	5.	H. ½.	Du Roi. ed. 2. t. 1.
33	carolinlana. S.S.	Carolina.	———	1811.	4. 6.	H. ½.	
34	juglandifolia. S.S.	Walnut-leaved.	———	1783.	——	H. ½.	
35	acuminata. S.S.	taper-pointed.	———	1723.	——	H. ½.	
36	americana. S.S.	white.	———	——	——	H. ½.	
ORNUS. P.S.		FLOWERING ASH.	Diandria Monogynia. P.S.				
1	americana. Ph.	American.	N.America.	1812.	5. 6.	H. ½.	
2	europæa. P.S.	European.	Italy.	1710.	——	H. ½.	Flor. græc. 1. t. 4.
	Fraxinus Ornus. W.						
3	rotundifolia. P.S.	manna.	———	1697.	4. 5.	H. ½.	
4	striata.	streak-barked.	.....	1818.	——	H. ½.	
	Fraxinus striata. S.S.						
5	floribunda.	many-flowered.	Nepaul.	—/	....	H. ½.	
	Fraxinus floribunda. F.I.						
CHIONANTHUS. S.S.		FRINGE-TREE.	Diandria Monogynia. L.				
1	virginica. W.	smooth-leaved.	N.America.	1736.	5. 7.	H. ½.	Catesb. car. 1. t. 68.
2	maritima.	pubescent-ld.	———	——	——	H. ½.	Wats. dend. brit. t. 1.
	virginica β maritima. Ph. *virginica β angustifolia*. W.D.						
3	axillaris. B.P.	axil-flowering.	N. Holland.	1810.	....	S. ½.	
LINOCIERA. S.S.		LINOCIERA.	Diandria Monogynia. S.S.				
1	ligustrina. S.S.	Privet-like.	W. Indies.	1820.	....	S. ½.	
2	cotinifolia. S.S.	Cotinus-leav'd.	Ceylon.	1818.	....	S. ½.	
3	compacta. S.S.	Caribean.	W. Indies.	1793.	....	S. ½.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S.		FONTANESIA.	Diandria Monogynia. W.				
	phillyreoides. S.S.	Phillyrea-ld.	Syria.	1787.	6. 8.	H. ½.	Wats. dend. brit. t. 2.
NOTELÆA. B.P.		NOTELÆA.	Diandria Monogynia. S.S.				
1	longifolia. B.P.	long-leaved.	N. S. W.	1790.	3. 6.	G. ½.	Venten. choix. 25.
	Olea apetala. A.R. 316.						
2	ovata. B.P.	oval-leaved.	———	1818.	——	G. ½.	
3	ligustrina. B.P.	Privet-leaved.	V.Diem.Isl.	1807.	7. 8.	G. ½.	
4	rigida. R.S.	rigid-leaved.	———	1820.	——	G. ½.	
OLEA. B.P.		OLIVE.	Diandria Monogynia. L.				
1	europæa. S.S.	European.	S. Europe.	1570.	6. 8.	G. ½.	
	α Oleaster. R.S.	*spiny-branched*.	Portugal.	....	——	G. ½.	Flor. græc. 1. t. 3.
	β longifolia. R.S.	*long-leaved*.	S. Europe.	....	——	G. ½.	Lodd. bot. cab. 466.
	γ ferruginea. R.S.	*ferruginous*.	———	....	——	G. ½.	
	δ latifolia. R.S.	*broad-leaved*.	———	....	——	G. ½.	
	ε obliqua. R.S.	*oblique-leaved*.	———	....	——	G. ½.	
	ζ buxifolia. R.S.	*Box-leaved*.	———	....	——	G. ½.	

3 verrucosa. S.S.	warted.	C. B. S.	1814.	——	G. h.	
3 americana. S.S.	American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61,
4 fragrans. S.S.	fragrant.	China.	1771.	6. 8.	G. h.	Botan. magaz. 1552.
5 lancea. S.S.	lance-leaved.	Mauritius.	1818.	——	S. h.	
6 dioica. F.I.	diœcious.	E. Indies.	——	....	S. h.	
7 capensis. S.S.	Cape.	C. B. S.	1780.	6. 9.	G. h.	Botan. regist. 613.
8 undulata. S.S.	wave-leaved.	——	——	——	G. h.	Ledd. bot. cab. 379.
9 emarginata. R.S.	emarginate.	Mauritius.	1816.	....	S. h.	
10 excelsa. S.S.	Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. schœn. 3. t. 251.
11 cernua. S.S.	drooping-fld.	Mauritius.	1816.	....	S. h.	
12 angustifolia.	narrow-ld. Phillyrea.	S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.
Phillyrea angustifolia. S.S.						
α lanceolata.	*spear-leaved.*	——	——	——	H. h.	
β rosmarinifolia.	*Rosemary-ld.*	——	——	——	H. h.	
γ brachiata.	*cross-branched.*	——	——	——	H. h.	
13 media. R.S.	twiggy Phillyrea.	——	——	——	H. h.	
β buxifolia.	*Box-leaved.*	——	——	——	H. h.	
14 ligustrifolia. R.S.	Privet-leaved.	——	——	——	H. h.	
15 pendula. R.S.	pendulous.	——	——	——	H. h.	
16 oleæfolia. R.S.	Olive-ld. Phillyrea.	——	——	——	H. h.	Pluk. alm. t. 310. f. 5.
17 lævis. R.S.	smooth-leaved.	——	——	——	H. h.	Duham. arb. t. 135.
18 latifolia. R.S.	broad-leaved.	——	——	——	H. h.	Flor. græc. t. 2.
19 obliqua. R.S.	oblique-leaved.	——	——	——	H. h.	
20 spinosa. R.S.	Holly-leaved.	——	——	——	H. h.	
Phillyrea ilicifolia. W.en.						
LIGUSTRUM. W.	Privet. Diandria Monogynia. L.					
1 vulgare. R.S.	common.	Britain.	....	6. 7.	H. h.	Eng. bot. 764.
β variegatum.	*striped-leaved.*	——	....	——	H. h.	
γ angustifolium.	*narrow-leaved.*	——	....	——	H. h.	
δ leucocarpum.	*white-berried.*	——	....	——	H. h.	
ε italicum. Mill.	*evergreen.*	Italy.	....	——	H. h.	
2 lucidum. R.S.	Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. 187.
SYRINGA. R.S.	Lilac. Diandria Monogynia. L.					
1 vulgaris. W.	common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.
α lilacina.	*pale-flowered.*	——	——	——	H. h.	Botan. magaz. 183.
β purpurea.	*purple-flowered.*	——	——	——	H. h.	
γ violacea.	*violet.*	——	——	——	H. h.	
δ alba.	*white-flowered.*	——	——	——	H. h.	
ε variegata.	*variegated-ld.*	——	——	——	H. h.	
2 chinensis. W.	Siberian.	China.	1795.	——	H. h.	
3 persica. W.	Persian.	Persia.	1640.	——	H. h.	Botan. magaz. 486.
α lilacina.	*pale-flowered.*	——	——	——	H. h.	
β alba.	*white-flowered.*	——	——	——	H. h.	
γ laciniata.	*cut-leaved.*	——	——	——	H. h.	Schmidt arb. 2. t. 79.

ORDO CXVI.

JASMINEÆ. *Brown prodr.* 1. *p.* 520.

NYCTANTHES. W.	Nyctanthes. Diandria Monogynia. L.					
arbor tristis. W.	square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Botan. regist. 299.
JASMINUM. W.	Jasmine. Diandria Monogynia. L.					
1 Sambac. S.S.	single Arabian.	E. Indies.	1665.	1. 12.	S. h.	Botan. regist. 1.
β multiplex.	*semidouble.*	——	1700.	——	S. h.	Andr. reposit. 497.
γ trifoliatum.	*Tuscan.*	——	1730.	——	S. h.	Botan. magaz. 1785.
2 undulatum. S.S.	wave-leaved.	——	1812.	2. 6.	S. h.	Botan. regist. 436.
3 hirsutum. S.S.	hairy Indian.	——	1759.	5. 12.	S. h.	Sm. ex. bot. 2. t. 118.
multiflorum. A.R. 406.						
4 angustifolium. F.I.	narrow-leaved.	——	1816.	1. 12.	S. h.	Rheed. mal. 6. t. 53.
5 laurifolium. F.I.	Laurel-leaved.	——	——	——	S. h.	Botan. regist. 521.
6 trinerve. S.S.	three-nerved.	Java.	1804.	4. 6.	S. h.	—— 918.
7 glaucum. S.S.	glaucous.	C. B. S.	1774.	6. 8.	S. h.	Sal. stirp. rar. t. 8.
8 bracteatum. S.S.	bracteate.	Sumatra.	1820.	——	S. h.	

9	latifolium. s.s.	broad-leaved.	E. Indies.	1817.	——	S. ħ. ⌣.		
10	arborescens. s.s.	arborescent.	——	1824.	,,,,	S. ħ.		
11	scandens. s.s.	scandent.	——	——	,,,,	S. ħ. ⌣.		
12	simplicifolium. s.s.	simple-leaved.	Society Isl.	,,,,	3. 6.	S. ħ. ⌣.	Botan. magaz. 980.	
13	elongatum. s.s.	long-branched.	E. Indies.	1823.	,,,,	S. ħ. ⌣.		
14	gracile. s.s.	slender.	Norfolk Isl.	1791.	1. 12.	G. ½. ⌣.	Andr. reposit. 187.	
15	acuminatum. s.s.	acuminate.	N. Holland.	1820.	6. 9.	G. ħ. ⌣.		
16	auriculatum. s.s.	auriculate.	E. Indies.	1790.	5. 9.	S. ħ. ⌣.	Botan. regist. 264.	
17	paniculatum. s.s.	variable-ld.	China.	1812.	2. 12.	S. ħ.	—— 690.	
18	flexile. s.s.	acute 3-leaved.	E. Indies.	1820.	4. 8.	S. ħ. ⌣.		
19	tortuosum. s.s.	twisting.	C. B. S.	——	——	S. ħ. ⌣.	Jacq. schœn. 4. t. 490.	
	flexile. Jacq. *non* W.							
20	campanulatum. s.s.	bell-shaped calyx'd.	,,,,	——	——	S. ħ. ⌣.		
21	capense. s.s.	Cape.	C. B. S.	1816.	——	G. ½.		
22	azoricum. s.s.	white Azorian.	Madeira.	1724.	4. 11.	G. ħ.	Botan. regist. 89.	
23	dispermum. s.s.	two-seeded.	Nepaul.	1825.	,,,,	G. ½. ⌣.		
24	fruticans. s.s.	common yellow.	S. Europe.	1570.	4. 10.	H. ħ.	Botan. magaz. 461.	
25	humile. s.s.	Italian.	,,, ,,,,	1656.	6. 9.	H. ħ.	Botan. regist. 350.	
26	odoratissimum. s.s.	yellow Azorian.	Madeira.	——	5. 11.	G. ½.	Botan. magaz. 285.	
27	revolutum. s.s.	yellow Nepaul.	Nepaul.	1812.	3. 10.	H. ħ.	Botan. regist. 178.	
	chrysanthemum. F,I.							
28	officinale. s.s.	common white.	E. Indies.	1548.	6. 10.	H. ½. ⌣.	Botan. magaz. 31.	
	β *leucophyllum.*	*white-edged.*	——	,,,,	——	H. ħ. ⌣.		
	γ *chrysophyllum.*	*yellow-edged.*	——	,,,,	——	H. ħ. ⌣.		
	δ *multiplex.*	*double-blossom'd.*	——	1823.	——	H. ½. ⌣.		
29	grandiflorum. s.s.	Catalonian.	——	1629.	——	G. ħ. ⌣.	Botan. regist. 91.	

ORDO CXVII.

APOCINEÆ. *Brown prodr.* 1. *p.* 465.

ALYXIA. B.P. ALYXIA. Pentandria Monogynia.

Richardsoni.	Richardson's.	N. Holland.	1823.	4. 6.	S. ħ.	Botan. regist. ined.	

RAUWOLFIA. S.S. RAUWOLFIA. Pentandria Monogynia. W.

1	nitida. s.s.	shining.	S. America.	1752.	6. 9.	S. ħ.	Lodd. bot. cab. 339.
2	ternifolia. s.s.	three-leaved.	——	1822.	——	S. ½.	Botan. magaz. 2440.
3	canescens. s.s.	hoary.	Jamaica.	1739.	,,,,	S. ½.	Plum. ic. t. 236. f. 2.
4	tomentosa. s.s.	woolly.	S. America.	1823.	,,,,	S. ħ.	Jacq. amer. pict. t. 46.

OPHIOXYLON. W. OPHIOXYLON. Polygamia Monœcia. W.

serpentinum. W.	serpent-wood.	E. Indies.	1690.	5. 6.	S. ħ.	Botan. magaz. 784.	

STRYCHNOS. S.S. STRYCHNOS. Pentandria Monogynia. W.

1	Nux vomica. s.s.	Poison-nut.	E. Indies.	1778.	,,,,	S. ħ.	Roxb. cor. 1. t. 4.
2	colubrina. s.s.	muricate-fruit'd.	——	1818.	,,,,	S. ½.	Rheed. mal. 7. t. 5.
3	potatorum. s.s.	clearing-nut.	——	1794.	,,,,	S. ħ.	Roxb. cor. 1. t. 5.
4	madagascariensis. s.s.	Madagascar.	Madagascar.	1818.	,,,,	S. ½.	
5	spinosa. s.s.	spiny.	——	1824.	,,,,	S. ħ.	
6	axillaris. s.s.	axillary-fld.	E. Indies.	1818.	,,,,	S. ½.	

CARISSA. L. CARISSA. Pentandria Monogynia. L.

1	Carandas. s.s.	Jasmine-fld.	E. Indies.	1790.	7. 8.	S. ½.	Roxb. cor. 1. t. 77.
2	spinarum. s.s.	Box-leaved.	——	1809.	8. 12.	S. ħ.	Lodd. bot. cab. 162.
3	ovata. B.P.	oval-leaved.	N. Holland.	1817.	6. 9.	G. ħ.	
4	Xylopicron. s.s.	nerved-leaved.	Mauritius.	1820.	——	S. ½.	Aub. Thou. obs. p. 24. ic.

ARDUINA. L. ARDUINA. Pentandria Monogynia. L.

bispinosa. s.s.	two-spined.	C. B. S.	1760.	3. 8.	G. ħ.	Mill. ic. 2. t. 300.	
Carissa Arduina. P.S.							

THEOPHRASTA. S.S. THEOPHRASTA. Pentandria Monogynia.

Jussiæi. s.s.	Jussieu's.	S. America.	1818.	,,,,	S. ½.	Lind. coll. t. 26.	

GELSEMIUM. J. GELSEMIUM. Pentandria Monogynia.

sempervirens. P.S.	evergreen.	N. America.	1640.	6. 7.	G. ½. ⌣.	Catesb. car. 1. t. 53.	
nitidum. R.S. *Bignonia sempervirens.* W.							

VALLESIA. R.P. VALLESIA. Pentandria Monogynia.

cymbæfolia. R.S.	boat-leaved.	S. America.	1816.	6. 8.	S. ½.	Cavan. ic. 3. t. 297.	
Rauwolfia glabra. W.							

CERBERA. W.	CERBERA. Pentandria Monogynia. L.						
1 Ahouai. S.S.	oval-leaved.	Brazil.	1739.	6. 7.	S. ½.	Botan. magaz. 737.
2 ovata. S.S.	ovate-leaved.	N. Spain.	....	——	S. ½.	Cavan. ic. 3. t. 270.
3 fruticosa. S.S.	purple-flower'd.	Pegu.	1817.	3. 9.	S. ½.	Botan. regist. 391.
4 Odallam. L.T.	spear-leaved.	E. Indies.	1759.	6. 9.	S. ½.	Botan. magaz. 1845.
Manghas. B.M. *non* L.T.						
5 lactaria. L.T.	Milk-tree.	——	....	——	S. ½.	Rumph. amb. 2. t. 81.
Manghas. G. 2. t. 123 et 124. f. 1. *non* L.T.						
6 laurifolia. B.C.	Laurel-leaved.	——	1819.	——	S. ½.	Lodd. bot. cab. 989.
7 maculata. S.S.	waved-leaved.	Bourbon.	1782.	6. 7.	S. ½.	Andr. reposit. 180.
undulata. A.R.						
8 thevetioides. S.S.	revolute-margin'd.	N. Spain.	1820.	.....	S. ½.	
9 Thevetia. S.S.	linear-leaved.	S. America.	1735.	....	S. ½.	Jacq. amer. 48. t. 34.
OCHROSIA. J.	OCHROSIA. Pentandria Monogynia. R.S.					
borbonica. R.S.	Bourbon.	Bourbon.	1823.	....	S. ½.	
Cerbera borbonica. S.S. *Ophioxylon Ochrosia.* P.S.						
DISSOLENA. R.S.	DISSOLENA. Pentandria Monogynia. R.S.					
verticillata. R.S.	whorl-leaved.	China.	1812.	....	S. ½.	
ALLAMANDA. S.S.	ALLAMANDA. Pentandria Monogynia. L.					
1 cathartica. S.S.	Willow-leaved.	Guiana.	1785.	6. 7.	S. ½.	Botan. magaz. 338.
2? verticillata. S.S.	whorl-leaved.	E. Indies.	1812.	....	S. ½.	
Nerium tinctorium. Hort.						
VINCA. R.S.	PERIWINKLE. Pentandria Monogynia. L.					
1 herbacea. R.S.	herbaceous.	Hungary.	1816.	6. 7.	H. 4.	Botan. regist. 301.
2 minor. R.S.	lesser.	Britain.	....	3. 9.	H. ½.	Eng. bot. 917.
α cærulea.	*blue-flowered.*	——	....	——	H. ½.	
β alba.	*white-flowered.*	——	....	——	H. ½.	
γ atropurpurea.	*dark-purple.*	——	....	——	H. ½.	
δ multiplex.	*double-flowered.*	——	....	——	H. ½.	
ε variegata.	*variegated.*	——	...	——	H. ½.	
3 major. R.S.	greater.	England.	....	——	H. ½.	Eng. bot. 514.
4 pusilla. R.S.	small-flowered.	E. Indies.	1778.	8.	S. ☉.	Rheed. mal. 9. t. 33.
parviflora. W.						
5 rosea. R.S.	Madagascar.	——	1756.	3. 10.	S. ½.	Botan. magaz. 248.
β alba.	*white-flowered.*	——	——	——	S. ½.	
γ ocellata.	*red-eyed.*	——	——	——	S. ½.	
WRIGHTIA. S.S.	WRIGHTIA. Pentandria Monogynia. S.S.					
1 antidysenterica. S.S.	oval-leaved.	E. Indies.	1778.	....	S. ½.	Burm. zeyl. t. 77.
2 zeylanica. S.S.	spear-leaved.	——	....	....	S. ½.	—— t. 12. f. 2.
3 dubia. S.S.	doubtful.	——	....	5. 8.	S. ½.	Botan. magaz. 1646.
Cameraria dubia. B.M.						
4 coccinea.	scarlet.	——	1820.	6. 8.	S. ½.	Lodd. bot. cab. 894.
Nerium coccineum. B.C.						
5 tinctoria. S.S.	dyer's.	——	1812.	——	S. ½.	Botan. regist. 933.
STROPHANTHUS. DC.	STROPHANTHUS. Pentandria Monogynia. P.S.					
1 dichotomus. DC.	forked.	China.	1816.	2. 10.	S. ½.	Botan. regist. 469.
2 sarmentosus. DC.	sarmentose.	Sierra Leon.	1822.	....	S. ½.	Desf. an. mus. 1. t. 27.
NERIUM. R.S.	OLEANDER. Pentandria Monogynia. L.					
1 Oleander. R.S.	common.	S. Europe.	1596.	6. 10.	G. ½.	Flor. græc. t. 248.
β alba.	*white-flowered.*	——	——	——	G. ½.	Lodd. bot. cab. 700.
γ splendens.	*double-hybrid.*	Hybrid.	1815.	——	G. ½.	Botan. regist. 74.
2 odorum. R.S.	sweet-scented.	E. Indies.	1683.	6. 8.	S. ½.	Rheed. mal. 9. t. 2.
β carneum.	*flesh-coloured.*	——	1816.	——	S. ½.	Botan. magaz. 2032.
γ flore pleno.	*double-flowered.*	——	....	——	S. ½.	Rheed. mal. 9. t. 1.
3 flavescens. R.S.	yellowish.	.....	1816.	——	S. ½.	
TABERNÆMONTANA.	TABERNÆMONTANA. Pentandria Monogynia. L.					
1 citrifolia. R.S.	Citron-leaved.	Jamaica.	1734.	5. 8.	S. ½.	Plum. ic. t. 248. f. 2.
2 alba. R.S.	white-flow'r'd.	W. Indies.	1780.	——	S. ½.	Jacq. amer. t. 175. f. 13.
citrifolia. Jacq. *non* L.						
3 laurifolia. R.S.	Laurel-leaved.	——	1768.	——	S. ½.	Botan. regist. 716.
4 cymosa. R.S.	cyme-flowered.	S. America.	1820.	....	S. ½.	Jacq. amer. t. 181. f. 14.
5 amygdalifolia. R.S.	Peach-leaved.	——	1780.	4. 8.	S. ½.	Botan. regist. 338.
6 discolor. R.S.	two-coloured.	Jamaica.	1822.	——	S. ½.	
7 arcuata. R.S.	arch'd follicled.	Peru.	1820.	——	S. ½.	Flor. peruv. 2. t. 143.
8 crispa. L.T.	wave-leaved.	E. Indies.	1818.	5. 10.	S. ½.	Rheed. mal. 1. t. 46.
9 coronaria. L.T.	broad-leaved.	——	1710.	6. 10.	S. ½.	Lodd. bot. cab. 406.
β flore pleno.	*double-flowered.*	——	——	——	S. ½.	Botan. magaz. 1866.
Nerium coronarium. B.M.						
10 undulata. R.S.	waved.	Trinidad.	1824.	...	S. ½.	

11 odorata. S.S.	yellow-flow'r'd.	Cayenne.	1793.	10. 11.	S. ♄.	Aub. guian. 1. t. 102.
Cameraria lutea. W.	*Cameraria Tumaquarina.* Aub.					
CAMERARIA. S.S.	BASTARD MANGENEEL.	Pentandria Monogynia. L.				
1 latifolia. S.S.	broad-leaved.	Havannah.	1733.	8.	S. ♄.	Andr. reposit. 261.
2 angustifolia. S.S.	narrow-leaved.	S. America.	1752.	9.	S. ♄.	Plum. ic. t. 72. f. 2.
AMSONIA. R.S.	AMSONIA.	Pentandria Monogynia. P.S.				
1 latifolia. R.S.	broad-leaved.	N. America.	1759.	5. 6.	H. ♃.	Botan. regist. 151.
2 salicifolia. R.S.	Willow-leaved.	———	1812.	——	H. ♃	Botan. magaz. 1873.
3 angustifolia. R.S.	hairy-stalked.	———	1774.	——	H. ♃.	Venten. choix. 29.
PLUMERIA. S.S.	PLUMERIA.	Pentandria Monogynia. L.				
1 rubra. R.S.	red-flowered.	Jamaica.	1690.	7. 8.	S. ♄.	Botan. regist. 780.
2 purpurea. R.S.	purple.	Peru.	1820.	——	S. ♄.	Flor. peruv. 2. t. 137.
3 acuminata. H.K.	acute-leaved.	E. Indies.	1790.	6. 9.	S. ♄.	Botan. regist. 114.
acutifolia. R.S.						
4 obtusa. R.S.	blunt-leaved.	W. Indies.	1733.	7. 8.	S. ♄.	Catesb. car. 1. t. 93.
5 alba. R.S.	white.	Jamaica.	——	7. 8.	S. ♄.	Jacq. amer. t. 174. f. 2.
6 bicolor. R.P.	two-coloured.	S. America.	1815.	6. 9.	S. ♄.	Botan. regist. 480.
7 tricolor. R.P.	three-coloured.	———	——	——	S. ♄.	——— 510.
8 lutea. R.P.	yellow-flow'r'd.	———	——	——	S. ♄.	Flor. peruv. 2. t. 142.
9 pudica. R.S.	wax-flowered.	———	....	7. 8.	S. ♄.	
10 longifolia. R.S.	long-leaved.	Madagascar.	1816.	....	S. ♄.	
11 tuberculata. B.C.	tubercled.	S. America.	1820.	6. 8.	S. ♄.	Lodd. bot. cab. 681.
12 tenuifolia. Lod.	slender-leaved.	———	....	....	S. ♄.	
13 Northiana. Lod.	North's.	———	....	....	S. ♄.	
14 mexicana. B.C.	Mexican.	Mexico.	....	6. 9.	S. ♄.	Lodd. bot. cab. 1024.
15 Blandfordiana. Lod.	Blandford's.	S. America.	....	....	S. ♄.	
16 nivea. Lod.	snowy white.	———	....	6. 8.	S. ♄.	
17 conspicua. Lod.	conspicuous.	———	....	....	S. ♄.	
18 macrophylla. Lod.	large-leaved.	———	....	....	S. ♄.	
19 leucantha. Lod.	white-blossom'd.	———	....	....	S. ♄.	
PRESTONIA. S.S.	PRESTONIA.	Pentandria Monogynia. S.S.				
1 tomentosa. S.S.	tomentose.	Brazil.	1820.	5. 8.	S. ♄. ⌣	
2 glabrata. S.S.	smooth.	S. America.	1823.	——	S. ♄. ⌣	
ALSTONIA. S.S.	ALSTONIA.	Pentandria Monogynia. S.S.				
1 scholaris. S.S.	whorl-leaved.	E. Indies.	1816.	....	S. ♄.	Rheed. mal. 1. t. 45.
2 venenata. S.S.	poisonous.	———	1823.	....	S. ♄.	
THENARDIA. K.S.	THENARDIA.	Pentandria Monogynia.				
floribunda. K.S.	abundant-flo.	Mexico.	1823.	....	S. ♄. ⌣	H. et B. S. t. 240.
ECHITES. R.S.	ECHITES.	Pentandria Monogynia. L.				
1 longiflora. S.S.	long-flowered.	Brazil.	1816.	5. 8.	S. ♄. ⌣	
2 bispinosa. S.S.	two-spined.	C. B. S.	1795.	7. 11.	S. ♄.	
3 succulenta. S.S.	succulent.	———	1820.	——	S. ♄.	Th. n. act. pet. 14. t. 9. f. 2.
4 tuberosa. H.S.S.	tuberous-root'd.	———	1815.	....	S. ♄. ⌣	
5 biflora. S.S.	twin-flowered.	W. Indies.	1793.	7. 8.	S. ♄. ⌣	Jacq. amer. 30. t. 21.
6 umbellata. S.S.	umbelled.	Jamaica.	1733.	7.	S. ♄. ⌣	——— 30. t. 22.
7 torosa. S.S.	climbing.	———	1778.	6. 8.	S. ♄. ⌣	Jacq. amer. 33. t. 27.
8 suberecta. S.S.	Savanna-flr.	———	1759.	——	S. ♄. ⌣	Botan. magaz. 1064.
9 caryophyllata. S.S.	Clove-scented.	E. Indies.	1812.	9. 11.	S. ♄. ⌣	——— 1919.
10 difformis. S.S.	deformed.	Carolina.	1806.	6. 7.	G. ♄. ⌣	
11 reticulata. S.S.	netted-leaved.	E. Indies.	1818.	——	S. ♄. ⌣	
12 Heynii. S.S.	Heyne's.	———	——	——	S. ♄. ⌣	
13 frutescens. H.B.	frutescent.	———	1816.	——	S. ♄. ⌣	
14 paniculata. H.B.	panicled.	———	——	——	S. ♄. ⌣	
BEAUMONTIA. B.R.	BEAUMONTIA.	Pentandria Monogynia.				
1 grandiflora. B.R.	oval-leaved.	E. Indies.	1812.	5. 7.	S. ♄. ⌣	Botan. regist. 911.
2 longifolia. Lod.	long-leaved.	———	1818.	....	S. ♄. ⌣	
HÆMADICTYON. H.T.	HÆMADICTYON.	Pentandria Monogynia.				
venosum. H.T.	red-veined.	W. Indies.	1820.	4. 8.	S. ♄. ⌣	Botan. magaz. 2473.
Echites nutans. B.M.						
VALLARIS. S.S.	VALLARIS.	Pentandria Monogynia. S.S.				
Pergulanus. S.S.	smooth-leaved.	E. Indies.	1818.	....	S. ♄. ⌣	Rumph. amb. 5. t. 29.
Pergularia glabra. W. *Emericia Pergularia.* R.S.						
ICHNOCARPUS. S.S.	ICHNOCARPUS.	Pentandria Monogynia. S.S.				
frutescens. S.S.	shrubby.	E. Indies.	1759.	7. 8.	S. ♄.	Burm. zeyl. t. 12. f. 1.
PARSONSIA. R.S.	PARSONSIA.	Pentandria Monogynia. R.S.				
1 corymbosa. R.S.	corymb-flow'r'd.	W. Indies.	1820.	6. 8.	S. ♄. ⌣	Jacq. amer. pict. t. 37.
Echites corymbosa. Jacq.						
2 floribunda. R.S.	many-flowered.	Jamaica.	——	——	S. ♄.	
Echites floribunda. W.						

WILLUGHBEIA. S.S.	WILLUGHBEIA.	Pentandria Monogynia. S.S.						
edulis. S.S.	eatable.	E. Indies.	1818.	6. 8.	S. ♄.⌣.			
LYONSIA. B.P.	LYONSIA.	Pentandria Monogynia. S.S.						
straminea. B.P.	climbing.	N. S. W.	1820.	6. 8.	S. ♄.⌣.			
MELODINUS. R.S.	MELODINUS.	Pentandria Mono-Digynia.						
1 scandens. R.S.	climbing.	N.Caledonia.	1775.	....	S. ♄.⌣.	Lam. ill. t. 179.		
2 monogynus. B.R.	one-styled.	E. Indies.	1816.	4. 8.	S. ♄.⌣.	Botan. regist. 834.		
APOCYNUM. S.S.	DOG'S-BANE.	Pentandria Monogynia. R.S.						
1 androsæmifolium. S.S.	Tutsan-leaved.	N.America.	1688.	7. 9.	H. ɣ.	Botan. magaz. 269.		
2 cannabinum. S.S.	Hemp-like.	———	1699.	7. 9.	H. ɣ.	Moris. s. 15. t. 3. f. 16.		
3 hypericifolium. S.S.	Hypericum-ld.	———	1758.	6. 7.	H. ɣ.	Jacq. vind. 3. t. 66.		
4 venetum. S.S.	Venetian.	Adriatic Isl.	1690.	———	H. ɣ.	Lob. ic. 372. f. 1. 2.		

ORDO CXVIII.

ASCLEPIADEÆ. *Brown prodr.* 1. *p.* 458.

PERIPLOCA. R.S.	PERIPLOCA.	Pentandria Digynia. L.						
1 græca. R.S.	Virginian-silk.	Syria.	1597.	7. 8.	H. ♄.⌣.	Botan. regist. 803.		
2 mauritiana. R.S.	long-leaved.	Mauritius.	1823.	....	S. ♄.⌣.	Rheed. mal. 9. t. 11.		
3 lævigata. R.S.	smooth.	Canaries.	1779.	6. 8.	G. ♄.	Cavan. ic. 3. t. 217.		
HEMIDESMUS. R.S.	HEMIDESMUS.	Pentandria Digynia. R.S.						
indicus. R.S.	Indian.	Ceylon.	1796.	....	S. ♄.	Burm. zeyl. t. 33. f. 1.		
CRYPTOSTEGIA. B.R.	CRYPTOSTEGIA.	Pentandria Digynia. S.S.						
grandiflora. B.R.	large-flowered.	E. Indies.	1812.	6. 8.	S. ♄.⌣.	Botan. regist. 435.		
SECAMONE. R.S.	SECAMONE.	Pentandria Digynia. R.S.						
1 emetica. R.S.	narrow-leaved.	India.	1816.	....	S. ♄.	Willd. phyt. 1. t. 5. f. 2.		
2 ægyptiaca. H.K.	Egyptian.	Egypt.	1752.	7.	G. ♄.⌣.	Alp. ægyp. t. 134.		
Alpini. R.S. *Periploca Secamone.* W.								
DUVALLIA. H.S.S.	DUVALLIA.	Pentandria Digynia. H.S.						
1 reclinata. H.S.	reclined.	C. B. S.	1795.	8. 10.	D.S. ♄.	Botan. magaz. 1397.		
2 elegans. H.S.	elegant.	———	———	———	D.S. ♄.	——— ———	1184.	
Stapelia elegans. B.M.								
3 hirtella. S.S.	hairy.	———	———	———	D.S. ♄.			
Stapelia hirtella. Jacq.								
4 cæspitosa. H.S.	tufted.	———	1790.	8. 11.	D.S. ♄.	Mass. stap. 20. t. 29.		
5 radiata. H.S.	radiated.	———	1795.	9. 11.	D.S. ♄.	Botan. magaz. 619.		
6 replicata. S.S.	replicate.	———	1806.	8. 10.	D.S. ♄.			
Stapelia replicata. Jacq.								
7 mastodes. S.S.	teat.	———	1821.	———	D.S. ♄.			
8 Jacquiniana. R.S.	Jacquin's.	———	1802.	7. 9.	D.S. ♄.	Jacq. stap. t. 37.		
Stapelia radiata. Jacq. *non* B.M.								
9 tuberculata. H.S.S.	tubercled.	———	1774.	7. 11.	D.S. ♄.			
10 lævigata. H.S.S.	smooth.	———	1808.	———	D.S. ♄.			
11 glomerata. H.S.S.	clustered.	———	———	———	D.S. ♄.			
12 compacta. H.S.S.	compact.	———	1800.	8. 11.	D.S. ♄.			
PECTINARIA. H.S.S.	PECTINARIA.	Pentandria Digynia. H.S.						
articulata. H.S.S.	jointed.	C. B. S.	1774.	8. 9.	D.S. ♄.	Mass. stap. 20. t. 30.		
Stapelia articulata. Mas.								
ORBEA. H.S.	ORBEA.	Pentandria Digynia. H.S.						
1 maculosa. H.S.	spotted.	C. B. S.	1804.	6. 9.	D.S. ♄.	Botan. magaz. 1833.		
2 mixta. H.S.	mixed.	———	1795.	———	D.S. ♄.	Mass. stap. 23. t. 38.		
Stapelia mixta. Mas.								
3 mutabilis. S.S.	changeable.	———	1823.	6. 9.	D.S. ♄.	Jacq. stap. ic.		
Stapelia mutabilis. Jacq.								
4 quinquenervia. H.S.	five-nerved.	———	1810.	10. 12.	D.S. ♄.			
5 bisulca. H.S.	bisulcate.	———	1806.	———	D.S. ♄.			
6 variegata. H.S.	variegated.	———	1727.	6. 10.	D.S. ♄.	Moris. s. 15. t. 3. f. 4.		
Stapelia variegata. L. *non* B.M.								
7 Curtisii. H.S.	Curtis's.	———	1787.	———	D.S. ♄.	Botan. magaz. 26.		
Stapelia variegata. B.M.								
8 lepida. H.S.S.	pretty.	———	1805.	7. 8.	D.S. ♄.	Jacq. stap. ic.		
9 orbicularis. H.S.	large orb'd.	———	1799.	7. 11.	D.S. ♄.	Andr. reposit. 448.		

10	bufonia. H.S.	toad-like.	C. B. S.	1806.	8. 10.	D.S.♄.	Botan. magaz. 1676.
	Stapelia Bufonia. B.M.						
11	clypeata. H.S.S.	shield-flower'd.	———	1799.	6. 11.	D.S.♄.	Jacq. stap. ic.
12	planiflora. H.S.S.	flat-flowered.	———	1805.	7. 11.	D.S.♄.	——— c. ic.
13	inodora. H.S.S.	scentless.	———	1788.	6. 8.	D.S.♄.	
14	rugosa. S.S.	rugged.	———	1805.	5. 8.	D.S.♄.	Jacq. stap. ic.
15	Wendlandiana. R.S.	Wendland's.	———	——	6. 9.	D.S.♄.	Wendl. coll. 2. t. 52.
	Stapelia rugosa. Wend. *non* Jacq.						
16	marginata. R.S.	margined.	———	1805.	——	D.S.♄.	
17	conspurcata, R.S.	dirtied.	———	1795.	6. 10.	D.S.♄.	Jacq. stap. ic.
18	normalis. R.S.	sulphur-col'd.	———	1821.	——	D.S.♄.	Botan. regist. 755.
19	marmorata. R.S.	marbled.	———	——	——	D.S.♄.	
20	retusa. H.S.	retuse.	———	1808.	9. 10.	D.S.♄.	
21	anguinea. H.S.	snake.	———	1806.	8. 9.	D.S.♄.	Lodd. bot. cab. 838.
22	picta. H.S.	painted.	———	1799.	6. 9.	D.S.♄.	Botan. magaz. 1169.
23	Woodfordiana. H.S.	Woodford's.	———	1805.	——	D.S.♄.	
24	? arida. S.S.	dry.	———	1795.	8.	D.S.♄.	Mass. stap. 21. t. 33.
	Stapelia arida. Mas.						
25	? aperta. S.S.	open-flower'd.	———	——	7. 8.	D.S.♄.	——— 26. t. 37.
	Stapelia aperta. Mas.						
STAPELIA. H.S.		CARRION-FLOWER.	Pentandria Digynia. L.				
1	grandiflora. R.S.	great-flowered.	C. B. S.	1795.	7. 12.	D.S.♄.	Mass. stap. 13. t. 11.
2	spectabilis. H.S.	showy.	———	1802.	——	D.S.♄.	Botan. magaz. 585.
	grandiflora. B.M. *non* Mas.						
3	ambigua. R.S.	ambiguous.	———	1795.	6. 11.	D.S.♄.	Mass. stap. 13. t. 12.
4	sororia. R.S.	sister.	———	1797.	6. 8.	D.S.♄.	——— 23. t. 39.
5	patula. R.S.	spreading.	———	....	——	D.S.♄.	Jacq. stap. c. ic.
	sororia. Jacq. *non* Mas.						
6	deflexa. B.M.	deflexed.	———	1806.	——	D.S.♄.	Botan. magaz. 1890.
	reflexa. H.S.						
7	lucida. R.S.	glossy.	———	1821.	——	D.S.♄.	
8	brevirostris. W.en.	short-beaked.	———	....	——	D.S.♄.	
9	Massoni. H.S.	Masson's.	———	1808.	——	D.S.♄.	
10	Asterias. R.S.	Starfish.	———	1795.	5. 11.	D.S.♄.	Botan. magaz. 526.
11	stellaris. H.S.S.	starry.	———	1804.	8. 10.	D.S.♄.	
12	hirsuta. R.S.	hairy.	———	1710.	6. 8.	D.S.♄.	Jacq. misc. 1. t. 8.
	β *atra.* B.R.	*dark-flowered.*	———	——	——	D.S.♄.	Botan. regist. 756.
13	lanifera. H.S.S.	woolly-flow'r'd.	———	1814.	6. 9.	D.S.♄.	
14	flavicomata. H.S.S.	yellow-haired.	———	1810.	——	D.S.♄.	
15	hamata. R.S.	hooked.	———	1805.	——	D.S.♄.	Lodd. bot. cab. 242.
16	comata. R.S.	very-hairy.	———	1821.	——	D.S.♄.	
17	rufa. R.S.	rusty brown.	———	1795.	6. 11.	D.S.♄.	Lodd. bot. cab. 239.
18	pulvinata. R.S.	cushioned.	———	——	——	D.S.♄.	Botan. magaz. 1240.
19	fissirostris. R.S.	cloven-beaked.	———	1821.	——	D.S.♄.	Jacq. stap. ic.
20	pilifera. R.S.	hairy-tubercled.	———	1790.	6. 8.	D.S.♄.	Mass. stap. 17. t. 23.
21	concinna. R.S.	spruce.	———	1795.	——	D.S.♄.	——— 15. t. 18.
22	glandulifera. R.S.	hairy-glanded.	———	——	——	D.S.♄.	
23	hispidula. R.S.	hispid.	———	1821.	——	D.S.♄.	
24	glandulifiora. R.S.	gland-flowered.	———	1795.	8. 11.	D.S.♄.	Mass. stap. 16. t. 19.
25	acuminata. R.S.	acuminated.	———	——	7. 9.	D.S.♄.	——— 15. t. 17.
26	? ramosa. R.S.	branched.	———	——	6. 8.	D.S.♄.	——— 21. t. 32.
27	? mammillaris. R.S.	mammillary.	———	1774.	——	D.S.♄.	Burm. afr. 27. t. 11.
28	? cordata. H.S.	heart-shaped.	———	1805.	——	D.S.♄.	
29	? canescens. H.S.	canescent.	———	1795.	——	D.S.♄.	
30	? ophiuncula. H.S.	serpent-like.	———	1805.	——	D.S.♄.	
TRIDENTEA. H.S.		TRIDENTEA.	Pentandria Digynia. H.S.				
1	gemmiflora. H.S.	gem-flowered.	C. B. S.	1795.	10. 11.	D.S.♄.	Mass. stap. 14. t. 15.
2	stygia. H.S.	Stygian.	———	1800.	8. 10.	D.S.♄.	Botan. magaz. 1839.
	Stapelia gemmiflora. β. B.M.						
3	moschata. H.S.S.	musk-scented.	———	1799.	9. 11.	D.S.♄.	Lodd. bot. cab. 1051.
	Stapelia hircosa. Jacq.						
4	vetula. H.S.	purple smooth.	———	1793.	5. 11.	D.S.♄.	Mass. stap. 15. t. 16.
5	Simsii. H.S.	Sims's.	———	1800.	——	D.S.♄.	Botan. magaz. 1234.
	Stapelia vetula. B.M.						
6	? paniculata. R.S.	panicled.	———	1805.	6. 9.	D.S.♄.	
7	? juvencula. S.S.	short-flowered.	———	....	——	D.S.♄.	Jacq. stap. ic.
8	? depressa. R.S.	depressed.	———	....	——	D.S.♄.	——— c. ic.
TROMOTRICHE. H.S.		TROMOTRICHE.	Pentandria Digynia. H.S.				
1	fuscata. H.S.S.	brown-flow'r'd.	C. B. S.	1814.	6. 10.	D.S.♄.	Jacq. stap. ic.
	Stapelia fuscata. Jacq.						

2 glauca. H.s.s.	large glaucous.	C. B. S.	1799.	6. 11.	D.S.♄.	Jacq. stap. c. ic.	
3 revoluta. H.s.	revolute-fld.	———	1790.	6. 9.	D.S.♄.	Botan. magaz. 724.	
Stapelia revoluta. B.M.							
4? pruinosa. H.s.	frosted.	———	1795.	6. 8.	D.S.♄.	Mass. stap. 24. t. 41.	
5 obliqua. R.s.	oblique-flow'r'd.	———	1805.	6. 9.	D.S.♄.		
PODANTHES. H.S.	PODANTHES.	Pentandria Digynia. H.S.					
1 pulchra. H.s.	beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S.♄.		
β *major.*	*larger.*	———	——	——	D.S.♄.	Botan. magaz. 786.	
Stapelia verrucosa. B.M. *nec aliorum.*							
2 irrorata. H.s.	dewy.	———	1795.	7. 9.	D.S.♄.	Mass. stap. 12. t. 9.	
3 verrucosa. H.s.	warted.	———	——	8. 10.	D.S.♄,	——— 11. t. 8.	
4 roriflua. R.s.	dew-bearing.	———	1802.	——	D.S.♄.	Jacq. stap. ic.	
Stapelia roriflua. Jacq.							
5 pulchella. H.s.	beautiful.	———	1795.	5. 11.	D.S.♄.	Mass. stap. 22. t. 36.	
6 incarnata. s.s.	flesh-coloured.	———	1793.	4. 8.	D.S.♄.	——— 22. t. 34.	
7? ciliata. H.s.	fringed.	———	1795.	10. 12.	D.S.♄.	——— 9. t. 1.	
Stapelia ciliata. Mss.							
OBESIA. H.S.	OBESIA.	Pentandria Digynia. H.S.					
1 serrulata. s.s.	sawed.	C. B. S.	1805.	6. 8.	D.S.♄.	Jacq. stap. ic.	
Stapelia serrulata. Jacq.							
2 geminata. H.s.	twin-flowered.	———	1795.	5. 11.	D.S.♄.	Botan. magaz. 1326.	
Stapelia geminata. B.M.							
3 decora. H.s.	neat.	———	——	——	D.S.♄.	Mass. stap. 19. t. 26.	
GONOSTEMON. H.S.	GONOSTEMON.	Pentandria Digynia. H.S.					
1 divaricatum. H.s.	divaricated.	C. B. S.	1793.	6. 11.	D.S.♄.	Botan. magaz. 1007.	
Stapelia divaricata. B.M.							
2 strictum. H.s.s.	upright.	———	1819.	10. 12.	D.S.♄.	Botan. magaz. 2037.	
Stapelia stricta. B.M.							
3 pallidum. R.s.	pale-flowered.	———	——	——	D.S.♄.	Wendl. coll. 2. t. 51.	
4? Gordoni. s.s.	Gordon's.	———	1796.	....	D.S.♄.	Mass. stap. 24. t. 40.	
Stapelia Gordoni. Mss.							
CARUNCULARIA. H.S.	CARUNCULARIA.	Pentandria Digynia. H.S.					
pedunculata. H.s.	long-peduncl'd.	C. B. S.	1790.	6. 11.	D.S.♄.	Botan. magaz. 793.	
Stapelia pedunculata. B.M.							
PIARANTHUS. B.	PIARANTHUS.	Pentandria Digynia. H.S.					
1 punctatus. R.s.	purple dotted.	C. B. S.	1795.	7. 11.	D.S.♄.	Mass. stap. 18. t. 24.	
2 pullus. R.s.	many-flowered.	———	1774.	8. 9.	D.S.♄.	Botan. magaz. 1648.	
Stapelia pulla. B.M.							
3? parviflorus. s.s.	small-flowered.	———	1795.	6. 8.	D.S.♄.	Mass. stap. 22. t. 35.	
HUERNIA. B.	HUERNIA.	Pentandria Digynia. R.S.					
1 reticulata. H.s.	netted.	C. B. S.	1793.	7. 8.	D.S.♄.	Botan. magaz. 1662.	
Stapelia reticulata. B.M.							
2 campanulata. H.s.	bell-shaped.	———	1795.	7. 10.	D.S.♄.	Botan. magaz. 1227.	
3 clavigera. H.s.s.	club-haired.	———	——	——	D.S.♄.	——— 1661.	
Stapelia campanulata. B.M. *nec aliorum.*							
4 venusta. H.s.	showy.	———	——	6. 7.	D.S.♄.	Mass. stap. 10. t. 3.	
5 lentiginosa. H.s.	freckled.	———	——	7. 11.	D.S.♄.	Botan. magaz. 506.	
6 guttata. H.s.	red-spotted.	———	——	8. 11.	D.S.♄.	Mass. stap. 10. t. 4.	
7 humilis. H.s.	humble.	———	——	——	D.S.♄.	——— 10. t. 5.	
8 tubata. H.s.	tube-flowered.	———	1805.	——	D.S.♄.	Jacq. stap. ic.	
9 crispa. H.s.	curled.	———	——	——	D.S.♄.		
10 barbata. H.s.	bearded.	———	1795.	——	D.S.♄.	Mass. stap. 11. t. 7.	
BRACHYSTELMA. B.R.	BRACHYSTELMA.	Pentandria Digynia. S.S.					
tuberosum. B.R.	tuberous-root'd.	C. B. S.	1820.	4. 10.	S.♃.	Botan. regist. 722.	
CARALLUMA. H.S.	CARALLUMA.	Pentandria Digynia. S.S.					
1 adscendens. H.s.	ascending.	E. Indies.	1804.	7.	D.S.♄.	Roxb. cor. 1. t. 30.	
2 umbellata. H.s.	umbelled.	———	——	——	D.S.♄.		
HOYA. B.P.	HOYA.	Pentandria Digynia. R.S.					
1 crassifolia. H.s.s.	large-leaved.	China.	1817.	10.1.	D.S.♄.		
2 carnosa. H.K.	fleshy-leaved.	———	1802.	7. 10.	G.♄.	Botan. magaz. 788.	
3 pallida. B.R.	pale.	———	1820.	——	S.♄.	Botan. regist. 951.	
acuta. H.R.							
4 Pottsii.	Potts's.	———	1822.	——	S.♄.		
TYLOPHORA. B.P.	TYLOPHORA.	Pentandria Digynia. R.S.					
1 grandiflora. B.P.	great-flowered.	N. S. W.	1822.	6. 8.	G.♄.		
2 barbata. B.P.	bearded.	———	——	——	G.♄.		
3 exilis. L.T.	slender.	E. Indies.	1823.	——	S.♄.	Linn. trans. 12. t. 16.	
CEROPEGIA. R.S.	CEROPEGIA.	Pentandria Digynia. R.S.					
1 aphylla. H.s.	leafless.	Canaries.	1808.	....	S.♄.		

2	dichotoma. H.R.	forked.	E. Indies.	1806.	8.	S. ♄.	
3	juncea. R.S.	rushy.	———	1820.	....	S. ♃. ⌣.	Roxb. cor. 1. t. 10.
4	africana. B.R.	African.	C. B. S.	1821.	4. 11.	S. ♃. ⌣.	Botan. regist. 696.
5	bulbosa. R.S.	bulbous-rooted.	E. Indies.	——	——	S. ♃. ⌣.	Roxb. cor. 1. t. 7.
6	tuberosa. R.S.	tuberous-root'd.	———	——	....	S. ♃. ⌣.	——— 1. t. 9.
PERGULARIA. R.S.		PERGULARIA.	Pentandria Digynia. R.S.				
1	odoratissima. R.S.	large.	E. Indies.	1784.	6. 7.	S. ♄. ⌣.	Botan. regist. 412.
2	minor. R.S.	smaller.	———	1790.	5. 8.	S. ♄. ⌣.	Botan. magaz. 755.
3	sanguinolenta. B.M.	bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. ♄. ⌣.	——— 2532.
MARSDENIA. B.P.		MARSDENIA.	Pentandria Digynia. R.S.				
1	suaveolens. B.P.	sweet-scented.	N. S. W.	1816.	3. 8.	G. ♄. ⌣.	Botan. regist. 489.
2	erecta. R.S.	upright.	Syria.	1597.	7. 8.	G. ♄.	Jacq. vind. 1. t. 38.
DISCHIDIA. B.P.		DISCHIDIA.	Pentandria Digynia. S.S.				
	bengalensis. L.T.	Bengal.	E. Indies.	1818.	6. 8.	S. ♄.	Linn. trans. 12. t. 15.
GYMNEMA. B.P.		GYMNEMA.	Pentandria Digynia. R.S.				
1	sylvestre. R.S.	netted-leaved.	Ceylon.	1816.	6. 8.	S. ♄. ⌣.	Willd. phyt. 1. t. 5. f. 3.
2	tingens. S.S.	pointed-leaved.	E. Indies.	1823.	——	S. ♄. ⌣.	
3	tenacissimum. S.S.	tough.	———	1806.	....	S. ♄. ⌣.	
SARCOLOBUS. R.S.		SARCOLOBUS.	Pentandria Digynia. R.S.				
1	globosus. R.S.	globular-fruit'd.	E. Indies.	1823.	....	S. ♄. ⌣.	Wall. as. res. 12. t. 4.
2	carinatus. R.S.	keeled-fruited.	———	——	....	S. ♄. ⌣.	——— 12. t. 5.
GONOLOBUS. R.S.		GONOLOBUS.	Pentandria Digynia. R.S.				
1	maritimus. R.S.	sea-side.	Caracas.	1823.	6. 10.	S. ♄. ⌣.	Botan. regist. 931.
2	suberosus. R.S.	cork-barked.	America.	1732.	7. 9.	S. ♄. ⌣.	Dill. elt. t. 229. f. 296.
3	crispiflorus. R.S.	curled-flower'd.	S. America.	1741.	7. 8.	S. ♄. ⌣.	Plum. ic. t. 216. f. 1.
4	rostratus. R.S.	beaked-petal'd.	Trinidad.	1823.	——	S. ♄. ⌣.	
5	niger. R.S.	black-flower'd.	Mexico.	1825.	....	S. ♃. ⌣.	Cavan. ic. 2. t. 159.
	Cynanchum nigrum. Cav.						
6	uniflorus. K.S.	solitary-fld.	———	——	....	S. ♄. ⌣.	H. et B. 3. t. 288.
7	carolinensis. N.	yellowish-fld.	N. America.	1820.	7. 9.	H. ♃. ⌣.	Lodd. bot. cab. 365.
	hirsutus. B.C. *nec aliorum.*						
8	hirsutus. R.S.	hairy.	———	1806.	6. 9.	H. ♃. ⌣.	Swt. br. fl. gar. 1.
9	macrophyllus. N.	large-leaved.	———	1822.	——	H. ♄. ⌣.	
10	discolor. R.S.	Virginian.	———	1809.	7. 9.	H. ♃. ⌣.	Botan. magaz. 1273.
	Cynanchum discolor. B.M.						
11	obliquus. R.S.	oblique-fld.	Carolina.	1818.	——	H. ♃. ⌣.	Jacq. ic. 2. t. 341.
12	Nuttallianus. S.S.	Nuttall's.	Missisippi.	1822.	——	H. ♃. ⌣.	
	viridiflorus. N. *non* R.S.						
13	lævis. R.S.	smooth.	———	1806.	6. 7.	H. ♃. ⌣.	
14	diadematus. B.R.	red-crowned.	Mexico.	1812.	9. 10.	S. ♄. ⌣.	Botan. regist. 252.
ASCLEPIAS. R.S.		SWALLOW-WORT.	Pentandria Digynia. R.S.				
1	syriaca. R.S.	Virginian.	N. America.	1629.	7. 8.	H. ♃.	Blackw. t. 521.
2	exaltata. L.en.	tall.	———	....	——	H. ♃.	
3	phytolaccoides. R.S	Phytolacca-like.	———	1812.	——	H. ♃.	
4	parviflora. R.S.	small-flowered.	———	1774.	7. 10.	H. ♃.	
5 ?	salicifolia. B.C.	Willow-leaved.	S. America.	1816.	6. 9.	G. ♃.	Lodd. bot. cab. 272.
6	curassavica. R.S.	Curassavian.	———	1692.	6. 10.	S. ♃.	Botan. regist. 81.
7	nivea. R.S.	Almond-leav'd.	N. America.	1730.	7. 9.	H. ♃.	Botan. magaz. 1181.
8	incarnata. R.S.	flesh-coloured.	———	1710.	7. 8.	H. ♃.	Botan. regist. 250.
9	pulchra. R.S.	hairy.	———	....	——	H. ♃.	
10	amœna. R.S.	oval-leaved.	———	1732.	——	H. ♃.	Dill. elt. t. 27. f. 30.
11	purpurascens. R.S.	purple.	———	——	——	H. ♃.	——— t. 28. f. 31.
12	variegata. R.S.	variegated.	———	1597.	——	H. ♃.	Botan. magaz. 1182.
13	obtusifolia. R.S.	blunt-leaved.	———	1823.	——	H. ♃.	
14	amplexicaulis. R.S.	stem-clasping.	———	....	——	H. ♃.	
15	laurifolia. M.	Laurel-leaved.	———	1823.	——	H. ♃.	Pluk. amal. t. 358. f. 2.
	periplocæfolia. N. *acuminata.* Ph.						
16	quadrifolia. R.S.	four-leaved.	———	——	8. 9.	H. ♃.	Jacq. obs. 2. t. 33.
17	verticillata. R.S.	whorl-leaved.	———	1759.	8. 10.	H. ♃.	Swt. br. fl. gar. 144.
18	mexicana. R.S.	Mexican.	Mexico.	1823.	7. 9.	G. ♄.	Cavan. ic. 1. t. 58.
19	rosea. K.S.	rose-coloured.	———	1824.	——	G. ♃.	
20	linifolia. R.S.	Flax-leaved.	———	——	——	G. ♄.	
21	Linaria. R.S.	toadflax-leav'd.	———	1802.	——	G. ♃.	Cavan. ic. 1. t. 57.
22	rubra. R.S.	red-flowered.	N. America.	1820.	——	H. ♃.	
23	tuberosa. R.S.	tuberous-root'd.	———	1690.	7. 9.	H. ♃.	Botan. regist. 76.
	β *decumbens.* Ph.	*decumbent.*	———	1731.	——	H. ♃.	
ACERATES. Ell.		ACERATES.	Pentandria Digynia.				
	longifolia. Ell.	long-leaved.	N. America.	1816.	7. 8.	H. ♃.	
	Asclepias longifolia. R.S. *Gomphocarpus longifolius.* S.S.						

ANANTHERIX. N.	ANANTHERIX.	Pentandria Digynia. N.					
viridis. N.	green-flower'd.	N. America.	1812.	8. 10.	H. ♃.		
STYLANDRA. N.	STYLANDRA.	Pentandria Digynia. N.					
pumila. N.	dwarf.	Carolina.	1812.	7. 8.	G. ♃.		
Pedostigma pubescens. A.S. *Asclepias pedicellata.* Ph.							
GOMPHOCARPUS. R.S.	GOMPHOCARPUS.	Pentandria Digynia. R.S.					
1 arborescens. R.S.	broad-leaved.	C. B. S.	1714.	12.	G. ♄.	Jacq. schœnb. 1. t. 60.	
2 crispus. R.S.	curled-leaved.	———	1774.	7.	G. ♄.	Moris. s. 15. t. 3. f. 27.	
3 fruticosus. R.S.	Willow-leaved.	———	1714.	6. 9.	G. ♄.	Botan. magaz. 1628.	
Asclepias fruticosa. W.							
OXYSTELMA. R.S.	OXYSTELMA.	Pentandria Digynia. R.S.					
esculentum. R.S.	esculent.	E. Indies.	1816.	....	S. ♃. ⌒	Roxb. corom. 1. t. 11.	
XYSMALOBIUM. R.S.	XYSMALOBIUM.	Pentandria Digynia. R.S.					
undulatum. R.S.	waved-leaved.	C. B. S.	1783.	7. 8.	G. ♄.	Comm. rar. t. 16.	
CALOTROPIS. R.S.	CALOTROPIS.	Pentandria Digynia. R.S.					
1 procera. R.S.	bell-flowered.	Persia.	1714.	7. 9.	S. ♄.	Andr. reposit. 271.	
Asclepias gigantea. A.R.							
2 gigantea. R.S.	curl'd-flower'd.	E. Indies.	1690.	——	S. ♄.	Botan. regist. 56.	
CYNANCHUM. R.S.	CYNANCHUM.	Pentandria Digynia. L.					
1 acutum. R.S.	acute-leaved.	Europe.	1596.	7.	H. ♃. ⌒	Flor. græc. 250.	
2 monspeliacum. R.S.	Montpelier.	S. Europe.	——	8. 9.	H. ♃. ⌒	——— 251.	
3 pilosum. R.S.	hairy.	C. B. S.	1726.	6. 9.	G. ♄. ⌒	Botan. regist. 111.	
Periploca africana. A.R. 887.							
4 crassifolium. R.S.	thick-leaved.	———	1816.	....	G. ♄. ⌒		
5 capense. R.S.	Cape.	———	1820.	....	G. ♄. ⌒		
6 roseum. R.S.	rosy.	Dahuria.	1816.	7. 8.	H. ♃.	Gmel. sib. 4. t. 42.	
Asclepias dawurica. W.							
7 nigrum. R.S.	black.	S. Europe.	1596.	5. 8.	H. ♃. ⌒	Botan. magaz. 2390.	
8 medium. R.S.	middle.	.....	....	——	H. ♃. ⌒		
9 Vincetoxicum. R.S.	officinal.	Europe.	1596.	——	H. ♃.	Flor. dan. 849.	
Asclepias Vincetoxicum. W.							
10 fuscatum. R.S.	yellow-flow'r'd.	———	——	——	H. ♃.		
11 sibiricum. R.S.	Siberian.	Siberia.	1775.	7. 8.	H. ♃.	Murr. gott. 3. t. 7.	
12 fœtidum. R.S.	fetid.	Mexico.	1823.	——	G. ♄. ⌒	Cavan. ic. 2. t. 158.	
13 viridiflorum. B.M.	green-flowered.	E. Indies.	1814.	10. 12.	S. ♄. ⌒	Botan. magaz. 1939.	
14 ? undatum. A.R.	wave-leaved.	———	1803.	7. 8.	S. ♄. ⌒	Andr. reposit. 410.	
15 ? mucronatum. A.R.	sharp-pointed.	Trinidad.	1804.	——	S. ♄. ⌒	——— 515.	
DÆMIA. R.S.	DÆMIA.	Pentandria Digynia. R.S.					
1 extensa. R.S.	smooth-leaved.	E. Indies.	1778.	7. 8.	S. ♄. ⌒	Jacq. ic. 1. t. 54.	
2 bicolor.	two-coloured.	———	1806.	——	S. ♄. ⌒	Andr. reposit. 562.	
Cynanchum bicolor. A.R.							
DIPLOLEPIS. R.S.	DIPLOLEPIS.	Pentandria Digynia.					
1 vomitoria. H.T.	dull-leaved.	China.	1820.	6. 9.	S. ♄. ⌒		
2 apiculata. H.T.	glossy-leaved.	———	——	——	S. ♄. ⌒		
SARCOSTEMMA. R.S.	SARCOSTEMMA.	Pentandria Digynia. R.S.					
1 viminale. R.S.	twisting.	E. Indies.	1731.	7.	S. ♄. ⌒		
2 Swartzianum. R.S.	Swartz's.	W. Indies.	....	....	S. ♄. ⌒	Sloan. hist. 1. t. 131. f. 1.	
EUSTEGIA. R.S.	EUSTEGIA.	Pentandria Digynia. R.S.					
hastata. R.S.	halberd-leaved.	C. B. S.	1816.	6. 8.	G. ♄.	Spr. n. ent. t. 1. f. 5-10.	
Apocynum hastatum. W.							
MICROLOMA. R.S.	MICROLOMA.	Pentandria Digynia. R.S.					
1 sagittatum. R.S.	arrow-leaved.	C. B. S.	1775.	7. 8.	G. ♄. ⌒	Jacq. schœn. 1. t. 38.	
2 lineare. R.S.	linear-leaved.	———	1816.	——	G. ♄. ⌒	Plnk. mant. 17. t. 385. f. 5	
ASTEPHANUS. R.S.	ASTEPHANUS.	Pentandria Digynia. R.S.					
1 triflorus. R.S.	three-flowered.	C. B. S.	1816.	7. 9.	G. ♃. ⌒		
2 linearis. R.S.	panicled.	———	——	——	G. ♃. ⌒		

ORDO CXIX.

GENTIANEÆ. *Brown prodr.* 1. *p.* 449.

GENTIANA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.				
1 lutea. R.S.	yellow.	Alps Europ.	1596.	6. 7.	H. ♃.	Mill. ic. t. 139.
2 hybrida. R.S.	hybrid.	Switzerland.	1825.	——	H. ♃.	

3 purpurea. R.s.	purple.	Switzerland.	1768.	——	H.¼.	Andr. reposit. 117.
4 pannonica. R.s.	round-petal'd.	————	....	——	H.¼.	Jacq. aust. 2. t. 136.
5 punctata. R.s.	dotted-flow'r'd.	————	1775.	——	H.¼.	———— 5. t. ap. 28.
6 septemfida. R.s.	crested.	Levant.	1804.	——	H.¼.	Botan. magaz. 1229.
β guttata.	*spotted.*	————	——	——	H.¼.	———— 1410.
7 asclepiadea. R.s.	swallowwort-l^d.	Austria.	1629.	7. 8.	H.¼.	———— 1078.
8 cruciata. R.s.	Crosswort.	————	1596.	6. 7.	H.¼.	Jacq. aust. 4. t. 372.
9 macrophylla. R.s.	long-leaved.	Siberia.	1796.	7. 8.	H.¼.	Botan. magaz. 1414.
10 adscendens. s.s.	ascending.	————	1799.	6. 7.	H.¼.	———— 705.
β decumbens. R.s.	*decumbent.*	————	——	——	H.¼.	———— 723.
11 frigida. R.s.	frigid.	Carpathian m.	1816.	——	H.¼.	Frœl. gent. n. 13. ic.
12 algida. R.s.	narrow-leaved.	Siberia.	1808.	——	H.¼.	Pall. ros. 2. t. 95.
13 gelida. R.s.	cream-colour'd.	Caucasus.	1816.	——	H.¼.	
14 Pneumonanthe. R.s.	Calathian violet.	England.	....	8. 9.	H.¼.	Eng. bot. 20.
β guttata. B.M.	*spotted-flowered.*	.....	....	——	H.¼.	Botan. magaz. 1101.
15 linearis. R.s.	linear-leaved.	N.America.	1816.	——	H.¼.	
16 triflora. R.s.	three-flowered.	Siberia.	1807.	6. 7.	H.¼.	Pall. ross. 1. t. 93. f. 1.
17 Saponaria. B.M.	barrel-flow'r'd.	N.America.	1776.	8. 9.	H.¼.	Botan. magaz. 1030.
18 Catesbæi. B.	Catesby's.	————	——	6. 8.	H.¼.	Andr. reposit. 418.
19 intermedia. B.M.	intermediate.	————	1820.	8. 9.	H.¼.	Botan. magaz. 2308.
20 incarnata. B.M.	flesh-coloured.	————	1812.	9. 11.	H.¼.	———— 1856.
21 ochroleuca. R.s.	pale-flowered.	————	1803.	8. 9.	H.¼.	———— 1551.
22 quinqueflora. R.s.	five-flowered.	————	1823.	7. 9.	H.♂.	
amarelloides. M.						
23 aurea. R.s.	large involucr'd.	Norway.	——	——	H.♂.	Flor. dan. t. 344.
quinquefolia. F.D.						
24 umbellata. M.B.	umbel-flow'r'd.	Caucasus.	——	8. 10.	H.⊙.	
25 acaulis. R.s.	dwarf.	Wales.	....	8. 6.	H.¼.	Eng. bot. 1591.
26 alpina. R.s.	Alpine.	Switzerland.	1818.	——	H.¼.	Lodd. bot. cab. 476.
27 pyrenaica. R.s.	Pyrenean.	Pyrenees.	1825.	——	H.¼.	W. et K. hung. t. 207.
28 pumila. R.s.	small.	Switzerland.	——	——	H.¼.	Jacq. obs. 2. t. 49.
29 verna. R.s.	spring.	England.	....	——	H.¼.	Eng. bot. 493.
30 bavarica. R.s.	Bavarian.	Germany.	1775.	7.	H.¼.	Vill. delph. 2. t. 10.
31 imbricata. R.s.	imbricated.	Switzerland.	1825.	——	H.¼.	Barrel. ic. 101. f. 2.
32 utriculosa. R.s.	bladdered.	————	——	7. 9.	H.⊙.	W. et K. hung. t. 206.
33 nivalis. R.s.	small alpine.	Scotland.	....	8. 9.	H.⊙.	Eng. bot. 896.
34 germanica. R.s.	German.	Germany.	1825.	——	H.⊙.	Mayrh. fl. mon. t. 278.
35 Amarella. R.s.	autumnal.	Britain.	....	8. 10.	H.⊙.	Eng. bot. 236.
36 caucasica. R.s.	Caucasean.	Caucasus.	1804.	7. 8.	H.⊙.	Botan. magaz. 1038.
37 campestris. R.s.	field.	Britain.	....	8. 10.	H.⊙.	Eng. bot. 237.
38 angustifolia. R.s.	slender-leav'd.	N.America.	1820.	8. 9.	H.¼.	
39 glacialis. R.s.	northern.	N. Europe.	1826.	....	H.⊙.	Sch.rom. arc. l. t. 2. f. 5.
40 ciliata. R.s.	fringe-flow'r'd.	S. Europe.	1759.	8. 9.	H.¼.	Jacq. aust. t. 113.
41 crinita. R.s.	jagged-flow'r'd.	N.America.	1804.	7. 10.	H.♂.	Swt. br. fl. gar. 139.
fimbriata. A.R. 300.						
42 barbata. R.s.	bearded.	Siberia.	....	8. 9.	H.♂.	Botan. magaz. 632.
ciliata. B.M.						

SWERTIA. R.S. FELWORT. Tetr-Pentandria Digynia.

1 perennis. R.s.	marsh.	England.	....	7. 8.	H.¼.	Eng. bot. 1441.
2 Michauxiana. R.s.	American.	N.America.	1824.	——	H.♂.	

CHLORA. S.S. YELLOW-WORT. Octandria Monogynia. L.

1 imperfoliata. s.s.	sessile-leaved.	Italy.	1826.	....	H.⊙.	
2 perfoliata. s.s.	perfoliate.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 60.

FRASERA. M. FRASERA. Tetrandria Monogynia. R.S.

Walteri. M.	Walter's.	N.America.	1795.	7. 8.	H.♂.	
carolinensis. Walt.						

ERYTHRÆA. R.S. ERYTHRÆA. Pentandria Monogynia. P.S.

1 Centaurium. R.s.	common.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 417.
2 latifolia. s.s.	broad-leaved.	Lancashire.	....	——	H.⊙.	
3 pulchella. R.s.	dwarf branching	England.	....	8. 9.	H.⊙.	Eng. bot. 458.
4 littoralis. R.s.	simple dwarf.	Britain.	....	6. 8.	H.⊙.	———— 2305.
5 conferta. R.s.	close-flowered.	Spain.	1818.	5. 11.	H.¼.	
6 aggregata. B.F.G.	cluster-branch'd.	Nepaul.	1824.	8. 11.	H.¼.	Swt. br. fl. gar. 137.
7 maritima. R.s.	sea-side.	S. Europe.	1777.	7. 8.	H.¼.	Cavan. ic. 3. t. 296. f. 1.
8 lutea. R.s.	yellow-flow'r'd.	————	....	——	H.⊙.	Barrel. ic. 468.

SABBATIA: R.S. SABBATIA. Pentandria Monogynia. R.S.

1 gracilis. R.s.	slender.	N. America.	....	7.	H.♂.	Sal. par. lond. 32.
2 angularis. R.s.	angular-stalk'd.	————	1823.	7. 8.	H.♂.	
3 calycosa. R.s.	dichotomous.	————	1812.	6. 8.	H.♂.	Botan. magaz. 1000.

4 chloroides. R.S.	Chlora-like.	N.America.	1817.	8. 9.	H.♂.		
5 paniculata. R.S.	panicled.	———	——	——	H.♃.		
EUSTOMA. P.L.	EUSTOMA. Pentandria Monogynia.						
silenifolium. P.L.	Silene-leaved.	ProvidenceIsl.	1804.	7.	S.⊙.	Sal. par. lond. 241.	
CHIRONIA. R.S.	CHIRONIA. Pentandria Monogynia. L.						
1 jasminoides. R.S.	Jasmine-like.	C. B. S.	1812.	4. 7.	G.♄.	Botan. regist. 197.	
2 lychnoides. R.S.	Lychnis-fld.	———	1816.	——	G.♄.		
3 nudicaulis. R.S.	naked-stalked.	———	——	——	G.♄.	Linn. trans. 7. t 12. f.3.	
4 linoides. R.S.	flax-leaved.	———	1787.	7. 9.	G.♄.	Botan. magaz. 511.	
5 baccifera. R.S.	berry-bearing.	———	1759.	6. 7.	G.♄.	——— 233.	
6 angustifolia. B.M.	narrow-leaved.	———	1800.	6. 8.	G.♄.	——— 818.	
7 frutescens. R.S.	frutescent.	———	1756.	6. 9.	G.♄.	——— 37.	
β *albiflora*.	*white-flowered*.	———	....	——	G.♄.		
8 decussata. R.S.	cross-leaved.	———	1789.	——	G.♄.	Botan. magaz. 707.	
HIPPION. S.S.	HIPPION. Pentandria Monogynia. S.S.						
viscosum. S.S.	clammy.	Canaries.	1781.	6. 7.	G.♂.	Sm. ic. fas. 3. t. 18.	
Exacum viscosum. Sm.	*Gentiana viscosa*. H.K.						
SEBÆA. B.P.	SEBÆA. Tetr-Pentandria Monogynia. S.S.						
1 ovata. B.P.	oval-leaved.	N. S. W.	1820.	8. 10.	G.⊙.	Lab. nov. hol. 1. t. 52.	
2 albens. B.P.	white-flowered.	C. B. S.	——	——	G.⊙.	Burm. afr. t. 74. f. 4.	
3 cordata. B.P.	heart-leaved.	———	1815.	7. 8.	H.⊙.	——— t. 74. f. 5.	
CICENDIA. Adans.	CICENDIA. Tetrandria Monogynia.						
filiforme.	slender-stalk'd.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 235.	
Exacum filiforme. E.B.	*Microcale filiforme*. Lk.						
EXACUM. B.P.	EXACUM. Tetrandria Monogynia. L.						
tetragonum. D.P.	square-stalked.	Nepaul.	1820.	8. 10.	H.⊙.		
MITRASACME. B.P.	MITRASACME. Tetrandria Monogynia. R.S.						
1 polymorpha. B.P.	variable.	N. S. W.	1822.	6. 8.	G.♃.		
2 canescens. B.P.	canescent.	———	1820.	——	G.♃.		
HOUSTONIA. R.S.	HOUSTONIA. Tetrandria Monogynia. L.						
1 cœrulea. R.S.	blue-flowered.	N.America.	1735.	5. 8.	H.♃.	Botan. magaz. 870.	
2 purpurea. R.S.	purple-flow'r'd.	———	1800.	——	H.♃.		
SPIGELIA. R.S.	WORM-GRASS. Pentandria Monogynia. L.						
1 Anthelmia. R.S.	annual.	W. Indies.	1759.	7.	S.⊙.	Botan. magaz. 2359.	
2 marylandica. R.S.	perennial.	N.America.	1694.	7. 8.	H.♃.	——— 80.	
LISIANTHUS. R.S.	LISIANTHUS. Pentandria Monogynia. L.						
1 longifolius. R.S.	long-leaved.	Jamaica.	1793.	7. 9.	S.♄.	Botan. regist. 860.	
2 glaucifolius. R.S.	glaucous-leav'd.	W. Indies.	....	——	S.♃.	Jacq. ic. 1. t. 38.	
3 exsertus. R.S.	oval-leaved.	———	1793.	7. 9.	S.♄.		
4 latifolius. R.S.	broad-leaved.	———	1822.	....	S.♄.		
5 umbellatus. R.S.	umbel-flower'd.	———	——	....	S.♄.		
6 cordifolius. R.S.	heart-leaved.	———	1816.	6. 8.	S.♄.	Brown. jam. 2. t. 9. f.2.	
7 acutangulus. R.S.	acute-angled.	Peru.	1820.	——	S.♃.	Flor. per. 2. t. 122. f.a.	
8 angustifolius. K.S.	narrow-leaved.	S.America.	1824.	7. 10.	S.⊙.		
LOGANIA. B.P.	LOGANIA. Pentandria Monogynia. R.S.						
1 latifolia. B.P.	broad-leaved.	N. Holland.	1816.	....	G.♄.	Lab. nov. hol. 1. t. 61.	
Exacum vaginale. Lab.							
2 floribunda. B.P.	many-flowered.	N. S. W.	1797.	4. 5.	G.♄.	Andr. reposit. 520.	
Exosma albiflora. A.R.							
3 revoluta. B.P.	revolute-leav'd.	———	1822.	....	G.♄.		
VILLARSIA. R.S.	VILLARSIA. Pentandria Monogynia. R.S.						
1 nymphoides. R.S.	common.	England.	....	6. 7.	H.w.♃.	Eng. bot. 217.	
Menyanthes nymphoides. E.B.							
2 indica. R.S.	Indian.	E. Indies.	1790.	6. 8.	S.w.♃.	Botan. magaz. 658.	
3 sarmentosa. R.S.	sarmentose.	N. S. W.	1806.	——	G.w.♃.	——— 1323.	
Menyanthes sarmentosa. B.M.							
4 lacunosa. V.	smooth-fld.	N.America.	1812.	6. 7.	G.w.♃.	Venten. choix. 9.	
5 reniformis. B.P.	kidney-leaved.	N. S. W.	1820.	——	G.w.♃.		
6 parnassiifolia. B.P.	tall.	———	1805.	6. 10.	G.w.♃.	Botan. magaz. 1029.	
Menyanthes exaltata. B.M. *Swertia parnassiifolia*. Lab. n. hol. t. 97.							
7 ovata. R.S.	oval-leaved.	C. B. S.	1786.	5. 7.	G.w.♃.	Botan. magaz. 1909.	
MENYANTHES. R.S.	BUCK-BEAN. Pentandria Monogynia. L.						
1 trifoliata. E.B.	common.	Britain.	....	6. 7.	H.w.♃.	Eng. bot. 495.	
2 americana.	American.	N. America.	....	4. 6.	H.w.♃.		
trifoliata β *minor*. P.S.							

ORDO CXX.

BIGNONIACEÆ. *Brown prodr.* 1. *p.* 470.

CHILOPSIS. D.D.	CHILOPSIS.	Didynamia Angiospermia.					
linearis.	linear-leaved.	Mexico.	1825.	....	S. ♄.	Cavan. ic. 3. t. 269.	
Bignonia? linearis. Cav.							
CATALPA. J.	CATALPA.	Diandria Monogynia. S.S.					
1 syringifolia. S.S.	common.	N.America.	1726.	6. 8.	H. ♄.	Botan. magaz. 1094.	
Bignonia Catalpa. L.							
2 longissima. S.S.	wave-leaved.	W. Indies.	1777.	....	S. ♄.	Plum. ic. t. 57.	
3 microphylla. S.S.	small-leaved.	Hispaniola.	1820.	....	S. ♄.	——— t. 55.	
BIGNONIA. S.S.	TRUMPET-FLOWER.	Didynamia Angiospermia. L.					
1 Unguis. S.S.	Barbadoes.	W. Indies.	1759.	....	S. ♄. ⌣	Plum. amer. t. 94.	
2 staminea. S.S.	long-stamen'd.	Hispaniola.	1820.	6. 9.	S. ♄. ⌣	Plum. ic. 56. f. 2.	
3 capreolata. S.S.	four-leaved.	N.America.	1710.	6. 8.	H. ♄. ⌣	Botan. magaz. 804.	
4 pubescens. S.S.	downy.	New Spain.	1759.	6. 7.	S. ♄. ⌣		
5 æquinoctialis. S.S.	equinoctial.	W. Indies.	1768.	6. 8.	S. ♄. ⌣	Plum. ic. t. 55. f. 1.	
6 Chamberlaynii. B.M.	Chamberlayne's.	S. America.	1818.	——	S. ♄. ⌣	Botan. magaz. 2148.	
7 chrysoleuca. S.S.	yellow & white.	———	1824.	——	S. ♄. ⌣		
8 alliacea. S.S.	garlick-scent'd.	W. Indies.	1790.	....	S. ♄. ⌣		
9 spectabilis. S.S.	showy.	S. America.	1824.	....	S. ♄. ⌣		
10 picta. K.S.	flat-stemmed.	———	——	....	S. ♄. ⌣		
11 laurifolia. S.S.	Laurel-leaved.	Guiana.	1804.	....	S. ♄. ⌣		
12 rigescens. S.S.	rigid-leaved.	S. America.	1816.	6. 8.	S. ♄. ⌣	Jacq. schœn. 2. t. 210.	
13 grandifolia. B.R.	large-leaved.	———	——	4. 7.	S. ♄. ⌣	Botan. regist. 418.	
14 latifolia. S.S.	broad-leaved.	Cayenne.	1824.	....	S. ♄. ⌣		
15 elongata. S.S.	long-racemed.	S. America.	1820.	....	S. ♄. ⌣	Vahl. ecl. 2. t. 16.	
16 mollissima. K.S.	soft-leaved.	Caracas.	1812.	....	S. ♄. ⌣		
17 diversifolia. K.S.	different-leav'd.	Mexico.	1824.	....	S. ♄. ⌣		
18 floribunda. K.S.	abundant-fl^d.	———	——	....	S. ♄. ⌣		
19 crucigera. S.S.	cross-bearing.	S. America.	1759.	6. 8.	S. ♄. ⌣	Plum. ic. t. 58.	
20 heterophylla. S.S.	various-leaved.	Guiana.	1820.	....	S. ♄. ⌣	Aub. gui. 2. t. 260.	
21 venusta. S.S.	comely.	S. America.	1816.	9. 12.	S. ♄. ⌣	Botan. regist. 249.	
22 incarnata. S.S.	flesh-coloured.	Guiana.	1818.	6. 9.	S. ♄. ⌣	Aub. gui. 3. t. 261.	
23 mollis. S.S.	soft.	———	——	....	S. ♄. ⌣	Vahl. ecl. 2. t. 10.	
tomentosa. Rich. non Th.							
24 littoralis. K.S.	sea-side.	Mexico.	1824.	....	S. ♄. ⌣		
25 viridiflora. B.C.	green-flowered.	S. America.	1820.	6. 9.	S. ♄. ⌣	Lodd. bot. cab. 1026.	
26 triphylla. S.S.	three-leaved.	Mexico.	1733.	....	S. ♄.		
27 pallida. B.R.	pale.	S. America.	1823.	7. 8.	S. ♄.	Botan. regist. 965.	
28 fluviatilis. S.S.	marsh.	———	1815.	....	S. ♄.	Aub. gui. 2. t. 267.	
29 Leucoxylon. S.S.	white-wooded.	W. Indies.	1759.	6 7.	S. ♄.	Andr. reposit. 43.	
30 chrysantha. S.S.	golden-flow'r'd.	Caracas.	1822.	....	S. ♄.	Jacq. schœnb. 2. t. 211.	
31 æsculifolia. S.S.	Æsculus-leav'd.	Mexico.	1824.	....	S. ♄.		
32 serratifolia. S.S.	saw-leaved.	Trinidad.	1822.	....	S. ♄.		
33 bijuga. S.S.	Madagascar.	Madagascar.	——	....	S. ♄.		
34 Clematis. K.S.	Clematis-l^d.	Caracas.	——	....	S. ♄.		
35 chelonoides. S.S.	tree.	E. Indies.	1808.	....	S. ♄.	Rheed. mal. 6. t. 26.	
36 variabilis. S.S.	variable-leav'd.	Caracas.	1820.	6. 8.	S. ♄.	Jacq. schœnb. 2. t. 212.	
37 indica. W.	Indian.	E. Indies.	1775.	....	S. ♄.	Rheed. mal. 1. t. 43.	
38 jasminifolia. K.S.	Jasmine-leaved.	S. America.	1824.	....	S. ♄.		
39? alba. W.	white-flowered.	Guiana.	1823.	....	S. ♄. ⌣	Aub. gui. 2. t. 266.	
Jacaranda alba. S.S.							
40? echinata. W.	bristly-fruited.	———	1804.	....	S. ♄. ⌣	Aub. gui. 2. t. 264.	
Jacaranda echinata. S.S.							
41 purpurea. Lod.	purple.	S. America.	1822.	....	S. ♄.		
42? tomentosa. Th.	tomentose.	Japan.	1823.	....	S. ♄.	Kæmpf. amœn. t. 860.	
Incarvillea tomentosa. S.S.							
MILLINGTONIA. L.	MILLINGTONIA.	Didynamia Angiospermia. L.					
hortensis. L.	cork-barked.	E. Indies.	1818.	....	S. ♄.		
Bignonia suberosa. Roxb.							

TECOMA. J.	TECOMA. Didynamia Angiospermia. S.S.							
1 pentaphylla. S.S.	five-leaved.	Jamaica.	1733.	....	S. ħ.	Marc. bras. t. 116.
2 digitata. K.S.	digitate-leaved.	S. America.	1818.	....	S. ħ.	
3 australis. B.P.	broad-leaved.	N. S. W.	1793.	4. 7.	G. ħ. ⌣.	Botan. magaz. 865.
Bignonia Pandoræ. B.M.						
4 meonantha.	narrow-leaved.	———	1815.	——	G. ħ. ⌣.	
Bignonia meonantha. L.en.						
5 mollis. K.S.	soft-leaved.	Mexico.	1824.	....	S. ħ.	
6 radicans. S.S.	Ash-leaved.	N.America.	1640.	7. 8.	H. ħ. ⌣.	
α major. H.K.	*great.*	———	——	——	H. ħ. ⌣.	Botan. magaz. 485.
β minor. H.K.	*smaller.*	———	——	——	H. ħ. ⌣.	Catesb. car. 1. t. 65.
7 grandiflora.	large-flowered.	China.	1800.	6. 9.	G. ħ. ⌣.	Botan. magaz. 1998.
Bignonia grandiflora. B.M. *Incarvillea grandiflora.* S.S.						
8 stans. S.S.	upright ash-ld.	S. America.	1730.	7. 9.	S. ħ.	Plum. ic. t. 54.
9 incisa.	cut-leaved.	Trinidad.	1824.	....	S. ħ.	
JACARANDA. S.S.	JACARANDA. Didynamia Angiospermia. S.S.					
1 tomentosa. D.D.	tomentose.	Brazil.	1824.	....	S. ħ.	
2 mimosifolia. B.R.	Mimosa-leaved.	———	1818.	4. 5.	S. ħ.	Botan. regist. 681.
ovalifolia. B.M. 2227.						
3 bahamensis. B.M.	Bahama.	Bahama Isl.	1724.	7. 8.	S. ħ.	Catesb. car. 1. t. 42.
Bignonia cærulea. W.						
4 copaia. D.D.	Box-leaved.	Guiana.	1793.	....	S. ħ.	Aub. gui. 2. t. 265.
Bignonia procera. W.						
5 rhombifolia. S.S.	rhomb-leaved.	Surinam.	1823.	....	S. ħ.	
filicifolia. D.D.						
SPATHODEA. S.S.	SPATHODEA. Didynamia Angiospermia. S.S.					
1 uncata. S.S.	hooked.	Guiana.	1804.	6. 9.	S. ħ. ⌣.	Botan. magaz. 1511.
Bignonia uncata. B.M.						
2 corymbosa. S.S.	corymb-fld.	Trinidad.	1823.	....	S. ħ.	
3 Rheedii. S.S.	Rheede's.	E. Indies.	1794.	....	S. ħ.	Roxb. cor. 2. t. 144.
Bignonia spathacea. W.						
4 Roxburghii. S.S.	Roxburgh's.	———	1820.	....	S. ħ.	
Bignonia quadrilocularis. Roxb.						
5 fraxinifolia. K.S.	Ash-leaved.	Caracas.	1821.	....	S. ħ. ⌣.	
Bignonia fraxinifolia. S.S.						
AMPHILOPHIUM. K.S.	AMPHILOPHIUM. Didynamia Angiospermia. S.S.					
paniculatum. K.S.	panicled.	S. America.	1788.	....	S. ħ. ⌣.	Jacq. amer. t. 116.
Bignonia paniculata. Jacq.						
ECCREMOCARPUS.	ECCREMOCARPUS. Didynamia Angiospermia. S.S.					
1 scaber. S.S.	rough.	Chili.	1823.	7. 9.	G. ħ. ⌣.	Botan. regist. 999.
2 longiflorus. K.S.	long-flowered.	Peru.	1824.	....	G. ħ. ⌣.	
FIELDIA. Cun.	FIELDIA. Didynamia Angiospermia.					
australis. Cun.	New Holland.	N.Holland.	1824.	....	G. ħ.	Ap.toB.Field'strav.ic.

ORDO CXXI.

COBŒACEÆ. *D. Don in Edinb. phil. journ.*

COBŒA. Cav.	COBŒA. Pentandria Monogynia.					
scandens. Cav.	climbing.	Mexico.	1792.	5. 10.	G. ħ. ⌣.	Botan. magaz. 851.

ORDO CXXII.

PEDALINÆ. *Brown prodr.* 519.

PEDALIUM. S.S.	PEDALIUM. Didynamia Angiospermia. S.S.					
Murex. S.S.	prickly-fruited.	E. Indies.	1778.	8. 9.	S. ☉.	Lam. ill. t. 538.

ORDO CXXIII.

SESAMEÆ. *Brown.*

TOURRETTIA. S.S.	TOURRETTIA.	Didynamia Angiospermia. S.S.					
lappacea. S.S.	scarlet-flower'd.	Peru.	1788.	6. 8.	S.⊙.	Sal. stirp. rar. 5. t. 3.
Dombeya lappacea. Sal.						
MARTYNIA. J.	MARTYNIA.	Didynamia Angiospermia. L.				
1 diandra. S.S.	two-stamened.	New Spain.	1731.	7. 8.	S.⊙.	Andr. reposit. 575.
2 proboscidea. S.S.	horn-capsuled.	America.	1798.	6. 8.	G.⊙.	Botan. magaz. 1056.
annua. L.						
3 longiflora. S.S.	long-flowered.	C. B. S.	1781.	7. 8.	G.⊙.	Meerb. ic. 1. t. 7.
CRANIOLARIA. J.	CRANIOLARIA.	Didynamia Angiospermia. L.				
annua. K.S.	annual.	S. America.	1733.	7. 8.	S.⊙.	Jacq. amer. t. 110.
Martynia Craniolaria. W.						
SESAMUM. S.S.	OILY-GRAIN.	Didynamia Angiospermia. L.				
1 orientale. S.S.	oriental.	E. Indies.	1731.	7.	S.⊙.	Rheed. mal. 9. t. 54.
2 indicum. S.S.	Indian.	———	——	——	S.⊙.	Botan. magaz. 1788.

ORDO CXXIV.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S. GREEK VALERIAN.		Pentandria Monogynia. L.				
1 cœruleum. S.S.	common.	Britain.	....	6.	H.4.	Eng. bot. 14.
β *album.*	*white-flowered.*	———	....	——	H.4.	
γ *maculatum.* S.S.	*spot-flowered.*	———	....	——	H.4.	
2 gracile. W.en.	slender.	Dahuria.	1818.	6. 7.	H.4.	
3 mexicanum. S.S.	Mexican.	Mexico.	1817.	4. 6.	H.4.	Botan. regist. 460.
4 reptans. S.S.	creeping.	N. America.	1758.	4. 5.	H.4.	Botan. magaz. 1887.
5 sibiricum. D.D.	bipinnate.	Siberia.	1800.	6.	H.4.	
PHLOX. R.S.	LYCHNIDEA.	Pentandria Monogynia. L.				
1 paniculata. R.S.	panicled.	N. America.	1732.	8. 9.	H.4.	Dill. elth. t. 166. f. 203.
β *alba.*	*white-flowered.*	———	1818.	——	H.4.	
2 undulata. R.S.	wave-leaved.	———	1759.	7. 8.	H.4.	
3 acuminata. R.S.	cross-leaved.	———	1812.	6. 8.	H.4.	Botan. magaz. 1880.
decussata. N.						
4 virginica. Lod.	Virginian.	———	——	——	H.4.	
5 intermedia. Lod.	intermediate.	———	....	7. 9.	H.4.	
6 maculata. R.S.	spotted-stalked.	———	1740.	7. 8.	H.4.	Jacq. vind. 2. t. 147.
7 pyramidalis. R.S.	pyramidal.	———	1800.	6. 8.	H.4.	Sm. ex. bot. 2. t. 87.
8 latifolia. R.S.	broad-leaved.	———	1812.	——	H.4.	
9 carolina. R.S.	rough-stemm'd.	———	1738.	7. 9.	H.4.	Botan. magaz. 1344.
10 glaberrima. R.S.	smooth-stalked.	———	1725.	6. 8.	H.4.	Dill. elth. t. 166. f. 202.
11 triflora. R.S.	flesh-coloured.	———	1816.	7. 9.	H.4.	Swt. br. fl. gar. 29.
carnea. B.M. 2155.						
12 suaveolens. R.S.	white-flowered.	———	1766.	7. 8.	H.4.	
13 suffruticosa. B.R.	glossy-leaved.	———	1790.	7. 9.	H.4.	Botan. regist. 68.
14 ovata. W.	ovate-leaved.	———	1759.	5. 7.	H.4.	Botan. magaz. 538.
15 reptans. M.	creeping.	———	1800.	6. 9.	H.4.	——— —— 563.
stolonifera. B.M. *prostrata.* H.K.						
16 pilosa. B.M.	hairy-leaved.	———	1759.	5. 6.	H.4.	——— —— 1307.
aristata. M.						
17 amœna. B.M.	Fraser's hairy.	———	1809.	6. 7.	H.4.	——— —— 1308.
pilosa. β. R.S.						
18 divaricata. R.S.	early-flowering.	———	1746.	4. 6.	H.4.	——— —— 163.

19 subulata. R.s.	awl-leaved.	N.America.	1786.	——	H.♄.	Botan. magaz. 411.
20 nivalis. B.C.	snowy white.	———	1820.	——	H.♄.	Lodd. bot. cab. 780.
21 setacea. R.s.	bristle-leaved.	———	1786.	4. 5.	H.♄.	Botan. magaz. 415.
GILIA. R.P.	GILIA. Pentandria Monogynia. S.S.					
1 coronopifolia. s.s.	elegant.	Carolina.	1796.	8. 9.	G.♂.	Sm. exot. bot. 1. t. 13.
Cantua coronopifolia. W. *Ipomopsis elegans.* Ex. B.						
2 inconspicua.	small blue.	America.	1793.	9. 11.	H.⊙.	——— 1. t. 14.
Ipomopsis inconspicua. Ex. bot.						
HOITZIA. J.	HOITZIA. Pentandria Monogynia. S.S.					
coccinea. K.s.	scarlet.	Mexico.	1826.	....	S.♄.	Cavan. ic. 6. t. 565.
CALDASIA. S.S.	CALDASIA. Pentandria Monogynia.					
heterophylla. s.s.	various-leaved.	New Spain.	1813.	5. 12.	S.⊙.	Botan. regist. 92.
Bonplandia geminiflora. Cav.ic. 6. t.522.						

ORDO CXXV.

HYDROLEACEÆ. *Kth. synops.* 2. *p.* 234.

HYDROLEA. S.S.	HYDROLEA.	Pentandria Digynia. L.				
1 spinosa. s.s.	thorny.	S. America.	1791.	7. 8.	S.♄.	Botan. regist. 566.
2 quadrivalvis, s.s.	four-valved.	Carolina.	1824.	——	G.♃.	
NAMA. S.S.	NAMA. Pentandria Digynia. L.					
jamaicensis. s.s.	Jamaica.	Jamaica.	1812.	6. 9.	S.⊙.	Lam. ill. t. 184.

ORDO CXXVI.

CONVOLVULACEÆ. *Brown prodr.* 1. *p.* 481.

?RETZIA. R.S.	RETZIA. Pentandria Monogynia. R.S.					
spicata. R.s.	spiked.	C. B. S.	....	5. 6.	G.♄.	Lam. ill. t. 103.
CONVOLVULUS. B.P.	BINDWEED. Pentandria Monogynia. L.					
1 arvensis. R.s.	small.	Britain.	....	6. 9.	H.♃.◡.	Eng. bot. 312.
2 chinensis. B.R.	Chinese.	China.	1816.	——	H.♃.◡.	Botan. regist. 322.
3 emarginatus. s.s.	emarginate.	.....	1824.	——	H.♃.◡.	
4 bicuspidatus. s.s.	two-pointed.	Davuria.	——	——	H.♃.◡.	
5 Scammonia. R.s.	Scammony.	Levant.	1596.	7. 8.	H.♃.◡.	Mill. ic. 1. t. 102.
6 erubescens. R.s.	maiden blush.	N. S. W.	1803.	7. 9.	G.♂.◡.	Botan. magaz. 1067.
7 dentatus. R.s.	toothed-lobed.	E. Indies.	1820.	....	S.♃.◡.	
8 pannifolius. R.s.	cloth-leaved.	Canaries.	1805.	6. 9.	G.♄.◡.	Botan. regist. 222.
9 canariensis. R.s.	Canary.	———	1690.	——	G.♄.◡.	Botan. magaz. 1226.
10 Massoni. R.s.	Masson's.	———	1788.	——	G.♄.◡.	Botan. regist. 133.
Dryandri. s.s. *suffruticosus.* B.R.						
11 bogotensis. K.s.	Bogota.	S. America.	1820.	....	S.♄.◡.	
12 tiliaceus. R.s.	Lime-tree-l^d.	Brazil.	——	6. 8.	H.♃.◡.	
13 guianensis. R.s.	Guiana.	Guiana.	——	——	S.♃.◡.	Aub. gui. 1. t. 52.
14 ciliatus. R.s.	fringed-leav'd.	Cayenne.	——	——	S.♄.◡.	
15 maximus. R.s.	great Ceylon.	Ceylon.	1799.	7.	S.♃.◡.	Rheed. mal. 11. t. 53.
16 pentanthus. R.s.	five-flowered.	W. Indies.	1808.	4. 10.	S.♄.◡.	Botan. regist. 439.
17 farinosus. R.s.	mealy-stalked.	Madeira.	1777.	5. 6.	G.♄.◡.	Sal. par. lond. 45.
18 Hermanniæ. s.s.	Peruvian.	Peru.	1799.	8. 9.	G.♃.◡.	Jacq. ic. 2. t. 315.
crenatus. Jacq.						
19 tenuissimus. R.s.	slender-leaved.	Levant.	....	6. 10.	G.♃.◡.	Flor. græc. t. 195.
20 althæoides. R.s.	Althæa-leaved.	———	1597.	6. 9.	F.♃.◡.	——— t. 194.
21 bryoniæfolius. R.s.	Bryony-leaved.	China.	1802.	7. 8.	G.♃.◡.	Botan. magaz. 943.
22 italicus. R.s.	Italian.	Italy.	....	——	F.♃.◡.	Ten. fl. neap. 1. t. 15.
hirsutus. T.N. *non* M.B.						
23 hirsutus. M.B.	hairy.	Tauria.	1824.	——	H.♃.◡.	

24	alceifolius. R.s.	Hollyhock-l[d].	C. B. S.	1823.	——	G.♃.⌒		
25	macrocarpus. R.s.	long-fruited.	S. America.	1752.	——	S.⊙.⌒.	Burm. amer. t. 91. f.1.	
26	quinquefolius. R.s.	five-leaved.	Vera Cruz.	....	——	S.⊙.⌒.	Pluk. alm. t. 167. f.6.	
27	glaber. R.s.	smooth.	Cayenne.	1806.	....	S.♄.⌒.	Aub. gui. 1. t. 53.	
28	siculus. R.s.	small-flowered.	S. Europe.	1640.	6. 8.	H.⊙.	Botan. regist. 445.	
29	elongatus. s.s. *pseudo-siculus.* R.s.	long-peduncl'd.	Canaries.	1815.	7. 8.	H.⊙.	————	498.
30	Sibthorpii. R.s. *sagittifolius.* F.G. non M.	Sibthorp's.	Samos.	1823.	——	H.♃.	Flor. græc. t. 193.	
31	hirtus. R.s.	hairy-stalked.	E. Indies.	1806.	6. 8.	S.⊙.		
32	multifidus. R.s.	multifid.	C. B. S.	1822.	——	G.♃.		
33	tricolor. R.s.	three-coloured.	S. Europe.	1629.	7. 9.	H.⊙.	Botan. magaz. 27.	
	β albiflorus.	*white-flowered.*	————	——	——	H.⊙.		
34	pentapetaloides. R.s.	Majorca.	Majorca.	1789.	6. 7.	H.⊙.	Jacq. col. 4. t. 22. f. 2.	
35	lineatus. R.s.	dwarf.	S. Europe.	1714.	——	H.♃.	Flor. græc. t. 199.	
36	Gerardi. R.s.	Gerard's.	————	....	——	H.♃.	Barrel ic. t. 311.	
37	undulatus. R.s. *humilis.* Jacq. col. 4. t. 22. f. 2.	waved.	————	1816.	6. 10.	H.⊙.	Cavan. ic. 3. t. 277. f.1.	
	evolvuloides. F.G. ined.		*ciliatus.* P.s.					
38	Cneorum. R.s.	silvery-leaved.	Levant.	1640.	5. 9.	G.♄.	Botan. magaz. 459.	
39	saxatilis. R.s.	rock.	S. Europe.	1796.	6. 8.	F.♃.	Bocc. mus. 138. t. 96.	
40	floridus. R.s.	many-flowered.	Teneriffe.	1779.	8. 9.	G.♄.	Jacq. ic. 1. t. 34.	
41	Cantabrica. R.s.	flax-leaved.	S. Europe.	1680.	5. 9.	H.♃.	Jacq. aust. 3. t. 296.	
42	salvifolius. Lem.	Sage-leaved.	Palestine.	1825.	——	H.♃.		
43	linearis. R.s.	narrow-leaved.	S. Europe.	1770.	....	G.♄.	Botan. magaz. 289.	
44	Dorycnium. R.s.	silky-leaved.	Levant.	1806.	6. 7.	H.♄.		
45	holosericeus. R.s.	silky.	Tauria.	1824.	——	H.♃.		
46	scoparius. R.s.	broom.	Canaries.	1733.	8. 9.	G.♄.	Venten. choix. t. 24.	
47	arborescens. K.s.	arborescent.	Mexico.	1818.	....	S.♄.		

CALYSTEGIA. B.P. Bearbind. Pentandria Monogynia. R.S.

1	sepium. R.s.	great-hedge.	Britain.	....	6. 9.	H.♃.⌒.	Eng. bot. 313.	
	β incarnata.	*red-flowered.*	N.America.	....	——	H.♃.⌒.	Botan. magaz. 732.	
2	sylvestris. R.s. *Convolvulus sylvestris.* Wem.	wood.	Hungary.	1815.	——	H.♃.⌒.		
3	dahurica. B.M.	Dahurian.	Dahuria.	1820.	7. 8.	H.♃.⌒.	Botan. magaz. 2609.	
4	tomentosa. R.s. *Convolvulus stans.* M.	woolly.	N.America.	1818.	6. 7.	H.♃.		
5	spithamæa. R.s.	small upright.	————	1796.	7. 8.	H.♃.	Hook. ex. flor. 97.	
6	Soldanella. R.s. *Convolvulus Soldanella.* E.B.	sea-side.	Britain.	....	6. 7.	H.♃.	Eng. bot. 314.	
7	reniformis. B.P.	kidney-leaved.	N. S. W.	1822.	6. 8.	F.♃.	Swt. br. fl. gar. v. 2.	
8	Keriana. *Convolvulus involucratus.* B.R. non Benn.	Mr. Ker's.	Mauritius.	1818.	6. 8.	S.⊙.	Botan. regist. 318.	
	Convolvulus bicolor. B.M. 2205. nec aliorum.							

IPOMŒA. B.P. Ipomœa. Pentandria Monogynia. R.S.

1	Quamoclit. R.s.	wing-leaved.	E. Indies.	1629.	7. 9.	S.⊙.⌒.	Botan. magaz. 244.	
	β albiflora.	*white-flowered.*	————	....	——	S.⊙.⌒.		
2	dissecta. R.s.	cut-leaved.	Tropic's.	1813.	6. 9.	S.♃.⌒.	Willd. phyt. 1. t. 2. f.3.	
3	tuberosa. R.s.	tuberous-root'd.	W. Indies.	1731.	8. 10.	S.♃.⌒.	Botan. regist. 768.	
4	digitata. R.s.	fingered.	S. America.	....	——	S.♃.⌒.	Plum. ic. 92. f. 1.	
5	sinuata. R.s. *dissecta.* Ph. non. W.	sinuated.	N.America.	1813.	6. 9.	G.♃.⌒.	Jacq. vind. t. 159.	
			Convolvulus dissectus. M.					
6	tuberculata. R.s. *stipulacea.* Jacq.	tubercled.	Bourbon.	1818.	——	S.♄.⌒.	Jacq. schœn. 2. t. 199.	
7	pes-tigridis. R.s.	palmated.	E. Indies.	1732.	8. 10.	S.⊙.	Rheed. mal. 2. t. 59.	
8	cairica. *Convolvulus cairicus.* B.M.	jagged-leaved.	Egypt.	1680.	6. 9.	S.♄.⌒.	Botan. magaz. 699.	
9	pendula. B.P.	pendulous-fl[d].	N. S. W.	1808.	5. 10.	G.♄.⌒.	Botan. regist. 632.	
10	dasysperma. J.E. *tuberculata.* B.R.	warted.	E. Indies.	1815.	8. 9.	G.⊙.⌒.	————	86.
11	platensis. B.R.	Plata.	S. America.	1817.	6. 9.	S.♃.⌒.	————	333.
12	setosa. B.R.	bristly-stalked.	Brazil.	——	8. 10.	S.♄.⌒.	————	335.
13	paniculata. R.s.	panicled.	E. Indies.	1799.	6. 9.	S.♄.⌒.	————	62.
14	insignis. A.R. *gossypifolia.* R.s.	large purple.	————	1814.	——	S.♄.⌒.	————	75.
15	splendens. G.D.	splendid.	Sierra Leon.	1822.	——	S.♄.⌒.		
16	parviflora. R.s.	small-flowered.	SantaCruz.	——	7. 10.	S.⊙.⌒.	Sloan. hist. 1. t. 97. f.1.	
17	heterophylla. R.s.	various-leaved.	S.America.	1817.	——	S.♃.	Jacq. frag. t. 42. f. 4.	
18	macrorhizos. R.s.	large-rooted.	W. Indies.	——	——	S.♃.	Plum.cat. mss.v.2.t.58.	
19	umbellata. R.s.	umbelled.	S. America.	1739.	6. 7.	S.♃.	Burm. amer. t. 92. f. 2.	
20	carolina. R.s.	Carolina.	Carolina.	1732.	7. 8.	G.♃.⌒.	Dill. elth. t. 84. f. 98.	

21	venosa. R.S.	veined-leaved.	Mauritius.	1820.	——	S. ♄ .⌣.		
22	pentaphylla. R.S.	five-leaved.	W. Indies.	1739.	9. 9.	S.⊙.⌣.	Jacq. ic. 2. t. 319.	
23	Cavanillesii. R.S.	Cavanille's.	S. America.	1815.	——	S. ♆ .⌣.	Cavan. ic. 3. t. 256.	
	pentaphylla. Cav. non Jacq.							
24	armata. R.S.	armed-calyxed.	Mexico.	1824.	7. 10.	S.⊙.⌣.	—— 5. t. 478. f. 2.	
	muricata. Cav. non Jacq.							
25	coccinea. R.S.	bright-scarlet.	W. Indies.	1713.	6. 9.	S. ⊙.⌣.	Andr. reposit. 99.	
26	luteola. R.S.	common scarlet.	Guatimala.	1759.	——	H.⊙.⌣.	Botan. magaz. 221.	
	coccinea. B.M.							
27	angularis. R.S.	angular-leaved.	E. Indies.	1806.	——	S.⊙.⌣.		
	phœnicea. F.I.							
28	lacunosa. R.S.	starry.	N.America.	1640.	7. 8.	H.⊙.⌣.	Dill. elth. t. 87. f. 103.	
29	Batatas. R.S.	sweet potatoe.	India.	1597.	....	S. ♃.	Rheed. mal. 7. t. 50.	
	Convolvulus Batatas. W.							
30	Turpethum. R.S.	square-stalked.	Ceylon.	1752.	8. 6.	S.♃.⌣.	Botan. regist. 279.	
31	chryseides. B.R.	golden.	China.	1817.	6. 10.	S.♃.⌣.	—— —— 270.	
32	Jalapa.	true Jalap.	S. America.	1733.	8. 11.	S. ♆ .⌣.	Botan. magaz. 1572.	
	Jalapa. β *rosea.* B.R. 631. *Convolvulus Jalapa.* B.M.							
33	Michauxii.	Michaux's.	Georgia.	1815.	——	G.♃.⌣.	Botan. regist. 842.	
	Jalapa. α. B.R. *macrorhiza.* M. non R.S.							
34	sanguinea. R.S.	blood-flowered.	W. Indies.	1812.	2. 11.	S. ♆ .⌣.	—— —— 9.	
35	repanda. R.S.	scolloped.	——	1793.	5. 10.	S. ♄ .⌣.	Sal. par. lond. 81.	
36	varia. R.S.	variable-leav'd.	S. America.	1816.	——	S.♃.⌣.		
	Convolvulus pubescens. S.S.							
37	hederacea. B.R.	deep-lobed.	N.America.	1729.	8. 10.	H.⊙.⌣.	Botan. regist. 95.	
	barbata. Roth.							
38	cuspidata. R.S.	sharp-pointed.	S. America.	1732.	6. 7.	H.⊙.⌣.	Flor. par. 2. t. 119. f. a.	
39	Dillenii. R.S.	Dillenius's.	Guinea.	....	——	S.⊙.⌣.	Dill. elth. t. 81. f. 98.	
40	Nil. P.S.	blue.	S. America.	1597.	7. 9.	S.⊙.⌣.	Botan. magaz. 188.	
41	cœrulea. B.R.	East Indian.	E. Indies.	1815.	——	S.⊙.⌣.	Botan. regist. 276.	
42	triloba. R.S.	three-lobed.	W. Indies.	1752.	6. 7.	S.⊙.⌣.		
43	hederifolia. R.S.	Ivy-leaved.	S. America.	1773.	7.	H.⊙.⌣.	Plum. ic. t. 93. f. 2.	
44	hepaticifolia. R.S.	Hepatica-ld.	E. Indies.	1759.	8. 9.	S.⊙.⌣.	Burm. ind. t. 20. f. 2.	
45	punctata. R.S.	spotted-calyx'd.	S. America.	....	7. 11.	S.⊙.	Dill. elth. t. 83. f. 96.	
46	scabra. R.S.	white-flowered.	——	1823.	7. 11.	S.⊙.⌣.		
47	mutabilis. B.R.	changeable.	——	1812.	5. 9.	S. ♆ .⌣.	Botan. regist. 39.	
48	commutata. R.S.	hairy-capsuled.	N.America.	....	——	H.⊙.⌣.	Dill. elth. t. 84. f. 98.	
49	gangetica.	Ganges.	E. Indies.	1812.	——	S. ♆ .⌣.		
	Convolvulus gangeticus. F.I.							
50	muricata. R.S.	rough.	E. Indies.	1777.	7. 8.	S.⊙.⌣.	Jacq. schœn. 3. t. 323.	
	bona nox β *purpurascens.* B.R. 290. *Convolvulus muricatus.* W.							
51	carnea. R.S.	flesh-coloured.	S. America.	1799.	8. 9.	S.⊙.⌣.	Jacq. amer. 26. t. 18.	
52	involucrata. R.S.	involucred.	SierraLeon.	1822.	8. 10.	S.⊙.⌣.	Beauv. fl. d'ow. 2. t. 89.	
53	barbigera. B.F.G.	bearded-calyx'd	America.	1824.	7. 10.	H.⊙.⌣.	Swt. br. fl. gar. 96.	
54	purpurea. R.S.	purple.	——	1629.	6. 9.	H.⊙.⌣.	Botan. magaz. 113.	
	β *incarnata.*	*flesh-coloured.*	——	——	——	H.⊙.⌣.		
	γ *leucantha.*	*white-flowered.*	——	——	——	H.⊙.⌣.		
	δ *varia.* B.M.	*striped-flowered.*	——	——	——	H.⊙.⌣.	Botan. magaz. 1662.	
	ε *elatior.* B.M.	*spotted-flower'd.*	——	——	——	H.⊙.⌣.	—— —— 1665.	
	discolor. Jacq.							
55	violacea. R.S.	purple-flow'r'd.	S. America.	1732.	8. 9.	S.⊙.⌣.	Plum. ic. t. 93. f. 1.	
56	corymbosa. R.S.	corymbose.	India.	1823.	——	S. ♆ .	—— t. 99. f. 2.	
57	campanulata. H.S.	bell-flowered.	E. Indies.	1800.	——	S.⊙.	Rheed. mal. 2. t. 56.	
58	polyanthes. R.S.	umbel-flow'r'd.	W. Indies.	1739.	6. 7.	S.♃.⌣.	Plum. amer. 88. t. 102.	
	Convolvulus umbellatus. W.							
59	multiflora. R.S.	many-flowered.	Jamaica.	....	——	S.♃.⌣.	Plnk. phyt. t. 167. f. 1.	
60	malabarica. R.S.	Malabar.	E. Indies.	1823.	....	S. ♆ .⌣.	Rheed. mal. 9. t. 51.	
61	solanifolia. R.S.	Nightshade-ld.	America.	1759.	7. 8.	S. ♂ .⌣.	Plum. ic. 94. f. 1.	
62	leucantha. R.S.	white-flowered.	S.America.	1823.	8. 10.	H.⊙.⌣.	Jacq. ic. 2. t. 318.	
63	obscura. R.S.	hairy.	E. Indies.	1732.	6. 8.	S.⊙.⌣.	Botan. regist. 239.	
64	fastigiata.	crowded.	——	1816.	——	S.♃.⌣.		
	Convolvulus fastigiatus. F.I.							
65	blanda.	blush-flowered.	——	1820.	....	S. ♆ .⌣.		
	Convolvulus blandus. F.I.							
66	laurifolia.	Laurel-leaved.	——	1822.	5. 8.	S. ♄ .⌣.		
	Convolvulus laurifolius. F.I.							
67	sphærocephala.	round-headed.	——	1816.	8. 10.	S.⊙.⌣.		
	Convolvulus sphærocephalus. F.I.							
68	sibirica. R.S.	Siberian.	Siberia.	1779.	7. 8.	H.⊙.⌣.	Pall. it. 3. p. 723. t. K.	

69 tamnifolia. R.S. Tamus-leaved. Carolina. 1732. 7. H.⊙.⌣. Dill. elth. t.318. f. 410.
70 capitata. R.S. headed. E. Indies. 1823. 7. 10. S.♃.⌣.
71 triquetra. R.S. triquetrous. Santa Cruz. .... —— S.♄.
72 pilosa. various-hd hairy. E. Indies. 1815. —— S.⊙.⌣.
Convolvulus pilosus. F.I.
73 denticulata. B.F. denticulate. ———— 1778. 7. 8. S.⊙.⌣. Botan. regist. 317.
Convolvulus Medium. W.
74 bicolor. two-coloured. ———— 1815. —— S.♃.⌣.
Convolvulus bicolor. F.I.
75 grandiflora. R.S. great-flowered. E. Indies. 1802. 9. S.♄.⌣. Andr. reposit. 188.
76 latiflora. R.S. broad-flower'd. W. Indies. .... 9. 10. S.♄.⌣. Jacq. vind. 3. t. 69.
77 filiformis. R.S. filiform. ———— 1823. —— S.♄.⌣. Jacq. amer. pict. t.26.
78 salicifolia. F.I. Willow-leaved. E. Indies. 1816. 5. 7. S.♂.⌣
79 Roxburghii. Roxburgh's. ———— 1817. —— S.♄.⌣.
multiflora. F.I. *nec aliorum.*
80 sepiaria. F.I. hedge. ———— —— —— S.♄.⌣. Rheed. mal. 11. t. 53.
81 pandurata. B.R. Virginian. N.America. 1732. 6. 9. G.♃.⌣. Botan. regist. 588.
Convolvulus panduratus. B.M. 1220.
82 candicans. hoary. ———— .... 6. 8. G.♃.⌣. Botan. magaz. 1603.
Convolvulus candicans. B.M.
83 glaucifolia. R.S. glaucous-leav'd. Mexico. 1732. 5. 7. G.♃.⌣. Dill. elth. t. 87. f. 101.
84 reptans. R.S. creeping. E. Indies. 1806. —— S.♃. Rumph.am.5.t.155.f.1.
85 longiflora. K.S. long-flowered. Cuba. 1803. —— S.♃.⌣.
86 hastigera. K.S. halberd-leaved. Mexico. 1824. —— S.♄.⌣.
87 angustifolia. R.S. narrow-leaved. E. Indies. 1800. 7. 8. S.⊙.⌣. Jacq. ic. rar. t. 317.
88 tridentata. R.S. trifid. ———— 1778. —— S.⊙.⌣. Rheed. mal. 2. t. 65.
89 stans. R.S. Mexican. Mexico. 1824. —— S.♃.⌣.
90 bignonioides. B.M. trumpet-fld. Cayenne. 1823. —— S.♃.⌣. Botan. magaz. 2645.
91 sagittifolia. B.R. arrow-leaved. Carolina. 1819. 6. 9. G.♃.⌣. Botan. regist. 497.
Convolvulus sagittifolius. R.S.
92 cœrulescens. F.I. pale blue. E. Indies. 1820. —— S.♃.⌣.
93 vitifolia. Vine-leaved. ———— —— —— S.♄.⌣. Burm. ind. t. 18. f. 1.
Convolvulus vitifolius. R.S.
94 stipulacea. stipuled. ———— 1805. 8. 10. S.♃.⌣.
Convolvulus stipulaceus. F.I.
95 brasiliensis. three-flowered. Brazil. 1726. 6. 7. S.♃. Plum. amer. 89. t. 104.
Convolvulus brasiliensis. W.
96 pes-capræ. single-flower'd. E. Indies. 1770. —— S.♃. Botan. regist. 319.
maritima. B.R. *Convolvulus pes-capræ.* F.I.

ARGYREIA. S.S. ARGYREIA. Pentandria Monogynia. S.S.
1 splendens. glossy-leaved. E. Indies. 1814. 11. 1. S.♄.⌣. Botan. magaz. 2028.
Ipomœa splendens. B.M. *Lettsomia splendens.* F.I.
2 speciosa. broad-leaved. ———— 1778. 7. 9. S.♄.⌣. ———— ———— 2446.
Ipomœa speciosa. B.M. *Convolvulus speciosus.* W. *Lettsomia nervosa.* F.I.
3 cuneata. B.R. wedge-leaved. ———— 1817. 6. 9. S.♄.⌣. Botan. regist. 661.
Lettsomia cuneata. F.I. *Ipomœa atrosanguinea.* B.M. 2170.
4 cymosa. cyme-flowered. ———— 1823. .... S.♄.⌣.
Lettsomia cymosa. F.I.
5 bona-nox. night-flow'ring. ———— 1799. 6. 9. S.♄.⌣.
Lettsomia bona-nox. F.I.
6 uniflora. kidney-leaved. ———— 1817. .... S.♄.⌣.
Lettsomia uniflora. F.I.
7 ornata. large white-fld. ———— 1824. .... S.♄.
Lettsomia ornata. F.I.

DINETUS. B.F.G. DINETUS. Pentandria Monogynia.
1 racemosus. B.F.G. cluster-flow'r'd. Nepaul. 1823. 7. 11. H.⊙.⌣. Swt. br. fl. gar. 127.
Porana racemosa. F.I.
2 paniculatus. panicled. E. Indies. —— .... S.♄.⌣.
Porana paniculata. F.I.

PORANA. W. PORANA. Pentandria Digynia.
volubilis. W. climbing. E. Indies. 1823. .... S.♄.⌣. Burm. ind. t. 21. f.1.

EVOLVULUS. S.S. EVOLVULUS. Pentandria Digynia. R.S.
1 nummularius. R.S. round-leaved. Jamaica. 1816. 10. S.⊙. Jacq. amer. t.260. f.33.
2 gangeticus. R.S. Ganges. E. Indies. 1823. —— S.⊙.
3 emarginatus. R.S. kidney-leaved. ———— 1816. —— S.⊙. Burm. ind. t. 30. f. 1.
4 alsinoides. R.S. chickweed-ld. ———— 1733. 6. 7. S.♃. Rheed. mal. 11. t. 64.
5 linifolius. R.S. flax-leaved. Jamaica. 1782. 8. 9. S.⊙. Brown. jam. t. 10. f.2.
6 Nuttallianus, R.S, *argenteus.* M, Nuttall's. Missouri. 1831. 5. 6. H.♃.

7 latifolius. B.R.	broad-leaved.	Brazil.	1819.	6. 7.	S.♃.	Botan. regist. 401.
CRESSA. R.S.	Cressa.	Pentandria Digynia. L.				
cretica. R.S.	Cretan.	Levant.	1822.	7. 9.	H.⊙.	Flor. græc. t. 256.
DICHONDRA. R.S.	Dichondra.	Pentandria Digynia. L.				
1 repens. R.S.	creeping.	N. S. W.	1803.	6. 8.	G.♃.	Sm. ic. ined. 1. t. 8.
2 rotundifolia. L.en.	round-leaved.	Persia.	1816.	——	H.♃.	
3 caroliniana. R.S.	Carolina.	Carolina.	1812.	——	G.♃.	
4 sericea. S.S.	silky.	W. Indies.	1793.	——	S.♃.	Swartz. ic. t. 10.
5 argentea. R.S.	silvery.	New Spain.	1818.	——	S.♃.	Willd. hort. ber. t. 81.
FALKIA. R.S.	Falkia.	Pentandria Digynia. L.				
repens. R.S.	creeping.	C. B. S.	1774.	5. 8.	G.♄.	Andr. reposit. 257.
CUSCUTA. R.S.	Dodder.	Pentandria Digynia. R.S.				
1 europæa. R.S.	great.	England.	....	8. 9.	H.⊙.	Eng. bot. 378.
2 Epithymum. R.S.	lesser.	Britain.	....	7. 10.	H.♃.	——— 55.
3 chinensis. R.S.	Chinese.	China.	1803.	——	G.⊙.	
4 australis. B.P.	New Holland.	N. Holland.	1818.	——	G.♃.	
5 chilensis. B.R.	Chili.	Chili.	1821.	1. 12.	G.♃.	Botan. regist. 603.
6 verrucosa. B.F.G.	warted-calyx'd.	Nepaul.	1822.	9. 11.	H.♃.	Swt. br. fl. gar. 6.
7 Hookeri.	Hooker's.	E. Indies.	1823.	——	H.⊙.	Hook. ex. flor. 150.

reflexa. var. *verrucosa.* H.E.F. *excl. synon.*

ORDO CXXVII.

BORAGINEÆ. *Brown prodr.* 1. *p.* 492.

TIARIDIUM. S.S.	Tiaridium.	Pentandria Monogynia. S.S.				
indicum. S.S.	Indian.	W. Indies.	1713.	6. 8.	S.⊙.	Botan. magaz. 1837.
Heliotropium indicum. B.M.						
HELIOTROPIUM. S.S.	Turnsole.	Pentandria Monogynia. L.				
1 peruvianum. S.S.	Peruvian.	Peru.	1757.	5. 9.	G.♄.	Botan. magaz. 141.
β *hybridum.*	*More's hybrid.*	Hybrid.	1815.	——	G.♄.	
2 corymbosum. S.S.	large-flowered.	———	1803.	——	G.♄.	Botan. magaz. 1609.
grandiflorum. L.en.						
3 marocœanum. S.S.	Morocco.	Morocco.	1821.	——	G.♄.	
4 parviflorum. S.S.	small-flowered.	India.	1732.	7. 9.	S.♂.	Dill. elth. t. 146. f. 175.
5 europæum. S.S.	European.	S. Europe.	1562.	6. 10.	H.⊙.	Jacq. aust. 3. t. 207.
6 commutatum. R.S.	smaller.	———	....	——	H.⊙.	
7 suaveolens. S.S.	sweet-scented.	Caucasus.	1823.	——	H.⊙.	
8 coromandelianum. S.S.	Coromandel.	E. Indies.	1812.	7. 10.	S.♂.	
9 carassavicum. S.S.	glaucous.	S. America.	1731.	6. 7.	S.♂.	Sloan. hist. 1. t. 132. f. 3.
10 anisophyllum. Beau.	unequal-leav'd.	Africa.	1822.	——	S.♂.	Beav. fl. d. ow. 2. t. 94.
11 chenopodioides. R.S.	smooth-leaved.	S. America.	1820.	——	S.♂.	
12 zeylanicum. R.S.	Ceylon.	Ceylon.	1815.	——	S.♂.	Burm. ind. t. 16. f. 2.
13 linifolium. R.S.	flax-leaved.	C. B. S.	———	——	G.♄.	
Myosotis fruticosa. W.						
14 demissum. R.S.	dwarf.	S. America.	1752.	5. 6.	S.♄.	Plum. ic. 227. f. 2.
Tournefortia humilis. W.						
15 supinum. S.S.	trailing.	S. Europe.	1640.	6. 7.	H.⊙.	Tourn. voy. 1. t. 23.
LITHOSPERMUM. S.S.	Gromwell.	Pentandria Monogynia. L.				
1 fruticosum. S.S.	shrubby.	S. Europe.	1683.	5. 6.	H.♄.	Flor. græc. t. 161.
2 prostratum. S.S.	prostrate.	———	1825.	——	H.♄.	Lois. fl. gall. add. 1. t. 4.
3 arvense. S.S.	corn.	Britain.	....	——	H.⊙.	Eng. bot. 123.
4 officinale. S.S.	officinal.	———	....	5. 8.	H.♃.	——— 134.
5 latifolium. S.S.	broad-leaved.	America.	1816.	——	H.♃.	
6 distichum. S.S.	two-spiked.	Mexico.	1806.	——	G.♃.	
7 orientale. S.S.	yellow-flow'r'd.	Levant.	1713.	——	H.♃.	Botan. magaz. 515.
8 lineatum. S.S.	lined.	.....	1816.	——	H.♃.	
9 apulum. S.S.	small.	S. Europe.	1768.	6. 7.	H.⊙.	Flor. græc. t. 158.
10 villosum. S.S.	villous.	———	1820.	——	H.♃.	
11 tinctorium. S.S.	dyer's.	———	1596.	6. 10.	H.♃.	
12 purpureo-cœruleum.	creeping.	England.	....	5. 6.	H.♃.	Eng. bot. 117.
13 tenuiflorum. S.S.	slender-flo.	Egypt.	1796.	——	H.⊙.	Jacq. ic. 2. t. 313.
14 dispermum. S.S.	two-seeded.	Spain.	1799.	6. 7.	H.⊙.	Linn. dec. 1. t. 7.

15	davuricum. s.s.	Dauarian.	Davuria.	1812.	5. 6.	H, ¼.	Swt. br. fl. gar. 121.
	Pulmonaria davurica. B.M. 1743.						
16	denticulatum. s.s.	toothed.	N.America.	1801.	——	H.¼.	
17	sibiricum. s.s.	Siberian.	Siberia.	——	6. 7.	H.¼.	Gmel. sib. 4. n. 15. t. 39.
18	maritimum. s.s.	sea-side.	Britain.	....	——	H.¼.	Eng. bot. 368.
	Pulmonaria maritima. E.B.						
19	pulchrum. s.s.	Virginian.	N.America.	1699.	8. 5.	H.¼.	Botan. magaz. 160.
	Pulmonaria virginica. B.M.						
20	paniculatum. s.s.	panicled.	Hudson'sBay.	1778.	5. 6.	H.¼.	Botan. regist. 146.
	Pulmonaria paniculata. B.R.						
21	marginatum. s.s.	margined.	Louisiana.	1813.	——	H.¼.	
	Pulmonaria lanceolata. Ph. *marginata.* N.						
BATSCHIA. M.		BATSCHIA.	Pentandria Monogynia.				
1	Gmelini. M.	Carolina.	Carolina.	1812.	5. 7.	H.¼.	
	caroliniana. R.S. *Lithospermum hirtum.* S.S.						
2	canescens. M.	canescent.	N.America.	....	——	H.¼.	Mich. amer. 1. t. 14.
3	longiflora. N.	long-flowered.	Missouri.	1812.	——	H.¼.	
PULMONARIA. S.S.		LUNGWORT.	Pentandria Monogynia. L.				
1	azurea. S.S.	azure.	Hungary.	1823.	5.	H.¼.	
2	angustifolia. S.S.	narrow-leaved.	Britain.	....	4. 5.	H.¼.	Eng. bot. 1628.
3	tuberosa. S.S.	tuberous-root'd.	Hungary.	1824.	5.	H.¼.	
4	mollis. S.S.	soft-leaved.	——	1816.	——	H.¼.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	common.	England.	....	——	H.¼.	Eng. bot. 118.
6	saccharata. L.en.	white-flowered.	Germany.	1816.	——	H.¼.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	large-flowered.	.....	....	——	H.¼.	DC. ic. ined. t. 64.
8	oblongata. Schr.	oblong-leaved.	Germany.	1820.	——	H.¼.	
ONOSMODIUM. M.		ONOSMODIUM.	Pentandria Monogynia. R.S.				
1	hispidum. R.S.	hispid.	N.America.	1759.	6.	H.¼.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	soft.	——	1812.	6. 8.	H.¼.	Mich. amer. t. 15.
ONOSMA. R.S.		ONOSMA.	Pentandria Monogynia. L.				
1	echioides. S.S.	hairy.	S. Europe.	1683.	5. 6.	H.¼.	Flor. græc. t. 172.
2	giganteum. S.S.	gigantic.	Tauria.	1818.	——	H.¼.	
3	arenarium. R.S.	sand.	Hungary.	1804.	8. 7.	H.¼.	W.et K. hung. 3. t. 279.
4	stellulatum. W.K.	starry-haired.	——	1816.	——	H.¼.	—— 2. t. 173.
5	tauricum. B.M.	golden-flow'r'd.	Tauria.	1801.	4. 6.	F.¼.	Botan. magaz. 889.
6	rupestre. R.S.	rock.	Caucasus.	1823.	——	H.¼.	
7	orientale. S.S.	oriental.	Levant.	1752.	5. 6.	G.¼.	
8	divaricatum. S.S.	spreading.	Caucasus.	1818.	4. 6.	H.¼.	
9	simplicissimum. R.S.	linear-leaved.	Siberia.	1768.	——	H.¼.	Botan. magaz. 2248.
10	trinervium. S.S.	three-nerved.	Mexico.	1825.	——	G.¼.	
11	sericeum. R.S.	silky-leaved.	Levant.	1752.	6. 7.	F.¼.	
SYMPHYTUM. R.S.		COMFREY.	Pentandria Monogynia. L.				
1	officinale. R.S.	common.	Britain.	....	5. 7.	H.¼.	Eng. bot. 817.
	β *purpurascens.*	*purplish.*	——	....	——	H.¼.	
2	bohemicum. P.S.	red-flowered.	Bohemia.	....	——	H.¼.	
3	caucasicum. R.S.	Caucasean.	Caucasus.	1816.	——	H.¼.	
4	tuberosum. R.S.	tuberous-root'd.	Scotland.	....	5. 10.	H.¼.	Eng. bot. 1502.
5	orientale. R.S.	eastern.	Turkey.	1752.	5. 7.	H.¼.	Botan. magaz. 1912.
6	bullatum. S.S.	blistered.	Tauria.	1806.	——	H.¼.	—— 1787.
	tauricum. B.M.						
7	cordatum. W.K.	heart-leaved.	Hungary.	1813.	——	H.¼.	W. et K. hung. 6. t. 7.
8	asperrimum. R.S.	roughest.	Caucasus.	1799.	5. 9.	H.¼.	Botan. magaz. 929.
9	peregrinum. S.S.	oblique-leaved.	Poland.	1816.	5. 7.	H.¼.	
CERINTHE. R.S.		HONEYWORT.	Pentandria Monogynia. L.				
1	major. R.S.	great.	S. Europe.	1596.	7. 8.	H.⊙.	Botan. magaz. 333.
2	aspera. R.S.	rough.	——	1633.	——	H.⊙.	Flor. græc. t. 170.
3	minor. R.S.	small.	Austria.	1570.	6. 10.	H.⊙.	Jacq. aust. 2. t. 124.
4	maculata. R.S.	spotted.	Tauria.	1804.	——	H.♂.	
ECHIUM. R.S.		VIPER'S-BUGLOSS.	Pentandria Monogynia. L.				
1	fruticosum. R.S.	frutescent.	C. B. S.	1759.	5. 6.	G.ħ.	Botan. regist. 86.
2	hispidum. R.S.	hispid-leaved.	——	1816.	——	G.ħ.	
3	lævigatum. R.S.	smooth-stalked.	——	1774.	6. 7.	G.ħ.	
4	glaucophyllum. R.S.	glaucous-leav'd.	——	1792.	6. 8.	G.ħ.	Jacq. ic. t. 312.
5	glabrum. R.S.	smooth.	——	1791.	5. 6.	G.ħ.	
6	paniculatum. R.S.	panicled.	——	1815.	——	G.ħ.	
7	grandiflorum. R.S.	great-flower'd.	——	1787.	6. 7.	G.ħ.	Botan. regist. 124.
	formosum. P.S.						
8	ferocissimum. A.R.	prickly-stalked.	——	1794.	——	G.ħ.	Andr. reposit. 39.
9	spicatum. R.S.	spiked dwarf.	——	1799.	3. 5.	G.ħ.	

10	caudatum. R.S.	tailed.	C. B. S.	1815.	6. 9.	G. ♄.	
11	capitatum. R.S.	headed.	———	1822.	——	G. ♄.	
12	verrucosum. R.S.	warted.	———	1820.	5. 8.	G. ♄.	
13	argenteum. R.S.	silvery.	———	1789.	6. 7.	G. ♄.	Andr. reposit. 154.
14	lasiophyllum. L.en.	woolly-leaved.	.....	1819.	——	G. ♄.	
15	strigosum. R.S.	strigose.	C. B. S.	——	——	G. ♄.	
16	giganteum. R.S.	gigantic.	Canaries.	1779.	7. 11.	G. ♄.	
17	aculeatum. R.S.	prickly.	———	1815.	5. 8.	G. ♄.	
18	molle. R.S.	soft-leaved.	———	——	——	G. ♄.	
19	nervosum. H.K.	sinewy-leaved.	Madeira.	1777.	6. 8.	G. ♄.	
20	bifrons. DC.	two-fronted.	Canaries.	1815.	——	G. ♄.	
21	ambiguum. DC.	ambiguous.	———	——	5. 7.	G. ♄.	DC.ic.mons. ined. t.20.
22	virescens. DC.	green-leaved.	———	——	——	G. ♄.	
23	candicans. R.S.	hoary tree.	Madeira.	1777.	5. 6.	G. ♄.	Botan. regist. 43.
24	cynoglossoides. R.S.	hound's-tongue-l.	Canaries.	1816.	——	G. ♄.	
25	densiflorum. DC.	dense-flowered.	———	——	——	G. ♄.	DC. ic. m. ined. t. 22.
26	fastuosum. H.K.	fastuous.	———	1779.	4. 8.	G. ♄.	Jacq. f. eclog. t. 41.
27	strictum. R.S.	upright.	———	——	5. 12.	G. ♂.	Jacq. schœn. 1. t. 35.
28	lineatum. R.S.	lined.	———	1815.	5. 6.	G. ♄.	Jacq. f. eclog. t. 42.
29	macrophyllum. R.S.	large-leaved.	.....	1812.	——	G. ♄.	
30	foliosum. R.S.	leafy.	.....	——	——	G. ♄.	
31	simplex. DC.	simple-stalked.	Canaries.	——	5. 12.	G. ♂.	DC. ic. m. ined. t. 21.
32	brachyanthum. R.S.	short-flowered.	Madeira.	1820.	5. 7.	G. ♄.	
33	scabrum. R.S.	rough.	C. B. S.	——	——	G. ♄.	
34	plantagineum. K.S.	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ☉.	Flor. græc. t. 179.
35	lusitanicum. R.S.	Portugal.	S. Europe.	1731.	7. 8.	H. ☉.	
36	plantaginoides. R.S.	Plantain-like.	———	1825.	——	H. ☉.	Jacq. vind. 1. t. 45.
37	prostratum. R.S.	prostrate.	Egypt.	1824.	——	H. ♃.	
38	macranthum. R.S.	large-flowered.	Barbary.	——	7. 10.	H. ☉.	Desf. atl. 1. t. 46.
39	australe. R.S.	oval-leaved.	S. Europe.	1824.	——	H. ☉.	Swt. br. fl. gar. 101.
40	maritimum. R.S.	sea-side.	Italy.	1815.	——	H. ☉.	Bocc. mus. 2. t. 78.
41	italicum. R.S.	white.	Jersey.	....	7. 8.	H. ♂.	Eng. bot. 2081.
42	pyrenaicum. R.S.	Pyrenean.	Pyrenees.	1815.	7. 8.	H. ♂.	
43	thyrsoideum. R.S.	bunch-flowered.	.....	1823.	——	H. ♂.	
44	rubrum. R.S.	red-flowered.	Hungary.	1791.	——	H. ♃.	Botan. magaz. 1822.
45	vulgare. R.S.	common.	Britain.	....	——	H. ♂.	Eng. bot. 181.
	β album.	*white-flowered.*	———	....	——	H. ♂.	
46	violaceum. R.S.	violet-flower'd.	Austria.	1658.	....	H. ☉.	
47	parviflorum. H.K.	small-flowered.	Barbary.	1798.	——	H. ☉.	
	micranthum. R.S.						
48	tenue. S.S.	slender.	———	1824.	——	H. ☉.	
49	Sibthorpii. R.S.	Sibthorp's.	Naples.	——	——	H. ♂.	Flor. græc. t. 181.
	hispidum. F.G. *nec aliorum. elegans.* Lehm.						
50	creticum. R.S.	Cretan.	Levant.	1683.	7. 9.	H. ☉.	——— t. 183.
51	orientale. R.S.	oriental.	———	1780.	7. 8.	H. ☉.	Tourn. it. 2. f. 107.
52	salmanticum. R.S.	long-stamen'd.	Spain.	1824.	——	H. ☉.	
53	longiflorum. Dum.	long-flowered.	C. B. S.	1800.	6. 7.	G. ♄.	
54	pyramidatum. Dum.	pyramidal.	.....	1824.	....	G. ♄.	

NONEA. DC. NONEA. Pentandria Monogynia. R.S.

1	violacea. DC.	violet-coloured.	S. Europe.	1686.	5. 7.	H. ☉.	Moris. s. 11. t. 26. f. 11.
	Lycopsis vesicaria. W.						
2	nigricans. DC.	black-flowered.	———	....	——	H. ☉.	Zanon. hist. 56. t. 38.
3	pulla. DC.	dark-flowered.	Germany.	1048.	6. 7.	H. ♃.	Jacq. aust. 2. t. 188.
4	ciliata. R.S.	fringed.	Levant.	1804.	——	H. ☉.	
5	rosea. L.en.	rose-coloured.	Caucasus.	1824.	——	H. ☉.	
	Anchusa rosea. M.B. *Lycopsis rosea.* S.S.						
6	versicolor.	various-color'd.	———	1820.	——	H. ☉.	
	Anchusa versicolor. R.S.						
7	lutea. DC.	pale yellow.	S. Europe.	1805.	——	H. ☉.	Nocc. hort. tran. t. 3.
	Anchusa lutea. R.S. *Lycopsis lutea.* S.S.						
8	picta.	painted.	Tauria.	1818.	——	H. ☉.	
	Anchusa picta. M.B. *Lycopsis picta.* S.S.						

LYCOPSIS. L. WILD BUGLOSS. Pentandria Monogynia. L.

	arvensis. L.	common.	Britain.	....	5. 8.	H. ☉.	Eng. bot. 938.

ASPERUGO. L. GERMAN MADWORT. Pentandria Monogynia. L.

	procumbens. L.	procumbent.	Britain.	....	4. 5.	H. ☉.	Eng. bot. 661.

ANCHUSA. R.S. BUGLOSS. Pentandria Monogynia. L.

1	Barrelieri. S.S.	Barrelier's.	Hungary.	1815.	6. 7.	H. ♃.	W.etK.hung. 1. t. 100.
	Myosotis obtusa. W.K.						

2	paniculata. R.S. *italica.* B.R. 433.	panicled.	S. Europe.	1597.	6. 10.	H.♃.	Flor. græc. t. 168.
3	Millieri. R.S.	Miller's.	.....	....	——	H.⊙.	
4	stylosa. R.S.	long-styled.	Tauria.	1824.	——	H.⊙.	M.B. cent. pl.rar. t.23.
5	procera. S.S.	tall.	Poland.	1822.	——	H.♃.	
6	lycopsoides. L.en.	Lycopsis-like.	.....	——	——	H.♃.	
7	variegata. S.S. *Lycopsis variegata.* F.G.	variegated.	Levant.	1683.	6. 7.	H.⊙.	Flor. græc. t. 178.
8	ovata. S.S. *Lycopsis orientalis.* R.S.	oval-leaved.	——	1796.	——	H.⊙.	Buxb. cent. 5. t. 39.
9	tinctoria. R.S.	dyer's.	——	1596.	6. 10.	H.♃.	Flor. græc. t. 166.
10	hispida. R.S.	hispid.	Egypt.	1823.	——	H.♃.	
11	tenella. R.S. *zeylanica.* Jacq.	slender.	China.	1816.	——	H.⊙.	Jacq. f. ecl. t. 29.
12	officinalis. R.S.	common.	Britain.	....	——	H.♃.	Eng. bot. 662.
13	incarnata. Schr.	flesh-coloured.	Europe.	....	——	H.♃.	
14	undulata. R.S.	wave-leaved.	S. Europe.	1739.	6. 8.	H.♃.	Botan. magaz. 2119.
15	ochroleuca. R.S.	pale-flowered.	Caucasus.	1810.	7. 8.	H.♃.	—— 1008.
16	angustifolia. R.S.	narrow-leaved.	Europe.	1640.	5. 6.	H.♃.	Flor. græc. t. 164.
17	leptophylla. R.S. *angustifolia.* B.M.	blue-flowered.	——	——	——	H.♃.	Botan. magaz. 1897.
18	capensis. R.S.	Cape.	C. B. S.	1800.	7. 8.	G.♂.	Andr. reposit. 336.
19	hybrida. R.S.	villous.	Naples.	1818.	7. 10.	H.⊙.	Ten. fl. neap. t. 11.
20	Agardhii. R.S.	tubercle-leav'd.	Siberia.	1823.	7. 9.	H.♃.	
21	verrucosa. R.S.	warted.	Egypt.	——	7. 10.	H.⊙.	Jacq. vind. 3. t. 21.
22	rupestris. R.S.	rock.	Siberia.	1802.	7.	H.♃.	Pall. it. 3. ap. t. E. f. 3.
23	sericea. R.S.	silky.	——	——	6. 8.	H.♃.	
MYOSOTIS. R.S.		Scorpion-grass. Pentandria Monogynia. L.					
1	palustris. E.B. *scorpioides.* W.	marsh.	Britain.	....	6. 9.	H.w.♃.	Eng. bot. 1973.
2	cæspitosa. S.S.	tufted.	——	....	5. 7.	H.w.♃.	
3	intermedia. S.S.	intermediate.	——	....	4. 6.	H.♂.	Fl. dan. 583. f. maj.
4	sylvatica. R.S.	wood.	——	....	6. 8.	H.♃.	Raii syn. t. 9. f. 2.
5	alpestris. R.S. *rupicola.* E.B.	rock.	Scotland.	....	6. 8.	H.♃.	Eng. bot. 2559.
6	lithospermifolia. R.S.	Gromwell-l^d.	Caucasus.	1823.	——	H.♃.	
7	suaveolens. R.S.	sweet-scented.	Europe.	——	——	H.♃.	
8	arvensis. E.B.	corn.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 2556.
9	versicolor. E.B.	various-colour'd.	——	....	4. 6.	H.⊙.	—— 480. f. 1.
10	sparsiflora. R.S.	scattered-fl^d.	Europe.	1818.	——	H.⊙.	
11	stricta. R.S.	upright.	——	——	——	H.⊙.	
12	nana. R.S.	dwarf.	——	....	6. 8.	H.♃.	Hacq. pl. alp. car. t 2. f. 6
13	pedunculatis. S.S.	peduncled.	Astracan.	1823.	——	H.⊙.	
ECHINOSPERMUM. S.S.		Echinosperмum. Pentandria Monogynia. S.S.					
1	virginianum. S.S. *Myosotis virginiana.* W. *Rochelia virginiana.* R.S.	Virginian.	Virginia.	1699.	6. 7.	H.♂.	Moris. s. 11. t. 30. f. 9.
2	deflexum. S.S.	deflexed.	Hungary.	1823.	——	H.♂.	Wahl. a. holm. 1810. t. 4.
3	Lappula. S.S.	common.	Europe.	1656.	4. 8.	H.⊙.	Flor. dan. t. 692.
4	squarrosum. L.en. *patulum.* S.S	squarrose.	Siberia.	1802.	——	H.⊙.	
5	Redowskii. Lehm.	Redowski's.	Russia.	1821.	6. 7.	H.♂.	
6	barbatum. S.S.	bearded.	Tauria.	1819.	——	H.⊙.	
7	marginatum. S.S.	margined.	Astracan.	——	——	H.⊙.	
OMPHALODES. Lehm.		Omphalodes. Pentandria Monogynia. L.en.					
1	nitida. Lehm. *Cynoglossum nitidum.* B.M. *Picotia nitida.* R.S.	shining.	Portugal.	1812.	4. 6.	H.♃.	Botan. magaz. 2529.
2	verna. L.en. *Cynoglossum Omphalodes.* B.M. *Picotia verna.* R.S.	Comfrey-l^d.	S. Europe.	1683.	3. 5.	H.♃.	Botan. magaz. 7.
3	brassicæfolia. *amplexicaulis.* Lehm.	stem clasping.	Spain.	1824.	6. 8.	H.⊙.	Lehm. m. ber. 3. 2. t. 6.
		Picotia brassicæfolia. R.S.					
4	linifolia. L.en.	Venus Navelwort.	Portugal.	1648.	——	H.⊙.	Barrel. ic. 1234.
5	scorpioides. L.en.	variable-l^d.	Bohemia.	1823.	——	H.⊙.	Lehm. m. ber. 3. 2. t. 7.
6	sempervirens. D.P. *Anchusa sempervirens.* E.B.	evergreen.	Britain.	....	5. 6.	H.♃.	Eng. bot. 45.
RINDERA. R.S.		Rindera. Pentandria Monogynia. R.S.					
	lævigata. R.S. *tetraspis.* Pall.	smooth.	Siberia.	1824.	6. 7.	H.♃.	Pall. ross. 2. t. 88.
		Cynoglossum Rindera. Pall. *Cynoglossum lævigatum.* W.					
MATTIA. R.S.		Mattia. Pentandria Monogynia. R.S.					
1	umbellata. R.S.	umbel-flower'd.	Hungary.	1818.	6. 7.	H.♃.	W. et K. hung. 2. t. 146.

2 lanata. R.s.	woolly.	Levant.	1800.	——	G. ♃.	Tourn.an.mus.10. t.37.
Cynoglossum lanatum. W.						
CYNOGLOSSUM. R.S. Hound's-tongue. Pentandria Monogynia. L.						
1 officinale. R.s.	common.	Britain.	....	6. 7.	H. ♂.	Eng. bot. 921.
2 Hænkii. R.s.	rough-leaved.	Hungary.	1815.	——	H. ♂.	
3 sylvaticum. R.s.	green-leaved.	Britain.	....	——	H. ♂.	—— 1642.
4 Dioscoridis. R.s.	Dioscoride's.	Dauphiny.	1818.	——	H. ♂.	
5 bicolor. R.s.	two-coloured.	Germany.	——	——	H. ♂.	
6 elongatum. R.s.	long-branched.	.....	——	——	H. ♂.	
7 pictum. R.s.	Madeira.	Madeira.	1658.	8.	G. ♂.	Clus. hist. 2. f. 2.
8 hirsutum. R.s.	hairy.	C. B. S.	1806.	7. 8.	H. ☉.	Jacq. schœn. 4. t. 489.
9 virginicum. s.s.	stem-clasping.	N.America.	1812.	6. 7.	H. ♃.	
amplexicaule. M.						
10 clandestinum. R.s.	hidden-fld.	Barbary.	1823.	——	G. ♂.	Desf. atl. 1. t. 42.
11 canescens. R.s.	canescent.	E. Indies.	1815.	7. 10.	G. ☉.	
12 apenninum. R.s.	Apennine.	Italy.	1731.	4. 7.	H. ♂.	Sabb. hort. rom. 2. t. 36.
13 magellense. R.s.	woolly.	——	1823.	5. 7.	H. ♃.	
14 australe. B.P.	New Holland.	N. S. W.	1820.	——	G. ♃.	
15 cheirifolium. s.s.	silvery-leaved.	Levant.	1596.	6. 7.	H. ♂.	
Anchusa lanata. R.s.						
TRICHODESMA. B.P. Trichodesma. Pentandria Monogynia. R.S.						
1 indicum. R.s.	Indian.	E. Indies.	1759.	6. 10.	H. ☉.	Pluk. alm. 30. t. 76. f. 3.
Borago indica. L.						
2 africanum. R.s.	African.	C. B. S.	——	7. 8.	H. ☉.	Isn. act. par. 1718. t. 11.
3 zeylanicum. R.s.	Ceylon.	E. Indies.	1799.	——	S. ☉.	Jacq. ic. 2. t. 314.
BORAGO. R.S. Borage. Pentandria Monogynia. L.						
1 officinalis. R.s.	common.	Britain.	....	6. 9.	H. ☉.	Eng. bot. 36.
β albiflora.	*white-flowered.*	——	....	——	H. ☉.	
2 orientalis. R.s.	oriental.	Turkey.	1752.	3. 5.	H. ♃.	Botan. regist. 288.
3 cretica. R.s.	Cretan.	Greece.	1823.	5. 6.	H. ♃.	Flor. græc. t. 176.
4 laxiflora. R.s.	bell-flowered.	Corsica.	1813.	5. 8.	H. ♂.	Botan. magaz. 1798.
5 crassifolia. R.s.	thick-leaved.	Persia.	1824.	——	H. ♃.	Venten. cels. t. 100.
TOURNEFORTIA. R.S. Tournefortia. Pentandria Monogynia. L.						
1 cymosa. R.s.	broad-leaved.	Jamaica.	1777.	7.	S. ♄.	Jacq. ic. t. 31.
2 fœtidissima. R.s.	Tobacco-leav'd.	——	1739.	9.	S. ♄.	Plum. ic. 236. t. 230.
3 bicolor. R.s.	two-coloured.	——	1812.	....	S. ♄.	
4 suffruticosa. R.s.	hoary-leaved.	——	1759.	6. 9.	S. ♄.	Sloan. hist. 2. t. 162. f. 4.
5 mutabilis. R.s.	changeable.	Java.	1820.	——	S. ♄.	Venten. choix. t. 3.
6 gnaphalodes. R.s.	Gnaphalium-like.	W. Indies.	——	——	S. ♄.	Jacq. amer. t. 173. f. 11.
Heliotropium gnaphalodes. W.						
7 fruticosa. R.s.	shrubby.	Canaries.	1779.	6. 10.	G. ♄.	Botan. regist. 464.
Messerschmidia fruticosa. W.						
8 angustifolia. R.s.	narrow-leaved.	——	....	——	G. ♄.	
9 argentea. R.s.	silvery-leaved.	E. Indies.	1822.	——	S. ♄.	Rumph. amb. 4. t. 55.
10 Arguzia. R.s.	herbaceous.	Siberia.	1780.	——	H. ♃.	Gmel. it. 2. t. 27.
MESSERSCHMIDIA. R.S. Messerschmidia. Pentandria Monogynia. R.S.						
1 hirsutissima. R.s.	very hairy.	S. America.	1818.	5. 8.	S. ♄.	Sloan. hist. 2. t. 212. f. 1.
Tournefortia hirsutissima. W.						
2 volubilis. R.s.	climbing.	Jamaica.	1752.	7. 8.	S. ♄. ⌒.	—— 1. t. 143. f. 2.
Tournefortia volubilis. W.						
3 scandens. R.s.	scandent.	S. America.	1816.	——	S. ♄. ⌒.	Flor. peruv. 2. t. 148.
4 laurifolia. R.s.	Laurel-leaved.	W. Indies.	1823.	....	S. ♄. ⌒.	Venten. choix. t. 2.
BEURRERIA. G. Beurreria. Pentandria Monogynia. R.S.						
1 succulenta. s.s.	oval-leaved.	W. Indies.	1758.	6. 7.	S. ♄.	Jacq. obs. 2. t. 26.
2 exsucca. s.s.	dry-fruited.	——	1804.	——	S. ♄.	Jacq. amer. t. 173. f. 17.
EHRETIA. S.S. Ehretia. Pentandria Monogynia. L.						
1 tinifolia. s.s.	Tinus-leaved.	Jamaica.	1734.	6. 7.	S. ♄.	Trew Ehret. t. 24.
2 acuminata. B.P.	acuminate.	N. S. W.	1820.	——	G. ♄.	
3 laxa. s.s.	loose-flowered.	Mauritius.	1821.	——	S. ♄.	Jacq. schœn. 1. t. 41.
4 internodis. s.s.	axillary-fld.	——	——	——	S. ♄.	L'Herit. stirp. 1. t. 24.
5 lævis. s.s.	smooth.	E. Indies.	1816.	....	S. ♄.	Roxb. corom. 1. t. 56.
6 buxifolia. s.s.	Box-leaved.	——	——	....	S. ♄.	—— 1. t. 57.
7 microphylla. s.s.	small-leaved.	——	1818.	6. 8.	S. ♄.	Pluk. phyt. t. 31. f. 1.
8 aspera. s.s.	rough-leaved.	——	1795.	——	S. ♄.	Roxb. corom. 1. t. 55.
CORDIA. B.P. Cordia. Pentandria Monogynia. L.						
1 Myxa. R.s.	smooth-leaved.	E. Indies.	1640.	....	S. ♄.	Rheed. mal. 4. t. 37.
2 monoica. R.s.	Birch-leaved.	——	1799.	3. 4.	S. ♄.	Roxb. corom. 1. t. 58.
3 Collococca. R.s.	long-leaved.	Jamaica.	1759.	....	S. ♄.	Sloan. hist. 2. t. 203. f. 2.
4 micranthus. R.s.	small-flowered.	——	1822.	....	S. ♄.	

5	Geraschanthus. R.S.	Spanish Elm.	W. Indies.	1789.	5.	S. ♄.	Jacq. amer. t. 175. f. 16.
6	nodosa. R.S.	hairy.	Guiana.	1803.	6. 7.	S. ♄.	Aub. gui. 1. t. 86.
	hirsuta. W. *Collococcus.* Aub. *non.* L.						
7	flavescens. R.S.	yellow-fruited.	———	1818.	....	S. ♄.	——— 1. t. 89.
8	spinescens. R.S.	spiny.	E. Indies.	——	....	S. ♄.	
9	macrophylla. R.S.	broad-leaved.	W. Indies.	1752.	....	S. ♄.	Sloan. hist. 2. t. 221. f. 1.
10	Sebestena. R.S.	rough-leaved.	———	1728.	7. 8.	S. ♄.	Botan. magaz. 794.
11	reticulata. R.S.	netted-leaved.	E. Indies.	1820.	——	S. ♄.	
	angustifolia. F.I.						
12	dentata. R.S.	toothed.	Caracas.	1823.	....	S. ♄.	
13	elliptica. R.S.	elliptic-leaved.	W. Indies.	1804.	....	S. ♄.	
14	dichotoma. R.S.	forked.	N. Holland.	1824.	....	S. ♄.	
15	angustifolia. R.S.	narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. ♄.	
16	curassavica. R.S.	long-spiked.	S. America.	1759.	——	S. ♄.	Centur. amer. t. 56.
	Varronia curassavica. W.						
17	martinicensis. R.S.	Martinico.	Martinico.	1795.	8. 9.	S. ♄.	Jacq. amer. 41. t. 32.
18	bullata. R.S.	blister-leaved.	W. Indies.	1823.	....	S. ♄.	Jacq. amer. pict. t. 48.
19	monosperma. R.S.	single-seeded.	Caracas.	1820.	....	S. ♄.	Jacq. schœn. 1. t. 39.
20	lineata. R.S.	round-spiked.	W. Indies.	1793.	6. 9.	S. ♄.	Brown. jam. t. 13. f. 2.
	Varronia lineata. W.						
21	mirabiloides. R.S.	jointed.	Hispaniola.	1798.	9.	S. ♄.	Jacq. amer. 41. t. 33.
22	alba. R.S.	white-flowered.	Carthagena.	1818.	....	S. ♄.	Comm. hort. 1. t. 80.
23	bifurcata. R.S.	forked.	Peru.	——	....	S. ♄.	Flor. peruv. 2. t. 146. f. a.
	Varronia dichotoma. R.P. *parviflora.* P.S.						
PATAGONULA. R.S.		PATAGONULA.	Pentandria Monogynia. R.S.				
	americana. R.S.	spear-leaved.	S. America.	1732.	6. 8.	G. ♄.	Dill. elth. t. 226. f. 293.
	Cordia Patagonula. W.						

ORDO CXXVIII.

HYDROPHYLLEÆ. *Brown.*

HYDROPHYLLUM. L.		WATER-LEAF.	Pentandria Monogynia. L.				
1	virginicum. L.	Virginian.	N. America.	1739.	5. 6.	H. ♃.	Botan. regist. 331.
2	canadense. L.	Canadian.	Canada.	1759.	——	H. ♃.	——— 242.
PHACELIA. B.P.		PHACELIA.	Pentandria Monogynia. R.S.				
1	magellanica. B.P.	woolly.	Magellan.	1816.	6. 10.	H. ♃.	Lam. j. hist. nat. t. 19.
	Hydrophyllum magellanicum. Lam. *Aldea circinata.* W.en.						
2	Aldea. B.P.	various-leaved.	Peru.	1820.	——	G. ♃.	Flor. peruv. 2. t. 14.
	Aldea pinnata. R.P.						
NEMOPHILA. N.		NEMOPHILA.	Pentandria Monogynia. S.S.				
1	phacelioides. N.	Phacella-like.	N. America.	1822.	6. 9.	H. ☉.	Swt. br. fl. gar. 32.
2	paniculata. S.S.	panicled.	———	1812.	5. 6.	H. ♃.	
	Hydrophyllum appendiculatum. M.						
ELLISIA. R.S.		ELLISIA.	Pentandria Monogynia. W.				
	Nyctelea. R.S.	cut-leaved.	Virginia.	1755.	7. 8.	H. ☉.	Lam. ill. t. 97.

ORDO CXXIX.

SOLANEÆ. *Brown prodr.* 1. *p.* 443.

Sect. I. *PERICARPIUM CAPSULARE.*

ANTHOCERCIS. B.P.		ANTHOCERCIS.	Didynamia Angiospermia. S.S.				
1	littorea. B.P.	yellow.	N. Holland.	1803.	5. 8.	G. ♄.	Botan. regist. 212.
2	albicans. Cun.	white-flowered.	———	1823.	4. 6.	G. ♄.	Ap. to B. Field trav. ic.
3	viscosa. B.P.	viscous.	———	——	——	G. ♄.	

CELSIA. S.S.	**Celsia. Pentandria Monogynia. L.**						
1 orientalis. S.S.	oriental.	Levant.	1713.	7. 8.	H.⊙.	Lam. ill. t. 532.
2 Arcturus. W.	scollop-leaved.	Candia.	1780.	7. 9.	F.♂.	Botan. magaz. 1962.
3 coromandelina. W.	Coromandel.	E. Indies.	1783.	7. 8.	S.⊙.	
4 cretica. S.S.	great-flowered.	Crete.	1752.	7. 9.	F.♂.	Botan. magaz. 964.
5 viscosa. S.S.	clammy.	.....	1816.	——	F.⊙.	
6 betonicæfolia. S.S.	Betony-leaved.	Barbary.	1824.	——	F.♂.	
7 sublanata. B.R.	woolly.	.....	1818.	——	H.♃.	Botan. regist. 438.
8 lanceolata. S.S.	spear-leaved.	Levant.	1816.	——	F.♂.	Venten. cels. t. 27.
VERBASCUM. L.	**Mullein. Pentandria Monogynia. L.**					
1 Thapsus. R.S.	Shepherd's club.	Britain.	....	7. 8.	H.♂.	Eng. bot. 549.
2 elongatum. W.en.	long-spiked.	Europe.	1818.	——	H.♂.	
3 thapsoides. R.S.	branching.	Portugal.	....	——	H.♂.	Schrad. verb. t. 5. f. 2.
4 thapsiforme. R.S.	simple-stalked.	Europe.	....	——	H.♂.	
5 crassifolium. R.S.	thick-leaved.	S. Europe.	1816.	——	H.♂.	H. et Lk. fl. port. 1. t. 26
6 cuspidatum. R.S.	sharp-pointed.	Austria.	——	——	H.♂.	Schrad. verb. t. 1. f. 1.
7 gossypinum. M.B.	cottony.	Iberia.	1824.	6. 8.	H.♂.	
8 niveum. R.S.	snowy.	Naples.	——	——	H.♂.	Ten. fl. neap. t. 22.
9 macranthum. R.S.	large-flowered.	Portugal.	1823.	——	H.♂.	H. et Lk. fl. port. t. 27.
10 australe. R.S.	southern.	S. Europe.	1816.	——	H.♂.	Schrad. verb. t. 2.
11 phlomoides. R.S.	woolly.	Italy.	1739.	——	H.♂.	Mill. ic. t. 278.
rugulosum. W.						
12 condensatum. R.S.	close-flowered.	Austria.	1818.	——	H.♂.	Schrad. verb. t. 3.
13 nemorosum. R.S.	wood.	——	——	——	H.♂.	—— t. 1. f. 2.
14 collinum. R.S.	hill.	Germany.	1820.	——	H.♂.	—— t. 5. f. 1.
15 versiflorum. R.S.	scattered-fl^{d}.	——	1815.	6. 8.	H.♃.	
16 sinuatum. R.S.	scollop-leaved.	S. Europe.	1570.	7. 8.	H.♂.	Flor. græc. t. 227.
17 undulatum. R.S.	plaited-leaved.	Levant.	1816.	——	H.♂.	—— t. 226.
plicatum. F.G.						
18 bipinnatifidum. B.M.	bipinnatifid.	Tauria.	1818.	——	H.♂.	Botan. magaz. 1777.
19 pinnatifidum. R.S.	pinnatifid.	Archipelago.	1788.	5.	G.♃.	
20 Chaixi. R.S.	French.	France.	1816.	7. 8.	H.♂.	Vill. delph. 2. t. 13.
21 Boerhaavii. R.S.	annual.	S. Europe.	1731.	——	H.⊙.	Mill. ic. 2. t. 273.
22 ovalifolium. B.M.	oval-leaved.	Caucasus.	1804.	7. 9.	H.♃.	Botan. magaz. 1037.
23 formosum. B.R.	beautiful.	Russia.	1814.	7. 8.	H.♂.	Botan. regist. 558.
24 Lychnitis. R.S.	white.	Britain.	....	6. 8.	H.♂.	Eng. bot. 58.
25 austriacum. R.S.	Austrian.	Austria.	1819.	——	H.♂.	
26 pulverulentum. R.S.	powdered.	England.	....	——	H.♂.	Eng. bot. 487.
27 pyramidatum. R.S.	pyramidal.	Caucasus.	1804.	7. 8.	H.♃.	Swt. br. fl. gar. 31.
28 ovatum. R.S.	oval-leaved.	.....	——	——	H.♂.	Schrad. h. gott. t. 15.
29 rotundifolium. R.S.	round-leaved.	Naples.	1826.	——	H.♂.	Ten. fl. neap. t. 23.
30 floccosum. R.S.	wool-bearing.	Hungary.	1805.	6, 7.	H.♂.	W. et K. hung. 1. t. 79.
31 leptostachyum. R.S.	slender-spiked.	S. France.	1824.	7. 9.	H.♂.	
32 angustifolium. R.S.	narrow-leaved.	Naples.	1822.	——	H.♂.	
33 longifolium. R.S.	long-leaved.	——	——	——	H.♂.	Ten. fl. neap. t. 21.
34 nigrum. R.S.	black-rooted.	England.	....	6. 8.	H.♃.	Eng. bot. 59.
35 orientale. R.S.	oriental.	Caucasus.	1820.	——	H.♃.	
36 Alopecurus. R.S.	fox-tail.	France.	1818.	——	H.♃.	
37 virgatum. R.S.	slender.	Britain.	....	8.	H.♂.	Eng. bot. 550.
38 speciosum. R.S.	splendid.	Austria.	1820.	6. 8.	H.♃.	Schrad. h. gott. t. 16.
39 grandiflorum. R.S.	great-flowered.	.....	1816.	——	H.♃.	—— t. 15.
40 Blattaria. R.S.	moth.	Britain.	....	7. 9.	H.♂.	Eng. bot. 398.
β *album.*	*white-flowered.*	.....	....	——	H.♂.	
41 repandum. R.S.	waved.	.....	1813.	7. 8.	H.♂.	
42 glabrum. R.S.	smooth.	.....	1805.	——	H.♂.	
43 hæmorrhoidale. R.S.	Madeira.	Madeira.	1777.	6. 8.	G.♂.	
44 cupreum. R.S.	copper-coloured.	Hybrid.	1798.	5. 9.	H.♃.	Botan. magaz. 1226.
45 phœniceum. R.S.	purple-flower'd.	S. Europe.	1596.	5. 8.	H.♃.	—— 885.
46 puniceum. R.S.	pink-flowered.	——	1815.	——	H.♃.	Schrad. h. gott. t. 14.
47 rubiginosum. R.S.	brown-flower'd.	Hungary.	——	——	H.♂.	W. et K. hung. 2. t. 197.
48 ferrugineum. R.S.	rusty.	S. Europe.	1683.	——	H.♃.	Trew Ehret. t. 16. f. 1.
49 triste. R.S.	dark-flowered.	Levant.	1788.	——	H.♃.	Andr. reposit. t. 162.
ferrugineum. A.R. *nec aliorum.*						
50 spectabile. M.B.	showy.	Tauria.	1822.	6. 8.	H.♂.	
51 spinosum. R.S.	spiny.	Candia.	1824.	5. 8.	G.♄.	Moris. s. 5. t. 10. f. 8.
52 Osbeckii.	Osbeck's.	Spain.	1752.	7. 8.	H.♂.	Tourn. it. 2. t. 83.
RAMONDA. P.S.	**Ramonda. Pentandria Monogynia. P.S.**					
pyrenaica. P.S	Borage-leaved.	Pyrenees.	1731.	5,	H.♃.	Botan. magaz. 236.
Verbascum Myconi. B.M.						

HYOSCYAMUS. R.S.	**Henbane.**	Pentandria Monogynia. L.					
1 niger. R.S.	common.	Britain.	....	6. 7.	H.♂.	Eng. bot. 591.
2 agrestis. R.S.	field.	Hungary.	1816.	6. 9.	H.⊙.	Swt. br. fl. gar. 27.
3 pallidus. R.S.	pale-flowered.	———	1815.	——	H.⊙.	
4 reticulatus. R.S.	Egyptian.	Egypt.	1640.	7. 9.	H.⊙.	Comm. hort. 77. t. 22.
5 albus. R.S.	white.	S. Europe.	1570.	7. 8.	H.⊙.	Flor. græc. t. 230.
6 aureus. R.S.	golden.	Levant.	1640.	3. 10.	G.♄.	Botan. magaz. 87.
7 Senecionis. R.S.	yellow-flow'r'd.	Egypt.	1812.	——	G.♃.	
8 canariensis. B.R.	various-leaved.	Canaries.	1816.	1. 12.	G.♂.	Botan. regist. 180.
9 muticus. R.S.	three-coloured.	Egypt.	1818.	5. 8.	G.♂.	
10 pusillus. R.S.	dwarf.	Persia.	1691.	7.	H.⊙.	Pluk. alm. t. 37. f. 5.
11 physaloides. R.S.	purple-flow'r'd.	Siberia.	1777.	3. 4.	H.♃.	Swt. br. fl. gar. 13.
12 orientalis. R.S.	oriental.	Iberia.	1815.	——	H.♃.	——— t. 12.
SCOPOLIA. Jacq.	**Scopolia.**	Pentandria Monogynia. R.S.				
carniolica. Jacq.	Nightshade-ld.	Carniola.	1780.	4. 5.	H.♃.	Botan. magaz. 1126.
atropoides. R.S. *Hyoscyamus Scopolia.* B.M.						
NICOTIANA. R.S.	**Tobacco.**	Pentandria Monogynia. L.				
1 chinensis. R.S.	Chinese.	China.	1815.	6. 8.	G.♄.	
2 fruticosa. R.S.	frutescent.	C. B. S.	1699.	7. 9.	G.♄.	
3 latissima. DC.	broad-leaved.	America.	....	——	H.⊙.	
macrophylla. R.S.						
4 Tabacum. R.S.	Virginian.	———	1570.	——	H.⊙.	Blackw. t. 146.
α attenuata.	*slender.*	———	....	——	H.⊙.	
β pallescens.	*pale-flowered.*	———	....	——	H.⊙.	
γ alipes.	*winged.*	———	....	——	H.⊙.	
δ serotina.	*late-flowered.*	———	....	——	H.⊙.	
ε gracilipes.	*slender-stalked.*	———	....	——	H.⊙.	
ζ Verdun.	*Verdun.*	———	....	——	H.⊙.	
η lingua.	*tongue-leaved.*	———	....	——	H.⊙.	
5 angustifolia. R.S.	narrow-leaved.	Chili.	1822.	——	H.⊙.	Flor. peruv. 2. t. 130. f. a.
6 viscosa. R.S.	viscous.	Buenos Ayres.	1824.	——	H.⊙.	
7 pusilla. R.S.	Primrose-ld.	Vera Cruz.	1733.	8.	S.♂.	Mill. ic. t. 185. f. 2.
8 glutinosa. R.S.	clammy.	Peru.	1759.	7. 9.	H.⊙.	Swt. br. fl. gar. 107.
9 rustica. R.S.	common.	America.	1570.	——	H.⊙.	Blackw. t. 437.
10 humilis. L.en.	lesser.	———	....	——	H.⊙.	
11 paniculata. R.S.	panicled.	Peru.	1752.	——	H.⊙.	Flor. peruv. 2. t. 129. f. b.
12 cerinthoides. R.S.	honeywort.	America.	1816.	——	H.⊙.	Lehm. nicot. t. 2.
13 Langsdorffii. S.S.	Langsdorff's.	S. America.	1824.	——	H.⊙.	Botan. magaz. 2555.
14 repanda. R.S.	stem-clasping.	Havannah.	1822.	8. 10.	H.⊙.	——— 2484.
lyrata. K.S.						
15 plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10.	G.♃.	Jacq. fragm. t. 84.
crispa. Jacq.						
16 suaveolens. R.S.	sweet-scented.	N. S. W.	1800.	5. 9.	G.♃.	Botan. magaz. 673.
undulata. B.M.						
17 vincæflora. S.S.	Vinca-flower'd.	S. America.	1825.	8. 10	H.⊙.	
18 dilatata. L.en.	dilated-leaved.	———	——	——	H.⊙.	
19 nana. B.R.	dwarf.	———	1822.	——	H.⊙.	Botan. regist. 833.
20 quadrivalvis. R.S.	four-valved.	N. America.	1811.	7. 8.	H.⊙.	Botan. magaz. 1778.
PETUNIA. J.	**Petunia.**	Pentandria Monogynia. R.S.				
nyctaginiflora. J.	large-flowered.	S. America.	1824.	4. 10.	G.♃.	Swt. br. fl. gar. 119.
DATURA. R.S.	**Thorn-apple.**	Pentandria Monogynia. L.				
1 ferox. R.S.	Chinese.	China.	1731.	7. 10.	H.⊙.	Zanon. hist. t. 162.
2 Stramonium. R.S.	common.	England.	...	——	H.⊙.	Eng. bot. 1288.
3 Tatula. R.S.	light blue.	S. America.	1629.	——	H.⊙.	Swt. br. fl. gar. 83.
4 muricata. S.S.	muricated.	.....	1819.	——	H.⊙.	
5 Metel. R.S.	downy.	Asia.	1596.	6. 10.	H.⊙.	Botan. magaz. 1440.
6 quercifolia. K.S.	Oak-leaved.	Mexico.	1824.	——	H.⊙.	
7 fastuosa. R.S.	purple.	Egypt.	1629.	——	H.⊙.	Rumph. am. 5. t. 243. f. 2.
8 lævis. R.S.	smooth-fruited.	Africa.	1780.	——	H.⊙.	Jacq. vind. 3. t. 82.
9 ceratocaula. R.S.	horn-stalked.	Cuba.	1805.	——	H.⊙.	Jacq. schœn. 3. t. 339.
10 fruticosa. L.en.	frutescent.	.....	1825.	——	S.♄.	
BRUGMANSIA. P.S.	**Brugmansia.**	Pentandria Monogynia. R.S.				
1 candida. P.S.	downy-stalked.	Peru.	1818.	8. 9.	S.♄.	Flor. peruv. 2. t. 128.
Datura arborea. L.						
2 suaveolens.	smooth-stalked.	S. America.	1733.	——	S.♄.	
Datura arborea. Hort.						
VESTIA. W.	**Vestia.**	Pentandria Monogynia. W.				
lycioides. W.en.	Box-thorn-like.	Chili.	1815.	1. 12.	G.♄.	Botan. regist. 299.

Sect. II. *PERICARPIUM BACCATUM.*

ANISODUS. S.S.	Anisodus.	Pentandria Monogynia. S.S.						
luridus. S.S.	lurid.	Nepaul.	1823.	8. 10.	H. ♃.			
WHITLEYA. B.F.G.	Whitleya.	Pentandria Monogynia.						
stramonifolia. B.F.G.	Stramonium-l^d.	Nepaul.	1818.	7. 9.	H. ♃.	Swt. br. fl. gar. 125.		
ATROPA. R.S.	Atropa.	Pentandria Monogynia. L.						
1 Belladonna. R.S.	deadly nightshade.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 592.		
2 arborescens. R.S.	shrubby.	Peru.	1819.	——	G. ♄.	Flor. peruv. 2. t. 182. f. a.		
SARACHA. R.S.	Saracha.	Pentandria Monogynia.						
1 procumbens. R.P.	procumbent.	Peru.	1822.	7. 9.	H. ♃.	Cavan. ic. 1. t. 72.		
Atropa procumbens. Cav.	*Bellinia procumbens.* R.S.							
2 umbellata. DC.	umbel-flower'd.	Peru.	——	——	H. ♃.	Swt. br. fl. gar. 85.		
MANDRAGORA. J.	Mandrake.	Pentandria Monogynia. R.S.						
1 præcox. B.F.G.	small-leaved.	Switzerland.	1818.	3. 4.	H. ♃.	Swt. br. fl. gar. ic.		
2 vernalis. S.S.	large-leaved.	S. Europe.	1562.	5. 6.	H. ♃.			
3 autumnalis. S.S.	autumn-flow'r'd.	Levant.	——	8. 9.	H. ♃.	Flor. græc. t. 232.		
NOLANA. R.S.	Nolana.	Pentandria Monogynia. L.						
1 prostrata. R.S.	trailing.	Peru.	1761.	7. 9.	H. ⊙.	Botan. magaz. 731.		
2 paradoxa. B.R.	violet-coloured.	Chili.	1822.	——	H. ⊙.	—— —— 2604.		
NICANDRA. R.S.	Nicandra.	Pentandria Monogynia. R.S.						
1 physaloides. R.S.	American.	America.	1759.	7. 9.	H. ⊙.	Botan. magaz. 2458.		
2 indica. R.S.	Indian.	Nepaul.	1823.	——	H. ⊙.	Rumph. amb. 6. t. 26. f. 1.		
PHYSALIS. R.S.	Winter cherry.	Pentandria Monogynia. L.						
1 arborescens. W.	arborescent.	Campeachy.	1733.	6. 8.	S. ♄.	Mill. ic. 2. t. 206. f. 2.		
2 frutescens. DC.	frutescent.	Spain.	1737.	1. 3.	G. ♄.	Cavan. ic. 2. t. 102.		
Atropa frutescens. R.S.								
3 aristata. W.	bearded.	Canaries.	1779.	5. 8.	G. ♄.			
Atropa aristata. R.S.								
4 somnifera. R.S.	clustered.	Mexico.	1596.	7. 8.	G. ♄	Cavan. ic. 2. t. 103.		
5 flexuosa. R.S.	flexuose.	E. Indies.	1759.	——	G. ♄.	Jacq. f. ecl. t. 23.		
6 curassavica. R.S.	Curassavian.	S. America.	1699.	6. 9.	S. ♃.	Pluk. alm. t. 111. f. 5.		
7 viscosa. R.S.	clammy.	America.	1732.	7.	H. ♃.	Botan. magaz. 2625.		
8 pensylvanica. R.S.	Pensylvanian.	N. America.	1726.	7. 9.	H. ♃.			
9 Jacquini. L.en.	Jacquin's.	——	....	——	H. ♃.	Jacq. vind. 2. t. 136.		
viscosa. Jacq. *non* L.								
10 Alkekengi. R.S.	common.	S. Europe.	1548.	——	H. ♃.	Flor. græc. t. 234.		
11 tuberosa. R.S.	tuberous-root'd.	.....	1816.	——	S. ♃.			
12 chenopodifolia. R.S.	goose-foot-l^d.	S. America.	1798.	7. 8.	S. ♄.			
13 peruviana. R.S.	Peruvian.	Peru.	1773.	——	S. ♃.			
14 edulis. B.M.	eatable.	S. America.	——	——	S. ♃.	Botan. magaz. 1068.		
15 pubescens. R.S.	pubescent.	America.	1640.	——	H. ⊙.	Feuil. per. 3. t. 1.		
16 micrantha. L.en.	small-flowered.	——	....	——	H. ⊙.			
17 nodosa. R.S.	knotted.	——	....	——	H. ⊙.			
18 barbadensis. R.S.	Barbadoes.	W. Indies.	1798.	——	H. ⊙.	Jacq. ic. 1. t. 39.		
19 dubia. L.en.	dubious.	Brazil.	1819.	——	H. ⊙.			
20 fœtidissima. R.S.	stinking.	New Spain.	——	——	H. ⊙.			
21 angulata. R.S.	angular-branch'd.	India.	1732.	6. 9.	H. ⊙.	Dill. elth. t. 12. f. 12.		
22 atriplicifolia. R.S.	Atriplex-l^d.	.....	1798.	7. 8.	H. ⊙.	Jacq. frag. t. 85. f. a.		
chenopodifolia. W.								
23 minima. R.S.	least.	E. Indies.	1759.	——	H. ⊙.	Rheed. mal. 10. t. 71.		
24 pruinosa. R.S.	hairy annual.	America.	1726.	7. 8.	H. ⊙.	Dill. elth. 10. t. 9. f. 9.		
25 Lagascæ. R.S.	Lagasca's.	New Spain.	1824.	——	H. ⊙.			
26 prostrata. R.S.	trailing.	Peru.	1782.	——	H. ⊙.	Andr. reposit. 75.		
CAPSICUM. R.S.	Capsicum.	Pentandria Monogynia. L.						
1 annuum. R.S.	annual.	India.	1548.	6. 7.	G. ⊙.	Rheed. mal. 2. t. 35.		
2 longum. R.S.	long-fruited.	.....	——	——	G. ⊙.	Dodon. pemph. 716. f. 3.		
3 cordiforme. R.S.	heart-shaped.	India.	....	——	G. ⊙.			
4 tetragonum. R.S.	four-sided.	——	....	——	G. ⊙.			
5 angulosum. R.S.	angular-fruit'd.	.....	....	——	S. ⊙.			
6 sphæricum. R.S.	round-fruited.	.....	1807.	4. 7.	S. ♄.			
7 ovatum. R.S.	oval-fruited.	.....	....	——	S. ♄.			
8 pendulum. R.S.	pendulous.	.....	1804.	——	S. ♄.			
9 grossum. R.S.	various-fruited.	India.	1759.	5. 8.	S. ♄.	Besl. eyst. 2. t. 2. f. 1.		
α globosum. R.S.	*globular-fruited.*	——	——	——	S. ♄.			
β luteum. R.S.	*yellow oval-fruit'd.*	——	——	——	S. ♄.			

10	conoides. R.S.	conical-fruited.	India.	....	5. 8.	S. ♄.	
11	pyramidale. R.S.	pyramidal.	Egypt.	....	——	S. ♄.	
12	cerasiforme. R.S.	Cherry-fruit'd.	W. Indies.	1759.	——	S. ♄.	
13	Milleri. R.S.	Miller's.	New Spain.	——	——	S. ♄.	
	cerasiforme. Mill.						
14	frutescens. R.S.	shrubby.	India.	1656.	6. 9.	S. ♄.	Rheed. mal. 2. t. 56.
	β torulosum.	*twisted.*	————	....	——	S. ♄.	
15	bicolor. R.S.	purple-flow'r'd.	W. Indies.	1804.	——	S. ♄.	Botan. magaz. 1835.
	nigrum. W.en. *violaceum.* DC.						
16	baccatum. R.S.	Bird pepper.	India.	1731.	——	S. ♄.	Sloan. j. 1. t. 146. f. 2.
17	sinense. R.S.	oval Chinese.	China.	1807.	——	S. ♄.	Jacq. vind. 3. t. 67.
18	microcarpum. R.S.	small-fruited.	S. America.	1824.	——	S. ♄.	
19	micranthum. R.S.	small-flowered.	Brazil.	——	——	S. ♄.	
LYCOPERSICUM. R.S. Love-Apple. Pentandria Monogynia. R.S.							
1	pimpinellifolium. R.S.	Pimpinella-l.	S. America.	....	6. 8.	S. ♃.	
2	peruvianum. R.S.	Peruvian.	Peru.	....	——	G. ♃.	Jacq. ic. t. 327.
	Solanum peruvianum. W.						
3	Humboldtii. R.S.	Humboldt's.	S. America.	1815.	——	H. ☉.	Willd. hort. ber. 1. t. 27.
4	pyriforme. R.S.	Pear-fruited.	————	....	——	H. ☉.	Dunal solan. t. 26.
5	cerasiforme. R.S.	Cherry-fruited.	Peru.	1800.	7. 9.	H. ☉.	Jacq. vind. 1. t. 11.
	Solanum pseudolycopersicum. Jacq.						
	α ruber.	*red-fruited.*	————	——	——	H. ☉.	
	β luteum.	*yellow-fruited.*	————	——	——	H. ☉.	
6	esculentum. R.S.	Tomato.	S. America.	1596.	——	H. ☉.	Dunal solan. t. 3. f. 3.
	α erythrocarpum.	*red-fruited.*	————	——	——	H. ☉.	
	β chrysocarpum.	*yellow-fruited.*	————	——	——	H. ☉.	
	γ leucocarpum.	*white-fruited.*	————	——	——	H. ☉.	
7	procumbens. R.S.	procumbent.	————	....	——	H. ☉.	
SOLANUM. R.S.		Nightshade.	Pentandria Monogynia. L.				
1	tuberosum. R.S.	Potatoe.	Peru.	1597.	6. 8.	H. ♃.	Plenck off. t. 121.
2	appendiculatum. R.S.	appendaged.	Mexico.	1823.	——	S. ♄.	Dunal solan. ed. 2. t. 84.
3	Seaforthianum. R.S.	Seaforth's.	Barbadoes.	1804.	7. 9.	S. ♄.	Andr. reposit. 504.
4	betaceum. R.S.	Beet-leaved.	New Spain.	1803.	6. 7.	S. ♄.	———— 511.
5	muricatum. R.S.	warted.	Peru.	1785.	7. 8.	S. ♄.	Feuil. peruv. 2. t. 26.
6	diversifolium. R.S.	different-leav'd.	Caracas.	1824.	——	S. ♄.	Dunal solan. ed. 2. t. 88.
7	oliganthum. R.S.	climbing.	Orinoco.	——	——	S. ♄.	———— ed. 2. t. 90.
8	reclinatum. R.S.	reclining.	Peru.	....	——	S. ♄.	
9	laciniatum. B.P.	cut-leaved.	N. Holland.	1772.	——	G. ♄.	Botan. magaz. 349.
	α fruticosum.	*frutescent.*	N. S. W.	——	——	G. ♄.	
	β herbaceum.	*herbaceous.*	V. Diem. Isl.	——	——	G. ♃.	
10	quercifolium. R.S.	Oak-leaved.	Peru.	1787.	6. 7.	H. ♃.	Feuil. per. 2. t. 15?
11	radicans. R.S.	rooting.	————	1771.	7. 8.	G. ♃.	Linn. dec. 1. t. 10.
12	corymbosum. R.S.	corymb-flow'r'd.	————	1786.	——	S. ♃.	Jacq. ic. 1. t. 40.
13	Dulcamara. R.S.	bitter-sweet.	Britain.	....	6. 8.	H. ♄.	Eng. bot. 565.
	β album.	*white-flowered.*	————	....	——	H. ♄.	
	γ variegatum.	*variegated.*	————	....	——	H. ♄.	
14	littorale. L.en	sea-side.	Europe.	....	——	H. ♄.	
15	Tegore. R.S.	hairy-stemmed.	Guiana.	1820.	——	S. ♄.	Aubl. guian. 1. t. 84.
16	quitense. S.S.	Lima.	Lima.	1825.	——	S. ♄.	Dun. sol. ed. 2. t. 92. f. b.
17	macrocarpon. S.S.	large-fruited.	Peru.	1759.	5. 9.	S. ♄.	Mill. ic. 2. t. 294.
18	calycinum. R.S.	large-calyxed.	Mexico.	1825.	——	S. ♄.	Dunal sol. ed. 2. t. 29.
19	racemiflorum. R.S.	racemed.	S. America.	1818.	7. 9.	H. ☉.	Jacq. schœn. 3. t. 333.
20	æthiopicum. R.S.	Ethiopian.	Ethiopia.	1597.	——	H. ☉.	Jacq. vind. 1. t. 12.
21	Zuccagnianum. R.S.	Zuccagni's.	....	1818.	——	H. ☉.	Dunal solan. t. 11.
22	pseudo-capsicum.	Winter-cherry.	Madeira.	1596.	6. 9.	G. ♄.	Sabb. h. rom. t. 59.
23	Dillenii. R.S.	Dillenius's.	Hungary.	....	——	H. ☉.	Dill. elth. t. 275. f. 355.
24	nodiflorum. R.S.	knot-flowered.	Guiana.	1815.	——	G. ☉.	Jacq. ic. 2. t. 326.
25	guineense. R.S.	large-berried.	Guinea.	....	——	H. ☉.	Dill. elth. t. 274. f. 354.
26	nigrum. R.S.	black-berried.	Britain.	....	——	H. ☉.	Eng. bot. 566.
27	suffruticosum. R.S.	frutescent.	Barbary.	1804.	5. 9.	G. ♄.	
28	oleraceum. R.S.	cultivated.	W. Indies.	....	6. 9.	S. ☉.	Piso lib. 4. c. 50. f. 3.
29	pterocaule. R.S.	wing-stalked.	America.	....	——	H. ☉.	Dill. elth. t. 275. f. 356.
30	judaicum. R.S.	rough-stalked.	Europe.	....	——	H. ☉.	
31	triangulare. R.S.	three-sided.	E. Indies.	....	——	S. ☉.	
32	rubrum. R.S.	red-berried.	S. America.	....	——	H. ☉.	
33	miniatum. R.S.	pubescent-stalk'd.	Europe.	....	——	H. ☉.	
34	humile. R.S.	small.	S. Europe.	....	——	H. ☉.	
35	flavum. R.S.	yellow-berried.	Hungary.	1816.	——	H. ☉.	
	ochraleucum. Dun.						

86	villosum. R.s.	villous annual.	S. Europe.	....	——	H.⊙.	Dill. elth. t. 274. f. 353.
87	hirsutum. R.s.	hairy annual.	Egypt.	....	——	H.⊙.	
88	longiflorum. R.s. *longifolium.* Dun.	long-flowered.	Guiana.	1823.	6. 8.	S.ħ.	Dunal solan. t. 9.
89	triquetrum. R.s.	triquetrous.	New Spain.	1821.	——	S.ħ.	Cavan. ic. 3. t. 259.
40	bombense. R.s.	Bomba.	S. America.	1818.	——	S.ħ.	Jacq. f. eclog. t. 24.
41	pubigerum. R.s. *Cervantesii.* Lag.	downy.	Mexico.	1823.	——	S.ħ.	Dunal sol. t. 6.
42	verbascifolium. R.s.	Mullein-leaved.	W. Indies.	1749.	——	S.ħ.	Jacq. vind. 1. t. 13.
43	auriculatum. R.s.	ear-leaved.	Madagascar.	1773.	....	S.ħ.	Scop. del. 3. t. 8.
44	pubescens. R.s.	pubescent.	E. Indies.	1816.	6. 8.	S.ħ.	Willd. phyt. 1. t. 3.
45	argenteum. R.s.	silvery.	Brazil.	——	——	S.ħ.	Dunal sol. ed. 2. t. 39.
46	diphyllum. R.s.	two-leaved.	W. Indies.	1699.	6. 7.	S.ħ.	Jacq. ic. 2. t. 322.
47	arboreum. R.s.	tree.	Cumana.	1819.	——	S.ħ.	Dunal sol. ed. 2. t. 198.
48	havanense. R.s.	Havannah.	W. Indies.	1793.	7. 8.	S.ħ.	Jacq. amer. pict. t. 46.
49	aggregatum. R.s.	crowded.	Guinea.	——	——	S.ħ.	Jacq. ic. 2. t. 323.
50	lycioides. R.s.	spiny.	Peru.	1791.	5. 6.	S.ħ.	——— 1. t. 46.
51	monanthum. R.s.	one-flowered.	New Spain.	1816.	——	S.ħ.	
52	fugax. R.s.	fugacious.	Caracas.	——	——	S.ħ.	Jacq. ic. 2. t. 324.
53	stellatum. R.s.	starry.	S. America.	——	——	S.ħ.	——— 2. t. 325.
54	virgatum. R.s.	twiggy.	W. Indies.	1819.	——	S.ħ.	Dunal sol. ed. 2. t. 40.
55	lentum. R.s.	climbing woolly.	New Spain.	1823.	6. 8.	S.ħ.	Cavan. ic. 4. t. 308.
56	elæagnifolium. R.s.	Elæagnus-le.	Chili.	——	——	S.ħ.	——— 3. t. 243.
57	stelligerum. R.s.	starry-haired.	N. Holland.	1820.	——	S.ħ.	Sm. exot. bot. 2. t. 88.
58	racemosum. R.s.	wave-leaved.	W. Indies.	1781.	7. 8.	S.ħ.	Jacq. amer. pict. t. 50.
59	igneum. R.s.	red-spined.	S. America.	1714.	3. 11.	S.ħ.	Jacq. vind. 1. t. 14.
60	subarmatum. R.s.	partly armed.	———	1823.	——	S.ħ.	
61	bahamense. R.s.	Bahama.	Bahama.	1732.	6. 7.	S.ħ.	Dill. elth. t. 271. f. 350.
62	hirtum. R.s.	hairy-calyxed.	Trinidad.	1823.	——	S.ħ.	Vahl ic. rar. d. 3. t. 21.
63	tomentosum. R.s.	tomentose.	S. America.	1662.	——	S.ħ.	Boce. sic. 8. t. 5.
64	hybridum. R.s.	hybrid.	Guinea.	1815.	——	S.ħ.	Jacq. vind. 2. t. 118.
65	coccineum. R.s.	scarlet-fruited.	.....	1820.	——	S.ħ.	Jacq. ic. 1. t. 43.
66	jamaicense. R.s.	Jamaica.	Jamaica.	——	——	S.ħ.	
67	cuneifolium. R.s.	wedge-leaved.	W. Indies.	....	——	S.ħ.	Dunal sol. t. 22.
68	heterophyllum. R.s.	variable-leav'd.	Guiana.	1823.	7. 9.	S.ħ.	——— ed. 2. t. 62.
69	volubile. R.s.	twining.	Hispaniola.	——	——	S.ħ.	Plum. Mss. t. 4. f. 82.
70	lanceæfolium. R.s.	lance-leaved.	S. America.	....	——	S.ħ.	Jacq. ic. 2. t. 329.
71	bonariense. R.s.	Buenos Ayres.	Buenos Ayres.	1727.	6. 9.	H.ħ.	Dill. elth. t. 272. f. 351.
72	fastigiatum. R.s.	fastigiate.	S. America.	1820.	——	S.ħ.	Jacq. f. eclog. t. 6.
73	oporinum. R.s. *macrophyllum.* Dun.	large-leaved.	———	——	——	S.ħ.	Dunal sol. t. 16.
74	subinerme. R.s.	spear-leaved.	W. Indies.	1752.	7. 8.	S.ħ.	Jacq. amer. t. 40. f. 3.
75	lanceolatum. R.s.	lanceolate.	New Spain.	....	6. 7.	S.ħ.	Cavan. ic. 3. t. 245.
76	astroides, Jacq.	Aster-like.	S. America.	1823.	——	S.ħ.	Jacq. f. eclog. t. 65.
77	glutinosum. R.s.	glutinous.	.....	1818.	6. 8.	S.ħ.	Dunal sol. ed. 2. t. 54.
78	Brownii. R.s. *violaceum.* B.P. not Jacq.	Brown's.	N. S. W.	1820.	——	S.ħ.	
79	giganteum. R.s.	tall.	C. B. S.	1792.	——	G.ħ.	Botan. magaz. 1921.
80	torvum. R.s.	curved-prickl'd.	W. Indies.	1816.	——	S.ħ.	
81	ferrugineum. R.s.	ferruginous.	.....	——	——	S.ħ.	Jacq. schœn. 3. t. 334.
82	esculentum. R.s.	eatable.	Tropics.	1597.	6. 9.	G.⊙.	Dunal sol. t. 3. f. E.
83	ovigerum. R.s.	Egg-plant.	Arabia.	——	——	G.⊙.	Blackw. t. 549.
	α violaceum.	*violet-fruited.*	———	....	——	G.⊙.	
	β album.	*white-fruited.*	———	....	——	G.⊙.	
	γ luteum.	*yellow-fruited.*	———	....	——	G.⊙.	
	δ ruber.	*red-fruited.*	———	....	——	G.⊙.	
84	undatum. R.s.	waved.	E. Indies.	1818.	——	S.ħ.	Rheed. mal. 2. t. 37.
85	fuscatum. R.s.	brown branch'd.	America.	....	7. 8.	G.⊙.	Jacq. ic. 1. t. 42.
86	sodomeum. R.s.	black-spined.	Africa.	1688.	6. 7.	G.ħ.	Flor. græc. t. 235.
87	incanum. R.s.	hoary.	Mauritius.	1823.	——	S.ħ.	Scop. del. 1. t. 1.
88	indicum. R.s.	Indian.	India.	1732.	7.	S.ħ.	Dill. elth. t. 270. f. 349.
89	coagulans. R.s.	scollop-leaved.	Arabia Felix.	1802.	——	S.ħ.	Jacq. schœn. 4. t. 409.
90	sanctum. R.s.	oblique-leaved.	Egypt.	——	——	S.ħ.	
91	marginatum. R.s.	white margin'd.	Africa.	1775.	6. 9.	G.ħ.	Botan. magaz. 1998.
92	congense. L.en.	Congo.	———	1815.	——	G.ħ.	
93	campechiense. R.s.	purple-spined.	America.	1732.	7.	G.ħ.	Dill. elth. t. 268. f. 347.
94	platanifolium. B.M.	Plane-leaved.	S. America.	1822.	7. 9.	S.ħ.	Botan. magaz. 2618.
95	myriacanthum. R.s.	many-spined.	———	——	——	S.ħ.	
96	aculeatissimum. R.s.	very-prickly.	———	1800.	——	S.ħ.	Jacq. ic. 1. t. 41.

97	mammosum. R.S.	nipple.	W. Indies.	1699.	7. 8.	H.⊙.	Merian. surin. t. 27.
98	ciliatum. R.S.	ciliated.	.....	1816.	——	H.⊙.	Dunal sol. t. 18.
99	stramonifolium. R.S.	broad-leaved.	E. Indies.	1778.	6. 9.	S.♄.	Jacq. ic. 1. t. 44.
100	flavescens. R.S.	yellowish.	Trinidad.	1822.	——	S.♄.	
101	ferox. R.S.	Malabar.	Malabar.	1795.	8. 9.	S.♃.	Dunal sol. ed. 2. t. 68.
102	campanulatum. B.P.	bell-flowered.	N. S. W.	1818.	——	G.⊙.	
103	armatum. B.P.	armed.	———	1819.	——	S.♃.	Dunal sol. ed. 2. t. 69.
104	pungetium. B.P.	pungent.	———	1823.	——	G.⊙.	——— ed. 2. t. 70.
105	cinereum. B.P.	grey.	———	——	——	G.♃.	
106	Milleri. R.S.	Miller's.	C. B. S.	1762.	7. 8.	G.♄.	Jacq. ic. 2. t. 330.
107	trilobatum. R.S.	three-lobed.	W. Indies.	1759.	8.	S.♄.	Pluk. alm. t. 316. f. 5.
108	acetosæfolium. R.S.	Sorrel-leaved.	E. Indies.	——	——	S.♄.	Burm. ind. t. 22. f. 2.
109	rigescens. R.S.	rigid.	C. B. S.	1815.	6. 8.	G.♄.	Jacq. schœn. 1. t. 42.
110	caroliniense. R.S.	Carolina.	Carolina.	1732.	7. 9.	G.♃.	Jacq. ic. 2. t. 331.
111	pyracanthum. B.M.	orange-thorn'd.	Madagascar.	1789.	8. 9.	S.♄.	Sm. exot. bot. 2. t. 64.
	β inermis.	*smooth-calyxed.*	———	——	——	S.♄.	Botan. magaz. 2547.
112	virginianum. R.S.	Virginian.	Virginia.	1662.	5. 8.	H.⊙.	Dill. elth. t. 267. f. 346.
113	Jacquini. R.S.	Jacquin's.	E. Indies.	1804.	9. 11.	S.⊙.	Jacq. ic. 2. t. 332.
114	Balbisii. R.S.	Balbis's.	S. America.	1816.	4. 9.	S.♄.	Botan. magaz. 2568.
	decurrens. B.R. 140.	*brancæfolium.* Jacq. f. ecl. t. 7.	*viscosum.* DC.				
115	scandens. R.S.	scandent.	Surinam.	1822.	....	S.♄.	
NYCTERIUM. V.		NYCTERIUM.	Pentandria Monogynia.				
1	cordifolium. V.	Canary.	Canaries.	1779.	3. 4.	G.♄.	Venten. malm. 85.
	Solanum vespertilio. R.S.						
2	Amazonium. B.M.	Lambert's.	Brazil.	1814.	5. 9.	S.♄.	Botan. magaz. 1801.
	Solanum Amazonium. B.R. 71.						
3	cornutum. L.en.	horned.	S. America.	1825.	——	S.♄.	Juss. ann. mus. 3. t. 9.
4	lobatum.	Missouri.	Missouri.	1818.	7. 9.	H.⊙.	Pursh fl. amer. 1. t. 7.
	Solanum heterandrum. Ph.	*Androcera lobata.* N.					
5	rostratum. L.en.	beaked.	Mexico.	1823.	——	H.⊙.	Dunal sol. t. 24.
6	Fontanesianum.	Desfontaine's.	Brazil.	1813.	——	H.⊙.	Botan. regist. 177.
7	heterodoxum. L.en.	very prickly.	Mexico.	1824.	——	H.⊙.	Dunal sol. t. 25.
WITHERINGIA. R.S.		WITHERINGIA.	Tetr-Pentandria Monogynia.				
1	solanacea. R.S.	yellow-flower'd.	S. America.	1742.	5. 9.	S.♃.	L'Herit. sert. angl. t. 1.
2	stramonifolia. K.S.	Stramonium-ld.	Mexico.	1823.	——	S.♄.	
3	crassifolia. R.S.	thick-leaved.	C. B. S.	....	——	G.♄.	Dill. elth. t. 273. f. 352.
4	montana. R.S.	mountain.	Peru.	1822.	——	G.♃.	Feuil. peruv. t. 46.
5	phyllantha. R.S.	annual.	———	——	7. 9.	H.⊙.	Cavan. ic. 4. t. 359. f. 1.
6	pinnatifida. R.S.	pinnatifid.	———	——	6. 8.	G.♃.	Flor. peruv. 2. t. 170. f. b.
CESTRUM. R.S.		CESTRUM.	Pentandria Monogynia. L.				
1	laurifolium. R.S.	Laurel-leaved.	W. Indies.	1691.	5. 8.	S.♄.	Smith spicil. 2. t. 2.
2	citrifolium. R.S.	Citron-leaved.	.....	1816.	——	S.♄.	
3	macrophyllum. R.S.	large-leaved.	W. Indies.	1812.	——	S.♄.	Venten. choix. 18.
4	venenatum. R.S.	poisonous.	C. B. S.	1787.	2. 4.	G.♄.	
5	nocturnum. H.S.	night-smelling.	E. Indies.	1732.	11.	S.♄.	Dill. elth. t. 153. f. 185.
6	hirtum. R.S.	hairy.	Jamaica.	1822.	5. 8.	S.♄.	
7	Parqui. R.S.	Willow-leaved.	S. America.	1787.	6. 7.	G.♄.	Botan. magaz. 1770.
8	suberosum. R.S.	cork-barked.	.....	1815.	——	S.♄.	Jacq. schœn. 4. t. 452.
9	auriculatum. W.	eared-leaved.	Peru.	1774.	——	S.♄.	L'Herit. s. nov. 1. t. 35.
10	tinctorium. R.S.	dying.	Caracas.	1823.	5. 6.	S.♄.	Jacq. schœn. 3. t. 332.
11	undulatum. R.S.	waved-leaved.	Peru.	——	——	S.♄.	Flor. peruv. 2. t. 155.
12	latifolium. R.S.	broad-leaved.	Trinidad.	1822.	——	S.♄.	
13	hirsutum. R.S.	hairy-stalked.	.....	——	——	S.♄.	Jacq. schœn. 3. t. 324.
14	cauliflorum. R.S.	stem-flowering.	Martinica.	1818.	——	S.♄.	——— 3. t. 325.
15	salicifolium. R.S.	Sallow-leaved.	Caracas.	....	3. 6.	S.♄.	——— 3. t. 326.
16	pendulinum. R.S.	pendulous.	———	1820.	——	S.♄.	——— 3. t. 327.
17	vespertinum. R.S.	cluster-flow'r'd.	W. Indies.	1759.	5. 7.	S.♄.	——— 3. t. 328.
18	fœtidissimum. R.S.	stinking.	———	....	5. 8.	S.♄.	——— 3. t. 329.
19	fastigiatum. R.S.	Honeysuckle.	———	....	10. 12.	S.♄.	Botan. magaz. 1729.
20	odontospermum. R.S.	smooth.	.....	1793.	7. 9.	S.♄.	
21	diurnum. R.S.	day smelling.	W. Indies.	1732.	10. 11.	S.♄.	Dill. elth. t. 154. f. 186.
22	tomentosum. R.S.	downy.	S. America.	1790.	6. 7.	S.♄.	
23	angustifolium. B.C.	narrow-leaved.	———	1820.	——	S.♄.	Lodd. bot. cab. 618.
LYCIUM. R.S.		BOX-THORN.	Pentandria Monogynia. L.				
1	afrum. R.S.	African.	C. B. S.	1712.	6. 7.	H.♄.	Bot. reg. 354.
2	tenue. R.S.	slender.	———	——	——	H.♄.	
3	rigidum. R.S.	rigid.	———	1795.	——	H.♄.	Trew Ehret. t. 24. f. 1.
4	carnosum. P.S.	fleshy-leaved.	———	——	——	H.♄.	
5	microphylla. R.S.	small-leaved.	———	——	——	H.♄.	

6 ruthenicum. R.S.	Russian.	Siberia.	1804.	——	H. ♄.	Pall. ros. 1. t. 49.
7 tetrandrum. R.S.	tetrandrous.	C. B. S.	....	——	H. ♄.	
8 barbarum. R.S.	Willow-leaved.	Barbary.	1696.	5. 8.	H. ♄.	Wats. dend. brit. 9.
9 Shawii. R.S.	white-flowered.	——	....	——	H. ♄.	Shaw afric. f. 349.
10 Trewianum. R.S.	Trew's.	China.	....	——	H. ♄.	Trew Ehret t. 68.
11 chinense. R.S.	Chinese.	——	....	——	H. ♄.	Wats. dend. brit. 8.
12 lanceolatum. P.S.	spear-leaved.	S. Europe.	....	——	H. ♄.	Duham. arb. nov. t. 32.
13 turbinatum. P.S.	top-shaped.	China.	1709.	——	H. ♄.	—— t. 31.
14 cinereum. R.S.	gray.	C. B. S.	1815.	6. 8.	H. ♄.	
15 europæum. R.S.	European.	S. Europe.	1730.	5. 8.	H. ♄.	Flor. græc. t. 236.
16 horridum. R.S.	succulent-l^d.	C. B. S.	1791.	7. 8.	H. ♄.	
17 boerhaaviæfolium.	glaucous-l^d.	Peru.	1780.	4. 5.	G. ♄.	L'Herit. stirp. t. 88.
18 carolinianum. R.S.	Carolina.	Carolina.	1806.	7. 9.	H. ♄.	

SOLANDRA. R.S. SOLANDRA. Pentandria Monogynia. R.S.

1 grandiflora. R.S.	large-flower'd.	Jamaica.	1781.	8. 8.	S. ♄.	Botan. magaz. 1874.
2 nitida. R.S.	glossy-leaved.	.....	....	——	S. ♄.	
3 viridiflora. S.S.	green-flower'd.	Brazil.	1816.	5. 6.	S. ♄.	Botan. magaz. 1948.

Sect. III. *GENERA SOLANEIS AFFINIA.*

BRUNFELSIA. W. BRUNFELSIA. Didynamia Angiospermia. L.

1 undulata. W.	large-flowered.	Jamaica.	1780.	6. 7.	S. ♄.	Botan. regist. 228.
2 americana. W.	American.	W. Indies.	1735.	——	S. ♄.	Botan. magaz. 396.
α latifolia.	*broad-leaved.*	——	——	——	S. ♄.	
β angustifolia.	*narrow-leaved.*	——	——	——	S. ♄.	
3 violacea. B.C.	purple-stalked.	——	1820.	——	S. ♄.	Lod. bot. cab. 792.

CRESCENTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.

1 Cujete. W.	oval-fruited.	Jamaica.	1690.	....	S. ♄.	Jacq. amer. t. 111.
2 acuminata. R.S.	acuminate.	Cuba.	1822.	....	S. ♄.	
3 cucurbitina. W.	round-fruited.	W. Indies.	1733.	....	S. ♄.	Plum. ic. t. 109.

? TANÆCIUM. W. TANÆCIUM. Didynamia Angiospermia. W.

pinnatum. W.	wing-leaved.	Mauritius.	1823.	....	S. ♄.	Jacq. coll. 3. t. 18.

Crescentia pinnata. Jacq. *Tripinnaria africana.* S.S.

ORDO CXXX.

SCROPHULARINÆ. *Brown prodr.* 1. *p.* 433.

Sect. I. *STAMINA* (4) *ANTHERIFERA.*

BUDDLEA. S.S. BUDDLEA. Tetrandria Monogynia. L.

1 madagascariensis.	Madagascar.	Madagascar.	1824.	....	S. ♄.	Lam. enc. 1. t. 69. f. 3.
2 saligna. S.S.	Willow-like.	C. B. S.	1816.	8. 9.	G. ♄.	Jacq. schœn. 1. t. 29.
3 paniculata. S.S.	panicled.	Nepaul.	1823.	....	G. ♄.	
4 salvifolia. S.S.	Sage-leaved.	C. B. S.	1760.	8. 9.	G. ♄.	Jacq. schœn. 1. t. 28.
5 Neemda. S.S.	Nepaul.	Nepaul.	1822.	....	G. ♄.	
6 brasiliensis. S.S.	Brazilian.	Brazil.	——	....	G. ♄.	
7 globosa. S.S.	round-headed.	Chili.	1774.	5. 7.	H. ♄.	Botan. magaz. 174.
8 salicifolia. S.S.	Willow-leaved.	S. America.	1823.	....	S. ♄.	
9 diversifolia. R.S.	various-leaved.	Java.	——	....	S. ♄.	

SCOPARIA. L. SCOPARIA. Tetrandria Monogynia. L.

dulcis. L.	sweet.	S. America.	1730.	6. 9.	S. ☉.	Herm. parad. t. 241.

CAPRARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.

1 undulata. S.S.	wave-leaved.	C. B. S.	1774.	8. 7.	G. ♄.	Botan. magaz. 1556.
2 cuneata. S.S.	wedge-leaved.	S. America.	1759.	6. 8.	S. ♄.	
3 lanceolata. S.S.	spear-leaved.	C. B. S.	1774.	5. 7.	G. ♄.	Pl. sel. h. ber. t. 4.
4 biflora. S.S.	two-flowered.	S. America.	1752.	7. 8.	S. ♄.	Jacq. amer. t. 115.
5 humilis, W.	dwarf.	E. Indies.	1781.	——	S. ☉.	

TEEDIA. S.S.	**Teedia.**	**Didynamia Angiospermia. S.S.**						
1 lucida. s.s.	shining.	C. B. S.	1774.	4. 7.	G. ♄.	Botan. regist. 210.		
Capraria lucida. w. *Berkheuxmia lucida.* Roth.								
2 pubescens. s.s.	pubescent.	———	1816.	5. 10.	G. ♄.	——— 214.		
HALLERIA. S.S.	**Hallèria.**	**Didynamia Angiospermia. L.**						
1 lucida. s.s.	shining-leaved.	C. B. S.	1752.	6. 8.	G. ♄.	Botan. magaz. 1744.		
2 elliptica. s.s.	elliptic-leaved.	———	1816.	———	G. ♄.	Burm. afr. t. 84. f. 1.		
STEMODIA. S.S.	**Stemodia.**	**Didynamia Angiospermia. W.**						
1 suffruticosa. s.s.	suffrutescent.	S. America.	1823.	5. 8.	S. ♄.			
2 viscosa. s.s.	viscous.	E. Indies.	1818.	7. 10.	S. ☉.			
3 verticillaris. s.s.	whorled.	Brazil.	1822.	———	H. ☉.			
4 parviflora. H.K.	small-flowered.	S. America.	1759.	7. 8.	S. ♃.			
5 maritima. s.s.	sea-side.	Cuba.	1822.	———	S. ☉.	Jacq. amer. t. 174. f. 66.		
RUSSELIA. S.S.	**Russèlia.**	**Didynamia Angiospermia. W.**						
1 floribunda. K.s.	abundant-flow'r.	Mexico.	1824.	6. 8.	S. ♃.			
2 multiflora. s.s.	many-flowered.	———	1812.	———	S. ♃.	Botan. magaz. 1528.		
TREVIRANIA. S.S.	**Treviranìa.**	**Didynamia Angiospermia. S.S.**						
coccinea. s.s.	scarlet.	Jamaica.	1778.	8. 10.	S. ♃.	Botan. magaz. 374.		
Cyrilla pulchella. B.M. *Achimenes coccinea.* P.S.								
COLUMNÉA. S.S.	**Columnea.**	**Didynamia Angiospermia. L.**						
1 scandens. s.s.	climbing.	W. Indies.	1759.	8. 9.	S. ♄.	Botan. regist. 805.		
2 hirsuta. s.s.	hairy.	———	1780.	8. 11.	S. ♄.	Brown. jam. t. 30. f. 3.		
3 rutilans. s.s.	red-leaved.	———	1823.	———	S. ♄.			
MAURANDIA. S.S.	**Maurandia.**	**Didynamia Angiospermia. W.**						
1 semperflorens. s.s.	red-flowered.	Mexico.	1796.	1. 12.	G. ♄.	Botan. magaz. 460.		
2 antirrhiniflora. s.s.	blue-flowered.	———	1814.	———	G. ♄.	——— 1643.		
DODARTIA. S.S.	**Dodartia.**	**Didynamia Angiospermia. L.**						
orientalis. s.s.	oriental.	Levant.	1752.	7. 8.	H. ♃.	Swt. br. fl. gar. 147.		
CYMBARIA. S.S.	**Cymbaria.**	**Didynamia Angiospermia. L.**						
davurica. s.s.	Daurian.	Davuria.	1796.	6. 7.	H. ♃.	Amm. ruth. t. 1. f. 2.		
NEMESIA. S.S.	**Nemesia.**	**Didynamia Angiospermia. S.S.**						
1 chamædryfolia. s.s.	Chamædry's-ld.	C. B. S.	1787.	4. 9.	G. ♃.			
Antirrhinum macrocarpum. w.								
2 bicorne. s.s.	horned.	———	1774.	7. 8.	G. ☉.	Burm. afr. t. 75. f. 3.		
3 fœtens. s.s.	fœtid.	———	1798.	4. 9.	G. ♃.	Venten. malm. t. 41.		
ANARRHINUM. S.S.	**Anarrhinum.**	**Didynamia Angiospermia. S.S.**						
bellidifolium. s.s.	Daisy-leaved.	France.	1629.	6. 8.	H. ♂.	Botan. magaz. 2056.		
ANTIRRHINUM. S.S.	**Snap-dragon.**	**Didynamia Angiospermia. L.**						
1 majus. s.s.	great.	England.	....	6. 8.	H. ♃.	Eng. bot. 129.		
β *coccinea.*	*scarlet.*	———	....	———	H. ♃.			
β *bicolor.*	*two-coloured.*	———	....	———	H. ♃.			
δ *multiplex.*	*double-flowered.*	.....,	....	———	H. ♃.			
2 meonanthum. L.en.	smaller-flow'r'd.	S. Europe.	1820.	———	H. ♃.	Lk. fl. port. 1. t. 56.		
3 angustifolium. Poir.	narrow-leaved.	Italy.	1818.	———	H. ♃.			
4 siculum. s.s.	Sicilian.	Sicily.	1804.	7. 8.	H. ♃.			
5 Orontium. s.s.	Calf's-snout.	Britain.	....	7. 9.	H. ☉.	Eng. bot. 1155.		
6 calycinum. L.en.	long-calyxed.	S. Europe.	....	———	H. ☉.			
7 Asarina. s.s.	heart-leaved.	Italy.	1699.	7.	F. ♃.	Botan. magaz. 902.		
8 molle. s.s.	soft-leaved.	Spain.	1752.	7. 10.	F. ♃.			
LINARIA. S.S.	**Toad-flax.**	**Didynamia Angiospermia. S.S.**						
1 frutescens. s.s.	frutescent.	C. B. S.	1816.	5. 7.	G. ♄.			
Antirrhinum frutescens. Th.								
2 dalmatica. s.s.	Dalmatian.	Levant.	1731.	6. 7.	G. ♄.	Buxb. cent. 1. t. 24.		
3 scoparia. s.s.	broom-like.	Teneriffe.	1815.	———	G. ♄.			
4 Cymbalaria. s.s.	Ivy-leaved.	England.	....	5. 11.	H. ♃.	Eng. bot. 502.		
5 pubescens. s.s.	pubescent.	Italy.	1824.	———	H. ♃.			
6 pilosa. s.s.	hairy-leaved.	———	1800.	6. 9.	H. ♃.	Jacq. obs. 2. t. 48.		
7 Elatine. s.s.	sharp-pointed.	England.	....	7. 11.	H. ☉.	Eng. bot. 692.		
8 cirrhosa. s.s.	cirrhose.	Egypt.	1777.	7. 8.	H. ☉.	Jacq. vind. 1. t. 82.		
9 spurium. s.s.	round-leaved.	England.	....	7. 9.	H. ☉.	Eng. bot. 691.		
Antirrhinum spurium. E.B.								
10 lanigera. s.s.	woolly.	S. Europe.	1820.	———	H. ☉.			
11 dealbata. s.s.	villous-leaved.	Portugal.	1820.	7. 9.	H. ☉.			
12 latifolia. s.s.	broad-leaved.	Barbary.	1800.	6. 7.	H. ☉.	Desf. atl. 2. t. 134.		
13 triphylla. s.s.	three-leaved.	Sicily.	1596.	6. 9.	H. ☉.	Botan. magaz. 324.		
14 reflexa. s.s.	reflex-flower'd.	S. Europe.	1824.	———	H. ☉.	All. misc. taur. 2. t. 1.		
15 origanifolia. s.s.	Marjoram-ld.	———	1785.	6. 9.	F. ♃.	Barrel. ic. 598.		
16 virgata. s.s.	slender-stalked.	Barbary.	1824.	———	H. ☉.	Desf. atl. 2. t. 135.		
17 thymifolia. s.s.	Thyme-leaved.	S. Europe.	———	———	H. ☉.			

18	villosa. s.s.	villous.	Spain.	1786.	7. 8.	F.♃.	Barrel. ic. 507.
19	rubrifolia. s.s.	red-leaved.	S. France.	1824.	——	F.♃.	
20	hirta. s.s.	shaggy-leaved.	Spain.	1759.	6. 9.	H.☉.	Jacq. ic. 1. t. 117.
	Antirrhinum viscosum. B.M. 888.						
21	triornithophora.	three bird's.	Portugal.	1710.	——	F.♃.	Botan. magaz. 523.
22	bipartita. s.s.	cloven-flower'd.	Barbary.	1801.	——	H.☉.	Swt. br. fl. gar. 30.
	speciosa. Donn.						
23	minor. s.s.	little erect.	England.	....	6. 11.	H.☉.	Eng. bot. 2014.
24	littoralis. s.s.	shore.	Austria.	1824.	——	H.☉.	
25	chalepensis. s.s.	white-flowered.	Levant.	1680.	6. 7.	H.☉.	Moris. s. 5. t. 35. f. 9.
26	tristis. s.s.	melancholy.	Spain.	1727.	7. 8.	G.♃.	Botan. magaz. 74.
27	versicolor. s.s.	various-colour'd.	France.	1777.	7. 9.	H.☉.	Jacq. ic. 1. t. 116.
28	micrantha. s.s.	small-flowered.	Spain.	1825.	5. 7.	H.☉.	Cavan. ic. 1. t. 69. f. 3.
29	viscosa. s.s.	clammy.	————	1786.	7.	H.☉.	
30	purpurea. s.s.	purple.	S. Europe.	1648.	7. 9.	H.♃.	Botan. magaz. 99.
31	arenaria. s.s.	sand.	Hungary.	1825.	——	H.☉.	
32	alpina. s.s.	Alpine.	Austria.	1570.	7. 11.	H.♃.	Botan. magaz. 205.
33	lusitanica. s.s.	Portugal.	S. Europe.	1820.	6. 7.	H.♃.	
34	Hælava.	hairy calyxed.	Egypt.	1803.	7. 9.	H.☉.	
35	pelisseriana. s.s.	violet-coloured.	S. Europe.	1640.	6. 9.	H.☉.	Barrel. ic. 1162.
36	repens. H.K.	creeping rooted.	England.	....	7. 10.	H.♃.	Eng. bot. 1253.
37	amethystina. s.s.	bright blue.	S. Europe.	1816.	——	H.☉.	Cavan. ic. 1. t. 33. f. 1.
	Antirrhinum bipunctatum. Cav. *nec aliorum.*						
38	supina. s.s.	trailing.	Spain.	1728.	——	H.☉.	
39	bipunctata. s.s.	two-spotted.	————	1749.	6. 8.	H.☉.	
40	spartea. s.s.	branching.	————	1772.	6. 10.	H.☉.	Botan. magaz. 200.
41	simplex. s.s.	upright.	S. Europe.	1816.	7. 8.	H.☉.	Jacq. ic. 3. t. 499.
42	arvensis. s.s.	corn.	————	....	——	H.☉.	
43	multicaulis. s.s.	many-stalked.	Levant.	1726.	5. 7.	H.☉.	Bocc. sic. t. 19. f. 1.
44	macroura. L.en.	large-spurred.	Caucasus.	1823.	6. 9.	H.♃.	
45	reticulata. s.s.	netted-flower'd.	Algiers.	1788.	5. 7.	F.♃.	Smith ic. pict. 2.
46	glauca. s.s.	glaucous-leav'd.	S. Europe.	1800.	6. 8.	H.☉.	Buxb. cent. 4. t. 37.
47	ægyptiaca. s.s.	Egyptian.	Egypt.	1771.	7.	H.☉.	
48	silenifolia. Lk.	Silene-leaved.	Portugal.	1820.	7. 9.	H.☉.	
49	genistifolia. s.s.	Broom-leaved.	Austria.	1704.	7. 8.	H.♃.	Jacq. aust. 3. t. 244.
50	linifolia. s.s.	flax-leaved.	Italy.	1824.	——	H.♃.	
51	vulgaris. s.s.	common.	Britain.	....	6. 9.	H.♃.	Eng. bot. 658.
	Antirrhinum Linaria. E.B.						
	β *Peloria.*	*regular-flower'd.*	————	....	——	H.♃.	———— 260.
52	Lœselii. s.s.	Loesel's.	Russia.	1824.	——	H.☉.	
53	juncea. s.s.	rush-stalked.	Spain.	1780.	7. 8.	H.☉.	
54	canadensis. s.s.	Canadian.	N.America.	1812.	6. 8.	H.☉.	Venten. cels. 49.

SCROPHULARIA. L. FIGWORT. Didynamia Angiospermia. L.

1	marilandica. s.s.	Maryland.	N.America.	1759.	5. 7.	H.♃.	
2	peregrina. s.s.	Nettle-leaved.	Italy.	1640.	6. 8.	H.♂.	Camer. hort. t. 43.
3	nodosa. s.s.	knotty-rooted.	Britain.	....	5. 7.	H.♃.	Eng. bot. 1544.
4	aquatica. s.s.	water.	————	....	——	H.♃.	———— 854.
5	glabrata. s.s.	spear-leaved.	Canaries.	1779.	4. 5.	G.♂.	Jacq. schœn. 2. t. 209.
6	biserrata. s.s.	double-serrate.	.....	1816.	5. 7.	H.♃.	
7	arguta. s.s.	slender upright.	Canaries.	1778.	——	H.☉.	
8	vernalis. s.s.	yellow.	Britain.	....	3. 5.	H.♂.	Eng. bot. 567.
9	Smithii. L.en.	Smith's.	Canaries.	1815.	4. 8.	G.♃.	
10	glandulosa. s.s.	glandular.	Hungary.	1806.	6. 9.	H.♃.	W. et K. hung. t. 214.
11	rugosa. W.K.	rugged.	————	1816.	——	H.♃.	
12	Scopolii. P.s.	Scopoli's.	Germany.	——	——	H.♃.	Scop. carn. 2. t. 32.
13	Scorodonia. s.s.	balm-leaved.	Britain.	....	7. 8.	H.♃.	Eng. bot. 2209.
14	altaica. s.s.	white-flowered.	Siberia.	1786.	5. 6.	H.♃.	Mur. com. got. 4. t. 2.
15	betonicæfolia. s.s.	Betony-leaved.	Spain.	1752.	6. 8.	H.♃.	Barrel. ic. 274.
16	hirsuta. L.en.	hairy.	S. Europe.	1822.	——	H.♃.	
17	appendiculata. s.s.	heart-leaved.	Morocco.	1805.	7.	H.♃.	
18	Balbisii. s.s.	Balbis's.	Italy.	1823.	6. 8.	H.♃.	
19	auriculata. s.s.	ear-leaved.	Spain.	1772.	7. 8.	H.♃.	Lobel. ic. 533.
20	trifoliata. s.s.	three-leaved.	Africa.	1731.	5. 9.	H.♂.	Jacq. schœn. 3. t. 286.
21	laciniata. W.K.	jag-leaved.	Hungary.	1806.	7.	H.♃.	W. et K. hung. 3. t. 170.
22	verbenæfolia. Poir.	Vervain-leav'd.	.....	1816.	7. 8.	H.♃.	
23	adscendens. W.en.	ascending.	.....	——	——	H.♃.	
24	variegata. s.s.	variegated.	Caucasus.	——	——	H.♃.	
25	ebulifolia. s.s.	Elder-leaved.	————	1824.	——	H.♃.	
26	grandiflora. DC.	large-flowered.	.....	1816.	——	H.♃.	

27	frutescens. s.s.	shrubby.	Portugal.	1768.	6. 8.	F. ♄.	Herm. lugd. t. 547.
28	orientalis. s.s.	oriental.	Levant.	1710.	7. 8.	H. ♃.	Schk. hand. 2. t. 178.
29	melissæfolia. s.s.	balm-like.	———	1823.	——	H. ♃.	
30	lyrata. s.s.	lyrate-leaved.	Portugal.	1816.	——	H. ♃.	W. hort. ber. 1. t. 55.
31	mellifera. s.s.	honey-bearing.	Barbary.	1786.	——	H. ♃.	Deaf. atl. 2. t. 143.
32	sambucifolia. s.s.	Elder-like.	Spain.	1640.	7. 9.	H. ♃.	Mill. ic. 2. t. 231.
33	hispida. s.s.	hispid.	Levant.	1820.	——	H. ♃.	
34	tanacetifolia. s.s.	Tansy-leaved.	Tauria.	1804.	——	H. ♃.	W. hort. ber. 1. t. 56.
35	canina. s.s.	wing-leaved.	S. Europe.	1683.	6. 8.	H. ♃.	Lobel. ic. 2. p. 55.
36	chrysanthemifolia.	Chrysanthemum-ld.	Tauria.	1816.	——	H. ♃.	W. hort. ber. 1. t. 59.
37	lucida. s.s.	shining-leaved.	Levant.	1596.	——	H. ♃.	——— 1. t. 57.
38	filicifolia. s.s.	Fern-leaved.	Crete.	....	——	H. ♃.	Tourn. it. t. 85.
39	multifida. s.s.	multifid-leaved.	.....	1816.	——	H. ♃.	W. hort. ber. 1. t. 58.
DIGITALIS. S.S.		FOXGLOVE. Didynamia Angiospermia. L.					
1	ßceptrum. s.s.	Madeira shrubby.	Madeira.	1777.	7. 8.	G. ♄.	Sm. exot. bot. 2. t. 73.
2	canariensis. s.s.	Canary.	Canaries.	1698.	6. 7.	G. ♄.	Botan. regist. 48.
3	lutea. s.s.	small yellow.	France.	1629.	7. 8.	H. ♃.	——— 251.
4	parviflora. s.s.	small-flowered.	.....	1796.	6. 8.	H. ♃.	——— 257.
5	media. s.s.	middle yellow.	Germany.	1816.	7. 8.	H. ♃.	
6	obscura. s.s.	Willow-leaved.	Spain.	1778.	——	H. ♃.	Lind. digit. t. 26.
7	micrantha. s.s.	small-blossom'd.	Switzerland.	1824.	——	H. ♃.	
8	minor. s.s.	dwarf.	Spain.	1789.	6. 7.	H. ♃.	Lind. digit. 5. 6.
9	purpurascens. s.s. *erubescens.* H.K.	blush-flowered.	Italy.	1776.	——	H. ♃.	——— t. 20.
10	orientalis. s.s.	oriental.	Levant.	1818.	7. 8.	H. ♃.	Botan. regist. 554.
11	lanata. s.s.	woolly.	Hungary.	1789.	6. 7.	H. ♃.	Botan. magaz. 1159.
12	leucophæa. s.s.	broad-lipped.	Greece.	1788.	6. 10.	H. ♃.	Lind. digit. t. 14.
13	aurea. s.s.	golden.	———	1815.	7. 8.	H. ♃.	——— t. 13.
14	ferruginea. s.s.	iron-coloured.	Italy.	1597.	——	H. ♃.	——— t. 13.
15	lævigata. s.s.	shining-leaved.	Hungary.	1810.	——	H. ♃.	——— t. 10.
16	fulva. s.s.	tawny.	.....	1820.	6. 8.	H. ♃.	——— t. 9.
17	ambigua. W. *grandiflora.* s.s.	greater yellow.	Switzerland.	1596.	7. 8.	H. ♃.	Botan. regist. 64.
18	ochroleuca. s.s.	sulphur-color'd.	Germany.	1816.	——	H. ♃.	Lind. digit. t. 8.
19	fuscescens. s.s.	netted-flow'r'd.	Hungary.	1824.	——	H. ♃.	
20	tomentosa. s.s.	tomentose.	Portugal.	1820.	6. 8.	H. ♃.	
21	Thapsi. s.s.	Mullein.	Spain.	1752.	5. 8.	H. ♃.	Sm. exot. bot. 1. t. 43.
22	purpurea. s.s. *β alba.*	common. *white-flowered.*	Britain. ———	....	6. 9. ——	H. ♂. H. ♂.	Eng. bot. 1297.
CHELONE. S.S.		CHELONE. Didynamia Angiospermia. L.					
1	glabra. W.	white-flowered.	N. America.	1750.	8. 10.	H. ♃.	Trew Ehret. t. 83.
2	obliqua. W.	red-flowered.	———	1752.	——	H. ♃.	Botan. regist. 175.
3	Lyoni. s.s. *major.* B.M.	Lyon's.	———	1812.	7. 9.	H. ♃.	Botan. magaz. 1864.
4	rosea. Cerv.	rose-coloured.	Mexico.	1835.	....	G. ♃.	
5	barbata. s.s.	scarlet.	———	1794.	6. 9.	H. ♃.	Botan. regist. 116.
6	campanulata. s.s. *Pentstemon campanulata.* Jacq. schœn. 3. t. 262.	bell-flowered.	———	——	8. 10.	F. ♄.	Botan. magaz. 1876.
7	angustifolia. K.s.	narrow-leaved.	———	1825.	....	G. ♄.	H. et B. 2. t. 173.
8	lævigata. s.s.	smooth.	N. America.	1776.	8. 9.	H. ♃.	Botan. magaz. 1425.
9	hirsuta. s.s.	narrow-ld. hairy.	———	1758.	——	H. ♃.	Moris. s. 11. t. 21. f. 3.
10	pubescens. *Pentstemon pubescens.* B.M.	broad-ld. hairy.	———	——	——	H. ♃.	Botan. magaz. 1424.
11	digitalis. B.F.G. *Pentstemon digitalis.* B.M. 2557.	foxglove-fld.	Arkansa.	1824.	6. 8.	H. ♃.	Swt. br. fl. gar. 120.
12	erianthera. s.s. *Pentstemon glabra.* B.M.	blue-flowered.	Louisiana.	1811.	7. 9.	F. ♃.	Botan. magaz. 1672.
13	cristata. s.s.	crested.	———	——	——	F. ♃.	
14	cœrulea. s.s. *Pentstemon angustifolium.* Ph.	slender blue.	———	——	——	F. ♃.	
15	grandiflora. s.s.	great-flowered.	———	——	——	F. ♃.	
16	albida. s.s.	dwarf.	———	——	——	F. ♃.	
HERPESTIS. G.		HERPESTIS. Didynamia Angiospermia. S.S.					
1	stricta. s.s.	upright.	Brazil.	1823.	6. 8.	S. ♃.	
2	Monnieria. K.s.	thyme-leaved.	S. America.	1772.	7. 9.	S. ♃.	Ehret. pict. t. 14. f. 2.
3	portulacacea. B.M.	Purslane-ld.	———	1823.	——	S. ♃.	Botan. magaz. 2557.
4	cuneifolia. Ph.	wedge-leaved.	N. America.	1812.	8.	H. ♃.	
5	amplexicaulis. s.s.	stem-clasping.	Carolina.	1822.	6. 8.	H. ♃.	

MAZUS. B.P.	MAZUS. Didynamia Angiospermia. S.S.							
rugosus. B.P.	China.	China.	1780.	5.	10.	H.⊙.	Swt. br. fl. gar. 86.
Lindernia japonica. Th. *Hornemannia bicolor* W.en.							
TORENIA. B.P.	TORENIA. Didynamia Angiospermia. S.S.							
1 ovata.	oval-leaved.	Manila.	1823.	5.	10.	H.⊙.	Pl. sel. hort. ber. t. 9.
Hornemannia ovata. L.en. *Tittmannia ovata.* S.S.							
2 viscosa.	viscous.	E. Indies.	——	——		S.⊙.	
Hornemannia viscosa. W.en. *Tittmannia viscosa.* S.S.							
LINDERNIA. B.P.	LINDERNIA.	Didynamia Angiospermia. L.					
Pyxidaria. W.	European.	S. Europe.	1789.	6.	8.	H.⊙.	Lam. ill. t. 522.
MIMULUS. L.	MONKEY-FLOWER. Didynamia Angiospermia. L.						
1 glutinosus. S.S.	orange-colored.	California.	1794.	1.	12.	G.♄.	Botan. magaz. 354.
2 ringens. S.S.	gaping.	N. America.	1759.	7.	8.	H.♃.	—— 283.
3 alatus. S.S.	oval-leaved.	——	1783.	——		H.♃.	
4 guttatus. DC.	spotted-fl^d.	America.	1813.	6.	9.	F.♃.	Botan. magaz. 1501.
luteus. B.M. *non* L.							
5 parviflorus. B.R.	small-flowered.	Mexico.	1824.	——		H.⊙.	Botan. regist. 874.
BROWALLIA. L.	BROWALLIA.	Didynamia Angiospermia. L.					
1 elata. W.	upright.	Peru.	1768.	6.	9.	G.⊙.	Botan. magaz. 34.
2 demissa. W.	spreading.	S. America.	1735.	——		G.⊙.	—— 1136.
ANGELONIA. K.S.	ANGELONIA.	Didynamia Angiospermia. L.					
salicariæfolia. K.S.	Salicaria-l^d.	S. America.	1818.	7.	10.	S.♄.	Botan. regist. 415.
ALONSOA. R.P.	ALONSOA. Didynamia Angiospermia. H.K.						
1 incisifolia. R.P.	Nettle-leaved.	Chili.	1705.	5.	10.	G.♄.	Botan. magaz. 417.
Celsia urticæfolia. B.M. *Hemimeris urticæfolia.* W.							
2 acutifolia. R.P.	acute-leaved.	Peru.	1790.	——		G.♄.	
3 linearis. H.K.	linear-leaved.	——	——	——		G.♄.	Botan. magaz. 210.
Celsia linearis. B.M. *Hemimeris coccinea.* W.							
DIASCIA. L.en.	DIASCIA. Didynamia Angiospermia. S.S.						
1 Bergiana. L.en.	Bergius's.	C. B. S.	1816.	7.	10.	H.⊙.	Pluk. phyt. 320. f. 5.
Hemimeris diffusa. W.							
VANDELLIA. S.S.	VANDELLIA.	Didynamia Angiospermia. L.					
diffusa. S.S.	spreading.	S. America.	1824.	7.	9.	S.⊙.	Marc. bras. 1. c. 15. f. 1.
LIMOSELLA. L.	MUDWORT.	Didynamia Angiospermia. L.					
aquatica. L.	water.	Britain.	....	7.	9.	H.⊙.	Eng. bot. 357.
DISANDRA. L.	DISANDRA.	Heptandria Monogynia. L.					
prostrata. L.	trailing.	Madeira.	1771.	5.	8.	G.♃.	Botan. magaz. 218.
SIBTHORPIA. L.	SIBTHORPIA.	Didynamia Angiospermia. L.					
europæa. L.	Cornish money-wort.	England.	....	7.	8.	H.♃.	Eng. bot. 619.
ERINUS. S.S.	ERINUS.	Didynamia Angiospermia. L.					
1 Lychnidea. S.S.	Phlox-flower'd.	C. B. S.	1821.	3.	10.	G.♄.	Botan. regist. 748.
2 fragrans. H.K.	fragrant.	——	1776.	5.	6.	G.♄.	Burm. afr. t. 49. f. 4.
3 alpinus. P.S.	smooth-leaved.	Pyrenees.	1739.	3.	4.	H.♃.	Botan. magaz. 310.
4 hispanicus. P.S.	hairy-leaved.	Spain.	——	——		H.♃.	
MANULEA. S.S.	MANULEA.	Didynamia Angiospermia. L.					
1 viscosa. S.S.	clammy.	C. B. S.	1774.	6.	11.	G.♄.	Botan. magaz. 217.
Buchnera viscosa. B.M.							
2 tomentosa. S.S.	tomentose.	——	1774.	5.	12.	G.♄.	—— 322.
3 oppositifolia. V.	opposite-leav'd.	——	....	——		G.♄.	
4 villosa. P.S.	villous.	——	1789.	6.	7.	G.⊙.	Burm. afr. t. 50. f. 2.
Buchnera capensis. W.							
5 rubra. S.S.	red.	——	1790.	4.	9.	G.♄.	
6 Cheiranthus. S.S.	Wallflower-like.	——	1795.	6.	8.	G.♂.	Comm. hort. 2. t. 42.
7 argentea. S.S.	silvery.	——	1801.	7.	11.	G.⊙.	
8 pedunculata. P.S.	solitary-fl^d.	——	1790.	6.	11.	G.♄.	Andr. reposit. 84.
9 fœtida. S.S.	stinking.	——	1794.	6.	9.	G.⊙.	—— 80.
Buchnera fœtida. A.R.							
10 rhynchantha. S.S.	wedge-leaved.	——	1816.	——		G.♄.	
11 violacea. S.S.	violet-flowered.	——	——	——		G.♄.	
12 cordata. S.S.	trailing heart-l^d.	——	——	——		G.♃.	
BUCHNERA. S.S.	BUCHNERA.	Didynamia Angiospermia. L.					
americana. S.S.	American.	N. America.	1733.	6.	8.	H.♃.	
EUPHRASIA. W.	EYE-BRIGHT.	Didynamia Angiospermia. L.					
1 linifolia. S.S.	flax-leaved.	S. France.	1823.	7.	9.	H.⊙.	
2 lutea. S.S.	yellow.	S. Europe.	1816.	——		H.⊙.	Jacq. aust. t. 398.
3 alpina. S.S.	Alpine.	——	1823.	——		H.⊙.	
4 officinalis. S.S.	common.	Britain.	....	——		H.⊙.	Eng. bot. 1416.
BARTSIA. S.S.	BARTSIA.	Didynamia Angiospermia. L.					
1 viscosa. S.S.	yellow viscid.	Britain.	....	7.	8.	H.⊙.	Eng. bot. 1045.

2 alpina. S.S.	Alpine.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 361.
3 Odontites. S.S.	red-flowered.	———	....	7. 9.	H.⊙.	——— 1415.
4 Trixago. S.S.	simple-stalked.	S. Europe.	1820.	——	H.⊙.	Column.ecphr.1. t.197.
EUCHROMA. N.	PAINTED CUP.	Didynamia Angiospermia. N.				
1 coccinea. N.	scarlet.	N.America.	1787.	7.	H.4.	Pluk. alm. t. 102. f. 5.
Bartsia coccinea. L.						
2 grandiflora. N.	large-flowered.	Louisiana.	1811.	7. 8.	H.4.	
Castilleja sessiliflora. Ph.						
CASTILLEJA. S.S.	CASTILLEJA.	Didynamia Angiospermia. S.S.				
1 integrifolia. S.S.	entire-leaved.	S. America.	1825.	....	G.ħ.	Sm. ic. ined. t. 39.
2 tolucensis. S.S.	procumbent.	Mexico.	——	....	G.ħ.	
3 septentrionalis. B.R.	northern.	N.America.	1824.	7. 8.	H.⊙.	Botan. regist. 925.
4 pallida. S.S.	pale-flowered.	Siberia.	1782.	6. 9.	H.4.	Gmel. sib. 3. t. 42.
Bartsia pallida. W.						
RHINANTHUS. W.	YELLOW RATTLE.	Didynamia Angiospermia. L.				
1 Crista-galli. W.	Cock's-comb.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 657.
2 Alecterolophus. L. *villosus.* P.S.	villous.	Germany.	1816.	——	H.⊙.	Bull. herb. t. 125.
MELAMPYRUM. S.S.	COW-WHEAT.	Didynamia Angiospermia. L.				
1 cristatum. E.B.	crested.	England.	....	7. 8.	H.⊙.	Eng. bot. 41.
2 arvense. E.B.	corn-field.	———	....	6. 7.	H.⊙.	——— 53.
3 nemorosum. S.S.	colour'd-bract'd.	Europe.	1823.	——	H.⊙.	Flor. dan. t. 305.
4 pratense. E.B.	common.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 113.
5 sylvaticum. E.B.	wood.	———	....	——	H.⊙.	——— 804.
PEDICULARIS. S.S.	LOUSEWORT.	Didynamia Angiospermia. L.				
1 incarnata. S.S.	flesh-coloured.	Austria.	1796.	6. 7.	H.4.	Jacq. aust. 2. t. 140.
2 rostrata. S.S.	beaked.	S. Europe.	1823.	——	H.4.	——— t. 205.
3 tuberosa. S.S.	tuberous.	Switzerland.	1799.	7. 8.	H.4.	Hall. helv. n. 323. t. 10.
4 ascendens. Schl.	ascending.	———	1825.	——	H.4.	
5 gyroflexa. S.S.	bending.	———	——	——	H.4.	Vill. delph. 2. t. 9.
6 atrorubens. DC.	dark-red.	———	——	——	H.4.	
7 uncinata. S.S.	hooked-fld.	Siberia.	1815.	——	H.4.	Gmel. sib. 3. t. 45.
8 compacta. S.S.	close-headed.	———	——	——	H.4.	
9 resupinata. S.S.	resupinate.	———	1816.	5. 7.	H.4.	Gmel. sib. 3. t. 44.
10 palustris. E.B.	marsh.	Britain.	....	6. 7.	H.4.	Eng. bot. 399.
11 euphrasioides. S.S.	eyebright-ld.	Siberia.	1816.	——	H.4.	Gmel. sib. 3. t. 43.
12 canadensis. S.S.	Canadian.	N.America.	1800.	7. 8.	H.4.	Swt. br. fl. gar. 37.
13 sylvatica. E.B.	common.	Britain.	....	5. 7.	H.4.	Eng. bot. 400.
14 myriophylla. S.S.	Milfoil-leaved.	Dahuria.	1816.	——	H.4.	Pall. it. 3. ap. t. 8: f. 1.
15 sudetica. S.S.	Swedish.	N.Europe.	——	——	H.4.	
16 flammea. S.S.	upright.	———	1775.	7.	H.4.	Hall. helv. t. 8. f. 3.
17 versicolor. S.S.	various-colour'd.	Switzerland.	1825.	7. 8.	H.4.	
18 comosa. S.S.	spiked.	Italy.	1775.	——	H.4.	All. ped. 1. t. 4. f. 1.
19 Sceptrum. S.S.	sceptred.	Sweden.	1793.	——	H.4.	Flor. dan. t. 26.
20 recutita. S.S.	jagged-leaved.	Austria.	1787.	7. 8.	H.4.	Jacq. aust. 3. t. 258.
21 foliosa. S.S.	leafy.	———	1786.	——	H.4.	——— 2. t. 139.
22 verticillata. S.S.	whorled.	———	1790.	5. 6.	H.4.	——— 3. t. 206.
23 rosea. S.S.	rose-coloured.	S. Europe.	1825.	7. 8.	H.4.	Jacq. ic. 1. t. 115.
GERARDIA. S.S.	GERARDIA.	Didynamia Angiospermia.				
1 delphinifolia. S.S.	Larkspur-ld.	E. Indies.	1800.	6. 7.	S.4.	Roxb. corom. 1. t. 90.
2 purpurea. S.S.	purple.	N.America.	1772.	7. 8.	H.♂.	Botan. magaz. 2048.
3 tenuifolia. S.S.	slender-leaved.	———	1812.	——	H.♂.	Pluk. alm. t. 12. f. 4.
4 maritima. S.S.	sea-side.	———	1823.	——	H.♂.	
5 flava. S.S.	yellow.	———	1796.	——	H.4.	Pluk. amal. t. 389. f. 3.
6 quercifolia. S.S.	oak-leaved.	———	1812.	——	H.4.	Pursh amer. 1. t. 19.
SEYMERIA. S.S.	SEYMERIA.	Didynamia Angiospermia. S.S.				
1 tenuifolia. S.S.	slender-leaved.	Carolina.	....	7. 9.	H.⊙.	
Afzelia cassioides. Gmel. *Gerardia Afzelia.* M.						
2 pectinata. S.S.	pectinated.	———	....	——	H.⊙.	

Sect. II. *STAMINA* (2) *ANTHERIFERA.*

CALCEOLARIA. R.S.	SLIPPERWORT.	Diandria Monogynia. L.				
1 Fothergillii. R.S.	Fothergill's.	Falkland Isl.	1777.	5. 8.	G.4.	Botan. magaz. 348.
2 corymbosa. R.S.	corymb-fld.	Chili.	1823.	4. 8.	G.4.	Botan. regist. 723.

3 rugosa. R.P. *crenata.* B.R. 790.	rugged-leaved.	Chili.	1823.	6. 8.	G. ½.	Hook. ex. Bot. 99.
4 integrifolia. R.P. *rugosa.* B.M. 2538.	entire-leaved.	———	——	——	G. ½.	Botan. regist. 744.
5 pinnata. R.S.	wing-leaved.	Peru.	1773.	7. 9.	H. ☉.	Botan. magaz. 41.
6 scabiosæfolia. R.S.	Scabious-ld.	———	1823.	——	G. ♃.	——— 2405.
SCHIZANTHUS. R.P.	SCHIZANTHUS.	Diandria Monogynia.				
1 pinnatus. H.E.F.	winged-leav'd.	Chili.	1823.	7. 10.	H. ☉.	Swt. br. fl. gar. 68.
2 porrigens. H.E.F.	spreading.	———	——	——	H. ☉.	——— 76.
SCHWENCKIA. R.S.	SCHWENCKIA.	Diandria Monogynia. W.				
americana. R.S.	American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
BONNAYA. S.S.	BONNAYA.	Diandria Monogynia. S.S.				
1 brachiata. S.S.	brachiate.	E. Indies.	1825.	6. 9.	H. ☉.	Pl. scl. h. ber. t. 11.
2 veronicæfolia. S.S. *Gratiola veronicæfolia.* W.	Speedwell-ld.	———	1798.	——	S. ♂.	Rheed. mal. 9. t. 59.
3 reptans. S.S.	creeping.	———	1820.	——	S. ☉.	
GRATIOLA. B.P.	HEDGE-HYSSOP.	Diandria Monogynia. L.				
1 latifolia. B.P.	broad-leaved.	N. S. W.	1822.	6. 8.	G. ♃.	
2 officinalis. R.S.	officinal.	Europe.	1568.	5. 8.	H. ♃.	Flor. dan. 368.
3 virginica. R.S.	Virginian.	Virginia.	1759.	8.	H. ♃.	
WULFENIA. R.S.	WULFENIA.	Diandria Monogynia. R.S.				
carinthiaca. R.S.	blue-flowered.	Carinthia.	1817.	6. 9.	H. ♃.	Swt. br. fl. gar. 66.
PÆDEROTA. R.S.	PÆDEROTA.	Diandria Monogynia. L.				
Ageria. R.S.	sulphur-col'd.	Italy.	1825.	6. 7.	H. ♃.	Jacq. vind. 2. t. 121.
LEPTANDRA. N.	LEPTANDRA.	Diandria Monogynia. N.				
1 virginica. *Veronica virginica.* W.	Virginian.	Virginia.	1714.	7. 9.	H. ♃.	Pluk. alm. t. 70. f. 2.
β incarnata.	*flesh-coloured.*	———	....	——	H. ♃.	
2 sibirica. N.	Siberian.	Siberia.	1779.	7. 8.	H. ♃.	Amm. ruth. 20. t. 4.
VERONICA. R.S.	SPEEDWELL.	Diandria Monogynia. L.				
1 foliosa. R.S.	leafy.	Hungary.	1805.	7. 9.	H. ♃.	W. et K. hung. 2. t. 102.
2 crenulata. R.S. *villosa.* Schr. V. t. 1. f. 3.	notch-flowered.	S. Europe.	1804.	——	H. ♃.	Hoff. phyt. p. 95. t. E. f. 3.
3 maritima. R.S.	sea-side.	———	1570.	——	H. ♃.	Schrad. ver. t. 1. f. 1.
4 Hostii. R.S.	Host's.	Italy.	....	——	H. ♃.	Tabern. n. kreut. 2. f. 4.
5 spuria. R.S. *amethystina.* W.en.	spurious.	Siberia.	1731.	——	H. ♃.	Gmel. it. 1. t. 39.
6 paniculata. R.S.	panicled.	Tartary.	1797.	6. 7.	H. ♃.	
7 complicata. R.S.	bundled.	S. Europe.	1812.	9. 10.	H. ♃.	Hoff. phyt. p. 96. t. E. f. 4.
8 azurea. R.S.	azure.	.....	1818.	6. 9.	H. ♃.	
9 glabra. R.S.	smooth.	S. Europe.	1804.	7. 9.	H. ♃.	Schrad. ver. p. 25. t. 1. f. 4
10 brachyphylla. R.S. *brevifolia.* L.en.	short-leaved.	.....	1818.	——	H. ♃.	
11 elatior. R.S.	tall.	S. Europe.	1808.	——	H. ♃.	
12 acuta. R.S.	acute-leaved.	.....	1820.	——	H. ♃.	
13 arguta. R.S.	sharp-notched.	S. Europe.	1812.	——	H. ♃.	Schrad. ver. n. 7. t. 2. f. 2.
14 nitida. L.en.	glossy-leaved.	.....	1816.	——	H. ♃.	
15 longibracteata. L.en.	long-bracted.	.....	——	——	H. ♃.	
β latifolia.	*broad-leaved.*	.....	——	——	H. ♃.	
16 media. R.S.	long-spiked.	Germany.	1804.	——	H. ♃.	Schrad. ver. n. 8. t. 1. f. 2.
17 persicifolia. R.S.	Peach-leaved.	.....	1819.	——	H. ♃.	
18 australis. R.S.	pubescent.	S. Europe.	1812.	——	H. ♃.	——— n. 9. t. 2. f. 3.
19 longifolia. R.S.	long-leaved.	———	1731.	——	H. ♃.	——— p. 26. t. 2. f. 1.
20 neglecta. R.S.	canescent.	Siberia.	1797.	——	H. ♃.	Swt. br. fl. gar. 55.
21 angustifolia. S.S.	narrow-leaved.	———	1823.	——	H. ♃.	
22 incana. R.S.	hoary.	Russia.	1759.	7. 9.	H. ♃.	Hoff. c. gott. 15. t. 6.
23 elegans. R.S.	elegant.	.....	....	——	H. ♃.	
24 spicata. R.S.	spiked.	England.	....	——	H. ♃.	Eng. bot. t. 2.
25 Clusii. R.S.	Clusius's.	N. Europe.	....	——	H. ♃.	Flor. dan. t. 52.
26 menthæfolia. R.S.	Mint-leaved.	Austria.	1818.	——	H. ♃.	
27 Barrelieri. R.S.	Barrelier's.	S. Europe.	....	——	H. ♃.	Barrel. ic. t. 682.
28 orchidea. R.S.	Orchis-like.	Europe.	....	——	H. ♃.	
29 crassifolia. R.S.	thick-leaved.	Hungary.	1818.	——	H. ♃.	
30 hybrida. R.S.	Welsh.	England.	....	——	H. ♃.	Eng. bot. 673.
31 longiflora. R.S.	long-flowered.	.....	1823.	——	H. ♃.	
32 ruthenica. R.S.	Russian.	Russia.	——	——	H. ♃.	
33 Ponæ. R.S.	dwarf.	Pyrenees.	——	——	H. ♃.	Gouan. ill. t. 1. f. 1.
34 polystachya. L.en.	many-spiked.	.....	1819.	——	H. ♃.	
35 pinnata. R.S.	wing-leaved.	Siberia.	1776.	6. 8.	H. ♃.	Hoff. c. gott. 15. t. 10.

36	incisa. R.S.	cut-leaved.	Siberia.	1779.	6. 8.	H.♃.	
37	laciniata. R.S.	jagged-leaved.	———	1780.	——	H.♃.	Jung. ic. rar. C. 1. f.2.
38	gentianoides. R.S.	Gentian-leav'd.	Levant.	1748.	5. 6.	H.♃.	Botan. magaz. 1602?
39	pallida. R.S.	pale.	———	1816.	——	H.♃.	
40	bellidioides. R.S.	Daisy-leaved.	Switzerland.	1775.	6. 7.	H.♃.	Hall. hist. t. 15. f. 1.
41	fruticulosa. R.S.	flesh-coloured.	Scotland.	....	6. 8.	H.♄.	Eng. bot. 1026.
42	saxatilis. R.S.	blue rock.	———	....	7.	H.♃.	——— 1027.
43	nummularia. R.S.	moneywort.	Pyrenees.	1820.	6. 8.	H.♃.	Gouan. ill. 1. t. 1. f.2.
44	alpina. R.S.	Alpine.	Scotland.	....	5. 6.	H.♃.	Eng. bot. 484.
	α acutifolia.	*acute entire-lf.*	Europe.	....	——	H.♃.	
	β pumila. All.	*saw-leaved.*	———	....	——	H.♃.	Allion. ped. t. 22. f. 5.
	γ obtusifolia.	*blunt entire-lf.*	Scotland.	....	——	H.♃.	Eng. bot. 484.
	δ integrifolia. W.	*entire-leaved.*	Europe.	....	——	H.♃.	Krocker siles. t. 3.
	ε heterophylla.	*various-leaved.*	———	....	——	H.♃.	
	ζ rotundifolia.	*round-leaved.*	———	....	——	H.♃.	Braun.salisb. n.15. t.2.
45	depauperata. R.S.	few-flowered.	Hungary.	1819.	——	H.♃.	W.et K. hung.3. t. 245.
46	serpyllifolia. R.S.	smooth.	Britain.	....	4. 7.	H.♃.	Eng. bot. 1075.
	α ovata.	*common.*	———	....	——	H.♃.	
	β tenella. Schm.	*roundish-leaved.*	Europe.	....	——	H.♃.	
	γ neglecta. Schm.	*neglected.*	———	....	——	H.♃.	
	δ quaternata.	*four-leaved.*	———	....	——	H.♃.	
	ε nummulariæfolia.	*moneywort-lf.*	———	....	——	H.♃.	
	ζ humifusa. L.T.	*trailing.*	———	....	——	H.♃.	
47	hirsuta. R.S. *setigera.* S.S.	bristly.	Scotland.	....	——	H.♃.	
48	tenella. R.S.	slender.	Pyrenees.	1820.	5. 6.	H.♃.	Allion. ped. t. 22. f. 1.
49	parviflora. R.S.	small-flowered.	N. Zealand.	1822.	6. 8.	H.♃.	
50	decussata. R.S.	cross-leaved.	Falkland Isl.	1776.	——	F.♄.	Botan. magaz. 242.
51	aphylla. R.S.	naked-stalked.	Italy.	1775.	5.	H.♃.	Seguier. ver. t. 3. f. 2.
52	Beccabunga. R.S.	brook-lime.	Britain.	....	5. 6.	H.*w.*♃.	Eng. bot. 655.
53	Anagallis. R.S.	long-lf. water.	———	....	6. 8.	H.*w.*♃.	——— 781.
54	scutellata. R.S.	marsh.	———	....	——	H.*w.*♃.	——— 782.
55	Parmularia. R.S.	tooth-lf. marsh.	Austria.	1816.	6. 8.	H.*w.*♃.	Trattin. fl. aust. b. 20.
56	pectinata. R.S.	pectinated.	Levant.	1820.	——	H.♃.	Buxb. C. 1. t. 39. f. 1.
57	orientalis. R.S.	various-leaved.	———	1748.	——	H.♃.	Sal. stirp. rar. 7. t. 4.
58	trichocarpa. R.S. *pilocarpa.* L.en.	hairy-capsuled.	———	1820.	——	H.♃.	
59	Jacquini. R.S. *austriaca.* Jacq. *non* L.	Jacquin's.	Austria.	1748.	——	H.♃.	Jacq. aust. 4. t. 329.
60	austriaca. R.S. *polymorpha.* W.en.	Austrian.	———	——	——	H.♃.	
61	multifida. R.S.	multifid-leaved.	Siberia.	——	——	H.♃.	Botan. magaz. 1679.
62	caucasica. R.S.	Caucasean.	Caucasus.	1815.	——	H.♃.	
63	taurica. W.	Taurian.	Tauria.	——	——	H.♃.	Lodd. bot. cab. 911.
64	Allionii. R.S.	shining-leaved.	S. Europe.	1748.	——	H.♃.	Allion. ped. 1. t. 46. f. 3.
65	officinalis. R.S.	officinal.	Britain.	....	4. 7.	H.♃.	Eng. bot. 765.
66	Mulleriana. R.S.	Muller's.	Styria.	1825.	5. 7.	H.♃.	
67	Chaixi. R.S.	Chaix's.	S. Europe.	——	——	H.♃.	
68	prostrata. R.S.	trailing.	Germany.	1774.	5. 6.	H.♃.	Bauh. hist. 3. p. 287. ic.
69	plicata. R.S.	plaited-leaved.	Bohemia.	1823.	——	H.♃.	Pohl tent. fl. b. p. 15. f. 1.
70	micrantha. R.S. *mollis.* Zea.	soft-leaved.	Portugal.	——	——	H.♃.	Hoff. f. port. t. 57.
71	latifolia. R.S.	broad-leaved.	Austria.	1748.	6. 7.	H.♃.	Swt. br. fl. gar. 33.
72	Teucrium. R.S.	sawed-leaved.	Europe.	1596.	6. 8.	H.♃.	Lodd. bot. cab. 425.
73	dentata. R.S.	toothed-leaved.	S. Europe.	1816.	——	H.♃.	
74	Schmidtii. R.S. *paniculata.* W. *non* Pall.	Schmidt's.	Bohemia.	1797.	6. 7.	H.♃.	
75	Chamædrys. R.S.	Germander.	Britain.	....	5. 8.	H.♃.	Eng. bot. 623.
76	urticæfolia. R.S.	Nettle-leaved.	Austria.	1776.	6. 7.	H.♃.	Jacq. aust. 1. t. 59.
77	montana. R.S.	mountain.	Britain.	....	7. 8.	H.♃.	Eng. bot. 766.
78	peduncularis. R.S.	peduncled.	Caucasus.	1825.	6. 8.	H.♃.	Buxb. C. 1. t. 41. f. 1.
79	plebeia. B.P. *arguta.* R.S.	plebeian.	N. S. W.	1822.	——	G.♃.	
80	Brownii. B.P.	sharp-toothed.	———	——	——	G.♃.	
81	gracilis. B.P.	slender.	———	——	——	G.♃.	
82	perfoliata. B.P.	perfoliate.	———	1815.	7. 8.	G.♃.	Botan. magaz. 1936.
83	labiata. B.P. *Derwentia.* B.R. 531.	labiated.	N. Holland.	1802.	4. 7.	F.♃.	——— 1660.
84	mollissima. R.S.	softest.	.....	1819.	6. 8.	H.♃.	

85	Waldsteiniana. R.S.	Waldstein's.	.....	1819.	6. 8.	H.4.	
86	verna. R.S.	vernal.	Britain.	....	4. 5.	H.⊙.	Eng. bot. 25.
87	digitata. R.S.	fingered.	Spain.	1805.	6. 7.	H.⊙.	
88	triphyllos. R.S.	variable-leav'd.	Britain.	....	4. 5.	H.⊙.	Eng. bot. 26.
89	hederifolia. R.S.	Ivy-leaved.	———	....	3. 10.	H.⊙.	——— 784.
90	Cymbalaria. R.S.	fleshy-leaved.	Levant.	1823.	4. 8.	H.⊙.	Flor. græc. t. 9.
91	peregrina. R.S.	knotgrass-l^d.	N. Europe.	1680.	5. 6.	H.⊙.	Flor. dan. 407.
92	amœna. R.S.	pretty.	Iberia.	1823.	——	H.⊙.	M.B.cent. ros. t.1. f.18.
93	præcox. R.S.	early-flowered.	Europe.	——	3. 5.	H.⊙.	Allion. ped. t. 1. f. 1.
94	acinifolia. R.S.	Basil-leaved.	S. Europe.	1788.	4. 5.	H.⊙.	Poit.et Turp.par.1.t.23
95	arvensis. R.S.	wall.	Britain.	....	4. 7.	H.⊙.	Eng. bot. 734.
96	agrestis. R.S.	field.	———	....	1. 12.	H.⊙.	——— 783.
	α polita.	*polished.*	———	....	——	H.⊙.	
	β versicolor.	*various-coloured.*	———	....	——	H.⊙.	
	γ opaca.	*dull-coloured.*	———	....	——	H.⊙.	
97	pulchella. R.S.	neat.	.....	1823.	3. 6.	H.⊙.	
98	Buxbaumii. S.S.	Buxbaum's.	S. Europe.	1820.	——	H.⊙.	Ten. fl. nap. t. 1.
99	filiformis. S.S.	long-stalked.	Levant.	1780.	5.	H.⊙.	Buxb. cent. 1. t.40.f.1.
100	persica. S.S.	Persian.	Persia.	1816.	1. 12.	H.⊙.	

DIPLOPHYLLUM. S.S. DIPLOPHYLLUM. Diandria Monogynia. S.S.

veronicæforme. S.S.	Speedwell-like.	Caucasus.	1813.	4. 6.	H.⊙.	Linn. trans. v. 11. t.31.
Veronica crista galli. L.T.						

HEMIMERIS. L. HEMIMERIS. Diandria Monogynia.

montana. L.	mountain.	C. B. S.	1816.	6. 8.	G.4.	Lam. ill. t. 532.

ORDO CXXXI.

LABIATÆ. *Brown prodr.* 1. *p.* 499.

LYCOPUS. R.S.	WATER-HOREHOUND. Diandria Monogynia. L.						
1	australis. B.P.	New Holland.	N. S. W.	1823.	5. 7.	G.4.	
2	europæus. R.S.	Europæan.	Britain.	....	7. 8.	H.4.	Eng. bot. 1105.
3	exaltatus. R.S.	tall.	Italy.	1730.	——	H.4.	Flor. græc. 1. t. 12.
4	virginicus. R.S.	Virginian.	N.America.	1760.	8. 9.	H.4.	
	β quercifolius. Ph.	*Oak-leaved.*	———	....	——	H.4.	
5	intermedius.	intermediate.	Europe.	....	7. 8.	H.4.	
AMETHYSTEA. R.S.	AMETHYSTEA. Diandria Monogynia. L.						
	cœrulea. R.S.	blue-flowered.	Siberia.	1759.	6. 7.	H.⊙.	Botan. magaz. 2448.
CUNILA. N.	CUNILA. Diandria Monogynia. L.						
	mariana. N.	Mint-leaved.	N.America.	1759.	7. 9.	H.4.	Moris. s. 11. t. 19. f. 7.
HEDEOMA. N.	HEDEOMA. Diandria Monogynia. P.S.						
1	pulegioides. N.	Pennyroyal-l^d.	N.America.	1777.	6. 8.	H.⊙.	
2	thymoides. P.S.	Thyme-leaved.	France.	1699.	——	H.⊙.	Moris. s. 11. t. 19. f. 6.
ZIZIPHORA. S.S.	ZIZIPHORA. Diandria Monogynia. L.						
1	clinopodioides. R.S.	headed.	Siberia.	1799.	7. 8.	H.⊙.	Rud.mem.p.1810.t.11.
	Cunila capitata. L.						
2	acinoides. W.en.	Thyme-leaved.	———	1786.	——	H.⊙.	
3	media. L.en.	middle.	.....	1816.	——	H.½.	
4	capitata. R.S.	oval-leaved.	Syria.	1752.	——	H.⊙.	Flor. græc. 1. t. 13.
5	hispanica. R.S.	Spanish.	Spain.	1759.	6.	H.⊙.	Lam. ill. t. 18. f. 1.
6	tenuior. R.S.	spear-leaved.	Levant.	1752.	6. 7.	H.⊙.	——— t. 18. f. 2.
7	taurica. R.S.	Taurian.	Tauria.	1816.	7. 9.	H.⊙.	M.B.cent.pl.rar.2.t.82.
8	serpyllacea. R.S.	sweet-scented.	Caucasus.	1803.	7. 8.	H.½.	Botan. magaz. 906?
9	dasyantha. R.S.	hairy-flowered.	Siberia.	1803.	6. 8.	H.½.	——— ——— 1093.
	Pouschkini. B.M.						
MONARDA. R.S.	MONARDA. Diandria Monogynia. L.						
1	fistulosa. R.S.	fistulous.	N.America.	1656.	6. 8.	H.4.	Mill. ic. t. 122. f. 2.
2	media. R.S.	purple-bracted.	———	....	6. 9.	H.4.	Swt. br. fl. gar. 98.
3	mollis. R.S.	soft.	———	....	6. 7.	H.4.	
4	oblongata. R.S.	long-leaved.	———	1761.	7. 9.	H.4.	
5	altissima. R.S.	tallest.	———	1818.	——	H.4.	
6	affinis. L.en.	affined.	———	——	——	H.4.	
7	rugosa. R.S.	white-flowered.	———	1761.	——	H.4.	

8	purpurea. R.s.	purple-flower'd.	N.America.	1789.	6. 8.	H.♃.	Botan. magaz. 145.
	fistulosa. var. *crimson.* B.M.						
9	Kalmiana. R.s.	pubescent-fld.	———	1818.	——	H.♃.	Pursh. amer. 1. t. 1.
10	didyma. R.s.	Oswego Tea.	———	1752.	——	H.♃.	Botan. magaz. 546.
11	Russelliana. N.	Russel's.	———	1823.	——	H.♃.	Swt. br. fl. gar. 160.
12	clinopodia. Ph.	wild basil-ld.	———	1771.	7.	H.♃.	
13	gracilis. R.s.	slender.	———	1824.	7. 8.	H.♃.	
14	ciliata. R.s.	blue-flowered.	———	1798.	7.	H.♃.	Pluk. alm. t. 164. f. 3.
15	hirsuta. R.s.	hairy.	———	——	7. 9.	H.♃.	
16	punctata. R.s.	spotted.	———	1714.	6. 10.	F.♃.	Botan. regist. 87.
17	citriodora. R.s.	Citron-scented.	New Spain.	1823.	——	F.♃.	
ROSMARINUS. R.S.		Rosemary.	Diandria Monogynia.	L.			
1	officinalis. R.s.	common.	S. Europe.	1548.	1. 4.	H.♄.	Flor. græc. 1. t. 14.
	α angustifolius.	*narrow-leaved.*	———	——	——	H.♄.	
	β latifolius.	*broad-leaved.*	———	——	——	H.♄.	
	γ argenteus.	*silver-striped.*	———	——	——	H.♄.	
	δ aureus.	*gold-striped.*	———	——	——	H.♄.	
2	chilensis. R.s.	Chili.	Chili.	1795.	7.	G.♄.	
SALVIA. R.S.		Sage.	Diandria Monogynia.	L.			
1	promifera. R.s.	Apple-bearing.	Candia.	1699.	7. 8.	H.♃.	Flor. græc. t. 15.
2	calycina. R.s.	broad-calyxed.	Greece.	1823.	——	G.♄.	——— t. 16.
3	canariensis. R.s.	Canary.	Canaries.	1697.	6. 9.	G.♄.	Trew. pl. rar. 2. t. 19.
4	aurea. R.s.	golden.	C. B. S.	1731.	4. 11.	G.♄.	Botan. magaz. 182.
5	dentata. R.s.	tooth-leaved.	———	1774.	12. 1.	G.♄.	
6	splendens. s.s.	splendid.	Brazil.	1823.	8. 8.	S.♄.	Botan. regist. 687.
7	bracteata. s.s.	long-bracted.	Syria.	1788.	6. 8.	G.♄.	Pluk. alm. t. 194. f. 6.
8	interrupta. R.s.	interrupted.	Barbary.	1825.	5. 6.	H.♄.	Swt. br. fl. gar. 169.
9	pinnata. R.s.	winged-leaved.	Levant.	1731.	7.	H.♂.	Boer. lugd. i. t. 167.
10	Habliziana. R.s.	Taurian.	Tauria.	1795.	8.	H.♄.	Botan. magaz. 1429.
11	lanceolata. R.s.	lance-leaved.	S. America.	1818.	7. 9.	H.☉.	Jacq. f. ecl. t. 12.
12	hirsuta. R.s.	hirsute.	Mexico.	1801.	5. 6.	H.☉.	Jacq. schœn. 3. t. 252.
13	leucantha. R.s.	white-flowered.	———	1825.	....	G.♃.	Cavan. ic. 1. t. 24.
14	angustifolia. R.s.	narrow-leaved.	———	1806.	6. 7.	G.♃.	——— 4. t. 317.
	reptans. Jacq. schœn. t. 319.						
15	azurea. R.s.	azure-flowered.	Carolina.	——	8. 9.	H.♃.	Botan. magaz. 1728.
16	occidentalis. R.s.	West Indian.	W. Indies.	1820.	——	S.♃.	
17	pseudococcinea.	pale scarlet.	S. America.	1797.	6. 8.	S.♄.	Jacq. ic. 2. t. 209.
18	amœna. B.M.	fine blue.	W. Indies.	1793.	9. 12.	S.♄.	Botan. magaz. 1294.
	Boosiana. Jacq. f. ecl. 1. t. 47. *amœna.* B.R. 446.						
19	rosea. R.s.	rose-coloured.	E. Indies.	1816.	6. 9.	S.♄.	
20	tubifera. R.s.	long-tubed.	Mexico.	1824.	——	S.♃.	Cavan. ic. 1. t. 25.
21	mexicana. R.s.	Mexican.	———	1724.	5. 7.	G.♄.	——— 1. t. 26.
22	chamædryoides. R.s.	Germander like.	———	1795.	6. 9.	G.♄.	Botan. magaz. 808.
23	cæsia. R.s.	grey.	S. America.	1813.	——	G.♄.	
24	involucrata. R.s.	large-bracted.	Mexico.	1825.	....	S.♄.	Cavan. ic. 2. t. 105.
25	purpurea. R.s.	purple.	———	——	5. 7.	S.♃.	——— 2. t. 166.
26	hispanica. R.s.	Spanish.	Spain.	1739.	6. 8.	H.☉.	Botan. regist. 359.
27	serotina. R.s.	late-flowering.	Chio.	1803.	8.	G.♄.	Jacq. ic. 1. t. 8.
28	dominica. R.s.	Dominican.	W. Indies.	1759.	7.	S.♃.	Swartz.obs.p.18.t.1.f.1
29	tiliæfolia. R.s.	Lime-leaved.	S.America.	1793.	6. 8.	S.♃.	Jacq. schœn. 3. t. 254.
30	micrantha. R.s.	small-flowered.	———	1818.	——	S.♃.	
31	leonuroides. R.s.	shining-leaved.	Peru.	1783.	4. 10.	G.♄.	Lam. ill. t. 20. f. 3.
	formosa. B.M. 378.						
32	coccinea. R.s.	scarlet-flow'r'd.	S. America.	1774.	——	G.♄.	
33	pulchella. R.s.	pretty.	———	....	8. 12.	G.♄.	Murr. c. gott. 1778. t. 1.
34	amarissima. R.s.	bitter.	Mexico.	1803.	7. 8.	G.♃.	Botan. regist. 347.
35	glutinosa. R.s.	glutinous.	Europe.	1596.	6. 9.	H.♃.	Sabb. hort. rom. t. 3.
36	nubicola. B.F.G.	Nepaul.	Nepaul.	1824.	8. 10.	H.♃.	Swt. br. fl. gar. 140.
37	ægyptiaca. R.s.	Egyptian.	Egypt.	1770.	6. 7.	H.☉.	Jacq. vind. 2. t. 108.
38	cretica. R.s.	Cretan.	Crete.	1760.	6. 8.	F.♄.	Rivin. monop. t. 128.
39	paniculata. R.s.	panicled.	C. B. S.	1758.	——	G.♄.	Mill. ic. t. 225. f. 1.
40	africana. R.s.	African.	———	1731.	4. 6.	G.♄.	Comm. hort. 2. t. 91.
41	colorata. R.s.	colour'd-calyxed.	———	1758.	7. 8.	G.♄.	Mill. ic. t. 225. f. 2.
42	officinalis. R.s.	garden.	S. Europe.	1597.	6. 7.	H.♄.	Lam. ill. t. 20. f. 1.
	β variegata.	*variegated.*	———	——	——	H.♄.	
	γ tenuior.	*narrow-leaved.*	Spain.	——	——	H.♄.	
43	Spielmanni. R.s.	Spielman's.	Caucasus.	1813.	——	H.♃.	Jacq. f. ecl. 2. t. 15.
44	phlomoides. R.s.	Mullein-leav'd.	Spain.	1805.	5. 6.	H.♃.	Rœm.script.his.t.1.f.1.
45	urticifolia. R.s.	Nettle-leaved.	N.America.	1799.	6. 7.	H.♃.	Moris. his. 3. t. 18. f. 31.

46	lusitanica. R.S. *bullata.* W.en. *elongata.* Spr.	blistered.	Portugal.	1804.	7. 8.	H. ♃.	Jacq. f. ecl. t. 38.
47	rugosa. R.S.	wrinkle-leaved.	C. B. S.	1775.	——	H. ♄.	
48	verticillata. R.S.	whorled.	Germany.	1658.	9. 11.	H. ♃.	Mirb.an.m.15.t.15.f.10
	β *parviflora.*	*small-flowered.*	——	——	——	H. ♃.	
49	indica. R.S.	Indian.	India.	1731.	5. 7.	H. ♃.	Botan. magaz. 895.
50	Tenorii. R.S.	Tenore's.	Italy.	1820.	5. 8.	H. ♃.	Swt. br. fl. gar. 26.
51	candidissima. R.S. *crassifolia.* F.G. *non* Cav.	hoary-leaved.	Levant.	1804.	6. 7.	G. ♃.	Flor. græc. t. 26.
52	verbascifolia. R.S.	Verbascum-ld.	Iberia.	1825.	——	H. ♃.	
53	odorata. R.S.	sweet-scented.	Bagdad.	1804.	7.	F. ♄.	Jacq. f. ecl. t. 16.
54	compressa. R.S.	compressed.	Levant.	1816.	7. 8.	H. ♃.	Venten. cels. t. 59.
55	mollis. R.S.	soft.	Siberia.	1596.	6. 10.	H. ♃.	Jacq. f. ecl. t. 37.
56	grandiflora. R.S.	great-flower'd.	S. Europe.	1616.	6. 9.	H. ♃.	—— t. 36.
57	crassifolia. R.S.	thick-leaved.	.....	1804.	——	H. ♄.	
58	pratensis. R.S.	meadow.	England.	....	5. 11.	H. ♃.	Eng. bot. 153.
59	variegata. R.S.	variegated.	Hungary.	1814.	6. 8.	H. ♃.	
60	hæmatodes. R.S.	bloody-veined.	Italy.	1699.	7. 8.	H. ♃.	Barrel. ic. t. 185.
61	nepetifolia. R.S.	Catmint-leav'd.	.....	1823.	——	H. ☉.	
62	viscosa. R.S.	clammy.	Italy.	1773.	5. 6.	H. ♃.	Jacq. ic. l. t. 5.
63	disermas. R.S.	long-spiked.	Syria.	——	7.	H. ♃.	Barrel. ic. 187.
64	nutans. R.S.	nodding.	Russia.	1780.	6. 8.	H. ♃.	Botan. magaz. 2436.
65	pendula. R.S. *betonicæfolia.* W.	Betony-leaved.	——	1804.	——	H. ♃.	
	β *grandiflora.*	*large-flowered.*	——	——	——	H. ♃.	
66	amplexicaulis. R.S.	stem-clasping.	Levant.	1818.	7. 9.	H. ♃.	
67	austriaca. R.S.	Austrian.	Austria.	1776.	6. 7.	H. ♃.	Jacq. aust. 2. t. 112.
68	syriaca. R.S.	Syrian.	Levant.	1759.	7.	G. ♄.	Arduin. spec. l. t. 1.
69	nubia. R.S.	Nubian.	Africa.	1784.	6. 7.	G. ♃.	Murr. c. gott. 1778. t. 3.
70	virgata. R.S.	long-branched.	Armenia.	1758.	7. 11.	H. ♃.	Jacq. schœn. 1. t. 37.
71	campestris. R.S.	field.	Tauria.	1818.	6. 7.	H. ♃.	
72	sylvestris. R.S.	wood.	Germany.	1759.	6. 10.	H. ♃.	Jacq. aust. 3. t. 212.
73	nemorosa. R.S.	spear-leaved.	——	1728.	——	H. ♃.	
74	patula. R.S.	spreading.	Portugal.	1805.	5. 7.	H. ♃.	
75	tingitana. R.S.	Tangier.	Barbary.	1796.	7.	G. ♄.	Rivin. monop. l. t. 52.
76	Sclarea. R.S.	common Clary.	Italy.	1562.	7. 9.	H. ♂.	Flor. græc. l. t. 25.
77	spinosa. R.S.	thorny-calyxed.	Egypt.	1789.	6.	G. ♂.	Jacq. ic. l. t. 7.
78	Æthiopis. R.S.	woolly.	Austria.	1570.	5. 6.	H. ♂.	Jacq. aust. 3. t. 211.
79	argentea. R.S.	silvery.	Crete.	1759.	5. 7.	H. ♃.	Flor. græc. l. t. 27.
80	applanata. R.S.	short-spined.	.....	1818.	6. 8.	H. ♂.	
81	Horminum. R.S.	annual Clary.	S. Europe.	1596.	——	H. ☉.	Flor. græc. l. t. 20.
	α *violacea.*	*purple-topped.*	——	——	——	H. ☉.	
	β *rubra.*	*red-topped.*	——	——	——	H. ☉.	
82	viridis. R.S.	green topped.	Italy.	1759.	——	H. ☉.	Flor. græc. l. t. 19.
83	pyramidalis. R.S.	pyramidal.	——	1825.	——	H. ♃.	
84	verbenaca. R.S.	wild clary.	Britain.	....	6. 10.	H. ♃.	Eng. bot. 154.
85	triloba. R.S.	three-lobed.	S. Europe.	1596.	6. 7.	H. ♄.	Flor. græc. l. t. 17.
86	lyrata. R.S.	lyre-leaved.	N. America.	1728.	——	H. ♃.	Moris. s. 11. t. 13. f. 27.
87	gigantea. R.S.	giant.	.....	1816.	——	H. ♂.	
88	abyssinica. R.S.	Abyssinian.	Abyssinia.	1775.	6. 7.	G. ♃.	Jacq. ic. l. t. 6.
89	nilotica. R.S.	Nilotic.	Egypt.	1780.	6. 8.	H. ☉.	Jacq. vind. 3. t. 22.
90	Forskohlii. R.S.	Forskohl's.	Levant.	1800.	——	H. ♃.	Botan. magaz. 988.
91	napifolia. R.S.	Rape-leaved.	Italy.	1776.	6. 7.	H. ♃.	Jacq. vind. 2. t. 262.
92	aurita. R.S.	ear-leaved.	C. B. S.	1795.	5. 6.	G. ♄.	
93	bicolor. R.S.	two-coloured.	Barbary.	1793.	6. 7.	H. ♃.	Botan. magaz. 1774.
94	laciniata. R.S.	jagged-leaved.	.....	1818.	——	H. ♃.	
95	runcinata. R.S.	runcinated.	C. B. S.	1795.	——	G. ♄.	Jacq. schœn. 1. t. 8.
96	scabra. R.S.	rough-leaved.	——	1774.	4. 9.	G. ♄.	
97	erosa. R.S.	erose-leaved.	.....	1823.	6. 9.	H. ☉.	
98	multifida. L.en. *polymorpha.* R.S.	multifid.	S. Europe.	——	5. 6.	H. ♃.	Flor. græc. l. t. 23.
99	clandestina. R.S.	cut-leaved.	Italy.	1739.	4. 7.	H. ♂.	—— —— l. t. 24.
100	ceratophylla. R.S.	stag's-horn-ld.	Persia.	1699.	7. 8.	H. ♂.	Pluk. alm. t. 194. f. 5.
101	ceratophylloides.	branching.	Egypt.	1771.	6. 8.	H. ♂.	Arduin. spec. 2. t. 2.
102	prismatica. R.S.	slender-spiked.	Mexico.	1822.	——	H. ☉.	

COLLINSONIA. R.S. COLLINSONIA. Diandria Monogynia. L.

1	canadensis. R.S.	Nettle-leaved.	N. America.	1735.	8. 10.	H. ♃.	Linn. hort. cliff. t. 5.
2	scabriuscula. R.S.	rough-stalked.	Florida.	1776.	7. 9.	H. ♃.	
3	ovalis. R.S.	oval-leaved.	Carolina.	1812.	8.	H. ♃.	

4 tuberosa. M. *serotina.* R.S.	tuberous.	Carolina.	1806.	8.	H.4.		
5 anisata. R.S.	Anise-scented.	———	——	10.	H.4.	Botan. magaz. 1213.	
LUMNITZERA. S.S.	LUMNITZERA.	Didynamia Gymnospermia. S.S.					
1 ocymoides. S.S.	Basil-like.	.....	1823.	6. 8.	S.⊙.		
2 polystachya. S.S. *Ocymum polystachion.* W.	many-spiked.	E. Indies.	1783.	7. 8.	S.⊙.	Mnrr. c. gott. 3. t. 3.	
3 tenuiflora. S.S.	slender-spiked.	———	1708.	——	S.♂.	Rumph. amb. 5. t. 92. f. 2.	
4 capitata. S.S. *Ocymum capitellatum.* W.	small-headed.	China.	1806.	——	H.⊙.		
OCYMUM. W.	BASIL.	Didynamia Gymnospermia. L.					
1 thyrsiflorum. S.S.	thyrse-flower'd.	E. Indies.	1806.	7. 8.	S.♂.	Jacq. vind. 3. t. 72.	
2 gratissimum. S.S.	shrubby.	———	1752.	——	S.ħ.	Jacq. ic. 3. t. 495.	
3 Basilicum. W.	common sweet.	India.	1548.	——	H.⊙.	Blackw. t. 104.	
4 pilosum. W.en.	hairy.	.....	1816.	7. 9.	H.⊙.		
5 micranthum. S.S	small-flowered.	.....	——	——	S.⊙.		
6 viride. S.S.	green.	E. Indies.	——	——	S.ħ.		
7 suave. S.S.	sweet-scented.	———	——	——	S.ħ.		
8 canum. B.M.	hoary.	China.	1822.	——	H.⊙.	Botan. magaz. 2452.	
9 sanctum. S.S.	purple-stalked.	E. Indies.	1758.	——	S.⊙.	Rheed. mal. 10. t. 92.	
10 febrifugum. S.S.	Feverwort.	SierraLeon.	1821.	——	S.⊙.	Botan. regist. 753.	
11 album. S.S.	large white-fld.	E. Indies.	1816.	——	S.⊙.		
12 americanum. S.S.	American.	S. America.	1789.	7. 8.	S.⊙.	Jacq. vind. 3. t. 86.	
13 caryophyllatum. H.B.	Clove-scented.	E. Indies.	1817.	——	S.4.		
14 villosum. H.B.	villous.	———	——	——	S.4.		
15 menthoides. S.S.	Mint-leaved.	———	1783.	——	S.⊙.		
16 inodorum. Lam.	scentless.	———	1823.	——	S.⊙.		
17 cristatum. H.B.	crested.	———	1812.	——	S.⊙.		
18 grandiflorum. S.S.	great-flower'd.	Abyssinia.	1802.	9. 10.	G.ħ.	L'Herit. s. nov. t. 42.	
19 minimum. S.S.	bush.	———	1573.	——	H.⊙.	Schk. handb. 2. t. 166.	
PLECTRANTHUS. S.S.	PLECTRANTHUS.	Didynamia Gymnospermia. S.S.					
1 fruticosus. S.S.	shrubby.	C. B. S.	1774.	6. 9.	G.ħ.	L'Herit. stirp. 85. t. 41.	
2 scutellarioides. S.S. *Ocymum scutellarioides.* B.M.	Skullcap-like.	E. Indies.	1764.	7. 8.	S.⊙.	Botan. magaz. 1446.	
3 galeatus. S.S.	helmetted.	Nepaul.	1820.	——	S.⊙.		
4 graveolens. B.P.	strong-scented.	N. S. W.	——	——	G.ħ.		
5 australis. B.P.	New Holland.	———	1823.	——	G.⊙.		
6 incanus. S.S.	hoary.	Nepaul.	——	——	G.4.		
7 monachorum. S.S. *Ocymum monachorum.* W.	monk's basil.	E. Indies.	1796.	——	S.⊙.		
8 mollis. S.S.	heart-leaved.	———	1781.	9. 10.	S.⊙.		
9 Forskohlœi. S.S. *barbatus.* A.R. 594.	Forskohl's.	Abyssinia.	1806.	10. 11.	S.ħ.	Botan. magaz. 2086.	
10 strobiliferus. H.B.	thick-spiked.	E. Indies.	1804.	6. 9.	S.⊙.	Rheed. mal. 10. t. 90.	
11 secundus. H.B.	side-flowering.	———	1816.	——	S.⊙.		
12 punctatus. S.S.	dotted.	Africa.	1775.	1. 5.	G.♂.	L'Herit. stirp. 1. t. 41.	
13 rotundifolius. S.S.	round-leaved.	Mauritius.	1823.	6. 8.	S.⊙.		
14 parviflorus. S.S.	small-flowered.	S. America.	1805.	6. 9.	G.ħ.	W. hort. ber. 1. t. 65.	
15 cordifolius. D.P.	heart-leaved.	Nepaul.	1823.	——	G.ħ.		
16 comosus. B.M.	tufted.	———	1820.	——	S.ħ.	Botan. magaz. 2318.	
17 coloratus. D.P.	coloured bracted.	———	1823.	——	G.ħ.		
18 Coetsa. D.P.	canescent.	———	——	——	G.4.		
19 ternatus. B.M.	ternate-leaved.	Madagascar.	1820.	11.	S.4.	Botan. magaz. 2460.	
PRUNELLA. S.S.	SELF-HEAL.	Didynamia Gymnospermia. L.					
1 vulgaris. S.S.	common.	Britain.	....	7. 8.	H.4.	Eng. bot. 961.	
β *alba.*	*white-flowered.*	———	....	——	H.4.		
2 pensylvanica. S.S.	Pensylvanian.	N. America.	1801.	7. 9.	H.⊙.	W. hort. ber. 1. t. 9.	
3 grandiflora. S.S.	great-flowered.	Austria.	1596.	——	H.4.	Botan. magaz. 2014.	
4 intermedia. S.S. *grandiflora.* B.M.	intermediate.	S. Europe.	1790.	——	H.4.	——— —— 337.	
5 incisa. L.en.	cut-leaved.	———	....	——	H.4.		
6 laciniata. L.	yellow-flow'r'd.	Austria.	1713.	——	H.⊙.	Lam. ill. t. 516. f. 2.	
7 hastata. S.S.	halberd-leaved.	Portugal.	....	——	H.4.		
8 longifolia. P.S.	long-leaved.	France.	....	——	H.4.		
9 hyssopifolia. S.S.	hyssop-leaved.	S. Europe.	1731.	7. 9.	H.4.	Moris. s. 11. t. 5. f. 7.	
MELISSA. S.S.	BALM.	Didynamia Gymnospermia. L.					
1 officinalis. W.	common.	S. Europe.	1573.	6. 10.	H.4.		
β *hirsuta.*	*hairy.*	———	....	——	H.4.		

2 cordifolia. P.S.	heart-leaved.	S. Europe.	....	6. 10.	H.4.		
3 altissima. S.S.	tall.	———	1823.	——	H.4.		
HORMINUM. P.S.	Horminum.	Didynamia Gymnospermia. P.S.					
pyrenaicum. P.S.	Pyrenean.	Pyrenees.	1820.	6. 7.	H.4.	Jacq. vind. 2. t. 183.	
DRACOCEPHALUM.	Dragon's-head.	Didynamia Gymnospermia. L.					
1 virginianum. S.S.	Virginian.	N. America.	1683.	7. 9.	H.4.	Botan. magaz. 467.	
2 speciosum. B.F.G.	beautiful.	———	1820.	——	H.4.	Swt. br. fl. gar. 93.	
3 denticulatum. S.S.	toothed.	Carolina.	1787.	8. 9.	H.4.	Botan. magaz. 214.	
4 variegatum. S.S.	variegated.	———	1812.	——	H.4.	Venten. ccls. t. 44.	
5 Ruyschiana. S.S.	Hyssop-leaved.	N. Europe.	1699.	6. 9.	H.4.	Flor. dan. 121.	
6 austriacum. S.S.	Austrian.	Austria.	1597.	6. 7.	H.4.	Jacq. ic. 1. t. 112.	
7 botryoides. S.S.	woolly-leaved.	Caucasus.	1823.	——	H.4.		
8 palmatum. S.S.	palmated.	Siberia.	1815.	6. 8.	H.4.		
9 canariense. S.S.	Balm of Gilead.	Canaries.	1697.	7. 9.	G.ħ.	Comm. hort. 2. t. 41.	
10 peregrinum. S.S.	prickly-leaved.	Siberia.	1759.	7. 8.	H.4.	Botan. magaz. 1084.	
11 argunense. S.S.	Fischer's.	———	1822.	7. 9.	H.4.	Swt. br. fl. gar. 47.	
12 grandiflorum. S.S.	great-flowered.	———	1759.	——	H.⊙.	Botan. magaz. 1609?	
13 altaiense. S.S.	Betony-leaved.	Georgia.	1787.	——	H.4.	Nov. com. pet. t. 29. f. 3.	
14 Moldavica. S.S.	Moldavian.	Moldavia.	1596.	7. 8.	H.⊙.	Lam. ill. t. 513. f. 1.	
15 canescens. S.S.	hoary-leaved.	Levant.	1711.	——	H.⊙.	Swt. br. fl. gar. 38.	
16 peltatum. S.S.	Willow-leaved.	———	———	——	H.⊙.	Lam. ill. t. 513. f. 2.	
17 thymiflorum. S.S.	small-flowered.	Siberia.	1752.	6. 9.	H.⊙.	Gmel. sib. 3. t. 50.	
18 nutans. S.S.	nodding.	———	1731.	7. 8.	H.4.	Botan. regist. 841.	
19 sibiricum. S.S.	Siberian.	———	1760.	6. 8.	H.4.	Botan. magaz. 2185.	
PRASIUM. S.S.	Prasium.	Didynamia Gymnospermia. L.					
1 majus. S.S.	great.	S. Europe.	1699.	6. 8.	G.ħ.	Flor. græc. 584.	
2 minus. S.S.	smaller.	———	1752.	——	F.ħ.		
PHRYMA. S.S.	Phryma.	Didynamia Gymnospermia. L.					
leptostachya. S.S.	slender-spiked.	N. America.	1802.	8. 9.	H.4.	Lam. ill. t. 516.	
CLEONIA. S.S.	Cleonia.	Didynamia Gymnospermia. L.					
lusitanica. S.S.	sweet-scented.	Portugal.	1710.	6. 7.	H.⊙.	Mill. ic. 1. t. 70.	
TRICHOSTEMMA. S.S.	Trichostemma.	Didynamia Gymnospermia. L.					
1 dichotomum. S.S.	Marjoram-ld.	N. America.	1759.	6. 7.	H.⊙.	Lam. ill. t. 515.	
2 linearis. S.S.	linear-leaved.	———	———	———	H.⊙.		
THYMUS. S.S.	Thyme.	Didynamia Gymnospermia. L.					
1 villosus. S.S.	hairy.	Portugal.	1759.	6. 7.	F.ħ.	Hof. et Lk. fl. lus. t. 14.	
2 cephalotus. S.S.	great headed.	———	———	7. 8.	H.ħ.	——— ——— t. 13.	
3 capitatus. L.en.	headed.	———	1823.	——	H.ħ.		
4 odoratissimus. S.S.	very sweet.	Tauria.	———	———	H.ħ.		
5 acicularis. S.S.	needle-shaped.	Hungary.	1806.	6. 8.	H.ħ.	W. et K. hung. 2. t. 147.	
6 hirsutus. S.S.	hairy.	———	1816.	——	H.ħ.		
7 Zygis. S.S.	Spanish.	Spain.	1771.	8.	H.ħ.	Barrel. ic. 777.	
8 Marschallianus. S.S.	Marschall's.	Russia.	1815.	6. 8.	H.ħ.		
9 glabrescens. L.en.	smooth.	S. Europe.	1823.	——	H.ħ.	Hof. et Lk. fl. lus. t. 15.	
10 angustifolius. S.S.	narrow-leaved.	Europe.	....	——	H.ħ.		
11 Serpyllum. S.S.	wild or mother of.	Britain.	....	——	H.ħ.	Eng. bot. 1514.	
12 exserens. S.S.	exserted.	———	....	——	H.ħ.		
13 citriodorus. L.en.	Lemon.	Europe.	....	——	H.ħ.		
14 collinus. S.S.	hill.	Tauria.	1823.	——	H.ħ.		
15 montanus. W.K.	mountain.	Hungary.	1800.	6. 7.	H.ħ.	W. et K. hung. 1. t. 71.	
16 nummularius. M.B.	moneywort.	Caucasus.	1818.	——	H.ħ.		
17 pannonicus. W.en.	Hungarian.	Hungary.	———	———	H.ħ.		
18 lanuginosus. S.S.	woolly.	Europe.	....	6. 8.	H.ħ.		
19 tomentosus. S.S.	tomentose.	Spain.	1816.	——	H.ħ.		
20 albicans. S.S.	white-leaved.	Portugal.	———	———	H.ħ.		
21 adscendens. L.en.	ascending.	S. Europe.	....	——	H.ħ.		
22 lucidus. S.S.	shining-leaved.	.....	1816.	——	H.ħ.		
23 vulgaris. S.S.	common.	S. Europe.	1548.	5. 8.	H.ħ.		
β *latifolius.*	*broad-leaved.*	———	———	———	H.ħ.		
24 Mastichina. S.S.	Mastick.	Spain.	1596.	7. 9.	F.ħ.	Blackw. t. 134.	
25 elongatus. L.en.	elongated.	.....	1816.	——	F.ħ.		
26 Tragoriganum. S.S.	goat's.	Candia.	1640.	5. 6.	F.ħ.	Alp. exot. t. 78.	
27 filiformis. S.S.	filiform.	Minorca.	1770.	6. 7.	G.ħ.		
28 fruticulosus. S.S.	frutescent.	Sicily.	1823.	——	H.ħ.		
29 croaticus. P.S.	oval-leaved.	Hungary.	1802.	7. 8.	H.ħ.	W. et K. hung. 2. t. 156.	
Piperella. W.K. *non* L.							
30 ericæfolius. W.en.	Heath-leaved.	Spain.	1806.	6. 8.	H.ħ.		
CALAMINTHA. Ph.	Calamint.	Didynamia Gymnospermia.					
1 marifolia. P.S.	Marum-leaved.	Spain.	1788.	6. 7.	H.4.	Cavan. ic. 6. t. 576.	
Nepeta marifolia. Cav. *Thymus marifolius.* W.en.							

2 cretica. P.S.	Cretan.	S. Europe.	1596.	6. 7.	F. ♄.	Barrel. ic. 1166.
3 fruticosa. P.S.	shrubby.	Spain.	1752.	7. 9.	F. ♄.	
4 alba. L.en.	white.	Hungary.	1818.	——	H. ♃.	
5 Nepeta. P.S.	lesser.	England.	....	7. 10.	H. ♃.	Eng. bot. 1414.
Melissa Nepeta. L. *Thymus Nepeta.* E.B.						
6 vulgaris.	common.	——	....	7. 8.	H. ♃.	—— 1676.
Melissa Calamintha. L. *Thymus Calamintha.* E.B.						
7 grandiflora. P.S.	great-flowered.	Italy.	1596.	6. 9.	H. ♃.	Botan. magaz. 208.
Melissa grandiflora. B.M.						
8 caroliniana. N.	Carolina.	Carolina.	1804.	6. 7.	F. ♄.	—— —— 997.
Thymus grandiflorus. B.M.						
ACINOS. P.S.	Acinos. Didynamia Gymnospermia. P.S.					
1 vulgaris. P.S.	Basil-leaved.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 411.
Thymus Acinos. E.B.						
2 graveolens. L.en.	strong-scented.	Tauria.	1823.	——	H. ♄.	
3 villosus. P.S.	villous.	Germany.	1817.	——	H. ☉.	
4 alpinus. P.S.	Alpine.	Austria.	1731.	6. 9.	H. ♂.	Jacq. aust. 1. t. 97.
5 purpurascens. P.S.	purple.	Spain.	1820.	——	H. ♂.	
6 patavinus. P.S.	Marjoram-ld.	S. Europe.	1776.	6. 8.	H. ♂.	Jacq. obs. 4. t. 87.
7 rotundifolius. P.S.	round-leaved.	Spain.	1820.	——	H. ♄.	
THYMBRA. S.S.	Thymbra. Didynamia Gymnospermia. L.					
1 spicata. L.	spiked-flow'r'd.	Levant.	1699.	6. 7.	G. ♄.	Pluk. alm. t. 116. f. 5.
2 verticillata. L.	whorl-flowered.	Spain.	1702.	——	G. ♄.	
LEPECHINIA. S.S.	Lepechinia. Didynamia Gymnospermia. W.					
spicata. S.S.	spiked.	Mexico.	1800.	7. 8.	H. ♃.	W. hort. ber. t. 21.
CLINOPODIUM. S.S.	Wild-basil. Didynamia Gymnospermia. L.					
1 vulgare. S.S.	common.	Britain.	....	6. 8.	H. ♃.	Eng. bot. 1401.
2 ægyptiacum. S.S.	Egyptian.	Egypt.	1759.	——	H. ♃.	
MELITTIS. S.S.	Bastard-balm. Didynamia Gymnospermia. L.					
1 Melissophyllum. S.S.	common.	England.	....	6. 8.	H. ♃.	Eng. bot. 577.
β alpina.	*Alpine.*	Switzerland.	....	——	H. ♃.	
2 grandiflora. S.S.	great-flowered.	England.	....	5.	H. ♃.	Eng. bot. 636.
SCUTELLARIA. S.S.	Skullcap. Didynamia Gymnospermia. L.					
1 galericulata. S.S.	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 523.
2 hastifolia. S.S.	hastate-leaved.	Germany.	1796.	6. 7.	H. ♃.	
3 minor. S.S.	lesser.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 524.
4 parvula. S.S.	slender.	N. America.	1823.	——	H. ♃.	Hook. ex. flor. 106.
5 havanensis. S.S.	Havannah.	Havannah.	1793.	5. 6.	S. ♃.	Jacq. obs. 2. t. 29.
6 humilis. B.P.	dwarf.	N. S. W.	1822.	6. 8.	G. ♃.	
7 grandiflora. S.S.	large-flowered.	Siberia.	1804.	7. 8.	H. ♃.	Botan. magaz. 635.
8 lateriflora. S.S.	Virginian.	N. America.	1752.	6. 9.	H. ♃.	
9 orientalis. S.S.	yellow-flow'r'd.	Levant.	1729.	7. 9.	H. ♃.	Swt. br. fl. gar. 45.
10 altaica. F.	Altay.	Siberia.	1816.	——	H. ♃.	
11 alpina. S.S.	Alpine.	Hungary.	1752.	6. 10.	H. ♃.	Swt. br. fl. gar. t. 90.
12 peregrina. S.S.	Florentine.	Italy.	1783.	——	H. ♃.	W. et K. hung. 2. t. 125.
13 altissima. S.S.	tall.	Levant.	1731.	7. 8.	H. ♃.	
14 pallida. S.S.	pale-flowered.	Tauria.	1824.	——	H. ♃.	
15 Columnæ. S.S.	heart-leaved.	Italy.	1806.	6. 8.	H. ♃.	Swt. br. fl. gar. 52.
16 rubicunda. S.S.	rubicund.	.....	1815.	——	H. ♃.	
17 albida. S.S.	hairy white.	Levant.	1771.	6. 7.	H. ♃.	Flor. græc. 581.
18 lupulina. S.S.	Tartarian.	Tartary.	1739.	6. 9.	H. ♃.	Schmidel ic. t. 73.
19 integrifolia. S.S.	entire-leaved.	N. America.	1731.	6. 9.	H. ♃.	Pluk. alm. t. 441. f. 6.
20 hyssopifolia. W.	Hyssop-leaved.	——	——	——	H. ♃.	
21 purpurascens. S.S.	purplish.	W. Indies.	1823.	——	S. ♃.	
22 caroliniana. S.S.	Carolina.	Carolina.	1811.	——	H. ♃.	Lam. ill. t. 515. f. 3.
23 pilosa. S.S.	pilose.	N. America.	——	——	H. ♃.	
24 serrata. S.S.	saw-leaved.	——	1800.	——	H. ♃.	Andr. reposit. 494.
25 scordifolia. F.	Scordium-ld.	Siberia.	1823.	——	H. ♃.	
26 verna. Bess.	vernal.	.....	——	5. 6.	H. ♃.	
PROSTANTHERA. B.P.	Prostanthera. Didynamia Gymnospermia. S.S.					
1 lasianthos. B.P.	villous-flower'd.	N. S. W.	1808.	6. 7.	G. ♄.	Botan. regist. 143.
2 linearis. B.P.	linear-leaved.	——	1823.	——	G. ♄.	
3 denticulata. B.P.	tooth-leaved.	——	——	——	G. ♄.	
4 violacea. B.P.	violet-coloured.	——	——	4. 6.	G. ♄.	
AJUGA. S.S.	Ajuga. Didynamia Gymnospermia. L.					
1 Iva. S.S.	musky.	S. Europe.	1759.	7. 8.	H. ☉.	Cavan. ic. 2. t. 120.
2 reptans. S.S.	common.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 489.
α cærulea.	*blue-flowered.*	——	....	——	H. ♃.	
β rubra.	*red-flowered.*	——	....	——	H. ♃.	
γ alba.	*white-flowered.*	Britain.	....	5. 6.	H. ♃.	

3 alpina. s.s.	Alpine.	England.	....	5. 7.	H.4.	Eng. bot. 477.
4 genevensis. s.s.	Geneva.	Switzerland.	1656.	5. 6.	H.4.	Bull. herb. t. 361.
5 pyramidalis. s.s.	pyramidal.	Britain.	....	——	H.4.	Eng. bot. 1270.
6 orientalis. s.s.	oriental.	Levant.	1732.	——	H.4.	Swt. br. fl. gar. ic.
7 Chamæpitys. s.s.	ground pine.	England.	....	4. 7.	H.⊙.	Eng. bot. 77.
ANISOMELES. B.P.	ANISOMELES.	Didynamia Gymnospermia. S.S.				
1 ovata. s.s.	broad-leaved.	E. Indies.	1783.	7. 8.	S.⊙.	Burm. zeyl. t. 71. f. 1.
2 malabarica. s.s.	Malabar.	————	1817.	——	S.h.	Rheed. mal. 10. t. 93.
3 furcata.	forked.	Nepaul.	1823.	——	S.h.	
nepalensis. s.s. *Ajuga furcata.* L.en.						
TEUCRIUM. S.S.	GERMANDER.	Didynamia Gymnospermia. L.				
1 fruticans. W.	narrow-ld. shrubby.	Spain.	1640.	6. 9.	H.h.	Dill. elt. t. 284. f. 366.
2 latifolium. L.	broad-ld. shrubby.	————	——	——	H.h.	Botan. magaz. 245.
3 heterophyllum. s.s.	various-leaved.	Madeira.	1759.	6. 7.	G.h.	
4 Laxmanni. s.s.	Laxmann's.	Siberia.	1800.	6. 8.	H.4.	
5 brevifolium. s.s.	short-leaved.	Crete.	1824.	——	H.h.	
6 asiaticum. s.s.	Asiatic.	.....	1777.	6. 10.	G.h.	Jacq. vind. 3. t. 41.
7 cubense. s.s.	Cuba.	Cuba.	1733.	5.	S.♂.	Jacq. obs. 2. t. 30.
8 Nissolianum. s.s.	Nissole's.	Spain.	1752.	6. 7.	F.4.	Moris. s. t. 22. f. 19.
9 campanulatum. s.s.	bell-flowered.	Levant.	1728.	7. 8.	H.4.	
10 regium. s.s.	royal.	Spain.	1699.	5. 10.	F.h.	Pluk. alm. t. 65. f. 1.
11 multiflorum. s.s.	many-flowered.	————	1731.	7. 9.	H.4.	Bocc. mus. t. 117.
12 lucidum. s.s.	shining.	S. Europe.	1730.	6. 9.	H.4.	Magn. hort. 52.
13 Chamædrys. s.s.	wall.	England.	....	5. 8.	H.4.	Eng. bot. 680.
14 Scordium. s.s.	water.	————	....	7. 8.	H.w.4.	———— 828.
15 scordioides. s.s.	likened.	S. Europe.	1816.	——	H.4.	
16 spinosum. s.s.	thorny.	Spain.	1640.	5. 6.	H.⊙.	Cavan. ic. 1. t. 31.
17 Botrys. s.s.	cut-leaved.	S. Europe.	1633.	7. 9.	H.⊙.	Ger. emac. 525. f. 2.
18 trifidum. s.s.	trifid-leaved.	C. B. S.	1791.	6. 8.	G.h.	
19 angustissimum. s.s.	narrow-leaved.	Spain.	1818.	——	H.h.	Barrel. rar. t. 1080.
20 pumilum. s.s.	small.	————	1816.	7. 8.	F.h.	———— t. 1092.
21 thymifolium. s.s.	Thyme-leaved.	Spain.	——	6. 10.	F.h.	
22 supinum. s.s.	procumbent.	Austria.	1752.	——	H.h.	Jacq. aust. 5. t. 417.
23 montanum. s.s.	dwarf mountain.	S. Europe.	1710.	7. 10.	F.h.	
24 Polium. s.s.	Poley.	————	1562.	7. 9.	F.h.	Barrel. rar. t. 1074.
25 Pseudohyssopus. s.s.	Hyssop-leav'd.	Italy.	1804.	6. 7.	H.h.	Col. ecphr. 1. t. 67.
26 capitatum. s.s.	round-headed.	Spain.	1731.	7. 8.	F.h.	Cavan. ic. 2. t. 119.
27 lusitanicum. s.s.	Portugal.	Portugal.	1816.	——	F.h.	
28 pycnophyllum. s.s.	clustered.	Spain.	——	——	H.4.	Barrel. rar. t. 1096.
29 gnaphalodes. s.s.	woolly-calyx'd.	————	——	7. 9.	F.h.	———— t. 1083.
30 aureum. s.s.	golden Poley.	S. Europe.	1731.	6. 7.	F.h.	Cavan. ic. 2. t. 117.
31 flavescens. P.s.	yellow Poley.	————	....	7. 9.	F.h.	Barrel. rar. t. 1073.
32 hyrcanicum. s.s.	Betony-leaved.	Persia.	1763.	8. 10.	H.4.	Botan. magaz. 2013.
33 inflatum. s.s.	thick-spiked.	Jamaica.	1778.	——	S.4.	
34 virginicum. s.s.	Virginian.	N. America.	1768.	5. 6.	H.4.	
35 canadense. s.s.	Canadian.	————	——	8. 9.	H.4.	
36 abutiloides. s.s.	Mulberry-ld.	Madeira.	1777.	4. 5.	G.h.	Jacq. schœn. 3. t. 258.
37 Scorodonia. s.s.	wood sage.	Britain.	....	7.	H.4.	Eng. bot. 1543.
38 betonicum. s.s.	hoary.	Madeira.	1775.	5. 8.	G.h.	Botan. magaz. 1114.
39 flavum. s.s.	yellow-flow'r'd.	S. Europe.	1640.	7. 9.	H.h.	Park. theat. 109. f. 1.
40 massiliense. s.s.	sweet-scented.	France.	1731.	6. 7.	H.h.	Jacq. vind. 1. t. 94.
41 resupinatum. s.s.	resupinate.	Barbary.	1801.	7. 8.	H.⊙.	Desf. atl. 2. t. 117.
42 Marum. s.s.	Cat-thyme.	Spain.	1640.	7. 9.	F.h.	Park. theat. 17. f. 2.
43 subspinosum. s.s.	Minorca.	Minorca.	1816.	——	G.h.	
44 creticum. s.s.	Cretan.	Crete.	1825.	——	G.h.	
45 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1731.	6. 8.	H.4.	
46 orientale. s.s.	great-flower'd.	Levant.	1752.	7. 8.	H.4.	Botan. magaz. 1379.
47 sibiricum. L.	Siberian.	Siberia.	1804.	7.	H.4.	
WESTRINGIA. S.S.	WESTRINGIA.	Didynamia Gymnospermia. S.S.				
1 rosmariniformis. B.P.	Rosemary like.	N. S. W.	1791.	5. 8.	G.h.	Andr. reposit. 214.
2 Dampieri. B.P.	Dampier's.	N. Holland.	1803.	5. 7.	G.h.	
3 angustifolia. B.P.	narrow-leaved.	V. Diem. Isl.	1823.	——	G.h.	
LAVANDULA. S.S.	LAVENDER.	Didynamia Gymnospermia. L.				
1 Spica. s.s.	common.	S. Europe.	1568.	7. 9.	H.h.	Schk. hand. 2. t. 157.
β *alba.*	*white-flowered.*	————	——	——	H.h.	
2 latifolia. s.s.	broad-leaved.	————	——	——	H.h.	
3 Stœchas. s.s.	French.	S. Europe.	1562.	5. 7.	G.h.	Barrel. ic. t. 301.
4 viridis. s.s.	Madeira.	Madeira.	1777.	——	G.h.	Hoff. et Lk. lus. 1. t. 4.
5 dentata. s.s.	tooth-leaved.	Spain.	1597.	6. 9.	G.h.	Botan. magaz. 401.

6	pinnata. s.s.	pinnated.	Madeira.	1777.	4. 8.	G. ♄.	Botan. magaz. 400.
7	heterophylla. s.s.	various-leaved.	.....	1816.	——	G. ♄.	
8	formosa. L.en.	handsome.	.....	——	——	G. ♄.	
9	multifida. s.s.	cut-leaved.	Canaries.	1597.	7. 9.	G. ♂.	Lobel. ic. 432.
10	abrotanoides. s.s.	Southernwood-ld.	————	1699.	6. 9.	G. ♄.	Comm. rar. t. 27.
11	? carnosa. w.	thick-leaved.	E. Indies.	1788.	6. 7.	S. ♂.	Linn. amoen.ac.10. t.8.
	Plectranthus dubius. s.s.						
SIDERITIS. S.S.		IRONWORT.	Didynamia Gymnospermia. L.				
1	canariensis. s.s.	Canary.	Canaries.	1697.	5. 8.	G. ♄.	Jacq. vind. 3. t. 36.
2	candicans. s.s.	Mullein-leav'd.	Madeira.	1714.	4. 7.	G. ♄.	Comm. hort. 2. t. 99.
3	cretica. s.s.	Cretan.	Crete.	1823.	——	G. ♄.	
4	montana. s.s.	mountain.	Austria.	1752.	7. 8.	H. ☉.	Jacq. aust. 5. t. 424.
5	elegans. s.s.	dark-flowered.	.....	1787.	7.	H. ☉.	Murr. com. got. 1. t. 4.
6	romana. s.s.	Roman.	Italy.	1759.	6. 8.	H. ☉.	Cavan. ic. 2. t. 187.
7	syriaca. s.s.	Syrian.	Levant.	1597.	6. 9.	G. ♄.	Sabb. hort. 3. t. 40.
8	taurica. W.en.	Taurian.	Tauria.	1818.	——	H. ♄.	
9	perfoliata. s.s.	perfoliate.	Levant.	1731.	8. 11.	H. ♃.	
10	incana. s.s.	Lavender-ld.	Spain.	1752.	7. 8.	H. ♄.	Cavan. ic. 2. t. 186.
11	angustifolia. s.s.	narrow-leaved.	————	1825.	——	H. ♄.	
12	spinosa. s.s.	spiny.	————	....	6. 9.	H. ♃.	Cavan. ic. 3. t. 260.
13	ilicifolia. s.s.	Holly-leaved.	Levant.	....	——	H. ♃.	
14	serrata. s.s.	saw-leaved.	Spain.	1818.	——	H. ♃.	
15	hyssopifolia. s.s.	Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. ♃.	Schk. hand. 2. t. 158.
16	fœtida. L.en.	strong-scented.	.....	....	——	H. ♃.	
17	pyrenaica. s.s.	Pyrenean.	Pyrenees.	1816.	——	H. ♃.	
18	chamædryfolia. s.s.	Germander-ld.	Spain.	——	——	H. ♃.	
19	scordioides. s.s.	scollop-leaved.	France.	1597.	8. 11.	H. ♃.	Barrel. ic. t. 242.
20	hirsuta. s.s.	hairy.	S. Europe.	1731.	6. 7.	H. ♃.	Cavan. ic. 4. t. 302.
21	crispata. s.s.	curled-leaved.	Gibraltar.	1816.	6. 9.	F. ♃.	
ORIGANUM. S.S.		MARJORAM.	Didynamia Gymnospermia. L.				
1	vulgare. s.s.	common.	Britain.	....	6. 10.	H. ♃.	Eng. bot. 1142.
2	virens. s.s.	green.	Portugal.	1816.	——	H. ♃.	Hoff. et Lk. fl.p.1. t.9.
3	heracleoticum. s.s.	winter, sweet.	S. Europe.	1640.	——	H. ♃.	Lobel. ic. 492.
4	creticum. s.s.	Cretan.	————	1596.	——	H. ♃.	Schk. hand. 2. t. 164.
5	macrostachyon. s.s.	long-spiked.	Portugal.	1820.	——	H. ♃.	
6	hirtum. L.en.	hairy.	S. Europe.	——	——	H. ♃.	
7	oblongatum. L.en.	oblong-spiked.	————	1823.	——	H. ♃.	
8	smyrnæum. L.	Smyrna.	Smyrna.	1722.	6. 7.	G. ♄.	
9	Onites. s.s.	pot.	Sicily.	1759.	7. 11.	H. ♃.	Boce. mus. t. 38.
10	Maru. w.	Lavender-scent'd.	Crete.	1822.	——	F. ♃.	Botan. magaz. 2695.
11	Majoranoides. w.	shrubby sweet.	.....	....	——	F. ♄.	
12	Majorana. s.s.	knotted.	Portugal.	1573.	6. 7.	F. ♂.	Moris. s. 11. t. 3. f. 1.
13	indicum. s.s.	Indian knotted.	E. Indies.	1820.	——	S. ♂.	
14	salvifolium. Roth.	Sage-leaved.	.....	....	——	F. ♄.	
15	Tournefortii. s.s.	Tournefort's.	Amorgos.	1788.	8. 9.	F. ♄.	Andr. reposit. 537.
16	sipyleum. s.s.	Mount Sipylus.	Levant.	1699.	6. 9.	F. ♄.	Herm. lugd. t. 468.
17	Dictamnus. s.s.	Dittany of Crete.	Candia.	1551.	——	F. ♄.	Botan. magaz. 298.
18	ægyptiacum. s.s.	Egyptian.	Egypt.	1731.	6. 8.	G. ♄.	Alp. ægypt. t. 95.
PYCNANTHEMUM. M.		PYCNANTHEMUM.	Didynamia Angiospermia. S.S.				
1	linifolium. s.s.	Flax-leaved.	N.America.	1739.	7. 8.	H. ♃.	Herm. parad. t. 218.
2	lanceolatum. s.s.	spear-leaved.	————	1812.	——	H. ♃.	
3	aristatum. s.s.	awned.	————	1752.	8.	H. ♃.	Mich. amer. 2. t. 38.
4	verticillatum. s.s.	whorl-leaved.	————	1816.	7. 8.	H. ♃.	
5	Monardella. s.s.	Monarda-like.	————	——	——	H. ♃.	
6	incanum. s.s.	hoary.	————	1732.	7. 10.	H. ♃.	Dill. elt. t. 74. f. 86.
ISANTHUS. M.		ISANTHUS.	Didynamia Gymnospermia. S.S.				
	cœruleus. M.	blue.	N.America.	1732.	6. 8.	H. ♂.	Dill. elt. t. 285. f. 369.
	Trichostema brachiata. L.						
SATUREJA. S.S.		SAVORY.	Didynamia Gymnospermia. L.				
1	approximata. s.s.	bundle-leaved.	Sicily.	1825.	5. 7.	F. ♄.	
2	viminea. s.s.	Pennyroyal tree.	Jamaica.	1783.	....	S. ♄.	
3	montana. s.s.	winter.	S. Europe.	1562.	6. 7.	H. ♄.	
4	rupestris. s.s.	rock.	Carniola.	1798.	——	H. ♃.	Jacq. ic. 3. t. 494.
5	obovata. s.s.	obovate-leaved.	Spain.	1824.	——	H. ♄.	
6	tenuifolia. s.s.	slender-leaved.	Italy.	1820.	——	H. ♄.	
7	Juliana. s.s.	linear-leaved.	————	1596.	5. 9.	F. ♃.	Lam. ill. t. 504. f. 1.
8	græca. s.s.	Grecian.	Greece.	1759.	6. 7.	F. ♃.	Alp. exot. t. 264.
9	hirsuta. s.s.	hairy.	Sicily.	1824.	——	F. ♃.	

10 **Teneriffæ.** s.s.	Teneriffe.	Teneriffe.	1815.	——	F.♃.	
11 **hortensis.** s.s.	summer.	Italy.	1652.	6. 8.	H.⊙.	Lam. ill. t. 504. f. 1.
12 **capitata.** w.	ciliated.	Levant.	1596.	6. 10.	H.♄.	Barrel. ic. t. 897.
13 **nervosa.** s.s.	nerved.	Sicily.	1824.	——	H.♄.	
14 **Thymbra.** s.s.	whorl-flower'd.	Candia.	1640.	5. 7.	G.♄.	Barrel. ic. t. 898.
15 **congesta.** s.s.	close-flowered.	.....	1825.	——	G.♄.	
BYSTROPOGON. S.S.	BYSTROPOGON.	Didynamia Gymnospermia. S.S.				
1 **origanifolius.** s.s.	Marjoram-ld.	Teneriffe.	1815.	7. 8.	G.♄.	
2 **plumosus.** s.s.	woolly-flow'r'd.	Canaries.	1779.	6. 7.	G.♄.	
3 **canariensis.** s.s.	Canary.	———	1714.	6. 8.	G.♄.	Comm. hort. 2. t. 65.
4 **punctatus.** s.s.	cluster-flow'r'd.	Madeira.	1775.	7. 9.	G.♄.	
POGOSTEMON. S.S.	POGOSTEMON.	Didynamia Gymnospermia. S.S.				
plectranthoides. s.s.	Plectranthus-like.	.....	1818.	6. 8.	S.♄.	Desf. m. mus. 2. t. 6.
HYSSOPUS. S.S.	HYSSOP.	Didynamia Gymnospermia.				
1 **officinalis.** s.s.	common.	S. Europe.	1548.	6. 9.	H.♄.	Jacq. aust. 3. t. 254.
2 **orientalis.** w.	narrow-leaved.	Caucasus.	....	——	H.♄.	Botan. magaz. 2299.
angustifolius. M.B.						
3 **Lophanthus.** s.s.	Mint-leaved.	Siberia.	1752.	8. 9.	H.♃.	Jacq. vind. 2. t. 182.
4 **nepetoides.** s.s.	square-stalked.	N.America.	1692.	8. 10.	H.♃.	——— 1. t. 68.
5 **scrophularifolius.**	Figwort-leav'd.	———	1800.	7. 8.	H.♃.	Herm. parad. t. 106.
ELSHOLTZIA. S.S.	ELSHOLTZIA.	Didynamia Gymnospermia. W.				
1 **cristata.** s.s.	crested.	Siberia.	1789.	5. 7.	H.⊙.	Botan. magaz. 2560.
2 **ocymoides.** s.s.	Basil-like.	E. Indies.	1823.	——	S.♃.	
PERILLA. W.	PERILLA.	Didynamia Gymnospermia. L.				
1 **ocymoides.** w.	Basil-leaved.	India.	1770.	7. 8.	H.⊙.	Arduin. spec. 2. t. 13.
2 **fruticosa.** D.P.	frutescent.	Nepaul.	1818.	——	S.♄.	
MENTHA. L.	MINT.	Didynamia Gymnospermia. L.				
1 **quadrifolia.** D.P.	four-leaved.	Nepaul.	1823.	6. 8.	G.♄.	
2 **viridis.** w.	spear.	Britain.	....	8.	H.♃.	Eng. bot. 2424.
3 **lævigata.** W.en.	smooth-leaved.	Germany.	....	6. 8.	H.♃.	
4 **balsamea.** W.en.	Balsam-scent'd.	Italy.	1804.	7. 8.	H.♃.	
5 **crispata.** W.en.	crumpled.	.....	1807.	——	H.♃.	
6 **piperita.** E.B.	pepper.	England.	....	8. 9.	H.♃.	Eng. bot. 687.
7 **niliaca.** s.s.	Egyptian.	Egypt.	1796.	7. 8.	H.♃.	Jacq. vind. 3. t. 87.
8 **sylvestris.** E.B.	wild.	Britain.	....	——	H.♃.	Eng. bot. 686.
9 **nemorosa.** W.en.	wood.	———	....	——	H.♃.	Flor. dan. t. 484.
10 **hirta.** W.en.	hairy.	.....	....	——	H.♃.	
11 **pubescens.** W.en.	pubescent.	.....	....	——	H.♃.	
12 **Auricularia.** W.	Indian.	E. Indies.	1796.	——	S.♃.	Rumph. amb. 6. t. 16.
13 **crispa.** W.	curled.	Siberia.	1640.	——	H.♃.	
14 **pyramidalis.** T.N.	pyramidal.	Naples.	1824.	——	H.♃.	
15 **undulata.** W.en.	wave-leaved.	.....	1816.	——	H.♃.	
16 **incana.** W.en.	hoary.	.....	1790.	——	H.♃.	
17 **lavandulacea.** W.en.	Lavender-ld.	Spain.	1825.	——	H.♃.	
18 **capensis.** W.	Cape.	C. B. S.	1816.	——	G.♃.	
19 **rotundifolia.** E.B.	round-leaved.	Britain.	....	8. 9.	H.♃.	Eng. bot. 446.
β *variegata.*	*variegated.*	———	....	——	H.♃.	
20 **macrostachya.** T.N.	long-spiked.	Naples.	1820.	——	H.♃.	
21 **gratissima.** W.	oblong-leaved.	Britain.	....	7. 8.	H.♃.	
22 **citrata.** s.s.	Bergamot.	England.	....	——	H.♃.	Eng. bot. 1025.
odorata. E.B.						
23 **hirsuta.** E.B.	hairy water.	Britain.	....	7. 9.	H.*w.*♃.	Eng. bot. 447.
24 **acutifolia.** E.B.	acute-leaved.	England.	....	9.	H.*w.*♃.	——— 2415.
25 **sativa.** E.B.	tall-red.	———	....	8. 9.	H.*w.*♃.	——— 448.
26 **rubra.** E.B.	common red.	Britain.	....	9.	H.*w.*♃.	——— 1413.
27 **gentilis.** E.B.	bushy red.	———	....	7. 8.	H.*w.*♃.	——— 2118.
28 **gracilis.** H.K.	narrow-leaved.	———	....	——	H.*w.*♃.	——— 449.
29 **palustris.** S.M.	marsh.	———	....	9.	H.*w.*♃.	
30 **villosa.** S.M.	horse.	———	....	7. 8.	H.*w.*♃.	
31 **pratensis.** S.M.	meadow.	———	....	——	H.*w.*♃.	Sole's Mints. t. 17.
32 **rivalis.** S.M.	river.	———	....	——	H.*w.*♃.	
33 **paludosa.** S.M.	brook.	———	....	9.	H.*w.*♃.	
34 **arvensis.** E.B.	corn.	———	....	7. 9.	H.♃.	Eng. bot. 2119.
35 **præcox.** S.M.	early-flow'ring.	———	....	6.	H.♃.	Sole's Mints ic.
36 **agrestis.** E.B.	field.	———	....	7. 8.	H.♃.	Eng. bot. 2120.
37 **austriaca.** s.s.	Austrian.	Austria.	1818.	——	H.♃.	
38 **dentata.** w.	toothed.	Germany.	1816.	——	H.♃.	
39 **canadensis.** w.	Canadian.	N.America.	1801.	——	H.♃.	
40 **glabrata.** s.s.	smooth.	Egypt.	1802.	——	H.♃.	

41	Pulegium. s.s.	Pennyroyal.	Britain.	....	8. 9.	H.w.4.	Eng. bot. 1026.
42	cervina. s.s.	Hyssop-leaved.	S. France.	1648.	6. 8.	H.4.	Moris. s. 3. t. 7. f. 7.
GALEOBDOLON.S.S.		Dead-nettle.	Didynamia Angiospermia. S.S.				
	luteum. E.B.	yellow.	Britain.	...	5. 6.	H.4.	Eng. bot. 787.
GALEOPSIS. S.S.		Hemp-nettle.	Didynamia Gymnospermia. L.				
1	Ladanum. E.B.	red.	Britain.	..	7. 9.	H.⊙.	Eng. bot. 884.
2	angustifolia. P.S.	narrow-leaved.	Europe.	1820.	——	H.⊙.	
3	pubescens. s.s.	pubescent.	Germany.	——	——	H.⊙.	
4	ochroleuca. s.s.	downy.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 2353.
	villosa. E.B.						
5	Tetrahit. E.B.	common.	———	....	——	H.⊙.	——— 207.
6	versicolor. E.B.	various-colour'd.	———	....	——	H.⊙.	——— 667.
	cannabina. W.						
LAMIUM. S.S.		Archangel.	Didynamia Gymnospermia. L.				
1	Orvala. s.s.	Balm-leaved.	Italy.	1596.	5. 7.	H.4.	Botan. magaz. 172.
2	rugosum. s.s.	rough.	———	1766.	7. 8.	H.4.	Bocc. mus. 5. t. 23.
3	maculatum. E.B.	spotted.	Britain.	....	4. 5.	H.4.	Eng. bot. 2550.
4	album. E.B.	white.	———	....	4. 9.	H.4.	——— 768.
5	bifidum. s.s.	bifid-helmetted.	Naples.	1825.	——	H.4.	Cyr. rar. fasc. 1. t. 7.
6	moschatum. s.s.	musk-scented.	Levant.	1739.	7. 9.	H.⊙.	
7	molle. s.s.	Pellitory-leav'd.	.....	1683.	4. 5.	H.4.	
8	flexuosum. T.N.	flexuose.	Naples.	1824.	4. 8.	H.4.	
9	garganicum. s.s.	woolly.	Italy.	1729.	7. 8.	H.4.	Sm. exot. bot. 1. t. 48.
10	lævigatum. s.s.	smooth.	———	1711.	3. 10.	H.4.	Pluk. alm. t. 198. f. 1.
11	purpureum. s.s.	purple.	Britain.	....	2. 8.	H.⊙.	Eng. bot. 769.
	β. albidum.	*white-flowered*.	———	....	——	H.⊙.	
12	incisum. s.s.	cut-leaved.	England.	....	5. 7.	H.⊙.	——— 1933.
13	amplexicaule. s.s.	Henbit.	Britain.	....	——	H.⊙.	——— 770.
14	multifidum. s.s.	multifid-leaved.	Levant.	1752.	4. 5.	H.⊙.	Comm. rar. t. 26.
GLECHOMA. L.		Ground-ivy.	Didynamia Gymnospermia. L.				
1	hederacea. E.B.	common.	Britain.	....	3. 5.	H.4.	Eng. bot. 853.
2	hirsuta. P.S.	hairy.	Hungary.	....	——	H.4.	W. et K. hung. t. 119.
NEPETA. L.		Catmint.	Didynamia Gymnospermia. L.				
1	croatica. s.s.	Hungarian.	Hungary.	1820.	6. 8.	H.4.	
2	grandiflora. s.s.	large-flowered.	Caucasus.	1806.	7. 8.	H.4.	
3	melissæfolia. s.s.	Balm-leaved.	Candia.	1752.	——	H.4.	
4	longiflora. H.K.	long-flowered.	Persia.	1802.	6. 8.	H.4.	Venten. cels. 66.
5	Mussini. H.K.	scolloped-l^d.	Siberia.	1804.	5. 8.	H.4.	Botan. magaz. 923.
	longiflora. B.M. *non* V.						
6	incana. s.s.	hoary.	Levant.	1723.	8.	H.4.	
7	graveolens. s.s.	strong-smelling.	S. Europe.	1804.	7. 8.	H.4.	All. ped. t. 2. f. 1.
8	amethystina. Poir.	amethystine.	———	1820.	——	H.4.	
9	Nepetella. s.s.	small.	———	1758.	——	H.4.	
10	teucriifolia. s.s.	Teucrium-l^d.	Armenia.	1816.	——	H.4.	
11	lamiifolia. s.s.	Lamium-leav'd.	———	1806.	——	H.4.	
12	angustifolia. s.s.	narrow-leaved.	Spain.	1798.	6. 7.	H.4.	
13	Cataria. s.s.	common.	Britain.	....	7. 9.	H.4.	Eng. bot. 137.
14	ucranica. s.s.	Ukranian.	Ukraine.	1789.	7. 8.	H.4.	
15	nuda. L.	naked.	S. Europe.	1710.	——	H.4.	Jacq. aust. 1. t. 24.
16	pannonica. L.	close-flowered.	Hungary.	1683.	8. 10.	H.4.	——— 2. t. 129.
17	violacea. s.s.	violet-coloured.	Spain.	1723.	7. 9.	H.4.	Bocc. mus. t. 36.
18	cœrulea. s.s.	blue-flowered.	.....	1777.	5. 6.	H.4.	
19	latifolia. s.s.	broad-leaved.	Pyrenees.	1818.	7. 8.	H.4.	
20	macrura. s.s.	long-tailed.	Siberia.	——	——	H.4.	
21	crispa. s.s.	curl-leaved.	Levant.	1800.	——	H.4.	
22	diffusa. s.s.	spreading.	Siberia.	1820.	——	H.4.	
23	imbricata. s.s.	imbricated.	Spain.	1825.	——	H.4.	
24	teucrioides. s.s.	Teucrium-like.	Levant.	1819.	——	H.4.	
25	italica. W.	Italian.	Italy.	1640.	6. 8.	H.4.	Jacq. vind. 2. t. 112.
26	marrubioides. W.en.	horehound-l^d.	———	....	——	H.4.	
27	multibracteata. s.s.	many-bracted.	Barbary.	1823.	——	H.4.	
28	lanata. s.s.	woolly.	S. Europe.	1774.	5. 6.	H.4.	Jacq. obs. 3. t. 75.
29	tuberosa. s.s.	tuberous-root'd.	Spain.	1683.	6. 8.	H.4.	Barrel. ic. t. 602.
30	reticulata. s.s.	netted.	Morocco.	1801.	7. 8.	H.4.	Desf. atl. 2. t. 124.
31	Scordotis. s.s.	sessile-spiked.	Crete.	1823.	——	G.½.	Alp. exot. t. 283.
32	suaveolens. Rem.	sweet-scented.	.....	1804.	——	H.4.	
33	multifida. W.	multifid.	Siberia.	1797.	7. 8.	H.4.	Gmel. sib. 3. t. 55.
34	botryoides. W.	annual.	———	1779.	6. 7.	H.⊙.	Cavan. ic. 1. t. 49.
	bipinnata. Cav.						

HYPTIS. S.S.	HYPTIS. Didynamia Gymnospermia. S.S.							
1 ebracteata. S.S.	small-headed.	W. Indies.	1778.	10.	1.	S. ☉.	Poit. an. mus. 7. t. 29. f. 1.
2 radiata. S.S.	Carolina.	Carolina.	1690.	6.	7.	G. ♃.	——— 7. t. 27. f. 2.
3 capitata. S.S.	Jamaica.	W. Indies.	1714.	——		S. ♂.	——— 7. t. 27. f. 1.
4 polyanthes. S.S.	many-flowered.	S. America.	1819.	——		S. ☉.	
5 brevipes. S.S.	short peduncl'd.	W. Indies.	1822.	——		S. ☉.	
6 recurvata. S.S.	recurved.	Cayenne.	——	——		S. ♃.	Poit. an. mus. t. 4. f. 3.
7 albida. S.S.	white-leaved.	Mexico.	1825.	——		S. ♄.	
8 persica. P.S. *Brotera persica.* L.T.	Persian.	Persia.	1800.	7.		G. ♄.	Linn. trans. 6. t. 12.
9 spicata. S.S.	spiked.	S. America.	1819.	7.	9.	G. ☉.	Poit. an. mus. t. 28. f. 2.
10 Plumieri. K.S.	Plumier's.	———	——	——		S. ☉.	Plum. ic. t. 163. f. 1.
11 stachyodes. S.S.	whorl-spiked.	Brazil.	1820.	——		S. ☉.	
12 pectinata. S.S.	pectinated.	W. Indies.	1776.	12.	1.	S. ♃.	Poit. an. mus. 7. t. 30.
STACHYS. S.S.	HEDGE-NETTLE. Didynamia Gymnospermia. L.							
1 spinosa. S.S.	thorny.	Candia.	1640.	7.		F. ♄.	Moris. s. 11. t. 10. f. 9.
2 glutinosa. S.S.	clammy.	———	1729.	6.	7.	H. ♃.	——— 11. t. 4. f. 17.
3 fruticulosa. S.S.	frutescent.	Caucasus.	1825.	——		H. ♄.	
4 æthiopica. S.S.	Ethiopian.	C. B. S.	1770.	4.	7.	G. ♃.	Jacq. obs. 4. t. 77.
5 corsica. S.S.	Corsican.	Corsica.	1825.	——		H. ♃.	
6 angustifolia. S.S.	narrow-leaved.	Tauria.	1823.	6.	7.	H. ♃.	
7 rugosa. S.S.	rough.	C. B. S.	1774.	7.	8.	G. ♄.	Jacq. ic. 3. t. 493.
8 betonicæfolia. S.S.	Betony-leaved.	Crete.	1812.	6.	7.	H. ♃.	
9 stenophylla. S.S.	linear-leaved.	S. Spain.	1819.	——		F. ♄.	
10 orientalis. S.S.	oriental.	Levant.	1768.	——		H. ♃.	
11 maritima. S.S.	sea-side.	S. Europe.	1714.	7.		H. ♃.	Jacq. vind. 1. t. 70.
12 annua. S.S.	annual.	———	1713.	6.	8.	H. ☉.	Jacq. aust. 4. t. 360.
13 hirta. S.S.	procumbent.	Spain.	1725.	——		H. ♃.	All. ped. 1. t. 2. f. 3.
14 arvensis. S.S.	corn.	Britain.	....	7.	8.	H. ☉.	Eng. bot. 1154.
15 arenaria. S.S.	sand.	Barbary.	1824.	6.	8.	H. ♃.	Desf. atl. 2. t. 126.
16 diffusa. Schweig. *arenaria.* B.M. *non* Desf. *rubra.* Donn.	diffuse.	S. Europe.	1804.	——		H. ♃.	Botan. magaz. 1915.
17 iberica. M.B.	Iberian.	Iberia.	1823.	——		H. ♃.	
18 scordifolia. W.en.	wedge-leaved.	.....	1816.	7.	8.	H. ♃.	
19 aspera. M.	harsh-leaved.	N. America.	——	——		H. ♃.	
20 tenuifolia. M.B.	slender-leaved.	Tauria.	1819.	——		H. ♃.	
21 Balbisii. L.en.	Balbis's.	Italy.	1823.	——		H. ♃.	
22 nepetæfolia. S.S.	Catmint-leaved.	Levant.	1805.	6.	8.	H. ♃.	
23 arabica. S.S.	Arabian.	Arabia.	1820.	——		H. ☉.	
24 ambigua. S.S.	ambiguous.	Britain.	....	6.	7.	H. ♃.	Eng. bot. 2089.
25 sylvatica. S.S.	common.	———	....	7.	8.	H. ♃.	——— 416.
26 Fœniculum. S.S. *Hyssopus anisatus.* N?	Fennel-scent'd.	Missouri.	1820.	——		H. ☉.	
27 circinata. S.S. *canariensis.* Jacq. ic. 1. t. 108.	blunt-leaved.	Barbary.	1777.	5.	7.	H. ♃.	L'Herit. s. nov. t. 26.
28 mollissima. W.en.	soft-leaved.	Corfu.	1806.	7.	8.	H. ♃.	W. hort. ber. t. 60.
29 decumbens. P.S.	decumbent.	....	1816.	5.	7.	H. ♃.	
30 coccinea. S.S.	scarlet.	S. America.	1798.	6.	8.	F. ♃.	Botan. magaz. 606.
31 recta. S.S.	upright.	S. Europe.	1683.	6.	8.	H. ♃.	Jacq. aust. 4. t. 359.
32 heraclea. W. *phlomoides.* W.en.	Phlomis-leav'd.	Italy.	1816.	6.	7.	H. ♃.	All. ped. t. 84. f. 1.
33 obliqua. P.S.	oblique-leaved.	Hungary.	——	——		H. ♃.	W. et K. hung. t. 233.
34 palustris. S.S.	Clown's all-heal.	Britain.	....	8.		H. ♃.	Eng. bot. 1675.
35 germanica. S.S.	downy.	England.	....	7.	8.	H. ♃.	——— 339.
36 intermedia. W.	oblong-leaved.	Carolina.	1762.	6.	7.	H. ♃.	
37 sibirica. L.en.	Siberian.	Siberia.	1822.	6.	8.	H. ♃.	Swt. br. fl. gar. 160.
38 polystachya. S.S.	many-spiked.	Naples.	1824.	——		H. ♃.	
39 salviæfolia. S.S.	Sage-leaved.	———	——	——		H. ♃.	
40 cretica. S.S.	Cretan.	Candia.	1640.	——		F. ♃.	Walt. hort. 108. t. 19.
41 alpina. S.S.	Alpine.	Germany.	1597.	——		H. ♃.	Lap. pyr. 1. t. 8.
42 lanata. S.S.	woolly.	Siberia.	1782.	6.	9.	H. ♃.	Jacq. ic. 1. t. 107.
43 latifolia. S.S.	broad-leaved.	.....	1775.	6.	7.	H. ♄.	
44 biennis. Roth.	biennial.	Germany.	1801.	6.	8.	H. ♂.	
45 lusitanica.	Portugal.	Portugal.	1800.	——		H. ♃.	
Eriostemon lusitanicum. LK.							
ZIETENIA. P.S.	ZIETENIA. Didynamia Gymnospermia. P.S.							
orientalis. P.S. *lavandulifolia.* L.en.	Lavender-l^d. *Stachys lavandulifolia.* W.	Levant.	1816.	5.	7.	H. ♄.		

LEONURUS. S.S.	**Motherwort.**	**Didynamia Gymnospermia. L.**					
1 Cardiaca. s.s.	common.	Britain.	....	7. 8.	H.4.	Eng. bot. 286.
2 villosus. s.s.	villous.	Tauria.	1824.	——	H.4.	
3 marrubiastrum.	small-flowered.	Austria.	1710.	6. 8.	H.⊙.	Jacq. aust. 5. t. 405.
4 crispus. s.s.	curl-leaved.	Siberia.	1658.	7. 8.	H.4.	Murr. c. gott. 8. t. 4.
5 supinus. s.s.	procumbent.	——	1816.	6. 8.	H.4.	
6 tataricus. s.s.	Tartarian.	Tartary.	1756.	8. 10.	H.♂.	Mill. ic. 1. t. 80.
7 sibiricus. s.s.	Siberian.	Siberia.	1759.	6. 8.	H.♂.	Sm. exot. bot. 2. t. 94.
8 condensatus. s.s.	condensed.	——	1824.	——	H.4.	
9 heterophyllus, B.F.G.	various-leav'd.	S. America.	——	——	H.⊙.	Swt. br. fl. gar. ic.
10 multifidus. Desf.	multifid.	.....	——	——	H.⊙.	
11 neglectus. Sch.	neglected.	.....	——	——	H.4.	
12 lanatus. s.s.	woolly.	Siberia.	1752.	——	H.4.	Gmel. sib. 3. t. 54.
Ballota lanata. W.						
BALLOTA. S.S.	**Stinking Horehound.**	**Didynamia Gymnospermia. L.**				
1 vulgaris. s.s.	common.	Europe.	....	7. 9.	H.4.	
2 fœtida. L.en.	strong-scented.	Britain.	....	——	H.4.	Eng. bot. 46.
a nigra.	*purple-flowered.*	——	....	——	H.4.	
β alba.	*white-flowered.*	——	....	——	H.4.	
BETONICA. S.S.	**Betony.**	**Didynamia Gymnospermia. L.**				
1 officinalis. s.s.	wood.	Britain.	....	7. 8.	H.4.	Eng. bot. 1142.
2 stricta. s.s.	Danish.	Denmark.	1592.	6. 7.	H.4.	
3 incana. s.s.	hoary.	Italy.	1759.	——	H.4.	Botan. magaz. 2125.
4 orientalis. s.s.	oriental.	Levant.	1737.	——	H.4.	Lam. ill. t. 507. f. 2.
5 alopecuros. s.s.	Foxtail.	S. Europe.	1759.	7.	H.4.	Jacq. aust. 1. t. 78.
6 hirsuta. s.s.	hairy.	Italy.	1710.	6. 7.	H.4.	Mur. com. got. 2. t. 3.
7 grandiflora. s.s.	great-flower'd.	Siberia.	1800.	——	H.4.	Botan. magaz. 700.
MARRUBIUM. S.S.	**Horehound.**	**Didynamia Gymnospermia. L.**				
1 Alyssum. s.s.	plaited-leaved.	Spain.	1597.	7. 8.	H.4.	Ger. herb. 379. f. 1.
2 astracanicum. s.s.	Astracan.	Levant.	1816.	——	H.4.	Jacq. ic. 1. t. 109.
3 peregrinum. W.	Sicilian.	Sicily.	1640.	7. 9.	H.4.	Jacq. aust. 2. t. 160.
4 candidissimum. s.s.	woolly white.	Levant.	1732.	——	H.4.	Dill. elt. 274. f. 214.
5 creticum. W.	Cretan.	——	1596.	——	H.4.	
6 affine. L.en.	related.	Siberia.	1816.	——	H.4.	
7 supinum. s.s.	procumbent.	S. Europe.	1714.	8. 10.	H.4.	Bocc. mus. 2. t. 96.
8 catarisefolium. s.s.	Catmint-leav'd.	Levant.	1823.	7. 9.	H.4.	
9 vulgare. s.s.	common.	Britain.	....	6. 9.	H.4.	Eng. bot. 410.
10 africanum. s.s.	African.	C. B. S.	1710.	7. 9.	G.4.	Comm. hort. 2. t. 90.
11 crispum. s.s.	curled-leaved.	S. Europe.	1714.	7. 8.	H.4.	Herm. parad. t. 200.
12 apulum. T.N.	Italian.	Italy.	1824.	6. 9.	H.4.	
13 cinereum. s.s.	cinereous.	S. Europe.	——	——	H.4.	
14 hirsutum. W.	hairy.	——	....	6. 7.	H.4.	
15 hispanicum. W.	Spanish.	Spain.	1714.	7. 8.	H.4.	Herm. parad. t. 201.
16 acetabulosum. s.s.	saucer-leaved.	Candia.	1676.	6. 8.	F.4.	Barrel. ic. 129.
17 Pseudo-Dictamnus.	shrubby white.	——	1596.	7. 8.	F.ħ.	Lam. ill. t. 568. f. 2.
PHLOMIS. S.S.	**Jerusalem-sage.**	**Didynamia Gymnospermia. L.**				
1 fruticosa. s.s.	shrubby.	Spain.	1596.	6. 7.	H.ħ.	Botan. magaz. 1843.
2 ferruginea. s.s.	ferruginous.	Naples.	....	——	H.ħ.	
3 lanata. s.s.	small shrubby.	S. Europe.	1596.	——	H.ħ.	
4 cretica. s.s.	Cretan.	Crete.	1823.	——	G.ħ.	
5 scariosa. s.s.	scariose-bract'd.	Italy.	——	——	F.ħ.	
6 virens. s.s.	green shrubby.	Levant.	....	——	F.ħ.	
7 purpurea. s.s.	purple.	S. Europe.	1661.	6. 8.	F.ħ.	Smith spicil. 6. t. 3.
8 italica. s.s.	Italian.	Italy.	——	——	F.ħ.	
9 Nissolii. s.s.	Nissole's.	Levant.	1757.	6. 7.	F.4.	Mill. ic. 2. t. 204.
10 Lychnites. s.s.	lamp-wick.	S. Europe.	1658.	6. 8.	G.ħ.	Botan. magaz. 999.
11 Samia. s.s.	Samian.	N. Africa.	1714.	6. 7.	H.4.	—— 1891.
12 Russelliana. Lag.	Russell's.	Levant.	1821.	——	H.4.	Russ. alep. 2. t. 16.
lunarifolia β Russelliana. B.M. 2542.						
13 Herba-venti. s.s.	rough-leaved.	S. Europe.	1596.	7. 9.	H.4.	
14 pungens. s.s.	pungent.	Levant.	1818.	6. 8.	H.4.	Swt. br. fl. gar. 33.
15 alpina. s.s.	Alpine.	Siberia.	1802.	6. 9.	H.4.	Pall. act. pet. 2. t. 18.
16 tuberosa. s.s.	tuberous-root'd.	——	1759.	6. 10.	H.4.	Botan. magaz. 1555.
17 laciniata. s.s.	jagged-leaved.	Levant.	1731.	7.	H.4.	Swt. br. fl. gar. 24.
LEUCAS. B.P.	**Leucas.**	**Didynamia Gymnospermia. S.S.**				
1 chinensis. s.s.	Chinese.	China.	1822.	6. 8.	S.ħ.	
2 zeylanica. s.s.	Ceylon.	E. Indies.	1777.	6. 10.	S.⊙.	Jacq. ic. 1. t. 111.
3 linifolia. s.s.	Flax-leaved.	——	1816.	——	S.⊙.	

4 cephalotes. s.s.	large-headed.	E. Indies.	1811.	——	S.⊙.		
5 aspera. s.s.	rough.	Persia.	1823.	——	S.⊙.		
6 indica. s.s.	Indian.	E. Indies.	1789.	7. 8.	S.⊙.		
7 urticæfolia. s.s.	Nettle-leaved.	——	1810.	——	S.⊙.		
8 martinicensis.	West-Indian.	W. Indies.	1781.	7. 8.	S.⊙.	Jacq. ic. 1. t. 110.	
Phlomis martinicensis. W.							
9 biflora. s.s.	two-flowered.	E. Indies.	1820.	——	S.⊙.	Burm. zeyl. t. 62. f. 1.	
LEONOTIS. S.S.	LION'S-EAR.	Didynamia Gymnospermia. S.S.					
1 Leonurus. s.s.	narrow-leaved.	C. B. S.	1712.	10. 12.	G. ♄.	Botan. magaz. 478.	
Phlomis Leonurus. W.							
2 ovata. s.s.	dwarf shrubby.	——	1713.	6. 7.	G. ♄.	Mill. ic. 2. t. 162. f. 1.	
3 intermedia. s.s.	intermediate.	S. Africa.	1823.	——	G. ♄.	Botan. regist. 850.	
4 nepetifolia. s.s.	Catmint-leav'd.	E. Indies.	1778.	9. 10.	S.⊙.	—— —— 281.	
MOLUCCELLA. S.S.	MOLUCCA-BALM.	Didynamia Gymnospermia. L.					
1 tuberosa. s.s.	tuberous-root'd.	Tartary.	1796.	7.	H. 4.	Pall. it. 3. app. t. T.	
2 lævis. s.s.	smooth.	Syria.	1570.	7. 8.	H.⊙.	Botan. magaz. 1852.	
3 spinosa. s.s.	prickly.	Levant.	1596.	——	H.⊙.	Lam. ill. t. 510.	
PYCNOSTACHYS.	PYCNOSTACHYS.	Didynamia Gymnospermia.					
cœrulea. H.E.F.	blue-flowered.	Madagascar.	1825.	8. 10.	F.⊙.	Hook. ex. flor. 202.	

ORDO CXXXII.

VERBENACEÆ. *Brown prodr.* 1. *p.* 510.

CLERODENDRUM. B.P.	CLERODENDRUM.	Didynamia Angiospermia. L.				
1 ligustrinum. s.s.	Privet-leaved.	Mauritius.	1789.	8. 11.	S. ♄.	Jacq. col. sup. t. 5. f. 1.
2 inerme. s.s.	smooth.	E. Indies.	1692.	——	S. ♄.	—— —— t. 4. f. 1.
3 angustifolium. s.s.	narrow-leaved.	Jamaica.	1823.	——	S. ♄.	Lam. ill. t. 544. f. 2.
4 volubile. s.s.	climbing.	Guinea.	1822.	....	S. ♄. ⌣	
5 buxifolium. s.s.	Box-leaved.	.....	1818.	7. 8.	S. ♄.	
Volkameria buxifolia. W.en.						
6 heterophyllum. s.s.	various-leaved.	Mauritius.	1805.	8. 9.	S. ♄.	Andr. reposit. 554.
Volkameria angustifolia. A.R.						
7 macrophyllum. B.M.	large-leaved.	——	1822.	——	S. ♄.	Botan. magaz. 2536.
8 serratum. s.s.	saw-leaved.	E. Indies.	——	——	S. ♄.	—— —— t. 4. f. 1.
9 lividum. B.R.	livid-bracted.	China.	1824.	9. 11.	S. ♄.	Botan. regist. 945.
10 cernuum. Wal.	drooping.	E. Indies.	1822.	....	S. ♄.	
11 Siphonanthus. s.s.	whorl-leaved.	——	1796.	....	S. ♄.	Burm. ind. t. 43. f. 1.
Siphonanthus indica et *Ovieda mitis.* L.						
12 verticillatus. D.P.	four-leaved.	Nepaul.	1818.	....	S. ♄.	
13 odoratum. D.P.	odoriferous.	——	1820.	....	S. ♄.	
14 fœtidum. D.P.	strong-scented.	——	——	....	S. ♄.	
15 nutans. D.P.	nodding.	——	——	....	S. ♄.	
16 scandens. s.s.	scandent.	Guinea.	1822.	....	S. ♄. ⌣	
17 trichotomum. s.s.	three-forked.	Japan.	1800.	....	G. ♄.	
18 fortunatum. s.s.	spear-leaved.	E. Indies.	1784.	7.	S. ♄.	Osb. it. t. 11.
19 squamatum. s.s.	scarlet.	China.	1790.	6. 9.	S. ♄.	Jacq. ic. 3. t. 500.
20 tomentosum. s.s.	downy.	N. S. W.	1794.	3. 5.	G. ♄.	Botan. magaz. 1518.
21 infortunatum. s.s.	long-flowered.	E. Indies.	....	....	S. ♄.	
22 phlomoides. s.s.	Phlomis like.	——	1820.	5. 7.	S. ♄.	Burm. ind. t. 45. f. 1.
23 fragrans. s.s.	fragrant.	China.	1790.	12. 8.	S. ♄.	Venten. malm. 70.
β multiplex.	*double-flowered.*	——	——	——	S. ♄.	Botan. magaz. 1834.
24 viscosum. s.s.	clammy.	E. Indies.	1796.	5. 8.	S. ♄.	—— —— 1805.
25 paniculatum. s.s.	panicled.	Java.	1809.	7. 10.	S. ♄.	Botan. regist. 406.
26 urticifolium. H.B.	Nettle-leaved.	E. Indies.	1822.	——	S. ♄.	
27 violaceum. L.en.	violet-coloured.	.....	——	....	S. ♄.	
28 japonicum.	Japan.	Japan.	1823.	....	S. ♄.	
Volkameria japonica. Th.						
VOLKAMERIA. S.S.	VOLKAMERIA.	Didynamia Angiospermia. L.				
aculeata. s.s.	prickly.	W. Indies.	1739.	8. 10.	S. ♄.	Brown. jam. t. 20. f. 2.
ÆGIPHILA. R.S.	ÆGIPHILA.	Tetrandria Monogynia. L.				
1 martinicensis. R.s.	Martinico.	W. Indies.	1780.	11. 1.	S. ♄.	Lodd. bot. cab. 132.
2 arborescens. R.s.	arborescent.	Trinidad.	1823.	....	S. ♄.	Aub. gui. 1. t. 21.

3 elata. R.S.	tall.	W. Indies.	1823.	7. 11.	S. ħ.	Botan. regist. 946.
4 fœtida R.S.	fetid.	———	1800.	6. 7.	S. ħ.	
5 diffusa. R.S.	diffuse.	———	1804.	7. 8.	S. ħ.	Andr. reposit. t. 578. f. 1.
6 obovata. R.S.	oval-leaved.	———	——	——	S. ħ.	——— t. 578. f. 2.
CALLICARPA. R.S.	CALLICARPA.	Tetrandria Monogynia. L.				
1 americana. R.S.	American.	Carolina.	1724.	6. 7.	G. ħ.	Catesb. car. 2. t. 47.
2 cana. R.S.	hoary.	E. Indies.	1799.	——	S. ħ.	
3 lanata. R.S.	woolly.	———	1788.	——	S. ħ.	Gært. fruct. 1. t. 94.
4 incana. F.I.	white-leaved.	———	1816.	6. 10.	S. ħ.	
5 macrophylla. R.S.	large-leaved.	———	1808.	——	S. ħ.	
6 lanceolaria. F.I.	lance-leaved.	———	1816.	——	S. ħ.	
7 ferruginea. R.S.	rusty.	Jamaica.	1794.	6. 7.	S. ħ.	
8 reticulata. R.S.	netted-leaved.	———	1822.	——	S. ħ.	
9 longifolia. R.S.	long-leaved.	China.	——	——	S. ħ.	Hook. ex. flor. 133.
10 rubella. B.R.	red-flowered.	———	——	——	S. ħ.	Botan. regist. 883.
11 purpurea. F.I.	purple-flower'd.	———	——	7. 9.	S. ħ.	
12 arborea. F.I.	tree.	Nepaul.	——	....	S. ħ.	
VITEX. S.S.	CHASTE-TREE.	Didynamia Angiospermia. L.				
1 ovata. S.S.	oval-leaved.	China.	1796.	7. 8.	S. ħ.	
2 triflora. S.S.	three-flowered.	Cayenne.	1823.	——	S. ħ.	
3 altissima. S.S.	tall.	Ceylon.	1802.	....	S. ħ.	
4 alata. S.S.	winged.	E. Indies.	1818.	6. 8.	S. ħ.	
5 bicolor. S.S.	two-coloured.	———	1810.	——	S. ħ.	
6 trifolia. S.S.	three-leaved.	———	1759.	——	S. ħ.	Botan. magaz. 2187.
7 Negundo. S.S.	Ash-leaved.	———	....	——	S. ħ.	Rheed. mal. 3. t. 11.
8 Agnus-castus. W.	common.	Sicily.	1570.	9.	H. ħ.	
β latifolia.	*broad-leaved.*	———	——	——	H. ħ.	
9 incisa. S.S.	cut-leaved.	China.	1758.	7. 9.	G. ħ.	Botan. magaz. 364.
Negundo. B.M.						
10 saligna. H.B.	Willow-leaved.	E. Indies.	1823.	....	S. ħ.	
11 Doniana.	Don's.	SierraLeon.	1824.	....	S. ħ.	
umbrosa. H.T. *non* Sw.						
WALLROTHIA. S.S.	WALLROTHIA.	Didynamia Angiospermia. S.S.				
Leucoxylon. S.S.	white-wooded.	Ceylon.	1796.	....	S. ħ.	
Vitex Leucoxylon. L.						
CHLOANTHES. B.P.	CHLOANTHES.	Didynamia Angiospermia. S.S.				
1 stœchadis. B.P.	white-leaved.	N. S. W.	1822.	6. 8.	G. ħ.	
2 glandulosa. B.P.	glandular-ld.	———	1824.	——	G. ħ.	
PREMNA. S.S.	PREMNA.	Didynamia Angiospermia. S.S.				
1 integrifolia. S.S.	entire-leaved.	E. Indies.	1822.	....	S. ħ.	Rumph. amb. 3. t. 133.
2 spinosa. H.B.	spiny.	———	——	....	S. ħ.	
3 esculenta. H.B.	esculent.	———	1824.	....	S. ħ.	
HOLMSKIOLDIA.	HOLMSKIOLDIA.	Didynamia Angiospermia. S.S.				
1 sanguinea. S.S.	scarlet.	E. Indies.	1796.	10. 4.	S. ħ.	Botan. regist. 692.
Hastingia coccinea. Sm. ex. bot. 86.						
2 scandens.	climbing.	———	1824.	——	S. ħ. ~	
Hastingia scandens. H.B.						
PETRÆA. S.S.	PETRÆA.	Didynamia Angiospermia. L.				
1 volubilis. S.S.	climbing.	Vera Cruz.	1788.	7. 8.	S. ħ. ~	Botan. magaz. 628.
2 rugosa. K.S.	rough-leaved.	Caracas.	1824.	....	S. ħ.	
HOSTA. Jacq.	HOSTA.	Diandria Monogynia.				
1 cœrulea. Jacq.	blue-flowered.	S. America.	1788.	6. 9.	S. ħ.	Jacq. schœnb. 1. t. 114.
Cornutia punctata. B.M. 2811.						
2 latifolia. K.S.	broad-leaved.	Mexico.	1824.	——	S. ħ.	
CORNUTIA. P.S.	CORNUTIA.	Diandria Monogynia. S.S.				
pyramidata. P.S.	pyramidal.	W. Indies.	1788.	....	S. ħ.	Lam. ill. t. 541.
GMELINA. S.S.	GMELINA.	Didynamia Angiospermia. L.				
1 arborea. S.S.	tree.	E. Indies.	1812.	....	S. ħ.	Rheed. mal. 1. t. 41.
2 villosa. H.B.	villous.	———	1818.	....	S. ħ.	
3 asiatica. S.S.	oval-leaved.	———	1792.	....	S. ħ.	Lam. ill. t. 542.
4 parvifiora. P.S.	small-flowered.	———	1817.	....	S. ħ.	Roxb. corom. 1. t. 32.
parvifolia. S.S.						
CITHAREXYLUM. W.	FIDDLE-WOOD.	Didynamia Angiospermia. L.				
1 caudatum. S.S.	upright.	Jamaica.	1768.	....	S. ħ.	Jacq. ic. 3. t. 501.
erectum. Jacq.						
2 villosum. S.S.	hairy-leaved.	W. Indies.	1784.	....	S. ħ.	——— 1. t. 118.
3 subserratum. S.S.	subserrate.	Hispaniola.	1819.	....	S. ħ.	
4 quadrangulare. S.S.	square-stalked.	Jamaica.	1759.	6. 8.	S. ħ.	Jacq. vind. 1. t. 22.
5 cinereum. S.S.	ash-coloured.	W. Indies.	1789.	——	S. ħ.	Jacq. amer. t. 118.

6 molle. S.S.	soft-leaved.	.....	1822.	——	S. ♄.	
7 pentandrum. S.S.	pentandrous.	Portorico.	1815.	——	S. ♄.	Vent. cels. t. 47.
DURANTA. S.S.	DURANTA. Didynamia Angiospermia. L.					
1 Plumieri. B.R.	smooth.	S.America.	1733.	6. 10.	S. ♄.	Botan. regist. 244.
2 Ellisia. B.M.	prickly.	W. Indies.	1739.	8.	S. ♄.	Botan. magaz. 1759.
3 inermis. Mill.	unarmed.	S. America.	——		S. ♄.	
4 xalapensis. K.S.	Mexican.	Mexico.	1822.	....	S. ♄.	
5 Mutisii. K.S.	Mutis's.	S. America. ——		6. 8.	S. ♄.	
AMASONIA. S.S.	AMASONIA. Didynamia Angiospermia. S.S.					
punicea. S.S.	puniceous.	Trinidad.	1823.	....	S. ♄.	
LANTANA. S.S.	LANTANA. Didynamia Angiospermia. L.					
1 aculeata. S.S.	changeable-col'd.	W. Indies.	1692.	4. 11.	S. ♄.	Botan. magaz. 96.
2 purpurea. S.S.	purple-flow'r'd.	S. America.	1822.	——	S. ♄.	
3 scabrida. S.S.	rough.	W. Indies.	1774.	7. 10.	S. ♄.	
4 mista. W.	Nettle-leaved.	————	1732.	8. 10.	S. ♄.	Lodd. bot. cab. 68.
5 melissæfolia. S.S.	Balm-leaved.	————	——	7. 9.	S. ♄.	Dill. elt. t. 57. f. 66.
6 nivea. S.S.	snowy white.	E. Indies.	....	——	S. ♄.	Botan. magaz. 1946.
7 stricta. S.S.	narrow-leaved.	Jamaica.	1783.	——	S. ♄.	Sloan. jam. 2. t. 196. f. 4.
8 Radula. W.	Rasp-leaved.	W. Indies.	1803.	——	S. ♄.	
9 salviæfolia. S.S.	Sage-leaved.	C. B. S.	1823.	——	G. ♄.	Jacq. schœnb. 3. t. 285.
10 recta. S.S.	upright.	Jamaica.	1758.	6. 8.	S. ♄.	———— S. t. 369.
11 involucrata. S.S.	round-leaved.	W. Indies.	1690.	5. 7.	S. ♄.	Pluk. alm. t. 114. f. 5.
12 odorata. S.S.	sweet-scented.	————	1758.	5. 11.	S. ♄.	Plum. ic. 71. f. 2.
13 Camara. S.S.	various-colour'd.	————	1691.	4. 9.	S. ♄.	Dill. elt. t. 56. f. 65.
14 trifolia. S.S.	three-leaved.	————	1733.	6. 9.	S. ♄.	Botan. magaz. 1449.
15 annua. S.S.	annual.	S. America.	——	7. 8.	S. ☉.	———— 1922.
16 fucata. S.S.	painted.	Brazil.	1822.	——	S. ♄.	Botan. regist. 798.
17 lavandulacea. S.S.	Lavender-like.	.....	——	——	S. ♄.	
18 crocea. L.en.	saffron-color'd.	Jamaica.	——	——	S. ♄.	Jacq. schœn. t. 473.
19 violacea. Desf.	violet-coloured.	S. America.	1824.	....	S. ♄.	
20 brasiliensis. L.en.	Brazilian.	Brazil.	——	——	S. ♄.	
21 alba. L.en.	white-flowered.	S. America.	....	——	S. ♄.	
22 horrida. K.S.	horrid.	Mexico.	1825.	——	S. ♄.	
SPIELMANNIA. S.S.	SPIELMANNIA. Didynamia Angiospermia. S.S.					
africana. S.S.	African.	C. B. S.	1710.	2. 11.	G. ♄.	Botan. magaz. 1899.
TECTONA. W.	TEAK-WOOD. Pentandria Monogynia. L.					
grandis. W.	great.	E. Indies.	1777.	....	S. ♄.	Roxb. corom. 1. t. 6.
COLEBROOKIA. S.S.	COLEBROOKIA. Didynamia Gymnospermia. S.S.					
1 oppositifolia. D.P.	opposite-leav'd.	Nepaul.	1816.	6. 9.	S. ♄.	Sm. exot. bot. t. 115.
2 ternifolia. S.S.	three-leaved.	E. Indies.	——	——	S. ♄.	
STREPTIUM. S.S.	STREPTIUM. Didynamia Angiospermia. S.S.					
asperum. S.S.	rough.	E. Indies.	1790.	7. 8.	S. ♃.	Roxb. corom. 2. t. 146.
Tortula aspera. W. *Priva leptostachya.* P.S.						
PRIVA. S.S.	PRIVA. Didynamia Angiospermia. S.S.					
1 lappulacea. P.S.	bristly-fruited.	S. America.	1822.	6. 8.	S. ♃.	Jacq. obs. 1. t. 24.
echinata. K.S.						
2 mexicana. P.S.	Mexican.	Mexico.	1726.	8. 9.	S. ♃.	Dill. elth. t. 302. f. 389.
hispida. K.S. *Verbena mexicana.* L.						
TAMONEA. S.S.	TAMONEA. Diandria Monogynia.					
verbenacea. S.S.	thorny-fruited.	W. Indies.	1733.	8.	S. ☉.	Banks. vel. Hous. t. 2.
curassavica. P.S. *Ghinia spinosa.* W.						
STACHYTARPHETA. BASTARD VERVAIN. Diandria Monogynia. S.S.						
1 angustifolia. R.S.	narrow-leaved.	S. America.	....	6. 9.	S. ☉.	Jacq. obs. 4. t. 86.
2 indica. R.S.	Indian.	Ceylon.	1732.	8. 9.	S. ☉.	
3 urticifolia. B.M.	Nettle-leaved.	S. America.	....	5. 9.	S. ♂.	Botan. magaz. 1848.
4 jamaicensis. R.S.	Jamaica.	W. Indies.	1714.	6. 9.	S. ♂.	———— 1860.
5 cayennensis. S.S.	Cayenne.	Cayenne.	1819.	——	S. ♄.	
6 prismatica. R.S.	Germander-l^d.	W. Indies.	1699.	5. 6.	S. ♂.	Jacq. ic. 2. t. 208.
7 orubica. R.S.	Orubian.	S. America.	——	6. 8.	G. ♂.	Ehr. pict. t. 5. f. 1.
8 mutabilis. R.S.	changeable-fld.	————	1801.	8. 9.	S. ♄.	Botan. magaz. 976.
Verbena mutabilis. W. *Cymburus mutabilis.* P.L. 49.						
9 hirsutissima. L.en.	hairy.	Brazil.	1821.	6. 9.	S. ♃.	
ZAPANIA. J.	ZAPANIA. Didynamia Angiospermia. P.S.					
1 stœchadifolia. P.S.	oval-spiked.	W. Indies.	1732.	8. 9.	S. ♃.	Brown. jam. t. 3. f. 1.
2 nodiflora. B.P.	knot-flowered.	America.	1664.	7. 8.	G. ♃.	Flor. græc. 553.
Verbena nodiflora. L. *Lippia nodiflora.* S.S.						
ALOYSIA. P.S.	ALOYSIA. Didynamia Angiospermia. P.S.					
citrodora. P.S.	Lemon-scent'd.	Chili.	1784.	5. 9.	G. ♄.	Botan. magaz. 367.
Verbena triphylla. B.M. *Lippia citrodora.* K.S.						

VERBENA. S.S.	**Vervain.**	**Didynamia Angiospermia. S.S.**					
1 angustifolia. s.s.	narrow-leaved.	N.America.	1802.	6. 8.	H. ¼.		
2 paniculata. s.s.	panicled.	———	1800.	7. 8.	H. ¼.		
3 bonariensis. s.s.	cluster-flow'r'd.	BuenosAyres.	1732.	7. 10.	H. ♂.	Dill. elt. t. 300. f. 387.	
4 caroliniana. s.s.	Carolina.	N.America.	——	6. 9.	H. ¼.	——— t. 301. f. 388.	
5 urticæfolia. s.s.	Nettle-leaved.	———	1683.	7. 9.	H. ¼.	Rob. ic. 26.	
6 stricta. s.s.	upright.	———	1802.	7. 8.	H. ¼.	Botan. magaz. 1976.	
7 lasiostachys. s.s.	woolly-spiked.	California.	1823.	——	H. ¼.		
8 bracteosa. s.s.	long-bracted.	N.America.	1812.	7.	H. ¼.		
9 Aubletia. s.s.	rose.	———	1774.	6. 8.	F. ♂.	Botan. magaz. 308.	
10 Lamberti. b.m.	Lambert's.	Peru.	1816.	——	F. ¼.	——— ——— 2200.	
11 hastata. s.s.	halberd-leaved.	Canada.	1710.	——	H. ¼.	Herm. parad. t. 242.	
12 scabra. s.s.	rough.	Mexico.	1825.	——	H. ¼.		
13 officinalis. e.b.	common.	Britain.	....	6. 9.	H. ¼.	Eng. bot. 769.	
14 sororia. d.p.	sister.	Nepaul.	1822.	8. 10.	H. ¼.	Swt. br. fl. gar. ic.	
15 spuria. s.s.	jagged-leaved.	N.America.	1731.	7. 8.	H. ♂.		
16 erinoides. s.s. *multifida.* r.p.	Erinus-like.	Peru.	1820.	——	H. ☉.	Flor. peruv. 1. t. 83. f. c.	
17 canescens. s.s.	canescent.	Mexico.	——	——	H. ¼.	H. et. B. 2. t. 136.	
18 supina. s.s.	trailing.	Spain.	1640.	6. 7.	H. ☉.	Park. theat. 675. f. 2.	
19 prostrata. h.k.	prostrate.	N.America.	1794.	——	H. ¼.		
LIPPIA. J.	**Lippia.**	**Didynamia Angiospermia. S.S.**					
purpurea. s.s.	purple.	Mexico.	1823.	6. 8.	G. ½.	Jacq. f. eclog. t. 85.	
HEBENSTREITIA. S.S.	**Hebenstreitia.**	**Didynamia Angiospermia. L.**					
1 scabra. w.	rough-leaved.	C. B. S.	1816.	5. 9.	G. ½.		
2 integrifolia. w. *aurea.* a.r.	entire-leaved.	———	1792.	4. 6.	G. ½.	Andr. reposit. 252.	
3 dentata. w.	dwarf-tooth'd-l.	———	1739.	5. 9.	G. ☉.	Botan. magaz. 483.	
4 ciliata. w.	ciliated.	———	1815.	5. 7.	G. ½.		
5 spicata. r.s.	spiked.	———	——	——	G. ½.		
6 erinoides. s.s.	Erinus-leaved.	———	1816.	5. 11.	G. ½.		
7 fruticosa. b.m.	frutescent.	———	——	——	G. ½.	Botan. magaz. 1970.	
8 cordata. s.s.	heart-leaved.	———	1774.	7. 8.	G. ½.		
SELAGO. S.S.	**Selago.**	**Didynamia Gymnospermia. L.**					
1 canescens. s.s.	canescent.	C. B. S.	1812.	7. 11.	G. ½.		
2 diffusa. s.s.	spreading.	———	1807.	7. 8.	G. ½.		
3 spinea. l.en.	reflex-leaved.	———	1816.	——	G. ½.		
4 ovata. s.s.	oval-headed.	———	1774.	6. 7.	G. ½.	Botan. magaz. 186.	
5 spicata. s.s.	spiked.	———	1815.	——	G. ½.		
6 ramulosa. s.s.	branching.	———	——	6. 9.	G. ½.		
7 bracteata. s.s.	imbricate-bract'd.	———	1816.	——	G. ½.		
8 dentata. s.s.	round-leaved.	———	——	——	G. ½.		
9 polygaloides. s.s.	Milkwort-like.	———	1807.	7. 11.	G. ½.		
10 rapunculoides. s.s.	Rampion-like.	———	1815.	——	G. ½.		
11 fasciculata. s.s.	cluster-flower'd	———	1774.	6. 7.	G. ½.	Botan. regist. 184.	
12 lucida. v.	shining-leaved.	———	1812.	——	G. ½.	Venten. malm. t. 10.	
13 rotundifolia. s.s.	round-leaved.	———	1816.	7. 9.	G. ½.		
14 corymbosa. s.s.	fine-leaved.	———	1699.	——	G. ½.	Comm. hort. 2. t. 40.	
15 spuria. s.s.	linear-leaved.	———	1779.	7. 10.	G. ♂.		

ORDO CXXXIII.

MYOPORINÆ. *Brown prodr. p.* 514.

MYOPORUM. B.P.	**Myoporum.**	**Didynamia Angiospermia. S.S.**				
1 ellipticum. b.p. *Pogonia glabra.* a.r.	smooth-leaved.	N. S. W.	1789.	1. 3.	G. ½.	Andr. reposit. 283.
2 acuminatum. b.p.	acuminate.	———	1812.	....	G. ½.	
3 montanum. b.p.	mountain.	———	1822.	2. 6.	G. ½.	
4 parvifolium. b.p.	small-leaved.	N.Holland.	1803.	3. 9.	G. ½.	Botan. magaz. 1691.
5 debile. b.p.	procumbent.	N.S.W.	1793.	5. 8.	G. ½.	——— —— 1830.
6 diffusum. b.p.	diffuse.	N. Holland.	....	8. 2.	G. ½.	

7 tuberculatum. B.P.	tubercled.	N. Holland.	1803.	5. 8.	G. ♄.		
8 viscosum. B.P.	viscid.	———	———	———	G. ♄.		
9 crassifolium. S.S.	thick-leaved.	N. Zealand.	1822.	———	G. ♄.		
10 oppositifolium. S.S.	opposite-leav'd.	N. Holland.	1803.	1. 12.	G. ♄.		
STENOCHILUS. B.P.	Stenochilus.	Didynamia Angiospermia. S.S.					
1 glaber. B.P.	smooth-leaved.	N. Holland.	1803.	1. 12.	G. ♄.	Botan. magaz. 1942.	
2 maculatus. B.R.	spott'd-flow'r'd.	———	1820.	4. 8.	G. ♄.	Botan. regist. 647.	
BONTIA. S.S.	Bontia.	Didynamia Angiospermia. L.					
daphnoides. S.S.	Barbadoes.	W. Indies.	1690.	6.	S. ♄.	Dill. elth. t. 49. f. 57.	
AVICENNIA. B.P.	Avicennia.	Didynamia Angiospermia. L.					
tomentosa. B.P.	downy-leaved.	India.	1793.	....	S. ♄.	Palisot. d'Owar. t. 47.	

ORDO CXXXIV.

ACANTHACEÆ. *Brown prodr.* 1. *p.* 472.

ACANTHUS. S.S.	Bears-breech.	Didynamia Angiospermia. L.					
1 mollis. W.	soft-leaved.	Italy.	1548.	7. 9.	H. ♃.	Lam. ill. t. 550.	
2 niger. L.en.	shining-leaved.	Portugal.	1759.	———	H. ♃.		
3 spinosus. B.M.	prickly-leaved.	S. Europe.	1639.	———	H. ♃.	Botan. magaz. 1806.	
4 spinosissimus. P.S.	white-spined.	———	———	———	H. ♃.		
5 carduifolius. S.S.	Cape.	C. B. S.	1816.	———	G. ♃.		
6 ilicifolius. S.S.	Holly-leaved.	E. Indies.	1759.	....	S. ♄.	Rheed. mal. 2. t. 48.	
BLEPHARIS. J.	Blepharis.	Didynamia Angiospermia. P.S.					
1 capensis. S.S.	simple-spined.	C. B. S.	1816.	5. 9.	G. ♄.		
2 furcata. S.S.	fork-spined.	———	———	6. 8.	G. ♄.		
3 procumbens. S.S.	procumbent.	———	1825.	———	G. ♄.		
THUNBERGIA. S.S.	Thunbergia.	Didynamia Angiospermia. S.S.					
1 grandiflora. S.S.	large-flowered.	E. Indies.	1822.	8. 8.	S. ♄. ⌣.	Botan. regist. 495.	
2 fragrans. S.S.	white Indian.	———	1796.	5. 9.	S. ♄. ⌣.	Botan. magaz. 1881.	
3 cordata. C.R.	heart-leaved.	Brazil.	1823.	8. 8.	S. ♄. ⌣.	Coll. h. rip. t. 21.	
4 capensis. S.S.	Cape.	C. B. S.	1816.	———	G. ♄. ⌣.		
5 alata. B.M.	winged.	Zanzebar.	1825.	1. 12.	S. ♄. ⌣.	Botan. magaz. 2591.	
6 angulata. H.E.F.	angular-stalk'd.	Mauritius.	1824.	5. 8.	S. ♄. ⌣.	Hook. ex. flor. 166.	
7 coccinea. D.P.	scarlet-flow'r'd.	Nepaul.	———	6. 2.	S. ♄. ⌣.	——————— 195.	
BARLERIA. S.S.	Barleria.	Didynamia Angiospermia. L.					
1 buxifolia. S.S.	Box-leaved.	E. Indies.	1763.	6. 7.	S. ♄.	Rheed. mal. 2. t. 47.	
2 Prionitis. S.S.	thorny.	———	1759.	7. 8.	S. ♄.	——————— 9. t. 41.	
3 longifolia. S.S.	long-leaved.	———	1781.	7. 9.	S. ♂.	Pluk. alm. t. 183. f. 4.	
4 cristata. S.S.	crested.	———	1796.	4. 9.	S. ♄.	Botan. magaz. 1615.	
5 alba. B.C.	white-flowered.	———	1818.	———	S. ♄.	Lodd. bot. cab. 360.	
6 flava. S.S.	yellow-flow'r'd.	Arabia.	1816.	———	S. ♄.	Jacq. f. ecl. t. 46.	
mitis. B.R. 191. *Justicia flava.* W. *Eranthemum flavum.* W.en.							
7 longiflora. S.S.	long-flowered.	E. Indies.	———	6. 9.	S. ♄.	Vahl symb. 1. t. 16.	
8 purpurea. B.C.	purple.	———	1817.	———	S. ♄.	Lodd. bot. cab. 344.	
9 dichotoma. H.B.	forked.	———	1823.	———	S. ♄.		
10 cærulea. H.B.	blue-flowered.	———	———	———	S. ♄.		
HYGROPHILA. B.P.	Hygrophila.	Didynamia Angiospermia. S.S.					
ringens. S.S.	gaping-flow'r'd.	E. Indies.	1807.	7. 8.	S. ♄.		
RUELLIA. S.S.	Ruellia.	Didynamia Angiospermia. L.					
1 ocymoides. S.S.	Basil-like.	Mexico.	1815.	7. 8.	S. ♄.	Cavan. ic. 5. t. 456.	
2 ciliata. S.S.	fringed.	E. Indies.	1806.	———	S. ♄.		
3 australis. S.S.	New Holland.	N. S. W.	1820.	6. 9.	G. ♄.	Cavan. ic. 6. t. 586. f. 1.	
4 fœtida. S.S.	strong-scented.	Mexico.	1824.	———	G. ♄.		
5 biflora. S.S.	two-flowered.	Carolina.	1765.	7.	G. ♃.		
6 violacea. S.S.	violet-flowered.	Guiana.	1822.	6. 9.	S. ♃.	Aub. gui. 2. t. 271.	
7 salicifolia. S.S.	Willow-leaved.	E. Indies.	———	———	S. ♄.		
8 ovata. S.S.	oval-leaved.	Mexico.	1809.	7. 8.	S. ♃.	Cavan. ic. 3. t. 254.	
9 patula. S.S.	spreading.	E. Indies.	1774.	———	S. ♄.	Jacq. ic. 1. t. 119.	

10	anisophylla. H.B.F.	unequal-leaved.	E. Indies.	1823.	9. 4.	S. ♄.	Hook. ex. flor. 191.
	persicifolia. B.R. 955.						
11	formosa. S.S.	splendid.	Brazil.	1808.	6. 9.	S. ♄.	Botan. magaz. 1400.
12	macrophylla. S.S.	large-leaved.	S. America.	1820.	——	S. ♄.	Vahl symb. 2. t. 39.
13	tuberosa. S.S.	tuberous-root'd.	Jamaica.	1752.	7. 8.	S. ♃.	Sloan. jam. 1. t. 95. f. 1.
14	strepens. S.S.	whorl-flowered.	N. America.	1736.	——	G. ♃.	Schk. hand. 2. t. 177.
15	lactea. S.S.	white.	Mexico.	1796.	6. 8.	G. ♃.	Cavan. ic. 3. t. 255.
16	clandestina. S.S.	three-flowered.	Barbadoes.	1738.	7. 8.	S. ♃.	Dill. elth. t. 248. f. 320.
17	paniculata. S.S.	panicled.	W. Indies.	1768.	8. 10.	S. ♃.	Botan. regist. 585.
18	fulgida. S.S.	bright-flower'd.	————	1804.	7. 8.	S. ♄.	Andr. reposit. 527.
19	undulata. S.S.	wave-leaved.	E. Indies.	1817.	——	S. ♃.	
20	hirta. S.S.	hairy.	————	——	——	S. ♃.	Vahl symb. 3. t. 67.
21	pubescens. P.S.	pubescent.	C. B. S.	1816.	5. 7.	G. ♄.	
22	tetragona. S.S.	four-sided.	Brazil.	1818.	6. 9.	S. ♃.	
23	longifolia. S.S.	long-leaved.	E. Indies.	1821.	——	S. ♄.	
24	cernua. H.B.	cernuous.	————	——	——	S. ♄.	Rumph. amb. 3. t. 23. f. 1.
BLECHUM. B.P.		BLECHUM.	Didynamia Angiospermia. S.S.				
1	Brownei. S.S.	dense-spiked.	W. Indies.	1780.	6.	S. ♃.	Sloan. jam. 1. t. 109. f. 1.
2	laxiflorum. S.S.	loose-flowered.	————	1822.	6. 8.	S. ♃.	
APHELANDRA. B.P.		APHELANDRA.	Didynamia Angiospermia. S.S.				
	cristata. S.S.	dense-spiked.	W. Indies.	1733.	6. 9.	S. ♄.	Botan. magaz. 1578.
	Ruellia cristata. A.R. 506. *Justicia pulcherrima.* L.						
CROSSANDRA. P.S.		CROSSANDRA.	Didynamia Angiospermia.				
	undulæfolia. P.L.	wave-leaved.	E. Indies.	1800.	6. 1.	S. ♄.	Botan. regist. 69.
	Ruellia infundibuliformis. A.R. 542. *Harrachia speciosa.* Jacq. ecl. t. 21.						
PHAYLOPSIS. W.		PHAYLOPSIS.	Didynamia Angiospermia. W.				
1	longifolia. B.M.	long-leaved.	Sierra Leon.	1822.	3. 5.	S. ♄.	Botan. magaz. 2433.
2	imbricata.	imbricated.	Mauritius.	——	——	S. ♄.	
	Ætheilema imbricata. S.S.						
LEPIDAGATHIS. W.		LEPIDAGATHIS.	Didynamia Angiospermia. W.				
	cristata. W.	crested.	E. Indies.	1817.	5. 8.	S. ♃.	
ELYTRARIA. R.S.		ELYTRARIA.	Diandria Monogynia. S.S.				
1	crenata. R.S.	notched-leav'd.	E. Indies.	1819.	11. 2.	S. ♃.	Roxb. corom. 2. t. 127.
2	lyrata. R.S.	lyrate-leaved.	————	1825.	....	S. ♃.	
3	virgata. R.S.	twiggy.	Carolina.	1813.	7.	H. ♃.	Mich. amer. 1. t. 1.
4	ramosa. K.S.	branching.	Mexico.	1825.	....	G. ♃.	
JUSTICIA. R.S.		JUSTICIA.	Diandria Monogynia. L.				
1	bicalyculata. R.S.	Malabar.	E. Indies.	1785.	8. 10.	S. ☉.	Cavan. ic. 1. t. 71.
2	hispida. R.S.	hispid.	Sierra Leon.	1824.	4. 8.	S. ♄.	
3	Ecbolium. R.S.	long-spiked.	E. Indies.	1759.	3. 8.	S. ♄.	Botan. magaz. 1847.
4	thyrsiflora. F.I.	thyrse-flower'd.	————	1812.	5. 9.	S. ♄.	
5	vitellina. F.I.	reflex-leaved.	————	1818.	——	S. ♄.	
6	alba. F.I.	white-flowered.	————	1816.	4. 8.	S. ♄.	
7	coccinea. R.S.	scarlet.	S. America.	1770.	12. 4.	S. ♄.	Botan. magaz. 432.
8	echioides. R.S.	Echium-like.	E. Indies.	1812.	6. 9.	S. ☉.	Rheed. mal. 9. t. 46.
9	quadrifida. R.S.	twiggy.	Mexico.	1795.	3. 9.	S. ♄.	Sal. par. lond. 50.
	virgularis. P.L.						
10	pumila. R.S.	dwarf.	S. America.	1820.	——	S. ♄.	
11	nigricans. R.S.	black-striped.	China.	1819.	6. 9.	G. ♄.	
12	nitida. R.S.	glossy.	W. Indies.	1790.	3. 9.	S. ♄.	Andr. reposit. 570.
13	bracteolata. R.S	bracteolate.	Caracas.	1824.	6. 8.	S. ♄.	Jacq. ic. t. 205.
14	picta. R.S.	painted.	E. Indies.	1780.	7. 8.	S. ♄.	Rheed. mal. 6. t. 60.
	α alba.	*white-marked.*	————	——	——	S. ♄.	
	β luride-sanguinea.	*purple-leaved.*	————	1815.	——	S. ♄.	Botan. magaz. 1870.
15	paniculata. R.S.	panicled.	————	1811.	——	S. ♄.	Jacq. f. eclog. t. 34.
16	salicina. R.S.	Willow-like.	Peru.	1819.	——	S. ♄.	
17	secunda. R.S.	side-flowering.	W. Indies.	1793.	5. 9.	S. ♄.	Botan. magaz. 2060.
18	geniculata. B.M.	jointed-stalked.	————	1822.	7. 10.	S. ♄.	———— 2487.
19	ciliaris. R.S.	ciliated.	Cumana.	1780.	7. 8.	S. ☉.	Jacq. vind. 2. t. 104.
20	lucida. R.S.	shining-leaved.	W. Indies.	1795.	——	S. ♄.	Botan. magaz. 1014.
21	salviæflora. R.S.	Sage-flowered.	Mexico.	1823.	——	S. ♄.	
22	Gandarussa. R.S.	Willow-leaved.	E. Indies.	1800.	6. 7.	S. ♄.	Botan. regist. 635.
23	carthaginensis. R.S.	Carthagenian.	Carthagena.	1792.	——	S. ♄.	———— 797.
24	pedunculosa. R.S.	long-peduncled.	N. America.	1759.	7. 8.	H. ♃.	Botan. magaz. 2367.
	americana. W.						
25	procumbens. R.S.	procumbent.	E. Indies.	1798.	——	S. ♃.	Pluck. alm. t. 56. f. 3.
26	quinquangularis. F.I.	five-angled.	————	1820.	——	S. ♃.	
27	comata. R.S.	Balsam-herb.	Jamaica.	1795.	——	S. ♃.	Sloan. jam. 1. t. 103. f. 2.
28	eustachiana. R.S.	Eustachian.	St. Eustachia.	1799.	8. 9.	S. ♄.	Jacq. amer. pict. t. 5.

29	Keriana.	Ker's.	China.	1815.	6. 9.	S. ½.	Botan. regist. 809.
	eustachiana. B.R.—B.M. 2078. *non* Jacq.						
30	nasuta. R.S.	white-flowering.	E. Indies.	1790.	2. 10.	S. ½.	Botan. magaz. 325.
31	lanceolaria. F.I.	lance-leaved.	———	1818.	8. 12.	S. ½.	
32	speciosa. F.I.	beautiful.	———	1823.	....	S. ¼.	
33	Roxburghiana. R.S.	Roxburgh's.	———	1815.	6. 9.	S. ½.	Rumph. amb. 6. t. 22. f. 1.
	tinctoria. F.I. *non* Lour. *baphica.* S.S.						
34	pectoralis. R.S.	Garden Balsam.	W. Indies.	1787.	5. 6.	S. ¼.	Botan. regist. 796.
35	periplocæfolia. R.S.	Periploca-ld.	S. America.	1799.	6. 8.	S. ½.	Jacq. coll. 3. t. 7. f. 2.
36	furcata. R.S.	forked.	Peru.	1795.	4. 8.	S. ½.	Botan. magaz. 486.
	peruviana. B.M. Cavan. ic. 1. t. 28.						
37	lithospermifolia.	Gromwell-ld.	———	1796.	——	S. ½.	Jacq. schœn. 1. t. 4.
38	caracasana. R.S.	Caracas.	Caracas.	1818.	——	S. ½.	Jacq. ic. 2. t. 206.
39	Adhatoda. R.S.	Malabar-nut.	Ceylon.	1699.	5. 7.	G. ½.	Botan. magaz. 861.
40	Betonica. R.S.	Betony-leaved.	E. Indies.	1739.	——	S. ½.	Rheed. mal. 2. t. 21.
41	ramosissima. F.I.	branching.	———	1812.	8. 12.	S. ½.	
42	plumbaginifolia. R.S.	Plumbago-ld.	.....	1819.	6. 9.	S. ½.	Jacq. f. ecl. t. 12.
43	formosa. R.S.	handsome	.....	——	——	S. ½.	
44	maculata. B.C.	spotted-leaved.	W. Indies.	1823.	——	S. ½.	Lodd. bot. cab. 626.
45	hyssopifolia. R.S.	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. ½.	Mill. ic. 9. t. 18.
46	orchioides. R.S.	Broom-leaved.	C. B. S.	1774.	8.	G. ½.	Vent. malm. t. 91.
47	retusa. B.C.	retuse.	.....	1816.	7. 9.	S. ½.	Lodd. bot. cab. 728.
48	calytricha. H.E.F.	yellow-flower'd.	.....	1825.	1. 3.	S. ½.	Hook. ex. flor. 212.
DICLIPTERA. J.		DICLIPTERA.	Diandria Monogynia. R.S.				
1	chinensis. R.S.	Chinese.	China.	1816.	8. 12.	S. ½.	Burm. ind. t. 4. f. 1?
2	bivalvis. R.S.	two-valved.	E. Indies.	1820.	....	S. ½.	
3	resupinata. R.S.	resupinate.	N. Spain.	1805.	5. 8.	S. ¼.	Cavan. ic. 3. t. 203.
	Justicia sexangularis. Cav. *non* L.						
4	pectinata. R.S.	pectinated.	E. Indies.	1801.	7. 9.	S. ¼.	Roxb. corom. 2. t. 153.
	Justicia parviflora. W.						
5	scorploides. R.S.	Scorpion-grass-ld.	Vera Cruz.	....	——	S. ½.	Reliqu. Houst. t. 1.
6	sexangularis. R.S.	chickweed-ld.	S. America.	1733.	7.	S. ⊙.	Pluk. alm. t. 279. f. 6.
HYPOESTES. R.S.		HYPOESTES.	Diandria Monogynia. R.S.				
1	purpurea. R.S.	purple-flower'd.	China.	1822.	6. 8.	S. ¼.	
	Justicia purpurea. L.						
2	serpens. R.S.	creeping-stalked.	Mauritius.	1823.	——	S. ¼.	
3	involucrata. R.S.	involucred.	E. Indies.	1811.	7. 8.	S. ½.	
ERANTHEMUM. R.S.		ERANTHEMUM.	Diandria Monogynia. R.S.				
1	variabile. B.P.	variable.	N. S. W.	1820.	6. 9.	G. ½.	
2	pulchellum. F.I.	nervose.	E. Indies.	1796.	1. 10.	S. ½.	Andr. reposit. 88.
	Justicia nervosa. B.M. 1888.						
3	strictum. F.I.	upright.	———	1822.	——	S. ½.	Botan. regist. 867.
4	crenulatum. B.R.	crenulate.	———	1824.	——	S. ½.	——— —— 879.
5	bicolor. S.S.	two-coloured.	Philippines.	1802.	5. 8.	S. ½.	Botan. magaz. 1423.
	Justicia bicolor. B.M.						
6	spinosum. R.S.	thorny.	W. Indies.	1733.	7. 8.	S. ½.	Jacq. amer. 2. t. 2. f. 1.

ORDO CXXXV.

OROBANCHEÆ. *Ventenat.*

LATHRÆA. S.S.		TOOTHWORT.	Didynamia Angiospermia. L.				
	squamaria. S.S.	scaly.	Britain.	....	4.	H. ¼.	Eng. bot. 50.
OROBANCHE. S.S.		BROOM-RAPE.	Didynamia Angiospermia. L.				
1	major. E.B.	greater.	Britain.	....	6. 7.	H. ¼.	Eng. bot. 421.
2	elatior. E.B.	taller.	———	....	7. 8.	H. ¼.	——— 568.
3	minor. E.B.	smaller.	———	....	——	H. ¼.	——— 422.
4	rubra. E.B.	red.	Ireland.	....	8.	H. ¼.	——— 1786.
5	cœrulea. E.B.	blue.	Britain.	....	7.	H. ¼.	——— —— 423.
6	ramosa. E.B.	branching.	———	....	8. 9.	H. ¼.	——— —— 184.

ORDO CXXXVI.

LENTIBULARIÆ. *Brown prodr.* 1. *p.* 429.

PINGUICULA. L.	BUTTERWORT.	Diandria Monogynia. L.					
1 vulgaris. S.S.	common.	Britain.	....	5.	H.w.4.	Eng. bot. 70.	
2 alpina. S.S.	Alpine.	Europe.	1794.	4.	H.w.4.	Flor. dan. t. 453.	
3 grandiflora. S.S.	great-flowered.	Ireland.	....	5. 6.	H.w.4.	Eng. bot. 2184.	
4 lusitanica. S.S.	pale.	Britain.	....	6. 7.	H.w.4.	Eng. bot. 145.	
5 lutea. B.R.	yellow.	Carolina.	1816.	——	H.w.4.	Botan. regist. 126.	
6 edentula. H.E.F.	toothless.	N.America.	1821.	4. 5.	H.w.4.	Hook. ex. flor. 16.	
UTRICULARIA. L.	HOODED MILFOIL.	Diandria Monogynia. L.					
1 vulgaris. E.B.	common.	Britain.	....	7.	H.4.	Eng. bot. 253.	
2 intermedia. E.B.	intermediate.	Ireland.	....	——	H.4.	——— 2499.	
3 minor. E.B.	lesser.	Britain.	....	——	H.4.	——— 254.	

ORDO CXXXVII.

PRIMULACEÆ. *Brown prodr. p.* 427.

CYCLAMEN. L.	CYCLAMEN.	Pentandria Monogynia. L.				
1 coum. R.S.	green, round-lf.	S. Europe.	1596.	1. 4.	H.4.	Botan. magaz. 4.
2 vernum. B.F.G.	spring.	———	1814.	2. 5.	H.4.	Swt. br. fl. gar. 9.
3 europæum. R.S.	round-leaved.	Europe.	1596.	7. 8.	H.4.	Jacq. aust. 5. t. 401.
4 persicum. R.S.	Persian.	Cyprus.	1731.	2. 4.	G.4.	Botan. magaz. 44.
α *inodorum.*	*scentless.*	———	——	——	G.4.	
β *odoratum.*	*sweet-scented.*	———	——	——	G.4.	
γ *albiflorum.*	*pure white.*	———	——	——	G.4.	
5 hederæfolium. E.B.	Ivy-leaved.	Britain.	....	6. 9.	H.4.	Eng. bot. 1001.
α *purpurascens.*	*purplish-flower'd.*	———	....	——	H.4.	
β *albidum.*	*white-flowered.*	———	....	——	H.4.	
6 neapolitanum. T.N.	Neapolitan.	Naples.	1826.	——	H.4.	Mat.med.veg.p.43.t.41
7 repandum. F.G.	angular-leaved.	Greece.	....	3. 4.	F.4.	Swt. br. fl. gar. 117.
8 latifolium. F.G.	broad-leaved.	———	1823.	....	F.4.	Flor. græc. t. 185.
9 linearifolium. R.S.	linear-leaved.	S. France.	1824.	....	F.4.	DC.ic. gall. rar. 1. t.8.
DODECATHEON. L.	AMERICAN COWSLIP.	Pentandria Monogynia. L.				
Meadia. R.S.	Mead's.	Virginia.	1744.	4. 6.	H.4.	Botan. magaz. 12.
β *albiflora.*	*white-flowered.*	———	1820.	——	H.4.	
SOLDANELLA. R.S.	SOLDANELLA.	Pentandria Monogynia. L.				
1 montana. R.S.	mountain.	Bohemia.	1816.	4.	H.4.	Swt. br. fl. gar. 11.
2 alpina. R.S.	Alpine.	Switzerland.	1656.	——	H.4.	Botan. magaz. 49.
3 minima. R.S.	small.	Carp.mount.	1820.	——	H.4.	Hop.inSturm.fl.fas.20.
4 pusilla. Baum.	lesser.	S. Europe.	1824.	——	H.4.	
CORTUSA. L.	BEARS-EAR SANICLE.	Pentandria Monogynia. L.				
Mathioli. R.S.	short calyxed.	Austria.	1596.	4. 6.	H.4.	Botan. magaz. 967.
PRIMULA. L.	PRIMROSE.	Pentandria Monogynia. L.				
1 prænitens. B.R.	glossy.	China.	1820.	1. 12.	F.4.	Botan. regist. 539.
sinensis. L.C. *non* Lour.						
2 cortusoides. R.S.	Cortusa-leaved.	Siberia.	1794.	5. 7.	H.4.	Botan. magaz. 399.
3 dentiflora. A.R.	tooth-flowered.	———	....	——	H.4.	Andr. reposit. 451.
4 suaveolens. R.S.	sweet-scented.	Naples.	1826.	——	H.4.	Ten. fl. neap. 1. t. 13.
Columnæ. T.N.						
5 inflata. R.S.	bellied-calyxed.	Hungary.	1824.	——	H.4.	
6 brevistyla. R.S.	short-styled.	France.	....	——	H.4.	
β *versicolor.*	*various-coloured.*	———	....	——	H.4.	
7 veris. R.S.	Cowslip.	Britain.	....	5. 6.	H.4.	Eng. bot. 5.
β *rubra.*	*red cowslip.*	———	....	——	H.4.	

8	**acaulis.** R.s. *vulgaris.* E.B.	common.	Britain.	....	3. 5.	H.4.	Eng. bot. 4.
	β *albo-plena.*	*double-white.*	.....	....	——	H.4.	
	γ *sulphureo-plena.*	*double-sulphur.*	.....	....	——	H.4.	
	δ *cupreo-plena.*	*double-copper.*	.....	....	——	H.4.	
	ε *salmoneo-plena.*	*double-salmon.*	.....	....	——	H.4.	
	ζ *lilacino-plena.*	*double-lilac.*	.....	....	——	H.4.	Botan. magaz. 229.
	η *rubro-plena.*	*double Scotch.*	.....	....	——	H.4.	
	ϑ *purpureo-plena.*	*double dark purple.*	.....	....	——	H.4.	
9	elatior. R.s.	Oxlip.	Britain.	....	——	H.4.	Eng. bot. 518.
	β *polyantha.*	*Polyanthus.*	.....	....	——	H.4.	
	γ *calycantha.*	*coloured-calyxed.*	.....	....	——	H. 4.	
10	Perreiniana. R.s. *Fluggeana.* Lehm.	Perrein's.	Spain.	....	——	H.4.	Flugg. an.mus.12. t.37.
11	Pallasii. R.s.	Pallas's.	Altay.	1820.	——	H.4.	Botan. regist. 896.
12	Auricula. R.s.	Auricula.	Switzerland.	1596.	4. 5.	H.4.	Jacq. aust. 5. t. 415.
	β *lutea.*	*yellow-flowered.*	——	——	——	H.4.	
	γ *calycantha.*	*yellow-calyxed.*	——	....	——	H.4.	
	δ *integerrima.*	*entire-leaved.*	——	....	——	H.4.	Trattin. tabul. t. 431.
	ε *hortensis.*	*garden.*	.....	....	——	H.4.	—— t. 432.
13	Palinuri. R.s.	unequal-bract'd.	Palinuri.	1816.	——	H.♄.	Swt. br. fl. gar. 8.
14	Balbisii. R.s.	Balbis's.	Italy.	1826.	——	H.4.	Moret.fl.vicent.p.7. ic.
15	marginata. B.M. *crenata.* R.s.	silver-edged.	Switzerland.	1777.	3. 4.	H.4.	Botan. magaz. 191.
16	longiflora. R.s.	long-flowered.	——	1818.	4. 6.	H.4.	Jacq. aust. 5. t. 46.
17	longifolia. B.M. *auriculata.* R.s.	long-leaved.	Levant.	1790.	4. 5.	H.4.	Botan. magaz. 392.
18	farinosa. R.s.	Bird's-eye.	Britain.	....	4. 7.	H.4.	Eng. bot. 6.
19	scotica. s.s.	Scotch bird's-eye.	Scotland.	....	7.	H.4.	Hook. fl. lond. t. 133.
20	stricta. R.s. *Hornemanniana.* s.s.	Horneman's.	N. Europe.	1822.	6. 7.	H.4.	Flor. dan. t. 1385.
21	davurica. R.s. *intermedia.* B.M.	Siberian bird's-eye.	Davuria.	1806.	5. 6.	H.4.	Botan. magaz. 1219.
22	pusilla. s.s.	American bird's-eye.	N. America.	1819.	—	H.4.	Hook. ex. flor. t. 68.
23	finmarchica. R.s.	Norwegian.	Norway.	1798.	——	H.4.	Flor. dan. t. 188.
24	nivalis. R.s.	snowy mountain.	Davuria.	1790.	4. 5.	H.4.	Pall. it.3. app. t.9. f. 2.
25	viscosa. R.s.	clammy.	Piedmont.	1792.	4.	H.4.	Trattin. tabul. t. 434.
26	integrifolia. R.s.	entire-leaved.	Pyrenees.	——	6. 7.	H.4.	Botan. magaz. 942.
27	Simsii. *villosa* β *flore albo.* B.M.	Sims's.	Switzerland.	....	4. 6.	H.4.	—— 1161.
28	nivea. P. *nivalis.* Hort. *nec aliorum.*	snowy white.	Siberia.	....	——	H.4.	
29	helvetica. B.C.	Swiss.	Switzerland.	1790.	——	H.4.	Lodd. bot. cab. 348.
30	pubescens. R.s. *villosa.* B.M. 14. non Jacq.	pubescent.	Pyrenees.	1768.	——	H.4.	Trattin. tabul. t. 427.
31	villosa. R.s.	villous.	S. Europe.	——	——	H.4.	Jacq. aust. 5. t. 27.
32	ciliata. R.s. *decora.* B.M. 1922.	ciliated.	Switzerland.	....	——	H.4.	
33	glutinosa. R.s.	glutinous.	S. Europe.	1820.	——	H.4.	Jacq. aust. t. 26.
34	minima. R.s.	smallest.	Switzerland.	1819.	4. 5.	H.4.	Botan. regist. 581.
ANDROSACE. L.		ANDROSACE.	Pentandria Monogynia. L.				
1	maxima. R.s.	oval-leaved.	Austria.	1597.	3. 6.	H.⊙.	Jacq. aust. 4. t. 331.
2	elongata. R.s.	cluster-flow'r'd.	——	1776.	4. 5.	H.⊙.	——4. t. 330.
3	nana. R.s.	dwarf.	S. Europe.	1825.	——	H.⊙.	
4	septentrionalis. R.s.	tooth-leaved.	Russia.	1755.	——	H.⊙.	Botan. magaz. 2021.
5	coronopifolia. A.R. *lactiflora.* R.s.	Buckshorn-ld.	Siberia.	1806.	6. 9.	H.♂.	Andr. reposit. 647.
6	filiformis. R.s.	filiform.	——	1823.	——	H.⊙.	Gmel. sib. 4. t. 44. f. 4.
7	villosa. R.s.	villous.	Pyrenees.	1790.	6. 7.	H.4.	Botan. magaz. 743.
8	chamæjasme. R.s.	grass-leaved.	Austria.	1768.	6. 8.	H,4.	Lodd. bot. cab. 232.
9	lactea. R.s.	white-flowered.	——	1752.	——	H.4.	Botan. magaz. 868.
10	carnea. R.s.	awl-leaved.	Switzerland.	1768.	7. 8.	H.4.	Lodd. bot. cab. 40.
11	obtusifolia. R.s.	blunt-leaved.	——	1820.	——	H.4.	All. ped. 1. t. 46. f. 1.
ARETIA. W.		ARETIA.	Pentandria Monogynia. L.				
1	helvetica. W.	imbricated.	Switzerland.	1775.	5. 6.	H.4.	Schk. hand. 1. t. 32.
2	argentea. *Androsace argentea.* R.s.	silvery.	——	1826.	——	H.4.	Lap. pyr. ic. ined. t.67.
3	alpina. W.	linear-leaved.	——	1775.	——	H.4.	Jacq. aust.5. app. t.18.
4	Vitaliana. W.	grass-leaved.	Pyrenees.	1787.	——	H.4.	Lodd. bot. cab. 166.

Primula sedifolia. P.L. 107. *Androsace Vitaliana.* R.s.

GLAUX. L.	BLACK-SALTWORT. Pentandria Monogynia. L.							
maritima. R.S.	sea-side.	Britain.	....	5. 6.	H.4.	Eng. bot. 13.
TRIENTALIS. W.	WINTER-GREEN. Heptandria Monogynia. L.							
1 europæa. W.	oval-leaved.	Britain.	....	5. 6.	H.4.	Eng. bot. 15.
2 americana. Ph.	spear-leaved.	N. America.	1816.	7. 8.	H.4.	
CORIS. L.	CORIS. Pentandria Monogynia. L.							
monspeliensis. L.	Montpelier.	S. Europe.	1640.	6. 7.	G.♂.	Botan. regist. 536.
HOTTONIA. L.	WATER-VIOLET. Pentandria Monogynia. L.							
palustris. E.B.	marsh.	England.	....	7. 8.	H.w.4.	Eng. bot. 364.
LYSIMACHIA. L.	LOOSE-STRIFE. Pentandria Monogynia. L.							
1 vulgaris. R.S.	common.	Britain.	....	7. 9.	H.4.	Eng. bot. 761.
2 Ephemerum. R.S.	Willow-leaved.	Spain.	1730.	——	H.4.	Murr. c. gott. 1782. t. 2.
3 atropurpurea. R.S.	dark purple.	Levant.	....	——	H.⊙.	Hook. ex. flor. 180?
4 dubia. R.S.	purple-flow'r'd.	————	1759.	——	H.♂.	Flor. græc. t. 188.
5 stricta. R.S.	upright.	N. America.	1781.	7. 8.	H.4.	Botan. magaz. 164.
bulbifera. B.M. *racemosa.* M.						
6 capitata. R.S.	headed.	————	1813.	5. 7.	H.4.	
7 thyrsiflora. R.S.	tufted.	England.	....	5. 7.	H.4.	Eng. bot. 176.
8 quadrifolia. R.S.	four-leaved.	N. America.	1798.	7. 8.	H.4.	Lam. ill. 1. t. 101. f. 2.
hirsuta. M.						
9 longifolia. R.S.	long-leaved.	————	——	——	H.4.	Botan. magaz. 660.
quadriflora. B.M.						
10 verticillata. R.S.	whorl-leaved.	Hungary.	1818.	6. 8.	H.4.	Swt. br. fl. gar. 21.
11 ciliata. R.S.	ciliated.	N. America.	1732.	——	H.4.	Wachend. hort. t. 12.
12 punctata. R.S.	punctated.	S. Europe.	1658.	7. 8.	H.4.	Jacq. aust. 4. t. 366.
13 angustifolia. R.S.	narrow-leaved.	N. America.	1803.	7. 9.	H.4.	
14 hybrida. R.S.	hybrid.	————	1806.	——	H.4.	
15 nemorum. R.S.	wood.	Britain.	....	5. 7.	H.4.	Eng. bot. 527.
16 maculata. B.P.	spotted.	N. S. W.	1822.	——	G.4.	
17 Nummularia. R.S.	Moneywort.	Britain.	....	6.7.	H.4.	Eng. bot. 528.
LUBINIA. S.S.	LUBINIA. Pentandria Monogynia. S.S.							
atropurpurea. S.S.	dark-purple.	C. B. S.	1823.	7. 9.	H.4.	Link et Ot. h. ber. t. 27.
ASTEROLINON. Lk.	ASTEROLINON. Pentandria Monogynia. L.en.							
stellatum. L.en.	starry.	Italy.	1658.	6.	H.⊙.	Flor. græc. t. 189.
Lysimachia Linum-stellatum. F.G.						
ANAGALLIS. L.	PIMPERNELL. Pentandria Monogynia. L.							
1 arvensis. E.B.	red-flowered.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 529.
phœnicea. R.S.						
2 carnea. Schl.	flesh-coloured.	Switzerland.	——	——	H.⊙.	
3 indica. B.F.G.	Indian.	E. Indies.	1824.	——	H.⊙.	Swt. br. fl. gar. 132.
4 cærulea. R.S.	blue-flowered.	Britain.	....	——	H.⊙.	Eng. bot. 1828.
5 collina. R.S.	large-flowered.	Morocco.	1808.	5. 7.	G.♂.	Botan. magaz. 831.
fruticosa. B.M. *grandiflora.* A.R. 257.						
6 latifolia. R.S.	broad-leaved.	Spain.	1759.	——	G.♂.	———— 2389.
7 Monelli. R.S.	blue Italian.	Italy.	1648.	5. 9.	G.4.	———— 319.
8 linifolia. R.S.	Flax-leaved.	Portugal.	1796.	6. 7.	G.4.	Moris. s. 5. t. 26. f. 3.
9 tenella. R.S.	bog.	Britain.	....	7. 8.	H.4.	Eng. bot. 530.
CENTUNCULUS. L.	BASTARD PIMPERNELL. Tetrandria Monogynia. L.							
minimus. E.B.	least.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 531.
? SAMOLUS. B.P.	BROOK-WEED. Pentandria Monogynia. L.							
1 Valerandi. E.B.	common.	Britain.	....	6. 8.	H.4.	Eng. bot. 703.
2 littoralis. B.P.	sea-side.	N. S. W.	1806.	7. 9.	G.4.	Lab. n. holl. 1. t. 54.
3 campanuloides. S.S.	Campanulalike.	C. B. S.	1816.	——	G.4.	
Campanula porosa. W.						

ORDO CXXXVIII.

GLOBULARIÆ. *Lam. et DC. fl. fr. ed.* 3. *v.* 3. *p.* 427.

GLOBULARIA. L.	GLOBULARIA. Tetrandria Monogynia. L.							
1 longifolia. W.	Willow-leaved.	Madeira.	1775.	7. 8.	G.ħ.	Botan. regist. 685.
salicina. R.S.						
2 Alypum. R.S.	three-toothed.	S. Europe.	1640.	8. 9.	G.ħ.	Garid. aix. t. 42.
β *integrifolia.*	*entire-leaved.*	————	....	——	G.ħ.	Rœm. et Ust. b. m. 7. t. 5.

3 linifolia. R.s.	Flax-leaved.	Spain.	1818.	5. 6.	H.4.	
4 vulgaris. R.s.	common.	Europe.	1640.	——	H.4.	Swt. br. fl. gar. 20.
5 spinosa. R.s.	prickly-leaved.	Spain.	——	——	F.4.	
6 cordifolia. R.s.	wedge-leaved.	Germany.	1683.	6. 7.	H.4.	Swt. br. fl. gar. 34.
7 nana. R.s.	dwarf.	S. France.	1818.	——	H.4.	DC. ic. pl. gal. rar. 1. t. 3.
8 nudicaulis. R.s.	naked-stalked.	Germany.	1629.	——	H.4.	Jacq. aust. 2. t. 230.
9 bellidifolia. R.s.	Daisy-leaved.	Italy.	1824.	——	H.4.	

**** *SUBCLASSIS* IV. *MONOCHLAMYDEÆ.*

ORDO CXXXIX.

PLUMBAGINEÆ. *Brown prodr.* 1. *p.* 425.

STATICE. T. THRIFT. Pentandria Pentagynia. L.

1 vulgaris.	common.	Europe.	....	6. 8.	H.4.	Schk. handb. t. 87.
Armeria vulgaris. R.s.						
2 arenaria. P.s.	sand.	France.	....	5. 8.	H.4.	
3 alpina.	flattish-stalked.	Carinthia.	....	——	H.4.	
4 littoralis.	ciliate-leaved.	Portugal.	....	——	H.4.	
Armeria littoralis. R.s.						
5 maritima. Mill.	sea-side.	Britain.	....	5. 7.	H.4.	Eng. bot. 226.
Armeria. E.B. *Armeria maritima.* R.s.						
6 humilis. P.s.	dwarf.	Portugal.	....	——	H.4.	
7 juniperifolia. W.	Juniper-leaved.	Spain.	1818.	——	H.4.	Quer. hisp. 6. t. 15. f. 1.
8 pinifolia. Brot.	Pine-leaved.	Portugal.	....	——	H.4.	
9 pungens. Brot.	pungent-leav'd.	————	....	——	H.4.	
10 alliacea. W.	Garlic-leaved.	Spain.	1798.	5. 6.	H.4.	Cavan. ic. 2. t. 109.
11 scorzonerifolia.	spear-leaved.	S. Europe.	1816.	——	H.4.	
Armeria scorzonerifolia. s.s.						
12 denticulata. Bert.	tooth-leaved.	Italy.	——	——	H.4.	
13 latifolia.	broad-leaved.	Portugal.	1740.	5. 7.	H.4.	Jacq. vind. 1. t. 42.
cephalotes. H.K. *Armeria latifolia.* R.s.						
14 plantaginea.	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H.4.	
15 dianthoides. B.F.G.	Pink-like.	————	1824.	5. 7.	H.4.	Swt. br. fl. gar. ic.
Armeria dianthoides. s.s.						
16 hirta.	hairy.	Gibraltar.	1818.	——	H.4.	
Armeria hirta. R.s.						
17 fasciculata. P.s.	bundle-leaved.	Portugal.	....	4. 8.	H.½.	Venten. cels. t. 38.

TAXANTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.

1 graminifolia. R.s.	Grass-leaved.	Siberia.	1780.	6. 7.	H.4.	
2 Limonium. R.s.	common.	England.	....	5. 8.	H.4.	Eng. bot. 102.
Statice Limonium. E.B.						
3 elata. s.s.	tall.	Siberia.	1824.	——	H.4.	
4 Gmelini. R.s.	Gmelin's.	————	1796.	6. 8.	H.4.	Gmel. sib. 2. t. 90.
5 caroliniana. R.s.	Carolina.	N. America.	1824.	——	H.4.	
6 scoparia. R.s.	Broom.	Siberia.	1796.	——	H.4.	
7 latifolia. R.s.	broad-leaved.	————	1791.	5. 7.	H.4.	Hoff. c. gott. 1796. t. 1.
8 purpurata. R.s.	purple.	C. B. S.	1800.	6. 7.	G.4.	
9 bellidifolia. R.s.	Daisy-leaved.	Greece.	1823.	——	G.4.	
10 globulariæfolia. R.s.	Globularia-l^d.	S. Europe.	——	——	F.4.	Flor. græc. t. 296.
11 oleæfolia. R.s.	Olive-leaved.	Italy.	1688.	5. 8.	H.4.	Lobel. ic. p. 295. f. 2.
12 Willdenowiana.	Willdenow's.	S. France.	1804.	6. 8.	H.4.	Willd. h. ber. t. 68.
Statice spathulata. W. *non* Desf.						
13 auriculæfolia. R.s.	Auricula-l^d.	Barbary.	1781.	7. 8.	F.4.	
14 incana. R.s.	hoary.	Levant.	1823.	——	H.4.	Gmel. it. 2. t. 34.
15 spathulata. R.s.	spatula-leaved.	Barbary.	1804.	6. 8.	F.4.	Botan. magaz. 1617.
16 cordata. R.s.	retuse-leaved.	S. Europe.	1752.	5. 7.	F.4.	Barrel. ic. 805.
17 emarginata. R.s.	emarginate.	Gibraltar.	....	——	F.4.	
18 caspia. R.s.	Caspian.	Siberia.	....	7. 8.	H.4.	Gmel. sib. 2. t. 89. f. 2.
19 scabra. R.s.	rough-branch'd.	C. B. S.	1788.	5. 7.	G.4.	
20 tetragona. R.s.	square-stalked.	————	1816.	——	G.4.	

21	reticulata. R.s.	matted.	England.	....	7. 8.	H.4.	Eng. bot. 828.
	Statice reticulata. E.B.							
22	dichotoma. R.s.	forked.	Spain.	1818.	——	H.4.	Cavan. ic. 1. t. 50.
23	virgata. R.s.	twiggy.	——	....	——	H.4.	
24	viminea. R.s.	slender.	.....	1823.	——	H.4.	
25	echioides. R.s.	rough-leaved.	S. Europe.	1752.	7. 8.	F.4.	Flor. græc. t. 298.
26	speciosa. B.F.G.	Plantain-leav'd.	Russia.	1776.	——	H.4.	Swt. br. fl. gar. 105.
	Statice speciosa. B.M. 656.							
27	conspicua. R.s.	conspicuous.	——	1804.	——	H.4.	Botan. magaz. 1629.
	Statice conspicua. B.M.							
28	tatarica. B.F.G.	Tartarian.	——	1781.	6. 7.	H.4.	Swt. br. fl. gar. 37.
29	flexuosa. R.s.	zigzag.	Siberia.	1791.	7. 8.	H.4.	Gmel. sib. 2. t. 89. f. 1 ?
30	minuta. R.s.	small.	S. Europe.	1658.	6. 7.	H.4.	Bocc. sic. t. 18. f. 3.
31	pectinata. R.s.	triangular-stalk'd.	Canaries.	1780.	9. 10.	F.4.	
32	macrophylla. s.s.	large-leaved.	——	1816.	7. 9.	F.4.	
33	suffruticosa. R.s.	narrow-leaved.	Siberia.	1779.	5. 9.	H.½.	Gmel. sib. 2. t. 88. f. 2. 3.
34	monopetala. R.s.	Sicilian shrubby.	Sicily.	1731.	7. 8.	F.½.	Bocc. sic. t. 16. 17.
35	ferulacea. R.s.	Fennel-like.	Siberia.	1796.	5.	H.4.	Moris. s. 15. t. 1. f. 23.
36	sinuata. R.s.	scollop-leaved.	Levant.	1629.	5. 9.	F.4.	Botan. magaz. 71.
37	Thouini. R.s.	Thouin's.	Africa.	....	6. 10.	F.4.	Mart. cent. t. 84.
38	alata. R.s.	winged.	.....	1806.	——	F.4.	
39	ægyptiaca. R.s.	Egyptian.	Egypt.	1816.	——	F.4.	Botan. magaz. 2363.
40	mucronata. R.s.	curled.	Barbary.	1784.	——	F.4.	L'Herit. stirp. t. 13.
PLUMBAGO. L.		LEADWORT.	Pentandria Monogynia. L.				
1	europæa. R.s.	European.	S. Europe.	1596.	9. 10.	H.4.	Botan. magaz. 2139.
2	lapathifolia. R.s.	Dock-leaved.	Iberia.	1824.	——	H.4.	
3	capensis. R.s.	blue-flowered.	C. B. S.	1818.	9. 3.	S.½.	Botan. regist. 417.
4	tristis. H.K.	dark-flowered.	——	1792.	5. 6.	G.½.	
5	zeylanica. R.s.	Ceylon.	E. Indies.	1731.	4. 9.	S.½.	Rheed. mal. 10. t. 8.
6	occidentalis.	West Indian.	W. Indies.	1817.	——	S.½.	
	zeylanica β. R.s. *scandens.* Hort.							
7	rosea. R.s.	rose-coloured.	E. Indies.	1777.	3. 7.	S.½.	Botan. magaz. 230.
8	scandens. R.s.	climbing.	W. Indies.	1699.	7. 8.	S.½.	Jacq. amer. pict. t. 18.

ORDO CXL.

PLANTAGINEÆ. *Juss. gen.* 89.

PLANTAGO. L.		PLANTAIN.	Tetrandria Monogynia. L.				
1	major. R.s.	greater.	Britain.	....	5. 7.	H.4.	Eng. bot. 1558.
	β *rosea.*	*rose-bracted.*	——	....	——	H.4.	
2	asiatica. R.s.	broad-leaved.	Siberia.	1787.	7.	H.4.	Gmel. sib. 4. t. 37. ?
3	Cornuti. R.s.	Cornuti's.	S. Europe.	1801.	7. 8.	H.4.	Corn. canad. p. 163. ic.
	Gouani. s.s.							
4	Brutia. R.s.	Calabrian.	Calabria.	1824.	7. 8.	H.4.	
5	exaltata. R.s.	tallest.	.....	——	——	H.4.	
6	cordata. R.s.	heart-leaved.	N. America.	1818.	——	H.4.	Jacq. f. ecl. t. 72.
7	maxima. R.s.	hollow-leaved.	Siberia.	1768.	——	H.4.	Jacq. ic. 1. t. 26.
8	crassa. s.s.	succulent.	S. Europe.	1793.	6. 7.	H.4.	Jacq. col. sup. 34. t. 16.
	crispa. Jacq. *bullata.* Donn.							
9	media. R.s.	hoary.	Britain.	....	5. 7.	H.4.	Eng. bot. 1559.
10	camtschatica. s.s.	Kamtschatkan.	Kamtschatka.	1819.	——	H.4.	
11	lanceolata. R.s.	Rib-grass.	Britain.	....	5. 7.	H.4.	Eng. bot. 507.
12	sibirica. R.s.	Siberian.	Siberia.	1823.	——	H.4.	
13	montana. R.s.	mountain.	S. Europe.	——	——	H.4.	
14	capensis. R.s.	Cape.	C. B. S.	1788.	5. 8.	G.4.	
15	altissima. R.s.	tall.	Italy.	1774.	6. 7.	H.4.	Jacq. obs. 4. t. 83.
16	Lagopus. R.s.	round-headed.	Spain.	1683.	——	H.4.	Wein. phyt. 4. t. 820. f. a.
17	eriostachya. R.s.	woolly-spiked.	Naples.	1825.	7. 8.	H.⊙.	
18	sphærocephala. R.s.	round-headed.	Austria.	1774.	6. 7.	H.4.	Jacq. vind. 2. t. 125.
	alpina. Jacq. non L.							
19	lusitanica. R.s.	Portugal.	Portugal.	1781.	7. 8.	H.4.	Barrel. ic. t. 745.
20	virginica. R.s.	Virginian.	N. America.	1688.	6. 9.	H.⊙.	Moris. s. 8. t. 15. f. 8.

21	depressa. R.s.	depressed.	N.America.	1818.	——	H.♃.	
22	sparsiflora. R.s.	scattered-fl^{d}.	———	——	——	H.⊙.	
23	saxatilis. R.s.	rock.	Iberia.	1820.	6. 8.	H.♃.	
24	sericea. R.s.	silky.	Hungary.	——	——	H.♃.	W. et K. hung. t. 151.
25	albicans. R.s.	woolly.	S. Europe.	1776.	6. 9.	H.♃.	Flor. græc. t. 145.
26	mexicana. s.s.	Mexican.	Mexico.	1820.	6. 7.	H.♃.	
27	patagonica. R.s.	Patagonian.	Patagonia.	1793.	6. 9.	H.⊙.	Jacq. ic. 2. t. 306.
28	microcephala. R.s.	small-headed.	.....	....	——	H.⊙.	
29	Bellardi. R.s.	Bellardi's.	S. Europe.	1797.	——	H.⊙.	Flor. græc. t. 146.
30	cretica. R.s.	Cretan.	Candia.	1711.	6. 7.	H.⊙.	——— t. 147.
31	graminea. R.s.	grass-leaved.	France.	1804.	——	H.♃.	Dod. pempt. 108. ic.
32	maritima. R.s.	sea-side.	Britain.	....	7.	H.♃.	Eng. bot. 175.
33	salsa. R.s.	saltwort.	Tauria.	1819.	——	H.♃.	
34	crassifolia. R.s.	thick-leaved.	Egypt.	1824.	——	H.♃.	
35	hirsuta. R.s.	hairy.	C. B. S.	1801.	6. 7.	G.♂.	Jacq. schœn. 3. t. 258.
36	tumida. L.en.	tumid-capsuled.	Chili.	1819.	——	H.⊙.	
37	alpina. R.s.	Alpine.	S. Europe.	1774.	——	H.♃.	
38	tenuiflora. R.s.	slender-flow'r'd.	Hungary.	1819.	——	H.⊙.	W. et K. hung. 1. t. 39.
39	recurvata. R.s.	recurved-leav'd.	S. Europe.	1799.	——	H.♂.	Murr. c. gott. 1780. t. 6.
40	Wulfeni. R.s.	Wulfen's.	Carinthia.	1802.	——	H.♃.	
41	subulata. R.s.	awl-leaved.	S. Europe.	1596.	7.	H.♃.	Lobel. ic. 429.
42	Holosteum. R.s.	Scopoli's.	Carniola.	1825.	7. 8.	H.♃.	Jacq. coll. 1. t. 10.
43	Coronopus. R.s.	star of the earth.	Britain.	....	4. 9.	H.⊙.	Eng. bot. 892.
44	Jacquini. R.s. *Cornuti.* Jacq.	Jacquin's.	S. Europe.	1801.	7. 8.	H.♃.	Jacq. ic. 1. t. 27.
45	Serraria. R.s.	saw-leaved.	Barbary.	1640.	6. 7.	H.♃.	Moris. s. 8. t. 16. f. 19.
46	macrorhiza. R.s.	large-rooted.	Morocco.	1798.	7. 8.	H.♃.	Bocc. sic. t. 15. f. 2.
47	Læflingii. R.s.	narrow-leaved.	Spain.	....	——	H.⊙.	Jacq. vind. 2. t. 126.
48	amplexicaulis. R.s.	stem-clasping.	———	1797.	6. 7.	H.⊙.	Cavan. ic. 2. t. 125.
49	villosa. R.s.	villous.	Germany.	1804.	——	H.⊙.	
50	vaginata. R.s.	sheathed.	Canaries.	1816.	——	G.♄.	Venten. cels. t. 29.
51	Cynops. R.s.	shrubby.	S. Europe.	1596.	5. 8.	H.♄.	Jacq. fragm. t. 182.
52	afra. R.s.	Barbary.	Barbary.	1640.	6.	F.♄.	Moris. s. 8. t. 17. f. 4.
53	divaricata. R.s.	spreading.	.....	1824.	——	H.♃.	
54	squarrosa. R.s.	leafy-spiked.	Egypt.	1787.	8. 9.	H.⊙.	Jacq. ic. 1. t. 28.
55	Psyllium. R.s.	Fleawort.	S. Europe.	1562.	7. 8.	H.⊙.	Moris. s. 8. t. 17. f. 4.
56	arenaria. R.s.	sand.	Hungary.	1804.	5. 8.	H.⊙.	W. et K. hung. 1. t. 51.
57	stricta. R.s.	upright.	Morocco.	——	7. 8.	H.⊙.	Moris. s. 8. 8. t. 17. f. 2.
58	Ispaghul. R.s.	East Indian.	E. Indies.	1819.	——	S.⊙.	
59	indica. R.s.	Indian.	India.	1780.	7. 8.	H.⊙.	
60	pumila. R.s.	dwarf.	S. Europe.	1790.	——	H.⊙.	Murr. c. gott. 1778. t. 5.
61	brasiliensis. B.M.	Brazilian.	Brazil.	1822.	7. 10.	S.♃.	Botan. magaz. 2616.
LITTORELLA. L.		SHORE-WEED.	Monœcia Tetrandria. L.				
	lacustris. E.B.	Plantain-leav'd.	Britain.	....	6. 9.	H.♃.	Eng. bot. 468.

ORDO CXLI.

NYCTAGINEÆ. *Juss. gen.* 90.

OXYBAPHUS. R.S.		UMBRELLA-WORT.	Triandria Monogynia. R.S.				
1	viscosus. R.s.	viscid.	Peru.	1793.	5. 9.	H.♃.	Botan. magaz. 434.
2	glabrifolius. R.s.	smooth-leaved.	New Spain.	1811.	7. 8.	H.♃.	Cavan. ic. 4. t. 379.
3	ovatus. R.s.	oval-leaved.	Peru.	1820.	——	H.♃.	Flor. peruv. 1. t. 75. f. b.
4	Cervantesii. Lag.	Cervantes'.	Mexico.	1822.	7. 10.	H.♃.	Swt. br. fl. gar. 84.
5	expansus. R.s.	expanded.	Lima.	——	——	H.♃.	Flor. peruv. 1. t. 75. f. a.
6	aggregatus. R.s.	aggregate.	New Spain.	1811.	——	H.♃.	Cavan. ic. 5. t. 437.
7	nyctaginea. N. *Allionia nyctaginea.* M.	heart-leaved.	Missouri. *Calymenia nyctaginea.* N.	1823.	7. 9.	H.♃.	
8	pilosa. N. *Calymenia pilosa.* N.	pilose.	——— *Allionia ovata.* Ph.	1812.	——	H.♃.	
9	hirsuta. N.	hairy.	Louisiana.	——	——	H.♃.	
10	angustifolia. *Allionia linearis.* Ph.	narrow-leaved.	——— *Calymenia angustifolia.* N.	——	——	H.♃.	
11	decumbens. N.	decumbent.	Missouri.	1818.	——	H.♃.	

MIRÀBILIS. R.S.	**Marvel of Peru. Pentandria Monogynia. L.**						
1 dichotoma. R.S.	forked.	Mexico.	1640.	7. 8.	G. ♃.	Plenck ic. off. t. 139.
2 Jalapa. R.S.	common.	India.	1596.	6. 9.	H. ♃.	Botan. magaz. 371.
α alba.	*white-flowered.*	———	——	——	H. ♃.	
β flava.	*yellow-flowered.*	———	——	——	H. ♃.	
γ rubra.	*red-flowered.*	———	——	——	H. ♃.	
δ rubro-flava.	*red and yellow.*	———	——	——	H. ♃.	
ε rubro-alba.	*red and white.*	———	——	——	H. ♃.	
3 hybrida. R.S.	hybrid.	Hybrid.	1818.	6. 9.	H. ♃.	
4 longiflora. R.S.	long-flowered.	Mexico.	1759.	——	H. ♃.	Sm. exot. bot. 1. t. 23.
5 suaveolens. K.S.	sweet-scented.	———	1824.	——	H. ♃.	
ABRONIA. R.S.	**Abronia. Pentandria Monogynia. R.S.**					
umbellata. R.S.	flesh-coloured.	California.	1823.	6. 8.	H. ♃.	Hook. ex. flor. 194.
ALLIONIA. K.S.	**Allionia. Tetrandria Monogynia. L.**					
1 violacea. K.S.	violet-coloured.	Cumana.	1820.	7. 9.	H. ☉.	
2 incarnata. K.S.	flesh-coloured.	———	——	——	H. ☉.	L'Herit. stirp. t. 31.
BOERHAAVIA. L.	**Hogweed. Mono-Tetrandria Monogynia.**					
1 erecta. R.S.	upright.	W. Indies.	1733.	7. 9.	S. ♃.	Jacq. vind. 1. t. 5. 6.
2 procumbens. F.I.	procumbent.	E. Indies.	....	——	S. ♃.	Rheed. mal. 7. t. 56.
3 diffusa. R.S.	spreading.	W. Indies.	1690.	8. 9.	S. ♃.	
4 hirsuta. R.S.	scarlet trailing.	Jamaica.	1733.	5. 8.	S. ♃.	Jacq. vind. 1. t. 7.
5 plumbaginea. R.S.	Plumbago-ld.	Spain.	1822.	——	S. ♃.	Cavan. ic. 2. t. 112.
6 discolor. K.S.	two-coloured.	Guayaquil.	1825.	——	S. ♃.	
7 viscosa. K.S.	viscous.	———	——	——	S. ♃.	
8 scandens. R.S.	climbing.	Jamaica.	1691.	4. 9.	S. ♄.	Jacq. vind. 1. t. 4.
9 excelsa. R.S.	lofty.	S. America.	1820.	——	S. ♄.	
PISONIA. L.	**Pisonia. Heptandria Monogynia. L.**					
1 grandis. B.P.	superb.	N. Holland.	1805.	....	G. ♄.	
2 hirtella. K.S.	hairy.	Mexico.	1825.	....	G. ♄.	
3 fragrans. S.S.	fragrant.	.....	——	....	S. ♄.	
4 nigricans. S.S.	black.	W. Indies.	1806.	5. 7.	S. ♄.	
5 obtusata. S.S.	blunt-leaved.	———	1822.	....	S. ♄.	
6 mexicana. L.en.	Mexican.	Mexico.	1825.	....	S. ♄.	
Boerhaavia arborescens. P.S.						
7 nitida. W.en.	glossy.	Madagascar.	1824.	....	S. ♄.	
8 aculeata. S.S.	prickly.	Jamaica.	1739.	3. 4.	S. ♄.	Lam. ill. t. 861.
BOLDOA. S.S.	**Boldoa. Triandria Monogynia. S.S.**					
lanceolata. S.S.	lance-leaved.	Mexico.	1824.	5. 7.	G. ♄.	H. et B. pl. æq. 1. t. 44.
Salpianthus arenarius. K.S.						
? **ASTRANTHUS. S.S.**	**Astranthus. Heptandria Tetragynia. S.S.**					
cochinchinensis.	Chinese.	China.	1821.	6. 7.	S. ♄.	Botan. magaz. 2659.

ORDO CXLII.

AMARANTHACEÆ. *Brown prodr. p.* 413.

AMARANTHUS. L.	**Amaranth. Monœcia Pentandria. L.**					
1 tenuifolius. W.	fine-leaved.	E. Indies.	1801.	7. 9.	H. ☉.	
2 angustifolius. W.	narrow-leaved.	Levant.	1723.	——	H. ☉.	
3 pallidus. S.S.	pale.	Tauria.	1823.	——	H. ☉.	
4 persicarioides. S.S.	Persicaria-like.	Nepaul.	1818.	9. 11.	H. ☉.	
5 Acroglochin. S.S.	spiny-bracted.	———	1820.	——	H. ☉.	
6 albus. W.	white.	N. America.	1778.	7. 9.	H. ☉.	W. amar. 9. t. 1. f. 2.
7 græcizans. W.	Pellitory-leav'd	———	1759.	——	H. ☉.	——— 8. t. 4. f. 7.
8 polygamus. W.	hermaphrodite.	E. Indies.	1780.	——	H. ☉.	Rumph. amb. 5. t. 82.
9 Blitum. E.B.	wild.	England.	....	6. 8.	H. ☉.	Eng. bot. 2212.
10 viridis. W.	green.	Brazil.	1768.	8. 9.	H. ☉.	W. amar. 18. t. 8. f. 16.
11 campestris. W.	field.	E. Indies.	1818.	——	H. ☉.	
12 polygonoides. W.	spotted-leaved.	Jamaica.	1778.	7. 8.	H. ☉.	W. amar. 11. t. 6. f. 12.
13 melancholicus. W.	melancholy.	E. Indies.	1731.	6. 9.	H. ☉.	——— 15. t. 9. f. 18.
14 tricolor. W.	three-coloured.	———	1548.	——	G. ☉.	Knor. thes. 2. t. A 3. 5.
15 bicolor. W.	two-coloured.	———	1802.	7. 9.	H. ☉.	

16	gangeticus. W.	oval-spiked.	E. Indies.	1778.	7. 9.	H.⊙.	W. amar. 16. t. 6. f. 11.
17	mangostanus. W.	rhomb-leaved.	———	1801.	——	H.⊙.	——— 13. t. 13.
18	polystachyus. W.	many-spiked.	———	1816.	——	H.⊙.	
19	tristis. W.	round-headed.	China.	1789.	6. 8.	H.⊙.	W. amar. 21. t. 5. f. 10.
20	inamœnus. W.	inelegant.	———	1816.	——	H.⊙.	
21	incomptus. W.en.	slovenly.	———	——	——	H.⊙.	
22	lividus. W.	livid.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 20. t. 1. f. 1.
23	oleraceus. W.	eatable.	E. Indies.	1764.	7. 8.	H.⊙.	——— 17. t. 5. f. 9.
24	lanceæfolius. H.B.	lance-leaved.	———	1816.	8. 10.	H.⊙.	
25	atropurpureus. H.B.	dark-purple.	———	1821.	——	H.⊙.	
26	gracilis. S.S.	oval-leaved.	Guinea.	1806.	7. 8.	H.⊙.	Jacq. ic. 2. t. 344.
	Chenopodium caudatum. Jacq.						
27	prostratus. W.	trailing.	France.	1739.	7. 9.	H.⊙.	
28	scandens. W.	climbing.	S. America.	1796.	7. 8.	S.⊙.	
29	deflexus. W.	bending.	.....	1805.	——	H.⊙.	W. amar. 10. t. 10. f. 20.
30	fasciatus. H.B.	fasciate.	E. Indies.	1820.	8. 10.	H.⊙.	
31	bullatus. S.S.	blistered.	.....	——	7. 9.	H.⊙.	
32	spicatus. P.S.	spiked.	France.	....	——	H.⊙.	
33	cauliflorus. L.en.	stem-flowering.	Nepaul.	1816.	8. 10.	H.⊙.	
34	pumilus. S.S.	dwarf.	N. America.	——	6. 9.	H.⊙.	
35	hybridus. W.	clustered.	———	1656.	6. 9.	H.⊙.	W. amar. 26. t. 9. f. 17.
36	hecticus. W.	oval-spiked.	.....	1796.	8.	H.⊙.	——— 25. t. 7. f. 13.
37	lætus. W.	blunt-leaved.	Italy.	1799.	7. 9.	H.⊙.	——— 28. t. 8. f. 15.
38	strictus. W.	upright.	———	1798.	——	H.⊙.	——— 27. t. 3. f. 5.
39	paniculatus. W.	panicled.	N. America.	1798.	——	H.⊙.	——— 23. t. 2. f. 4.
40	celosioides. K.S.	Spinach-like.	S. America.	1824.	9. 11.	H.⊖.	
41	caracasanus. K.S.	Caracas.	Caracas.	1821.	——	H.⊙.	
42	retroflexus. W.	hairy.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 33. t. 11. f. 21.
43	flavus. W.	pale yellow.	India.	——	——	H.⊙.	——— 16. t. 3. f. 6.
44	chlorostachys. W.	nodding.	———	1796.	——	H.⊙.	——— 24. t. 10. f. 19.
45	parisiensis. S.S.	Paris.	.....	1819.	——	H.⊙.	
46	hypochondriacus. W.	Prince's feather.	Virginia.	1684.	——	H.⊙.	
47	sanguineus. W.	spreading.	Bahama Isl.	1775.	——	H.⊙.	W. amar. 31. t. 2. f. 3.
48	cruentus. W.	various-leaved.	China.	1728.	6. 8.	H.⊙.	
49	speciosus. D.P.	showy.	Nepaul.	1819.	9. 11.	H.⊙.	Botan. magaz. 2227.
50	caudatus. W.	Love lies bleeding.	E. Ind.	1596.	8. 9.	H.⊙.	
	β *maximus.*	*tree.*	———	——	——	H.⊙.	
51	spinosus. W.	prickly.	W. Indies.	1683.	7. 9.	H.⊙.	W. amar. 38. t. 4. f. 8.
52	frumentaceus. H.B.	cultivated.	E. Indies.	1819.	——	H.⊙.	
CELOSIA. R.S.		Cocks-comb.	Pentandria Monogynia. L.				
1	argentea. R.S.	silvery-spiked.	China.	1714.	6. 9.	S.⊙.	Mart. cent. t. 7.
	β *linearis.*	*narrow-leaved.*	E. Indies.	——	——	S.⊙.	Rheed. mal. 10. t. 39.
2	margaritacea. R.S.	pearl-flowered.	India.	....	——	S.⊙.	——— ——— 10. t. 38.
3	cristata. R.S.	common.	Asia.	1570.	——	S.⊙.	Rumph. amb. 5. t. 84.
	α *elata.*	*tall red.*	———	——	——	S.⊙.	Knor. del. 1. t. H. 5. 6.
	β *compacta.*	*dwarf red.*	———	——	——	S.⊙.	
	γ *flavescens.*	*yellow.*	———	——	——	S.⊙.	
4	comosa. R.S.	tufted.	E. Indies.	1802.	——	S.⊙.	
5	coccinea. R.S.	scarlet.	China.	1597.	——	S.⊙.	
6	castrensis. R.S.	branched.	E. Indies.	1739.	——	S.⊙.	Barrel. rar. t. 1195.
7	cernua. A.R.	drooping.	———	1809.	7. 8.	S.⊙.	Andr. reposit. 635.
8	Monsoniæ. R.S.	downy.	———	1778.	7. 9.	S.⊙.	Pluk. alm. 11. t. 334. f. 4.
	Achyranthes Monsoniæ. S.S. *Illecebrum Monsoniæ.* L.						
9	nodiflora. R.S.	knotted.	———	1780.	——	S.⊙.	Jacq. vind. 1. t. 98.
LESTIBUDESIA. R.S.		Lestibudesia.	Pentandria Monogynia. R.S.				
1	virgata. R.S.	wave-leaved.	W. Indies.	1815.	8. 10.	S.♄.	Jacq. ic. 2. t. 339.
	Celosia virgata. Jacq.						
2	paniculata. R.S.	panicled.	Jamaica.	1733.	6. 9.	S.♂.	Sloan. hist. 1. t. 91. f. 2.
3	trigyna. R.S.	oval-leaved.	Senegal.	1777.	8. 10.	S.♂.	Jacq. vind. 3. t. 15.
DEERINGIA. R.S.		Deeringia.	Pentandria Monogynia. R.S.				
1	indica. S.S.	Berry-bearing.	E. Indies.	1804.	8. 10.	S.♂.	
2	celosioides. B.P.	Cockscomb-like.	N. Holland.	1822.	——	S.♄.	
CHAMISSOA. K.S.		Chamissoa.	Pentandria Monogynia. R.S.				
	altissima. K.S.	tall.	S. America.	1819.	5. 6.	S.♄.	H. et B.n. gen. 2. t. 125.
CLADOSTACHYS. D.P.		Cladostachys.	Pentandria Monogynia.				
1	frutescens. D.P.	frutescent.	E. Indies.	1777.	8. 11.	S.♄.	Rumph. amb. 5. t. 83.
	Achyranthes muricata. L. *Chamissoa muricata.* S.S.						
2	alternifolia.	alternate-leav'd.	———	1789.	7. 8.	S.⊙.	Pluk. alm. t. 260. f. 1.
	Achyranthes alternifolia. W. *Desmochæta alternifolia.* D.C.						

ACHYRANTHES. R.S.	**Achyranthes.**	**Pentandria Monogynia. L.**					
1 **argentea.** R.S.	upright.	Sicily.	1713.	5. 10.	H. ♄.	Bocc. sic. 16. t. 9.
2 **aspera.** R.S.	rough.	India.	1751.	——	S. ♄.	Mill. ic. t. 11. f. 2.
3 **obtusifolia.** Lam.	blunt-leaved.	———	....	——	S. ♄.	
4 **crispa.** R.S.	curl-leaved.	.....	1816.	——	S. ♄.	
5 **virgata.** R.S.	slender.	Portorico.	1823.	——	S. ♄.	
6 **fruticosa.** R.S.	shrubby.	E. Indies.	1816.	——	S. ♄.	
7 **nivea.** R.S.	white.	Canaries.	1780.	5. 7.	G. ♄.	
8 **pubescens.** R.S.	pubescent.	....	1824.	——	S. ♄.	
9 **porrigens.** R.S.	crimson-fld.	Peru.	1803.	4. 8.	G. ♄.	Botan. magaz. 830.
DESMOCHÆTA. R.S.	**Desmochæta.**	**Pentandria Monogynia. R.S.**				
1 **atropurpurea.** DC.	dark-purple.	E. Indies.	1759.	8. 10.	S. ♄.	Rheed. mal. 10. t. 59.
Achyranthes lappacea. L. *Pupalia lappacea.* J.						
2 **flavescens.** DC.	yellowish.	———	....	——	S. ♃.	DC. h. mons. ined. t. 79.
3 **prostrata.** DC.	prostrate.	———	1793.	7. 8.	S. ♃.	Rumph. amb. 6. t. 11.
ALTERNANTHERA.	**Alternanthera.**	**Pentandria Monogynia. R.S.**				
1 **sessilis.** R.S.	sessile-flow'r'd.	E. Indies.	1776.	7. 10.	S. ♂.	Rheed. mal. 10. t. 11.
2 **ficoides.** R.S.	creeping-stalk'd.	S. America.	1819.	——	S. ♃.	Jacq. amer. pict. t. 90.
Gomphrena ficoidea. Jacq.						
3 **spinosa.** R.S.	spiny.	.....	——	——	S. ♃.	
axillaris. DC. *Achyranthes spinosa.* Horn.						
4 **Achyrantha.** R.S.	creeping.	BuenosAyres.	1732.	6. 8.	S. ♃.	Dill. elt. 8. t. 7. f. 7.
5 **frutescens.** R.S.	frutescent.	Peru.	1822.	——	S. ♄.	L'Herit. stirp. 1. t. 37.
6 **polygonoides.** R.S.	Persicaria-ld.	America.	1731.	——	G. ♃.	Herm. parad. t. 17.
ÆRUA. J.	**Ærua.**	**Pentandria Monogynia. R.S.**				
1 **lanata.** R.S.	woolly.	E. Indies.	1691.	4. 8.	S. ♂.	Mill. ic. 1. t. 11. f. 1.
Illecebrum lanatum. L.						
2 **javanica.** R.S.	spear-leaved.	———	1786.	——	S. ♄.	Burm. ind. t. 65. f. 2.
PHILOXERUS. B.P.	**Philoxerus.**	**Pentandria Monogynia. R.S.**				
1 **brasiliensis.** R.S.	upright.	Brazil.	1790.	7. 10.	S. ♄.	Jacq. ic. 2. t. 346.
Gomphrena brasiliensis. Jacq.						
2 **vermicularis.** R.S.	creeping.	S. America.	....	——	S. ♃.	Herm. parad. t. 15.
3 **aggregatus.** R.S.	clustered.	Cumana.	1819.	——	S. ♃.	
GOMPHRENA. R.S.	**Globe Amaranth.**	**Pentandria Monogynia. L.**				
1 **globosa.** R.S.	annual.	India.	1714.	5. 10.	S. ☉.	Rheed. mal. 10. t. 37.
β **alba.**	*white-flowered.*	———	——	——	S. ☉.	
2 **decumbens.** R.S.	decumbent.	Mexico.	. ..	——	S. ☉.	Jacq. schœn. t. 482.
3 **perennis.** R.S.	perennial.	S. America.	1732.	7. 10.	S. ♃.	Botan. magaz. 2614.
4 **arborescens.** R.S.	tree.	———	1803.	——	S. ♄.	
5 **lactea.** R.S.	milk-coloured.	———	1818.	——	S. ♄.	DC. h. mons. ined. t. 93.
6 **interrupta.** R.S.	trailing.	W. Indies.	1733.	——	S. ♂.	Jacq. ic. 1. t. 51.
IRESINE. S.S.	**Iresine.**	**Dicœcia Pentandria. L.**				
1 **celosioides.** S.S.	Florida.	America.	1733.	7. 8.	F. ♃.	Lam. ill. t. 313.
2 **elatior.** S.S.	tall.	S. America.	1820.	8. 10.	S. ☉.	
3 **diffusa.** S.S.	spreading.	———	1812.	7. 9.	S. ♃.	
4 **elongata.** S.S.	long-stalked.	———	1823.	——	S. ♃.	

ORDO CXLIII.

PHYTOLACEÆ. *Brown.*

PHYTOLACCA. W.	**Phytolacca.**	**Decandria Decagynia. L.**				
1 **octandra.** W.	white-flowered.	Mexico.	1732.	7. 11.	G. ♃.	Dill. elt. t. 239. f. 308.
2 **abyssinica.** W.	African.	Africa.	1775.	5. 6.	S. ♄.	Hoff. c. gœt. t. 2.
3 **heptandra.** S.S.	7-anthered.	.....	1819.	7. 10.	G. ♃.	
4 **bogotensis.** K.S.	variable anther'd.	S. America.	1823.	——	G. ♃.	
5 **decandra.** W.	Virginian poke.	Virginia.	1615.	8. 9.	H. ♃.	Botan. magaz. 981.
6 **dodecandra.** W.	recurved-ld.	.....	....	5. 6.	S. ♃.	
7 **mexicana.**	Mexican.	Mexico.	1824.	7. 10.	G. ♃.	Botan. magaz. 2633.
icosandra. B.M. *non* W.						
8 **icosandra.** W.	red.	E. Indies.	1758.	7. 11.	S. ♃.	Mill. ic. t. 207.
9 **dioica.** W.	tree.	S. America.	1768.	....	S. ♄.	L'Herit. st. nov. t. 70.

RIVINA. R.S.	RIVINA. Tetrandria Monogynia. L.						
1 humilis. R.S.	downy.	W. Indies.	1699.	1. 10.	S. ♄.	Botan. magaz. 1781.
2 lævis. R.S.	smooth.	———	1733.	2. 9.	S. ♄.	Lam. ill. t. 81. f. 2.
3 brasiliensis. R.S.	wave-leaved.	Brazil.	1790.	6. 7.	S. ♄.	
4 purpurascens. R.S.	purple.	W. Indies.	1815.	5. 8.	S. ♄.	Schrad. gen. nov. t. 5.
5 lanceolata. L.en.	spear-leaved.	Brazil.	——	——	S. ♄.	
6 octandra. R.S.	climbing.	W. Indies.	1752.	5. 6.	S. ♄.⌣.	Plum. ic. 241.
MICROTEA. K.S.	MICROTEA. Pentandria Digynia. R.S.					
debilis. K.S.	slender.	S. America.	1824.	7. 9.	S.☉.	
PETIVERIA. W.	PETIVERIA. Heptandria Monogynia. L.					
1 alliacea. W.	Garlic-scented.	Jamaica.	1759.	6. 7.	S. ♄.	Lodd. bot. cab. 148.
2 octandra. W.	dwarf.	W. Indies.	1737.	——	S. ♄.	Plum. ic. 213. t. 219.
GISEKIA. W.	GISEKIA. Pentandria Pentagynia. L.					
pharnacioides. W.	trailing.	E. Indies.	1783.	6.	S.☉.	Roxb. corom. 2. t. 183.

ORDO CXLIV.

CHENOPODEÆ. *Brown prodr. p.* 405.

BASELLA. R.S.	MALABAR-NIGHTSHADE. Pentandria Trigynia. L.					
1 rubra. R.S.	red-flowered.	E. Indies.	1781.	7. 9.	S. ♂.⌣.	Rheed. mal. 7. t. 24.
2 alba. R.S.	white-flowered.	———	1688.	7. 11.	S. ♂.⌣.	Pluk. alm. t. 63. f. 1.
3 lucida. R.S.	shining.	———	1802.	——	S.☉.⌣.	
4 cordifolia. R.S.	heart-leaved.	———	——	——	S.☉.⌣.	
5 tuberosa. R.S.	tuberous-root'd.	S. America.	1824.	——	S. ♃.⌣.	
6 marginata. R.S.	margined.	———	——	——	S. ♃.⌣.	
ANREDERA. J.	ANREDERA. Pentandria Trigynia.					
spicata. K.S.	spiked.	Cuba.	1749.	7. 9.	S. ♃.⌣.	Sloan. hist. 1. t. 90. f. 1.
Basella vesicaria. Lam. ill. t. 215. f. 1. *Polygonum scandens.* W.						
ANABASIS. L.	ANABASIS. Pentandria Digynia. L.					
1 aphylla. R.S.	leafless.	Levant.	1823.	5. 7.	F. ♄.	Buxb. cent. 1. t. 18.
2 tamariscifolia. R.S.	Tamarisk-l^d.	Spain.	1752.	6. 7.	F. ♄.	Cavan. ic. 3. t. 283.
SALSOLA. R.S.	SALTWORT. Pentandria Digynia. L.					
1 Kali. R.S.	prickly.	Britain.	....	7. 8.	H.☉.	Eng. bot. 634.
2 Tragus. R.S.	smooth.	S. Europe.	1816.	——	H.☉.	Pall. ill. 2. t. 29. f. 2.
3 crassa. R.S.	thick-leaved.	Caucasus.	1823.	8. 10.	H.☉.	Buxb. cent. 1. t. 14. f. 2.
4 rosacea. R.S.	rose-coloured.	Asia.	1759.	7. 8.	H.☉.	Schk. hand. 1. t. 57.
5 vermiculata. R.S.	suffruticose.	Siberia.	——	——	H. ♄.	Gmel. sib. 3. t. 18. f. 2.
6 microphylla. R.S.	small-leaved.	Spain.	——	——	H.☉.	Cavan. ic. 3. t. 287.
7 verrucosa. R.S.	warted.	Caucasus.	1822.	——	H. ♄.	Pall. ill. 2. t. 16.
8 laniflora. R.S.	woolly-flow'r'd.	Siberia.	1797.	6. 8.	H.☉.	———— 2. t. 21.
9 sativa. R.S.	cultivated.	Spain.	1783.	7. 8.	H. ♃.	Cavan. ic. 3. t. 291.
10 Soda. R.S.	long fleshy-l^d.	S. Europe.	1683.	——	H.☉.	Jacq. vind. 1. t. 68.
KOCHIA. R.S.	KOCHIA. Pentandria Digynia. R.S.					
1 arenaria. R.S.	sand.	Hungary.	1819.	7. 9.	H.☉.	W. et K. hung. 1. t. 78.
2 prostrata. R.S.	trailing.	S. Europe.	1780.	6. 8.	F. ♄.	Jacq. aust. 3. t. 294.
Salsola prostrata. Jacq.						
3 trigyna. L.en.	slender-leav'd.	Spain.	1804.	7. 8.	H.☉.	Cavan. ic. 3. t. 289.
Salsola altissima. Cav. *Chenopodium trigynum.* R.S.						
4 hyssopifolia. R.S.	Hyssop-leaved.	Siberia.	1801.	6. 8.	H.☉.	Pall. it. 1. ap. t. H. f. 1.
5 sedoides. R.S.	Stonecrop-like.	Tauria.	1823.	——	H. ♃.	—— 3. t. M. f. 8.
6 eriophora. R.S.	woolly.	Spain.	1816.	——	H.☉.	Trattin. arch. t. 124.
7 scoparia. R.S.	Summer Cypress.	Greece.	1629.	6. 9.	H. ♃.	Buxb. cent. 1. t. 16.
Chenopodium Scoparia. W.						
CHENOLEA. L.	CHENOLEA. Pentandria Monogynia. L.					
diffusa. W.	silky.	C. B. S.	1758.	8. 9.	G. ♄.	
Salsola sericea. H.K. *Kochia sericea.* R.S. *Chenopodium sericeum.* S.S.						
CHENOPODIUM. R.S.	GOOSE-FOOT. Pentandria Digynia. L.					
1 Bonus-Henricus.	English Mercury.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 1033.
2 urbicum. E.B.	upright.	———	....	8.	H.☉.	———— 717.
3 Atriplicis. R.S.	purple.	China.	1780.	8. 9.	H.☉.	Jacq. vind. 3. t. 80.
4 giganteum. D.P.	gigantic.	Nepaul.	1820.	9. 11.	H.☉.	
5 rubrum. R.S.	red.	Britain.	....	8. 9.	H.☉.	Eng. bot. 1721.

6	melanospermum. s.s.	black-seeded.	Britain.	....	8. 9.	H.⊙.	
7	rhombifolium. R.s.	angular-leaved.	N.America.	1807.	7. 9.	H.⊙.	
8	guineense. W.	Guinea.	Guinea.	1790.	8. 9.	H.⊙.	Jacq. ic. 2. t. 345.
9	murale. E.B.	nettle-leaved.	Britain.	....	——	H.⊙.	Eng. bot. 1722.
10	serotinum. R.s.	late-flowering.	S. Europe.	....	——	H.⊙.	
11	ficifolium. E.B.	Fig-leaved.	England.	....	——	H.⊙.	Eng. bot. 1724.
12	album. E.B.	white.	Britain.	....	6. 9.	H.⊙.	—— 1723.
	β subrotundum.	*round-leaved.*	——	....	——	H.⊙.	Petiv. h. brit. t. 8. f. 2.
	γ viride. W.	*green.*	——	....	——	H.⊙.	
	δ integrifolium.	*entire-leaved.*	——	....	——	H.⊙.	
	ε crassifolium.	*thick-leaved.*	——	....	——	H.⊙.	
13	opulifolium. R.s.	Guelder-rose-l^d.	S. Europe.	....	——	H.⊙.	Bast. j. bot. 1814. t. 3.
14	hybridum. E.B.	Maple-leaved.	Britain.	....	8. 9.	H.⊙.	Eng. bot. 1919.
15	Botrys. R.s.	cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. græc. t. 253.
16	multifidum. R.s.	multifid.	BuenosAyres.	1732.	6. 10.	G.♃.	Dill. elt. t. 60. f. 77.
17	botryoides. E.B.	many clustered.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 2247.
18	ambrosioides. R.s.	Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
19	suffruticosum. R.s.	suffrutescent.	——	1819.	——	G.♄.	
20	anthelminticum. W.	American.	America.	1732.	7. 8.	G.♄.	Dill. elt. t. 60. f. 76.
21	graveolens. R.s.	strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	
22	glaucum. R.s.	Oak-leaved.	England.	....	7. 8.	H.⊙.	Eng. bot. 1454.
23	crassifolium. R.s.	fleshy-leaved.	.....	1820.	——	H.⊙.	
24	radiatum. R.s.	rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 28.
	Kochia dentata. W.	*Salsola platyphylla.* M.					
25	olidum. E.B.	stinking.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 1034.
	fœtidum. R.s.	*Vulvaria.* W.					
26	polyspermum. R.s.	Allseed.	——	....	——	H.⊙.	Eng. bot. 1480.
27	acutifolium. E.B.	acute-leaved.	——	....	——	H.⊙.	—— 1481.
28	laterale. R.s.	oblong-leaved.	.....	1781.	8. 9.	S.⊙.	
29	sepium. R.s.	hedge.	Bohemia.	1822.	7. 8.	H.⊙.	
30	strictum. R.s.	upright.	E. Indies.	——	9. 11.	H.⊙.	
31	aristatum. R.s.	bearded.	Virginia.	1771.	6. 9.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
32	lanceolatum. R.s.	spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	
33	fruticosum. R.s.	shrubby.	England.	....	8. 9.	H.♄.	Eng. bot. 635.
	Salsola fruticosa. E.B.						
34	altissimum. R.s.	Grass-leaved.	Italy.	1775.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3.
35	hirsutum. R.s.	hairy.	Denmark.	1791.	——	H.⊙.	Flor. dan. t. 187.
	Salsola hirsuta. F.D.						
36	salsum. R.s.	Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
37	spicatum. R.s.	spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
38	setigerum. R.s.	setiferous.	——	——	——	H.⊙.	DC.h. mons. ined. t. 87.
39	maritimum. R.s.	sea blite.	Britain.	....	8.	H.⊙.	Eng. bot. 633.
ATRIPLEX. R.S.		ORACHE. Polygamia Monœcia. L.					
1	Halimus. R.s.	tall shrubby.	Spain.	1640.	7. 8.	H.♄.	Park. theat. 721. f. 2.
2	portulacoides. R.s.	dwarf shrubby.	Britain.	....	——	H.♄.	Eng. bot. 261.
3	albicans. R.s.	white.	C. B. S.	1774.	6. 7.	G.♄.	
4	glaucum. W.	glaucous.	S. Europe.	1782.	7. 8.	F.♄.	Dill. elt. t. 40. f. 46.
5	linifolia. K.s.	Flax-leaved.	S.America.	1819.	——	G.♄.	
6	rosea. W.	rose.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
7	sibirica. W.	Siberian.	Siberia.	1783.	7. 8.	H.⊙.	—— 3. p. 538. t. 350.
8	tatarica. W.	Tartarian.	Tartary.	1778.	——	H.⊙.	—— 3. p. 539. t. 349.
9	hortensis. W.	garden.	——	1548.	——	H.⊙.	Blackw. t. 99 et 552.
	β intermedia.	*intermediate.*	——	——	——	H.⊙.	
	γ rubra.	*red garden.*	——	——	——	H.⊙.	
10	acuminata. W.K.	acuminate.	Hungary.	1820.	——	H.⊙.	W. et K. hung. t. 103.
11	veneta. W.	Venetian.	Venice.	——	——	H.⊙.	
12	incana. R.s.	hoary-leaved.	Spain.	1818.	——	H.⊙.	
13	laciniata. W.	frosted sea.	Britain.	....	——	H.⊙.	Eng. bot. 165.
14	hastata. W.	halberd-leav'd.	Europe.	....	——	H.⊙.	Flor. dan. t. 1286.
15	obtusa. W.	blunt-leaved.	Siberia.	1825.	——	H.⊙.	
16	microsperma. W.	small-seeded.	Hungary.	1800.	——	H.⊙.	W. et K. hung. t. 250.
17	oblongifolia. W.K.	oblong-leaved.	——	——	——	H.⊙.	——————t. 221.
18	patula. E.B.	spreading.	Britain.	....	6. 9.	H.⊙.	Eng. bot. 936.
19	angustifolia. E.B.	narrow-leaved.	——	....	6. 8.	H.⊙.	—— 1774.
20	erecta. E.B.	upright.	England.	....	8.	H.⊙.	—— 2223.
21	littoralis. E.B.	grass-leaved.	Britain.	....	8. 9.	H.⊙.	—— 708.
22	pedunculata. E.B.	pedunculated.	England.	....	7. 9.	H.⊙.	—— 232.
23	verticillata. R.s.	whorl-leaved.	Spain.	1824.	——	H.⊙.	Cavan. H. R. M. t. 21.
24	sulcata. Schr.	sulcate.	.....	——	——	H.⊙.	

RHAGODIA. B.P.	**Rhagodia.** Polygamia Monœcia.					
1 Billardieri. B.P.	narrow-leaved.	N. S. W.	1822.	6. 7.	G. ♄.	Lab. nov. hol. 1. t. 96.
Chenopodium baccatum. Lab.						
2 hastata. B.P.	halberd-leaved.	———	1803.	——	G. ♄.	
BETA. R.S.	**Beet.** Pentandria Digynia. L.					
1 vulgaris. R.S.	common.	S. Europe.	1548.	8.	H. ♂.	Schk. hand. 1. t. 56.
α viridis.	*green.*	———	——	——	H. ♂.	Plenck off. t. 169.
β rubra.	*red.*	———	——	——	H. ♂.	
γ lutea.	*yellow.*	———	——	——	H. ♂.	Kern. abbild. t. 235.
δ macrorhiza.	*Mangle wurzel.*	———	....	——	H. ♂.	
2 Cicla. R.S.	white.	Portugal.	1570.	——	H. ♂.	Plenck off. t. 170.
3 crispa. R.S.	curled-leaved.	.....	....	——	H. ♂.	
4 trigyna. R.S.	Hungarian.	Hungary.	1796.	7. 8.	H. ♃.	W. et K. hung. 1. t. 85.
5 maritima. E.B.	sea-side.	Britain.	....	6. 8.	H. ♂.	Eng. bot. 285.
6 patula. R.S.	spreading.	Madeira.	1778.	8.	G. ♂.	
SPINACIA. W.	**Spinage.** Dicœcia Pentandria. L.					
oleracea. W.	common.	.....	1568.	3. 10.	H. ☉.	Schk. hand. 3. t. 324.
α spinosa. W.	*prickly.*	.....	——	——	H. ☉.	
β inermis.	*round.*	.....	——	——	H. ☉.	
ACNIDA. W.	**Virginian hemp.** Dicœcia Pentandria. L.					
cannabina. W.	common.	N. America.	1640.	6. 7.	H. ☉.	
BOSEA. R.S.	**Golden-rod.** Pentandria Digynia. L.					
yervamora. R.S.	tree.	Canaries.	1728.	6. 9.	G. ♄.	Jacq. f. eclog. t. 25.
CORISPERMUM. L.	**Tick-seed.** Monandria Digynia. L.					
1 hyssopifolium. R.S.	Hyssop-leav'd.	Europe.	1739.	7.	H. ☉.	Flor. græc. 1. t. 1.
2 canescens. R.S.	canescent.	Hungary.	1822.	7. 9.	H. ☉.	
3 intermedium. R.S.	intermediate.	Prussia.	——	——	H. ☉.	
4 tenue. L.en.	slender.	.....	1823.	——	H. ☉.	
5 squarrosum. R.S.	rough-spiked.	Russia.	1759.	8. 9.	H. ☉.	Pall. ros. 2. t. 99.
BLITUM. R.S.	**Strawberry-blite.** Monandria Digynia. L.					
1 capitatum. R.S.	berry-headed.	Austria.	1633.	5. 8.	H. ☉.	Poit. et T. fl. p. 1. t. 2.
2 virgatum. R.S.	slender.	S. Europe.	1680.	5. 9.	H. ☉.	Botan. magaz. 276.
3 petiolare. L.en.	petiolate.	.....	1818.	——	H. ☉.	
4 maritimum. N.	sea-side.	N. America.	1823.	——	H. ☉.	
CERATOCARPUS. L.	**Ceratocarpus.** Monœcia Monandria. L.					
arenarius. L.	sand.	Tartary.	1757.	6. 7.	H. ☉.	Buxb. in act. pet. 1. t. 9.
SALICORNIA. L.	**Glasswort.** Monandria Monogynia. L.					
1 herbacea. S.S.	marsh.	Britain.	....	8. 9.	H. ☉.	Eng. bot. 415.
2 procumbens. E.B.	procumbent.	England.	....	——	H. ☉.	——— 2475.
3 radicans. E.B.	rooting.	Britain.	....	9.	H. ♃.	——— 1691.
4 perennans. R.S.	perennial.	Siberia.	1823.	8. 9.	H. ♃.	Pall. it. 1. ap. T. D. f. 1.
5 fruticosa. E.B.	shrubby.	Britain.	....	——	H. ♄.	
6 arabica. R.S.	Arabian.	Arabia.	1758.	——	G. ♄.	Moris. s. 2. t. 38. f. 7.
POLYCNEMUM. R.S.	**Polycnemum.** Triandria Monogynia. L.					
1 arvense. R.S.	trailing.	S. Europe.	1640.	7.	H. ☉.	Jacq. aust. 4. t. 365.
2 oppositifolium. R.S.	opposite-leav'd.	Tartary.	1820.	7. 8.	H. ☉.	Pall. it. ap. T. E. f. 2.
CAMPHOROSMA. L.	**Camphorosma.** Tetrandria Monogynia. L.					
1 monspeliacum. W.	hairy.	S. Europe.	1640.	8. 9.	G. ♄.	Schk. hand. 1. t. 26.
perenne. R.S.						
2 ovatum. R.S.	Hungarian.	Hungary.	1823.	——	H. ☉.	W. et K. hung. 1. t. 63.
GALENIA. W.	**Galenia.** Octandria Digynia. L.					
africana. W.	African.	C. B. S.	1752.	6. 8.	G. ♄.	Lam. ill. t. 314.
AXYRIS. W.	**Axyris.** Monœcia Triandria. L.					
1 amaranthoides. W.	simple-spiked.	Siberia.	1758.	6. 7.	H. ☉.	Gmel. sib. t. 2. f. 2.
2 hybrida. W.	bastard.	———	1780.	6. 8.	H. ☉.	——— t. 4. f. 1.
3 prostrata. W.	trailing.	———	1798.	7. 8.	H. ☉.	——— t. 4. f. 2.
DIOTIS. W.	**Diotis.** Monœcia Tetrandria. L.					
ceratoides. W.	shrubby.	Siberia.	1780.	8.	H. ♄	Jacq. ic. 1. t. 189.

Axyris ceratoides. Jacq. *Ceratospermum papposum.* P.S.

ORDO CXLV.

BEGONIACEÆ. *Ventenat. et Don prodr. p.* 223.

BEGONIA. L.	BEGONIA.	Monœcia Polyandria. L.					
1 nitida. S.S.	shining-leaved.	Jamaica.	1777.	5. 12.	S. ♄.	Sal. par. lond. 72.
2 dichotoma. S.S.	forked.	Caracas.	1800.	7. 8.	S. ♄.	Jacq. ic. 3. t. 619.
3 reniformis. S.S.	kidney-leaved.	Brazil.	1823.	——	S. ♄.	Linn. trans. 1. t. 14. f. 1. 2.
4 spathulata. S.S.	spatula-leaved.	W. Indies.	1813.	8. 10.	S. ♃.	Lodd. bot. cab. 17.
5 odorata. S.S.	sweet-scented.	S. America.	1823.	6. 8.	S. ♄.	
6 disticha. S.S.	distichous.	————	1820.	——	S. ♄.	
7 macrophylla. S.S.	large-leaved.	Jamaica.	1793.	5. 9.	S. ♄.	
8 hirtella. S.S.	fringed.	W. Indies.	1818.	——	S. ♄.	
9 Evansiana. A.R.	Evan's.	China.	1804.	——	S. ♃.	Botan. magaz. 1473.
discolor. H.K. *published* 1813. *Evansiana.* A.R. *published* 1811. B.M. 1812.						
10 picta. Sm.	painted.	Nepaul.	1823.	——	S. ♃.	Sm. exot. bot. t. 101.
11 palmata. D.P.	palmated.	————	1825.	——	S. ♃.	
dubia. H.S.S ?						
12 pauciflora. B.R.	few-flowered.	W. Indies.	1816.	——	S. ♄.	Botan. regist. 471.
13 patula. H.S.S.	spreading.	.....	1811.	——	S. ♄.	
14 tuberosa. S.S.	tuberous.	Amboyna.	1810.	7. 9.	S. ♃.	Rumph. am. 5. t. 169. f. 2.
15 acutifolia. S.S.	acute-leaved.	W. Indies.	1822.	——	S. ♄.	Sloan. jam. t. 127. f. 1. 2.
16 acuminata. S.S.	pointed-leav'd.	Jamaica.	1790.	5. 12.	S. ♄.	Botan. regist. 364.
17 lucida. H.R.	polished.	Trinidad.	1820.	——	S. ☉.	
18 argyrostigma. B.R.	silver-spotted.	Brazil.	1819.	7. 9.	S. ♄.	Botan. regist. 666.
maculata. S.S.						
19 suaveolens. B.C.	fragrant.	W. Indies.	1816.	5. 9.	S. ♄.	Lodd. bot. cab. 69.
20 humilis. H.E.F.	dwarf.	————	1788.	10.	S. ♂.	Hook. ex. flor. 17.
21 hirsuta. S.S.	shaggy-leaved.	————	1789.	5. 6.	S. ♂.	Aub. gui. 2. t. 348.
22 ulmifolia. S.S.	Elm-leaved.	S. America.	1820.	6. 1.	S. ♄.	Hook. ex. flor. 57.
23 scandens. S.S.	climbing.	Jamaica.	1824.	7. 9.	S. ♄. ⌒	Aub. gui. 2. t. 349.

ORDO CXLVI.

POLYGONEÆ. *Brown prodr. p.* 419.

COCCOLOBA. L.	SEASIDE-GRAPE.	Octandria Trigynia. L.				
1 uvifera. S.S.	round-leaved.	W. Indies.	1690.	....	S. ♄.	Jacq. amer. t. 78.
2 pubescens. S.S.	downy.	————	——	....	S. ♄.	Pluk. phyt. 222. f. 8.
3 excoriata. S.S.	oval-leaved.	————	1733.	....	S. ♄.	Plum. ic. t. 146. f. 1.
4 punctata. S.S.	spear-leaved.	————	——	....	S. ♄.	Jacq. amer. 114. t. 77.
5 laurifolia. W.en.	Laurel-leaved.	S. America.	1816.	....	S. ♄.	
6 diversifolia. S.S.	different-leav'd.	Hispaniola.	——	....	S. ♄.	Jacq. amer. t. 76.
7 obtusifolia. S.S.	blunt-leaved.	S. America.	1823.	....	S. ♄.	———— t. 74.
8 microstachya. S.S.	small-spiked.	W. Indies.	——	....	S. ♄.	
9 barbadensis. S.S.	Barbadoes.	Barbadoes.	1790.	....	S. ♄.	Jacq. obs. 1. t. 8.
10 latifolia. S.S.	broad-leaved.	S. America.	1812.	....	S. ♄.	Lam. ill. t. 316. f. 4.
11 acuminata. K.S.	sharp-pointed.	————	1824.	....	S. ♄.	
12 longifolia. L.en.	long-leaved.	————	1818.	....	S. ♄.	
13 tennifolia. S.S.	small-leaved.	Jamaica.	1824.	....	S. ♄.	Brown. jam. 210. f. 8.
BRUNNICHIA. S.S.	BRUNNICHIA.	Decandria Trigynia. W.				
cirrhosa. S.S.	Carolina.	Carolina.	1787.	....	G. ♄. ⌒	Gært. s. 1. t. 48. f. 2.
POLYGONUM. L.	PERSICARIA.	Tetr-Octandria Di-Trigyna.				
1 Bistorta. W.	Snake's-weed.	Britain.	....	5. 9.	H. ♃.	Eng. bot. 509.
2 viviparum. E.B.	alpine bistort.	————	....	5. 9.	H. ♃.	———— 669.

3	petiolatum. D.P.	petiolate.	Nepaul.	1823.	5. 9.	H.♃.	
4	macrophyllum. D.P.	large-leaved.	——	1822.	——	H.♃.	
5	affine. D.P.	related.	——	1823.	——	H.♃.	
6	mite. P.S.	tasteless.	N.America.	1818.	6. 9.	H.⊙.	
7	scandens. W.	climbing.	——	1749.	7. 9.	H.♃.⌒.	Pluk. alm. t. 177. f. 7.
8	Fagopyrum. W.	Buck-wheat.	England.	....	7. 8.	H.⊙.	Eng. bot. 1044.
9	emarginatum. W.	Indian buckwheat.	Nepaul.	1796.	——	H.⊙.	
10	tataricum. W.	Tartarian.	Siberia.	1759.	——	H.⊙.	Gmel. sib. 3. t. 13. f. 1.
11	Convolvulus. W.	common climbing.	Britain.	....	5. 9.	H.⊙.⌒.	Eng. bot. 941.
12	dumetorum. W.	bush.	S. Europe.	1803.	——	H.⊙.	Flor. dan. t. 759.
13	adpressum. B.P.	polygamous.	N. S. W.	1822.	——	G.♄.⌒.	Lab. n. hol. 1. t. 127.
14	sagittatum. W.	arrow-leaved.	N.America.	1759.	7. 8.	H.⊙.	Linn. h. cliff. t. 12.
15	chinense. W.	Chinese.	China.	1795.	——	H.⊙.	Burm. ind. t. 30. f. 3.
16	patens. D.P.	spreading.	Nepaul.	1823.	——	H.♃.	
17	elegans. S.S.	elegant.	Naples.	1824.	——	H.♄.	
18	alpinum. W.	Alpine.	Italy.	1816.	——	H.♃.	Bocc. mus. 2. t. 27.
19	undulatum. W.	wave-leaved.	Siberia.	1789.	6. 7.	H.♃.	Gmel. sib. 3. t. 10.
20	divaricatum. W.	divaricated.	——	1759.	7. 8.	H.♃.	—— 3. t. 11. f. 1.
21	salignum. W.	Willow-like.	——	1816.	5. 8.	H.♃.	
22	acidulum. W.	narrow-leaved.	——	——	6. 7.	H.♃.	
23	aviculare. E.B.	Knot-grass.	Britain.	....	4. 10.	H.⊙.	Eng. bot. 1252.
24	Dryandri. S.S. *elegans.* H.K.	Dryander's.	E. Indies.	1796.	4. 8.	S.♃.	
25	arenarium. W.K.	sand.	Hungary.	1807.	5. 8.	H.⊙.	W. et K. hung. t. 67.
26	littorale. L.en.	sea-side.	S. Europe.	1816.	——	H.♄.	
27	Bellardi. P.S.	Bellardi's.	——	1822.	——	H.♃.	All. ped. t. 90. f. 2.
28	patulum. M.B.	spreading-branch'd.	Tauria.	——	——	H.♃.	
29	maritimum. W.	sea-shore.	S. Europe.	1816.	6. 8.	H.♄.	
30	acetosum. M.B.	Sorrel-leaved.	Astracan.	1823.	——	H.♃.	
31	erectum. W.	upright.	N.America.	1792.	7. 8.	H.♃.	
32	pensylvanicum. W.	Pensylvanian.	——	1819.	——	H.⊙.	
33	orientale. W. *β album.*	common. *white-flowered.*	E. Indies. ——	1707.	7. 10. ——	H.⊙. H.⊙.	Botan. magaz. 213.
34	tinctorium. W.	dyer's.	China.	1776.	7. 8.	G.♂.	
35	decipiens. B.P.	decipient.	N. S. W.	1822.	——	G.♃.	
36	plebeium. B.P.	linear-leaved.	——	——	——	G.♃.	
37	Persicaria.	spotted.	Britain.	....	——	H.⊙.	Eng. bot. 756.
38	incanum. W.en.	hoary.	Germany.	1804.	——	H.⊙.	Schrank. bav. 1. t. 3.
39	persicarioides. K.S.	Mexican.	Mexico.	1825.	——	H.♃.	
40	Hydropiper. E.B.	Water pepper.	Britain.	....	7. 9.	H.⊙.	Eng. bot. 989.
41	glabrum. W.	smooth.	E. Indies.	1823.	——	S.♃.	
42	minus. E.B.	slender.	England.	....	——	H.⊙.	Eng. bot. 1043.
43	arifolium. W.	Arum-leaved.	N.America.	1816.	5. 10.	H.⊙.	Pluk. amal. t. 398. f. 3.
44	ocreatum. W.	spear-leaved.	Siberia.	1780.	6. 9.	H.♃.	Gmel. sib. 3. t. 8.
45	virginianum. W.	Virginian.	N.America.	1640.	8. 9.	H.♃.	Park. theat. 857. f. 6.
46	amphibium. W.	amphibious.	Britain.	....	6. 8.	H.w.♃.	Eng. bot. 436.
47	barbatum. W.	bearded.	China.	1822.	——	G.♃.	
48	gracile. B.P.	slender-stalk'd.	N. S. W.	——	——	G.♃.	
49	acetosæfolium. P.S.	Brazilian.	Brazil.	——	——	S.♄.⌒.	Venten. cels. t. 88.
50	ramosum. L.en.	branching.	Siberia.	——	——	H.♃.	
TRAGOPYRUM. M.B.		TRAGOPYRUM.	Octandria Trigynia. R.S.					
1	lanceolatum. M.B. *Polygonum frutescens.* B.R.	spear-leaved.	Siberia.	1770.	7. 8.	H.♄.	Botan. regist. 255.
2	buxifolium. M.B. *Polygonum crispulum.* B.M.	Box-leaved.	Caucasus.	1800.	——	H.♄.	Botan. magaz. 1065.
ATRAPHAXIS. L.		ATRAPHAXIS.	Hexandria Digynia. L.					
1	spinosa. S.S.	prickly.	Levant.	1732.	8.	G.♃.	L'Herit. stirp. 1. t. 11.
2	undulata. S.S.	waved-leaved.	C. B. S.	——	6. 7.	G.♄.	Dill. elt. t. 32. f. 36.
OXYRIA. Sm.		OXYRIA.	Hexandria Digynia. Sm.					
	reniformis. Sm. *Rumex digynus.* E.B.	kidney-leaved.	Britain.	....	6. 7.	H.♃.	Eng. bot. 910.
RUMEX. L.		DOCK.	Hexandria Trigynia. L.					
1	Hydrolapathum. S.S. *aquaticus.* E.B.	great water.	Britain.	....	7. 8.	H.w.♃.	Eng. bot. 2104.
2	Britannica. S.S.	Virginian.	N.America.	....	6. 7.	H.♃.	
3	maximus. S.S.	great.	Europe.	....	——	H.♃.	
4	acutus. E.B.	sharp.	Britain.	....	——	H.♃.	Eng. bot. 724.
5	Nemolapathum. W.	flat-valved.	Europe.	1816.	——	H.♃.	
6	nemorosus. W.en.	wood.	——	——	——	H.♃.	

7 sanguineus. E.B.	bloody-veined.	England.	....	6. 7.	H.♃.	Eng. bot. 1533.
8 condylodes. M.B.	spreading.	Caucasus.	1823.	——	H.♃.	
9 crispus. E.B.	curled.	Britain.	....	——	H.♃.	Eng. bot. 1998.
10 Patientia. W.	Patience.	Italy.	1573.	——	H.♃.	
11 confertus. W.en.	close-leaved.	————	1816.	——	H.♃.	
12 brasiliensis. L.en.	Brazilian.	Brazil.	1823.	——	G.♃.	
13 verticillatus. s.s.	whorled.	N.America.	1818.	——	H.♃.	
14 spathulatus. P.s.	spatulate-ld.	C. B. S.	1824.	8. 2.	G.♃.	
15 purpureus. P.s.	purple.	Europe.	....	6. 7.	H.♃.	
16 linearis. s.s.	linear-leaved.	C. B. S.	1824.	8. 12.	G.♃.	
17 obtusifolius. E.B.	broad-leaved.	Britain.	....	6. 8.	H.♃.	Eng. bot. 1999.
18 nepalensis. s.s.	Nepalese.	Nepaul.	1823.	——	H.♃.	
19 palustris. E.B.	yellow marsh.	England.	....	7. 8.	H.♃.	Eng. bot. 1932.
20 maritimus. E.B.	sea-side.	Britain.	....	——	H.♃.	———— 725.
21 divaricatus. W.	divaricate.	Italy.	1793.	——	H.♃.	Till. pis. t. 37. f. 2.
22 strictus. L.en.	upright.	.....	1824.	——	H.♃.	
23 persicarioides. W.	Persicaria-like.	N.America.	1773.	6. 7.	H.♃.	
24 dentatus. W.	dentated.	Egypt.	1732.	7. 8.	H.☉.	Dill. elt. t. 158. f. 191.
25 ægyptiacus. W.	Egyptian.	————	1734.	6. 7.	H.☉.	Till. pis. t. 37. f. 1.
26 ucranicus. s.s.	Ukraine.	Ukraine.	1820.	——	H.☉.	
27 crispatulus. M.	curled-leaved.	N.America.	——	——	H.☉.	
28 cristatus. DC.	crested.	.....	——	——	H.♃.	
29 pulcher. E.B.	fiddle.	Britain.	....	6. 8.	H.♃.	Eng. bot. 1576.
30 scutatus. W.	French sorrel.	France.	1596.	6. 7.	H.♃.	Jacq. ic. 1. t. 67.
31 hastifolius. M.B.	hastate-leaved.	Caucasus.	1816.	——	H.♃.	
32 vesicarius. W.	bladder.	Africa.	1656.	7. 8.	H.☉.	Moris. s. 5. t. 28. f. 7.
33 tingitanus. W.	Tangier.	Barbary.	1680.	6. 8.	H.♃.	Zanon. hist. 9. t. 6.
34 sarcorhizus. L.en.	fleshy-rooted.	C. B. S.	1824.	8. 12.	G.♃.	
35 Burchellii. s.s.	Burchell's.	————	1816.	8. 10.	G.♄.	
36 Lunaria. W.	tree.	Canaries.	1698.	6. 7.	G.♄.	Pluk. alm. t. 252. f. 3.
37 domesticus. s.s.	various-leaved.	Sweden.	1823.	——	H.♃.	
38 roseus. W.	rose.	Egypt.	1737.	7. 8.	H.☉.	
39 bucephalophorus.	Basil-leaved.	Italy.	1683.	6.	H.☉.	Cavan. ic. 1. t. 41. f. 1.
40 fimbriatus. s.s.	fringe-valved.	C. B. S.	1816.	7. 9.	G.♃.	
41 Acetosa. E.B.	common Sorrel.	Britain.	....	6. 8.	H.♃.	Eng. bot. 127.
42 Acetosella. E.B.	sheep's sorrel.	————	....	5. 7.	H.♃.	———— 1674.
43 abyssinicus. Jacq.	Abyssinian.	Abyssinia.	1823.	——	G.♄.	Jacq. vind. 3. t. 98.
44 tuberosus. W.	tuberous-root'd.	S. Europe.	1752.	6. 8.	H.♃.	
45 arifolius. W.	Arum-leaved.	Africa.	1775.	12. 4.	G.♄.	
46 amplexicaulis. s.s.	stem-clasping.	Pyrenees.	1816.	6. 8.	H.♃.	
47 luxurians. L.	luxuriant.	S. Europe.	....	——	H.♃.	
48 alpinus. W.	Alpine.	France.	1597.	6. 7.	H.♃.	Zorn. ic. 261.
49 frutescens. s.s.	frutescent.	Tristan d'Ac.	1816.	6. 9.	G.♄.	
50 giganteus. H.K.	tall.	Sandwich Isl.	1796.	6. 8.	G.♃.	
EMEX. S.S.	EMEX. Hexandria Trigynia. S.S.					
spinosus. s.s.	spiny-seeded.	Candia.	1656.	6. 7.	H.☉.	
Rumex spinosus. W.						
PODOPTERUS. K.S.	PODOPTERUS. Hexandria Trigynia. S.S.					
mexicanus. K.s.	Mexican.	Mexico.	1825.	....	G.♄.	H. et B. pl.æq.2. t.167.
TRIPLARIS. K.S.	TRIPLARIS. Diœcia Enneandria. L.					
americana. K.s.	American.	S. America.	1823.	5. 8.	S.♄.	Jacq.amer.13.t.173.f.5
RHEUM. L.	RHUBARB. Enneandria Trigynia. L.					
1 Rhaponticum. W.	common.	Asia.	1573.	5. 6.	H.♃.	Sabb. hort. 1. t. 34.
2 undulatum. W.	waved-leaved.	China.	1734.	——	H.♃.	L. amœn. acad. 3. t. 4.
3 palmatum. W.	officinal.	————	1763.	4. 5.	H.♃.	Linn. fasc. 7. t. 4.
4 compactum. W.	thick-leaved.	Tartary.	1758.	5. 6.	H.♃.	Mill. ic. 2. t. 218.
5 tataricum. W.	Tartarian.	————	1793.	——	H.♃.	
6 hybridum. W.	bastard.	Asia.	1778.	——	H.♃.	Murr. c. gott. t. 1.
7 nutans. F.	nodding.	————	1824.	——	H.♃.	
8 Ribes. W.	warted-leav'd.	Levant.	1724.	——	F.♃.	Ann. mus. 1. t. 49.
9 austriacum. And.	Austrian.	Austria.	1819.	——	H.♃.	
10 Emodii. Wal.	Nepaul.	Nepaul.	1826.	....	H.♃.	
11 crispum. And.	curl-leaved.	.....	1820.	5. 6.	H.♃.	
12 sibiricum. And.	Siberian.	Siberia.	1819.	——	H.♃.	
13 fenestratum. Mill.	transparent.	.....	1760.	——	H.♃.	
ERIOGONUM. M.	ERIOGONUM. Enneandria Trigynia. N.					
1 tomentosum. M.	woolly.	Carolina.	1811.	5. 6.	H.♃.	Mich. amer. t. 24.
2 flavum. N. *sericeum.* Ph.	silky.	Missouri.	——	7.	H.♃.	
3 longifolium. N.	long-leaved.	Arkansa.	1824.	——	H.♃.	

CALLIGONUM. W.	CALLIGONUM.	Dodecandria Tetragynia. L.					
Pallasia. w.	Caspian.	Caspian shores.	1780.	8.		H. ♄.	Pall. ros. 2. t. 77. 78.
KŒNIGIA. W.	KŒNIGIA.	Triandria Trigynia. L.					
islandica. w.	Iceland.	Iceland.	1778.	4.		H. ☉.	Lam. ill. gen. t. 81.

ORDO CXLVII.

LAURINÆ. *Brown prodr. p.* 401.

LAURUS. W.	LAURUS. Enneandria Monogynia. L.						
1 nobilis. w.	Sweet Bay.	S. Europe.	1561.	4.	5.	H. ♄.	Flor. græc. t. 365.
β *undulata.*	*wave-leaved.*	———	——	——		H. ♄.	
γ *salicifolia.*	*Willow-leaved.*	———	——	——		H. ♄.	
δ *variegata.*	*variegated.*	———	——	——		H. ♄.	
2 coriacea. s.s.	leathery-leav'd.	Jamaica.	1822.	....		S. ♄.	
3 salicifolia. s.s.	Willow-leav'd.	W. Indies.	——	....		S. ♄.	
4 Catesbæi. P.S.	Catesby's.	Florida.	1811.	4.	6.	G. ♄.	Catesb. car. 1. t. 28.
5 carolinensis. M.	Carolina.	N. America.	1806.	——		G. ♄.	——— 1. t. 63.
α *glabra.*	*smooth-leaved.*	———	——	——		G. ♄.	
β *pubescens.*	*downy.*	———	——	——		G. ♄.	
γ *obtusa.*	*blunt-leaved.*	———	——	——		G. ♄.	
6 Borbonia. W.	Bourbon.	S. America.	1739.	——		G. ♄.	Plum. gen. 4.
7 thyrsiflora. s.s.	bunch-flower'd.	Madagascar.	1824.	....		S. ♄.	
8 indica. W.	royal bay.	Madeira.	1665.	10.	3.	G. ♄.	Pluk. alm. t. 304. f. 1.
9 fœtens. W.	Madeira or Til.	———	1760.	——		G. ♄.	
10 canariensis. W.en.	Canary.	Canaries.	1815.	——		G. ♄.	
11 aggregata. B.M.	clustered.	China.	1812.	——		S. ♄.	Botan. magaz. 2497.
12 Chloroxylon. W.	Cogwood-tree.	Jamaica.	1778.	....		S. ♄.	Brown. jam. t. 7. f. 1.
13 pendula. W.	pendulous.	———	1822.	....		S. ♄.	
14 glauca. W.	glaucous.	Japan.	1806.	....		G. ♄.	
15 æstivalis. W.	veined-leaved.	N. America.	1765.	4.	5.	G. ♄.	
16 Benzoin. W.	Benjamin-tree.	———	1683.	——		H. ♄.	Comm. hort. 1. t. 97.
17 Diospyrus. P.S.	twiggy.	———	1810.	——		H. ♄.	Botan. magaz. 1470.
18 geniculata. M.	flexuose.	———	1759.	——		H. ♄.	——— 1471.
19 Sassafras. W.	Sassafras-tree.	———	1633.	5.	6.	H. ♄.	Catesb. car. 1. t. 55.
20 albida. N.	white Sassafras.	———	....	——		H. ♄.	
PERSEA. G.	ALLIGATOR-PEAR. Enneandria Monogynia. S.S.						
gratissima. G.	common.	W. Indies.	1739.	4.	6.	S. ♄.	Pluk. alm. t. 267. f. 1.
Laurus Persea. W.							
CINNAMOMUM. B.P.	CINNAMON. Enneandria Monogynia.						
1 Cassia?	pubescent.	E. Indies.	1768.	5.	9.	S. ♄.	Andr. reposit. 596.
Laurus Cinnamomum. A.R. *Persea Cassia.* s.s.							
2 verum.	true.	Ceylon.	1763.	6.	9.	S. ♄.	Botan. magaz. 1636.
Laurus Cassia. B.M. *Persea Cinnamomum.* s.s.							
3 nitidum. H.E.F.	glossy-leaved.	Sumatra.	1824.	——		S. ♄.	Hook. ex. flor. 176.
4 Bejolghota.	square-branch'd.	E. Indies.	1805.	....		S. ♄.	
Laurus Bejolghota. L.T. *Laurus malabathrica.* H.B?							
5 Culitlaban.	three-flowered.	Moluccas.	....	....		S. ♄.	Rumph. amb. 2. t. 14.
Laurus Culitlaban. H.B.							
6 gracile. Hort.	slender.	E. Indies.	1805.	....		S. ♄.	
7 Camphora.	Camphire-tree.	Japan.	1727.	3.	6.	G. ♄.	Botan. magaz. 2658.
Laurus Camphora. B.M. *Persea Camfora.* s.s.							
CRYPTOCARYA. B.P.	CRYPTOCARYA. Enneandria Monogynia. S.S.						
1 glaucescens. B.P.	glaucous-leav'd.	N. S. W.	1820.	....		G. ♄.	
2 obovata. B.P.	obovate-leaved.	———	1823.	....		G. ♄.	
TETRANTHERA. B.P.	TETRANTHERA. Enneandria Monogynia. S.S.						
1 laurifolia. B.R.	Laurel-leaved.	Japan.	1823.	1.	5.	G. ♄.	Botan. regist. 893.
2 apetala. B.P.	petalless.	E. Indies.	——	....		G. ♄.	Roxb. corom. 2. t. 147.
3 involucrata. Rox.	involucred.	———	1820.	....		G. ♄.	
CASSYTHA. L.	CASSYTHA. Enneandria Monogynia. S.S.						
1 filiformis. L.	slender.	C. B. S.	....	5.	8.	G. ♃.	Rumph. amb. 5. t. 184. f. 4
2 glabella. B.P.	smooth.	N. S. W.	1822.	——		G. ♃.	

LAURINIS AFFINE.

GYROCARPUS. B.P.	GYROCARPUS.	Polygamia Monœcia.						
1 americanus. W.	American.	W. Indies.	1816.	....	S. ½.	Jacq. amer. t.178.f.80.		
2 asiaticus. W. *Jacquini.* R.C.	Asiatic.	E. Indies.	1812.	....	S. ½.	Roxb. corom. 1. t. 1.		
HERNANDIA. L.	JACK IN A BOX.	Monœcia Triandria. L.						
1 sonora. W.	peltate-leaved.	W. Indies.	1698.	....	S. ½.	Rumph. amb. 2. t. 85.		
2 guianensis. W.	Guiana.	Guiana.	1823.	....	S. ½.	Aub. gui. 2. t. 309.		
3 ovigera. W.	oval-leaved.	E. Indies.	1820.	....	S. ½.	Rumph. amb. 3. t. 128.		

ORDO CXLVIII.

MYRISTICÆÆ. *Brown prodr. p.* 399.

MYRISTICA. W.	NUTMEG.	Diœcia Monadelphia. L.				
1 moschata. W. *officinalis.* H.E.F. *aromatica.* Lam.	true.	E. Indies.	1795.	....	S. ½.	Hook. ex. flor. 155-156.
2 fatua. W.	tasteless.	Surinam.	1812.	....	S. ½.	Pluk. alm. t. 250. f. 6.

ORDO CXLIX.

PROTEACEÆ. *Brown Linn. trans.* 10. *p.* 46.

AULAX. P.L.	AULAX.	Diœcia Tetrandria. H.K.					
1 pinifolia. L.T. *Protea pinifolia.* A.R.	Pine-leaved.	C. B. S.	1780.	7. 9.	G. ½.	Andr. reposit. 76.	
2 umbellata. L.T.	umbelled.	———	1774.	6. 8.	G. ½.	Andr. reposit. 348.	
LEUCADENDRON. L.T.	LEUCADENDRON.	Diœcia Tetrandria. H.K.					
1 argenteum. L.T. *Protea argentea.* W.	Silver-tree.	C. B. S.	1693.	6. 8.	G. ½.	Botan. regist. 979.	
2 plumosum. L.T. *Protea parviflora.* Th.	feathered.	———	1774.	——	G. ½.	Thunb. diss. 40. t. 4.	
3 retusum. L.T.	retuse-leaved.	———	1825.	....	G. ½.		
4 spathulatum. L.T.	spathulate.	———	1812.	6. 8.	G. ½.		
5 angustatum. L.T.	narrow-leav'd.	———	1824.	....	G. ½.		
6 imbricatum. L.T.	imbricated.	———	1790.	6. 8.	G. ½.		
7 buxifolium. L.T.	Box-leaved.	———	1812.	——	G. ½.	Wend. h. herr. t. 14?	
8 Levisanus. L.T.	short-leaved.	———	1774.	4. 6.	G. ½.	——— t. 1.	
9 linifolium. L.T.	Flax-leaved.	———	....	——	G. ½.	Jacq. schœn. 1. t. 26.	
10 stellatum. *Protea stellaris.* B.M. *squarrosa.* K.P.	starry.	———	....	5. 6.	G. ½.	Botan. magaz. 881.	
11 tortum. L.T.	twisted-leaved.	———	1790.	3. 5.	G. ½.	Botan. regist. 886.	
12 cinereum. L.T.	gray-leaved.	———	1774.	7. 8.	G. ½.		
13 corymbosum. L.T.	corymbed.	———	1790.	4. 7.	G. ½.	Botan. regist. 402.	
14 decorum. L.T.	decorous.	———	——	5. 8.	G. ½.		
15 squarrosum. L.T. *strobilina.* L.	squarrose.	———	1812.	——	G. ½.		
16 concolor. L.T. *Protea globosa.* B.M.	one-coloured.	———	1774.	3. 6.	G. ½.	Andr. reposit. 307.	
							svs. *strobilina.* Schrad. s. han. 1. t. 1.
17 grandiflorum. L.T.	great-flower'd.	———	1789.	4. 6.	G. ½.	Sal. par. lond. 105.	
18 ovale. L.T.	oval-leaved.	———	1818.	——	G. ½.		
19 venosum. L.T.	veined-leaved.	———	1815.	——	G. ½.		

20	decurrens. L.T.	decurrent.	C. B. S.	1812.	6. 8.	G. h.	
21	glabrum. L.T.	smooth.	—— ——	——	3. 6.	G. h.	
22	strictum. L.T.	upright.	—— ——	1795.	4. 6.	G. h.	Sal. par. lond. 75.
	Eurystermum salicifolium. P.L. *Protea conifera.* A.R. 541.						
23	virgatum. L.T.	slender.	—— ——	....	——	G. h.	
24	adscendens. L.T.	ascending.	—— ——	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
25	concinnum. L.T.	neat.	—— ——	1800.	——	G. h.	
26	salignum. L.T.	Willow-leaved.	—— ——	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
27	uliginosum. L.T.	swamp.	—— ——	1795.	——	G. h.	Breyn. cent. 21. t. 9.
28	floridum. L.T.	florid.	—— ——	——	——	G. h.	Andr. reposit. 572?
29	platyspermum. L.T.	flat-seeded.	—— ——	1818.	——	G. h.	
30	comosum. L.T.	tufted.	—— ——	1812.	5. 8.	G. h.	
31	æmulum. L.T.	related.	—— ——	1789.	6. 9.	G. h.	
	Protea incurva. A.R. 429?						
32	abietinum. L.T.	Pine-leaved.	—— ——	——	7. 9.	G. h.	Andr. reposit. 461.
33	scabrum. L.T.	rough.	—— ——	1812.	4. 6.	G. h.	
34	sericeum. L.T.	silky-leaved.	—— ——	1818.	——	G. h.	
35	Globularia. L.T.	globe-headed.	—— ——	1810.	——	G. h.	Lam. ill. 1. t. 53.
36	inflexum. L.en.	inflexed.	—— ——	1812.	——	G. h.	
37	caudatum. L.en.	tailed.	—— ——	——	——	G. h.	
38	marginatum. L.en.	villous-margin'd.	—— ——	1818.	——	G. h.	
PETROPHILA. L.T.		PETROPHILA. Tetrandria Monogynia. R.S.					
1	pulchella. L.T.	Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Botan. magaz. 796.
2	diversifolia. L.T.	various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
3	trifida. L.T.	trifid-leaved.	—— ——	1824.	....	G. h.	
ISOPOGON. L.T.		ISOPOGON. Tetrandria Monogynia. R.S.					
1	teretifolius. L.T.	round-leaved.	N. Holland.	1824.	....	G. h.	
2	anethifolius. L.T.	Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus. L.T.	handsome.	N. Holland.	1805.	——	G. h.	
4	anemonifolius. L.T.	Anemone-l^d.	N. S. W.	1791.	7. 9.	G. h.	Botan. magaz. 697.
5	trilobus. L.T.	three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
6	longifolius. L.T.	long-leaved.	—— ——	1820.	——	G. h.	Botan. regist. 900.
7	attenuatus. L.T.	attenuated.	—— ——	1824.	....	G. h.	
PROTEA. L.T.		PROTEA. Tetrandria Monogynia. L.					
1	cynaroides. L.T.	Artichoke-fl^d.	C. B. S.	1774.	11. 8.	G. h.	Botan. magaz. 770.
2	latifolia. L.T.	ray-flowered.	—— ——	1806.	7. 9.	G. h.	—— —— 1717.
	α coccinea.	*scarlet-flower'd.*	—— ——	——	——	G. h.	Andr. reposit. 646.
	β viridiflora.	*green-flowered.*	—— ——	——	——	G. h.	—— —— 646.
3	compacta. L.T.	compact.	—— ——	1810.	——	G. h.	
4	longiflora. L.T.	long-flowered.	—— ——	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
	ochroleuca. Sm. *lacticolor.* P.L. 27.						
5	coccinea. L.T.	scarlet-flow'r'd.	—— ——	1810.	5. 6.	G. h.	
6	speciosa. L.T.	splendid.	—— ——	1786.	3. 6.	G. h.	Knight's prot. c. ic.
7	obtusa. K.P.	obtuse.	—— ——	——	——	G. h.	Andr. reposit. 110.
	speciosa. B.M. 1182. *Erodendrum obtusum.* K.P.						
8	macrophylla. L.T.	large-leaved.	—— ——	1810.	——	G. h.	
9	formosa. L.T.	handsome.	—— ——	1789.	5. 6.	G. h.	Botan. magaz. 1713.
	coronata. A.R. 469. *Erodendrum formosum.* P.L. 70.						
10	melaleuca. L.T.	black-fringed.	—— ——	1786.	3. 7.	G. h.	Andr. reposit. 102.
11	Lepidocarpon. L.T.	crested.	—— ——	1806.	——	G. h.	Wein. phyt. 4. t. 395.
12	neriifolia. L.T.	Oleander-l^d.	—— ——	——	2. 4.	G. h.	Botan. regist. 208.
13	pulchella. L.T.	wave-leaved.	—— ——	1795.	3. 8.	G. h.	—— —— 20.
	α ciliata.	*fringe-leaved.*	—— ——	——	——	G. h.	Andr. reposit. 270.
	β glabra.	*smooth-leaved.*	—— ——	——	——	G. h.	—— —— 277.
	γ speciosa.	*specious.*	—— ——	——	——	G. h.	—— —— 442.
14	patens. L.T.	spreading.	—— ——	1789.	3. 6.	G. h.	—— —— 543.
15	magnifica. A.R.	magnificent.	—— ——	——	——	G. h.	—— —— 438.
16	incompta. L.T.	villous-branch'd.	—— ——	1807.	5. 7.	G. h.	
17	longifolia. L.T.	long-leaved.	—— ——	1798.	3. 8.	G. h.	Botan. regist. 47.
18	umbonalis. K.P.	embossed.	—— ——	——	——	G. h.	Andr. reposit. 144.
	longifolia. var. *cono turbinato.* A.R. *Erodendrum umbonale.* K.P.						
19	ligulæfolia. K.P.	strap-leaved.	—— ——	——	——	G. h.	Andr. reposit. 133.
	longifolia ferruginoso-purpurea. A.R. *Erodendrum ligulæfolium.* K.P.						
20	mellifera. L.T.	honey-bearing.	—— ——	1774.	12. 5.	G. h.	Botan. magaz. 346.
	β alba.	*white-flowered.*	—— ——	——	——	G. h.	Andr. reposit. ic.
21	grandiflora. L.T.	great-flowered.	—— ——	1787.	5. 6.	G. h.	Botan. magaz. 2447.
	β marginata.	*red margined.*	—— ——	——	——	G. h.	Botan. regist. 569.
22	Scolymus. L.T.	small-flower'd.	—— ——	1780.	——	G. h.	Botan. magaz. 698.
23	mucronifolia. L.T.	dagger-leaved.	—— ——	1803.	7. 12.	G. h.	—— —— —— 933.

24	nana. L.T.	dwarf.	C. B. S.	1787.	4. 7.	G. ħ.	Sm. exot. bot. 1. t.44.
	rosacea. Sm. *acutifolia.* P.L. 2.						
25	pendula. L.T.	pendulous.	———	1806.	3. 6.	G. ħ.	
26	tenax. L.T.	tough.	———	1801.	2. 5.	G. ħ.	Sal. par. lond. 70.
27	canaliculata. L.T.	channel-leaved.	———	1800.	12. 2.	G. ħ.	Andr. reposit. 437.
28	acuminata. B.M.	sharp-pointed.	———	1809.	3. 6.	G. ħ.	Botan. magaz. 1694.
29	acaulis. L.T.	short-stalked.	———	1802.	5. 9.	G. ħ.	Wein. phyt. 4. t. 898.
30	glaucophylla. P.L.	glaucous-leav'd.	———	——	7. 9.	G. ħ.	Sal. par. lond. 11.
31	elongata. L.T.	elongated.	———	1810.	——	G. ħ.	
32	angustata. L.T.	narrow-leaved.	———	1809.	——	G. ħ.	
33	revoluta. L.T.	revolute-leav'd.	———	1818.	——	G. ħ.	
34	tenuifolia. L.T.	slender-leaved.	———	1816.	——	G. ħ.	
35	lævis. L.T.	smooth-leaved.	———	1806.	5. 7.	G. ħ.	Botan. magaz. 2439.
	longifolia. P.L. *non* A.R.						
36	scabra. L.T.	rough-leaved.	———	1809.	——	G. ħ.	
37	repens. L.T.	creeping.	———	1800.	6. 8.	G. ħ.	Wein. phyt. 4. t. 897.a.
38	turbiniflora. L.T.	turfy.	———	1803.	4. 5.	G. ħ.	Sal. par. lond. 103.
39	Scolopendrium. L.T.	Hart's-tongue.	———	1802.	——	G. ħ.	
40	cordata. L.T.	heart-leaved.	———	1790.	3. 5.	G. ħ.	Andr. reposit. 289.
41	amplexicaulis. L.T.	stem-clasping.	———	1802.	1. 3.	G. ħ.	Sal. par. lond. 67.
42	humilis. L.T.	low-flowering.	———	——	6. 8.	G. ħ.	Andr. reposit. 532.
43	acerosa. L.T.	Pine-leaved.	———	1803.	3. 5.	G. ħ.	Botan. regist. 351.
LEUCOSPERMUM. L.T.		LEUCOSPERMUM.	Tetrandria Monogynia. R.S.				
1	lineare. L.T.	linear-leaved.	C. B. S.	1774.	8. 9.	G. ħ.	Thunb. dis. n. 35. t. 4.
2	attenuatum. L.T.	attenuated.	———	1810.	——	G. ħ.	
3	Tottum. L.T.	smooth-bracted.	———	1774.	6. 8.	G. ħ.	
4	medium. L.T.	oval-leaved.	———	1794.	——	G. ħ.	Andr. reposit. 17?
	Protea formosa. A.R?						
5	ellipticum. L.T.	elliptic.	———	1803.	5. 8.	G. ħ.	
6	Conocarpum. L.T.	many-toothed.	———	1774.	——	G. ħ.	Boer. lugd. 2. p.196.ic.
7	grandiflorum. L.T.	great-flower'd.	———	1800.	5. 7.	G. ħ.	Sal. par. lond. 116.
	Leucadendron grandiflorum. P.L.						
8	puberum. L.T.	downy-leaved.	———	1774.	5. 8.	G. ħ.	
9	spathulatum. L.T.	spathulate.	———	1810.	——	G. ħ.	
10	tomentosum. K.P.	cottony.	———	1789.	8. 9.	G. ħ.	
11	parile. K.P.	matched.	———	1790.	——	G. ħ.	
12	candicans. A.R.	Rose-scented.	———	——	——	G. ħ.	Andr. reposit. 294.
	Protea candicans. A.R.						
13	Hypophyllum. L.T.	trifid-leaved.	———	1787.	....	G. ħ.	Pluk. mant. t.440. f.3.
MIMETES. L.T.		MIMETES.	Tetrandria Monogynia. R.S.				
1	hirta. L.T.	hairy.	C. B. S.	1774.	6. 8.	G. ħ.	Wein. phyt. 4. t. 899. f.a.
2	palustris. K.P.	marsh.	———	1802.	——	G. ħ.	Boer. lugd. 2. p.194.ic.
3	cucullata. L.T.	three-toothed.	———	1789.	....	G. ħ.	Pluk. alm. t.304. f.6.
	Protea cucullata. W.						
4	Hartogii. L.T.	woolly-leaved.	———	1810.	....	G. ħ.	Wein. phyt. 4. t. 906.a.
5	divaricata. L.T.	divaricate.	———	1795.	6. 9.	G. ħ.	
6	vacciniifolia.	Vaccinium-l^d.	———	1800.	....	G. ħ.	
	Diastella vacciniifolia. K.P.						
7	purpurea. L.T.	Heath-leaved.	———	1789.	11. 12.	G. ħ.	
SERRURIA. L.T.		SERRURIA.	Tetrandria Monogynia. R.S.				
1	diffusa. L.T.	diffuse.	C. B. S.	1810.	6. 8.	G. ħ.	
2	abrotanifolia. K.P.	Southernwood-l^d.	———	1803.	——	G. ħ.	Andr. reposit. 522.
	Protea abrotanifolia hirta. A.R.						
3	millefolia. K.P.	thousand-leav'd.	———	——	——	G. ħ.	——— 337.
4	artemisiæfolia. K.P.	Wormwood-l^d.	———	1789.	——	G. ħ.	——— 264.
5	pinnata. L.T.	slender.	———	1803.	——	G. ħ.	——— 512.
6	arenaria. L.T.	sand.	———	——	——	G. ħ.	
7	cyanoides. L.T.	trifid-leaved.	———	——	——	G. ħ.	Pluk. mant. t.345. f.6.
8	pedunculata. L.T.	woolly-headed.	———	1789.	——	G. ħ.	Andr. reposit. 264.
9	scoparia. L.T.	Broom.	———	1809.	——	G. ħ.	
10	Niveni. L.T.	Niven's.	———	1800.	——	G. ħ.	Andr. reposit. 349.
	Protea decumbens. A.R.						
11	villosa. L.T.	villous.	———	1810.	——	G. ħ.	
12	fœniculacea. L.T.	Fennel-leaved.	———	1816.	——	G. ħ.	
13	ciliata. L.T.	ciliated.	———	1803.	——	G. ħ.	
14	congesta. L.T.	crowded.	———	1816.	——	G. ħ.	
15	squarrosa. L.T.	squarrose.	———	1810.	——	G. ħ.	
16	phylicoides. L.T.	Phylica-flow'r'd.	———	1788.	——	G. ħ.	Andr. reposit. 507. f.4.
	Protea abrotanifolia. A.R.						

17	amula. L.T.	grey-branched.	C. B. S.	1808.	——	G. ½.	
18	parilis. K.P.	matched.	——	——	——	G. ½.	Andr. reposit. 507.
19	odorata.	sweet-scented.	——	——	——	G. ½.	—— —— 545.
	Protea abrotanifolia odorata. A.R.						
20	emarginata.	emarginate.	——	1800.	——	G. ½.	—— —— 536.
	arenaria. K.P. *Protea abrotanifolia minor.* A.R.						
21	decumbens. L.T.	decumbent.	——	1816.	——	G. ½.	Thunb. diss. 1. t. 1.
22	flagellaris. L.T.	procumbent.	——	——	——	G. ½.	
23	glomerata. L.T.	many-headed.	——	1789.	——	G. ½.	Burm. afr. t. 99. f. 2.
24	decipiens. L.T.	decipient.	——	1806.	——	G. ½.	
25	Roxburghii. L.T.	Roxburgh's.	——	——	——	G. ½.	
26	Burmanni. L.T.	Burmann's.	——	1786.	——	G. ½.	Burm. afr. t. 99. f. 1.
	Protea Serraria. L.						
27	triternata. L.T.	silvery-flowered.	——	1802.	——	G. ½.	Andr. reposit. 447.
	Protea argentiflora. A.R.						
28	elongata. L.T.	long-peduncled.	——	1800.	——	G. ½.	
29	crithmifolia. L.T.	Samphire-leav'd.	——	1816.	——	G. ½.	
NIVENIA. L.T.		NIVENIA. Tetrandria Monogynia. R.S.					
1	Sceptrum. L.T.	sceptre-like.	C. B. S.	1790.	5. 6.	G. ½.	Sparm. a. st. 1777. t. 1.
2	spathulata. L.T.	maiden hair-ld.	——	——	7. 8.	G. ½.	Thunb. dis. n. 58. t. 5.
3	parvifolia. L.T.	small-leaved.	——	1810.	——	G. ½.	
4	spicata. L.T.	spiked.	——	1786.	6. 8.	G. ½.	
5	crithmifolia. L.T.	Samphire-ld.	——	1797.	——	G. ½.	Andr. reposit. 243.
	Protea Lagopus. A.R.						
6	media. L.T.	middle.	——	1803.	——	G. ½.	—— —— 234?
	Protea spicata. A.R?						
7	Lagopus. L.T.	Hare's-foot.	——	1810.	——	G. ½.	
SOROCEPHALUS. L.T.		SOROCEPHALUS. Tetrandria Monogynia. R.S.					
1	imberbis. L.T.	smooth.	C. B. S.	1806.	6. 8.	G. ½.	
2	spatalloides. L.T.	club-bearing.	——	1803.	——	G. ½.	
3	tenuifolia. L.T.	slender-leaved.	——	1802.	——	G. ½.	
4	lanatus. L.T.	woolly.	——	1790.	6. 9.	G. ½.	Thunb. dis. n. 30. t. 3.
5	imbricatus. L.T.	imbricated.	——	1794.	4. 7.	G. ½.	Andr. reposit. 517.
6	diversifolius. L.T.	various-leaved.	——	1807.	——	G. ½.	
SPATALLA. L.T.		SPATALLA. Tetrandria Monogynia. R.S.					
1	nivea. L.T.	snowy-bearded.	C. B. S.	1806.	4. 8.	G. ½.	
2	bracteata. L.T.	bracteate.	——	——	——	G. ½.	
3	prolifera. L.T.	proliferous.	——	1800.	6. 8.	G. ½.	Thunb. dis. n. 27. t. 4.
4	incurva. L.T.	incurved-leaved.	——	1789.	5. 6.	G. ½.	—— —— n. 22. t. 3.
5	caudata. L.T.	tailed.	——	1812.	——	G. ½.	—— —— sec. ic. t. 2.
6	Thunbergii. L.T.	Thunberg's.	——	1806.	——	G. ½.	
CONOSPERMUM. L.T.		CONOSPERMUM. Triandria Monogynia.					
1	ellipticum. L.T.	elliptic-leaved.	N. S. W.	1823.	5. 7.	G. ½.	
2	ericifolium. L.T.	Heath-leaved.	——	1820.	——	G. ½.	Linn. trans. 10. t. 17. f. 1.
3	longifolium. L.T.	long-leaved.	——	1824.	....	G. ½.	Sm. exot. bot. 2. t. 82.
PERSOONIA. L.T.		PERSOONIA. Tetrandria Monogynia. R.S.					
1	pinifolia. L.T.	Pine-leaved.	N. S. W.	1816.	5. 7.	G. ½.	Linn. trans. 10. t. 16. f. 1.
2	juniperina. L.T.	Juniper-leav'd.	V. Diem. Isl.	1823.	——	G. ½.	Lab. n. holl. 1. t. 65.
3	hirsuta. L.T.	hairy.	N. S. W.	1800.	——	G. ½.	Lodd. bot. cab. 327.
4	mollis. L.T.	soft.	——	1818.	——	G. ½.	
5	linearis. L.T.	linear-leaved.	——	1794.	7. 8.	G. ½.	Botan. magaz. 780.
6	flexifolia. L.T.	bending-leav'd.	——	1822.	——	G. ½.	Lodd. bot. cab. 922.
7	lanceolata. L.T.	spear-leaved.	——	1791.	6. 7.	G. ½.	Andr. reposit. 74.
	β *latifolia.* B.P.	*broad-leaved.*	——	——	——	G. ½.	—— —— —— 280?
8	salicina. L.T.	Willow-leaved.	——	1795.	6. 7.	G. ½.	Cavan. ic. 4. t. 380?
9	ferruginea. L.T.	ferruginous.	——	1818.	——	G. ½.	Sm. exot. bot. 2. t. 83.
BRABEJUM. L.T.		AFRICAN ALMOND. Polygamia Monœcia. L.					
	stellatifolium. L.T.	common.	C. B. S.	1731.	3. 4.	G. ½.	Hout. n. h. par. 3. t. 6. f. 37
GREVILLEA. L.T.		GREVILLEA. Tetrandria Monogynia. R.S.					
1	punicea. L.T.	purple-flow'r'd.	N. S. W.	1822.	4. 9.	G. ½.	Sm. n. holl. t. 9. f. 5.
2	dubia. L.T.	doubtful.	——	——	——	G. ½.	
3	sericea. L.T.	silky.	——	1790.	——	G. ½.	Botan. magaz. 863.
4	linearis. L.T.	linear-leaved.	——	——	——	G. ½.	Andr. reposit. 272.
	α *incarnata.* B.M.	*flesh-coloured.*	——	——	——	G. ½.	Botan. magaz. 2861.
	β *alba.* B.C.	*white-flowered.*	——	——	——	G. ½.	Lodd. bot. cab. 868.
5	stricta. L.T.	upright.	——	1822.	——	G. ½.	
6	riparia. L.T.	river-side.	——	1791.	4. 5.	G. ½.	
7	rosmarinifolia. F.T.	Rosemary-ld.	——	1824.	——	G. ½.	
8	juniperina. L.T.	Juniper-like.	——	1821.	——	G. ½.	Lodd. bot. cab. 1003.

9	arenaria. L.T.	sand.	N. S. W.	1808.	4. 9.	G. h.	
10	acuminata. L.T.	acute-leaved.	——	1805.	——	G. h.	
11	cinerea. L.T.	grey.	——	1821.	——	G. h.	Lodd. bot. cab. 857.
12	mucronulata. L.T.	mucronulate.	——	1809.	——	G. h.	
13	sulphurea. F.I.	sulphur-colour'd	——	1823.	——	G. h.	
14	phylicoides. L.T.	Phylica-like.	——	——	——	G. h.	
15	buxifolia. L.T.	Box-leaved.	——	1790.	2. 9.	G. h.	Botan. regist. 443.
16	podalyriæfolia. C.C.	Podalyria-l^d.	N.Holland.	1821.	5. 8.	S. h.	
17	berberifolia. C.C.	Berberry-l^d.	——	——	——	S. h.	
18	acanthifolia. F.T.	Acanthus-l^d.	——	——	——	S. h.	B. Field. trav. c. ic.
19	heterophylla.	various-leaved.	——	——	——	S. h.	
20	trifurcata. C.C.	three-forked.	——	——	——	S. h.	
21	aspleniifolia. L.T.	Spleenwort-l^d.	N. S. W.	1806.	——	S. h.	
HAKEA. L.T.		Hakea. Tetrandria Monogynia. R.S.					
1	pugioniformis. L.T.	dagger-fruited.	N. S. W.	1796.	5. 6.	G. h.	Lodd. bot. cab. 353.
2	parilis. K.P.	matched.	V.Diem.Isl.	——	——	G. h.	
3	epiglottis. L.T.	curved-fruited.	——	1822.	——	G. h.	Lab. nov. hol. 1. t. 40.
4	obliqua. L.T.	oblique-flow'r'd	N.Holland.	1803.	6. 9.	G. h.	
5	gibbosa. L.T.	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
6	acicularis. L.T.	needle-leaved.	——	——	——	G. h.	Venten. malm. t. 111.
	Conchium aciculare. V.						
7	suaveolens. L.T.	sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
8	Lamberti. N.L.F.	Lambert's.	——	1823.	....	G. h.	
9	microcarpa. L.T.	small-fruited.	V.Diem.Isl.	1818.	4. 8.	G. h.	Botan. regist. 475.
10	trifurcata. L.T.	trifurcate.	N.Holland.	1824.	....	G. h.	
11	linearis. L.T.	linear-leaved.	——	——	....	G. h.	
12	florida. L.T.	many-flower'd.	——	1803.	5. 6.	G. h.	Botan. magaz. 2579.
13	ilicifolia. L.T.	Holly-leaved.	——	——	7. 9.	G. h.	
14	nitida. L.T.	glossy.	——	——	6. 8.	G. h.	Botan. magaz. 2246.
15	amplexicaulis. L.T.	smooth-stalked.	——	——	....	G. h.	
16	prostrata. L.T.	pubescent.	——	——	....	G. h.	
17	ceratophylla. L.T.	horn-leaved.	——	——	....	G. h.	
18	acanthophylla. L.m.	Acanthus-l^d.	——	——	....	G. h.	
19	undulata. L.T.	wave-leaved.	——	——	6. 8.	G. h.	
20	propinqua. F.T.	related.	——	1823.	....	G. h.	
21	oleifolia. L.T.	Olive-leaved.	——	1794.	6. 7.	G. h.	
22	saligna. L.T.	Willow-leaved.	——	1791.	3. 7.	G. h.	Andr. reposit. 215.
23	marginata. L.T.	marginate.	——	1824.	....	G. h.	
24	ruscifolia. L.T.	Ruscus-leaved.	——	——	....	G. h.	Lab. nov. holl. 1. t. 39.
25	cinerea. L.T.	hoary-leaved.	——	1803.	6. 7.	G. h.	
26	canescens. L.m.	canescent.	N. S. W.	1800.	6. 8.	G. h.	
27	dactyloides. L.T.	nerved-leaved.	——	1790.	——	G. h.	Cavan. ic. 6. t. 535.
28	elliptica. L.T.	oval-leaved.	N.Holland.	1794.	——	G. h.	
29	clavata. L.T.	clavate.	——	1824.	....	G. h.	Lab. nov. holl. 1. t. 41.
LAMBERTIA. L.T.		Lambertia. Tetrandria Monogynia. R.S.					
1	uniflora. L.T.	single-flowered.	N.Holland.	1824.	....	G. h.	
2	inermis. L.T.	unarmed.	——	——	....	G. h.	
3	formosa. L.T.	handsome.	N. S. W.	1788.	6. 8.	G. h.	Botan. regist. 528.
4	echinata. L.T.	lobe-leaved.	N.Holland.	1824.	....	G. h.	
XYLOMELUM. L.T.		Wooden-pear-tree. Tetrandria Monogynia. R.S.					
	pyriforme. L.T.	prickly-leaved.	N. S. W.	1789.	....	G. h.	Cavan. ic. 6. t. 536.
RHOPALA. L.T.		Rhopala. Tetrandria Monogynia. R.S.					
1	montana. L.T.	mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2	dentata. L.T.	tooth-leaved.	——	1802.	5. 8.	S. h.	
3	sessilifolia. L.T.	sessile-leaved.	——	1803.	——	S. h.	Rudg. gui. 1. t. 31.
TELOPEA. L.T.		Waratah. Tetrandria Monogynia. R.S.					
	speciosissima. L.T.	splendid.	N. S. W.	1789.	5. 7.	G. h.	Botan. magaz. 1128.
	Embothrium speciosissimum. R.M.						
LOMATIA. L.T.		Lomatia. Tetrandria Monogynia. R.S.					
1	silaifolia. L.T.	cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Botan. magaz. 1272.
2	tinctoria. L.T.	various-leaved.	V.Diem.Isl.	1822.	....	G. h.	Lab. n. holl. 1. t. 42-43.
3	longifolia. L.T.	long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Botan. regist. 442.
4	dentata. L.T.	tooth-leaved.	Chili.	1824.	....	G. h.	Flor. peruv. 1. t. 94. a.
STENOCARPUS. L.T.		Stenocarpus. Tetrandria Monogynia. R.S.					
	salignus. L.T.	sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Botan. regist. 441.
BOTRYCERAS. W.		Botryceras. Tetrandria Monogynia. R.S.					
	laurinum. W.	Laurel-like.	N.Holland.	1820.	6. 9.	G. h.	W.m.b.1811.t.10.f.10.
BANKSIA. L.T.		Banksia. Tetrandria Monogynia. R.S.					
1	pulchella. L.T.	small-flowered.	N.Holland.	1803.	....	G. h.	

2	sphærocarpa. L.T.	round-fruited.	N.Holland.	1803.	....	G. ½.	
3	nutans. L.T.	nodding-fld.	——	——	4. 6.	G. ½.	
4	ericifolia. L.T.	Heath-leaved.	N. S. W.	1788.	1. 12.	G. ½.	Botan. magaz. 738.
5	spinulosa. L.T.	spiny-leaved.	——	——	12. 5.	G. ½.	Andr. reposit. 457.
6	collina. L.T.	hill.	——	1800.	....	G. ½.	
7	occidentalis. L.T.	west-coast.	N. Holland.	1803.	....	G. ½.	
8	littoralis. L.T.	sea-side.	——	——	4. 7.	G. ½.	
9	marginata. L.T.	various-leaved.	N. S. W.	1804.	5. 8.	G. ½.	Botan. magaz. 1947.
10	australis. L.T.	southern.	V.Diem.Isl.	1816.	——	G. ½.	Botan. regist. 787.
11	insularis. L.T.	Island.	——	1823.	....	G. ½.	
12	integrifolia. L.T.	entire-leaved.	N. S. W.	1788.	5. 8.	G. ½.	Cavan. ic. 6. t. 546.
13	compar. L.T.	related.	N.Holland.	1823.	....	G. ½.	
14	verticillata. L.T.	whorl-leaved.	——	1794.	7. 11.	G. ½.	Hook. ex. flor. 96.
15	coccinea. L.T.	scarlet-flow'r'd.	——	1803.	....	G. ½.	Bauer. n. holl. ic.
16	paludosa. L.T.	marsh.	N. S. W.	1805.	1. 4.	G. ½.	Botan. regist. 697.
17	intermedia. ψ.	intermediate.	N. Holland.	1824.	....	G. ½.	
18	oblongifolia. L.T.	oblong-leaved.	N. S. W.	1788.	5. 8.	G. ½.	Lodd. bot. cab. 241.
19	latifolia. L.T.	broad-leaved.	——	1802.	——	G. ½.	Cavan. ic. 6. t. 548.
20	marcescens. L.T.	short-leaved.	N. Holland.	1794.	1. 12.	G. ½.	Andr. reposit. 258.
	præmorsa. A.R. *uspleniifolia.* K.P.						
21	attenuata. L.T.	attenuated, smooth-fld.	——	1794.	....	G. ½.	
22	serrata. L.T.	saw-leaved.	N. S. W.	1788.	7. 9.	G. ½.	Andr. reposit. 82.
23	æmula. L.T.	deeply-sawed.	—— ——	——	1. 6.	G. ½.	Botan. regist. 688.
24	dentata. L.T.	tooth-leaved.	N.Holland.	1822.	....	S. ½.	
25	quercifolia. L.T.	Oak-leaved.	——	1805.	....	G. ½.	
26	dryandroides. ψ.	Dryandra-like.	——	1824.	....	G. ½.	
27	speciosa. L.T.	long-leaved.	——	1805.	5. 8.	G. ½.	
28	grandis. L.T.	great-flowered.	——	1794.	....	G. ½.	
29	prostrata. ψ.	prostrate.	——	1824.	....	G. ½.	
30	repens. L.T.	creeping.	——	1803.	....	G. ½.	Lab. voy. 1. t. 23.
31	ilicifolia. L.T.	Holly-leaved.	——	1824.	....	G. ½.	
DRYANDRA. L.T.		DRYANDRA.	Tetrandria Monogynia. R.S.				
1	floribunda. L.T.	many-flowered.	N.Holland.	1803.	1. 12.	G. ½.	Botan. magaz. 1581.
2	cuneata. L.T.	wedge-leaved.	——	——	11. 2.	G. ½.	
	α brevifolia.	*short-leaved.*	——	——	——	G. ½.	
	β longifolia.	*long-leaved.*	——	——	——	G. ½.	
3	armata. L.T.	acute-leaved.	——	——	1. 12.	G. ½.	
4	falcata. L.T.	falcate-leaved.	——	1824.	....	G. ½.	
5	formosa. L.T.	splendid.	——	1803.	1. 12.	G. ½.	Linn. trans. 10. t. 3.
6	mucronulata. L.T.	pointed-leaved.	——	1824.	....	G. ½.	
7	plumosa. L.T.	feathered.	——	1803.	1. 8.	G. ½.	
8	obtusa. L.T.	blunt-leaved.	——	——	....	G. ½.	
9	nivea. L.T.	white-leaved.	——	——	7. 9.	G. ½.	Lab. voy. 1. t. 24.
10	longifolia. L.T.	long-leaved.	——	1805.	1. 12.	G. ½.	Botan. magaz. 1582.
11	Baxteri. ψ.	Baxter's.	——	1824.	....	G. ½.	
12	tenuifolia. L.T.	slender-leaved.	——	1803.	3. 5.	G. ½.	
13	nervosa. ψ.	nerved-leaved.	——	1824.	....	G. ½.	
14	pteridifolia. L.T.	Pteris-leaved.	——	——	——	G. ½.	

ORDO CL.

THYMELÆÆ. *Brown prodr. p.* 358.

DIRCA. W.	LEATHER-WOOD.	Octandria Monogynia. L.					
palustris. W.	marsh.	Virginia.	1750.	3. 4.	H. ½.	Botan. regist. 292.
LAGETTA. J.	LACE-BARK.	Octandria Monogynia. S.S.					
lintearia. J.	Jamaica.	Jamaica.	1793.	12. 1.	S. ½.	Lam. ill. t. 289.
DAPHNE. W.	DAPHNE.	Octandria Monogynia. L.					
1 Mezereum. W.	Mezereon.	England.	....	2. 4.	H. ½.	Eng. bot. 1381.
α album.	*white-flowered.*	——	....	——	H. ½.	
β rubrum.	*red-flowered.*	——	....	——	H. ½.	
γ autumnale.	*autumnal-flow'r'd.*	——	....	8. 12.	H. ½.	

2	Laureola. W.	spurge-laurel.	Britain.	....	1. 3.	H. ½.	Eng. bot. 119.
3	pontica. W.	Pontic.	Pontus.	1759.	4. 5.	H. ½.	Botan. magaz. 1282.
4	tinifolia. W.	Bonace-bark.	Jamaica.	1733.	5. 7.	S. ½.	
5	Gnidium. W.	Flax-leaved.	Spain.	1597.	6. 8.	H. ½.	Lodd. bot. cab. 150.
6	odora. W.	sweet-scented.	China.	1771.	12. 3.	G. ½.	Botan. magaz. 1587.
7	alpina. W.	Alpine.	Italy.	1759.	5. 7.	H. ½.	Lodd. bot. cab. 66.
8	altaica. W.	Altaic.	Siberia.	1796.	4. 5.	H. ½.	Botan. magaz. 1875.
9	Cneorum. W.	trailing.	Austria.	1752.	4. 9.	H. ½.	——— 313.
10	striata. S.S.	streaked.	Hungary.	....	——	H. ½.	
11	collina. S.S.	hairy.	Italy.	1752.	1. 6.	H. ½.	Botan. magaz. 428.
12	sericea. S.S.	silky-leaved.	Levant.	1818.	——	H. ½.	
13	oleoides. S.S.	Olive-leaved.	Crete.	1815.	1. 12.	H. ½.	Botan. magaz. 1917.
14	neapolitana. B.C.	Neapolitan.	Italy.	1823.	1. 6.	H. ½.	Lodd. bot. cab. 719.
	collina β neapolitana. B.R. 822.						
15	Thymelæa. W.	smooth-leaved.	Spain.	1815.	2. 4.	H. ½.	Pluk. alm. t. 229. f. 2.
16	Tarton-raira. W.	silvery-leaved.	France.	1640.	5. 7.	H. ½.	——— t. 318. f. 6.
GNIDIA. L.		Gnidia. Octandria Monogynia. L.					
1	pinifolia. W.	Pine-leaved.	C. B. S.	1768.	5. 6.	G. ½.	Botan. regist. 19.
2	radiata. B.C.	radiate.	———	1818.	——	G. ½.	Lodd. bot. cab. 29.
3	imberbis. H.K.	smooth-scaled.	———	1792.	8. 4.	G. ½.	Botan. magaz. 1463.
4	simplex. H.K.	Flax-leaved.	———	1786.	5. 6.	G. ½.	——— 812.
5	juniperifolia. W.	Juniper-leaved.	———	1822.	——	G. ½.	
6	capitata. W.	purple-twigged.	———	1788.	6. 7.	G. ½.	
7	imbricata. W.	imbricated.	———	1822.	4. 8.	G. ½.	Botan. regist. 757.
	denudata. B.R.						
8	oppositifolia. H.K.	opposite-leav'd.	———	1783.	5. 7.	G. ½.	——— 2.
9	tomentosa. S.S.	tomentose.	———	1822.	——	G. ½.	
10	sericea. W.	silky.	———	1786.	——	G. ½.	Andr. reposit. 225.
	oppositifolia. A.R. *nec aliorum.*						
LACHNÆA. W.		Lachnæa. Octandria Monogynia. L.					
1	buxifolia. Lam.	green box-l^d.	C. B. S.	1800.	5. 7.	G. ½.	Botan. magaz. 1657.
2	glauca. H.K.	glaucous.	———	——	——	G. ½.	——— 1658.
3	purpurea. W.	purple-flow'r'd.	———	——	——	G. ½.	——— 1594.
4	eriocephala. W.	woolly-headed.	———	1793.	6. 7.	G. ½.	——— 1295.
5	conglomerata. W.	clustered.	———	1773.	——	G. ½.	
PASSERINA. W.		Sparrow-wort. Octandria Monogynia. L.					
1	uniflora. W.	one-flowered.	C. B. S.	1759.	4. 7.	G. ½.	Wend. obs. t. 2. f. 18.
2	laxa. W.	loose.	———	1804.	6. 7.	G. ½.	Lodd. bot. cab. 755.
3	tenuiflora. W.	slender-fl^d.	———	1812.	——	G. ½.	
4	filiformis. W.	filiform.	———	1752.	6. 8.	G. ½.	Wend. obs. t. 2. f. 15.
5	capitata. W.	headed.	———	1789.	6. 10.	G. ½.	——— t. 2. f. 17.
6	hirsuta. W.	hairy.	S. Europe.	1759.	——	G. ½.	Botan. magaz. 1949.
7	striata. Lam.	striate.	C. B. S.	1822.	——	G. ½.	
8	ericoides. W.	Heath-like.	———	——	——	G. ½.	
9	ciliata. W.	fringed.	———	1819.	——	G. ½.	Seb. mus. 2. t. 12. f. 9.
10	grandiflora. W.	great-flowered.	———	1789.	5. 6.	G. ½.	Botan. magaz. 292.
11	spicata. W.	spiked.	———	1787.	5. 7.	G. ½.	Lodd. bot. cab. 311.
12	anthylloides. W.	Anthyllus-like.	———	1816.	——	G. ½.	
STELLERA. W.		Stellera. Octandria Monogynia. L.					
	Passerina. W.	Flax-leaved.	S. Europe.	1759.	7. 8.	H. ☉.	Jacq. ic. 1. t. 68.
	Passerina annua. S.S.						
DAIS. L.		Dais. Decandria Monogynia. L.					
	cotinifolia. W.	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. ½.	Botan. magaz. 147.
STRUTHIOLA. L.		Struthiola. Tetrandria Monogynia. L.					
1	virgata. H.K.	twiggy.	C. B. S.	1779.	4. 8.	G. ½.	Andr. reposit. 139.
2	ciliata. A.R.	ciliated.	———	——	——	G. ½.	——— 149.
3	lateriflora. R.S.	side-flowering.	———	1816.	——	G. ½.	
4	pubescens. R.S.	downy.	———	1790.	——	G. ½.	Botan. magaz. 1212.
5	glabra. R.S.	upright smooth.	———	1798.	4. 9.	G. ½.	Wendl. obs. t. 2. f. 10.
	erecta. W. *stricta.* Donn.						
6	juniperina. R.S.	drooping.	———	1758.	——	G. ½.	Botan. magaz. 222.
	erecta. B.M.						
7	angustifolia. R.S.	narrow-leaved.	———	1816.	——	G. ½.	
8	incana. B.C.	hoary.	———	1802.	7. 8.	G. ½.	Lodd. bot. cab. 11.
9	imbricata. R.S.	tiled-leaved.	———	1794.	4. 8.	G. ½.	Andr. reposit. 113.
10	ovata. R.S.	oval-leaved.	———	1792.	2. 6.	G. ½.	——— 119.
11	tomentosa. R.S.	downy-leaved.	———	1790.	8. 9.	G. ½.	——— 331.
PIMELEA. B.P.		Pimelea. Diandria Monogynia. R.S.					
1	linifolia. B.P.	flax-leaved.	N. S. W.	1793.	2. 8.	G. ½.	Botan. magaz. 891.

2 glauca. B.P.	glaucous-leav'd.	N. S. W.	1822.	——	G. ♄.	Linn. trans.10.t.13.f.2.
3 ligustrina. B.P.	Privet-like.	———	1823.	——	G. ♄.	Lab. nov. holl. 1. t. 3.
4 decussata. B.P.	cross-leaved.	———	——	4. 8.	G. ♄.	—— —— 1. t. 5.
ferruginea. Lab.						
5 rosea. B.P.	rose-coloured.	N.Holland.	1800.	3. 9.	G. ♄.	Botan. magaz. 1458.
6 linoides. F.T.	flax-like.	N. S. W.	1824.	——	G. ♄.	
7 pauciflora. B.P.	few-flowered.	V.Diem.Isl.	1812.	——	G. ♄.	Lodd. bot. cab. 179.
8 drupacea. B.P.	drupe-bearing.	———	1820.	——	G. ♄.	—— ——— —— 540.
9 spicata. B.P.	spiked.	N. S. W.	1824.	——	G. ♄.	Linn. trans.10. t.14.f.2.

ORDO CLI.

OSYRIDEÆ. *Brown.*

OSYRIS. W.	Poet's Cassia.	Dicœcia Triandria. L.				
alba. W.	white.	S. Europe.	1739.	....	G. ♄.	Lam. ill. t. 802.
EXOCARPOS. B.P.	Exocarpos.	Pentandria Monogynia.				
1 cupressiformis. B.P.	Cypress-like.	N.Holland.	1820.	....	G. ♄.	Labill. voy. 1. t. 14.
2 humifusa. B.P.	low-procumbent.	V.Diem.Isl.	1822.	....	G. ♄.	
3 stricta. B.P.	upright.	N. S. W.	——	....	G. ♄.	

ORDO CLII.

SANTALACEÆ. *Brown prodr. p.* 350.

SANTALUM. B.P.	Sandal-wood.	Tetrandria Monogynia. W.				
1 album. F.I.	white.	E. Indies.	1804.	....	S. ♄.	Rumph. amb. 2. t. 11.
2 myrtifolium. F.I.	Myrtle-leaved.	———	1819.	....	G. ♄.	Roxb. corom. 1. t. 2.
3 obtusifolium. B.P.	blunt-leaved.	N. S. W.	1823.	....	G. ♄.	
FUSANUS. B.P.	Fusanus.	Polygamia Monœcia. L.				
compressus. H.K.	flat-stalked.	C. B. S.	1776.	....	G. ♄.	Berg. cap. 88. t. 1. f. 1.
LEPTOMERIA. B.P.	Leptomeria.	Pentandria Monogynia. R.S.				
1 acida. B.P.	acid.	N. S. W.	1823.	....	G. ♄.	
2 Billardieri. B.P.	Labillardiere's.	———	——	....	G. ♄.	Lab. nov. hol. 1. t. 93.
Thesium drupaceum. Lab.						
THESIUM. R.S.	Thesium.	Pentandria Monogynia. L.				
1 linophyllum. R.S.	common.	England.	....	6. 7.	H. ☿.	Eng. bot. 247.
2 intermedium. R.S.	intermediate.	Germany.	1818.	——	H. ☿.	Schkuhr hand. t. 51.
3 montanum. R.S.	mountain.	Europe.	....	——	H. ♄.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	Alpine.	———	1814.	——	H. ☿.	Jacq. aust. 5. t. 416.
5 ebracteatum. R.S.	blunt-leaved.	Germany.	——	——	H. ☿.	Hayn. l. c. t. 7.
6? amplexicaule. R.S.	stem-clasping.	C. B. S.	1787.	——	G. ♄.	
COMANDRA. N.	Comandra.	Pentandria Monogynia. N.				
umbellata. N.	umbelled.	N.America.	1782.	6.	H. ☿.	Plak. mant. t.342. f.1.
Thesium umbellatum. W.						
HAMILTONIA. W.	Oil-nut.	Polygamia Dicœcia. W.				
oleifera. W.	Olive-bearing.	N.America.	1800.	....	G. ♄.	Pursh. amer. 1. t. 13.
Pyrularia pubera. M.						
NYSSA. R.S.	Tupelo.	Polygamia Dicœcia. L.				
1 villosa. R.S.	hairy-leaved.	N.America.	1806.	5.	H. ♄.	Mich. arb. 2. t. 21.
2 aquatica. R.S.	water.	———	1739.	4. 5.	H. ♄.	—— —— 2. t. 22.
biflora. W.						
3 candicans. R.S.	hoary.	———	1812.	....	H. ♄.	Mich. arb. 2. t. 20.
4 capitata. H.K.	headed.	Carolina.	1806.	....	H. ♄.	
5 tomentosa. R.S.	tomentose.	———	1812.	....	H. ♄.	Mich. arb. 2. t. 19.
6 denticulata. R.S.	toothed.	N.America.	1795.	5. 6.	H. ♄.	Catesb. car. 1. t. 60.

ORDO CLIII.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPOPHAE. L.	**Sea-buckthorn.**	Dioecia Tetrandria. L.						
1 rhamnoides. W.	common.	England.	····	4. 5.	H. ½.	Eng. bot. 425.
2 salicifolia. D.P.	Willow-leav'd.	Nepaul.	1819.	····	H. ½.	
SHEPHERDIA. N.	**Shepherdia.**	Dioecia Octandria. N.				
1 argentea. N.	silvery.	Missouri.	1818.	····	H. ½.	
Hippophae argentea. Ph.						
2 canadensis. N.	Canadian.	———	1759.	4. 5.	H. ½.	
Hippophae canadensis. W.						
ELÆAGNUS. L.	**Oleaster.**	Tetrandria Monogynia. L.				
1 angustifolia. R.S.	narrow-leaved.	S. Europe.	1633.	7.	H. ½.	Pall. ros. 1. t. 4.
2 orientalis. R.S.	oriental.	Levant.	1748.	7. 8.	G. ½.	——— 1. t. 5.
3 argentea. Ph.	silvery.	N.America.	1813.	——	H. ½.	Wats. dend. brit. 161.
4 arborea. F.I.	tree.	Nepaul.	1819.	····	H. ½.	
5 conferta. F.I.	close-flowered.	———	——	····	H. ½. ⌣.	Burm. zeyl. t. 39. f. 1.
6 latifolia. R.S.	broad-leaved.	E. Indies.	1712.	7. 8.	S. ½.	——— —— t. 39. f. 2.

ORDO CLIV.

ASARINÆ. *Kunth synops.* 1. *p.* 442.

ASARUM. L.	**Asarabacca.**	Dodecandria Monogynia. L.				
1 europæum. S.S.	common.	England.	····	5.	H. 4.	Eng. bot. t. 1083.
2 canadense. S.S.	Canadian.	Canada.	1713.	4. 7.	H. 4.	Swt. br. fl. gar. 95.
3 virginicum. W.	Virginian.	Virginia.	1759.	4. 5.	H. 4.	——— ——— t. 18.
4 arifolium. S.S.	Arum-leaved.	Carolina.	1818.	5. 6.	H. 4.	Hook. ex. flor. 40.
ARISTOLOCHIA. W.	**Birthwort.**	Gynandria Hexandria. L.				
1 bilobata. W.	bilobed.	W. Indies.	1822.	··	S. ½. ⌣.	Plum. amer. t. 106.
2 trilobata. W.	three-lobed.	S. America.	1775.	6. 7.	S. ½. ⌣.	
3 ringens. W.	gaping.	———	1820.	——	S. ½. ⌣.	Vahl. symb. 2. t. 47.
4 labiosa. R.R.	lipped.	———	——	5. 9.	S. ½. ⌣.	Botan. regist. 689.
5 panduriformis. W.	fiddle-leaved.	Caracas.	1823.	····	S. ½. ⌣.	
6 maxima. W.	great.	New Spain.	1759.	7.	S. ½. ⌣.	Jacq. amer. t. 146.
7 Sipho. W.	broad-leaved.	N.America.	1763.	6. 7.	H. ½. ⌣.	Botan. magaz. 534.
8 tomentosa. B.M.	downy.	———	1799.	——	H. ½. ⌣.	——— ——— 1369.
9 odoratissima. W.	sweet-scented.	Jamaica.	1737.	7.	S. ½. ⌣.	Sloan. jam. 1. t. 104. f. 1.
10 barbata. W.	bearded.	Caracas.	1796.	6. 8.	S. ½. ⌣.	Jacq. ic. 3. t. 608.
11 indica. W.	Indian.	E. Indies.	1780.	6. 7.	S. ½. ⌣.	Rheed. mal. 8. t. 25.
12 acuminata. W.	taper-pointed.	Mauritius.	1820.	····	S. ½. ⌣.	
13 fœtida. R.S.	fetid.	Mexico.	1822.	6. 8.	S. ½. ⌣.	H. et B. 2. t. 114.
14 hastata. R.S.	halberd-leaved.	Havannah.	——	····	S. ½. ⌣.	——— 2. t. 116.
15 bœtica. W.	Spanish.	Spain.	1596.	5. 6.	H. ½. ⌣.	Moris. s. 12. t. 17. f. 6.
16 glauca. W.	glaucous.	Barbary.	1785.	6. 8.	G. ½. ⌣.	Botan. magaz. 1115.
17 sempervirens. W.	evergreen.	Candia.	1727.	5. 6.	G. ½. ⌣.	——— —— 1116.
18 longa. W.	long-rooted.	S. Europe.	1548.	6. 10.	H. 4.	Mill. ic. t. 51. f. 2.
19 Serpentaria. W.	Snake-root.	N.America.	1632.	6. 7.	H. 4.	Jacq. schœn. 3. t. 385.
20 sagittata. Muhl.	arrow-leaved.	———	1819.	——	H. 4.	
21 bracteata. W.	bracteate.	E. Indies.	1798.	7.	S. 4.	
22 Pistolochia. W.	small.	S. Europe.	1597.	6. 7.	H. 4.	
23 rotunda. W.	round-rooted.	———	1596.	8. 10.	G. 4.	
24 pallida. W.	pale-flowered.	Italy.	1640.	5. 8.	H. 4.	Moris. s. 12. t. 18. f. 2.
25 hirta. W.	hairy.	Chio.	1759.	5. 6.	G. 4.	Tourn. it. 1. t. 147.
26 Clematitis. W.	common.	England.	····	5. 8.	H. 4.	Eng. bot. 398.
27 arborescens. W.	tree.	America.	1737.	6. 7.	G. ½.	

ORDO CLV.

PASSIFLOREÆ. *Juss. ann. mus. 6. p. 102.*

PASSIFLORA. J.	PASSION-FLOWER.	Monadelphia Pentandria. W.					
1 serratifolia. W.	notched-leav'd.	W. Indies.	1731.	5.10.	S. ♄.⌣.	Botan. magaz. 651.
2 coccinea. W.	scarlet-flow'r'd.	Guiana.	1823.	....	S. ♄.⌣.	Aub. gui. 3. t. 324.
3 pallida. W.	pale-flowered.	W. Indies.	1820.	5.10.	S. ♄.⌣.	Botan. regist. 660.
4 cuprea. W.	copper-colour'd.	Bahama-Isl.	1724.	7. 8.	S. ♄.⌣.	Jacq. ic. 3. t. 606.
5 tiliæfolia. W.	Lime-tree-ld.	Peru.	1822.	....	S. ♄.⌣.	Cavan. diss. 10. t. 285.
6 maliformis. W.	Apple fruited.	W. Indies.	1731.	7.11.	S. ♄.⌣.	Botan. regist. 95.
7 albida. B.R.	white-flower'd.	Brazil.	1816.	——	S. ♄.⌣.	———— 677.
8 angulata.	angular-stalk'd.	Mexico.	1823.	....	S. ♄.⌣.	
9 quadrangularis. W.	square-stalked.	Jamaica.	1768.	8. 9.	S. ♄.⌣.	Botan. regist. 14.
10 alata. W.	wing-stalked.	W. Indies.	1772.	4. 8.	S. ♄.⌣.	Botan. magaz. 66.
11 ligularis. J.	ligulate.	S.America.	1822.	....	S. ♄.⌣.	J. ann. mus. 6. t. 40.
12 laurifolia. W.	Laurel-leaved.	W. Indies.	1690.	6. 7.	S. ♄.⌣.	Botan. regist. 13.
13 tiniifolia. J.	Tinus-leaved.	————	1822.	——	S. ♄.⌣.	J. ann. mus. 6. t. 41. f. 2.
14 mucronata. W.	mucronate.	Brazil.	——	——	S. ♄.⌣.	Cavan. diss. 10. t. 282.
15 multiflora. W.	many-flowered.	Vera Cruz.	1731.	6. 9.	S. ♄.⌣.	Plum. amer. t. 90.
16 rubra. W.	red-fruited.	W. Indies.	——	4. 9.	S. ♄.⌣.	Botan. regist. 95.
17 normalis. W.	linear-lobed.	Vera Cruz.	1771.	5. 6.	S. ♄.⌣.	
18 lunata. W.	crescent-leav'd.	Jamaica.	1733.	6. 8.	S. ♄.⌣.	Sm. ic. pict. 1. t. 1.
β acutiloba.	*long acute-lobed.*	————	....	——	S. ♄.⌣.	Botan. regist. 577.
19 mexicana. J.	Mexican.	Mexico.	1812.	——	S. ♄.⌣.	J. ann. mus. t. 38. f. 2.
20 Vespertilio. W.	bat-winged.	W. Indies.	1732.	5. 6.	S. ♄.⌣.	Dill. elt. t. 137. f. 164.
21 discolor. L.en.	two-coloured.	Brazil.	1820.	6.10.	S. ♄.⌣.	Pl. sel. hort. ber. t. 5.
vespertilio. B.R. 597.	*Maximiliana.* Bory.					
22 cuneata. L.en.	wedge-leaved.	S. America.	——	——	S. ♄.⌣.	
23 oblongata. W.	oblong-leaved.	Jamaica.	1822.	——	S. ♄.⌣.	
24 tuberosa. B.R.	tuberous-root'd.	S. America.	1784.	——	S. ♄.⌣.	Botan. regist. 432.
punctata. B.C. 101.	*nec aliorum.*					
25 rotundifolia. W.	round-leaved.	W. Indies.	1779.	5. 8.	S. ♄.⌣.	Cavan. diss. 10. t. 290.
26 punctata. W.	dotted-leaved.	Peru.	1784.	5. 6.	S. ♄.⌣.	———— 6. t. 269.
27 lutea. W.	yellow.	America.	1714.	——	G. ♃.⌣.	Botan. regist. 79.
28 maculata. Donn.	spotted-leaved.	N.America.	1812.	6.10.	G. ♃.⌣.	
peltata. Ph.	*nec aliorum.*					
29 gracilis. L.en.	slender.	S. America.	1823.	——	S. ☉.⌣.	Botan. regist. 870.
30 stipulata. W.	large-stipuled.	Guiana.	1815.	8. 9.	S. ♄.⌣.	Aub. gui. 3. t. 325.
31 angustifolia. W.	narrow-leaved.	W. Indies.	1773.	6. 9.	S. ♄.⌣.	Botan. regist. 188.
heterophylla. Jacq. schœn. 2. t. 181.						
32 minima. W.	small.	Curassao.	1690.	7. 8.	S. ♄.⌣.	———— 144.
33 hirsuta. W.	hairy.	W. Indies.	1778.	9.	S. ♄.⌣.	Plum. amer. t. 88. f. A.
34 suberosa. W.	Cork-barked.	————	1759.	6. 9.	S. ♄.⌣.	Sm. exot. bot. 1. t. 28.
35 peltata. W.	peltate.	————	1778.	8. 9.	S. ♄.⌣.	Botan. regist. 507.
36 hederacea. W.	Ivy-leaved.	Antilles.	....	6. 7.	S. ♄.⌣.	Plum. amer. t. 84.
37 glauca. W.	glaucous-leav'd.	Cayenne.	1779.	8. 9.	S. ♄.⌣.	Botan. regist. 88.
38 picturata. B.R.	pictured.	Brazil.	1823.	6. 9.	S. ♄.⌣.	———— 673.
39 racemosa. L.T.	racemed.	————	1816.	1.12.	S. ♄.⌣.	———— 285.
40 cœruleo-racemosa.	Whitley's mule.	Hybrid.	1820.	——	G. ♄.⌣.	Lodd. bot. cab. 573.
41 alato-cœrulea. B.R.	Masters's mule.	————	1823.	4. 8.	G. ♄.⌣.	Botan. regist. 648.
42 vitifolia. K.s.	Vine-leaved.	S. America.	1824.	....	S. ♄.⌣.	
43 holosericea. W.	silky-leaved.	Vera Cruz.	1733.	5. 8.	S. ♄.⌣.	Botan. regist. 59.
44 fœtida. W.	stinking.	W. Indies.	1731.	7. 9.	S. ♂.⌣.	Botan. magaz. 2619.
45 hircina.	shrubby stinking.	Brazil.	....	5.10.	S. ♄.⌣.	Botan. regist. 321.
fœtida. B.R.	*nec aliorum. hirsuta.* B.C. 128.	*nec aliorum.*				
46 ciliata. W.	ciliated.	Jamaica.	1783.	7. 9.	S. ♄.⌣.	Botan. magaz. 288.
47 edulis. B.M.	eatable-fruited.	Brazil.	1816.	6.10.	S. ♄.⌣.	———— 1989.
incarnata. β. B.R. 162.						
48 incarnata. W.	flesh-coloured.	N.America.	1629.	7. 8.	H. ♃.⌣.	Botan. regist. 332.
49 Colvillii. B.F.G.	Colvill's.	Hybrid.	1823.	——	H. ♄.⌣.	Swt. br. fl. gar. 126.
50 cœrulea. W.	common.	Brazil.	1699.	——	H. ♄.⌣.	Botan. regist. 488.
β glaucophylla.	*glaucous-leaved.*	————	....	——	H. ♄.⌣.	
γ angustifolia.	*narrow-leaved.*	————	....	——	H. ♄.⌣.	

51 chinensis. Chinese. China. 1819. —— G.ħ.⌣.
52 filamentosa. W. palmate-leav'd. S. America. —— —— G.ħ.⌣. Botan. regist. 584.
palmata. B.C. 97.
53 serrata. W. saw-leaved. Martinique. 1800. .... S.ħ.⌣. Cavan. diss. 10. t. 296.
54 pedata. W. curl-flowered. W. Indies. 1781. .... S.ħ.⌣. Plum. amer. t. 81.
55 heterophylla. Lam. various-leaved. ———— 1817. .... S.ħ.⌣. Plum. ic. 139.

MURUCUIA. J. MURUCUIA. Monadelphia Pentandria. P.S.
1 ocellata. P.S. ocellated. W. Indies. 1739. 7. 8. S.ħ.⌣. Botan. regist. 574.
Passiflora Murucuja. B.R.
2 perfoliata. perfoliate-l^d. ———— 1806. —— S.ħ.⌣. ———— 78.
Passiflora perfoliata. B.R.
3 Herbertiana. Mr. Herbert's. N. Holland. 1822. 6. 10. G.ħ.⌣. ———— 737.
Passiflora Herbertiana. B.R.
4 adiantifolia. Adiantum-l^d. Norfolk-Isl. 1792. —— G.ħ.⌣. ———— 233.
Passiflora adiantifolia. B.R.

TACSONIA. J. TACSONIA. Monadelphia Pentandria. P.S.
peduncularis. P.S. long-peduncl'd. S. America. 1815. .... S.ħ.⌣. Cavan. ic. 5. t. 426.
Passiflora peduncularis. Cav.

MODECCA. B.R. MODECCA. Monadelphia Pentandria.
1 lobata. B.R. lobe-leaved. SierraLeon. 1816. 6. 9. S.ħ.⌣. Botan. regist. 438.
2 trilobata. H.B. three-lobed. E. Indies. 1823. .... S.ħ.⌣.
3 tuberosa. H.B. tuberous-root'd. E. Indies. 1822. 6. 9. S.ħ.⌣. Rumph. amb. 8. t. 20.

SMEATHMANNIA. L.T. SMEATHMANNIA. Polyandria Pentagynia. L.T.
lævigata. L.T. smooth. Sierra Leon. 1822. .... S.ħ.

ORDO CLVI.

EUPHORBIACEÆ. *Juss. gen.* 384.

MERCURIALIS. W. MERCURY. Diœcia Enneandria. L.
1 perennis. W. perennial. Britain. .... 4. 5. H.ϒ. Eng. bot. 1872.
2 ambigua. W. doubtful. Spain. 1806. 7. 8. H.⊙. Linn. f. dec. 1. t. 8.
3 annua. W. annual. Britain. .... 7. 9. H.⊙. Eng. bot. 559.
4 elliptica. W. oval-leaved. Portugal. 1802. 5. 7. G.ħ. Venten. cels. 12.
5 tomentosa. W. woolly. Spain. 1640. 7. 9. H.ħ.

PEDILANTHUS. Neck. SLIPPER-SPURGE. Dodecandria Trigynia. L.en.
1 tithymaloides. B.R. Myrtle-leaved. S. America. 1699. 6. 7. D.S.ħ. Botan. regist. 837.
myrtifolius. L.en. *Crepidaria myrtifolia.* H.S.S.
2 carinatus. keel-leaved. W. Indies. 1809. —— D.S.ħ. Botan. magaz. 2514.
Euphorbia carinata. B.M. *Crepidaria carinata.* H.S.S.
3 subcarinatus. H.R. small-keeled. ———— 1819. —— D.S.ħ.
4 canaliculatus. channelled-l^d. ———— —— —— D.S.ħ. Lodd. bot. cab. 727.
Euphorbia canaliculata. B.C.
5 padifolius. H.S. Padus-leaved. ———— 1699. —— D.S.ħ. Dill. elt. t. 288. f. 372.
6 cordellatus. small-heart-l^d. ———— 1795. .... D.S.ħ.
Crepidaria cordellata. H.S.

EUPHORBIA. W. SPURGE. Dodecandria Trigynia. L.
1 uncinata. DC. twin-spined. C. B. S. 1795. 6. 8. D.G.ħ. DC. plant. gras. 151.
Scelopendrea. H.S.
2 trigona. H.S. upright 3-sided. E. Indies. 1768. 7. 8. D.S.ħ.
3 antiquorum. H.S. spreading 3-sided. ———— 1688. —— D.S.ħ. Comm. hort. 1. t. 12.
4 lactea. H.S. marbled. ———— 1804. —— D.S.ħ.
5 grandidens. H.P. large-toothed. C. B. S. 1820. .... D.G.ħ.
6 canariensis. W. Canary. Canaries. 1697. 3. 4. D.G.ħ. DC. plant. gras. 140.
7 heptagona. W. seven-angled. C. B. S. 1781. 7. 11. D.G.ħ. Bradl. suc. 2. t. 13.
α nigra. H.S. *black-spined.* ———— —— —— D.G.ħ.
β rubra. H.S. *red-spined.* ———— —— —— D.G.ħ.
8 enneagona. H.S. nine-angled. ———— 1790. 7. 10. D.G.ħ.
9 mammillaris. W. warty-angled. ———— 1759. 7. 8. D.G.ħ. Comm. præl. t. 9.
10 cereiformis. W. naked. ———— 1731. 6. 7. D.G.ħ. Burm. afr. t. 9. f. 3.
11 officinarum. W. officinal. Africa. 1597. —— D.G.ħ. DC. plant. gras. 77.
12 odontophylla. W.en. white-spined. C. B. S. 1824. .... D.G.ħ.

13	polygona. H.S.	many-angled.	C. B. S.	1790.	7. 9.	D.G. ♄.	
14	nereifolia. W.	Oleander-l^{d}.	India.	1690.	6. 7.	D.S. ♄.	DC. plant. gras. 46.
15	Hystrix. W.	Porcupine.	C. B. S.	1695.	——	D.G. ♄.	Jacq. schœn. 2. t. 207.
	loricata. P.S. *Treisia Hystrix.* H.S.						
16	varians. H.S.	variable-stemm'd.	E. Indies.	1800.	6. 9.	D.S. ♄.	
17	grandifolia. H.S.	great-leaved.	SierraLeon.	1798.	——	D.S. ♄.	
18	erosa. W.en.	erose.	.....	1818.	....	D.S. ♄.	
19	cucumerina. W.	Cucumber-like.	C. B. S.	....	5. 9.	D.G. ♄.	Vail. it. t. 5.
20	meloformis. W.	Melon-like.	———	1774.	——	D.G. ♄.	Andr. reposit. 617.
21	clava. W.	club.	———	——	8. 12.	D.G. ♄.	Jacq. ic. 1. t. 85.
	Treisia tuberculata. H.S.S.						
22	Haworthii.	Haworth's.	———	....	——	D.G. ♄.	
	Treisia clava. H.S. *excl. syn.* W.						
23	bupleurifolia. W.	cone-shaped.	———	1791.	6. 7.	D.G. ♄.	Jacq. schœn. 1. t. 106.
24	Caput medusæ. W.	great Medusa's head.	Africa.	1731.	8.	D.G. ♄.	Comm. præl. t. 7.
	Medusea major. H.S.						
	β humilis.	*dwarfer.*	———	1768.	——	D.G. ♄.	Burm. afr. t. 8.
25	tessellata. H.S.	chequer'd-M'-head.	.....	1788.	——	D.G. ♄.	
26	fructus-pini. H.S.	small M'-head.	C. B. S.	1731.	——	D.G. ♄.	DC. plant. gras. 150.
	β geminata.	*twin-branched.*	———	——	——	D.G. ♄.	Burm. afr. 18. t. 9. f. 1.
27	procumbens. H.S.	least M'-head.	———	1768.	——	D.G. ♄.	——— t. 10. f. 1.
28	patula. Mill.	spreading.	———	——	——	D.G. ♄.	
	Dactylanthes patula. H.S.						
29	anacantha. W.	scaly.	———	1727.	9. 10.	D.G. ♄.	Botan. magaz. 2520.
30	globosa. B.M.	roundish-jointed.	———	1822.	6. 11.	D.G. ♄.	——— 2624.
	Dactylanthes globosa. H.P.						
31	tuberculata. W.	tuberculate.	———	1805.	6. 8.	G. ♄.	Jacq. schœn. 2. t. 206.
32	hamata. H.S.	hooked.	———	1795.	....	G. ♄.	Burm. afr. t. 6. f. 3.
33	Ornithopus. W.en.	Bird's-foot.	———	1816.	6. 8.	G. ♄.	Jacq. fragm. t. 120.
34	lophogona. W.	curl-winged.	Madagascar.	1824.	....	D.S. ♄.	DC. plant. gras. ic.
35	pendula. L.en.	pendulous.	.....	1806.	....	D.S. ♄.	
	Tithymalus pendulus. H.						
36	Tirucalli. W.	Indian tree.	India.	1690.	....	D.S. ♄.	Rheed. mal. 2. t. 34.
37	mauritanica. W.	Barbary.	Africa.	1732.	6. 8.	G. ♄.	Dill. elt. t. 289. f. 373.
38	Lamarckii. H.S.L.	Lamarck's.	———	1808.	——	G. ♄.	
	mauritanica. Lam. *nec aliorum. virgata.* P.S. *non* W.K.						
39	aphylla. W.en.	leafless.	Teneriffe.	1815.	6. 8.	G. ♄.	
40	atropurpurea. W.en.	dark purple.	———	——	——	G. ♄.	
41	variegata. B.M.	variegated.	Louisiana.	1811.	——	H. ☉.	Botan. magaz. 1747.
42	piscatoria. W.	smooth spear-l^{d}.	Canaries.	1777.	——	G. ♄.	
43	balsamifera. W.	balsam.	———	1779.	——	G. ♄.	
44	laurifolia. P.S.	Laurel-leaved.	Peru.	1820.	——	G. ♄.	
45	bracteata. Jac.	bracteated.	.....	1809.	....	S. ♄.	
46	dendroides. W.	tree-like.	Italy.	1768.	6. 8.	H. ♄.	Barrel. ic. 910.
47	læta. W.	Mezereon-l^{d}.	S. Europe.	1758.	——	G. ♄.	Jacq. ic. 1. t. 87.
48	punicea. W.	scarlet-flow'r'd.	Jamaica.	1778.	1. 9.	S. ♄.	Botan. regist. 190.
49	heterophylla. W.	various-leaved.	W. Indies.	1690.	4. 9.	S. ♄.	Plum. ic. t. 251. f. 2.
50	cyathophora. W.	coloured.	S. America.	1806.	7. 8.	S. ♄.	Jacq. ic. 3. t. 480.
51	repanda.	waved.	E. Indies.	1808.	8.	S. ♄.	
	Tithymalus repandus. H.S.						
52	biglandulosa. H.S.	twin-glanded.	Isl. Bourbon.	——	9.	S. ♄.	
53	geniculata. P.S.	jointed.	Cuba.	1823.	7. 10.	S. ☉.	Jacq. schœn. 3. t. 277.
	prunifolia. H.K. *Tithymalus prunifolius.* H.S.						
54	nudiflora.	naked-flow'r'd.	.....	1800.	8.	S. ♄.	Jacq. ic. 3. t. 470.
55	cotinifolia. W.	Cotinus-leaved.	S. America.	1690.	7. 8.	S. ♄.	Comm. hort. 1. t. 15.
56	petiolaris. H.K.	long-stalked.	W. Indies.	1800.	5. 6.	D.S. ♄.	Botan. magaz. 883.
57	mellifera. W.	honey-bearing.	Madeira.	1784.	4. 5.	G. ♄.	——— 1805.
58	toxicaria. L.en.	poisonous.	.....	1825.	....	S. ♄.	
59	picta. W.	painted.	S. America.	1789.	5. 7.	S. ♃.	Jacq. ic. 3. t. 477.
60	silenifolia.	Silene-leaved.	C. B. S.	1821.	——	G. ♃.	
	Tithymalus silenifolius. H.R.						
61	crispa. H.R.	curl-leaved.	———	——	....	G. ♃.	
62	tuberosa. W.	tuberous.	Ethiopia.	1800.	10. 12.	G. ♄.	Burm. afr. 9. t. 4.
63	affinis. DC.	affined.	.....	1823.	6. 8.	G. ♄.	
64	linarifolia. W.	toad-flax-l^{d}.	.....	1794.	——	S. ♄.	Jacq. ic. 1. t. 86.
65	linifolia. W.	Flax-leaved.	W. Indies.	——	....	S. ♄.	
66	ocymoidea. W.	Basil-leaved.	S. America.	1733.	6. 8.	S. ☉.	
67	dentata. M.	dentated.	N. America.	1806.	6. 7.	H. ☉.	
68	hypericifolia. W.	Hypericum-l^{d}.	America.	1727.	6. 9.	H. ☉.	Comm. præl. t. 10.

69	Humboldtii. W.en.	Humboldt's.	S. America.	1809.	7. 10.	S. ♃.	
70	prostrata. W.	trailing-red.	W. Indies.	1758.	——	S.⊙.	
71	rosea. W.	rosy.	E. Indies.	1808.	8.	S.⊙.	
72	maculata. W.	spotted.	S. America.	1660.	7.	H.⊙.	Jacq. vind. 2. t. 186.
73	humifusa. W.en.	trailing.	.....	1824.	6. 8.	H.⊙.	
74	pilulifera. W.	globular.	E. Indies.	1800.	——	S.♃.	Jacq. ic. 3. t. 478.
75	hyssopifolia. W.	Hyssop-leaved.	W. Indies.	1787.	8. 9.	S.⊙.	
76	thymifolia. W.	Thyme-leaved.	India.	1699.	7. 8.	S.⊙.	Pluk. alm. t. 113. f. 2.
77	parviflora. W.	small-flowered.	E. Indies.	1818.	——	S.⊙.	Burm. zeyl. t. 105. f. 2.
78	canescens. W.	canescent.	Spain.	——	——	H.⊙.	Cavan. ic. 1. t. 63.
79	Chamæsyce. W.	scollop-leaved.	S. Europe.	1752.	——	H.⊙.	Moris. s. 10. t. 2. f. 19.
80	Peplis. W.	purple.	Devonshire.	...	——	H.⊙.	Eng. bot. 2002.
81	polygonifolia. W.	knotgrass-l^d.	N.America.	1704.	6. 7.	H.⊙.	Jacq. col. s. t. 13. f. 3.
82	Ipecacuanhæ. W.	Ipecacuanha.	——	1812.	——	H.♃.	Botan. magaz. 1494.
83	Peplus. W.	petty.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 959.
84	peploides. DC.	least.	S. Europe.	1800.	7. 9.	H.⊙.	
	Exula minima. H.S.						
85	falcata. W.	sickle-leaved.	S. Europe.	1699.	6. 8.	H.⊙.	Jacq. aust. 2. t. 121.
86	acuminata. M.B.	acuminate.	Iberia.	1823.	——	H.⊙.	
87	exigua. W.	dwarf.	Britain.	....	7.	H.⊙.	Eng. bot. 1336.
88	diffusa. W.	diffuse.	Austria.	1798.	7. 8.	H.⊙.	Jacq. ic. 1. t. 88.
89	undulata. M.B.	undulate.	Caucasus.	1820.	——	H.♃.	
90	micrantha. W.	small-flowered.	Persia.	1803.	7. 9.	H.⊙.	
91	Lathyris. W.	Caper.	England.	....	5. 10.	H. ♃.	Eng. bot. 2255.
92	terracina. W.	retuse-leaved.	S. Europe.	1818.	7. 10.	H.⊙.	
93	valentina. P.S.	Spanish.	Spain.	1804.	7. 8.	H.⊙.	
94	Apios. W.	pear-rooted.	Candia.	1596.	6. 7.	H.♃.	
95	genistoides. W.	Genista-like.	C. B. S.	1808.	7. 8.	G.♄.	
96	spinosa. W.	prickly.	Levant.	1710.	5. 9.	F.♄.	Herm. lugdb. t. 601.
97	fruticosa. L.en.	shrubby.	Sicily.	1825.	——	F.♄.	Biv. pl. sic. cent. 1. 35.
98	epithymoides. W.	broad-leaved.	Austria.	1805.	5. 6.	H.♃.	Andr. reposit. 616.
99	villosa. W.K.	villous.	Hungary.	1818.	6. 9.	H.♃.	W. et K. hung. t. 93.
100	condylocarpa. M.B.	warted-fruited.	Caucasus.	1824.	——	H.♃.	
101	dulcis. W.	sweet.	S. Europe.	1759.	5. 6.	H.♃.	Jacq. aust. 3. t. 213.
102	ambigua. W.K.	ambiguous.	Hungary.	1824.	——	H.♃.	W. et K. hung. t. 135.
103	carniolica. W.	Carniolian.	Carniola.	1795.	8.	H.♃.	Scop. carn. t. 21.
104	angulata. W.	angular-stalk'd.	Austria.	1819.	7. 8.	H.♃.	Jacq. ic. t. 481.
105	nummulariæfolia.	moneywort-l^d.	.....	1800.	7.	G.♄.	
106	erythrina. L.en.	purple-margin'd.	C. B. S.	1816.	....	G.♃.	
107	neapolitana. T.N.	Neapolitan.	Naples.	1825.	7. 8.	H.♃.	Ten. fl. neap. t. 62.
108	Pithyusa. W.	Juniper-leaved.	S. Europe.	1741.	6. 7.	F.♄.	Bocc. sic. t. 5.
109	portlandica. W.	Portland.	Britain.	....	5. 9.	H.♃.	Eng. bot. 441.
110	saxatilis. W.	rock.	Austria.	1816.	6. 8.	H.♃.	Jacq. aust. t. 345.
111	glareosa. M.B.	stony.	Caucasus.	1819.	——	H.♃.	
112	Paralias. W.	sea.	England.	....	7. 9.	H.♃.	Eng. bot. 195.
	β *suffruticosa.*	*shrubby sea.*	.....	....	——	F.♄.	
113	juncea. W.	rushy.	Madeira.	1779.	7. 8.	G.♃.	Jacq. schœn. 1. t. 107.
114	congesta. W.en.	fiddle-leaved.	Spain.	1817.	——	H.♃.	
115	aleppica. W.	Aleppo.	Crete.	1739.	——	F.♃.	Alp. exot. t. 64.
116	taurinensis. W.en.	Italian.	Italy.	1818.	——	H.♃.	All. ped. 2. t. 83. f. 2.
117	segetalis. W.	corn.	S. Europe.	1699.	——	H.⊙.	Jacq. aust. 5. t. 450.
118	biumbellata. DC.	double-umbel'd.	Barbary.	1780.	8.	H.⊙.	Poir. it. ed. germ. t. 1.
119	angustifolia.	narrow-leaved.	.....	——	7. 8.	H.♃.	
	Exula angustifolia. H.S.						
120	multicorymbosa.	many-flowered.	.....	1805.	——	H.♃.	
121	provincialis. W.	linear-leaved.	S. Europe.	1800.	8. 11.	H.⊙.	
122	juncoides. H.S.	Rush-like.	——	——	7. 8.	S.⊙.	
123	helioscopia. W.	Wartwort.	Britain.	....	——	H.⊙.	Eng. bot. 883.
124	bialata. L.en.	two-winged.	.....	1819.	——	H.⊙.	
125	serrata. W.	narrow notch-l^d.	S. Europe.	1710.	7.	G.♃.	Jacq. ic. 3. t. 483.
126	uralensis. F.	Fischer's.	Tauria.	1824.	——	H.♃.	
127	cretica. W.	Cretan hoary.	Levant.	1768.	....	H.♃.	
128	Haworthii.	Haworth's.	.....	1795.	7. 8.	H.♄.	
	Galarhæus rigidus. H.S.						
129	verrucosa. W.	warted.	France.	1800.	6.	H.♃.	Moris. s. 10. t. 3. f. 3.
130	corollata. W.	great-flowered.	N.America.	1803.	7. 9.	H.♃.	Lodd. bot. cab. 390.
131	spathulæfolia. H.S.	spatula-leaved.	... .	1800.	8.	G.♄.	
132	corallioides. W.	Coral-stalked.	S. Europe.	1752.	6. 9.	H.♃.	
133	androsæmifolia. H.S.	Tutsan-leaved.	Hungary.	1804.	7. 9.	H.♃.	

134 pilosa. W.	hairy.	Siberia.	1758.	5. 8.	H.4.	Gmel. sib. 2. t. 93.
135 orientalis. W.	oriental.	Levant.	1739.	6. 7.	H.4.	
136 fragifera. L.en.	Strawberry-like.	Italy.	1825.	——	H.4.	
137 virgata. W.K.	twiggy.	Hungary.	1807.	7.	H.4.	W. et K. hung. t. 162.
138 platyphylla. H.S.	annual warted.	England.	....	7. 8.	H.⊙.	Jacq. aust. t. 376.
139 stricta. E.B.	upright warted.	——	....	——	H.⊙.	Eng. bot. 333.
140 literata. W.	blotch-leaved.	.....	1790.	8.	H.⊙.	Jacq. ic. 3. t. 482.
141 crispata. L.en.	crisp-leaved.	.....	1819.	7. 9.	H.4.	
142 Esula. W.	leafy-branch'd.	Britain.	....	5. 7.	H.4.	Eng. bot. 1399.
143 Gerardiana. W.	Gerard's.	Germany.	1801.	7.	H.4.	Jacq. aust. t. 436.
144 Cyparissias. W.	Cypress.	England.	....	5. 9.	H.4.	Eng. bot. 840.
145 niceensis. W.	sharp-leaved.	Spain.	1809.	....	F.4.	Jacq. ic. 3. t. 485.
146 myrsinites. W.	glaucous.	S. Europe.	1570.	4. 6.	H.4.	
147 rigida. M.B.	rigid.	Tauria.	1819.	6. 8.	H.4.	Botan. regist. 274.
148 imbricata. W.	imbricated.	Portugal.	1804.	8. 9.	F.ħ.	
149 glaucescens. W.en.	glaucescent.	.....	1819.	——	H.4.	
150 agraria. M.B.	field.	Tauria.	——	6. 8.	H.♂.	
151 palustris. W.	marsh.	Sweden.	1570.	5. 8.	H.4.	Flor. dan. 866.
152 pallida. W.	pale.	Hungary.	1818.	6. 8.	H.4.	
153 lucida. W.K.	glossy.	——	1820.	——	H.4.	W. et K. hung. t. 55.
154 procera. M.B.	tall.	Terek.	1824.	——	H.4.	
155 ceratocarpa. T.N.	horn-capsuled.	Naples.	——	——	H.4.	Ten. fl. neap. t. 68.
156 emarginata. W.	freckled.	Italy.	1758.	7. 8.	H.4.	
157 hiberna. E.B.	Irish.	Ireland.	....	5. 6.	H.4.	Eng. bot. 1337.
158 salicifolia. W.	Willow-leaved.	Hungary.	1804.	——	H.4.	Lodd. bot. cab. 973.
159 sylvatica. W.	wood.	S. Europe.	1768.	7. 9.	F.ħ.	
160 amygdaloides. W.	Almond-leav'd.	England.	....	3. 6.	H.4.	Eng. bot. 256.
161 Characias. W.	upright red.	——	....	——	F.ħ.	—— 442.
162 veneta. L.en.	venomous.	Europe.	....	——	F.ħ.	
163 marginata. E.S.	margined.	N. Spain.	1823.	4. 6.	S.4.	
CICCA. L.	CICCA. Monœcia Tetrandria. L.					
disticha. W.	long-leaved.	E. Indies.	1796.	....	S.ħ.	Jacq. schœn. 2. t. 194.
BUXUS. W.	BOX-TREE. Monœcia Tetrandria. L.					
1 chinensis. L.en.	China.	China.	1812.	4. 8.	G.ħ.	
2 balearica. W.	Minorca.	Minorca.	1780.	7.	H.ħ.	
3 sempervirens. W.	common.	England.	....	4.	H.ħ.	Eng. bot. 1341.
a arborescens. Mill.	*tree.*	—— ——	....	——	H.ħ.	
† *argentea.*	*silvery-leaved.*	.....	....	——	H.ħ.	
‡ *aurea.*	*golden-leaved.*	.....	....	——	H.ħ.	
‖ *marginata.*	*margined.*	.....	....	——	H.ħ.	
β *angustifolia.* Mill.	*narrow-leaved.*	.....	....	——	H.ħ.	
† *variegata.*	*variegated.*	.....	....	——	H.ħ.	
γ *myrtifolia.* Mill.	*myrtle-leaved.*	.....	....	——	H.ħ.	
δ *suffruticosa.*	*dwarf.*	.....	....	——	H.ħ.	
PACHYSANDRA. M.	PACHYSANDRA. Monœcia Tetrandria. W.					
1 procumbens. M.	procumbent.	N. America.	1800.	3. 4.	H.4.	Botan. regist. 33.
2 coriacea. H.E.F.	coriaceous.	Nepaul.	1820.	4. 6.	G.ħ.	Hook. ex. flor. 146.
PLUKENETIA. W.	PLUKENETIA. Monœcia Monadelphia. L.					
volubilis. W.	twining.	W. Indies.	1739.	7. 8.	S.ħ.⌒.	Plum. ic. t. 226.
DALECHAMPIA. W.	DALECHAMPIA. Monœcia Monadelphia.					
1 scandens. W.	climbing.	W. Indies.	1739.	6. 7.	S.ħ.⌒.	Jacq. amer. 252. t. 160.
2 brasiliensis. W.	Brazilian.	Brazil.	1820.	——	S.ħ.⌒.	
ACALYPHA. W.	ACALYPHA. Monœcia Monadelphia. W.					
1 diversifolia. W.	various-leaved.	Caracas.	1824.	....	S.ħ.	
2 virginica. W.	Virginian.	N. America.	1759.	7. 8.	H.⊙.	Schk. hand. 3. t. 311.
3 caroliniana. W.	Carolina.	——	1811.	——	H.⊙.	Lam. ill. t. 780. f. 2.
4 ciliata. W.	ciliated.	E. Indies.	1799.	——	S.⊙.	Vahl symb. 1. t. 20.
5 reptans. W.	creeping.	Jamaica.	1822.	——	S.ħ.	Sloan. hist. 1. t. 82. f. 2.
6 indica. W.	Indian.	E. Indies.	1759.	7. 9.	S.⊙.	Rheed. mal. 10. t. 81.
7 hispida. W.	hispid.	——	1820.	——	S.⊙.	
8 cuspidata. W.	cuspidate.	Caracas.	——	....	S.ħ.	Jacq. schœn. 2. t. 243.
9 rubra. W.en.	red.	S. America.	1823.	6. 9.	S.⊙.	
10 brachystachya. W.en.	short-spiked.	China.	1816.	7. 8.	H.⊙.	
11 pauciflora. W.en.	few-flowered.	——	——	——	H.⊙.	
12 alopecuroidea. W.	Fox-tail.	Venezuela.	1804.	7. 9.	H.⊙.	Jacq. ic. 3. t. 630.
13 lævigata. W.	smooth.	Jamaica.	1819.	——	S.ħ.	
14 virgata. W.	twiggy.	——	1822.	——	S.ħ.	Brown. jam. t. 36. f. 2.
15 macrostachya. W.	long-spiked.	Caracas.	1824.	——	S.ħ.	Jacq. schœn. 2. t. 245.
16 polystachya. W.	many-spiked.	.....	——	——	S.ħ.	—— —— 2. t. 246.
17 scabrosa. W.	rough.	Jamaica.	1822.	——	S.ħ.	

CROTON. W.	CROTON. Monœcia Monadelphia. L.					
1 variegatum. W.	variegated.	E. Indies.	1804.	6. 9.	S. ♄.	Rheed. mal. 6. t. 61.
a latifolium. H.B.	*broad-leaved.*	———	——	——	S. ♄.	
β crispum. H.B.	*curl-leaved.*	———	....	——	S. ♄.	Rumph. amb. 4. t. 26. f. 2.
γ medium. H.B.	*narrow-leaved.*	———	1820.	——	S. ♄.	——— ——— 4. t. 25.
2 pictum. B.C.	painted-leaved.	———	——	——	S. ♄.	Lodd. bot. cab. 870.
3 lineare. Jac.	Willow-leaved.	W. Indies.	1733.	7.	S. ♄.	Jacq. amer. t. 162. f. 4.
4 Cascarilla. W.	Cascarilla.	S. America.	1778.	7. 8.	S. ♄.	Catesb. car. 2. t. 46.
5 maritimum. W.	sea-side.	Carolina.	1786.	——	G. ♄.	
6 palustre. W.	marsh.	Vera Cruz.	1731.	——	S. ☉.	Mart. dec. 4. t. 88.
7 glabellum. W.	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. ♄.	Sloan. jam. 2. t. 174. f. 2.
8 tinctorium. W.	officinal.	S. Europe.	1570.	7.	H. ☉.	Nis. act. par. 1712. t. 17.
9 argenteum. W.	silvery-leaved.	S. America.	1733.	7. 8.	S. ☉.	
10 Tiglium. W.	purging.	E. Indies.	1796.	8. 9.	S. ♄.	Rheed. mal. 2. t. 33.
11 glandulosum. W.	glandular.	W. Indies.	1818.	——	S. ☉.	Jacq. ic. 1. t. 194.
12 Eluteria. W.	sea-side Balsam.	Jamaica.	1748.	....	S. ♄.	Sloan. hist. 2. t. 174. f. 2.
13 lucidum. W.	shining.	———	1822.	....	S. ♄.	
14 micans. W.	glittering.	———	1815.	....	S. ♄.	Pluk. alm. t. 220. f. 5.
15 pungens. W.	pungent.	Caracas.	1791.	....	S. ♄.	Jacq. ic. 3. t. 622.
16 penicillatum. W.	pencilled.	Cuba.	1799.	7. 8.	S. ♄.	Venten. choix. 12.
17 macrophyllum. W.	large-leaved.	Jamaica.	1822.	....	S. ♄.	
18 aromaticum. W.	aromatic.	Ceylon.	1793.	....	S. ♄.	Rumph. amb. 3. t. 126.
19 humile. W.	humble.	Jamaica.	1799.	....	S. ♄.	
20 moluccanum. W.	Molucca.	Ceylon.	1803.	....	S. ♄.	
Aleurites ambimur. P.S.						
21 Astroites. W.	woolly-leaved.	W. Indies.	1782.	7. 8.	S. ♄.	
22 lobatum. W.	various-leaved.	Vera Cruz.	1730.	——	S. ☉.	Mart. dec. 5. t. 46.
23 gossypifolium. W.	Cotton-leaved.	Trinidad.	1823.	——	S. ♄.	Vahl. symb. t. 49.
24 tomentosum. L.en.	tomentose.	.....	——	....	S. ♄.	
25 digitatum. F.	fingered.	N. S. W.	1810.	....	G. ♄.	
26 lacerum. Desf.	torn-leaved.	.....	1822.	....	S. ♄.	
JATROPHA. W.	PHYSIC-NUT.	Monœcia Monadelphia. L.				
1 gossypifolia. W.	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. ♄.	Botan. regist. 746.
2 panduræfolia. W.	fiddle-leaved.	Cuba.	1800.	——	S. ♄.	Botan. magaz. 604.
3 integerrima. W.	spicy.	———	1809.	——	S. ♄.	——— ——— 1464.
4 Curcas. W.	angular-leaved.	S. America.	1731.	....	S. ♄.	Jacq. vind. 3. t. 63.
5 multifida. W.	multifid.	———	1696.	6. 8.	S. ♄.	Sal. par. lond. 91.
6 fragrans. K.S.	fragrant.	Cuba.	1822.	——	S. ♄.	
7 urens. W.	stinging.	Brazil.	1690.	5. 7.	S. ♄.	Jacq. vind. 1. t. 21.
8 coccinea. L.en.	scarlet.	.....	1822.	....	S. ♄.	
9 herbacea. W.	annual.	Vera Cruz.	1759.	7. 8.	S. ☉.	Reliq. houst. 6. t. 15.
10 napæifolia. W.	Napæa-leaved.	Antilles.	1823.	——	S. ♄.	
JANIPHA. K.S.	JANIPHA. Monœcia Decandria.					
1 fœtida. K.S.	strong-scented.	Mexico.	1824.	7. 8.	S. ♄.	
2 Lœflingii. K.S.	Lœfling's.	S. America.	——	....	S. ♄.	Jacq. amer. t. 162. f. 1.
Jatropha carthaginensis. Jacq. *Janipha,* W.						
3 æsculifolia. K.S.	Æsculus-leav'd.	———	1825.	....	S. ♄.	H. et. B. 2. t. 109.
4 Manihot. K.S.	Cassava.	———	1739.	7. 8.	S. ♄.	Sloan. jam. 1. t. 85.
ALEURITES. W.	ALEURITES. Monœcia Monadelphia. L.					
triloba. W.	three-lobed.	Society Isl.	1793.	....	S. ♄.	
RICINUS. W.	PALMA-CHRISTI. Monœcia Monadelphia. L.					
1 communis. W.	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ☉.	Lam. ill. t. 792.
2 viridis. W.	green.	———	1802.	8.	H. ☉.	W. hort. ber. 49.
3 africanus. W.	African.	Africa.	....	7. 8.	G. ♄.	
4 lividus. W.	livid-leaved.	C. B. S.	1795.	——	G. ♄.	Jacq. ic. 1. t. 196.
5 inermis. W.	smooth-capsul'd.	India.	1758.	——	S. ♂.	———— 1. t. 195.
6 armatus. A.R.	rough-capsuled.	Malta.	1807.	——	S. ♂.	Andr. reposit. 430.
7 Tanarius. W.	scollop-leaved.	E. Indies.	1810.	7. 9.	S. ♄.	Rumph. amb. 3. t. 121.
OMPHALEA. W.	OMPHALEA. Monœcia Monadelphia. L.					
triandra. W.	long-leaved.	Jamaica.	1763.	6. 7.	S. ♄.	Lodd. bot. cab. 519.
HIPPOMANE. W.	MANCHINEEL-TREE. Monœcia Monadelphia. L.					
Mancinella. W.	common.	W. Indies.	1690.	....	S. ♄.	Catesb. car. 2. t. 95.
SAPIUM. W.	SAPIUM. Monœcia Monadelphia. L.					
1 aucuparium. W.	two-glanded.	W. Indies.	1692.	....	S. ♄.	Jacq. amer. t. 158.
2 indicum. W.	Indian.	E. Indies.	1817.	....	S. ♄.	
3 ilicifolium. W.	Holly-leaved.	S. America.	1820.	....	S. ♄.	Plum. ic. 171. f. 1.
SIPHONIA. W.	ELASTIC-GUM-TREE. Monœcia Monadelphia. W.					
Cahuchu. W.	common.	S. America.	1823.	....	S. ♄.	Lam. ill. t. 790.
elastica. P.S.						

AGYNEJA. W.	AGYNEJA. Monœcia Monadelphia. W.						
1 impubes. W.	smooth.	China.	1820.	7. 9.	H.⊙.		
2 pubera. W.	woolly.	———	1823.	....	S.ħ.		
STILLINGIA. W.	STILLINGIA. Monœcia Monadelphia. W.						
1 sylvatica. W.	wood.	Carolina.	1787.	7. 8.	G.4.		
2 ligustrina. W.	Privet-leaved.	N.America.	1812.	....	G.ħ.		
3 sebifera. W.	Tallow-tree.	China.	1703.	9.	S.ħ.	Pluk. amal. t. 390. f.2.	
HURA. W.	SANDBOX-TREE. Monœcia Monadelphia. W.						
1 strepens. W.en.	unequal-tooth'd.	S.America.	....	7. 9.	S.ħ.		
2 crepitans. W.en.	equal-toothed.	———	1733.	——	S.ħ.	Lam. ill. t. 793.	
BRADLEJA. W.	BRADLEJA. Monœcia Monadelphia. W.						
1 sinica. W.	Chinese.	China.	1816.	7. 9.	S.ħ.	Gært.sem.2. t.109. f.1.	
2 nitida. H.B.	glossy.	E. Indies.	1820.	....	S.ħ.		
PHYLLANTHUS. W.	PHYLLANTHUS. Monœcia Monadelphia. W.						
1 obovatus. W.	annual.	N.America.	1803.	7. 8.	H.⊙.		
2 maderaspatensis.W.	Madras.	E. Indies.	1783.	——	S.ħ.		
3 gracilis. H.B.	slender.	———	1820.	——	S.4.		
4 longifolius. W.	long-leaved.	Isl.Bourbon.	1822.	....	S.ħ.	Lam. ill. t. 156. f. 1.	
5 lanceolatus. W.	spear-leaved.	———	——	6. 8.	S.ħ.		
6 nutans. W.	nodding.	Jamaica.	——	——	S.ħ.	Jacq. schœn.2. t.193.	
7 grandifolius. W.	great-leaved.	Portorico.	1771.	——	S.ħ.		
8 virosus. W.	venomous.	E. Indies.	1802.	....	S.ħ.		
9 turbinatus. B.M.	shining-leaved.	China.	....	7. 9.	S.ħ.	Botan. magaz. 1862.	
10 Conami. W.	Brazilian.	Brazil.	1791.	——	S.ħ.	Aub. gui. 2. t. 354.	
11 obcordatus. H.B.	obcordate.	E. Indies.	1818.	——	S.4.		
12 reticulatus. B.C.	netted.	———	——	8. 9.	S.ħ.	Lodd. bot. cab. 577.	
13 lucens. W.	thick-veined.	China.	1822.	7. 9.	S.ħ.		
14 racemosus. W.	racemed.	E. Indies.	1793.	7. 8.	S.ħ.		
15 cantoniensis. L.en.	Canton.	China.	1819.	——	H.⊙.		
16 cuneatus. W.en.	wedge-leaved.	———	——	——	H.⊙.		
17 Niruri. W.	Indian.	E. Indies.	1692.	6. 9.	S.⊙.	Rheed. mal. 10. t. 15.	
18 Urinaria. W.	stinging.	———	1819.	——	S.⊙.	Rumph.amb.6. t.17.f.2.	
19 microphyllus. K.S.	small-leaved.	S. America.	1824.	....	S.ħ.		
20 polyphyllus. W.	many-leaved.	E. Indies.	1805.	7. 9.	S.ħ.		
21 mimosoides. W.	Mimosa-like.	W. Indies.	1820.	——	S.ħ.	Lodd. bot. cab. 721.	
22 rhamnoides. W.	Rhamnus-like.	E. Indies.	——	——	S.ħ.		
23 strictus. H.B.	upright.	———	1823.	——	S.ħ.		
24 fraxinifolius. B.C.	Ash-leaved.	.....	1818.	——	S.ħ.	Lodd. bot. cab. 731.	
25 juglandifolius. W.en.	Walnut-leaved.	.....	——	6. 9.	S.ħ.		
26 scandens. Roxb.	climbing.	E. Indies.	1803.	....	S.ħ.		
EMBLICA. L.T.	EMBLICA. Monœcia Syngenesia. L.T.						
officinalis. L.T.	officinal.	E. Indies.	1768.	6. 9.	S.ħ.	Lodd. bot. cab. 548.	
KIRGANELIA. J.	KIRGANELIA. Monœcia Monadelphia.						
elegans. J.	elegant.	Mauritius.	1820.	6. 9.	S.ħ.		
Phyllanthus Kirganelia. W.							
XYLOPHYLLA. W.	XYLOPHYLLA. Monœcia Monadelphia. W.						
1 longifolia. W.	long-leaved.	E. Indies.	1816.	1. 12.	S.ħ.	Rumph. amb. 7. t. 12.	
Phyllanthus ceramica. P.S.							
2 latifolia. W.	Seaside Laurel.	S. America.	1783.	8. 10.	S.ħ.	Botan. magaz. 1021.	
3 speciosa.	handsome.	Jamaica.	1818.	——	S.ħ.	Jacq. ic. 3. t. 616.	
arbuscula. W. *Phyllanthus speciosus.* Jacq.							
4 angustifolia. W.	narrow-leaved.	———	1789.	7. 8.	S.ħ.		
5 linearis. P.S.	linear-leaved.	———	1822.	——	S.ħ.		
6 elongata. B.C.	elongated.	———	——	——	S.ħ.	Lodd. bot. cab. 1091.	
7 montana. W.	mountain.	———	1820.	11. 4.	S.ħ.	Botan. magaz. 2652.	
8 falcata. W.	falcate-leaved.	Bahama Isl.	1699.	7. 9.	S.ħ.	Botan. regist. 373.	
9 ramiflora. W.	oval-leaved.	Siberia.	1785.	7. 8.	H.ħ.	Pall. it. 3. t. E. f. 2.	
10 obovata. W.en.	obovate-leaved.	———	....	——	H.ħ.		
ANDRACHNE. W.	BASTARD ORPINE. Monœcia Gynandria. L.						
telephioides. W.	annual.	Italy.	1732.	7. 8.	H.⊙.	Lam. ill. t. 797.	
BRIEDELIA. W.	BRIEDELIA. Polygamia Monœcia. W.						
scandens. W.	climbing.	E. Indies.	1804.	7. 9.	S.ħ.~.	Roxb. corom. 2. t. 173.	
CLUYTIA. W.	CLUYTIA. Dicœcia Gynandria. L.						
1 collina. W.	hill.	E. Indies.	1807.	....	S.ħ.	Roxb.corom. 2. t. 169.	
2 patula. W.	spreading.	———	1812.	....	S.ħ.	———2. t. 170.	
3 pulchella. W.	broad-leaved.	C. B. S.	1739.	1. 6.	G.ħ.	Botan. magaz. 1945.	
4 heterophylla. W.	various-leaved.	———	1816.	2. 4.	G.ħ.		
5 tomentosa. W.	tomentose.	———	1812.	4. 6.	G.ħ.		
6 pubescens. W.	pubescent.	———	1817.	——	G.ħ.		

7 polifolia. w.	Poley-leaved.	C. B. S.	1790.	4. 6.	G. ħ.	Jacq. schœn. 2. t. 50.
8 ericoides. w.	Heath-leaved.	———	——	——	G. ħ.	Botan. regist. 779.
9 daphnoides. w.	Daphne-like.	———	1731.	5. 6.	G. ħ.	W. hort. ber. 52.
10 polygonoides. w.	Polygonum-like.	———	1790.	12. 3.	G. ħ.	——— 51.
11 alaternoides. w.	narrow-leaved.	———	1692.	——	G. ħ.	Botan. magaz. 1321.
EXCŒCARIA. W.	EXCŒCARIA. Dicœcia Monadelphia. L.					
1 Agallocha. w.	Indian.	E. Indies.	1823.	....	S. ħ.	Rumph. amb. 2. t. 79. 80.
2 serrata. H.K.	saw-leaved.	Chili.	1796.	11. 2.	G. ħ.	
ADELIA. W.	ADELIA. Dicœcia Monadelphia. L.					
1 Bernardia. w.	villous-leaved.	Jamaica.	1768.	7. 8.	S. ħ.	
2 Ricinella. w.	smooth-leaved.	———	——	6. 8.	S. ħ.	
3 Acidoton. w.	Box-leaved.	———	——	6. 7.	S. ħ.	
LOUREIRA. W.	LOUREIRA. Dicœcia Monadelphia. W.					
1 cuneifolia. w.	wedge-leaved.	Mexico.	1824.	6. 8.	G. ħ.	Cavan. ic. 5. t. 429.
Mozinna spathulata. Ort. dec. 8. t. 12.						
2 glandulosa. w.	glandulous.	———	1799.	——	G. ħ.	——— 5. t. 430.
BORYA. W.	BORYA. Dicœcia Diandria. W.					
1 porulosa. w.	Florida.	Florida.	1806.	7. 8.	H. ħ.	
2 ligustrina. w.	Privet-leaved.	N. America.	1812.	——	H. ħ.	
3 prinoides. w.en.	Prinos-like.	———	1816.	——	H. ħ.	
4 nitida. w.en.	glossy-leaved.	———	——	——	H. ħ.	
5 retusa. w.en.	retuse-leaved.	———	1812.	——	H. ħ.	
6 acuminata. w.	pointed.	———	——	——	H. ħ.	Mich. amer. 2. t. 48.
Adelia acuminata. M.						
SECURINEGA. J.	SECURINEGA. Monœcia Pentandria.					
nitida. P.s.	OtaheiteMyrtle.	Otaheite.	1793.	3. 8.	S. ħ.	Lindl. collect. t. 9.
TRAGIA. W.	TRAGIA. Monœcia Triandria. W.					
1 volubilis. w.	twining.	W. Indies.	1739.	6. 7.	S. ħ.	Trew. pl. rar. 2. t. 15.
2 involucrata. w.	involucred.	E. Indies.	1759.	——	S. ☉.	Jacq. ic. 1. t. 190.
3 mercurialis w.	Mercury-like.	———	1818.	——	S. ☉.	Rheed. mal. 10. t. 82.
4 corniculata. w.	two-horned.	Trinidad.	1824.	——	S. ☉.	
5 urens. w.	stinging.	Virginia.	1699.	8.	H. ☉.	Pluk. alm. t. 107. f. 5.
6 Chamælea. w.	lance-leaved.	E. Indies.	1793.	6. 7.	S. ☉.	Rheed. mal. 2. t. 34.
7 cannabina. w.	Hemp-leaved.	———	1699.	——	S. ♃.	Burm. ind. t. 63. f. 1.

ORDO CLVII.

ANTIDESMEÆ.

ANTIDESMA. W.	ANTIDESMA. Dicœcia Pentandria. L.					
1 alexiteria. w.	Laurel-leaved.	E. Indies.	1793.	5. 6.	S. ħ.	Rheed. mal. 5. t. 11.
2 pubescens. w.	pubescent.	———	1818.	——	S. ħ.	Roxb. corom. 2. t. 167.
3 paniculata. w.	panicled.	———	1800.	——	S. ħ.	
STILAGO. W.	STILAGO. Dicœcia Triandria. W.					
1 Bunius. w.	Laurel-leaved.	E. Indies.	1757.	8.	S. ħ.	Rheed. mal. 4. t. 56.
2 diandra. w.	diandrous.	———	1800.	....	S. ħ.	Roxb. corom. 2. t. 166.

ORDO CLVIII.

URTICEÆ. *Juss. gen.* 400.

FICUS. L.	FIG-TREE. Polygamia Dicœcia. W.					
1 religiosa. R.s.	Poplar-leaved.	E. Indies.	1731.	....	S. ħ.	Rheed. mal. 1. t. 27.
2 superstitiosa. L.en.	superstitious.	———	....	....	S. ħ.	
3 nymphæifolia. R.s.	Water-lily-ld.	———	1759.	....	S. ħ.	
4 cordata. R.s.	heart-leaved.	C. B. S.	1802.	....	S. ħ.	Thunb. fic. p. 8. c. ic.

5	oblongata. L.en.	oblong-leaved.	C. B. S.	1816.	....	S. h.	
6	crassinervia. R.s.	thick-nerved.	S. America.	——	....	S. h.	
7	rubiginosa. R.s. *australis.* W.	ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
8	costata. R.s.	rib-leaved.	E. Indies.	1768.	....	S. h.	
9	coronata. R.s.	crowned-fruit'd.	N. S. W.	1807.	3. 6.	G. h.	Colla h. rip. t. 8.
10	lucida. R.s.	shining-ld.	E. Indies.	1772.	....	S. h.	
11	scandens. R.s.	climbing.	S. America.	1816.	....	S. h.	
12	stipulata. R.s.	trailing.	China.	1771.	....	G. h.	
13	pedunculata. R.s.	Willow-leaved.	S. America.	1776.	....	S. h.	Pluk. alm. t. 178. f. 4.
14	venosa. R.s.	vein-leaved.	E. Indies.	1768.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
15	leucotoma. R.s. *venosa.* W. *non* H.K.	white-spotted.	—— ——	....	——	S. h.	W. hort. ber. 1. t. 36.
16	tinctoria. R.s.	Otaheite.	Society Isl.	1788.	5. 6.	S. h.	
17	benjamina. R.s.	oval-leaved.	E. Indies.	1757.	....	S. h.	Rheed. mal. 1. t. 26.
18	glabrata. K.s.	smooth.	Teneriffe.	1816.	....	G. h.	
19	benghalensis. R.s.	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
20	microcarpa. R.s.	small-fruited.	Guinea.	1823.	....	S. h.	
21	americana. R.s.	American.	Jamaica.	1822.	....	S. h.	Plum. spec. t. 132. f. 2.
22	racemosa. R.s.	clustered.	E. Indies.	1759.	....	S. h.	Rheed. mal. 1. t. 25.
23	pertusa. R.s.	Laurel-leaved.	S. America.	1780.	....	S. h.	
24	terebrata. R.s.	obovate-leaved.	Mauritius.	1822.	....	S. h.	Bory it. t. 17.
25	pumila. R.s.	dwarf.	China.	1759.	....	G. h.	Kæmp. amœn. t. 806.
26	glomerata. R.s.	crowded.	E. Indies.	1818.	....	S. h.	Roxb. corom. 2. t. 123.
27	Hookeri. *nitida.* H.B.F. *nec aliorum.*	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. 111.
28	nitida. R.s.	glossy-leaved.	E. Indies.	1780.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
29	ciliolosa. R.s.	fringe stipuled.	.....	1816.	——	S. h.	
30	cotinifolia. K.s.	Cotinus-leaved.	Mexico.	1824.	....	S. h.	
31	obtusifolia. K.s.	blunt-leaved.	——	——	....	S. h.	
32	coriacea. R.s.	leathery-leav'd.	E. Indies.	1772.	....	S. h.	
33	populnea. R.s.	Poplar-leaved.	——	....	....	S. h.	
34	macrophylla. R.s.	large-leaved.	N. Holland.	1816.	....	G. h.	
35	elastica. H.B.	Indian rubber.	E. Indies.	1815.	....	G. h.	
36	Brassii. H.T.	Brass's.	Sierra Leon.	1822.	....	S. h.	
37	lasiophylla. L.en.	downy-leaved.	.....	1816.	....	S. h.	
38	retusa. R.s.	retuse-leaved.	E. Indies.	1793.	....	S. h.	
39	laurifolia. R.s. *martinicensis.* W.	Laurel-leaved.	W. Indies.	1759.	....	S. h.	Sloan. jam. 2. t. 223.
40	brasiliensis. L.en.	Brazilian.	Brazil.	1820.	....	S. h.	
41	lævigata. R.s.	smooth-leaved.	W. Indies.	1822.	....	S. h.	
42	indica. R.s.	Banyan-tree.	E. Indies.	1759.	....	S. h.	Rheed. mal. 3. t. 63.
43	salicifolia. R.s.	Willow-leaved.	Arabia.	1818.	....	S. h.	
44	aurantiaca. Lod.	orange-color'd.	.....	——	....	S. h.	
45	pendula. L.en.	pendulous.	.....	1824.	....	S. h.	
46	myrtifolia. L.en.	Myrtle-leaved.	.....	——	....	S. h.	
47	lanceolata. H.B.	spear-leaved.	E. Indies.	1820.	....	S. h.	
48	obtusata. L.en.	obtuse-tooth'd.	.....	——	....	S. h.	
49	muntia. L.en.	rough-leaved.	N. Holland.	1818.	....	G. h.	
50	ulmifolia. R.s.	Elm-leaved.	Philippine.	1825.	....	S. h.	
51	capensis. R.s.	Cape.	C. B. S.	1816.	....	G. h.	
52	exasperata. R.s. *scabra.* W. *non* Forst.	very rough.	Guinea.	1822.	....	S. h.	Willden. fic. t. 2.
53	hispida. R.s. *oppositifolia.* Rox.	opposite-leaved.	E. Indies.	1802.	....	S. h.	Roxb. corom. 2. t. 124. *scabra.* Jacq. schœn. 3. t. 316.
54	aquatica. W.	water.	—— ——	1758.	....	S. h.	
55	heterophylla. R.s.	various-leaved.	—— ——	1816.	....	S. h.	Rheed. mal. 3. t. 62.
56	repens. R.s.	creeping-stemm'd	——	1805.	....	S. h.	
57	virgata. H.B.	twiggy.	——	1817.	....	G. h.	
58	Carica. R.s.	common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. t. 73. 74.
ARTOCARPUS. W.		BREAD-FRUIT.	Monœcia Monandria. W.					
1	incisa. W.	true.	S. Sea Isl.	1793.	....	S. h.	Rumph. amb. 1. t. 33.
	α nucifera.	*nut-bearing.*	——	——	....	S. h.	
	β apyrena.	*seedless.*	——	——	....	S. h.	Rumph. amb. 1. t. 32.
2	integrifolia. W. *β heterophylla.* Lam.	Jaca-tree. *various-leaved.*	E. Indies.	1778.	6.	S. h.	Rheed. mal. 3. t. 26-28. Rumph. amb. 1. t. 30.
MACLURA. N.		MACLURA.	Dioecia Tetrandria. N.					
1	aurantiaca. N.	Osage Apple.	Missouri.	1824.	....	H. h.	Lamb. pin. v. 2. ap. t. 12.
2	tinctoria. D.D. *Morus tinctoria.* W. *Broussonetia tinctoria.* K.s.	Fustick-wood.	W. Indies.	1739.	....	S. h.	Plum. ic. t. 204.

BROUSSONETIA.W.	**Paper Mulberry.**	**Dicœcia Tetrandria. W.**						
papyrifera. W.	common.	Japan.	1751.	4. 7.	H. ♄.	Andr. reposit. 488.
MORUS. W.	**Mulberry.**	**Monœcia Tetrandria. L.**						
1 alba. W.	white.	China.	1596.	6.	H. ♄.	Schk. hand. 3. t. 290.
2 tatarica. W.	Tartarian.	Tartary.	1784.	——	H. ♄.	Pall. ros. 2. t. 52.
3 italica. P.S.	Italian.	Italy.	....	——	H. ♄.	
4 constantinopolitana.	Constantinople.	Constantinople.		——	H. ♄.	
5 nigra. W.	common.	Italy.	1548.	——	H. ♄.	Wats. dend. brit. 159.
6 rubra. W.	red.	N.America.	1629.	6. 7.	H. ♄.	
7 scabra. W.en.	rough.	——	1812.	——	H. ♄.	
8 pensylvanica. L.C.	Pensylvanian.	——	——	——	H. ♄.	
9 pumila. L.C.	dwarf.	.....	——	——	H. ♄.	
10 indica. W.	Indian.	E. Indies.	1820.	....	S. ♄.	Rheed. mal. 1. t. 49.
11 sinensis. L.C.	Chinese.	China.	——	....	G. ♄.	
12 mauritiana. W.	Mauritius.	Mauritius.	——	....	S. ♄.	Jacq. ic. 3. t. 617.
BŒHMERIA. W.	**Bœhmeria.**	**Monœcia Tetrandria. W.**						
1 caudata. W.	tailed.	W. Indies.	1822.	....	S. ♄.	
2 cylindrica. W.	cylindrical.	Virginia.	1759.	6. 8.	H. ♃.	Sloan. j. 1. t. 82. f. 2.
3 macrophylla. D.P.	large-leaved.	Nepaul.	1820.	....	G. ♄.	
4 rotundifolia. D.P.	round-leaved.	——	1819.	6. 8.	G. ♃.	
5 platyphylla. D.P.	rough-leaved.	——	1818.	....	G. ♄.	
6 ramiflora. W.	branch-flowering.	W. Indies.	1822.	....	S. ♄.	Lam. ill. t. 763.
Cæturus ramiflorus. L.						
7 elongata. L.en.	elongated.	Brazil.	——	7. 9.	H. ☉.	
8 lateriflora. W.	side-flowering.	N.America.	1816.	6. 8.	H. ♃.	
9 rubescens. W.	tree.	Canaries.	1779.	2. 5.	G. ♄.	Jacq. frag. n. 30. t. 5. f. 1.
Urtica arborea. L'Her. stirp. t. 20.						
10 frondosa. D.P.	frondose.	Nepaul.	1818.	....	G. ♄.	
11 frutescens. W.	frutescent.	——	1819.	....	G. ♄.	
URTICA. W.	**Nettle.**	**Monœcia Tetrandria. L.**						
1 pilulifera. W.	Roman.	England.	....	6. 8.	H. ☉.	Eng. bot. 148.
2 balearica. W.	Balearic.	BalearicIsl.	1731.	6. 7.	H. ☉.	Blackw. t. 321. f. 1.
3 Dodartii. W.	Dodart's.	S. Europe.	1683.	7. 8.	H. ☉.	
4 pumila. W.	dwarf.	N.America.	1817.	——	H. ☉.	
5 crassifolia. W.	thick-leaved.	S.America.	1822.	——	S. ♄.	
6 grandifolia. W.	great-leaved.	Jamaica.	1793.	7. 8.	S. ♄.	Sloan. jam. 1. t. 83. f. 2.
7 reticulata. W.	net-leaved.	——	——	6. 8.	S. ♄.	
8 involucrata. B.M.	imbossed.	W. Indies.	1823.	10. 11.	S. ♃.	Botan. magaz. 2481.
9 diffusa. W.	spreading.	——	——	8. 10.	S. ♄.	
10 rufa. W.	rusty.	Jamaica.	1793.	6. 9.	S. ♄.	
11 scabrella. L.en.	rough.	E. Indies.	1815.	10. 12.	G. ♄.	
12 scripta. D.P.	black-lined.	Nepaul.	1823.	....	H. ♃.	
13 heterophylla. W.	various-leaved.	——	——	....	H. ♄.	Rheed. mal. 2. t. 41.
14 urens. W.	small.	Britain.	....	6. 10.	H. ☉.	Eng. bot. 1236.
15 dioica. W.	common.	——	....	7. 9.	H. ♃.	—— 1750.
16 chamædryoides. Ph.	Germander-like	Georgia.	1813.	——	H. ☉.	
17 membranacea. W.	membranaceous	S. Europe.	1818.	——	H. ♃.	
18 angustifolia. F.	narrow-leaved.	Russia.	1824.	——	H. ♃.	
19 ardens. L.en.	burning.	Nepaul.	1819.	8. 11.	H. ☉.	
20 cannabina. W.	Hemp-leaved.	Siberia.	1749.	7. 9.	H. ♃.	Amm. ruth. 249. t. 25.
21 rugosa. W.	rough-leaved.	Jamaica.	1793.	5. 7.	S. ♂.	
22 gracilis. W.	slender-stalked.	Hudson'sbay.	1782.	6. 8.	H. ♃.	
23 Parietaria. W.	Pellitory-leav'd.	Jamaica.	1793.	7. 9.	S. ♄.	Sloan. j. 1. t. 93. f. 1.
24 ciliata. W.	ciliated.	——	1815.	——	S. ♄.	
25 nummularifolia. W.	moneywort-l^d.	——	1822.	——	S. ♄.	Sloan. hist. 1. t. 131. f. 4.
26 depressa. W.	depressed.	——	——	——	S. ♃.	
27 microphylla. W.	small-leaved.	W. Indies.	1793.	4. 5.	S. ♃.	Sloan. j. 1. t. 93. f. 2.
28 pulchella. L.en.	neat.	E. Indies.	1816.	....	S. ♄.	
29 diversifolia. L.en.	different-l^d.	——	1820.	...	S. ♄.	
30 æstuans. W.	Surinam.	Surinam.	1803.	6. 7.	S. ♂.	Jacq. schœn. 3. t. 388.
31 capitata. W.	headed.	N.America.	1820.	——	H. ♃.	
32 canadensis. W.	Canadian.	Canada.	1656.	8. 10.	H. ♃.	Pluk. alm. t. 239. f. 2.
33 nivea. W.	white-leaved.	China.	1739.	8. 9.	H. ♃.	Jacq. vind. 2. t. 166.
34 caracasana. W.	Caracas.	Caracas.	1820.	....	S. ♄.	Jacq. schœn. 3. t. 386.
35 caravellana. L.en.	pointed-leaved.	S. America.	——	8. 10.	H. ☉.	
36 baccifera. W.	berry-bearing.	——	1793.	7. 8.	S. ♄.	Andr. reposit. 454.
37 elongata. W.	elongated.	Philippines.	1823.	——	S. ♄.	
38 ferocissima.	ferocious.	Nepaul.	1805.	8. 10.	H. ☉.	
horrida. L.en. NON K.S.						
39 pentandra. H.B.	pentandrous.	E. Indies.	——	——	S. ♃.	

FORSKOHLEA. L.	FORSKOHLEA.	Monœcia Monandria. J.					
1 tenacissima. W.	clammy.	Egypt.	1767.	7. 8.	H.⊙.	Jacq. vind. 1. t. 48.
2 candida. W.	rough.	C. B. S.	1774.	6. 7.	G.♃.	
3 angustifolia. W.	narrow-leaved.	Teneriffe.	1779.	7. 8.	H.⊙.	Murr. c. gott. p. 24. t. 2.
PARIETARIA. W.	PELLITORY.	Polygamia Monœcia. L.				
1 indica. W.	Indian.	E. Indies.	1790.	4. 5.	S.♃.	
2 officinalis. W.	common.	Britain.	....	6. 9.	H.♃.	Eng. bot. 879.
3 judaica. W.	Basil-leaved.	Germany.	1728.	——	H.♃.	Schkuh. hand. 3. t. 34.
4 pensylvanica. W.	Pensylvanian.	N. America.	1816.	——	H.⊙.	
5 urticæfolia. W.	Nettle-leaved.	Isl. Bourbon.	1700.	——	S.⊙.	
6 lusitanica. W.	chickweed-ld.	Spain.	1710.	7. 8.	H.⊙.	Bocc. sic. t. 24. f. 13.
7 cretica. W.	Cretan.	Crete.	1818.	——	H.⊙.	
8 prostrata. L.en.	prostrate.	.....	1823.	——	H.♃.	
9 polygonoides. W.	Polygonum-ld.	Armenia.	1728.	——	H.⊙.	
PILEA. L.col.	PILEA. Monœcia Tetrandria.					
muscosa. L.col.	mossy.	W. Indies.	1793.	4. 5.	S.♃.	Lindl. coll. 4.
CANNABIS. W.	HEMP. Dicœcia Tetrandria. L.					
sativa. W.	common.	India.	....	6. 7.	H.⊙.	Schk. hand. 3. t. 325.
HUMULUS. W.	HOP. Dicœcia Tetrandria. L.					
Lupulus. W.	common.	Britain.	....	6. 8.	H.♃.	Eng. bot. 427.
THELYGONUM. W.	DOG'S-CABBAGE. Monœcia Polyandria. L.					
Cynocrambe. W.	common.	S. Europe.	1710.	7.	H.⊙.	Schk. hand. 3. t. 299.
GNETUM. W.	GNETUM. Monœcia Monadelphia. L.					
Gnemon. W.	Indian.	India.	1815.	....	S.ħ.	Rumph. amb. 1. t. 71.
CECROPIA. W.	SNAKE-WOOD. Dicœcia Diandria. L.					
1 peltata. W.	peltated.	Jamaica.	1778.	....	S.ħ.	Lam. ill. t. 800.
2 palmata. W.	palmated.	Brazil.	1823.	....	S.ħ.	
3 concolor. W.	self-coloured.	————	——	....	S.ħ.	
GUNNERA. W.	GUNNERA. Gynandria Diandria. L.					
perpensa. W.	marsh-marygold-ld.	C. B. S.	1688.	....	G.♃.	Botan. magaz. 2376.
DORSTENIA. W.	DORSTENIA. Tetrandria Monogynia. L.					
1 cordifolia. W.	heart-leaved.	W. Indies.	1823.	5. 8.	S.♃.	Swart. obs. t. 7. f. 2.
2 brasiliensis. W.	Brazilian.	S. America.	1793.	3. 4.	S.♃.	
3 Houstoni. W.	Houstoun's.	————	1747.	6. 7.	S.♃.	Botan. magaz. 2017.
4 arifolia. W.	Arum-leaved.	Brazil.	1823.	——	S.♃.	Lam. ill. t. 88. f. 2.
5 Contrayerva. W.	Contrajerva-root.	S. America.	1748.	5. 8.	S.♃.	Jacq. ic. 3. t. 614.
6 Drakena. W.	round-rooted.	Vera Cruz.	....	——	S.♃.	Lodd. bot. cab. 677.
MERTENSIA. K.S.	MERTENSIA.	Polygamia Monœcia. R.S.				
1 lævigata. K.S.	Mexican.	Mexico.	1825.	....	S.ħ.	H. et B. n-gen. 3. t. 168.
2 iguanea. R.S.	Jamaica.	Jamaica.	1791.	....	S.ħ.	
Rhamnus iguaneus. L. *Zizyphus iguanea.* P.S. *Celtis aculeata.* W.						
CELTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.				
1 micrantha. W.	smooth.	Jamaica.	1739.	8. 9.	S.ħ.	Plum. ic. t. 206. f. 1.
2 orientalis. W.	oriental.	E. Indies.	1820.	....	S.ħ.	Rheed. mal. 4. t. 40.
3 pumila. Ph.	dwarf.	N. America.	1812.	5.	H.ħ.	
4 crassifolia. W. *cordifolia.* Dun.	heart-leaved.	————	——	5. 6.	H.ħ.	Duham. arb. 2. t. 9.
5 occidentalis. W.	American.	————	1656.	4. 5.	H.ħ.	Wats. dend. brit. 147.
β *cordata.* R.S.	*heart-leaved.*	————	....	——	H.ħ.	
γ *scabriuscula.* R.S.	*rough-leaved.*	————	....	——	H.ħ.	
6 Willdenowiana. R.S.	Willdenow's.	China.	....	....	H.ħ.	
7 sinensis. R.S.	Chinese.	————	....	....	H.ħ.	
8 lævigata. R.S.	smooth.	Louisiana.	1812.	4. 5.	H.ħ.	
9 Tournefortii. W.	Tournefort's.	Levant.	1738.	....	H.ħ.	Tourn. it. 2. t. 41.
10 australis. W.	European.	S. Europe.	1796.	5.	H.ħ.	Wats. dend. brit. 105.
PLANERA. M.	PLANERA. Tetrandria Digynia. S.S.					
1 Richardi. M. *carpinifolia.* W.D. *Ulmus nemoralis.* H.K.	Richard's.	N. America.	1760.	4. 5.	H.ħ.	Wats. dend. brit. 106.
2 Gmelini. M. *aquatica.* N.	Gmelin's.	————	1816.	....	H.ħ.	
ULMUS. R.S.	ELM-TREE. Pentandria Digynia. L.					
1 campestris. E.B.	common English.	Britain.	....	4. 5.	H.ħ.	Eng. bot. 1886.
2 suberosa. E.B.	cork-barked.	————	....	3. 4.	H.ħ.	———— 2161.
3 glabra. E.B.	smooth.	————	....	——	H.ħ.	———— 2248.
4 major. E.B.	declining-branch'd.	————	.....	——	H.ħ.	———— 2542.
5 montana. E.B.	Wych.	————	....	4. 5.	H.ħ.	———— 1887.
6 effusa. W.	spreading-fld.	————	....	——	H.ħ.	Schk. hand. t. 57.
7 alba. W.	white.	Hungary.	1816.	——	H.ħ.	
8 crispa. W.	curl-leaved.	N. America.	....	——	H.ħ.	

9	americana. W.	white.	N.America.	1752.	4. 5.	H. ♄.	
10	pendula. W.en.	pendulous.	———	....	——	H. ♄.	
11	fulva. M.	slippery.	———	....	——	H. ♄.	Mich. arb. 3. t. 6.
12	scabra. Mill.	rough.	.....	....	——	H. ♄.	
13	pumila. W.	dwarf.	Siberia.	1771.	——	H. ♄.	Pall. ros. 1. t. 48.
14	parvifolia. W.en.	small-leaved.	.....	....	——	H. ♄.	Jacq. schœn. t. 262.
15	microphylla. P.S.	jagged-leaved.	Siberia.	....	——	H. ♄.	Pall.r.1.t.48.f.A.B.C.
16	alata. M.	winged.	N.America.	1816.	——	H. ♄.	Mich. arb. 3. t. 5.
17	chinensis. P.S.	Chinese.	China.	....	....	G. ♄.	

ORDO CLIX.

AMENTACEÆ. *Juss. gen.* 407.

SUBORDO I. *SALICEÆ.* Kth. synops. 1. p. 364.

SALIX. W. WILLOW. Dioecia 1-2-3-5-andra-Monadelpha.

1	præcox. S.S.	early.	Europe.	....	3. 4.	H. ♄.	
2	pomeranica. W.en.	Pomeranian.	Pomerania.	1816.	3. 5.	H. ♄.	
3	cinerea. E.B.	gray.	Britain.	....	5.	H. ♄.	Eng. bot. 1897.
4	angustata. Ph.	narrow-leaved.	Pensylvania.	1811.	3. 4.	H. ♄.	
5	Wulffeniana. S.S.	Wulffen's.	Switzerland.	1818.	4. 5.	H. ♄.	
6	silesiaca. S.S.	Silesian.	Silesia.	1820.	——	H. ♄.	
7	Ammanniana. S.S.	Amman's.	Carinthia.	——	——	H. ♄.	Hoffm.salic.1.t.17.f.3.
8	acutifolia. S.S.	acute-leaved.	Caucasus.	1824.	....	H. ♄.	
9	hastata. W.	halberd-leaved.	Lapland.	1789.	5.	H. ♄.	Lin. f. lap. t. 3. f. g.
10	malifolia. E.B.	Apple-leaved.	England.	....	4.	H. ♄.	Eng. bot. 1617.
11	serrulata. W. *hastata.* F.D.	saw-leaved.	Lapland.	1820.	5.	H. ♄.	Flor. dan. t. 1238.
12	phylicifolia. E.B.	Tea-leaved.	Scotland.	....	——	H. ♄.	Eng. bot. 1958.
13	Andersoniana. E.B.	Anderson's.	———	....	——	H. ♄.	——— 2343.
14	tenuifolia. E.B.	slender-leaved.	Britain.	....	5. 6.	H. ♄.	——— 2186.
15	fragilis. E.B.	crack.	———	....	4. 5.	H. ♄.	——— 1807.
16	Russelliana. E.B.	Bedford.	England.	....	——	H. ♄.	——— 1808.
17	Trevirani. L.en.	Treviranus's.	Germany.	1825.	——	H. ♄.	
18	hippophæfolia. L.en.	Sea-buckthorn-ld.	———	1823.	——	H. ♄.	
19	triandra. E.B.	long-leaved.	Britain.	....	5. 8.	H. ♄.	Eng. bot. 1435.
20	amygdalina. E.B.	Almond-leaved.	———	....	4. 5.	H. ♄.	——— 1936.
21	Hoppeana. W.	Hoppe's.	Switzerland.	1817.	——	H. ♄.	
22	ambigua. Ph.	ambiguous.	N.America.	1813.	4.	H. ♄.	
23	decipiens. E.B.	varnished.	England.	....	5.	H. ♄.	Eng. bot. 1937.
24	vitellina. E.B.	yellow twigged.	———	....	3. 5.	H. ♄.	——— 1389.
25	alba. E.B.	common white.	Britain.	....	4. 5.	H. ♄.	——— 2430.
26	cœrulea. E.B.	blue.	England.	....	——	H. ♄.	——— 2431.
27	pedicellaris. S.S.	pedicellated.	N.America.	1811.	——	H. ♄.	
28	babylonica. W.	weeping.	Levant.	1692.	5.	H. ♄.	Rauw. it. 163. t. 25.
29	myricoides. S.S.	Myrica-like.	N.America.	1811.	4.	H. ♄.	Ann. bot. 2. t. 5. f. 2.
30	lucida. S.S.	shining.	———	——	5.	H. ♄.	——— 2. t. 5. f. 7.
31	rigida. S.S.	rigid.	———	——	4. 5.	H. ♄.	——— 2. t. 5. f. 4.
32	cordata. S.S.	heart-leaved.	———	——	——	H. ♄.	——— 2. t. 5. f. 8.
33	nigra. S.S.	black.	———	——	5.	H. ♄.	——— 2. t. 5. f. 5.
34	riparia. W.	rivulet.	Europe.	1820.	——	H. ♄.	
35	incana. DC.	hoary.	———	——	——	H. ♄.	
36	incanescens. Sch.	incanescent.	Switzerland.	1823.	——	H. ♄.	
37	lanata. W.	woolly.	Lapland.	——	——	H. ♄.	
38	pentandra. E.B.	Bay-leaved.	Britain.	....	3. 6.	H. ♄.	Eng. bot. 1805.
39	Meyeriana. S.S.	Meyer's.	Germany.	1823.	4. 5.	H. ♄.	
40	tetrasperma. W.	four-seeded.	E. Indies.	1796.	——	S. ♄.	Roxb. corom. 1. t. 97.
41	gariepina. B.T.	Cape.	C. B. S.	1816.	——	G. ♄.	
42	Humboldtiana. W.	Humboldt's.	Peru.	1821.	....	G. ♄.	H. et B. 2. t. 99, 100.
43	finmarchica. S.S.	Finmark.	Sweden.	——	4. 5.	H. ♄.	Flor. dan. t. 1051.
44	Villarsiana. W.	Villars's.	S. France.	1818.	5. 6.	H. ♄.	
45	myrtilloides. S.S.	Myrtle-leaved.	Sweden.	1772.	5.	H. ♄.	Vill. delph.3. t.50.f.11.

46	retusa. W.	blunt-leaved.	Italy.	1763.	——	H. h.	
47	serpyllifolia. W.	Thyme-leaved.	Switzerland.	1818.	——	H. h.	
48	Uva-ursi. S.S.	Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	
49	herbacea. E.B.	least.	Britain.	....	6.	H. h.	Eng. bot. 1907.
50	monandra. Ard.	monandrous.	Europe.	....	3. 4.	H. h.	Ard. mem. 1. t. 11.
51	purpurea. E.B.	bitter purple.	England.	....	3.	H. h.	Eng. bot. 1388.
52	Helix. E.B.	Rose.	Britain.	....	3. 4.	H. h.	—— —— 1343.
53	Lambertiana. E.B.	Boyton.	England.	....	——	H. h.	—— —— 1359.
54	rubra. E.B.	red-stemmed.	——	....	4. 5.	H. h.	—— —— 1145.
55	Forbiana. E.B.	basket osier.	——	....	4.	H. h.	—— —— 1344.
56	viminalis. E.B.	common osier.	Britain.	....	4. 5.	H. h.	—— —— 1898.
57	mollissima. S.S.	softest.	Germany.	....	——	H. h.	
58	Smithiana. S.S.	Smith's.	England.	....	——	H. h.	Eng. bot. 1509.
	mollissima. E.B. non W.						
59	acuminata. E.B.	acuminate.	Britain.	....	4.	H. h.	Eng. bot. 1434.
60	holosericea. W.	holosericeous.	Germany.	....	——	H. h.	
61	aurita. W.	eared.	Europe.	....	4. 5.	H. h.	Hoff. sal. 1. t. 22. f. 1.
62	uliginosa. W.en.	marsh.	Britain.	....	4. 6.	H. h.	Eng. bot. 1437.
	aurita. E.B. non W.						
63	paludosa. L.en.	fen.	Germany.	....	——	H. h.	
64	aquatica. E.B.	water.	Britain.	....	4.	H. h.	Eng. bot. 1437.
65	spatulata. W.en.	spatulate.	Germany.	....	——	H. h.	
66	caprea. E.B.	great round-l^{d}.	Britain.	....	4. 5.	H. h.	Eng. bot. 1438.
67	sphacelata. E.B.	withered-pointed.	Scotland.	....	——	H. h.	—— —— 2333.
68	laurina. W.	Laurel-leaved.	England.	....	——	H. h.	—— —— 1806.
	bicolor. E.B. non Ehr.						
69	bicolor. W.	two-coloured.	Germany.	1818.	——	H. h.	
70	Pontederana. W.	Pontedera's.	——	——	——	H. h.	
71	Forsteriana. E.B.	Forster's.	Scotland.	....	——	H. h.	Eng. bot. 1403.
72	nigricans. E.B.	dark broad-l^{d}.	England.	....	4.	H. h.	—— —— 1213.
73	violacea. S.S.	violet.	.....	....	4. 5.	H. h.	Andr. reposit. ic.
74	Weigeliana. S.S.	long-styled.	Silesia.	1820.	——	H. h.	
75	cotinifolia. E.B.	Quince-leaved.	Britain.	....	4.	H. h.	Eng. bot. 1403.
76	conifera. S.S.	cone-bearing.	N.America.	1800.	5.	H. h.	Wang. amer. t. 31. f. 72.
77	prinoides. S.S.	Prinos-like.	——	1811.	3. 4.	H. h.	
78	fuscata. S.S.	brown-stemm'd.	——	——	4.	H. h.	
79	recurvata. S.S.	recurve-flower'd.	——	——	——	H. h.	
80	tristis. S.S.	linear-leaved.	——	1765.	——	H. h.	
81	Muhlenbergiana.	Muhlenberg's.	——	1811.	——	H. h.	Ann. bot. 2. t. 5. f. 9.
82	grisea. W.en.	brown.	——	1816.	——	H. h.	
83	lanceolata. E.B.	sharp-leaved.	England.	....	4. 5.	H. h.	Eng. bot. 1436.
84	stipularis. E.B.	auricled.	Britain.	....	3.	H. h.	—— —— 1214.
85	undulata. S.S.	wave-leaved.	Germany.	1819.	4. 5.	H. h.	
86	petiolaris. E.B.	dark long-l^{d}.	N.America.	....	4.	H. h.	Eng. bot. 1147.
87	patula. S.S.	spreading.	Italy.	1818.	——	H. h.	
88	candida. S.S.	hoary.	N.America.	1811.	4. 5.	H. h.	
89	discolor. S.S.	brown-branched.	——	——	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
90	arenaria. E.B.	sand.	Scotland.	....	5.	H. h.	Eng. bot. 1809.
91	repens. E.B.	creeping.	Britain.	....	5.	H. h.	—— —— 183.
92	incubacea. W.	trailing.	Europe.	1775.	——	H. h.	
93	rosmarinifolia. E.B.	Rosemary-l^{d}.	Britain.	....	4. 5.	H. h.	Eng. bot. 1365.
94	Arbuscula. E.B.	little tree.	Scotland.	....	4.	H. h.	—— —— 1366.
95	fusca. E.B.	brown.	Britain.	....	5.	H. h.	—— —— 1960.
96	parvifolia. E.B.	small-leaved.	England.	....	4. 5.	H. h.	—— —— 1961.
97	adscendens. E.B.	ascending.	——	....	——	H. h.	—— —— 1962.
98	prostrata. E.B.	prostrate.	Britain.	....	5.	H. h.	—— —— 1959.
99	canescens. W.en.	canescent.	Germany.	1815.	4. 5.	H. h.	
100	leucophylla. W.en.	white-leaved.	——	——	——	H. h.	
101	elæagnoides. L.en.	Elæagnus-like.	Switzerland.	1823.	——	H. h.	
102	argentea. E.B.	silky sand.	Britain.	....	5.	H. h.	Eng. bot. 1364.
103	versifolia. S.S.	various-leaved.	N. Europe.	1824.	——	H. h.	
104	prunifolia. E.B.	Plum-leaved.	Scotland.	....	4. 5.	H. h.	Eng. bot. 1361.
105	Dicksoniana. E.B.	Dickson's.	——	....	5.	H. h.	—— —— 1390.
106	humilis. W.en.	humble.	.....	1824.	——	H. h.	
107	formosa. W.	handsome.	Switzerland.	1820.	——	H. h.	
108	myrsinites. E.B.	Whortle-leav'd.	Scotland.	....	4. 6.	H. h.	Eng. bot. 1360.
109	venulosa. E.B.	veiny-leaved.	—— ——	....	4. 5.	H. h.	—— —— 1362.
110	vacciniifolia. E.B.	Bilberry-l^{d}.	—— ——	....	——	H. h.	—— —— 2341.
111	carinata. E.B.	folded-leaved.	——	....	——	H. h.	—— —— 1363.

112	arbutifolia. W.	Arbutus-leav'd.	Switzerland.	1818.	——	H. ħ.	
113	rupestris. E.B.	rock.	Scotland.	....	4.	H. ħ.	Eng. bot. 2342.
114	livida. S.S.	livid.	Lapland.	1824.	——	H. ħ.	
115	longifolia. S.S.	long-leaved.	N.America.	1819.	4. 5.	H. ħ.	Ann. bot. 2. t. 5. f. 6.
116	glauca. E.B.	glaucous.	Scotland.	....	5.	H. ħ.	Eng. bot. 1810.
117	sericea. W.	silky.	Alps Europe.	1816.	——	H. ħ.	Vill. delph. 3. t. 51. f. 27.
118	Stuartiana. E.B.	Stuart's.	Scotland.	....	7. 8.	H. ħ.	Eng. bot. 2586.
119	reticulata. E.B.	wrinkled.	Britain.	....	6. 7.	H. ħ.	——— 1908.
120	hirta. E.B.	hairy-branch'd.	England.	....	4. 5.	H. ħ.	——— 1404.
121	oleifolia. E.B.	Olive-leaved.	Britain.	....	3.	H. ħ.	——— 1402.
122	Croweana. E.B.	Crowe's.	England.	....	4. 5.	H. ħ.	——— 1146.
123	fagifolia. W.	Beech-leaved.	Hungary.	1819.	——	H. ħ.	
124	cordifolia. Ph.	heart-shaped.	N.America.	1811.	——	H. ħ.	
125	planifolia. Ph.	flat-leaved.	Labrador.	——	4. 5.	H. ħ.	
126	falcata. Ph.	sickle-leaved.	N.America.	——	——	H. ħ.	
127	tetrapla. L.en.	elegant.	.....	1824.	....	H. ħ.	
128	obtusa. L.en.	blunt-leaved.	Switzerland.	——	....	H. ħ.	
129	eriantha. L.en.	woolly-flow'r'd.	———	——	....	H. ħ.	
130	cæsia. Vill.	cæsious.	N. Europe.	——	4. 5.	H. ħ.	Vill. delph. 3. t. 50. f. 11.
131	ulmifolia. W.en.	Elm-leaved.	Switzerland.	——	——	H. ħ.	
132	foliosa. W.	leafy.	Lapland.	1818.	——	H. ħ.	
133	obtusifolia. W.	obtuse-leaved.	———	——	——	H. ħ.	
134	atrovirens. Sch.	dark-green.	Switzerland.	1824.	——	H. ħ.	
135	australis. Sch.	southern.	———	——	——	H. ħ.	
136	carpinifolia. Sch.	Hornbeam-l^d.	———	——	3. 4.	H. ħ.	
137	cydoniifolia. Sch.	Cydonia-leav'd.	———	——	——	H. ħ.	
138	subalpina. Sch.	subalpine.	———	——	4. 5.	H. ħ.	
139	protæfolia. Sch.	Protea-leaved.	———	1820.	4.	H. ħ.	
140	strepida. Sch.	creaking.	———	——	——	H. ħ.	
141	glabrata. Sch.	smooth.	———	1823.	4. 5.	H. ħ.	
142	decumbens. Sch.	decumbent.	———	——	——	H. ħ.	
143	heterophylla. Deb.	different-leav'd.	.....	——	——	H. ħ.	
144	murina. Sch.	wall.	Switzerland.	1824.	3. 4.	H. ħ.	
145	nervosa. Sch.	nerved.	———	——	——	H. ħ.	
146	pannosa. Sch.	cloth-leaved.	———	——	4. 5.	H. ħ.	
147	pallescens. Sch.	pallid.	———	——	——	H. ħ.	
148	pallida. Sch.	pale.	———	——	——	H. ħ.	
149	alaternoides. Sch.	Alaternus-like.	———	1823.	——	H. ħ.	
150	albescens. Sch.	whitish.	———	——	——	H. ħ.	
151	annularis. L.C.	annular-leaved.	.....	——	....	H. ħ.	
152	cerasifolia. Sch.	Cherry-leaved.	Switzerland.	1824.	4.	H. ħ.	
153	cinnamomea. Sch.	Cinnamon-scented.	———	——	4. 5.	H. ħ.	
154	clethræfolia. Sch.	Clethra-leaved.	———	——	——	H. ħ.	
155	grisophylla. Sch.	gray-leaved.	———	——	——	H. ħ.	
156	lacustris. Sch.	lake.	———	——	——	H. ħ.	
157	mespilifolia. Sch.	Mespilus-l^d.	———	——	——	H. ħ.	
158	obtuse-serrata. Sch.	bluntly-sawed.	———	——	——	H. ħ.	
159	pyrifolia. Sch.	Pear-leaved.	———	——	——	H. ħ.	
160	Schleicheriana. W.	Schleicher's.	———	——	——	H. ħ.	

POPULUS. L. POPLAR. Dioecia Octandria. L.

1	alba. E.B.	Abele-tree.	Britain.	....	3. 4.	H. ħ.	Eng. bot. 1618.
2	canescens. E.B.	gray.	England.	....	——	H. ħ.	——— 1619.
3	nivea. W.	snowy.	Europe.	....	——	H. ħ.	
4	trepida. W.	trembling.	N.America.	1812.	——	H. ħ.	Mich. arb. 3. t. 8. f. 1.
5	tremula. W.	Aspen.	Britain.	....	3. 4.	H. ħ.	Eng. bot. 1909.
6	lævigata. W.	smooth.	N.America.	1760.	——	H. ħ.	Mich. arb. 3. t. 11.
7	tremuloides. M.	trembling-like.	———	1811.	——	H. ħ.	Duham. arb. 2. t. 58.
8	græca. W.	Athenian.	Archipelago.	1779.	——	H. ħ.	——— 184. t. 54.
9	nigra. W.	black.	Britain.	....	——	H. ħ.	Eng. bot. 1910.
10	hudsonica. M. *betulifolia.* Ph.	American black.	N. America.	....	——	H. ħ.	Mich. arb. 3. t. 10. f. 1.
11	dilatata. W.	Lombardy.	Italy.	1758.	——	H. ħ.	
12	monilifera. W.	Canadian.	Canada.	1772.	3. 5.	H. ħ.	Wats. dend. brit. 102.
13	angulata. WT	Carolina.	Carolina.	1738.	3.	H. ħ.	Mich. arb. 3. t. 12.
14	grandidentata. M.	large-toothed.	N.America.	1812.	4.	H. ħ.	
	β *pendula.* N.	*weeping.*	———	1820.	——	H. ħ.	
15	balsamifera. W.	Tacamahac.	———	1692.	——	H. ħ.	Mich. arb. 3. t. 13. f. 1.
16	candicans. W.	heart-leaved.	———	1772.	3.	H. ħ.	Catesb. car. 1. t. 34.
17	heterophylla. W.	various-leaved.	———	1765.	4. 5.	H. ħ.	Mich. arb. 3. t. 9.

Subordo II. *BETULINÆ*. Kth. synops. 1. p. 363.

ALNUS. W.	Alder. Monœcia Tetrandria. W.						
1 glutinosa. W.	common.	Britain.	....	3. 4.	H. ½.	Eng. bot. 1508.
β *emarginata.*	*emarginate.*	———	....	——	H. ½.	
γ *incisa.* W.	*cut-leaved.*	———	....	——	H. ½.	
δ *laciniata.* W.	*jagged-leaved.*	———	....	——	H. ½.	
ε *quercifolia.*	*Oak-leaved.*	———	....	——	H. ½.	
2 incana. W.	hoary-leaved.	Europe.	1760.	6.	H. ½.	
β *angulata.* H.K.	*angular-leaved.*	———	——	——	H. ½.	
γ *pinnata.*	*pinnated.*	———	....	——	H. ½.	
3 oblongata. W.	oblong-leaved.	S. Europe.	1780.	7.	H. ½.	
β *elliptica.*	*elliptic-leaved.*	———	——	——	H. ½.	
4 undulata. W.	undulate.	N. America.	1782.	5. 6.	H. ½.	
crispa. Ph. *Betula crispa.* H.K.						
5 serrulata. W.	notch-leaved.	———	1769.	3.	H. ½.	Abb. ins. 2. t. 92.
6 cordifolia. T.P.	heart-leaved.	Naples.	1820.	3. 4.	H. ½.	
7 macrophylla. Desf.	large-leaved.	.....	1823.	....	H. ½.	
8 rubra. Desf.	red.	.....	——	....	H. ½.	
9 pumila. L.C.	dwarf.	.....	——	....	H. ½.	
10 oxyacanthifolia. L.C.	Hawthorn-l^d.	.....	1812.	....	H. ½.	
11 subrotunda. Desf.	roundish-leav'd.	.....	1822.	....	H. ½.	
BETULA. W.	Birch. Monœcia Polyandria. L.					
1 alba. W.	common.	Britain.	....	4. 6.	H. ½.	Eng. bot. 2198.
β *verrucosa.* Ehr.	*warted.*	———	....	——	H. ½.	
γ *pendula.* Roth.	*weeping.*	———	....	——	H. ½.	
δ *dalecarlica.* L.	*palmate-leaved.*	.....	....	——	H. ½.	
ε *pontica.* W.D.	*eastern.*	Asia.	....	——	H. ½.	Wats. dend. brit. 94.
ζ *macrocarpa.*	*large-fruited.*	.....	....	——	H. ½.	
2 pubescens. P.S.	pubescent.	Europe.	....	4. 6.	H. ½.	
3 populifolia. W.	Poplar-leaved.	N. America.	1750.	7.	H. ½.	Wats. dend. brit. 151.
4 excelsa. W.	tall.	———	1767.	5.	H. ½.	——————— 95.
5 davurica. W.	Daurian.	Dauria.	1786.	7.	H. ½.	Pall. ros. 1. t. 39.
6 nigra. W.	black.	N. America.	1736.	7. 8.	H. ½.	Wats. dend. brit. 153.
7 lutea. M.	yellow.	———	1816.	5. 6.	H. ½.	
8 lanulosa. M.	woolly.	———	1812.	——	H. ½.	
rubra. Mich. arb. 3. t. 8.						
9 papyracea. W.	paper.	———	1750.	5. 6.	H. ½.	Wats. dend. brit. 151.
10 lenta. W.	soft.	———	1759.	7.	H. ½.	——————— 144.
11 carpinifolia. W.en.	Hornbeam-l^d.	———	1812.	——	H. ½.	
12 ovata. W.	oval-leaved.	Europe.	....	6. 7.	H. ½.	Wats. dend. brit. 96.
viridis. Vill. *Alnus viridis.* DC.						
13 fruticosa. W.	shrubby.	Siberia.	1816.	——	H. ½.	Wats. dend. brit. 154.
14 glandulosa. M.	glandular.	N. America.	——	5.	H. ½.	
15 pumila. W.	hairy dwarf.	———	1762.	4. 5.	H. ½.	Wats. dend. brit. 97.
16 nana. W.	smooth dwarf.	Scotland.	....	5.	H. ½.	Eng. bot. 2326.
β *macrophylla.* Sch.	*large-leaved.*	Switzerland.	1823.	——	H. ½.	
17 tristis. L.en.	dark.	Kamtschatka.	1824.	....	H. ½.	
CARPINUS. W.	Hornbeam. Monœcia Polyandria. L.					
1 Betulus. W.	common.	Britain.	....	3. 5.	H. ½.	Eng. bot. 2032.
β *variegata.*	*striped-leaved.*	———	....	——	H. ½.	
γ *incisa.* H.K.	*cut-leaved.*	.....	....	——	H. ½.	
δ *quercifolia.* Desf.	*Oak-leaved.*	.....	....	——	H. ½.	
2 americana. W.	American.	N. America.	1812.	——	H. ½.	Wats. dend. brit. 157.
3 orientalis. W.	eastern.	Levant.	1739.	5. 6.	H. ½.	——————— 98.
OSTRYA. W.	Hop-hornbeam. Monœcia Polyandria. W.					
1 vulgaris. W.	common.	Italy.	1724.	5.	H. ½.	Wats. dend. brit. 143.
2 virginica. W.	American.	N. America.	1692.	5. 6.	H. ½.	Abb. ins. 2. t. 75.
CORYLUS. W.	Nut-tree. Monœcia Polyandria. L.					
1 Avellana. W.	common Hazel.	Britain.	....	2. 4.	H. ½.	Eng. bot. 723.
β *alba.* H.K.	*white Filbert.*	.....	....	——	H. ½.	
γ *rubra.* H.K.	*red Filbert.*	.....	....	——	H. ½.	
δ *ovata.* Lam.	*oval-fruited.*	.....	....	——	H. ½.	
ε *barcelonensis.* L.C.	*Barcelona.*	Spain.	....	——	H. ½.	
ζ *grandis.* H.K.	*Cob.*	.....	....	——	H. ½.	
η *glomerata.* H.K.	*clustered.*	.....	....	——	H. ½.	
2 tubulosa. W.	Lambert's.	S. Europe.	1759.	3. 4.	H. ½.	Lam. ill. t. 780.

3 americana. w.	Cuckold.	N.America.	1798.	——	H. ½.	Wang. am. t. 29. f. 63.
4 humilis. w.	dwarf cuckold.	——	....	——	H. ½.	
5 rostrata. w.	common cuckold.	——	1745.	——	H. ½.	Willd. arb. t. 1. f. 2.
6 Colurna. w.	Constantinople.	Constantinople.	1665.	—	H. ½.	Wats. dend. brit. 99.

SUBORDO III. *CUPULIFERÆ*. Kth. synops. 1. p. 353.

QUERCUS. W.	OAK. Monœcia Polyandria. L.					
1 Phellos. w.	Willow-leaved.	N.America.	1723.	5. 6.	H. ½.	Mich. arb. 1. t. 12.
β *humilis*. Ph.	*dwarf*.	—— ——	1812.	——	H. ½.	Catesb. car. 1. t. 22.
2 maritima. w.	sea.	—— ——	1811.	——	H. ½.	Mich. querc. t. 13. f. 1.
3 sericea. w.	running.	—— ——	1724.	——	H. ½.	Mich. arb. 2. t. 15.
4 virens. w.	live.	—— ——	1739.	5.	H. ½.	—— 2. t. 11.
5 cinerea. w.	ash-coloured.	—— ——	1789.	5. 6.	H. ½.	—— 2. t. 14.
6 imbricaria. w.	tile-cupped.	—— ——	1786.	——	H. ½.	—— —— 2. t. 13.
7 laurifolia. w.	Laurel-leaved.	—— ——	——	5.	H. ½.	Mich. querc. t. 17.
β *obtusa*. Ph.	*blunt-leaved*.	—— ——	——	——	H. ½.	—— —— t. 18.
8 lutea. w.	yellow.	Mexico.	1825.	....	H. ½.	
9 glauca. w.	glaucous.	Japan.	1822.	....	H. ½.	Banks ic. Kæmp. t. 17.
10 gramuntia. w.	Holly-leaved.	S. France.	1730.	6.	H. ½.	
11 Ballota. w.	Barbary.	Barbary.	1818.	....	H. ½.	
12 rotundifolia. w.	round-leaved.	Spain.	——	....	H. ½.	
13 Ilex. w.	evergreen.	S. France.	1581.	5. 6.	H. ½.	Wats. dend. brit. 90.
α *integrifolia*. H.K.	*entire-leaved*.	—— ——	——	——	H. ½.	
β *serrata*. H.K.	*saw-leaved*.	—— ——	——	——	H. ½.	Duham. arb. 1. t. 123.
γ *oblonga*. H.K.	*long-leaved*.	—— ——	——	——	H. ½.	—— —— 1. t. 124.
δ *fagifolia*. L.C.	*Beech-leaved*.	—— ——	....	——	H. ½.	
ε *crispa*. L.C.	*curl-leaved*.	—— ——	....	——	H. ½.	
14 Suber. w.	Cork-tree.	—— ——	1699.	6.	H. ½.	Wats. dend. brit. 89.
15 coccifera. w.	Kermes.	—— ——	1688.	5.	H. ½.	—— —— —— —— 91.
16 infectoria. w.	Levant.	Levant.	1812.	....	H. ½.	
17 Turneri. w.en.	Turner's.	—— ——	——	....	H. ½.	
18 Prinus. w.	Chestnut-leaved.	N.America.	1730.	5. 6.	H. ½.	Mich. arb. 2. t. 7.
19 bicolor. w.	white swamp.	—— ——	1811.	5.	H. ½.	—— 2. t. 6.
20 montana. w.	rock Chestnut.	—— ——	1800.	——	H. ½.	—— —— 2. t. 8.
21 Castanea. w.	yellow Chestnut	—— ——	1816.	——	H. ½.	—— —— 2. t. 9.
22 prinoides. w. *Chinquapin*. Ph.	dwarf Chestnut.	—— ——	——	——	H. ½.	—— —— 2. t. 10.
23 heterophylla. Ph.	various-leaved.	—— ——	....	——	H. ½.	—— 2. t. 16.
24 aquatica. Ph.	water.	—— ——	1723.	——	H. ½.	—— 2. t. 17.
25 hemisphærica. w.	hemispherical.	—— ——	1816.	——	H. ½.	Mich. querc. t. 20. f. 2.
26 nana. w.	dwarf.	—— ——	1738.	——	H. ½.	Abb. ins. 2. t. 59.
27 triloba. w.	three-lobed.	—— ——	1800.	——	H. ½.	Mich. querc. t. 26.
28 nigra. w.	black.	—— ——	1739.	——	H. ½.	Mich. arb. 2. t. 18.
29 tinctoria. w.	dyer's.	—— ——	1800.	——	H. ½.	Mich. querc. t. 24.
30 discolor. w.	two-coloured.	—— ——	1763.	——	H. ½.	—— —— t. 25.
31 lanuginosa. D.P.	Nepaul.	Nepaul.	1818.	....	G. ½.	
32 coccinea. w.	scarlet.	N.America.	1691.	5.	H. ½.	Mich. arb. 2. t. 23.
33 ambigua. M.	gray.	—— ——	1800.	——	H. ½.	—— 2. t. 24.
34 rubra. w.	champion.	—— ——	1739.	5.	H. ½.	—— —— 2. t. 26.
35 Catesbæi. w.	barren scrub.	—— ——	1820.	——	H. ½.	—— —— 2. t. 20.
36 falcata. M. *elongata*. w.	downy-leaved.	—— ——	1763.	——	H. ½.	—— —— 2. t. 21.
37 palustris. w.	marsh.	—— ——	1800.	——	H. ½.	—— —— 2. t. 25.
38 Banisteri. w. *ilicifolia*. w.	Banister's.	—— ——	——	——	H. ½.	—— —— 2. t. 19.
39 stellata. w. *obtusiloba*. M.	starred.	—— ——	——	——	H. ½.	—— —— 2. t. 4.
40 macrocarpa. w.	overcup white.	—— ——	1800.	——	H. ½.	—— —— 2. t. 3.
41 pseudo-suber. w.	cork-like.	Spain.	1818.	——	H. ½.	Sant. itin. t. 4.
42 Ægilops. w.	Velanida.	S. Europe.	1731.	....	H. ½.	Mill. dict. n. 7. t. 215.
43 alba. w.	white.	N.America.	1724.	5.	H. ½.	Mich. arb. 2. t. 1.
44 repanda. L.en.	repand.	—— ——	....	——	H. ½.	Mich. querc. t. 5. f. 2.
45 Esculus. w.	Italian.	S. Europe.	1739.	——	H. ½.	

46 Robur. W. *sessiliflora.* E.B.	sessile-fruited.	Britain.	....	4. 5.	H. ½.	Eng. bot. 1845.
47 pedunculata. W. *Robur.* E.B. not W.	common.	———	....	———	H. ½.	Eng. bot. 1842.
48 pubescens. W.	Durmast.	England.	....	———	H. ½.	Second. d. chen. t. 5.
49 conglomerata. P.S.	clustered.	Europe.	....	———	H. ½.	
50 olivæformis. M.	mossy-cup.	N.America.	1811.	5.	H. ½.	Mich. arb. 2. t. 2.
51 lyrata. W.	lyre-leaved.	———	1786.	———	H. ½.	——— 2. t. 5.
52 Tauzin. P.S.	soft jagged-lf.	S. Europe.	....	———	H. ½.	
β *laciniata.* Desv.	*cut-leaved.*	———	....	———	H. ½.	
γ *digitata.* Desv.	*fingered.*	———	....	———	H. ½.	
53 Cerris. W.	Turkey.	———	1735.	———	H. ½.	Wats. dend. brit. 92.
α *frondosa.* H.K.	*common.*	———	———	———	H. ½.	
β *bullata.* H.K.	*rough-leaved.*	———	———	———	H. ½.	
γ *sinuata.* H.K.	*narrow-leaved.*	———	———	———	H. ½.	
δ *dentata.* W.D.	*Fulham.*	———	....	6.	H. ½.	Wats. dend. brit. 93.
54 Lucombeana. *exoniensis.* L.C.	Lucombe's.	.....	....	5. 6.	H. ½.	
55 austriaca. W.en.	Austrian.	Austria.	....	4. 5.	H. ½.	Clus. hist. 1. p. 20. c. ic.
56 mexicana. K.S.	Mexican.	Mexico.	1824.	....	G. ½.	H. et B. pl. æq. 2. t. 82.
57 spicata. K.S.	spiked.	———	———	....	G. ½.	——— 2. t. 89.
58 Bonplandiana. *ambigua.* K.S. not M.	Bonpland's.	———	———	....	G. ½.	——— 2. t. 93.
FAGUS. W.	BEECH. Monœcia Polyandria. L.					
1 americana. *sylvatica.* Ph.	white.	N. America.	....	5.	H. ½.	Mich. arb. 2. t. 8.
2 sylvatica. W.	common.	Britain.	....	4. 5.	H. ½.	Eng. bot. 1846.
β *purpurea.* H.K.	*dark purple.*	Germany.	....	———	H. ½.	
3 ferruginea. W.	ferruginous.	N.America.	1796.	5. 6.	H. ½.	Mich. arb. 2. t. 9.
4 comptoniæfolia. Desf. *sylvatica* γ *asplenifolia.* H.S.L.	Fern-leaved.	.....	....	———	H. ½.	
CASTANEA. G.	CHESTNUT. Monœcia Polyandria. W.					
1 americana. P.S.	American.	N.America.	....	5. 6.	H. ½.	Mich. arb. 2. t. 6.
2 vesca. W.	common.	England.	....	———	H. ½.	Eng. bot. 886.
β *variegata.*	*striped-leaved.*	———	....	———	H. ½.	
γ *asplenifolia.*	*fern-leaved.*	.....	....	———	H. ½.	
3 pumila. W.	dwarf.	N.America.	1699.	7.	H. ½.	Mich. arb. 2. t. 7.
?SALISBURIA. L.T.	MAIDENHAIR-TREE. Monœcia Polyandria. H.K.					
adiantifolia. L.T. *Gingko biloba.* L.	Japan.	Japan.	1754.	4. 5.	H. ½.	Wats. dend. brit. 168.

SUBORDO IV. *PLATANEÆ.*

PLATANUS. W.	PLANE-TREE. Monœcia Polyandria. L.					
1 orientalis. W.	oriental.	Levant.	1548.	4. 5.	H. ½.	Wats. dend. brit. 161.
2 cuneata. W.	wave-leaved.	———	1739.	———	H. ½.	
3 acerifolia. W.	Maple-leaved.	———	1724.	....	H. ½.	
4 occidentalis. W.	American.	N.America.	1640.	———	H. ½.	Wats. dend. brit. 160.
LIQUIDAMBAR. W.	SWEET-GUM-TREE. Monœcia Polyandria. L.					
1 Styraciflua. W.	Maple-leaved.	N.America.	1683.	3. 4.	H. ½.	Catesb. car. 2. t. 65.
2 imberbe. W.	oriental.	Levant.	1759.	....	H. ½.	

SUBORDO V. *MYRICEÆ.* Kth. synops. 1. p. 361.

COMPTONIA. W.	COMPTONIA. Monœcia Triandria. W.					
asplenifolia. W.	Fern-leaved.	N.America.	1714.	3. 5.	H. ½.	Wats. dend. brit. 166.
MYRICA. W.	CANDLEBERRY-MYRTLE. Dioecia Tetrandria. L.					
1 Gale. W.	Sweet Gale.	Britain.	....	5.	H. ½.	Eng. bot. 562.
2 cerifera. W.	common.	N.America.	1699.	5. 6.	H. ½.	Catesb. car. 1. t. 69.
3 carolinensis. Ph.	broad-leaved.	———	1730.	5.	H. ½.	——— 1. t. 13.
4 pensylvanica. Ph.	Pensylvanian.	———	....	———	H. ½.	Duham. arb. ed. n. 2. t. 55
5 Faya. W.	Azorian.	Azores.	1777.	6. 7.	F. ½.	——— 2. t. 56.

6 mexicana. W.en.	Mexican.	Mexico.	1824.	6. 8.	G. ½.	
7 esculenta. D.P.	eatable.	Nepaul.	——	....	G. ½.	
8 segregata. W.	netted-leaved.	S. America.	——	....	G. ½.	Jacq. ic. 3. t. 625.
9 æthiopica. W.	African.	C. B. S.	1795.	6. 7.	G. ½.	Pluk. alm. t. 48. f. 8.
10 serrata. W.	saw-leaved.	————	1793.	8.	G. ½.	Burm. afr. t. 98. f. 1.
11 laciniata. W.en.	smooth Oak-ld.	————	1752.	6. 7.	G. ½.	Jacq. frag. 2. t. 1. f. 4.
12 quercifolia. W.en.	hairy Oak-ld.	————	——	——	G. ½.	
13 cordifolia. W.	heart-leaved.	————	1759.	5. 7.	G. ½.	Pluk. alm. t. 319. f. 7.
CASUARINA. W.	CASUARINA.	Monœcia Monandria. W.				
1 equisetifolia. W.	Horse-tail.	S. Sea Isl.	1793.	....	S. ½.	Rumph. amb. 3. t. 57.
2 nodiflora. W.	knotted-flower'd	————	1818.	....	S. ½.	
3 stricta. W.	upright.	N. S. W.	1775.	11. 2.	G. ½.	Andr. reposit. 346.
4 distyla. W.	two-styled.	————	1812.	——	G. ½.	Vent. dec. pl. nov. t. 62.
5 quadrivalvis. P.S.	four-valved.	N. Holland.	——	——	G. ½.	Lab. nov. hol. 2. t. 218.
6 torulosa. W.	cork-barked.	N. S. W.	1772.	4. 6.	G. ½.	
7 muricata. L.en.	muricate.	E. Indies.	1816.	....	S. ½.	

ORDO CLX.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.	WITCH-HAZEL.	Tetrandria Digynia. L.				
1 virginica. W.	Virginian.	N. America.	1736.	11. 5.	H. ½.	Lodd. bot. cab. 598.
2 macrophylla. Pb.	large-leaved.	————	1812.	——	H. ½.	
FOTHERGILLA. W.	FOTHERGILLA.	Polyandria Digynia. L.				
1 alnifolia. W.	obtuse-leaved.	N. America.	1765.	4. 6.	H. ½.	Botan. magaz. 1341.
2 major. B.M.	large-leaved.	————	——	5. 6.	H. ½.	———— 1342.
3 Gardeni. Jacq.	acute-leaved.	————	——	——	H. ½.	Jacq. ic. 1. t. 100.
4 serotina. B.M.	green-leaved.	————	——	——	H. ½.	

ORDO CLXI.

CONIFERÆ. *Juss. gen.* 411.

SUBORDO I. *TAXINÆ.* Richard.

EPHEDRA. W.	EPHEDRA.	Dicœcia Monadelphia. L.				
1 distachya. W.	great.	France.	1570.	6. 7.	H. ½.	Schk. hand. 3. t. 339.
2 monostachya. W.	small.	Siberia.	1772.	9. 11.	H. ½.	Wats. dend. brit. 142.
3 altissima. W.	tall.	Barbary.	1823.	....	H. ½.	Desf. atl. 2. t. 253.
TAXUS. W.	YEW-TREE.	Dicœcia Monadelphia. L.				
1 baccata. W.	common.	Britain.	....	2. 4.	H. ½.	Eng. bot. 746.
2 canadensis. W.	Canadian.	Canada.	1818.	——	H. ½.	
3 ? nucifera. W.	Acorn-bearing.	China.	1764.	....	G. ½.	Kæmpf. amœn. t. 815.
PODOCARPUS. L'H.	PODOCARPUS.	Monœcia Monadelphia.				
1 aspleniifolia. P.S.	Fern-leaved.	V. Diem. Isl.	1825.	....	G. ½.	Lab. n. holl. 2. t. 221.
2 elongata. P.S.	African.	C. B. S.	1774.	7.	G. ½.	
3 chinensis.	Chinese.	China.	....	5. 7.	H. ½.	
Taxus chinensis. H.B.						
4 verticillata.	whorl-leaved.	Japan.	1812.	....	G. ½.	
5 macrophylla. L.en.	large-leaved.	China.	1804.	7. 8.	G. ½.	Kæmpf. ic. t. 24.
6 nereifolia. L.P.	Wax-Dammar.	P. Wales Isl.	1809.	....	S. ½.	Rumph. amb. 3. t. 26.

Subordo II. *CUPRESSINÆ*. Richard.

JUNIPERUS. W.	Juniper.	Dicœcia Monadelphia. L.					
1 thurifera. W.	Spanish.	S. Europe.	1752.	5. 6.	H. ½.		
2 barbadensis. W.	Barbadoes.	Barbadoes.	1811.	....	G. ½.	Pluk. alm. t. 197. f. 4.	
3 bermudiana. W.	Bermudas Cedar.	Bermudas.	1683.	5. 6.	F. ½.	Herm. lugd. t. 347.	
4 chinensis. W.	Chinese.	China.	1804.	6. 6.	H. ½.		
5 excelsa. W.	tall.	Siberia.	1806.	....	H. ½.		
6 Sabina. W.	Savin.	S. Europe.	1548.	5. 6.	H. ½.		
β *variegata.*	*variegated.*	———	——	——	H. ½.		
7 tamariscifolia.	Tamarisk-ld.	———	——	——	H. ½.		
8 prostrata. P.S.	prostrate.	N. America.	....	——	H. ½.		
9 daurica. A.R.	Daurian.	Dauria.	1791.	6. 8.	H. ½.	Andr. reposit. 534.	
10 virginiana. W.	red Cedar.	N. America.	1664.	5. 6.	H. ½.	Mich. arb. 3. t. 5.	
11 glauca. W.en.	glaucous.	China.	1814.	——	H. ½.		
12 recurva. D.P.	recurve-branch'd.	Nepaul.	1822.	....	H. ½.		
13 communis. W.	common.	Britain.	....	5. 6.	H. ½.	Eng. bot. 1100.	
14 suecica. Mill.	Swedish.	N. Europe.	....	——	H. ½.		
15 nana. W.	dwarf.	Siberia.	1815.	——	H. ½.	Pall. ros. 2. t. 54. f. A. B.	
16 Oxycedrus. W.	brown-berried.	Spain.	1739.	——	H. ½.	Duham. arb. 2. t. 128.	
17 phœnicea. W.	Phœnician.	S. Europe.	1683.	——	H. ½.	Pall. ros. 2. t. 57.	
18 lycia. W.	Lycian.	———	1693.	——	H. ½.	——— 2. t. 56.	
19 capensis. Lam.	Cape.	C. B. S.	1816.	....	G. ½.		
20 drupacea. Lab.	drupaceous.	.....	——	....	H. ½.		
THUJA. W.	Arbor-vitæ.	Monœcia Monadelphia. L.					
1 occidentalis. W.	American.	N. America.	1596.	5.	H. ½.	Wats. dend. brit. 150.	
2 pyramidalis. T.P.	pyramidal.	.....	1824.	——	H. ½.		
3 orientalis. W.	Chinese.	China.	1752.	2. 3.	H. ½.	Wats. dend. brit. 149.	
4 plicata. L.P.	Nee's.	Nootka sound.	1796.	——	H. ½.	Lamb. pin. v. 2. p. 19. t.	
5 cupressoides. W.	African.	C. B. S.	1799.	....	G. ½.		
6 articulata. W.	jointed.	Barbary.	1815.	2. 5.	F. ½.	Vahl. symb. 2. t. 48.	
7 pendula. L.P.	weeping.	Tartary.	1810.	——	H. ½.	Lamb. pin. v. 2.	
CUPRESSUS. W.	Cypress.	Monœcia Monadelphia. L.					
1 sempervirens. W.	common.	Candia.	1548.	5.	H. ½.	Pall. ros. 2. t. 53.	
α *stricta.*	*upright.*	———	——	——	H. ½.		
β *horizontalis.*	*horizontal.*	———	——	——	H. ½.		
2 lusitanica. W.	Cedar of Goa.	Goa.	1683.	4. 5.	F. ½.	Lamb. pin. 95. t. 42.	
3 pendula. Th.	pendulous.	Japan.	1818.	....	F. ½.		
4 thyoides. W.	white Cedar.	N. America.	1736.	4. 5.	H. ½.	Wats. dend. brit. 156.	
5 bacciformis. W.en.	berry-like.	....	1818.	——	H. ½.		
6 juniperoides. W.	African.	C. B. S.	1756.	——	G. ½.		
7 australis. P.S.	New Holland.	N. Holland.	....	——	G. ½.		
TAXODIUM. Rich.	Taxodium.	Monœcia Monadelphia.					
distichum. Rich.	deciduous.	America.	1640.	5.	H. ½.	Mich. arb. 3. t. 1.	
Cupressus disticha. W. *Schubertia.* Mirb.							
α *patens.* H.K.	*spreading.*	———	——	——	H. ½.		
β *nutans.* H.K.	*long-leaved.*	———	——	——	H. ½.		
DACRYDIUM. L.P.	Dacrydium.	Monœcia Monadelphia.					
cupressinum. L.P.	N. Zealand spruce.	N. Zealand.	1825.	....	G. ½.	Lamb. pin. v. 1. t. 41.	

Subordo III. *ABIETINÆ*. Richard.

DAMMARA. L.P.	Dammara.	Monœcia Monadelphia. L.en.				
1 australis. L.P.	Cowrie-tree.	N. Zealand.	1823.	....	G. ½.	Lamb. pin. 2. p. 14. t. 6.
2 orientalis. L.P.	Amboyna pitch-tree.	Amboyna.	1804.	....	S. ½.	—— v. 1. t. 38. - v. 2. p. 16.
loranthifolia. L.en. *Pinus Dammara.* W. *Agathis loranthifolia.* Sal.						
ARAUCARIA. J.	Araucaria.	Dicœcia Monadelphia. W.				
1 imbricata. W.	Chili Pine.	Chili.	1796.	....	H. ½.	Lamb. pin. 2. p. 9. t. 4. B.
2 brasiliana. L.P.	Brazil Pine.	Brazil.	1816.	....	G. ½.	——— 2. p. 12. t. 5.
3 excelsa. H.K.	Norfolk Island.	Norfolk Isl.	1793.	....	G. ½.	——— 1. t. 39. 40.
Dombeya excelsa. L.P.						

BELIS. L.T.	Belis.	Monœcia Monadelphia. L.en.					
jaculifolia. L.T.	spear-leaved.	China.	1804.	....	G. h.	Lamb.pin.1. p.52. t.34.	
Pinus lanceolata. L.P.							
PINUS. W.	Pine or Fir.	Monœcia Monadelphia. W.					
1 sylvestris. W.	Scotch.	Scotland.	....	5.	H. h.	Lamb. pin. 1. t. 1.	
2 Laricio. P.S.	Corsican.	Corsica.	1814.	4. 5.	H. h.	—— v. 2. p. 28. t. 9.	
3 uncinata. DC.	hooked.	Pyrenees.	1820.	....	H. h.		
4 Pumilio. W.	upright-coned.	Carniola.	1779.	4. 5.	H. h.	Lamb. pin. p. 5. t. 2.	
5 Mughus. W.	nodding-coned.	Austria.	....	——	H. h.	Jacq. ic. 1. t. 198.	
6 pungens. M.	prickly-coned.	N.America.	1804.	....	H. h.	Mich. arb. 1. t. 5.	
7 Banksiana. Ph.	Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H. h.	Lamb. pin. p. 7. t. 3.	
8 Pallasiana. L.P.	Pallas's.	Crimea.	1804.	——	H. h.	—— v. 2. p. 1. t. 1.	
9 Pinaster. W.	cluster.	S. Europe.	1596.	4. 5.	H. h.	—— v. 1. p. 9. t. 4.5.	
10 Pinea. W.	stone.	——	1548.	5.	H. h.	—— v.1.p.11.t.6.7.8.	
11 maritima. W.	maritime.	——	1759.	5. 6.	H. h.	—— v. 2. p. 30. t. 10.	
12 halepensis. W.	Aleppo.	Levant.	1683.	5.	H. h.	—— v.1. p. 15. t.11.	
13 inops. Ph.	Jersey.	N.America.	1739.	——	H. h.	—— v.1. p. 18. t.13.	
14 resinosa. Ph.	pitch.	——	1756.	——	H. h.	—— v.1. p. 20. t.14.	
15 variabilis. Ph.	2 and 3-leaved.	——	1739.	5. 6.	H. h.	—— v.1. p. 22. t.15.	
16 canariensis. L.en.	Canary.	Canaries.	1815.	....	G. h.		
17 Clanbrassiliana. L.C.	dwarf.	.....	1810.	....	H. h.		
18 Tæda. Ph.	frankincense.	N.America.	1713.	5. 6.	H. h.	—— v.1.p.23.t.16.17.	
19 serotina. Ph.	Fox-tail.	——	——	——	H. h.	Mich. arb. 1. t. 7.	
20 rigida. Ph.	three-leaved.	——	1759.	——	H. h.	Lamb.pin.p.25.t.18.19	
21 palustris. Ph.	swamp.	——	1730.	....	H. h.	—— p. 27. t. 20.	
22 longifolia. W.	long-leaved.	E. Indies.	1801.	....	H. h.	—— p. 29. t. 21.	
23 occidentalis. W.	West Indian.	W. Indies.	1820.	....	S. h.	Plum. sp. 17. t. 161.	
24 Cembra. W.	Siberian stone.	Siberia.	1746.	5.	H. h.	Lamb.pin.p.34.t.23.24.	
25 Strobus. W.	Weymouth.	N.America.	1705.	4.	H. h.	—— p. 31. t. 22.	
26 excelsa. D.P.	Bhotan.	Nepaul.	1822.	....	H. h.	—— v. 2. p. 5. t. 3.	
27 Cedrus. W.	Cedar of Lebanon.	Levant.	1683.	5.	H. h.	—— v.1. p. 59. t.37.	
28 Deodara. L.P.	Indian Cedar.	Nepaul.	1822.	....	H. h.	—— v. 2. p. 8. t. 4.	
29 pendula. W.	black Larch.	N.America.	1739.	5.	H. h.	—— v.1. p. 56. t.36.	
30 microcarpa. W.	red Larch.	——	1760.	——	H. h.	—— p. 58. t. 37.	
31 Larix. W.	common Larch.	Germany.	1629.	3. 4.	H. h.	—— p. 53. t. 35.	
32 canadensis. W.	hemlockSpruce.	N.America.	1736.	5.	H. h.	—— p. 50. t. 32.	
33 dumosa. D.P.	bushy.	Nepaul.	1820.	....	H. h.		
34 taxifolia. Ph.	Yew-leaved.	Columbia.	1822.	....	H. h.	Lam. pin.v.1.p.51.t.33.	
35 nigra. Ph.	black Spruce.	N.America.	1700.	5.	H. h.	—— v. 1. p.41. t.27.	
36 rubra. Ph.	red Spruce.	——	1755.	——	H. h.	—— v.1. p. 43. t.28.	
37 alba. Ph.	white Spruce.	——	1700.	5. 6.	H. h.	—— v.1. p. 39. t.26.	
38 Abies. W.	Norway Sprnce.	N. Europe.	1548.	4.	H. h.	—— v.1. p.37. t. 25.	
39 Picea. W.	silver Fir.	Germany.	1603.	5.	H. h.	—— p. 46. t. 30.	
40 spectabilis. D.P.	purple-coned.	Nepaul.	1825.	....	H. h.	—— v. 2. p. 3. t. 2.	
41 Balsamea. W.	Balm of Gilead.	N.America.	1696.	5.	H. h.	—— v. 1. p. 48. t.31.	
42 Fraseri. Ph.	double balsam.	Pensylvania.	1811.	——	H. h.		
43 aduncа. Bosc.	crooked.	.....	1822.	....	H. h.		
44 Romania. H.Bel.	Roman.	.....	——	....	H. h.		
45 sibirica. Dst.	Siberian.	Siberia.	——	....	H. h.		
46 Pichta. F.	pigmy.	——	1824.	....	H. h.		
47 orientalis. W.	oriental.	Levant.	——	....	H. h.	Lamb.pin.v.1.p.45.t.29	

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* *SUBCLASSIS* 1. *PHANEROGANEÆ.* DC.

ORDO CLXII.

CYCADEÆ. *Brown prodr.* 346.

ZAMIA. W.	ZAMIA. Dicœcia Polyandria. W.						
1 pungens. W.	needle.	C. B. S.	1775.	....	G. ħ.	Till. pis. 129. t. 45.
2 cycadifolia. W.	Cycas-leaved.	———	——	....	G. ħ.	Jacq. frag. 1. t. 25. 26.
3 tridentata. W.	three-toothed.	———	1820.	....	G. ħ.	
4 angustifolia. Jac.	narrow-leaved.	Bahama Isl.	....	7. 8.	S. ħ.	Jacq. ic. 3. t. 636.
5 tenuis. W.	slender-leaved.	———	1823.	....	S. ħ.	
6 media. W.	intermediate.	W. Indies.	....	7. 8.	S. ħ.	Botan. magaz. 1838.
7 debilis. W.	weak.	———	1777.	——	S. ħ.	Comm. hort. 1. t. 58.
8 integrifolia. W.	dwarf.	———	1768.	——	S. ħ.	Botan. magaz. 1851.
9 pygmæa. B.M.	least.	———	....	5.	S. ♃.	——— 1741.
10 furfuracea. W.	chaffy.	———	1691.	7. 8.	S. ħ.	Trew ehret. t. 61.
11 spiralis. B.P.	spiral.	N. S. W.	1796.	——	G. ♃.	
12 longifolia. W.	long-leaved.	C. B. S.	1820.	....	G. ħ.	Jacq. frag. 1. t. 29.
13 lanuginosa. W.	woolly.	———	....	....	G. ħ.	——— 1. t. 30. 31.
14 Cycadis. W.	Cycas-like.	———	1775.	....	G. ħ.	Thunb. a. ups. 2. t. 6.
15 horrida. W.	glaucous spiny.	———	1800.	....	G. ħ.	Jacq. frag. t. 27. 28.
16 latifolia. L.C.	broad-leaved.	.....	....	....	G. ħ.	
17 prunifera. L.C.	Plum-like.	.....	....	....	S. ħ.	
18 pumila. L.C.	small.	.....	....	....	S. ♃.	
19 repanda. L.C.	repand.	.....	....	....	S. ħ.	
CYCAS. W.	CYCAS. Dicœcia Polyandria. W.						
1 circinalis. W.	broad-leaved.	E. Indies.	1700.	....	S. ħ.	Rheed. mal. 3. t. 13-21
2 glauca. L.en.	glaucous-ld.	———	1814.	....	S. ħ.	
3 revoluta. W.	narrow-leaved.	China.	1737.	7. 8.	S. ħ.	Linn. trans. 6. t. 29.
4 squamosa. L.C.	scaly.	.....	....	...	S. ħ.	

ORDO CLXIII.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISNERIA. L.	VALLISNERIA.	Dicœcia Diandria. L.				
spiralis. L.	spiral.	S. Europe.	1818.	....	G. w. ♃.	Mich. n. g. 12. t. 10. f. 1. 2.
HYDROCHARIS. L.	FROG-BIT.	Dicœcia Enneandria. L.				
Morsus-ranæ. L.	common.	Britain.	....	6. 7.	H. w. ♃.	Eng. bot. 808.
DAMASONIUM. W.	DAMASONIUM.	Hexandria Polygynia. W.				
1 indicum. W.	Indian.	E. Indies.	1800.	7. 9.	S. w. ♃.	Botan. magaz. 1201.
2 ovalifolium. B.P.	oval-leaved.	N. S. W.	1820.	——	G. w. ♃.	
STRATIOTES. W.	WATER-SOLDIER.	Dicœcia Dodecandria. L.				
aloides. W.	Aloe-like.	England.	....	6. 7.	H. w. ♃.	Eng. bot. 379.

ORDO CLXIV.

ALISMACEÆ. *Kth. synops.* 1. *p.* 261.

SAGITTARIA. W.	**Arrow-head.**	**Monœcia Polyandria. L.**				
1 sagittifolia. W.	common.	England.	....	6. 8.	H.w.♀.	Eng. bot. 84.
2 latifolia. Ph.	broad-leaved.	N.America.	1816.	6. 8.	H.w.♀.	
3 sinensis. B.M.	Chinese.	China.	1812.	9. 11.	G.w.♀.	Botan. magaz. 1631.
4 obtusifolia.	blunt-leaved.	———	1804.	7. 8.	G.w.♀.	Rheed. mal. 11. t. 45.
5 Doniana.	Don's.	Nepaul.	1820.	——	G.w.♀.	
hastata. D.P. *non* Ph.						
6 hastata. Ph.	hastate-leaved.	N.America.	1816.	——	H.w.♀.	
7 obtusa. Ph.	obtuse-leaved.	———	1822.	6. 9.	H.w.♀.	
8 heterophylla. Ph.	various-leaved.	———	——	6. 8.	H.w.♀.	
9 lancifolia. W.	lance-leaved.	W. Indies.	1787.	6. 7.	G.w.♀.	Botan. magaz. 1792.
10 falcata. Ph.	falcate-leaved.	Carolina.	1811.	——	H.w.♀.	
11 rigida. B.M.	brittle-leaved.	N.America.	1806.	——	H.w.♀.	——— 1632.
12 graminea. Ph.	grass-leaved.	Carolina.	1812.	7. 8.	H.w.♀.	
13 natans. M.	floating.	———	——	——	H.w.♀.	
ACTINOCARPUS. B.P.	**Actinocarpus.**	**Hexandria Hex-Octagynia.**				
1 minor. B.P.	small.	N. S. W.	....	5. 8.	G.w.♀.	
2 Damasonium.	common.	England.	....	6. 8.	H.w.♀.	Eng. bot. 1615.
Alisma Damasonium. E.B. *Damasonium stellatum.* P.S.						
ALISMA. B.P.	**Water-Plantain.**	**Hexandria Polygynia. L.**				
1 Plantago. W.	greater.	Britain.	....	6. 7.	H.w.♀.	Eng. bot. 837.
2 lanceolata. With.	spear-leaved.	.....	....	——	H.w.♀.	
3 trivialis. Ph.	blunt-leaved.	N.America.	1816.	——	H.w.♀.	
4 parnassifolia. W.	Parnassus-ld.	Italy.	1824.	——	H.w.♀.	
5 natans. E.B.	floating.	Wales.	....	7. 8.	H.w.♀.	Eng. bot. 775.
6 ranunculoides. E.B.	lesser.	Britain.	....	8.	H.w.♀.	——— 326.
7 repens. Cav.	creeping.	England.	....	9. 10.	H.w.♀.	Cavan. ic. 1. t. 55.

ORDO CLXV.

BUTOMEÆ. *Kth. synops.* 1. *p.* 260.

BUTOMUS. L.	**Flowering Rush.**	**Enneandria Hexagynia. L.**				
1 umbellatus. L.	umbelled.	Britain.	....	6. 7.	H.w.♀.	Eng. bot. 651.
2 latifolius. D.P.	broad-leaved.	Nepaul.	1823.	——	H.w.♀.	
LIMNOCHARIS. K.S.	**Limnocharis.**	**Polyandria Polygynia. B.M.**				
Plumieri. K.S.	Plumier's.	S. America.	1822.	6. 10.	S.♂.	Botan. magaz. 2525.
emarginata. H. et B. pl. æq. 1. t. 34. *Alisma flava.* L.						

ORDO CLXVI.

JUNCAGINEÆ. *Kth. synops.* 1. *p.* 258.

SCHEUCHZERIA. L.	**Scheuchzeria.**	**Hexandria Trigynia. L.**				
palustris. E.B.	marsh.	England.	....	5. 6.	H.w.♀.	Eng. bot. 1801.
TRIGLOCHIN. L.	**Arrow-Grass.**	**Hexandria Trigynia. L.**				
1 elatum. N.	long-spiked.	N.America.	1820.	5. 8.	H.w.♀.	

2 maritimum. E.B.	sea-side.	Britain.	....	——	H.w.4.	Eng. bot. 255.		
3 palustre. E.B.	marsh.	———	....	7. 8.	H.w.4.	———	366.	
4 decipiens. B.P.	New Holland.	N. S. W.	1820.	——	G.4.			
5 Barrelieri. S.S.	Barrelier's.	Italy.	1825.	——	H.4.			
6 bulbosum. B.M.	bulbous-rooted.	C. B. S.	1806.	10.	G.4.	Botan. magaz. 1445.		

ORDO CLXVII.

FLUVIALES. *Kth. synops.* 1. *p.* 134.

POTAMOGETON. L.	POND-WEED.	Tetrandria Tetragynia. L.					
1 natans. E.B.	broad-leaved.	Britain.	....	7. 8.	H.w.4.	Eng. bot. 1822.	
2 heterophyllum. E.B.	various-leaved.	———	....	7. 9.	H.w.4.	———	1285.
3 perfoliatum. E.B.	perfoliate.	———	....	7. 8.	H.w.4.	———	168.
4 densum. E.B.	close-leaved.	———	....	5. 7.	H.w.4.	———	397.
5 fluitans. E.B.	long-leaved.	———	....	7. 9.	H.w.4.	———	1266.
6 lucens. E.B.	shining.	———	....	6. 8.	H.w.4.	———	376.
7 lanceolatum. E.B.	spear-leaved.	England.	....	7. 8.	H.w.4.	———	1265.
8 crispum. E.B.	curled.	Britain.	....	6. 7.	H.w.4.	———	1012.
9 compressum. E.B.	flat-stalked.	———	....	——	H.w.4.	———	418.
10 cuspidatum. E.F.	sharp-pointed.	———	....	7.	H.w.4.	Loes. pruss. t. 66.	
11 gramineum. E.B.	Grass-leaved.	———	....	7. 8.	H.w.4.	Eng. bot. 2253.	
12 pusillum. E.B.	small.	———	....	——	H.w.4.	———	215.
13 pectinatum. E.B.	Fennel-leaved.	———	....	6. 7.	H.w.4.	———	323.
RUPPIA. L.	RUPPIA.	Tetrandria Tetragynia. L.					
maritima. E.B.	sea.	Britain.	....	8. 9.	H.w.4.	Eng. bot. 136.	
APONOGETON. L.	APONOGETON.	Hex-Dodecandria Tri-Tetragynia.					
1 monostachyon. W.	simple-spiked.	E. Indies.	1803.	8. 10.	S.w.4.	Andr. reposit. 406.	
2 distachyon. W.	broad-leaved.	C. B. S.	1788.	5. 7.	G.w.b.	Botan. magaz. 1293.	
3 angustifolium. W.	narrow-leaved.	———	——	4. 9.	G.w.b.	———	1268.
CERATOPHYLLUM. L.	HORNWORT.	Monœcia Polyandria. L.					
1 demersum. E.B.	spiny-fruited.	Britain.	....	7. 9.	H.w.4.	Eng. bot. 947.	
2 submersum. E.B.	naked-fruited.	———	....	9.	H.w.4.	———	679.
NAJAS. L.	NAJAS.	Monœcia Tetrandria. L.					
monosperma. W.	single-seeded.	Europe.	1816.	7. 9.	H.w.⊙.	Mich.N.gen.11.t.8.f.2.	
ZANNICHELLIA. L.	WATER-WEED.	Monœcia Monandria. L.					
palustris. E.B.	horned.	Britain.	....	7. 8.	H.w.⊙.	Eng. bot. 1844.	
CALLITRICHE. L.	WATER-STARWORT.	Monandria Digynia. L.					
1 verna. E.F.	vernal.	Britain.	....	4. 10.	H.w.⊙.	Eng. bot. 722.	
aquatica. E.B.							
2 autumnalis. E.F.	autumnal.	———	....	6. 10.	H.w.⊙.	Loes. prus. t. 38.	
LEMNA. L.	DUCK-WEED.	Monœcia Diandria.					
1 trisulca. E.B.	Ivy-leaved.	Britain.	....	5. 6.	H.w.⊙.	Eng. bot. 926.	
2 minor. E.B.	lesser.	———	....	6. 7.	H.w.⊙.	———	1095.
3 gibba. E.B.	thick-leaved.	———	....	——	H.w.⊙.	———	1233.
4 polyrrhiza. E.B.	greater.	———	....	7. 8.	H.w.⊙.	———	2458.

ORDO CLXVIII.

HIPPURIDEÆ. *Link enum. h. ber.* 1. *p.* 5.

HIPPURIS. L.	MARE'S-TAIL.	Monandria Monogynia. L.				
vulgaris. L.	common.	Britain.	....	5.	H.w.4.	Eng. bot. 763.

ORDO CLXIX.

PANDANEÆ. *Brown prodr.* 340.

PANDANUS. L.	**Screw-Pine.**	**Dicœcia Monandria. L.**					
1 integrifolius. Lour.	entire-leaved.	China.	1823.	....	S. ħ.		
2 odoratissimus. W.	green-spined.	———	1771.	....	S. ħ.	Roxb.corom.1. t.94-6.	
3 utilis. W.en.	red-spined.	———	...	....	S. ħ.		
4 humilis. W.	dwarf.	Mauritius.	....	....	S. ħ.	Jacq. fragm. t.14. f.2.	
5 latifolius. L.C.	broad-leaved.	E. Indies.	1820.	....	S. ħ.		
6 fœtidus. H.B.	strong scented.	———	1822.	....	S. ħ.		
7 marginatus. H.B.	red-margined.	Mauritius.	1823.	....	S. ħ.		
8 furcatus. H.B.	forked.	E. Indies.	———	....	S. ħ.	Rheed. mal. 2. t. 8.	
9 pedunculatus. B.P.	peduncled.	N. Holland.	1825.	....	S. ħ.		
10 spiralis. B.P.	spiral.	———	1805.	....	S. ħ.		
11 amaryllifolius. H.B.	Amaryllis-lf.	E. Indies.	1820.	....	S. ħ.		
12 inermis. H.B.	spineless.	———	———	....	S. ħ.		
13 albus. L.C.	white-spined.	———	1823.	....	S. ħ.		
14 reflexus. L.C.	reflexed-lf.	———	1820.	....	S. ħ.		
15 longifolius. L.C.	long-leaved.	———	1823.	....	S. ħ.		
16 turbinatus. L.C.	top-shaped.	———	———	....	S. ħ.		
PHYTELEPHAS. R.P.	**Phytelephas.**	**Dicœcia Polyandria. P.S.**					
macrocarpa. R.P.	large-fruited.	Peru.	1822.	....	S. ħ.		

ORDO CLXX.

TYPHINÆ. *Kth. synops.* 1. *p.* 132.

TYPHA. L.	**Cat's-tail.**	**Monœcia Triandria. L.**					
1 latifolia. E.B.	great.	Britain.	....	7.	H.w. ♃.	Eng. bot. 1455.	
2 media. D.C.	dwarf.	England.	....	———	H.w. ♃.	——— 1457.	
minor. E.B.							
3 angustifolia. E.B.	lesser.	Britain.	....	———	H.w. ♃.	Eng. bot. 1456.	
4 minima. W.	least.	Europe.	1819.	———	H.w. ♃.		
SPARGANIUM. L.	**Bur-Reed.**	**Monœcia Triandria. L.**					
1 ramosum. E.B.	branched.	Britain.	....	7. 8.	H.w. ♃.	Eng. bot. 744.	
2 simplex. E.B.	unbranched.	———	....	———	H.w. ♃.	——— 745.	
3 americanum. N.	American.	N.America.	1823.	———	H.w. ♃.		
4 natans. E.B.	floating.	England.	....	7.	H.w. ♃.	Eng. bot. 273.	

ORDO CLXXI.

AROIDEÆ. *Juss. gen.* 23.

Sect. I. *ORONTIACEÆ.* Brown prodr. 1. p. 337.

POTHOS. L.	**Pothos.**	**Tetrandria Monogynia. L.**				
1 scandens. R.S.	climbing.	E. Indies.	1818.	4. 6.	S. ħ. ⌣.	Rheed. mal. 7. t. 40.
2 officinalis. P.I.	officinal.	———	1820.	4. 7.	S. ħ. ⌣.	

3 Peepla. F.I.	Peeplee.	E. Indies.	1820.	4. 7.	S. ♄.⌣.		
4 gigantea. F.I.	gigantic.	———	1824.	....	S. ♄.⌣.		
5 pertusa. F.I.	perforated.	———	———	....	S. ♄.⌣.	Rheed.mal.12. t.20.21.	
6 lanceolata. R.S.	lance-leaved.	Barbadoes.	1790.	4. 7.	S. ♃.	Plum. amer. 47. t. 62.	
7 acaulis. R.S.	stemless.	W. Indies.	———	———	S. ♃.	Lodd. bot. cab. 483.	
8 violacea. R.S.	blue-fruited.	Jamaica.	1793.	4. 6.	S. ♃.	Hook. exot. flor. 55.	
9 cannæfolia. R.S.	sweet-scented.	W. Indies.	1785.	4. 5.	S. ♃.	Botan. magaz. 603.	
10 crassinervia. R.S.	thick-nerved.	S. America.	1796.	4. 6.	S. ♃.	Jacq. ic. 3. t. 609.	
11 cordata. R.S.	heart-leaved.	———	1770.	4.	S. ♃.	Plum. ic. 26. t. 38.	
12 sagittata. B.M.	arrow-leaved.	W. Indies.	1800.	8.	S. ♃.	Botan. magaz. 1584.	
13 macrophylla. R.S.	large-leaved.	———	1794.	5. 6.	S. ♃.	Jacq. ic. 3. t. 610.	
14 obtusifolia. R.S.	blunt-leaved.	Barbadoes.	1790.	———	S. ♃.		
15 coriacea. H.E.F.	leathery.	Brazil.	1824.	6.	S. ♃.	Hook. ex. flor. 210.	
16 Harrisii. H.E.F.	Harris's.	———	———	———	S. ♃.	——— ——— 211.	
17 pinnata. W.	wing-leaved.	E Indies.	1820.	....	S. ♄.⌣.	Rumph.amb.5.t.183.f.2	
18 decursiva. F.I.	pinnatifid-ld.	———	1824.	....	S. ♄.⌣.		
19 heterophylla. F.I.	various-leaved.	———	1822.	....	S. ♄.⌣.		
20 Lasia. F.I.	prickly.	———	1819.	....	S. ♃.		
21 digitata. R.S.	fingered.	Caracas.	1823.	....	S. ♄.	Jacq. ic. 3. t. 611.	
22 palmata. R.S.	palmated.	S. America.	1803.	6. 7.	S. ♃.	Plum. amer. t. 64. 65.	
23 pentaphylla. R.S.	five-leaved.	Cayenne.	———	10. 11.	S. ♄.	Botan. magaz. 1375.	
24 rubrinervia. L.en.	red-nerved.	S. America.	1820.	....	S. ♃.		
25 Scolopendrium.Spr.	Hart's-tongue.	.....	1820.	....	S. ♃.		

SYMPLOCARPUS. N. SCUNKWEED. Tetrandria Monogynia. N.

fœtidus. N.	fetid.	N.America.	1735.	3. 5.	H. ♃.	Swt. br. fl. gar. 57.	

Pothos fœtida. B.M. 826. *Dracontium fœtidum.* W.

DRACONTIUM. W. DRAGON. Heptandria Monogynia. L.

1 polyphyllum. W.	purple-stalk'd.	India.	1759.	3. 6.	S. ♃.	Botan. regist. 700.	
2 spinosum. W.	prickly.	Ceylon.	———	4. 5.	S. ♃.		

GYMNOSTACHYS. B.P. GYMNOSTACHYS. Tetrandria Monogynia.

anceps. B.P.	flat-stemmed.	N. S. W.	1820.	6. 8.	G. ♃.		

HOUTTUYNIA. J. HOUTTUYNIA. Polyandria Polygynia. P.S.

cordata. P.S.	heart-leaved.	China.	1820.	6. 8.	G. ♃.	Thunb. jap. 26.	

CARLUDOVICA. R.P. CARLUDOVICA. Monœcia Polyandria. P.S.

1 palmata. R.S.	palmate.	S. America.	1818.	....	S. ♄.		
Salmia palmata. R.S.	*Ludovia palmata.* P.S.						
2 latifolia. R.P.	broad-leaved.	Peru.	1819.	....	S. ♄.	Lodd. bot. cab. 1068.	
3 angustifolia. R.P.	narrow-leav'd.	———	———	———	S. ♄.		
4 jamaicensis. L.C.	Jamaica.	Jamaica.	1823.	....	S. ♄.		

CYCLANTHUS. J. CYCLANTHUS.

Plumieri. J.	Plumier's.	W. Indies.	1820.	....	S. ♃.		

ACORUS. L. SWEET-FLAG. Hexandria Monogynia. L.

1 Calamus. S.S.	common.	Britain.	....	6. 7.	H.w. ♃.	Eng. bot. 856.	
2 terrestris. S.S.	Chinese.	China.	1822.	———	H.w. ♃.		
3 gramineus. S.S.	grass-leaved.	———	1786.	2.	H.w. ♃.	Smith spic. 15. t. 17.	

ORONTIUM. L. ORONTIUM. Hexandria Monogynia. L.

aquaticum. S.S.	aquatic.	N.America.	1775.	6.	H. ♃.	Hook. ex. flor. 19.	

ROHDEA. S.S. ROHDEA. Hexandria Monogynia. S.S.

japonica. S.S.	Japan.	Japan.	1783.	1. 4.	H. ♃.	Botan. magaz. 808.	

Orontium japonicum. B.M.

TUPISTRA. B.M. TUPISTRA. Hexandria Monogynia. S.S.

squalida. B.M.	brown-flow'r'd.	E. Indies.	1810.	4. 6.	S. ♃.	Botan. regist. 704.	

ASPIDISTRA. B.R. ASPIDISTRA. Octandria Monogynia. S.S.

lurida. B.R.	brown-flow'r'd.	China.	1820.	2. 4.	S. ♃.	Botan. regist. 628.	

punctata. B.R. 677.

Sect. II. *AROIDEÆ VERÆ.* Brown prodr. 335.

CALLA. K.S. CALLA. Heptandria Monogynia. L.

1 palustris. W.	marsh.	N. Europe.	1768.	7. 8.	H.w. ♃.	Botan. magaz. 1831.	
2 pertusa. K.S.	perforated.	W. Indies.	1752.	4. 6.	S. ♃.	Jacq. schœn.2. t.184.5.	

Dracontium pertusum. Jacq.

3 aromatica. B.M.	aromatic.	E. Indies.	1817.	———	S. ♃.	Botan. magaz. 2279.	
4 occulta. B.C.	hidden-spiked.	China.	1817.	5. 7.	G. ♃.	Lodd. bot. cab. 12.	

RICHARDIA. Kth. RICHARDIA. Heptandria Monogynia.

æthiopica. Kth.	Ethiopian.	C. B. S.	1731.	1. 5.	G. ♃.	Botan. magaz. 332.	

Calla æthiopica. B.M.

ARUM. W.		ARUM. Monœcia Polyandria. L.					
1 crinitum. W.	hairy-sheathed.	Minorca.	1777.	3. 4.	F. 4.	Botan. regist. 881.
2 Dracunculus. W.	common Dragon.	S. Europe.	1548.	6. 7.	H. 4.	Moris. s. 13. t. 5. f. 46.
3 Dracontium. W.	green Dragon.	N. America.	1759.	6.	H. 4.	Botan. regist. 668.
4 bulbiferum. B.M.	bulb-bearing.	E. Indies.	1813.	3. 6.	S. 4.	Botan. magaz. 2508.
5 venosum. W.	purple-flow'r'd.	.....	1774.	3.	S. 4.	
6 campanulatum. H.B.	bell-flowered.	E. Indies.	1816.	4. 6.	S. 4.	
7 triphyllum. W.	three-leaved.	N. America.	1664.	5. 6.	H. 4.	Lodd. bot. cab. 820.
β *Zebrinum*. B.M.	*striped*.	———	——	——	H. 4.	Botan. magaz. 950.
8 pedatum. W.en.	pedate-leaved.	S. America.	1815.	——	S. 4.	Pl. sel. hort. ber. t. 8.
9 polyphyllum. L.en.	many-leaved.	.....	1818.	——	S. 4.	
10 ringens. W.	gaping.	Japan.	1822.	——	G. 4.	
11 atrorubens. W.	purple-stalked.	N. America.	1758.	6. 7.	H. 4.	Pluk. alm. t. 77. f. 5.
12 ternatum. W.	Japan.	Japan.	1774.	5. 7.	F. 4.	
13 Colocasia. W.	Egyptian.	Levant.	1551.	6. 8.	G. 4.	Rumph. amb. 5. t. 109.
14 orixense. B.P.	Orixian.	E. Indies.	1802.	8. 10.	S. 4.	Botan. regist. 450.
15 macrorhizon. W.	long-rooted.	———	1803.	....	S. 4.	Herm. parad. 73.
16 pictum. W.	white-veined.	S. Europe.	1820.	5. 6.	H. 4.	
17 divaricatum. W.	divaricated.	E. Indies.	1759.	6. 7.	S. 4.	Rheed. mal. 11. t. 20.
18 trilobatum. W.	three-lobed.	Ceylon.	1714.	5. 6.	S. 4.	Botan. magaz. 339.
β *auriculatum*. B.M.	*eared*.	———	....	——	S. 4.	——— —— 2324.
19 maculatum. W.	common.	Britain.	~~	5. 7.	H. 4.	Eng. bot. 1298.
20 orientale. M.B.	oriental.	Caucasus.	1818.	——	H. 4.	
21 italicum. W.	Italian.	Italy.	1683.	5. 6.	H. 4.	Botan. magaz. 2432.
22 minutum. W.	small.	E. Indies.	1812.	5. 7.	S. 4.	Rheed. mal. 11. t. 17.
23 proboscideum. W.	proboscis.	Apennines.	1825.	——	H. 4.	Bocc. mus. 2. t. 50.
24 Arisarum. W.	Friar's Cowl.	S. Europe.	1596.	4. 6.	F. 4.	Jacq. schœn. 2. t. 193.
25 tenuifolium. W.	grass-leaved.	———	1570.	——	H. 4.	Botan. regist. 512.
26 spirale. W.	spiral.	E. Indies.	1816.	——	S. 4.	Botan. magaz. 2220.
27 flagelliforme. B.C.	whip-cord.	———	——	——	S. 4.	Lodd. bot cab. 396.
28 sagittifolium. L.en.	arrow-leaved.	.....	——	....	S. 4.	
29 hederaceum. W.	Ivy-leaved.	W. Indies.	1793.	5. 6.	S. ½.	Jacq. amer. t. 152.
30 obtusilobum. L.en.	blunt-lobed.	.....	1816.	——	S. ½.	
31 indicum. Lour.	Indian.	China.	——	....	S. ½.	
32 ramosum. L.en.	branching.	.....	——	....	S. ½.	
33 lingulatum. W.	tongue-leaved.	W. Indies.	1793.	——	S. ½.	Plum. ic. 26. t. 37.
34 integrifolium. L.en.	entire-leaved.	.....	1820.	....	S. ½.	
CALADIUM. V.		CALADIUM. Monœcia Polyandria. W.				
1 helleborifolium. W.	Hellebore-l^d.	Caracas.	1796.	6. 7.	S. 4.	Jacq. ic. 3. t. 613.
2 pinnatifidum. W.	pinnatifid.	———	1817.	——	S. 4.	Jacq. schœn. 2. t. 187.
3 bicolor. W.	two-coloured.	Brazil.	1773.	——	S. 4.	Botan. magaz. 2543.
4 nymphæifolium. W.	Water-lily-l^d.	E. Indies.	1800.	....	S. 4.	Rheed. mal. 11. t. 22.
5 esculentum. W.	esculent.	America.	1789.	6. 8.	S. 4.	Sloan. jam. 1. t. 106. f. 1.
6 odorum. B.R.	odoriferous.	E. Indies.	1818.	5. 7.	S. 4.	Botan. regist. 641.
7 viviparum. H.B.	viviparous.	———	1816.	——	S. 4.	Lodd. bot. cab. 281.
8 sagittifolium. W.	arrow-leaved.	W. Indies.	1710.	——	S. 4.	Jacq. vind. 2. t. 157.
9 virginicum. H.B.F. *Arum virginicum*. W.	Virginian.	N. America.	1759.	6. 7.	H. 4.	Hook. ex. flor. 182.
10 seguinum. W.	Dumb Cane.	America.	——	5.	S. ½.	Hook. ex. flor. 1.
11 maculatum. B.C. *seguinum* β *maculatum*. Bot. mag. 2600.	spotted.	Trinidad.	1820.	4. 12.	S. ½.	Lodd. bot. cab. 608.
12 cucullatum. P.S.	hooded.	China.	1816.	....	S. ½.	
13 xanthorhizum. W.	yellow-rooted.	.....	——	4. 8.	S. ½.	Jacq. schœn. 2. t. 188.
14 grandifolium. W.	large-leaved.	Caracas.	1803.	3. 7.	S. ½.	Botan. magaz. 2643.
15 arborescens. W.	tree.	W. Indies.	1759.	6. 7.	S. ½.	Plum. amer. 44. t. 60.
16 lacerum. W.	torn-leaved.	Caracas.	1822.	....	S. ½.	
17 tripartitum. W.	ternate-leaved.	———	1816.	....	S. ½.	Jacq. schœn. 2. t. 190.
18 auritum.	ear-leaved.	S. America.	1739.	6. 8.	S. ½.	——— —— 2. t. 191.
19 pedatum. H.E.F.	pedate-leaved.	Brazil.	1824.	——	S. ½.	Hook. ex. flor. 206.
AMBROSINIA. W. Bassii. W.	AMBROSINIA. flat oval-leav'd.	Monœcia Monandria. W. S. Europe.	1823.	6. 8.	H. 4.	Lam. ill. t. 737.

Sect. III. *TACCACEÆ*.

TACCA. W.	TACCA.	Hexandria Monogynia. L.				
1 pinnatifida. W.	Salep.	E. Indies.	1793.	6. 8.	S. 4.	Lodd. bot. cab. 692.

2 aspera. H.B.	rough-stemm'd.	E. Indies.	1820.	...	S.4.		
3 lævis. H.B.	smooth.	———	——	....	S.4.		
4 integrifolia. B.M.	entire-leaved.	———	1810.	5. 7.	S.4.	Botan. magaz. 1486.	

Sect. IV. *GENERA AROIDEIS AFFINIA.*

ZOSTERA. L.	SEA MATWEED.	Monœcia Monandria. L.					
marina. E.B.	common.	Britain.	....	8. 9.	H.4.	Eng. bot. 467.	

ORDO CLXXII.

PIPERACEÆ. *Kth. synops.* 1. *p.* 103.

SAURURUS. W.	LIZARD'S-TAIL.	Heptandria Tetragynia. L.					
cernuus. W.	drooping.	Virginia.	1759.	9.	H.4.	Lam. ill. t. 1.	
PIPER. R.P.	PEPPER.	Diandria Trigynia. L.					
1 peltatum. R.S.	peltated.	W. Indies.	1748.	....	S.4.	Plum. amer. t. 74.	
2 umbellatum. R.S.	umbelled.	———	——	5. 7.	S.h.	Flor. peruv. 1. t. 59. f. a.	
3 macrophyllum. R.S.	broad-leaved.	———	1800.	....	S.h.	Sloan. hist. 1. t. 88. f. 1.	
4 aduncum. R.S.	hooked.	Jamaica.	1748.	5.	S.h.	Jacq. ic. 2. t. 210.	
5 hirsutum. R.S.	hairy-leaved.	———	1798.	7.	S.h.		
6 hispidum. R.S.	hispid.	S. America.	——	——	S.h.		
7 tuberculatum. R.S.	tuberculate.	———	1816.	....	S.h.	Jacq. ic. 2. t. 211.	
8 Amalago. R.S.	rough-leaved.	Jamaica.	1759.	....	S.h.	Sloan. hist. 1. t. 87. f. 1.	
9 Betle. R.S.	Betle.	E. Indies.	1804.	....	S.h.	Rheed. mal. 7. t. 15.	
10 nigrum. R.S.	black.	———	1790.	....	S.h.	——— 7. t. 12.	
11 trioicum. F.I.	glaucous-l^{d}.	———	1818.	....	S.h.		
12 reticulatum. R.S.	netted.	W. Indies.	1748.	8.	S.h.	Plum. amer. t. 75.	
13 decumanum. R.S.	great.	Carthagena.	1768.	....	S.h.	Jacq. ic. 2. t. 215.	
14 Siriboa. R.S.	Siriboa.	E. Indies.	——	....	S.h.	Rumph. am. 5. t. 117. f. 2.	
15 longum. R.S.	long.	———	1788.	....	S.h.	Rheed. mal. 7. t. 14.	
16 glabrum. H.S.S.	smooth.	Campeachy.	1768.	....	S.h.		
17 laurifolium. H.S.S.	Laurel-leaved.	Jamaica.	——	....	S.h.		
18 racemosum. H.S.S.	racemed.	Campeachy.	——	....	S.h.		
Stuphyle. R.S.							
19 acutifolium. R.S.	acute-leaved.	Peru.	1823.	....	S.h.	Flor. per. 1. t. 64. f. a.	
20 colubrinum. L.en.	spotted-stalk^{d}.	Brazil.	1820.	....	S.h.		
21 plantagineum. R.S.	Plantain-l^{d}.	W. Indies.	——	....	S.h.	Jacq. ic. 1. t. 8.	
medium. Jacq.							
22 marginatum. L.en.	purple-edged.	S. America.	1811.	....	S.h.	Jacq. ic. 2. t. 216.	
23 unguiculatum. R.S.	claw-pointed.	Peru.	1822.	....	S.h.	Flor. per. 1. t. 57. f. b.	
glaucescens. Jacq. ecl. 1. t. 76.							
24 humile. Mill.	humble.	Jamaica.	1768.	....	S.h.		
25 tomentosum. H.S.S.	oval-l^{d}, downy.	Vera Cruz.	——	....	S.h.		
26 nitidum. R.S.	glossy.	Jamaica.	1793.	5. 6.	S.h.		
PEPEROMIA. R.P.	PEPEROMIA.	Diandria Trigynia.					
1 brachyphylla.	short-leaved.	.....	1818.	....	S.h.		
Piper brachyphyllum. R.S.							
2 amplexicaulis. R.S.	stem-clasping.	W. Indies.	1793.	6. 9.	S.4.		
3 magnoliæfolia. R.S.	Magnolia-l^{d}.	———	——	1. 8.	S.4.	Jacq. ic. 2. t. 218.	
4 obtusifolia. R.S.	blunt-leaved.	S. America.	1789.	4. 7.	S.4.	Trew ehret. 54. t. 96.	
Piper clusiæfolium. Jacq. ic. 2. t. 212.							
5 cuneifolia. R.S.	wedge-leaved.	Caracas.	1809.	....	S.4.	Jacq. ic. 2. t. 214.	
6 alata. R.P.	winged.	S. America.	1812.	....	S.h.	Flor. per. 1. t. 48. f. b.	
7 acuminata. R.S.	acuminate.	W. Indies.	——	4. 9.	S.4.	Botan. magaz. 1882.	
8 maculosa. R.S.	spot-stalked.	St. Domingo.	1790.	9.	S.h.	Plum. amer. t. 66.	
9 pellucida. K.S.	pellucid.	S. America.	1748.	4. 9.	S.⊙.	——— t. 72.	
10 rotundifolia. K.S.	round-leaved.	———	1823.	....	S.4.	——— t. 69.	
11 hispidula. R.S.	annual hispid.	Jamaica.	1818.	8. 10.	S.⊙.	Swartz icon. t. 4.	
12 nummularifolia. K.S.	money-wort-l^{d}.	———	——	4. 9.	S.4.		

13	pubescens. R.S.	pubescent.	.....	1816.	4. 9.	S.♃.	
14	subrotunda. H.S.S.	small Clusia-lᵈ.	.....	1811.	——	S.♃.	
15	repens. K.S.	creeping.	S. America.	1823.	——	S.♃.	
16	serpens. R.S.	trailing.	Jamaica.	——	——	S.♃.	
17	incana. H.B.P.	great downy.	Brazil.	1814.	2. 6.	S.♄.	Hook. ex. flor. 66.
18	amplexifolia. L.en.	clasping-leaved.	Jamaica.	1822.	——	S.♄.	
19	talnifolia. K.S.	Talinum-lᵈ.	S. America.	——	4. 8.	S.♄.	H. et B. n. gen. 1. t. 8.
20	pulchella. R.S.	small-leaved.	Jamaica.	1778.	7. 10.	S.♃.	Lodd. bot. cab. 574.
21	pereskiæfolia. K.S.	Pereskia-lᵈ.	S. America.	1820.	5. 6.	S.♃.	Hook. ex. flor. 67.
22	blanda. K.S.	villous.	Caracas.	1802.	5. 11.	S.♃.	——— —— 21.
23	verticillata. R.S.	whorl-leaved.	Jamaica.	1816.	6. 10.	S.⊙.	
24	polystachia. H.B.P.	many-spiked.	W. Indies.	1775.	6. 7.	S.♃.	Hook. ex. flor. 23.
25	quadrifolia. H.B.P.	four-leaved.	Santa Cruz.	1818.	5. 10.	S.♃.	——— —— 22.
26	Haworthii.	Haworth's.	India.	1809.	9. 10.	S.♃.	
	Piper pubescens. H.S.	*non* Vahl.					
27	inæqualifolia. R.P.	unequal-leaved.	Peru.	1800.	8. 10.	S.♃.	Flor. peruv. 1. t. 46. f. a.
28	stellata. R.S.	starry.	Jamaica.	1802.	5. 7.	S.♃.	Jacq. vind. 2. t. 217.
29	rubricaule. L.en.	red-stalked.	W. Indies.	1815.	——	S.♃.	Nees hort. ber. t. 8.
30	rubella. H.B.P.	red-leaved.	Jamaica.	1820.	——	S.♃.	Hook. ex. flor. 68.
31	trifolia. R.S.	three-leaved.	S. America.	1802.	6. 8.	S.♃.	Plum. amer. t. 68.
32	distachya. R.S.	two-rowed.	W. Indies.	1793.	——	S.♃.	——— t. 67.
33	discolor. R.S.	two-coloured.	Jamaica.	1821.	7. 8.	S.♄.	Lodd. bot. cab. 610.
34	coriacea. B.C.	coriaceous.	———	1815.	——	S.♄.	——— —— 128.
35	capensis. R.S.	Cape.	C. B. S.	1816.	——	G.♄.	
36	tricarinata. H.S.S.	triple-keeled.	.....	1817.	——	S.♄.	

ORDO CLXXIII.

CYTINEÆ. *Brogniart.*

NEPENTHES. L. PITCHER-PLANT. Dicœcia Monadelphia. L.

1	distillatoria. W.	cylindrical.	Ceylon.	1789.	4. 5.	S.*w.*♃.	Burm. zeyl. 42. t. 17.
2	Phyllamphora. W.	ventricose.	China.	1822.	6. 8.	S.*w.*♃.	Botan. magaz. 2629.
	distillatoria. B.C. 1017. *nec aliorum.*						

ORDO CLXXIV.

ORCHIDEÆ. *Juss. gen.* 64.

ORCHIS. B.P. ORCHIS. Gynandria Monandria. H.K.

1	Morio. W.	meadow.	Britain.	....	4. 6.	H.b.♃.	Eng. bot. 2059.
2	longicornu. W.	flat-spurred.	Barbary.	1815.	——	H.b.♃.	Botan. regist. 202.
3	pallens. W.	pale.	Switzerland.	1825.	5. 6.	H.b.♃.	Jacq. aust. t. 45.
4	mascula. W.	early purple.	Britain.	....	4. 5.	H.b.♃.	Eng. bot. 631.
5	palustris. W.	marsh.	Europe.	1824.	——	H.b.♃.	Jacq. ic. t. 181.
6	ustulata. W.	dwarf.	England.	....	5. 6.	H.b.♃.	Eng. bot. 18.
7	militaris. W.	military.	Switzerland.	1825.	4. 6.	H.b.♃.	Swt. br. fl. gar. 163.
8	Rivini. B.F.G.	Rivinus's.	———	——	5. 6.	H.b.♃.	——— 162.
9	Smithii. B.F.G.	Smith's.	England.	....	——	H.b.♃.	Eng. bot. 1873.
	militaris. E.B. *non* W.						
10	fusca. W.	brown.	———	....	——	H.b.♃.	Jacq. aust. 4. t. 307.
11	Simia. P.S.	Ape.	———	....	——	H.b.♃.	
12	undulatifolia. B.B.	wave-leaved.	Italy.	1818.	——	H.b.♃.	Botan. regist. 375.
13	acuminata. W.	pointed-flᵈ.	S. Europe.	1815.	4. 6.	H.b.♃.	Botan. magaz. 1932.
14	variegata. W.	variegated.	Switzerland.	1825.	——	H.b.♃.	Hall. helv. t. 30.
15	globosa. W.	round-spiked.	———	1792.	6. 7.	H.b.♃.	Jacq. aust. 3. t. 265.
16	pyramidalis. W.	pyramidal.	Britain.	....	——	H.b.♃.	Eng. bot. 110.

17 coriophora. w. strong-scented. S. Europe. 1825. 5. 6. H.b.♃. Jacq. aust. 2. t. 128.
18 hircina. w. Lizard. England. .... 6. 7. H.b.♃. Eng. bot. 34.
Satyrium hircinum. E.B.
19 Robertiana. P.S. long-bracted. S. Europe. 1818. 5. 6. H.b.♃. Botan. regist. 357.
longibracteata. B.B. *non* Schmidt.
20 sulphurea. B.M. pale-yellow. ——— 1823. —— H.b.♃. Botan. magaz. 2569.
21 sambucina. w. Elder-scented. Europe. 1825. 4. 5. H.b.♃. Jacq. aust. 2. t. 106.
22 Schleicheri. B.F.G. Schleicher's. Switzerland. —— —— H.b.♃. Swt. br. fl. gar. ic.
sambucina β rubra. Sch. *non* Jacq.
23 maculata. w. spotted-palmate. Britain. .... 6. 7. H.b.♃. Eng. bot. 632.
24 spectabilis. w. showy American. N. America. 1801. —— H.b.♃. Swt. br. fl. gar. 65.
25 papilionacea. w. papilionaceous. S. Europe. 1788. —— H.b.♃. Buxb. cent. 3. t. 3.
26 Cyrilli. T.S. Cyrillo's. Naples. 1825. —— H.b.♃. Cyrill. ic. ined.
27 paniculiflora. T.S. few-flowered. Italy. —— —— H.b.♃.
28 Nicodemi. T.S. Nicodemus's. ——— —— —— H.b.♃. Cyrill. ic. ined.
29 parviflora. T.S. small-flowered. ——— 1824. —— H.b.♃.

GYMNADENIA. H.K. GYMNADENIA. Gynandria Monandria. H.K.
1 conopsea. H.K. fragrant. Britain. .... 6. 7. H.b.♃. Eng. bot. 10.
Orchis conopsea. E.B.
2 odoratissima. Rich. sweet-scented. Switzerland. 1824. —— H.b.♃. Jacq. aust. 3. t. 264.

ACERAS. H.K. ACERAS. Gynandria Monandria. H.K.
anthropophora. H.K. green-man. England. .... 6. H.b.♃. Swt. br. fl. gar. 168.

HERMINIUM. H.K. HERMINIUM. Gynandria Monandria. H.K.
1 Monorchis. H.K. musk. England. .... 6. 7. H.b.♃. Eng. bot. 71.
Ophrys Monorchis. E.B.
2 alpinum. Alpine. Switzerland. 1825. —— H.b.♃. Jacq. vind. 1. t. 9.
Ophrys alpina. Jacq.

HABENARIA. H.K. HABENARIA. Gynandria Monandria. H.K.
1 nigra. H.K. dark-flowered. N. Europe. 1759. 6. 7. H.b.♃. Flor. dan. 998.
2 viridis. H.K. Frog. Britain. .... —— H.b.♃. Eng. bot. 94.
Satyrium viride. E.B.
3 bracteata. H.K. long-bracted. N. America. 1805. 5. 6. H.b.♃. Swt. br. fl. gar. 62.
4 albida. H.K. small white. Britain. .... 6. 7. H.b.♃. Eng. bot. 505.
Satyrium albidum. E.B. *Orchis albida.* w.
5 hyberborea. H.K. northern. N. Europe. 1805. —— H.b.♃.
6 bifolia. H.K. Butterfly. Britain. .... 5. 6. H.b.♃. Eng. bot. 22.
Orchis bifolia. E.B. *Platanthera bifolia.* Rich.
7 herbiola. H.K. American. N. America. 1789. 6. 7. H.b.♃.
8 dilatata. H.E.F. dilated. ——— 1822. 7. 8. H.b.♃. Hook. ex. flor. 96.
9 orbiculata. H.E.F. round-leaved. ——— 1823. —— H.b.♃. ——— —— 145.
10 tridentata. H.E.F. three-toothed. ——— 1819. 5. 6. H.b.♃. ——— —— 81.
11 ciliaris. H.K. yellow-fringed. ——— 1796. 6. 7. H.b.♃. Botan. magaz. 1668.
12 blephariglottis. H.E.F. white fringed. ——— 1822. —— H.b.♃. Hook. ex. flor. 87.
13 cristata. H.K. yellow crested. ——— 1806. 9. H.b.♃.
14 psycodes. yellow jagged. ——— 1823. 6. 8. H.b.♃.
Orchis psycodes. w.
16 lacera. B.C. torn-flowered. ——— 1818. 7. H.b.♃. Lodd. bot. cab. 229.
17 fimbriata. H.K. purple-fringed. ——— 1777. —— H.b.♃. Botan. regist. 405.

BARTHOLINA. H.K. BARTHOLINA. Gynandria Monandria. H.K.
pectinata. H.K. pectinated. C. B. S. 1787. 10. G.b.♃. Jour. Sc. v. 4. t. 8. f. 2.
Orchis Burmanniana. Sw. *pectinata.* w.

BONATEA. W. BONATEA. Gynandria Monandria.
speciosa. w. handsome. C. B. S. 1820. 7. 9. G.b.♃. Lodd. bot. cab. 284.

SERAPIAS. H.K. SERAPIAS. Gynandria Monandria. H.K.
1 Lingua. w. tongue-lipped. S. Europe. 1786. 5. 6. F.b.♃. Hook. ex. flor. 11.
2 longipetala. long-flowered. Italy. 1825. —— H.b.♃.
Helleborine longipetala. T.S.
3 cordigera. w. heart-lipped. S. Europe. 1806. 7. 8. F.b.♃. And. reposit. 475.

OPHRYS. H.K. OPHRYS. Gynandria Monandria. H.K.
1 apifera. w. Bee. England. .... 6. 7. H.b.♃. Eng. bot. 383.
2 tenthredinifera. w. Saw-fly. S. Europe. 1815. 4. 5. H.b.♃. Botan. regist. 205.
3 arachnites. w. black Spider. Switzerland. 1805. —— H.b.♃. Botan. magaz. 2516.
4 aranifera. w. common Spider. England. .... —— H.b.♃. Eng. bot. 65.
5 arachnoides. A.R. Spider-like. Italy. 1805. —— H.b.♃. Andr. reposit. 470.
6 Speculum. B.R. looking-glass. S. Europe. 1818. —— H.b.♃. Botan. regist. 370.
7 lutea. H.E.F. yellow. —— —— 1821. —— H.b.♃. Hook. ex. flor. 10.
8 muscifera. E.B. Fly. England. .... 5. 6. H.b.♃. Eng. bot. 64.
myodes. w.

SATYRIUM. H.K.	**Satyrium.** Gynandria Monandria. H.K.						
1 cucullatum. H.K.	cucullate.	C. B. S.	1787.	6. 9.	G.b.♃.	Botan. regist. 416.
2 membranaceum. W.	membranaceous.	—— ——	1822.	——	G.b.♃.	
3 coriifolium. W.	leather-leaved.	—— ——	1819.	5. 6.	G.b.♃.	Botan. regist. 2172.
4 parviflorum. W.	small-flowered.	—— ——	1787.	——	G.b.♃.	Jacq. schœn. 2. t. 179.
5 carneum. H.K.	great-flowered.	—— ——	——	7. 9.	G.b.♃.	Botan. mag. 1512.
PTERYGODIUM. W.	**Pterygodium.** Gynandria Monandria. H.K.						
1 alatum. W.	winged.	C. B. S.	1821.	6. 8.	G.b.♃.	
2 volucris. W.	arrow-lipped.	—— ——	1797.	6. 7.	G.b.♃.	
DISA. W.	**Disa.** Gynandria Monandria. H.K.						
1 grandiflora. W.	large-flowered.	C. B. S.	1823.	7. 8.	G.b.♃.	Botan. regist. 926.
2 cornuta. W.	horned.	—— ——	1805.	6. 7.	G.b.♃.	
3 Draconis. W.	Dragon.	—— ——	1823.	——	G.b.♃.	
4 ferruginea. W.	ferruginous.	—— ——	1816.	——	G.b.♃.	
5 bracteata. W.	small-flowered.	—— ——	1818.	——	G.b.♃.	Botan. regist. 324.
6 flexuosa. W.	flexuose.	—— ——	1822.	——	G.b.♃.	
7 prasinata. B.R.	green-flower'd.	—— ——	1815.	——	G.b.♃.	Botan. regist. 209.
8 spathulata. W.	spathulate.	—— ——	1805.	——	G.b.♃.	Journ. sc. v. 4. t. 8. f. 3.
9 graminifolia.	Grass-leaved.	—— ——	1822.	——	G.b.♃.	—— —— v. 6. t. 1. f. 2.
10 maculata. W.	spotted-stalk'd.	—— ——	1816.	7. 8.	G.b.♃.	
DISPERIS. W.	**Disperis.** Gynandria Monandria. H.K.						
1 capensis. W.	Cape.	C. B. S.	1816.	5. 6.	G.b.♃.	
2 cucullata. W.	cucullate.	—— ——	1822.	6. 7.	G.b.♃.	
3 secunda. W.	side-flowering.	—— ——	1797.	——	G.b.♃.	
CORYCIUM. W.	**Corycium.** Gynandria Monandria.						
1 orobanchoides. W.	Orobanche-like.	C. B. S.	1825.	6. 8.	G.b.♃.	
2 crispum. W.	curled-leaved.	—— ——	——	5. 6.	G.b.♃.	Buxb. cent. 3. t. 11.
GLOSSULA. B.R.	**Glossula.** Gynandria Monandria.						
tentaculata. B.R.	horned.	China.	1824.	5. 6.	G.b.♃.	Botan. regist. 862.
GOODYERA. H.K.	**Goodyera.** Gynandria Monandria. H.K.						
1 repens. H.K.	creeping.	Scotland.	....	7. 8.	H.♃.	Eng. bot. 289.
Satyrium repens. E.B. *Neottia repens.* W.						
2 tessellata. B.C.	tessellated.	N. America.	1823.	6. 7.	H.♃.	Lodd. bot. cab. 952.
Neottia repens. Ph. *Goodyera pubescens. β minor.* B.M. 2540.						
3 pubescens. H.K.	downy.	—— ——	1802.	——	H.♃.	Lindl. coll. t. 25.
4 procera. H.E.F.	Nepaul.	Nepaul.	1821.	7. 12.	G.♃.	Hook. ex. flor. 39.
Neottia procera. B.R. 639.						
5 discolor. B.R.	red-leaved.	S. America.	1815.	10. 12.	S.♃.	Botan. regist. 271.
PELEXIA. B.R.	**Pelexia.** Gynandria Monandria. B.R.						
spiranthoides. B.R.	decurrent-lipp'd.	W. Indies.	1823.	3.	S.♃.	Botan. regist. 985.
Neottia adnata. Sw.						
NEOTTIA. H.K.	**Neottia.** Gynandria Monandria. H.K.						
1 speciosa. H.K.	showy.	W. Indies.	1790.	5. 6.	S.♃.	Botan. magaz. 1374.
2 orchioides. W.	frosted-fld.	Jamaica.	1806.	——	S.♃.	Botan. regist. 701.
3 bicolor. B.R.	two-coloured.	W. Indies.	1821.	7. 8.	S.♃.	—— —— 794.
4 elata. W.	tall.	—— ——	1790.	4. 6.	S.♃.	Botan. magaz. 2026.
5 picta. H.K.	painted-leaved.	Trinidad.	1805.	2. 4.	S.♃.	—— —— 1562.
6 cernua. H.K.	nodding-fld.	N. America.	1796.	8. 10.	H.♃.	Swt. br. fl. gar. 42.
7 tortilis. W.	twisting-spiked.	W. Indies.	1822.	6. 7.	S.♃.	
8 æstivalis. M.	summer.	N. America.	——	——	H.♃.	
tortilis. Ph. *non* Sw.						
9 spiralis. H.K.	Ladies-traces.	Britain.	....	8. 9.	H.b.♃.	Eng. bot. 541.
Ophrys spiralis. E.B.						
10 pudica.	modest.	China.	1819.	9. 12.	G.b.♃.	Lindl. coll. 30.
australis. β. B.R. 602.						
11 australis. B.P.	southern.	N. S. W.	1826.	....	G.b.♃.	
CALOCHILUS. B.P.	**Calochilus.** Gynandria Monandria. B.P.						
1 campestris. B.P.	field.	N. S. W.	1826.	....	G.b.♃.	
2 paludosus. B.P.	marsh.	—— ——	——	....	G.b.♃.	
PONTHIEVA. H.K.	**Ponthieva.** Gynandria Monandria. H.K.						
1 glandulosa. H.K.	glandular.	W. Indies.	1800.	1. 3.	S.♃.	Botan. magaz. 842.
2 petiolata. B.R.	stalked.	—— ——	1823.	7. 8.	S.♃.	Botan. regist. 760.
PRASOPHYLLUM. B.P.	**Prasophyllum.** Gynandria Monandria. B.P.						
1 elatum. B.P.	tall.	N. S. W.	1826.	....	G.b.♃.	
2 flavum. B.P.	yellow.	—— ——	——	....	G.b.♃.	
3 striatum. B.P.	streaked.	—— ——	——	....	G.b.♃.	
4 fuscum. B.P.	brown.	—— ——	——	....	G.b.♃.	
5 patens. B.P.	spreading.	—— ——	——	....	G.b.♃.	
6 rufum. B.P.	rufous.	—— ——	——	....	G.b.♃.	

7 fimbriatum. B.P.	fringed.	N. S. W.	1826.	....	G.b.4.		
CRYPTOSTYLIS.B.P.	CRYPTOSTYLIS.	Gynandria Monandria. B.P.					
1 erecta. B.P.	upright.	N. S. W.	1826.	....	G.4.		
2 longifolia. B.P.	long-leaved.	———	1822.	5. 6.	G.4.	Lab. n. holl. 2. t. 212.	
Malaxis subulata. Lab.							
ORTHOCERAS. B.P.	ORTHOCERAS.	Gynandria Monandria. B.P.					
strictum. B.P.	upright.	N. S. W.	1826.	....	G.b.4.		
DIURUS. B.P.	DIURUS.	Gynandria Monandria. B.P.					
1 maculata. B.P.	spotted.	N. S. W.	1823.	3. 5.	G.b.4.	Sm. exot. bot. 1. t. 30.	
2 aurea. B.P.	golden-flower'd.	———	1810.	4. 5.	G.b.4.	——— 1. t. 9.	
3 pedunculata. B.P.	peduncled.	———	1822.	2. 4.	G.b.4.		
4 sulphurea. B.P.	sulphur-col'd.	———	1826.	....	G.b.4.		
5 elongata. B.P.	elongated.	———	———	....	G.b.4.		
THELYMITRA. B.P.	THELYMITRA.	Gynandria Monandria. B.P.					
1 ixioides. B.P.	spotted blue.	N. S. W.	1810.	4. 6.	G.b.4.	Sm. ex. bot. 1. t. 29.	
2 media. B.P.	middle.	———	1820.	———	G.b.4.		
3 paucifiora. B.P.	few-flowered.	———	1826.	....	G.b.4.		
4 angustifolia. B.P.	narrow-leaved.	———	———	....	G.b.4.		
5 carnea. B.P.	flesh-coloured.	———	1823.	....	G.b.4.		
6 venosa. B.P.	veined.	———	1826.	....	G.b.4.		
LISTERA. H.K.	LISTERA.	Gynandria Monandria. H.K.					
1 ovata. H.K.	Tway-blade.	Britain.	....	5. 6.	H.4.	Eng. bot. 1548.	
Ophrys ovata. E.B. *Epipactis ovata.* W.							
2 cordata. H.K.	heart-leaved.	———	....	6. 7.	H.4.	Eng. bot. 358.	
EPIPACTIS. H.K.	EPIPACTIS.	Gynandria Monandria. H.K.					
1 latifolia. W.	broad-leaved.	Britain.	....	7. 8.	H.4.	Eng. bot. 269.	
Serapias latifolia. E.B.							
2 palustris. W.	marsh.	———	....	———	H.4.	Eng. bot. 270.	
3 pallens. W.	white.	———	....	6.	H.4.	——— 271.	
Serapias grandiflora. E.B.							
4 ensifolia. W.	narrow-leaved.	———	....	———	H.4.	Eng. bot. 494.	
5 rubra. W.	purple.	———	....	6. 7.	H.4.	——— 437.	
6 Nidus-avis. W.	Bird's-nest.	———	....	5.	H.4.	——— 48.	
Ophrys Nidus-avis. E.B.							
POGONIA. H.K.	POGONIA.	Gynandria Monandria. H.K.					
1 divaricata. H.K.	Lily-leaved.	N. America.	1787.	6. 7.	H.4.	Catesb. car. 1. t. 58.	
2 ophioglossoides. B.R.	Adder's-tongue.	———	1816.	———	H.4.	Botan. regist. 148.	
3 pendula. B.R.	drooping.	———	1824.	———	H.4.	——— 906.	
Arethusa pendula. W. *parviflora.* M. *Triphora pendula.* N.							
MICROTIS. B.P.	MICROTIS.	Gynandria Monandria. B.P.					
parviflora. B.P.	small-flowered.	N. S. W.	1826.	4. 6.	G.b.4.		
ACIANTHUS. B.P.	ACIANTHUS.	Gynandria Monandria. B.P.					
1 fornicatus. B.P.	enclosed.	N. S. W.	1822.	4. 6.	G.b.4.		
2 exsertus. B.P.	exserted.	———	———	———	G.b.4.		
3 caudatus. B.P.	long-awned.	———	1826.	....	G.b.4.		
CYRTOSTYLIS. B.P.	CYRTOSTYLIS.	Gynandria Monandria. B.P.					
reniformis. B.P.	kidney-leaved.	N. S. W.	1824.	4. 5.	G.4.		
CHILOGLOTTIS.B.P.	CHILOGLOTTIS.	Gynandria Monandria. B.P.					
diphylla. B.P.	two-leaved.	N. S. W.	1826.	....	G.b.4.		
PRESCOTIA. H.E.F.	PRESCOTIA.	Gynandria Monandria.					
plantaginifolia. H.E.F.	Plantain-l'd.	Rio Janeiro.	1822.	9. 4.	S.4.	Hook. ex. flor. 115.	
LIPARIS. Rich.	LIPARIS.	Gynandria Monandria. H.K.					
1 foliosa. B.R.	leafy.	Mauritius.	1823.	9.	S.4.	Botan. regist. 882.	
2 bituberculata. B.R.	two-warted.	Nepaul.	1822.	2. 3.	S.4.	Hook. ex. flor. 116.	
3 Loeselii. B.R.	Loesel's.	Britain.	....	7.	H.b.4.	Eng. bot. 47.	
Malaxis Loeselii. E.B.							
4 Correana. N.	two-leaved.	N. America.	1823.	5. 6.	H.b.4.		
5 liliifolia. B.R.	Lily-leaved.	———	1758.	6. 7.	H.b.4.	Botan. magaz. 2004.	
Malaxis liliifolia. B.M. *Ophrys lilifolia.* A.R. 68.							
6 reflexa. B.R.	reflexed.	N. Holland.	1824.	———	G.b.4.		
ERIOCHILUS. B.P.	ERIOCHILUS.	Gynandria Monandria. B.P.					
autumnalis. B.P.	autumnal.	N. S. W.	1823.	9. 10.	G.b.4.	Lab. n. holl. 2. t. 211. f. 2.	
Epipactis cucullata. Lab.							
CALADENIA. B.P.	CALADENIA.	Gynandria Monandria. H.K.					
1 alba. B.P.	white.	N. S. W.	1810.	7. 8.	G.b.4.		
2 carnea. B.P.	flesh-coloured.	———	1826.	....	G.b.4.		
3 cœrulea. B.P.	blue-flowered.	———	———	....	G.b.4.		
4 alata. B.P.	winged.	———	1823.	6. 8.	G.b.4.		
5 testacea. B.P.	fringe-flower'd.	———	1826.	....	G.b.4.		

LYPERANTHUS.B.P.LYPERANTHUS. Gynandria Monandria. B.P.
1 suaveolens. B.P. sweet-scented. N. S. W. 1822. 5. 7. G.b.4.
2 ellipticus. B.P. elliptic-leaved. ——— 1826. .... G.b.4.
3 nigricans. B.P. heart-leaved. ——— —— .... G.b.4.
GLOSSODIA. B.P. GLOSSODIA. Gynandria Monandria. B.P.
1 major. B.P. larger. N. S. W. 1810. 6. 8. G.b.4.
2 minor. B.P. lesser. ——— 1826. —— G.b.4.
PTEROSTYLIS. B.P. PTEROSTYLIS. Gynandria Monandria. B.P.
1 concinna. B.P. neat. N. S. W. 1826. .... G.b.4.
2 ophioglossa. B.P. adder's-tongue. ——— —— .... G.b.4.
3 curta. B.P. short-lipped. ——— 1822. 4. 6. G.b.4.
4 acuminata. B.P. taper-pointed. ——— 1826. .... G.b.4.
5 cucullata. B.P. hooded. V.Diem.Isl. 1823. 5. 7. G.b.4.
6 nutans. B.P. nodding. N. S. W. 1826. .... G.b.4.
7 obtusa. B.P. blunt-lipped. ——— 1810. 7. 8. G.b.4.
8 reflexa. B.P. reflexed. ——— 1826. .... G.b.4.
9 grandiflora. B.P. large-flowered. ——— —— .... G.b.4.
10 longifolia. B.P. long-leaved. ——— 1823. 6. 8. G.b.4.
11 gibbosa. B.P. gibbous. ——— 1826. .... G.b.4.
CORYSANTHES.B.P.CORYSANTHES. Gynandria Monandria. B.P.
1 fimbriata. B.P. fringed. N. S. W. 1822. 5. 7. G.b.4.
2 unguiculata. B.P. pendulous-fld. ——— —— —— G.b.4.
3 bicalcarata. B.P. two-spurred. ——— .... —— G.b.4. Sal. par. lond. 88?
Corybas aconitiflorus. P.L.?
CALEYA. H.K. CALEYA. Gynandria Monandria. H.K.
1 major. H.K. smooth-lipped. N. S. W. 1810. 6. 7. G.b.4.
2 minor. tubercle-lipp'd. ——— 1822. —— G.b.4.
Caleana minor. B.P.
CALOPOGON. H.K. CALOPOGON. Gynandria Monandria. H.K.
pulchellus. H.K. tuberous-root'd. N. America. 1771. 7. 8. H.b.4. Swt. br. fl. gar. 115.
Limodorum tuberosum. B.M. 116. *Cymbidium pulchellum.* W.
ARETHUSA. H.K. ARETHUSA. Gynandria Monandria. H.K.
1 bulbosa. H.K. bulbous. N. America. .... 5. 6. H.b.4. Botan. magaz. 2204.
2? plicata. A.R. plaited. E. Indies. 1806. 6. 8. S.b.4. Andr. reposit. 321.
BLETIA. H.K. BLETIA. Gynandria Monandria. H.K.
1 Tankervillia. H.K. LyTankerville's.China. 1778. 3. 4. S.4. Botan. magaz. 1024.
Limodorum Tankervillia. W.
2 pallida. B.C. pale-flowered. ——— 1820. 4. 8. S.4. Lodd. bot. cab. 629.
3 florida. H.K. purple. W. Indies. 1786. 7. 8. S.4. Redoute. lil. 83.
4 verecunda. H.K. tall. ——— 1733. 1. 5. S.4. Botan. magaz. 930.
Limodorum altum. B.M. *Cymbidium verecundum.* W.
5 hyacinthina. H.K. hyacinthine. China. 1802. 3. 9. G.4. Botan. magaz. 1492.
Cymbidium hyacinthinum. B.M.
6 capitata. H.K. capitate. W. Indies. 1795. 5. 7. S.4.
GEODORUM. H.K. GEODORUM. Gynandria Monandria. H.K.
1 purpureum. H.K. purple. E. Indies. 1800. 6. 8. S.4. Roxb. cor. 1. t. 40.
Limodorum nutans. R.C.
2 citrinum. H.K. Lemon-colour'd. ——— —— 10. 12. S.4. Andr. reposit. 626.
3 dilatatum. H.K. shovel-lipped. ——— —— 5. 8. S.4. Botan. regist. 675.
Limodorum recurvum. R.C. 1. t. 39.
CALYPSO. H.K. CALYPSO. Gynandria Monandria. H.K.
americana. H.K. American. N. America. 1805. 5. 6. H.b.4. Sal. par. lond. 89.
borealis. H.E.F. 12.
MALAXIS. Rich. MALAXIS. Gynandria Monandria. H.K.
paludosa. E.B. marsh. England. .... 7. H.4. Eng. bot. 47.
MICROSTYLIS. N. MICROSTYLIS. Gynandria Monandria. N.
ophioglossoides. N. Adder's tongue. N. America. 1820. 4. 5. H.b.4. Pluk. amal. t. 434. f. 4.
CORALLORRHIZA.H.K.CORALLORRHIZA. Gynandria Monandria. H.K.
1 innata. H.K. spurless. Scotland. .... 6. 7. H.4. Eng. bot. 1547.
2 multiflora. H.E.F. many-flower'd. N. America. 1824. 5. 6. H.4. Hook. ex. flor. 174.
3 odontorhiza. N. tooth-rooted. ——— —— 6. 7. H.4.
STELIS. H.K. STELIS. Gynandria Monandria. H.K.
1 ophioglossoides. H.K.Adder's-tongue. W. Indies. 1791. 5. 6. S.4. Botan. regist. 935.
2 micrantha. H.K. small-flowered. Jamaica. 1805. 11. 12. S.4. Hook. ex. flor. 158.
RODRIGUEZIA. R.P. RODRIGUEZIA. Gynandria Monandria. B.R.
secunda. K.S. side-flowering. S. America. 1819. 6. 12. S.4. Botan. regist. 930.
GOMEZA. B.M. GOMEZA. Gynandria Monandria. B.M.
recurva. B.M. recurved. Brazil. 1814. 5. 6. S.4. Botan. magaz. 1748.

NOTYLIA. B.R.	NOTYLIA.	Gynandria Monandria.						
punctata. B.R.	dotted.	Trinidad.	1823.	7.	8.	S. 4.	Botan. regist. 759.
Pleurothallis punctata. B.R. *Gomeza tenuiflora.* B.C. 806.							
CIRRHÆA. B.R.	CIRRHÆA.	Gynandria Monandria.						
dependens. B.R.	pendent.	China.	1824.	6.	8.	S. 4.	Lodd. bot. cab. 936.
Cymbidium dependens. B.C.							
CYMBIDIUM. H.K.	CYMBIDIUM.	Gynandria Monandria. H.K.						
1 aloifolium. H.K.	Aloe-leaved.	China.	1789.	5.	6.	S. 4.	Botan. magaz. 387.
Epidendrum aloifolium. B.M.							
2 sinense. H.K.	Chinese.	———	1793.	9.	10.	S. 4.	——— ——— 388.
3 lancifolium. H.E.F.	lance-leaved.	E. Indies.	1823.	5.	8.	S. 4.	Hook. ex. flor. 51.
4 ensifolium. H.K.	sword-leaved.	China.	1780.	6.	10.	S. 4.	Botan. magaz. 1751.
5 xiphiifolium. B.R.	Xiphium-ld.	———	1814.	5.	8.	S. 4.	Botan. regist. 529.
6 suave. B.P.	sweet-scented.	N. S. W.	1826.	....		G. 4.	
7 reflexum. B.P.	reflexed.	———	1820.	6.	8.	G. 4.	
8 tripterum. W.	triangular-fruit'd.	Jamaica.	1790.	6.	7.	S. 4.	Sm. ic. pict. 14.
ANISOPETALUM. H.E.F.	ANISOPETALUM.	Gynandria Monandria.						
Careyanum. H.E.F.	Carey's.	Nepaul.	1823.	8.	10.	G. 4.	Hook. ex. flor. 149.
BRASSIA. H.K.	BRASSIA.	Gynandria Monandria. H.K.						
1 maculata. H.K.	spotted.	Jamaica.	1806.	6.	7.	S. 4.	Botan. magaz. 1691.
2 caudata. B.R.	long-tailed.	W. Indies.	1823.	——		S. 4.	Botan. regist. 832.
ANGULOA. K.S.	ANGULOA.	Gynandria Monandria.						
grandiflora. K.S.	large-flowered.	S. America.	1823.	6.	8.	S. 4.	H. et B. pl. æq. 1. t. 37.
CATASETUM. K.S.	CATASETUM.	Gynandria Monandria. B.M.						
1 tridentatum. H.E.F.	three-toothed.	Trinidad.	1823.	8.	12.	S. 4.	Botan. magaz. 2559.
2 Claveringi. B.R.	Clavering's.	Brazil.	——	——		S. 4.	Botan. regist. 840.
3 floribundum. H.E.F.	many-flowered.	———	——	——		S. 4.	Hook. ex. flor. 151.
4 semiapertum. H.E.F.	greenish-fld.	———	1825.	5.		S. 4.	——— ——— 218.
5 Hookeri. L.col.	Hooker's.	———	1816.	——		S. 4.	Lindl. coll. 40.
6 cristatum. B.R.	crested.	———	1823.	——		S. 4.	Botan. regist. 966.
CYRTOPODIUM. B.R.	CYRTOPODIUM.	Gynandria Monandria. H.K.						
1 Andersonii. H.K.	Anderson's.	W. Indies.	1804.	4.	8.	S. 4.	Botan. magaz. 1800.
2 glutinosum. Mey.	gummy.	S. America.	1825.	....		S. 4.	
3 Woodfordii. B.M.	Woodford's.	———	1814.	10.		S. 4.	Botan. magaz. 1814.
LISSOCHILUS. B.R.	LISSOCHILUS.	Gynandria Monandria. B.R.						
1 speciosus. B.R.	showy.	C. B. S.	1818.	5.	6.	S. 4.	Botan. regist. 573.
2 luteus.	yellow.	———	1822.	2.	5.	S. 4.	
ONCIDIUM. H.K.	ONCIDIUM.	Gynandria Monandria. H.K.						
1 altissimum. W.	sharp-petaled.	W. Indies.	1793.	8.	9.	S. 4.	Jacq. amer. t. 141.
2 carthagenense. W.	spread-eagle.	———	1791.	5.	6.	S. 4.	Botan. magaz. 777.
Epidendrum undulatum. B.M.							
3 luridum. B.R.	lurid.	Trinidad.	1818.	2.	6.	S. 4.	Botan. regist. 727.
4 Papilio. B.R.	Butterfly.	———	1823.	4.	6.	S. 4.	——— ——— 910.
5 flexuosum. B.M.	Zigzag.	Brazil.	1818.	6.	7.	S. 4.	Botan. magaz. 2293.
6 barbatum. L.col.	bearded.	S. America.	——	4.	5.	S. 4.	Lindl. coll. 27.
7 pumilum. B.R.	dwarf.	Brazil.	1824.	6.	7.	S. 4.	Botan. regist. 920.
8 bifolium. H.K.	two-leaved.	S. America.	1811.	7.	8.	S. 4.	Botan. magaz. 1491.
9 triquetrum. H.K.	triangular-ld.	Jamaica.	1793.	——		S. 4.	
10 variegatum. W.	variegated.	———	1825.	——		S. 4.	Sloan. hist. 1. t. 148. f. 2.
11 tetrapetalum. W.	four-petaled.	———	1824.	——		S. 4.	Jacq. amer. t. 142.
12 Cebolleta. W.	awl-leaved.	Carthagena.	——	——		S. 4.	——— t. 131. f. 2.
MACRADENIA. B.R.	MACRADENIA.	Gynandria Monandria. B.R.						
lutescens. B.R.	yellowish.	Trinidad.	1821.	12.	2.	S. 4.	Botan. regist. 612.
CŒLOGYNE. B.R.	CŒLOGYNE.	Gynandria Monandria.						
fimbriata. B.R.	fringed.	China.	1824.	9.		S. 4.	Botan. regist. 868.
MEGACLINIUM. B.R.	MEGACLINIUM.	Gynandria Monandria. B.R.						
falcatum. B.R.	falcate.	W. Indies.	1824.	6.	9.	S. 4.	Botan. regist. 989.
TRIZEUXIS. L.col.	TRIZEUXIS.	Gynandria Monandria.						
falcata. L.col.	falcate.	Trinidad.	1820.	2.	6.	S. 4.	Lindl. coll. 2.
PLEUROTHALLIS. H.K.	PLEUROTHALLIS.	Gynandria Monandria. H.K.						
1 ruscifolia. H.K.	Ruscus-leaved.	W. Indies.	1791.	5.	6.	S. 4.	Hook. ex. flor. 197.
2 racemiflora. H.E.F.	racemed.	———	1822.	7.	8.	S. 4.	——— ——— 123.
ORNITHOCEPHALUS.	BIRD'S-HEAD.	Gynandria Monandria.						
gladiatus. H.E.F.	sword-leaved.	Trinidad.	1822.	5.	8.	S. 4.	Hook. ex. flor. 127.
OCTOMERIA. H.K.	OCTOMERIA.	Gynandria Monandria. H.K.						
1 graminifolia. H.K.	Grass-leaved.	W. Indies.	1793.	6.	7.	S. 4.	Plum. ic. 176. f. 1.
2 spicata. D.P.	spiked.	Nepaul.	1823.	——		S. 4.	
TRIBRACHIA. B.R.	TRIBRACHIA.	Gynandria Monandria.						
pendula. B.R.	pendulous-spiked.	SierraLeon.	1822.	6.	11.	S. 4.	Botan. regist. 963.

GONGORA. R.P.	GONGORA.	Gynandria Monandria.						
atropurpurea. H.E.F.	dark-flowered.	Trinidad.	1824.	6.	7.	S.	4.	Hook. ex. flor. 178.
DIPODIUM. B.P.	DIPODIUM.	Gynandria Monandria. B.P.						
punctatum. B.P.	spotted.	N. S. W.	1822.	6.	8.	G.	4.	Sm. exot. bot. 1. t. 12.
Dendrobium punctatum. Sm.								
CAMARIDIUM. B.R.	CAMARIDIUM.	Gynandria Monandria. B.R.						
ochroleucum. B.R.	pale-flowered.	Trinidad.	1823.	7.	10.	S.	4.	Botan. regist. 844.
Dendrobium? album. H.E.F. 142.								
ERIA. B.R.	ERIA.	Gynandria Monandria. B.R.						
1 stellata. B.R.	starry.	E. Indies.	1818.	5.	6.	S.	4.	Botan. regist. 904.
2 pubescens. B.R.	pubescent.	———	1820.	3.	4.	S.	4.	Hook. ex. flor. 124.
Dendrobium pubescens. H.E.F.								
3 rosea. B.R.	rose-coloured.	———	1824.	10.		S.	4.	Botan. regist. 978.
XYLOBIUM. B.R.	XYLOBIUM.	Gynandria Monandria.						
squalens. B.R.	squalid.	Brazil.	1822.	7.	8.	S.	4.	Botan. regist. 732.
Dendrobium squalens. B.R.								
MAXILLARIA. R.P.	MAXILLARIA.	Gynandria Monandria. B.R.						
1 Barringtoniæ. B.R.	Barrington's.	W. Indies.	1790.	6.	8.	S.	4.	Sm. ic. pict. 25.
Dendrobium Barringtoniæ. H.E.F. 119.								
2 Harrisoniæ. B.R.	Mrs. Harrison's.	Brazil.	1820.	4.	8.	S.	4.	Botan. regist. 897.
3 parvula. H.E.F.	small.	———	1824.	3.	5.	S.	4.	Hook. ex. flor. 217.
4 aromatica. H.E.F.	aromatic.	———	1825.	5.		S.	4.	——— 219.
SARCOCHILUS. B.P.	SARCOCHILUS.	Gynandria Monandria. B.P.						
falcatus. B.P.	falcate.	N. S. W.	1821.	5.	8.	G.	4.	
DENDROBIUM. H.K.	DENDROBIUM.	Gynandria Monandria. H.K.						
1 speciosum. B.P.	showy.	N. S. W.	1801.	6.	8.	G.	4.	Sm. exot. bot. 1. t. 10.
2 æmulum. B.P.	rival.	———	1822.	——		G.	4.	
3 linguiforme. B.P.	tongue-leaved.	———	1810.	——		G.	4.	Sm. exot. bot. 1. t. 11.
4 teretifolium. B.P.	filiform-leaved.	———	1823.	——		G.	4.	
5 cucullatum. B.R.	cucullate.	E. Indies.	1815.	3.	5.	S.	♄.	Botan. regist. 548.
6 Pierardi. H.E.F.	Pierard's.	———	——	12.	6.	S.	♄.	Hook. ex. flor. 9.
7 Calceolaria. H.E.F.	hollow-lipped.	———	1820.	——		S.	♄.	——— 184.
8 fimbriatum. H.E.F.	fringed.	———	1818.	4.	6.	S.	♄.	——— 71.
9 crumenatum. W.	pouched.	Java.	1822.	——		S.	♄.	Rumph. amb. 6. t. 47. f. 2.
10 moniliforme. W.	glassy.	China.	1824.	6.	8.	S.	♄.	Kæmpf. amœn. t. 865.
ORNITHIDIUM. H.K.	ORNITHIDIUM.	Gynandria Monandria. H.K.						
coccineum. H.K.	scarlet-flow'r'd.	W. Indies.	1790.	1.	12.	S.	4.	Hook. ex. flor. 38.
Cymbidium coccineum. B.M. 1437.								
ISOCHILUS. H.K.	ISOCHILUS.	Gynandria Monandria. H.K.						
1 linearis. H.K.	linear-leaved.	W. Indies.	1791.	5.	7.	S.	4.	Botan. regist. 745.
Epidendrum lineare. Jacq. amer. t. 131. f. 1.		*Cymbidium lineare.* W.						
2 graminoides. H.E.F.	grass-like.	W. Indies.	1823.	....		S.	4.	Hook. ex. flor. 196.
3 prolifer. H.K.	proliferous.	———	1793.	6.	11.	S.	4.	Botan. regist. 825.
POLYSTACHIA. H.E.F.	POLYSTACHYA.	Gynandria Monandria.						
1 luteola. H.E.F.	smooth.	W. Indies.	1818.	7.	8.	S.	4.	Hook. ex. flor. 103.
Dendrobium polystachyum. W.								
2 puberula. B.R.	downy.	SierraLeon.	1821.	8.		S.	4.	Botan. regist. 851.
BRASSAVOLA. H.K.	BRASSAVOLA.	Gynandria Monandria. H.K.						
1 cucullata. H.K.	single-flowered.	W. Indies.	1793.	6.	7.	S.	4.	Botan. magaz. 543.
Epidendrum cucullatum. B.M.								
2 nodosa. Ly.	many-flowered.	———	1824.	10.		S.	4.	
BROUGHTONIA. K.H.	BROUGHTONIA.	Gynandria Monandria. H.K.						
sanguinea. H.K.	blood-coloured.	Jamaica.	1793.	6.	7.	S.	4.	Lodd. bot. cab. 793.
CATTLEYA. L.col.	CATTLEYA.	Gynandria Monandria. H.E.F.						
1 labiata. L.col.	great-lipped.	S. America.	1818.	4.	10.	S.	4.	Lindl. coll. 33.
2 Loddigesii. H.E.F.	Loddiges'.	———	1810.	——		S.	4.	Hook. ex. flor. 186.
Epidendrum violaceum. B.C. 337.								
3 Forbesii. B.R.	yellow.	Brazil.	1823.	9.		S.	4.	Botan. regist. 953.
EPIDENDRUM. H.K.	EPIDENDRUM.	Gynandria Monandria. H.K.						
1 cochleatum. W.	shell-flowered.	W. Indies.	1786.	1.	12.	S.	4.	Botan. magaz. 572.
2 fragrans. W.	sweet-scented.	———	1778.	10.		S.	4.	——— 1669.
3 secundum. W.	pale-flowered.	———	1793.	6.	7.	S.	4.	Jacq. amer. t. 137.
4 polybulbon. W.	many-bulbed.	———	1822.	——		S.	4.	Hook. ex. flor. 112.
5 verrucosum. W.	warted.	———	1824.	——		S.	4.	Lodd. bot. cab. 1084.
6 nutans. W.	nodding.	———	1794.	——		S.	4.	Hook. ex. flor. 50.
7 umbellatum. W.	umbelled.	Jamaica.	1793.	——		S.	4.	Botan. regist. 80.
8 diffusum. W.	diffuse.	W. Indies.	1818.	4.	5.	S.	4.	Lodd. bot. cab. 846.
9 anceps. B.C.	two-edged.	———	1820.	8.	10.	S.	4.	——— 887.
10 nocturnum. W.	night-smelling.	———	——	4.	6.	S.	4.	——— 713.

11 fuscatum. W.	brown.	W. Indies.	1790.	6. 7.	S. 4.	Botan. regist. 67.
12 elongatum. W.	long-stalked.	Caracas.	1798.	5. 8.	S. ♄.	Botan. magaz. 611.
13 ellipticum. H.E.F.	elliptic-leaved.	Brazil.	1824.	3. 8.	S. ♄.	Hook. ex. flor. 207.
14 conopseum. H.K.	Florida.	Florida.	1775.	8.	S. 4.	
15 monophyllum. H.E.F.	one-leaved.	W. Indies.	1822.	7.	S. 4.	Hook. ex. flor. 109.
16 ciliare. B.R.	fringed.	——	1790.	6. 10.	S. 4.	Botan. regist. 784.
17 cuspidatum. B.R.	pointed.	——	1808	——	S. 4.	—— 783.

CRYPTARRHENA. B.R. CRYPTARRHENA. Gynandria Monandria. B.R.

lunata. B.R.	crescent-lipped.	W. Indies.	1815.	5. 8.	S. 4.	Botan. regist. 153.

EULOPHIA. B.R. EULOPHIA. Gynandria Monandria. B.R.

1 virens. B.R.	green.	E. Indies.	1823.	6. 8.	S. 4.	Roxb. corom. 1. t. 38.
Limodorum virens. R.C.						
2 guineensis. B.R.	Guinea.	SierraLeone.	1822.	11. 2.	S. 4.	Botan. regist. 686.
3 gracilis. B.R.	slender.	——	——	6. 9.	S. 4.	—— 742.
4 triste. B.R.	dark-flowered.	C. B. S.	1825.	5. 6.	G. 4.	
5 longicorne. B.R.	long-spurred.	——	——	6. 8.	G. 4.	
6 barbatum. B.R.	bearded.	——	1822.	——	G. 4.	

CALANTHE. B.R. CALANTHE. Gynandria Monandria. B.R.

1 veratrifolia. B.R.	Veratrum-ld.	E. Indies.	1819.	1. 9.	S. 4.	Botan. regist. 720.
2 sylvestris. Ly.	loose-spiked.	Madagascar.	1823.	6. 7.	S. 4.	

ANGRÆCUM. L.col. ANGRÆCUM. Gynandria Monandria. B.R.

1 maculatum. B.R.	spotted.	S. America.	1819.	10. 12.	S. 4.	Botan. regist. 618.
2 falcatum. L.col.	falcate.	China.	1815.	——	S. 4.	—— 283.
Limodorum falcatum. B.R.						
3 luridum. Ly.	lurid.	SierraLeone.	1822.	7.	S. 4.	

IONOPSIS. K.S. IONOPSIS. Gynandria Monandria.

utricularioides. L.col.	pale-flowered.	Trinidad.	1822.	6. 9.	S. 4.	Hook. ex. flor. 113.
Iantha pallida. H.E.F.						

AERANTHES. B.R. AERANTHES. Gynandria Monandria. B.R.

1 grandiflora. B.R.	large-flowered.	Madagascar.	1823.	7. 8.	S. 4.	Botan. regist. 817.
2 sesquipedalis. Ly.	long-flowered.	——	——	....	S. 4.	

AERIDES. H.K. AIR-PLANT. Gynandria Monandria. H.K.

1 odoratum. H.K.	fragrant.	China.	1800.	....	S. 4.	
2 arachnites. W.	common.	Japan.	1793.	....	S. 4.	
Epidendrum flos aeris. L.						

PHOLIDOTA. H.E.F. PHOLIDOTA. Gynandria Monandria. H.E.F.

imbricata. H.E.F.	imbricated.	Nepaul.	1823.	7.	S. 4.	Hook. ex. flor. 138.

SARCANTHUS. L.col. SARCANTHUS. Gynandria Monandria. B.R.

1 paniculatus. L.col.	panicled.	China.	1812.	5. 8.	S. ♄.	Botan. regist. 220.
Aerides paniculata. B.R.						
2 succisus. Ly.	bitten.	——	1824.	....	S. ♄.	
3 rostratis. B.R.	rostrate.	——	1819.	6. 12.	S. ♄.	Botan. regist. 961.
4 teretifolius. Ly.	round-leaved.	——	——	——	S. ♄.	—— 676.
Vanda teretifolia. B.R.						

TRICHORHIZA. Ly. TRICHORHIZA. Gynandria Monandria.

teretifolia. L.C.	round-leaved.	E. Indies.	1819.	10.	S. ♄.	Hook. ex. flor. 72.
Vanda? trichorhiza. H.E.F.						

VANDA. B.R. VANDA. Gynandria Monandria. B.R.

1 cruenta. L.C.	red-flowered.	China.	1819.	....	S. ♄.	
2 multiflora. L.col.	many-flowered.	——	1800.	6. 10.	S. ♄.	Lindl. coll. 38.
3 Roxburghii. B.R.	Roxburgh's.	E. Indies.	1816.	10. 12.	S. ♄.	Botan. regist. 506.
4 tessellata. L.C.	tessellate.	——	——	....	S. ♄.	Roxb. cor. 1. t. 42.
Cymbidium tessellatum. R.C.						

VANILLA. W. VANILLA. Gynandria Monandria. H.K.

1 aromatica. H.K.	aromatic.	S. America.	1739.	6. 8.	S. ♄.	Plum. ic. 183. t. 188.
2 planifolia. H.K.	flat-leaved.	W. Indies.	1800.	4. 6.	S. ♄.	Andr. reposit. 538.

CYPRIPEDIUM. W. LADIES'-SLIPPER. Gynandria Diandria. H.K.

1 Calceolus. W.	common.	England.	....	5. 7.	H. 4.	Eng. bot. 1.
2 parviflorum. W.	small-flowered.	N. America.	1759.	——	H. 4.	Swt. br. fl. gar. 80.
3 pubescens. W.	yellow-downy.	——	1790.	——	H. 4.	—— 71.
4 spectabile. W.	showy.	——	1731.	6. 7.	H. 4.	Lodd. bot. cab. 697.
album. B.M. 216.						
5 humile. W.	two-leaved.	——	1786.	5. 6.	H. 4.	Botan. magaz. 192.
6 arietinum. W.	ram's-head.	——	1808.	——	H. 4.	—— —— 1569.
7 venustum. B.R.	handsome.	Nepaul.	1816.	7. 10.	S. 4.	Botan. regist. 788.
8 insigne. L.col.	noble.	——	1819.	——	S. 4.	Lindl. coll. 32.

ORDO CLXXV.

SCITAMINEÆ. *Brown prodr.* 1. *p.*305.

GLOBBA. L.	GLOBBA. Monandria Monogynia. L.						
1 marantina. W.	marantine.	E. Indies.	1800.	7. 8.	S. 4.	Exot. bot. 2. t. 103.
2 bulbifera. F.I.	bulb-bearing.	———	1818.	——	S. 4.	
3 orixensis. F.I.	Orixian.	———	1819.	——	S. 4.	
4 versicolor. Ex. B. *Hura.* F.I.	various-col'd.	———	1820.	——	S. 4.	Sm. exot. bot. 2. t. 117.
5 pendula. F.I.	pendulous-fl^d.	———	1822.	6. 8.	S. 4.	
6 Careyana. F.I.	Carey's.	———	1822.	——	S. 4.	Lodd. bot. cab. 691.
7 sessiliflora. B.M.	sessile-flower'd.	———	1807.	——	S. 4.	Botan. magaz. 1428.
MANTISIA. B.M.	MANTISIA. Monandria Monogynia. B.M.					
1 saltatoria. B.M. *Globba subulata.* F.I. *purpurea.* A.R. 615. *saltatoria.* R. 8c.	Opera-girl's.	E. Indies.	1808.	6.	S. 4.	Botan. magaz. 1320.
2 spathulata. R.8. *Globba spathulata.* F.I.	spathulate.	———	1822.	6. 8.	S. 4.	
CURCUMA. W.	TURMERIC. Monandria Monogynia. L.					
1 Zerumbet. F.I.	Zedoary.	E. Indies.	1807.	4. 8.	S. 4.	Rumph. amb. 5. t. 68.
2 aromatica. P.L.	aromatic.	———	1797.	——	S. 4.	Sal. par. lond. 96.
3 Zedoaria. F.I.	silky-leaved.	———	——	——	S. 4.	Botan. magaz. 1546.
4 zanthorrhiza. F.I.	yellow-rooted.	Amboyna.	1819.	4. 5.	S. 4.	
5 latifolia. R.8c.	broad-leaved.	E. Indies.	——	——	S. 4.	Rosc. scitam. ic.
6 elata. F.I.	tall.	———	——	——	S. 4.	
7 cæsia. F.I.	clouded-leaved.	———	——	5. 6.	S. 4.	
8 æruginosa. F.I.	verdigrease.	———	1807.	4. 8.	S. 4.	
9 ferruginea. F.I.	rusty.	———	1819.	——	S. 4.	
10 rubescens. F.I.	red.	———	——	4. 6.	S. 4.	Rox. scitam. ic.
11 comosa F.I.	close-flowered.	———	——	——	S. 4.	
12 leucorrhiza. F.I.	white-rooted.	———	——	——	S. 4.	
13 angustifolia. F.I.	narrow-leaved.	———	1822.	——	S. 4.	
14 longa. F.I.	long-rooted.	———	1759.	6. 8.	S. 4.	Botan. regist. 886.
15 Amada. F.I.	Mango-ginger.	———	1819.	——	S. 4.	Rosc. scitam. ic.
16 viridiflora. F.I.	green-flowered.	———	1820.	——	S. 4.	
17 montana. F.I.	mountain.	———	1823.	4. 6.	S. 4.	Roxb. corom. 2. n. 151.
18 reclinata. F.I.	reclining.	———	1824.	——	S. 4.	
19 petiolata. F.I.	petiolate.	———	1822.	——	S. 4.	
20 rubricaulis. L.T.	red-stalked.	———	1818.	——	S. 4.	
KÆMPFERIA. L.	KÆMPFERIA. Monandria Monogynia. L.					
1 Galanga. W.	officinal.	E. Indies.	1724.	6. 9.	S. 4.	Botan. magaz. 850.
2 rotunda. W.	round-rooted.	———	1768.	7. 8.	S. 4.	——— 920.
3 latifolia. S.S.	broad-leaved.	———	1803.	4. 7.	S. 4.	
4 angustifolia. F.I.	narrow-leaved.	———	——	——	S. 4.	Rosc. scitam. ic.
5 pandurata. F.I.	fiddle-lipped.	———	1812.	——	S. 4.	Botan. regist. 173.
6 ovalifolia. F.I.	oval-leaved.	———	1819.	——	S. 4.	Rosc. scitam. ic.
7 marginata. R.8.	red-margined.	———	1820.	——	S. 4.	——— c. ic.
ROSCOEA. L.T.	ROSCOEA. Monandria Monogynia.					
1 purpurea. L.T.	purple-flower'd.	Nepaul.	1819.	7. 8.	S. 4.	Sm. exot. bot. 2. t. 108.
2 gracilis. L.T.	slender.	———	1820.	——	S. 4.	
3 elatior. L.T.	tall.	———	——	——	S. 4.	
4 spicata. L.T.	spiked.	———	1821.	——	S. 4.	
5 capitata. L.T.	headed.	———	1819.	——	S. 4.	
ZINGIBER. L.T.	GINGER. Monandria Monogynia. H.K.					
1 officinale. F.I.	narrow-leaved.	E. Indies.	1605.	6. 8.	S. 4.	Rosc. scitam. ic.
2 Zerumbet. F.I.	broad-leaved.	———	1690.	9. 11.	S. 4.	Sm. exot. bot. 2. t. 112.
3 Casumunar. B.M. *purpureum.* L.T. *Cliffordia.* A.R. t. 555.	downy-leaved.	———	1796.	8.	S. 4.	Botan. mag. 1426.
4 roseum. F.I.	rose-coloured.	———	1823.	6. 8.	S. 4.	Roxb. corom. 2. t. 126.
5 ligulatum. F.I.	ligulate.	———	——	——	S. 4.	
6 rubens. F.I.	red-flowered.	———	1820.	5. 8.	S. 4.	Rosc. scitam. ic.
7 squarrosum. F.I.	squarrose.	———	——	——	S. 4.	

8	panduratum. F.I.	fiddle-leaved.	E. Indies.	1819.	5. 8.	S.4.	
9	Mioga. L.T.	Japanese.	Japan.	1796.	——	S.4.	Kæmpf. ic. Banks. t.1.
10	chrysanthum. R. Sc.	yellow-flower'd.	E. Indies.	1823.	——	S.4.	Rosc. scitam. ic.
11	capitatum. F.I.	headed.	———	1820.	6. 8.	S.4.	——— ic.
12	elatum. F.I.	tall.	———	——	——	S.4.	
AMOMUM. F.I.		Amomum. Monandria Monogynia. L.					
1	Afzelii. L.T.	sweet-scented.	SierraLeon.	1795.	5. 6.	S.4.	Ann. bot. 1. t. 13.
2	grandiflorum. R.S.	large-flowered.	———	——	6. 7.	S.4.	Sm. exot. bot. t. 111.
3	sylvestre. R.S.	wood.	Jamaica.	1804.	5. 7.	S.4.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamomum. F.I.	bastard Cardamon.	E. Indies.	1820.	4. 6.	S.4.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I.	narrow-leaved.	Madagascar.	——	——	S.4.	Sonnerat. it. 2. f. 137.
6	aculeatum. F.I.	bristly-capsul'd.	E. Indies.	1823.	6. 8.	S.4.	
7	maximum. F.I.	great.	———	——	——	S.4.	
8	dealbatum. F.I.	insipid-seeded.	———	1819.	——	S.4.	
9	subulatum. F.I.	subulate-bracted.	———	——	5. 7.	S.4.	
10	aromaticum. F.I.	aromatic.	———	1823.	——	S.4.	
11	sericeum. F.I.	silky-leaved.	———	1819.	6. 8.	S.4.	
12	granum-paradisi. w.	Grains of Paradise.	Madagascar.	····	2. 4.	S.4.	Blackw. t. 385.
COSTUS. F.I.		Costus. Monandria Monogynia. L.					
1	speciosus. F.I.	large-flowered.	E. Indies.	1794.	8. 9.	S.4.	Jacq. ic. 1. t. 1.
2	nepalensis. R. Sc.	Nepaul.	Nepaul.	1818.	——	S.4.	Rosc. scitam. ic.
	speciosus β. B.R. 665.						
3	Pisonis. B.R.	Brazilian.	Brazil.	1822.	5. 9.	S.4.	Botan. regist. 899.
4	afer. B.R.	African.	SierraLeon.	——	——	S.4.	——— 683.
5	maculatus. R. Sc.	spotted.	———	——	——	S.4.	Rosc. scitam. ic.
6	lanatus. L.C.	woolly.	·····	——	——	S.4.	
7	spicatus. L.T.	spiked.	S. America.	1793.	6.	S.4.	Rosc. scitam. ic.
8	comosus. L.T.	tufted.	———	1815.	——	S.4.	Jacq. ic. 3. t. 202.
	Alpinia comosa. Jacq.						
9	spiralis. L.T.	spiral.	———	——	5. 7.	S.4.	Jacq. schœn. 1. t. 1.
10	villosissima. R.S.	villous.	W. Indies.	1823.	——	S.4.	Jacq. fragm. t. 80.
11	arabicus. L.T.	Arabian.	Arabia.	1752.	8.	S.4.	
HELLENIA. B.P.		Hellenia. Monandria Monogynia. W.					
1	cærulea. B.P.	blue-flowered.	N.Holland.	1820.	5. 6.	G.4.	Rosc. scitam. ic.
2	Allughas. w.	Ceylon.	E. Indies.	1796.	2. 3.	G.4.	Andr. reposit. 501.
ALPINIA. L.T.		Alpinia. Monandria Monogynia. L.					
1	racemosa. L.T.	clustered.	W. Indies.	1752.	7. 9.	S.4.	Plum. ic. 11. t. 20.
2	Galanga. F.I.	Galanga-major.	E. Indies.	1818.	6. 10.	S.4.	Rumph. amb. 5. t. 63.
3	Roxburghii.	Roxburgh's.	———	1820.	——	S.4.	
	bracteata. F.I. *non* L.T.						
4	malaccensis. F.I.	woolly-leaved.	———	1799.	4. 6.	S.4.	Botan. regist. 328.
5	nutans. F.I.	nodding-fld.	———	1792.	——	S.4.	Botan. magaz. 1903.
	Renealmia nutans. A.R. 360.						
6	cernua. B.M.	drooping.	———	——	——	S.4.	——— 1900.
7	auriculata. R. Sc.	eared.	———	1822.	——	S.4.	Rosc. scitam. ic.
8	exaltata. R.S.	tall.	———	1824.	....	S.4.	
9	diffissa. L.T.	cloven.	China.	——	4. 6.	S.4.	Rosc. scitam. ic.
10	mutica. F.I.	spurless.	E. Indies.	1811.	4. 9.	S.4.	——— ic.
11	calcarata. F.I.	upright spiked.	China.	1804.	9.	S.4.	Andr. reposit. 421.
12	spicata. F.I.	spiked.	E. Indies.	1823.	6. 9.	S.4.	
13	striata. L.en.	striated.	———	1818.	....	S.4.	
14	bracteata. L.T.	bracted.	China.	1823.	5. 8.	S.4.	
	Roscoeana. R.S.						
GETHYRA. Sal.		Gethyra. Monandria Monogynia.					
1	occidentalis.	occidental.	Jamaica.	1793.	5. 7.	S.4.	Gært. fruct. 1. t. 12.
	Alpinia occidentalis. L.T.						
2	tubulata.	Mr. Lambert's.	Demarara.	1820.	7. 8.	S.4.	Botan. regist. 777.
	Alpinia tubulata. B.R.						
3	punicea.	bright-red.	E. Indies.	——	——	S.4.	
	Alpinia punicea. F.I.						
4	Cardamomum medium.	9-winged.	———	——	——	S.4.	
5	linguiformis. F.I.	tongue-lipped.	———	1825.	....	S.4.	
ELETTARIA. L.T.		Cardamon. Monandria Monogynia.					
	Cardamomum. L.T.	true.	E. Indies.	1815.	....	S.4.	Linn. trans. 10. t. 4. 5.
	Alpinia Cardamomum. F.I. *Amomum Cardamomum.* L.						
HEDYCHIUM. F.I.		Garland-flower. Monandria Monogynia. L.					
1	angustifolium. R. Sc.	narrow-leaved.	E. Indies.	1815.	5. 12.	S.4.	Rosc. scitam. ic.
2	aurantiacum. R. Sc.	orange-color'd.	———	——	——	S.4.	——— ic.
	angustifolium. B.R. 157. *non* Roxb.						

3 coccineum. R. Sc. *angustifolium.* B.M. non Roxb.	scarlet.	Nepaul.	1818.	5. 12.	S.4.	Rosc. scitam. ic.	
4 longifolium. R. Sc.	long-leaved.	E. Indies.	1820.	6. 8.	S.4.	——— — ic.	
5 carneum. R. Sc.	flesh-coloured.	———	——	——	S.4.	Botan. magaz. 2637.	
6 flavum. R. Sc.	yellow.	———	1819.	——	S.4.	Rosc. scitam. ic.	
7 flavescens. R. Sc.	yellowish.	———	1822.	——	S.4.	——— ——— ic.	
8 heteromallum. B.R.	woolly.	———	——	——	S.4.	Botan. regist. 767.	
9 villosum. F.I.	villous.	———	——	——	S.4.		
10 glaucum. R. Sc.	glaucous.	———	1820.	——	S.4.	Rosc. scitam. ic.	
11 ellipticum. R. Sc.	elliptic-leaved.	———	——	5. 8.	S.4.	——— ——— ic.	
12 acuminatum. R. Sc.	taper-pointed.	———	1822.	——	S.4.	—— ——— ic.	
13 elatum. B.R.	tall.	Nepaul.	1818.	7. 12.	S.4.	Botan. regist. 526.	
14 speciosum. F.I.	beautiful.	E. Indies.	1823.	8. 10.	S.4.		
15 maximum. R. Sc.	large-flowered.	———	1819.	5. 9.	S.4.	Rosc. scitam. ic.	
16 coronarium. F.I.	sweet-scented.	———	1793.	7. 9.	S.4.	Botan. magaz. 708.	
17 Gardnerianum. R. Sc.	Gardner's.	Nepaul.	1818.	——	S.4.	Botan. regist. 771.	
18 thyrsiflorum. R. Sc.	thyrse-flower'd.	———	1822.	——	S.4.	Rosc. scitam. ic.	
19 spicatum. B.M.	spiked.	———	1820.	8. 11.	S.4.	Botan. magaz. 2800.	
20 gracile. F.I.	slender.	E. Indies.	1821.	——	S.4.		

ORDO CLXXVI.

CANNEÆ. *Brown prodr.* 1. *p.* 307.

PHRYNIUM. F.I. PHRYNIUM. Monandria Monogynia. L.

1 dichotomum. F.I.	forked.	E. Indies.	1807.	6. 9.	S.4.	Rumph. amb. 4. t. 7.
2 virgatum. F.I.	slender-stem'd.	———	1818.	——	S.4.	
3 spicatum. F.I.	spiked.	———	——	——	S.4.	
4 imbricatum. F.I.	imbricated.	———	1824.	5. 8.	S.4.	
5 grandiflorum. R. Sc.	great-flowered.	———	1819.	6. 8.	S.4.	Rosc. scitam. ic.
6 parviflorum. F.I.	small-flowered.	———	——	5. 9.	S.4.	——— ——— ic.
7 capitatum. F.I.	capitate.	———	1820.	——	S.4.	Rheed. mal. 11. t. 34.
8 obliquum. L.C.	oblique-leaved.	———	1824.	——	S.4.	
9 angustifolium. L.C.	narrow-leaved.	———	——	——	S.4.	

THALIA. W. THALIA. Monandria Monogynia. W.

dealbata. L.T.	mealy.	Carolina.	1791.	7. 9.	H.w.4.	Botan. magaz. 1690.

CANNA. W. INDIAN SHOT. Monandria Monogynia. L.

1 indica. L.T.	common.	E. Indies.	1570.	1. 12.	S.4.	Botan. regist. 776.
2 coccinea. L.T.	scarlet.	W. Indies.	1731.	——	S.4.	Lodd. bot. cab. 739.
3 lutea. L.T.	yellow.	E. Indies.	1629.	——	S.4.	Botan. regist. 773.
β *maculata.*	*spotted-flowered.*	———	1820.	——	S.4.	Botan. magaz. 2085.
4 orientalis. R. Sc.	oriental.	———	——	——	S.4.	Rosc. scitam. ic.
5 patens. B.R.	spreading.	China.	1771.	7. 10.	H.4.	Botan. regist. 576.
6 speciosa. B.M.	showy.	Nepaul.	1820.	——	H.4.	Botan. magaz. 2317.
7 gigantea. B.R.	gigantic.	America.	1788.	1. 12.	S.4.	Botan. regist. 206.
8 latifolia. B.C.	broad-leaved.	....	....	——	S.4.	Lodd. bot. cab. 634.
9 edulis. B.R.	eatable.	Peru.	1820.	6. 10.	S.4.	Botan. regist. 775.
10 Lamberti. B.R.	Mr. Lambert's.	Trinidad.	1818.	5. 8.	S.4.	——— 470.
11 excelsa. B.C.	tall.	Brazil.	1820.	1. 12.	S.4.	Lodd. bot. cab. 748.
12 occidentalis. B.R.	West Indian.	W. Indies.	1822.	——	S.4.	Botan. regist. 772.
13 limbata, R. Sc.	bordered.	Brazil.	1818.	——	S.4.	Lodd. bot. cab. 449.
14 pallida. R. Sc.	pale.	———	1823.	——	S.4.	Rosc. scitam. ic.
15 compacta. R. Sc.	compact.	E. Indies.	——	——	S.4.	——— ic.
16 pedunculata. B.M.	stalked.	.....	1820.	——	S.4.	Botan. magaz. 2323.
17 denudata. R. Sc.	naked-stalked.	Brazil.	1822.	——	S.4.	Rosc. scitam. ic.
18 lanceolata. L.C.	spear-leaved.	———	——	——	S.4.	
19 esculenta. L.C.	esculent.	S. America.	——	——	S.4.	
20 sanguinea. L.C.	bloody.	———	1824.	——	S.4.	
21 polymorpha. L.C.	variable.	———	——	——	S.4.	
22 iridiflora. B.M.	nodding-fld.	Peru.	1816.	——	S.4.	Botan. regist. 609.
23 flaccida. R. Sc.	flaccid.	S. Carolina.	1788.	——	S.4.	Rosc. scitam. ic.
24 glauca. L.T.	glaucous.	S. America.	1732.	——	S.4.	Sm. exot. bot. 102.
β *rufa.* B.M.	*brown.*	———	....	——	S.4.	Botan. magaz. 2302.

MARANTA. R.S.	ARROW-ROOT.	Monandria Monogynia. L.					
1 arundinacea. R.S.	Indian.	S. America.	1732.	7. 8.	S. 4.	Botan. magaz. 2307.
2 indica. R.S.	smooth-leaved.	India.	....	——	S. 4.	Sloan. jam. t. 149.
3 Tonchat. R.S.	ovate.	E. Indies.	1819.	....	S. 4.	Rumph. amb. 4. t. 7.
4 Jacquini. R.S. *lutea.* Jacq. *non* Lam.	Jacquin's.	Caracas.	1809.	6. 7.	S. 4.	Jacq. ic. 2. t. 20.
5 angustifolia. B.M.	narrow-leaved.	W. Indies.	1820.	7. 8.	S. 4.	Botan. magaz. 2398.
6 bicolor. B.R.	two-coloured.	S. America.	1823.	1. 12.	S. 4.	Botan. regist. 786.
7 gibba. R.S.	gibbous.	———	——	——	S. 4.	Rosc. scitam. ic.
8 obliqua. R.S.	oblique.	Guiana.	1803.	10. 1.	S. 4.	Rudg. gui. t. 11.
9 sylvatica. L.T.	wood.	W. Indies.	1799.	8. 9.	S. 4.	
10 comosa. R.S.	close-spiked.	Surinam.	1812.	6. 7.	S. 4.	
CALATHEA. S.S.	CALATHEA.	Monandria Monogynia. S.S.				
1 discolor. S.S. *Maranta Casupo.* Jacq.	two-coloured.	Caracas.	1823.	6. 8.	S. 4.	Jacq. frag. t. 63. f. 4.
2 violacea. B.R.	violet-coloured.	Brazil.	——	——	S. 4.	Botan. regist. 961.
3 flavescens. B.R.	yellowish.	———	——	——	S. 4.	——— 932.
4 Zebrina. B.R. *Maranta Zebrina.* B.M. 1926.	striped-leaved.	———	1815.	4. 7.	S. 4.	——— 385.
5 Rossii. L.C.	Ross's.	———	1825.	——	S. 4.	
6 villosa. L.C.	villous.	———	——	——	S. 4.	

ORDO CLXXVII.

MUSACEÆ. *Juss. gen.* 61.

MUSA. L.	PLANTAIN-TREE.	Polygamia Monœcia. L.				
1 paradisiaca. W.	common.	India.	1690.	10. 12.	S. ½.	Trew ehret. 3. t. 18-20.
2 sapientum. W.	Banana-tree.	W. Indies.	1720.	10. 3.	S. ½.	——— 4. t. 21-23.
3 maculata. W.	spotted.	Mauritius.	1818.	——	S. ½.	
4 rosacea. W.	rose-coloured.	———	1805.	3. 6.	S. ½.	Botan. regist. 706.
5 coccinea. W.	scarlet-flow'r'd.	China.	1792.	12. 3.	S. ½.	Andr. reposit. t. 47.
6 ornata. F.I.	handsome.	E. Indies.	1823.	....	S. ½.	
7 superba. F.I.	superb.	———	——	....	S. 4.	
8 glauca. F.I.	glaucous.	———	1824.	....	S. 4.	
URANIA. W.	URANIA.	Hexandria Monogynia. W.				
speciosa. W. *Ravenalia madagascariensis.* Jacq.	Plaintain-ld.	Madagascar.	1813.	....	S. ½.	Jacq. schœn. 1. t. 93.
STRELITZIA. H.K.	STRELITZIA.	Pentandria Monogynia. H.K.				
1 augusta. H.K.	Plantain-like.	C. B. S.	1791.	2. 5.	S. ½.	Ker's Strelitz. ic.
2 reginæ. H.K.	Canna-leaved.	———	1773.	4. 5.	I. 4.	Redout. lil. 77. 78.
3 ovata. H.K.	oval-leaved.	———	1777.	2. 4.	I. 4.	Botan. magaz. 119. 120.
4 humilis. L.en.	dwarf.	———	....	——	I. 4.	
5 farinosa. H.K.	mealy-stalked.	———	1795.	——	I. 4.	Ker's Strelitz. ic.
6 angustifolia. H.K.	narrow-leaved.	———	1778.	5. 6.	I. 4.	——— ic.
7 parvifolia. H.K.	small-leaved.	———	1796.	5. 7.	I. 4.	——— ic.
β *juncea.* B.R.	*rush-like.*	———	——	——	I. 4.	Botan. regist. 516.
HELICONIA. R.S.	HELICONIA.	Pentandria Monogynia. L.				
1 Bihai. W.	Plantain-ld.	W. Indies.	1786.	4. 5.	S. 4.	Botan. regist. 374.
2 humilis. R.S.	dwarf.	Caracas.	1798.	5. 6.	S. 4.	Jacq. schœn. 1. t. 48. 49.
3 psittacorum. R.S.	Parrot-beaked.	W. Indies.	1797.	8. 9.	S. 4.	Andr. reposit. 124.
4 Swartziana. R.S. *psittacorum* β. B.M.	Swarts's.	Jamaica.	——	——	S. 4.	Botan. magaz. 502.
5 dealbata. L.C.	mealy.	S. America.	1823.	——	S. 4.	
6 hirsuta. R.S.	hairy-bracted.	———	——	——	S. 4.	
7 buccinata. F.I.	Indian.	E. Indies.	1820.	....	S. 4.	Rumph. amb. 5. t. 63. f. 2.

ORDO CLXXVIII.

IRIDEÆ. *Brown prodr.* 302.

[IRIS. B.M.		FLOWER-DE-LUCE.	Triandria	Monogynia. L.				
1	susiana. R.S.	Chalcedonian.	Levant.	1596.	3. 4.	H.4.	Botan. magaz. 91.	
2	livida. Trat.	livid.	———	....	——	H.4.	Redout. lil. 1. t. 18.	
3	florentina. R.S.	Florentine.	S. Europe.	1596.	5. 6.	H.4.	Botan. magaz. 671.	
4	germanica. R.S.	German.	Germany.	1573.	——	H.4.	——— 670.	
	nepalensis. B.R. 818. *non* D.P.							
5	subbiflora. B.M.	double-bearing.	Portugal.	1596.	4. 5.	H.4.	Botan. magaz. 1130.	
6	pallida. R.S.	pale Turkey.	Turkey.	——	5. 6.	H.4.	——— 685.	
7	longiflora. R.S.	long-flowered.	.....	1824.	——	H.4.		
8	flavescens. R.S.	pale yellow.	Switzerland.	1825.	——	H.4.		
9	sordida. W.en.	dull-flowered.	———	1818.	——	H.4.		
10	sambucina. R.S.	Elder-scented.	S. Europe.	1658.	6.	H.4.	Botan. magaz. 187.	
11	squalens. R.S.	brown-flower'd.	———	1768.	6.	H.4.	——— 787.	
12	lurida. R.S.	dark brown.	———	1758.	4. 5.	H.4.	——— 669. 986.	
13	variegata. R.S.	variegated.	Hungary.	1597.	5. 6.	H.4.	——— 16.	
14	neglecta. R.S.	Horneman's.	.....	1820.	6.	H.4.	——— 2435.	
15	Swertii. R.S.	reflex-fld.	.....,	1748.	5. 6.	H.4.	Redout. lil. 6. t. 360.	
16	plicata. R.S.	plaited-leaved.	Hungary.	1823.	——	H.4.	——— t. 336.	
	amœna β hungarica. R.L. *aphylla.* γ. B.M. 870.							
17	biflora. R.S.	two-flowered.	S. Europe.	1596.	4. 9.	H.4.	Besl. h. eyst. 8. f. 1.	
18	furcata. R.S.	forked.	Tauria.	1822.	3. 4.	H.4.	Botan. regist. 801.	
19	cristata. R.S.	crested.	N. America.	1756.	5.	H.4.	Botan. magaz. 412.	
20	fimbriata. V.	fringed.	China.	1792.	5. 6.	F.4.	Vent. cels. t. 9.	
	chinensis. B.M. 373.							
21	dichotoma. R.S.	forked.	Dauria.	1784.	6. 8.	H.4.	Swt. br. fl. gar. 96.	
22	nudicaulis. R.S.	naked-stalked.	.....	1748.	5. 6.	H.4.		
	aphylla. W.							
23	arenaria. R.S.	sand.	Hungary.	1802.	5. 6.	H.4.	Botan. regist. 549.	
24	lutescens. R.S.	pale yellow.	Germany.	1748.	4. 5.	H.4.	Redout. lil. 5. t. 263.	
25	flavissima. R.S.	bright yellow.	Siberia.	1814.	5. 6.	H.4.	Jacq. ic. 3. t. 220.	
26	pumila. R.S.	dwarf.	Austria.	1596.	4. 5.	H.4.	Botan. magaz. 9.	
27	violacea.	violet-coloured.	S. Europe.	....	——	H.4.	——— 1261.	
	pumila. var. *violacea.* B.M.							
28	hungarica. R.S.	Hungarian.	Hungary.	1815.	5.	H.4.	Swt. br. fl. gar. 74.	
29	iberica. R.S.	Iberian.	Iberia.	1821.	5. 6.	H.4.		
30	moræoides. S.S.	Morœa-like.	C. B. S.	1758.	4. 8.	G.4.	Botan. magaz. 693.	
	Moræa iridioides. B.M.							
31	Pseud-Acorus. R.S.	yellow-water.	Britain.	....	6.	H.4.	Eng. bot. 578.	
	β pallido-flava. B.M.	*pale-yellow.*	N. America.	1812.	——	H.4.	Botan. magaz. 2239.	
32	Monnierii. R.S.	Monnier's.	Levant.	1820.	6. 7.	H.4.	Redout. lil. 4. t. 236.	
33	fœtidissima. R.S.	Gladwyn.	Britain.	....	6.	H.4.	Eng. bot. 596.	
	β variegata.	*striped-leaved.*	———	....	——	H.4.		
34	versicolor. R.S.	various-color'd.	N. America.	1732.	5. 6.	H.4.	Botan. magaz. 21.	
35	fulva. B.M.	copper-color'd.	———	1812.	6. 7.	H.4.	——— 1496.	
	cuprea. Ph. published 1814. *fulvo.* B.M. published 1812.							
36	tridentata. Ph.	three-toothed.	———	1824.	7.	H.4.		
	tripetala. N.							
37	virginica. R.S.	Virginian.	Virginia.	1758.	6. 7.	H.4.	Botan. magaz. 703.	
38	gracilis. Bolt.	Bolton's.	N. America.	....	——	H.4.		
	Boltoniana. R.S.							
39	sparia. B.M.	spurious.	Siberia.	1759.	7.	H.4.	Botan. magaz. 58.	
40	notha. M.B.	hybrid.	———	1789.	——	H.4.	——— 875.	
	halophila. B.M.							
41	ochroleuca. L.	sulphur-color'd.	Levant.	1757.	——	H.4.	Botan. magaz. 61.	
42	halophila. Pal.	long-leaved.	Siberia.	1780.	7. 9.	H.4.	——— 1131.	
43	stenogyna. R.L.	cream-colour'd.	Caucasus.	1804.	7.	H.4.	——— 1515.	
44	desertorum. Guld.	sweet-scented.	Russia.	1811.	——	H.4.	——— 1514.	
	spatulata. W.en.							

45	verna. M.	vernal.	N.America.	1748.	4. 5.	H.4.	Swt. br. fl. gar. 68.
46	ventricosa. R.S.	bellied.	Dahuria.	1800.	6.	H.4.	Pall. it. 3. t. B. f. 1.
47	sibirica. R.S.	Siberian.	Siberia.	1596.	5. 6.	H.4.	Botan. magaz. 50.
	β *alba.*	*white-flowerod.*	———	——	——	H.4.	——————— 1163.
48	acuta. W.en.	acute-leaved.	———	....	——	H.4.	
49	triflora. W.en.	three-flowered.	Italy.	1816.	——	H.4.	
50	hæmatophylla. F.	red-leaved.	Siberia.	1790.	4. 5.	H.4.	Swt. br. fl. gar. 118.
	sanguinea. R.S. *sibirica γ sanguinea.* B.M. 1604.						
51	flexuosa. R.S.	flexuose.	Germany.	....	5. 6.	H.4.	Murr. c. gott. 7. t. 4.
52	prismatica. R.S.	New Jersey.	N.America.	1812.	——	H.4.	Botan. magaz. 1504.
53	graminea. R.S.	grass-leaved.	Austria.	1597.	6.	H.4.	——————— 681.
54	humilis. M.B.	pigmy.	Siberia.	1804.	5. 6.	H.4.	——————— 1123.
55	ruthenica. R.S.	Russian.	Russia.	1810.	4. 5.	H.4.	——————— 1393.
56	tenuifolia. W.	slender-leaved.	Dauria.	1796.	5.	H.4.	Pall. it. 3. t. C. f. 2.
57	nepalensis. D.P.	Nepaul.	Nepaul.	1824.	6. 7.	H.4.	
58	Pallasii. B.M.	Pallas's.	Siberia.	1820.	——	H.4.	
	β *chinensis.* B.M.	*Chinese.*	China.	——	——	H.4.	Botan. magaz. 2331.
59	longispatha. B.M.	long-spathed.	Russia.	1822.	——	H.4.	——————— 2528.
60	brachycuspis. B.M.	short-pointed.	Siberia.	1819.	6.	H.4.	——————— 2326.
61	cœlestina.	sky-blue.	N.America.	1824.	——	F.4.	
62	tuberosa. R.S.	snake's-head.	Levant.	1597.	3. 4.	H.b.4.	Botan. magaz. 531.
63	reticulata. R.S.	netted-rooted.	Iberia.	1821.	4. 5.	H.b.4.	
64	Xiphium. R.S.	small bulbous.	Spain.	1596.	6.	H.b.4.	Botan. magaz. 686.
65	lusitanica. R.S.	Portuguese.	Portugal.	——	4. 5.	H.b.4.	——————— 679.
66	Xiphioides. R.S.	great bulbous.	Spain.	1571.	6.	H.b.4.	——————— 687.
67	caucasica. R.S.	Caucasean.	Caucasus.	1821.	——	H.b.4.	
68	alata. Lam.	winged.	S. Europe.	1801.	....	H.b.4.	Desf. atl. 1. t. 6?
	scorpioides. Desf.						
69	persica. R.S.	Persian.	Persia.	1629.	3.	H.b.4.	Botan. magaz. 1.
MORÆA. B.M.		MORÆA. Triandria Monogynia. L.					
1	Sisyrinchium. B.M.	Spanish nut.	S. Europe.	1597.	5. 6.	F.b.	Botan. magaz. 1467.
2	Tenoreana. B.F.G.	Tenore's.	Naples.	1824.	6. 7.	F.b.	Swt. br. fl. gar. 110.
3	minuta. B.R.	small.	C. B. S.	1825.	——	F.b.	
4	papilionacea. B.R.	Butterfly.	———	1795.	5. 6.	F.b.	Botan. magaz. 750.
5	ciliata. B.R.	fringed-leaved.	———	1787.	4. 6.	F.b.	——————— 1061.
6	barbigera. Sal.	bearded.	———	——	4. 5.	F.b.	——————— 1012.
7	crispa. B.R.	short-spathed.	———	1803.	——	F.b.	——————— 1284.
8	tristis. B.R.	dull-coloured.	———	1768.	——	F.b.	——————— 577.
9	ramosa. B.R.	branching.	———	1789.	5. 6.	F.b.	——————— 771.
10	plumaria. B.R.	feathered.	———	1825.	——	F.b.	
11	viscaria. B.R.	bird-limed.	———	1800.	6.	F.b.	Botan. magaz. 587.
12	bituminosa. B.R.	clammy.	———	1787.	4. 5.	F.b.	——————— 1045.
13	polystachya. B.R.	many-spiked.	———	1825.	6. 7.	F.b.	
14	longiflora. B.R.	long-flowered.	———	1801.	6. 7.	F.b.	Botan. magaz. 712.
15	setacea. B.R.	bristle-leaved.	———	1825.	——	F.b.	Thumb. Ir. t. 1. f. 1.
16	edulis. B.M.	long-leaved.	———	1792.	5. 6.	F.b.	Botan. magaz. 613.
17	odora. P.L.	sweet-scented.	———	——	——	F.b.	Sal. par. lond. 10.
18	longifolia. A.R.	pale-yellow.	———	1808.	——	F.b.	Andrews' reposit. t. 45.
	edulis γ lutescens. B.M. 1288.						
19	angusta. B.R.	rolled-leaved.	———	1790.	——	F.b.	Botan. magaz. 1276.
MARICA. H.K.		MARICA. Triandria Monogynia. H.K.					
1	cœrulea. B.C.	blue.	Brazil.	1810.	4. 10.	S.4.	Botan. regist. 713.
2	Sabini. H.T.	Sabine's.	St. Thomas.	1822.	9. 11.	S.4.	Hort. trans. v. 6. pl. 1.
3	Northiana. H.K.	broad-stemm'd.	Brazil.	1789.	4. 8.	S.4.	Botan. magaz. 654.
	Moræa Northiana. A.R. 255.						
4	paludosa. B.M.	marsh.	Guiana.	1792.	7. 8.	S.4.	Botan. magaz. 646.
5	semiaperta. B.C.	half-opened.	Brazil.	1820.	5. 7.	S.4.	Lodd. bot. cab. 685.
6	humilis. B.C.	dwarf.	———	1823.	——	S.4.	——————— 1081.
7	martinicensis. H.K.	Martinico.	W. Indies.	1782.	——	S.4.	Botan. magaz. 416.
	Iris martinicensis. B.M. *Cipura martinicensis.* K.S. *Trimezia lurida.* Sal.						
CYPELLA. B.M.		CYPELLA. Monadelphia Triandria. B.M.					
Herberti. B.M.		Mr. Herbert's.	BuenosAyres.	1823.	6. 9.	F.b.	Botan. magaz. 2599.
	Tigridia Herberti. B.M. *Moræa Herberti.* B.R. 949.						
VIEUSSEUXIA. DC.		VIEUSSEUXIA. Triandria-Monadelphia Triandria.					
1	tripetaloides. DC.	three petal-like.	C. B. S.	1802.	4. 5.	F.b.	Botan. magaz. 702.
	Moræa tripetala. B.M. *Iris tripetala.* W.						
2	pavonia. DC.	Peacock.	———	1790.	5. 6.	F.b.	Botan. magaz. 1247.
	Moræa pavonia. B.M. *Iris pavonia.* W.						

3 villosa. s.s.	villous-leaved.	C. B. S.	1789.	4. 5.	F.b.	Botan. magaz. 571.
4 tricuspis. s.s.	trident-petaled.	———	1776.	6.	F.b.	——— 696.
5 glaucopis. DC.	white-flowered.	———	——	5. 7.	F.b.	Redout. lil. 1. t. 42.
Iris pavonia. B.M. 168. *nec aliorum.*						
6 Bellendeni.	Mr. Ker's.	———	1803.	6. 7.	F.b.	Botan. magaz. 772.
Moræa tricuspis γ lutea. B.M. certainly a very distinct species.						
7 tenuis. R.s.	slender.	———	1807.	5. 6.	F.b.	——— 1047.
8 spiralis. R.s.	spiral-flowered.	———	1825.	——	F.b.	De la Roch. dis. t. 5.
9 unguicularis. R.s.	long-clawed.	———	1802.	——	F.b.	Botan. magaz. 593.
10 lurida.	Mr. Griffin's.	———	1817.	6.	F.b.	Botan. regist. 312.
Moræa lurida. B.R.						
HOMERIA. V.	HOMERIA. Monadelphia Triandria.					
1 spicata.	spiked.	C. B. S.	1785.	5. 6.	F.b.	Botan. magaz. 1283.
Moræa spicata. B.M.						
2 collina.	hill.	———	1768.	——	F.b.	——— —— 1033.
Moræa collina. B.M.						
3 exaltata. B.F.G.	tall upright.	———	——	——	F.b.	Swt. br. fl. gar. ic.
Moræa collina. γ. B.M. 1102.						
4 lineata. B.F.G.	lined-leaved.	———	1825.	——	F.b.	Swt. br. fl. gar. ic.
5 porrifolia. B.F.G.	leek-leaved.	———	——	——	F.b.	——— —— ic.
6 elegans.	elegant.	———	——	——	F.b.	Jacq. schœn. 1. t. 2.
7 flaccida.	flaccid.	———	1810.	——	F.b.	Botan. mag. 1612.
Moræa collina (a) miniata minor. B.M. 1612.						
8 miniata. B.F.G.	spot-flowered.	———	1799.	——	F.b.	Swt. br. fl. gar. 152.
9 virgata.	slender.	———	1825.	——	F.b.	Jacq. ic. 2. t. 228.
10 flexuosa.	flexuose.	———	1803.	——	F.b.	Botan. magaz. 695.
PARDANTHUS. S.S.	PARDANTHUS. Triandria Monogynia. S.S.					
1 chinensis. s.s.	Chinese.	China.	1759.	6. 7.	H.4.	Botan. magaz. 171.
Ixia chinensis. B.M. *Belamcanda chinensis.* DC.						
2 nepalensis.	Nepaul.	Nepaul.	1823.	....	H.4.	
BOBARTIA. L.	BOBARTIA. Triandria Monogynia. L.					
1 gladiata.	hairy-stalked.	C. B. S.	1815.	6. 8.	G.4.	Botan. regist. 229.
Marica gladiata. B.R. *Moræa gladiata.* W.						
2 spathacea. L.	sheathed.	———	1798.	7.	G.4.	
SISYRINCHIUM. L.	SISYRINCHIUM. Monadelphia Triandria.					
1 latifolium. H.K.	broad-leaved.	W. Indies.	1737.	6. 8.	S.4.	Botan. magaz. 655.
Marica plicata. B.M. *Moræa plicata.* W.						
2 bermudianum. W.	Iris-leaved.	Bermudas.	1732.	5. 7.	G.4.	Botan. magaz. 94.
iridioides. B.M.						
3 Nuttalli.	Nuttall's.	N.America.	1823.	——	H.4.	
bermudianum. N. *nec aliorum.*						
4 anceps. W.	narrow-leaved.	———	1693.	6. 7.	H.4.	Botan. magaz. 464.
5 mucronatum. M.	pointed-flow'r'd.	———	1812.	——	H.4.	
6 convolutum. W.	convolute.	S. America.	1816.	5. 7.	F.4.	Wild. h. ber. t. 91.
7 tenuifolium. W.	slender-leaved.	———	——	——	F.4.	——— t. 92.
8 luteum. L.en.	yellow-flow'r'd.	———	1823.	——	F.4.	
9 californicum. H.K.	Californian.	California.	1796.	5. 9.	F.4.	Botan. magaz. 983.
Marica californica. B.M.						
10 micranthum. W.	small-flowered.	Peru.	1822.	——	F.4.	Cavan. diss. 6. t. 101. f. 2.
11 iridifolium. K.s.	Iris-leaved.	S. America.	——	——	F.4.	Botan. regist. 646.
laxum. s.s. *Marica iridifolia.* B.R.						
12 striatum. H.K.	streaked-fld.	Mexico.	1788.	——	F.4.	Sm. ic. pict. 9.
Marica striata. B.M.						
13 palmifolium. W.	Palm-leaved.	Brazil.	1779.	1. 5.	S.4.	
RENEALMIA. B.P.	RENEALMIA. Triandria-Monadelphia Triandria.					
1 paniculata. B.P.	panicled.	N. S. W.	1823.	5. 8.	F.4.	
2 grandiflora. B.P.	largest-flow'r'd.	N. Zealand.	1822.	4. 9.	H.4.	Swt. br. fl. gar. 64.
3 pulchella. B.P.	neat.	N. S. W.	1823.	——	F.4.	
PATERSONIA. B.P.	PATERSONIA. Monadelphia Triandria. H.K.					
1 sericea. B.P.	silky.	N. S. W.	1803.	5. 7.	F.4.	Botan. magaz. 1041.
2 longifolia. B.P.	long-leaved.	———	1822.	——	F.4.	
3 media. B.P.	middle.	———	1824.	——	F.4.	
4 glabrata. B.P.	smooth.	———	1814.	——	F.4.	Botan. regist. 50.
5 glauca. B.P.	glaucous.	———	1826.	....	F.4.	Lab. nov. hol. 1. t. 9.
WITSENIA. H.K.	WITSENIA. Triandria Monogynia.					
1 maura. H.K.	downy-flow'rd.	C. B. S.	1790.	11. 1.	G.ħ.	Botan. regist. 5.
2 corymbosa. H.K.	corymbose.	———	1803.	4. 9.	G.ħ.	Botan. magaz. 895.
3 ramosa. s.s.	branching.	———	1809.	——	G.ħ.	
ARISTEA. Ker.	ARISTEA. Triandria Monogynia. L.					
1 cyanea. H.K.	woolly-headed.	C. B. S.	1759.	4. 6.	G.4.	Botan. magaz. 458.

2 pusilla. B.M.	flat-stemmed.	C. B. S.	1806.	6. 7.	G. &.	Botan. magaz. 1281
3 spiralis. H.K.	spiral-flowered.	———	1795.	4. 5.	G. &.	——— 631
4 capitata. H.K.	tallest.	———	1790.	7. 8.	G. &.	——— 691
major. A.R. 160. *Moræa cærulea.* Th. mor. t. 2. f. 2.						
5 melaleuca. H.K.	three-coloured.	———	1786.	5. 6.	G. &.	Botan. magaz. 1227
FERRARIA. Ker.	FERRARIA. Monadelphia Triandria. H.K.					
1 angustifolia.	narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.	
2 antherosa. B.M.	green variegated.	———	1800.	8. 7.	F.b.	Botan. magaz. 761.
Ferrariola. H.K. *viridiflora.* A.R. 285.						
3 uncinata. B.F.G.	hook-leaved.	———	1825.	———	F.b.	Swt. br. fl. gar. 161
4 undulata. W.	curled.	———	1755.	———	F.b.	Botan. magaz. 144.
5 divaricata. B.F.G.	spreading-anther'd.	———	1825.	8. 7.	F.b.	Swt. br. fl. gar. ic.
6 obtusifolia. B.F.G.	blunt-leaved.	———	———	———	F.b.	——— 146.
TIGRIDIA. J.	TIGER-FLOWER. Monadelphia Triandria. H.K.					
1 pavonia. H.K.	red-flowered.	Mexico.	1796.	5. 9.	H.b.	Redoute lil. t. 6.
Ferraria pavonia. A.R. 172. *Tigridia.* B.M. 532.						
2 conchiflora. B.F.G.	yellow-flower'd.	———	1824.	———	H.b.	Swt. br. fl. gar. 128.
GALAXIA. Ker.	GALAXIA. Monadelphia Triandria. H.K.					
1 ovata. W.	oval-leaved.	C. B. S.	1799.	5. 9.	F.b.	Andr. reposit. 94.
2 grandiflora. A.R.	large-flowered.	———	———	———	F.b.	——— — 184.
3 mucronularis. Sal.	mucronated.	———	———	———	F.b.	Jac. ic. t. 291. f. inf. ia
4 versicolor. Sal.	various-colour'd.	———	———	———	F.b.	——— f. inf. ad dextr.
5 graminea. W.	narrow-leaved.	———	1795.	7. 8.	F.b.	Botan. magaz. 1292.
LAPEYROUSIA. Ker.	LAPEYROUSIA. Triandria Monogynia. H.K.					
1 corymbosa. B.M.	level-topped.	C. B. S.	1791.	5. 6.	F.b.	Botan. magaz. 595.
2 falcata. B.M	sickle-leaved.	———	1825.	———	F.b.	Thunb. dis. 4. t. 1. f. 1
3 fasciculata. B.M.	fascicled.	———	———	———	F.b.	Jacq. ic. 2. t. 291.
Galaxia plicata. Jacq. *Ixia heterophylla.* Vahl. *Ovieda fasciculata.* S.P.						
4 fissifolia. B.M.	leafy-spiked.	———	1809.	8. 9.	F.b.	Botan. magaz. 1246.
5 aculeata. B.F.G.	prickly-stemmed.	———	1825.	5. 7.	F.b.	Swt. br. fl. gar. ic.
6 anceps. B.F.G.	flat-stemmed.	———	———	———	F.b.	——— — 148.
7 silenoides. B.M.	Silene-like.	———	1822.	———	F.b.	Jacq. ic. 2. t. 270.
8 Fabricii. B.M.	slender-branch'd.	———	1825.	———	F.b.	
ANOMATHECA. Ker.	ANOMATHECA. Triandria Monogynia. H.K.					
juncea. H.K.	cut-leaved.	C. B. S.	1791.	4. 5.	F.b.	Botan. magaz. 606.
Lapeyrousia juncea. B.M. *Gladiolus polystachyus.* A.R. 66.						
BABIANA. Ker.	BABIANA. Triandria Monogynia. S.S.					
1 nana. S.S.	dwarf.	C. B. S.	1807.	4. 6.	F.b.	Andr. reposit. t. 18.
Gladiolus nanus. A.R.						
2 rubro-cyanea. B.M.	red and blue.	———	1794.	———	F.b.	Botan. magaz. 416.
3 villosa. B.M.	dark red.	———	1778.	8.	F.b.	——— 532.
Ixia punicea. Jacq. ic. 2. t. 287.						
4 obtusifolia. B.M.	blunt-leaved.	———	1825.	5. 6.	F.b.	Jacq. ic. 2. t. 284.
Ixia villosa. Jacq. non H.K.						
5 purpurea. B.M.	dark purple.	———	1806.	———	F.b.	Botan. magaz. 1052.
6 stricta. B.M.	upright.	———	1757.	———	F.b.	——— 691.
7 angustifolia.	narrow-leaved.	———	———	———	F.b.	——— 691.
stricta (a) B.M. *Ixia villosæ var.* Jacq. frag. t. 14. f. 2.						
8 tenuiflora. B.F.G.	slender-fld.	———	1825.	———	F.b.	Swt. br. fl. gar. ic.
9 sulphurea. B.M.	pale-flowered.	———	1803.	———	F.b.	Botan. magaz. 1063.
10 mucronata. B.M.	mucronate.	———	1825.	———	F.b.	Jacq. ic. 2. t. 265.
11 plicata. B.M.	sweet-scented.	———	1774.	———	F.b.	Botan. magaz. 576.
12 disticha. B.M.	two-ranked.	———	———	6. 7.	F.b.	——— 696.
Gladiolus plicatus. Jacq. ic. t. 287. *nec aliorum.*						
13 ochroleuca.	cream-colour'd.	———	1825.	5. 7.	F.b.	
14 spathacea. B.M.	stiff-leaved.	———	1801.	———	F.b.	Botan. magaz. 688.
15 sambucina. B.M.	Elder-scented.	———	1799.	4. 5.	F.b.	——— 1019.
16 tubata.	long-flowered.	———	1774.	———	F.b.	——— 669.
Gladiolus tubatus. Jacq. ic. 2. t. 264.						
17 tubiflora. B.M.	long-tubed.	———	———	———	F.b.	——— 847.
18 ringens. B.M.	gaping-fld.	———	1752.	5. 6.	F.b.	Lodd. bot. cab. 1086.
19 Thunbergii. B.M.	many-spiked.	———	1774.	———	F.b.	
Antholyza plicata. W.						
ANTHOLYZA. Ker.	ANTHOLYZA. Triandria Monogynia. L.					
1 æthiopica. B.M.	flag-leaved.	C. B. S.	1759.	1. 4.	F.b.	Botan. magaz. 561.
2 prælta. DC.	tall.	———	....	———	F.b.	Redout. lil. 7. t. 387.
æthiopica. var. β. B.M. 1172. *vittigera.* Sal.						
3 montana. B.C.	mountain.	———	1824.	5. 7.	F.b.	Lodd. bot. cab. 1022.
ANISANTHUS. B.F.G.	ANISANTHUS. Triandria Monogynia.					
1 splendens. B.F.G.	splendid.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. ic.

2	Cunonia. B.F.G.	scarlet.	C. B. S.	1756.	5. 6.	F.b.	Botan. magaz. 343.
	Antholyza Cunonia. B.M. *Gladiolus Cunonia.* H.K.						
3	quadrangularis.	four-channell'd.	———	1799.	3. 4.	F.b.	——— 567.
	Gladiolus quadrangularis. B.M. *abbreviatus.* A.R. 166.						
WATSONIA. Ker.		WATSONIA.	Triandria Monogynia. H.K.				
1	aletroides. B.M.	Aletris-flow'r'd.	C. B. S.	1774.	5. 7.	F.b.	Botan. magaz. 441.
	β *variegata.* B.M.	*variegated.*	———	——	——	F.b.	——— 533.
2	humilis. B.M.	lake-coloured.	———	1754.	——	F.b.	——— 631.
3	Meriana. B.M.	red-flowered.	———	1750.	——	F.b.	——— 418.
4	iridifolia. Jac.	Iris-leaved.	———	1795.	——	F.b.	Jacq. ic. 2. t. 284.
5	fulgida. Sal.	scarlet.	———	——	——	F.b.	Botan. magaz. 600.
	Antholyza fulgens. A.R. 192.						
6	rosea-alba. B.M.	two-coloured.	———	....	7. 8.	F.b.	——— 537.
	β *variegata.*	*variegated-fld.*	———	....	——	F.b.	——— 1103.
7	brevifolia. B.M.	short-leaved.	———	1794.	5. 7.	F.b.	——— 601.
8	strictiflora. B.M.	upright-fld.	———	1810.	6.	F.b.	——— 1406.
9	rosea. B.M.	pyramidal.	———	1803.	7. 8.	F.b.	——— 1072.
10	marginata. B.M.	broad-leaved.	———	1774.	6. 7.	F.b.	——— 608.
	β *minor.* B.M.	*shining-leaved.*	———	1812.	——	F.b.	——— 1530.
11	punctata. H.K.	dotted-flow'r'd.	———	1809.	4. 5.	F.b.	Andr. reposit. 177.
	Ixia punctata. A.R.						
12	plantaginea. B.M.	Fox-tail.	———	1774.	6. 7.	F.b.	Botan. magaz. 553.
13	spicata. B.M.	hollow-leaved.	———	1791.	5.	F.b.	——— 523.
	Ixia fistulosa. B.M.						
GLADIOLUS. Ker.		Corn-flag.	Triandria Monogynia. L.				
1	viperatus. B.M.	perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt. br. fl. gar. 156.
2	alatus. B.M.	wing-flowered.	———	1795.	5. 6.	F.b.	Botan. magaz. 586.
3	algoensis.	Algoa bay.	———	1824.	7.	F.b.	——— 2608.
	alatus β *algoensis.* B.M.						
4	namaquensis. B.M.	thick-leaved.	———	1800.	5. 6.	F.b.	Botan. magaz. 592.
5	permeabilis. R.S.	tall.	———	1825.	——	F.b.	De la Roch. dis. t. 2.
6	Watsonius. B.M.	Watson's.	———	1791.	3. 5.	F.b.	Botan. magaz. 450.
	β *variegata.*	*variegated-fld.*	———	1801.	——	F.b.	——— 569.
7	brevifolius. H.K.	short-leaved.	———	1802.	——	F.b.	——— 727, 992.
8	hirsutus. H.K.	rose-coloured.	———	1795.	4. 6.	F.b.	——— 574, 823.
9	versicolor. B.M.	various-color'd.	———	1794.	5. 6.	F.b.	Andr. reposit. 19.
10	binervis.	two-nerved.	———	1806.	——	F.b.	Botan. magaz. 1042. s.
	versicolor s. *binervis.* B.M.						
11	recurvus. B.M.	Violet-scent'd.	———	1758.	4. 5.	F.b.	Botan. magaz. 578.
12	gracilis. B.M.	slender.	———	1800.	——	F.b.	——— 562.
13	maculatus.	spotted-flow'r'd.	———	1799.	——	F.b.	——— 556.
	versicolor γ. *tenuior.* B.M.						
14	debilis. B.M.	weak.	———	1822.	——	F.b.	Botan. magaz. 2585.
15	trichonemifolius. B.M.	slender-lf.	———	1810.	5. 6.	F.b.	——— 1489.
16	concolor. P.L.	pale yellow.	———	1790.	——	F.b.	Sal. par. lond. 8.
17	tristis. B.M.	square-leaved.	———	1745.	——	F.b.	Botan. magaz. 272.
18	hyalinus. Jacq.	transparent.	———	1825.	——	F.b.	Jacq. ic. 2. t. 242.
19	tenellus. Jacq.	feeble.	———	——	——	F.b.	——— t. 248.
20	Colvillii. B.F.G.	Colvill's.	Hybrid.	1823.	——	F.b.	Swt. br. fl. gar. 155.
21	angustus. B.M.	narrow-leaved.	C. B. S.	1757.	——	F.b.	Botan. magaz. 602.
22	hastatus. B.M.	spade.	———	1816.	4. 5.	F.b.	——— 1564.
23	edulis. B.R.	eatable.	———	——	5. 6.	F.b.	Botan. regist. 169.
24	carneus. B.M.	flesh-coloured.	———	1796.	——	F.b.	Botan. magaz. 591.
25	cuspidatus. B.M.	sharp-pointed.	———	1795.	4. 5.	F.b.	——— 582.
26	undulatus. B.M.	waved-flow'r'd.	———	1760.	——	F.b.	Jacq. ic. 2. t. 251.
	α *pallidus.*	*pale-flowered.*	———	——	——	F.b.	Botan. magaz. 647.
	β *carneus.*	*flesh-coloured.*	———	——	——	F.b.	——— 538.
27	blandus. B.M.	fairest.	———	1774.	6.	F.b.	——— 625.
28	albidus. Vahl.	white-flowered.	———	——	——	F.b.	——— 648.
29	campanulatus. A.R.	bell-flowered.	———	1794.	5. 6.	F.b.	Andr. reposit. 188.
30	pictus.	painted-fld.	———	——	——	F.b.	Botan. magaz. 1666.
	blandus. ∂. B.M.						
31	trimaculatus. Vahl.	three-spotted.	———	——	——	F.b.	
32	involutus. B.M.	involute.	———	1757.	——	F.b.	Mill. ic. t. 266. f. 1.
33	flexuosus. B.M.	flexuose.	———	1825.	——	F.b.	Thunb. diss. t. 1. f. 1.
34	floribundus. B.M.	large-flowered.	———	1788.	5. 7.	F.b.	Botan. magaz. 610.
35	Milleri. B.M.	Miller's.	———	1751.	4. 5.	F.b.	——— 632.
36	cardinalis. B.M.	superb.	———	1789.	7. 8.	F.b.	——— 135.
37	byzantinus. B.M.	Turkish.	Turkey.	1629.	6. 7.	H.b.	——— 874.

38 communis. B.M.	common.	S. Europe.	1596.	——	H.b.	Botan. magaz. 86.
β carneus. B.M.	*pale-flowered.*	——	——	——	H.b.	—— —— 1575.
SPHÆROSPORA.	SPHÆROSPORA. Triandria Monogynia.					
segetum.	European.	S. Europe.	1596.	6. 7.	H.b.	Botan. magaz. 719.
Gladiolus segetum. B.M. *Antholyza segetum.* Ker.						
SYNNOTIA. B.F.G.	SYNNOTIA. Triandria Monogynia.					
1 variegata. B.F.G.	variegated-fld.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. 150.
2 bicolor. B.F.G.	two-coloured.	——	1786.	8. 4.	F.b.	Botan. magaz. 548.
Ixia bicolor. B.M. *Sparaxis bicolor.* Ker. *Gladiolus bicolor.* W.						
3 galeata. B.F.G.	helmet-flow'r'd.	——	1825.	——	F.b.	Jacq. ic. 2. t. 258.
Gladiolus galeatus. Jacq.						
SPARAXIS. Ker.	SPARAXIS. Triandria Monogynia. H.K.					
1 tricolor. H.K.	three-colour'd.	C. B. S.	1789.	5.	F.b.	Botan. magaz. 381.
2 versicolor. B.F G.	various-colour'd	——	1811.	——	F.b.	Swt. br. fl. gar. 150.
3 Griffini.	Mr. Griffin's.	——	——	——	F.b.	Bot.magaz.1482.f.inf.
tricolor γ violaceo-purpurea. B.M.						
4 blanda.	blush-flowered.	——	——	——	F.b.	—— 1482.f.med.
tricolor. δ. subroseo-albida. B.M.						
5 grandiflora. H.K.	large-flowered.	——	1758.	4. 5.	F.b.	Botan. magaz. 541.
α purpurea.	*velvet-flowered.*	——	——	——	F.b.	Andr. reposit. 87.
β striata.	*streaked-flower'd.*	——	——	——	F.b.	Botan. magaz. 779.
6 Liliago.	Lily-flowered.	——	....	——	F.b.	Redout. lil. 2. t. 109.
Ixia Liliago. R.L. *Sparaxis grandiflora γ Liliago.* B.R. 258.						
7 bulbifera. H.K.	bulb-bearing.	——	1758.	5. 6.	F.b.	Botan. magaz. 545.
8 fragrans. B.M.	fragrant.	——	1825.	——	F.b.	Jacq. ic. 2. t. 274.
9 anemonæflora. B.M.	Anemone-fld.	——	——	——	F.b.	—— 2. t. 273.
Ixia anemonæflora. Jacq.						
TRITONIA. Ker.	TRITONIA. Triandria Monogynia. H.K.					
1 crispa. H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 678.
2 anigozanthiflora.	Anigozanthus-fld.	——	1825.	6. 8.	F.b.	
3 viridis. B.M.	green-flowered.	——	1788.	7.	F.b.	Botan. magaz. 1275.
4 rosea. H.K.	rosy.	——	1793.	6. 7.	F.b.	—— 618.
5 capensis. B.M.	Cape.	——	1811.	8. 10.	F.b.	—— 1531.
6 pallida. B.M.	pale-flowered.	——	1806.	——	F.b.	Jacq. ic. 2. t. 262.
7 longiflora. B.M.	long-flowered.	——	1774.	6. 8.	F.b.	Botan. magaz. 256.
Hexaglottis longiflora. v. *Gladiolus longiflorus.* Jacq. *Ixia longiflora.* B.M.						
8 tenuiflora. B.M.	slender-flow'r'd.	——	1811.	4. 6.	F.b.	Botan. magaz. 1502.
9 concolor.	self-coloured.	——	——	——	F.b.	—— 1502.f.minor.
10 Rocheana.	bending-fld.	——	——	8.	F.b.	—— —— 1502.
11 pectinata. B.M.	pectinated.	——	1825.	5. 6.	F.b.	
12 striata. B.M.	streaked.	——	——	——	F.b.	Jacq. ic. 2. t. 260.
13 lineata. B.M.	pencilled.	——	1774.	——	F.b.	Botan. magaz. 487.
14 securigera. B.M.	copper-color'd.	——	——	5.	F.b.	—— 383.
15 flava. B.M.	yellow.	——	1780.	4. 6.	F.b.	Botan. regist. 747.
16 refracta. B.R.	reflexed.	——	1815.	5. 6.	F.b.	—— 135.
17 squalida. B.M.	sweet-scented.	——	1774.	——	F.b.	Botan. magaz. 581.
18 fenestrata. B.M.	open-flowered.	——	1801.	——	F.b.	—— 704.
19 crocata. B.M.	Crocus-flow'r'd.	——	1758.	——	F.b.	—— 184.
Ixia crocata. B.M.						
20 deusta. B.M.	spotted.	——	1774.	——	F.b.	Botan. magaz. 622.
21 miniata. B.M.	late-flowered.	——	1795.	8.	F.b.	—— 609.
22 xanthospila. S.S.	yellow-spotted.	——	1825.	5. 6.	F.b.	Redout. lil. 3. t. 124.
IXIA. Ker.	IXIA. Triandria Monogynia. L.					
1 linearis. H.K.	slender.	C. B. S.	1796.	4. 5.	F.b.	Botan. magaz. 570.
2 capillaris. B.M.	capillary.	——	1774.	——	F.b.	—— 617.
3 aulica. H.K.	rose-coloured.	——	——	——	F.b.	—— 1013.
4 fucata. B.M.	painted.	——	....	6. 7.	F.b.	—— 1379.
5 incarnata. Jacq.	flesh-coloured.	——	....	——	F.b.	Jacq. ic. 2. t. 282.
6 aristata. B.M.	salver-flower'd.	——	1800.	——	F.b.	Botan. magaz. 589.
7 flexuosa. B.M.	flexuose.	——	1757.	4. 5.	F.b.	—— 624.
8 hybrida. B.M.	spurious.	——	——	——	F.b.	—— 128.
9 leucantha. F.S.	white-flowered.	——	1779.	5. 8.	F.b.	Jacq. ic. 2. t. 278.
10 patens. B.M.	spreading-fld.	——	——	4. 6.	F.b.	Botan. magaz. 522.
11 crateroides. B.M.	crimson.	——	1778.	——	F.b.	—— 594.
12 monadelpha. B.M.	monadelphous.	——	1792.	——	F.b.	—— 607.
13 curta. A.R.	shortened.	——	——	——	F.b.	Andr. reposit. t. 554.
monadelpha β. B.M. 1378.						
14 columellaris. B.M.	variegated.	——	1790.	6. 8.	F.b.	Botan. magaz. 630.
15 conica. B.M.	orange-color'd.	——	1757.	4. 5.	F.b.	—— 539.

16 dubia. R.S.	doubtful.	C. B. S.	....	4. 5.	F.b.	Redout. lil. 2. t. 64.
17 viridiflora. R.S.	green-flowered.	———	1780.	5. 6.	F.b.	Botan. magaz. 549.
18 maculata. W.	spot-flowered.	———	——	——	F.b.	Jacq.schœn.t.20.21.&c
19 ovata.	ovate-spiked.	———	——	——	F.b.	Andr. reposit. 23.
20 capitata. A.R.	headed.	———	——	——	F.b.	——— 159.
21 ochroleuca.	cream-colour'd.	———	1809.	——	F.b.	Botan. magaz. 1285.
22 erecta. H.K.	upright.	———	1757.	——	F.b.	Jacq. schœn. 1. t. 18.
α albiflora.	*white-flowered.*	———	——	——	F.b.	Botan. magaz. 623.
β incarnata.	*flesh-coloured.*	———	——	——	F.b.	Andr. reposit. 155.
γ lutea.	*yellow-flowered.*	———	——	——	F.b.	Botan. magaz. 846.
23 retusa. H.K.	sweet-scented.	———	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
polystachia. B.M. 629.						
24 scillaris. B.M.	Squill-flower'd.	———	1787.	——	F.b.	Botan. magaz. 542.
25 crispa. B.M.	curled-leaved.	———	——	4. 5.	F.b.	——— 599.

MELASPHÆRULA. Ker. MELASPHÆRULA. Triandria Monogynia. H.K.

1 iridifolia. B.F.G.	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2 intermedia.	intermediate.	———	1787.	4. 8.	F.b.	Botan. magaz. 615.
graminea. B.M. *excl. synonym.*						
3 graminea.	grass-leaved.	———	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 286.
Gladiolus gramineus. Jacq. *Diasia graminifolia.* Red. lil. t. 168.						

HESPERANTHA. Ker. EVENING-FLOWER. Triandria Monogynia. H.K.

1 cinnamomea. H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 1054.
2 falcata. H.K.	sickle-leaved.	———	——	——	F.b.	——— ——— 566.
3 graminifolia.	Grass-leaved.	———	1808.	8. 9.	F.b.	——— ——— 1254.
4 pilosa. H.K.	hairy.	———	1811.	4. 5.	F.b.	——— ——— 1475.
5 angusta. B.M.	narrow-leaved.	———	1825.	——	F.b.	Jacq. ic. 2. t. 279.
Ixia angusta. Jacq.						
6 radiata. H.K.	nodding-fld.	———	1794.	4. 6.	F.b.	Botan. magaz. 573.

GEISSORHIZA. Ker. TILE-ROOT. Triandria Monogynia. H.K.

1 Rocheana.	plaid.	C. B. S.	1790.	5.	F.b.	Botan. magaz. 598.
2 setacea. B.M.	bristle-leaved.	———	1809.	6. 7.	F.b.	——— 1255.
3 obtusata. H.K.	pale-yellow.	———	1801.	5.	F.b.	——— 672.
4 vaginata. B.F.G.	sheathed.	———	1825.	6. 9.	F.b.	Swt. br. fl. gar. 138.
5 secunda. B.M.	one-ranked.	———	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
α carulea.	*blue-flowered.*	———	——	——	F.b.	Botan. magaz. 597.
β albescens.	*whitish-flowered.*	———	——	——	F.b.	——— 1105.
6 sublutea. B.M.	yellowish.	———	1825.	——	F.b.	
Ixia sublutea. Lam.						
7 imbricata. B.M.	imbricated.	———	——	——	F.b.	
8 hirta. B.M.	hairy.	———	——	——	F.b.	
9 ciliaris. Sal.	fringed.	———	....	——	F.b.	
10 excisa. B.M.	dwarf cut-ld.	———	1789.	4. 5.	F.b.	Botan. magaz. 584.
Ixia excisa. B.M.						

TRICHONEMA. Ker. TRICHONEMA. Triandria Monogynia. H.K.

1 Bulbocodium. H.K.	channel-leav'd.	S. Europe.	1739.	3. 4.	H.b.	Botan. magaz. 265.
2 purpurascens.	purple.	Naples.	1825.	——	H.b.	Ten. fl. nap. v. 1. t. 2.
Ixia purpurascens. T.S.						
3 Columnæ. T.P.	Columna's.	———	——	——	H.b.	
4 cœlestinum.	blue.	N.America.	1820.	——	H.b.	Bartr. it. t. 3.
Ixia cœlestina. Ph.						
5 roseum. B.M.	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Botan. magaz. 1225.
6 speciosum. B.M.	crimson.	———	——	3. 4.	F.b.	——— ——— 1476.
7 pudicum. B.M.	blush.	———	——	6. 8.	F.b.	——— ——— 1244.
8 caulescens. B.M.	caulescent.	———	1810.	6. 7.	F.b.	——— ——— 1392.
9 monadelphum.	monadelphous.	———	1825.	6. 8.	F.b.	
10 cruciatum. B.M.	square-leaved.	———	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
11 quadrangulum.	quadrangular.	———	1825.	——	F.b.	
Ixia quadrangula. R.S.						
12 recurvum. S.S.	recurved-ld.	———	1812.	5. 7.	F.b.	Redout. lil. 5. p. 251. f. 1.
13 chloroleucum. B.M.	milk-coloured.	———	1825.	——	F.b.	Jacq. ic. 2. t. 270.

CROCUS. L. CROCUS. Triandria Monogynia. L.

1 vernus. E.B.	spring.	England.	....	2. 4.	H.b.	Eng. bot. 344.
β neapolitanus. R.S.	*Neapolitan.*	Naples.	....	——	H.b.	Botan. magaz. 860.
γ obovatus. R.S.	*obovate-flowered.*	S. Europe.	....	——	H.b.	——— 2240.
2 striatus. Lam.	striated.	———	....	——	H.b.	
3 versicolor. H.K.	party-coloured.	———	1620.	——	H.b.	Botan. magaz. 1110.
4 biflorus. H.K.	Scotch.	Crimea.	——	2. 3.	H.b.	——— 845.
5 pusillus. R.S.	small.	Italy.	1824.	——	H.b.	Swt. br. fl. gar. 106.
6 albiflorus. R.S.	white-flowered.	Hungary.	——	2. 4.	H.b.	

7 reticulatus. M.B.	netted.	Caucasus.	1825.	——	H.b.	M. B. cent. pl. rar. t.
8 susianus. H.K.	Cloth of Gold.	Turkey.	1605.	2. 3.	H.b.	Botan. magaz. 652.
9 stellaris. H.T.	starry cloth of gold.	S. Europe.	1629.	——	H.b.	Hort. trans. 1. p. 136.
10 sulphureus. B.M.	pale yellow.	——	——	——	H.b.	Botan. magaz. 1284.
11 lagenæflorus. P.L.	Gourd-flower'd.	Greece.	....	——	H.b.	—— —— —— 2655.
α pallidus.	*pale-flowered.*	——	....	——	H.b.	Sal. par. lond. 106.
β aureus.	*golden.*	——	....	——	H.b.	Flor. græc. 35.
12 mæsiacus. B.M.	great yellow.	——	1629.	——	H.b.	Bot. mag. 1111, & 45.
13 sativus. R.S.	saffron.	England.	....	9. 10.	H.b.	Eng. bot. 343.
14 serotinus. R.S.	late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Botan. magaz. 1267.
15 Pallasii. M.B. *autumnalis.* R.S.	autumnal.	Tauria.	....	——	H.b.	
16 nudiflorus. E.B.	naked-flow'r'd.	England.	....	10. 11.	H.b.	Eng. bot. 491.

ORDO CLXXIX.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDORFIA. L. WACHENDORFIA. Triandria Monogynia. L.

1 thyrsiflora. R.S.	tall-flowered.	C. B. S.	1759.	5. 6.	G. ♃.	Botan. magaz. 1060.
2 paniculata. R.S.	panicled.	——	1700.	2. 5.	F.b.	—— —— —— 616.
3 Herberti. *paniculata. β.* H. in B.M.	Herbert's.	——	1823.	——	F.b.	—— —— —— 2610.
4 hirsuta. R.S.	hairy.	——	1687.	4. 6.	F.b.	Botan. magaz. 614.
5 brevifolia. B.M.	short-leaved.	——	1795.	3. 4.	F.b.	—— —— —— 1168.
6 Breyniana. R.S.	Breynius's.	——	1825.	——	F.b.	Breyn. cent. f. 37.
7 graminea. S.S.	Grass-leaved.	——	1810.	6.	G. ♃.	
8 tenella. R.S.	slender-leaved.	——	1816.	——	G. ♃.	

XIPHIDIUM. J. XIPHIDIUM. Triandria Monogynia. W.

1 albidum. S.S. *floribundum.* Swartz.	white.	W. Indies.	1787.	6. 8.	S. ♃.	Sw. fl. ind. oc. 1. t. 2.
2 cæruleum. S.S.	blue.	——	1793.	——	S. ♃.	Aub. gui. 1. t. 11.

HÆMODORUM. B.P. HÆMODORUM. Triandria Monogynia. R.S.

1 planifolium. B.P.	flat-leaved.	N. S. W.	1810.	7. 11.	F. ♃.	Botan. magaz. 1616.
2 teretifolium. B.P.	round-leaved.	—— ——	1822.	——	F. ♃.	

DILATRIS. Ker. DILATRIS. Triandria Monogynia. R.S.

1 corymbosa. W. *umbellata.* L.	broad-petaled.	C. B. S.	1790.	5. 6.	F. ♃.	Sm. exot. bot. 1. t. 16.
2 viscosa. W.	clammy.	——	1795.	——	F. ♃.	
3 paniculata. W.	panicled.	——	1825.	——	F. ♃.	

GYROTHECA. H.T. GYROTHECA. Triandria Monogynia.

tinctoria. *Lachnanthes tinctoria.* Ell. *Dilatris tinctoria.* Ph. *Heritiera Gmelini.* M.	red-rooted.	N. America.	1812.	6. 7.	H. ♃.	Mich. amer. 1. t. 4.

LOPHIOLA. B.M. LOPHIOLA. Hexandria Monogynia. B.M.

aurea. B.M. *Conostylis americana.* Ph.	golden-flow'r'd.	N. America.	1811.	5. 7.	H. ♃.	Botan. magaz. 1596.

LANARIA. W. LANARIA. Hexandria Monogynia. W.

plumosa. W.	woolly.	C. B. S.	1787.	——	G. ♃.	

CONOSTYLIS. B.P. CONOSTYLIS. Hexandria Monogynia. S.S.

1 aculeata. B.P.	prickly-leaved.	N. Holland.	1824.	....	F. ♃.	
2 serrulata. B.P.	serrulate.	——	——	....	F. ♃.	

ANIGOZANTHOS. B.P. ANIGOZANTHOS. Hexandria Monogynia.

1 flavida. B.P.	russet-green.	N. Holland.	1803.	5. 9.	F. ♃.	Botan. magaz. 1151.
2 rufa. B.P.	rufous.	—— ——	1824.	....	F. ♃.	Labill. voy. 1. t. 22.

ORDO CLXXX.

HYPOXIDEÆ. *Brown.*

HYPOXIS. L.	HYPOXIS.	Hexandria Monogynia. L.						
1 juncea. W.	rushy.	Carolina.	1787.	6. 7.	H.b.	Sm. spic. 15. t. 16.
2 hygrometrica. B.P.	hairy-leaved.	N. Holland.	1820.	——	F.b.	Lab. nov. holl. 1. t. 8.
3 alba. W.	white.	C. B. S.	1806.	——	F.b.	Lodd. bot. cab. 1074.
4 linearis. A.R.	linear-leaved.	————	1792.	4. 5.	F.b.	Andr. reposit. 171.
5 stellata. W.	yellow starry.	————	1752.	4. 6.	F.b.	Botan. magaz. 662.
6 elegans. P.S.	white starry.	————	——	——	F.b.	———— 1223.
stellata β. B.M. *certainly a distinct species.*						
7 serrata. W.	saw-leaved.	————	1788.	6. 7.	F.b.	Botan. magaz. 709.
8 ovata. W.	smooth-leaved.	————	1806.	2. 5.	F.b.	———— —— 1010.
9 veratrifolia. W.	plaited-leaved.	————	1788.	6. 7.	F. 4.	Jacq. ic. 2. t. 367.
plicata. Jacq.						
10 carolinensis. M.	Carolina.	Carolina.	1822.	——	F.b.	
11 decumbens. W.	decumbent.	Jamaica.	1755.	6. 9.	S. 4.	Mill. ic. 1. t. 39. f. 2.
12 stellipilis. B.R.	starry-haired.	C. B. S.	1821.	6. 12.	F. 4.	Botan. regist. 663.
13 obliqua. W.	oblique-leaved.	————	1795.	6. 7.	F. 4.	Andr. reposit. 195.
14 pratensis. B.P.	field.	N. S. W.	1822.	——	F.b.	
15 erecta. S.S.	upright.	N. America.	1752.	6. 7.	H.b.	Botan. magaz. 710.
16 sobolifera. W.	creeping.	C. B. S.	1774.	6. 9.	F. 4.	———— —— 711.
17 villosa. W.	villous.	————	—	——	F. 4.	Jacq. ic. 2. t. 367.
18 obtusa. B.R.	obtuse.	————	1816.	——	F. 4.	Botan. regist. 169.
19 aquatica. W.	water.	————	1787.	6. 7.	F. 4.	
CURCULIGO. B.P.	CURCULIGO.	Hexandria Monogynia. S.S.				
1 plicata. B.R.	plaited.	C. B. S.	1788.	6. 7.	F. b.	Jacq. schœn. 1. t. 80.
β *glabra.*	*smooth-leaved.*	————	1816.	——	F.b.	Botan. regist. 345.
2 orchioides. S.S.	narrow-leaved.	E. Indies.	1800.	——	S. 4.	Roxb. corom. 1. t. 13.
3 brevifolia. S.S.	short-leaved.	————	1804.	5. 7.	S. 4.	Botan. magaz. 1076.
4 latifolia. S.S.	broad-leaved.	————	——	5. 8.	S. 4.	Botan. regist. 754.
5 sumatrana. B.C.	Sumatra.	Sumatra.	1818.	——	S. 4.	Lodd. bot. cab. 443.
6 recurvata. S.S.	recurved.	Bengal.	1805.	——	S. 4.	Botan. regist. 770.

ORDO CLXXXI.

AMARYLLIDEÆ. *Brown prodr. p.* 296.

STERNBERGIA. W.K.	STERNBERGIA.	Hexandria Monogynia.				
1 colchiciflora. B.R.	Colchicum-fld.	Hungary.	1816.	9. 10.	H.b.	W. et K. hung. 2. t. 157.
2 Clusiana. B.R.	Clusius's.	Constantinople...		——	H.b.	Clus. hist. 1. t. 163.
3 lutea. B.R.	common yellow.	S. Europe.	1596.	——	H.b.	Botan. magaz. 290.
Amaryllis lutea. B.M.						
β *angustifolia.*	*narrow-leaved.*	————	——	——	H.b.	
ZEPHYRANTHES. H.A.	ZEPHYRANTHES.	Hexandria Monogynia.				
1 chlorolenca. H.A.	one-leaved.	.....	....	5. 8.	G.b.	Ker's rev. pl. 8. f. 1.
2 Atamasco. H.A.	Atamasco Lily.	N. America.	1629.	5. 6.	H.b.	Botan. magaz. 239.
Amaryllis Atamasco. B.M.						
3 tubispatha. H.A.	tube-sheathed.	S. America.	....	5. 7.	S.b.	Botan. magaz. 1586.
Amaryllis tubispatha. B.M.						
4 candida. B.M.	white-flowered.	Peru.	1822.	7. 10.	H.b.	Botan. magaz. 2607.
Amaryllis candida B.R. 724.						
5 rosea. B.R.	rose-coloured.	Havannah.	——	9. 10.	G.b.	Botan. regist. 821.
6 striata. B.M.	striped.	Mexico.	1824.	6. 8.	H.b.	Botan. magaz. 2593.
7 verecunda. B.M.	modest.	————	——	——	H.b.	———— 2583.

8	carinata. B.M.	keeled-leaved.	Mexico.	1824.	6. 8.	H.b.	Botan. magaz. 2[illegible]
9	grandiflora. B.R.	large-flowered.	———	1825.	——	H.b.	Botan. regist. 902.
HABRANTHUS. B.M.		HABRANTHUS.	Hexandria Monogynia.				
1	gracilifolius. B.M.	slender-leaved.	S. America.	1823.	9. 11.	G.b.	Botan. magaz. 2[illegible]
2	angustus. B.M.	narrow.	BuenosAyres.	1825.	——	G.b.	——— 2[illegible]
3	versicolor. B.M.	changeable.	S. America.	1823.	1. 4.	G.b.	——— 2[illegible]
4	lorifolius. B.M.	lorate-leaved.	———	1824.	....	G.b.	
5	bifidus. B.M.	two-cleft.	BuenosAyres.	1825.	6. 9.	G.b.	Botan. magaz. 2[illegible]
6	spathaceus. B.M.	broad-spathed.	—— ——	——	....	G.b.	
AMARYLLIS. L.		AMARYLLIS.	Hexandria Monogynia. L.				
1	Pumilio. W.	dwarf.	C. B. S.	1774.	11.	G.b.	
2	pudica. K.R.	modest.	—— ——	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2
3	blanda. B.M.	charming.	———	1754.	5. 6.	F.b.	Botan. magaz. 226
4	Belladonna. W.	Belladonna Lily.	W. Indies?	1712.	7. 9.	H.b.	——— —— 783.
5	pallida. H.A.	pale.	C. B. S.	....	——	F.b.	Botan. regist. 714.
6	reticulata. W.	netted-veined.	Brazil.	1777.	4. 5.	S.b.	Botan. magaz. 657.
7	striatifolia.	striped-leaved.	———	1815.	——	S.b.	Botan. regist. 892.
8	brevifolia. C.C.	short-leaved.	Hybrid.	1821.	1. 12.	S.b.	
9	superba. C.C.	superb-flow'r'd.	—— ——	——	——	S.b.	
10	grandiflora. C.C.	large-flowered.	———	——	——	S.b.	
11	atrorubens. C.C.	dark-red.	———	——	——	S.b.	
12	obscura. C.C.	clouded.	—— ——	——	——	S.b.	
13	intermedia. C.C.	intermediate.	———	——	——	S.b.	
14	sulcata. C.C.	channelled.	—— ——	——	——	S.b.	
15	recurvata. C.C.	recurved-fld.	———	——	——	S.b.	
16	Wellsiana. C.C.	Mr. Wells's.	———	——	——	S.b.	
17	Valleti. *Vattesii.* C.C. *errata.*	Vallets'.	———	——	——	S.b.	
18	rugosa. C.C.	rugged.	—— ——	——	——	S.b.	
19	rubescens. C.C.	light red.	—— ——	——	——	S.b.	
20	purpurascens.	purplish.	——— ——	——	——	S.b.	
21	patens.	spreading.	———	——	——	S.b.	
22	versicolor.	various-colored.	———	——	——	S.b.	
23	costata.	strongly ribbed.	———	——	——	S.b.	
24	dioica.	barren-stamen'd.	———	——	——	S.b.	
25	amœna.	delightful.	———	——	——	S.b.	
26	Colvillii.	Colvill's.	———	——	——	S.b.	
27	undulæflora.	wave-flowered.	———	——	——	S.b.	
28	palliiflora.	pale-flowered.	———	——	——	S.b.	
29	discolor.	two-coloured.	———	——	——	S.b.	
30	expansa.	expanded.	———	——	——	S.b.	
31	decora. C.C.	neat.	———	——	——	S.b.	
32	variegata. C.C.	variegated-fld.	———	——	——	S.b.	
33	nervifolia.	nerve-leaved.	———	——	——	S.b.	
34	phœnicea.	red-purple.	—— ——	——	——	S.b.	
35	stenantha.	narrow-fld.	———	——	——	S.b.	
36	patentissima.	spreading-fld.	———	——	——	S.b.	
37	bracteata.	large-bracted.	—— ——	——	——	S.b.	
38	Annesleyana.	Ld. Mountnorris'.	—— ——	——	——	S.b.	Miss Chapman's ic.
39	striatiflora.	streaked-fld.	——— ——	1823.	——	S.b.	
40	consobrina.	cousin.	———	——	——	S.b.	
41	Johnsoni. *spectabilis.* B.C.	Johnson's mule.	———	1810.	——	G.b.	Lodd. bot. cab. 159.
42	reginæ. W.	Mexican Lily.	S. America.	1725.	5. 7.	S.b.	Botan. magaz. 453.
43	pallescens.	palish.	Hybrid.	1821.	1. 12.	S.b.	
44	rubicunda.	rubicund.	—— ——	——	——	S.b.	
45	accedens.	approaching.	———	——	——	S.b.	
46	coccinea.	scarlet.	———	——	——	S.b.	
47	ringens.	gaping.	———	——	——	S.b.	
48	carnescens.	flesh-coloured.	———	——	——	S.b.	
49	roseo-alba.	rosy and white.	———	——	——	S.b.	
50	spathacea.	large-spathed.	——— ——	——	——	S.b.	Botan. magaz. 2915.
62	imbuta.	stained.	———	——	——	S.b.	
53	compacta.	compact.	———	——	——	S.b.	
54	consanguinea.	double hybrid.	—— ——	——	——	S.b.	
55	vittata. W.	striped.	S. America.	1769.	4. 5.	S.b.	Botan. magaz. 129.
	β latifolia. L.col.	*broad-leaved.*	—— ——	1816.	——	G.b.	Lindl. coll. bot. ic.
56	lineata. Colla. *vittata* γ. *Harrisoniæ.* B.R. 998.	lined-flowered.	—— ——	1820.	——	S.b.	Coll. hort. rip. ic.

57	vittifera.	stripe-flower'd.	Hybrid.	1823.	5. 6.	G.b.	
58	pulchra.	pretty.	———	——	4. 8.	G.b.	
59	variabilis.	variable.	———	——	——	G.b.	
60	advena. B.M.	streaked.	S. America.	1807.	5. 6.	S.b.	Botan. magaz. 1125.
61	rutila. K.R.	fiery.	Brasil.	1815.	1. 12.	S.b.	Botan. regist. 28.
62	splendens. H.A.	splendid.	Hybrid.	1819.	——	G.b.	Herb. append. p.52.ic.
63	attenuata.	attenuated.	———	1822.	——	S.b.	
64	punctata.	punctured.	———	——	——	S.b.	
65	fulgida. K.R.	fulgid.	Brazil.	1810.	——	S.b.	Botan. regist. 226.
66	subbarbata.	slightlyheard'd.	———	1823.	——	S.b.	Botan. magaz. 2475.
67	mutabilis.	changeable.	Hybrid.	1822.	——	S.b.	
68	rubro-crocea.	red and saffron.	———	——	——	S.b.	
69	cuprea.	copper-colored.	———	1821.	——	S.b.	
70	crocata. K.R.	saffron-colored.	Brazil.	1810.	4. 6.	S.b.	Botan. regist. 38.
71	stylosa.	long-styled.	Maranham.	1821.	2. 6.	S.b.	Botan. magaz. 2278.
	maranensis. B.R. 719.	*Hippeastrum stylosum.* B.M.					
72	acuminata. B.R.	acute-flowered.	———	——	4. 8.	S.b.	Bot. regist. 534.
	Hippeastrum pulverulentum. B.M. 2278.						
73	venosa.	veined.	Hybrid.	1822.	10. 6.	G.b.	
74	lateritia.	brick-coloured.	———	——	——	G.b.	
75	fulva.	tawny.	———	——	——	G.b.	
76	tricolor.	three-coloured.	———	——	——	G.b.	
77	glaucescens.	glaucescent.	———	——	——	G.b.	
78	Hoodii.	Mr. Hood's.	———	——	——	G.b.	
79	macrantha.	great-flowered.	———	——	——	G.b.	
80	crispiflora.	curl-flowered.	———	——	——	G.b.	
81	breviflora.	short-flowered.	———	——	——	G.b.	
82	dilecta.	choice.	———	——	——	G.b.	
83	tortuliflora.	twisted-flow'r'd.	———	——	——	G.b.	
84	amabilis.	grand.	———	——	——	G.b.	
85	ignescens.	flaming.	———	——	——	G.b.	
86	princeps.	princely.	———	——	——	G.b.	
87	imperialis.	imperial.	———	——	——	G.b.	
88	angusta.	narrow-petal'd.	———	——	——	S.b.	
89	delicata.	delicate.	———	——	——	S.b.	
90	equestris. K.R.	Barbadoes Lily.	W. Indies.	1710.	7. 10.	S.b.	Botan. magaz. 305.
	β major. B.R.	*larger.*	———	....	——	S.b.	Botan. regist. 284.
	γ plena.	*double-flow'r'd.*	———	1809.	——	S.b.	
91	miniata. R.P.	vermilion.	S. America.	....	....	S.b.	
92	solandriflora. L.col.	Solandra-fl^d.	———	1820.	4. 6.	S.b.	Lindl. coll. bot. t. 11.
	α chloroleuca.	*dull-coloured.*	———	——	——	S.b.	
	β rubro-striata.	*red-striped.*	———	——	——	S.b.	Botan. magaz. 2573.
	γ purpurascens.	*purple-tubed.*	———	——	——	S.b.	
	δ striata.	*purple-striped.*	———	——	——	S.b.	Botan. regist. 876.
93	calyptrata. K.R.	green-flowered.	Brazil.	1810.	5. 8.	S.b.	——— 164.
94	aulica. K.R.	crowned.	———	——	1. 6.	S.b.	——— 444.
95	psittacina. K.R.	parrot-like.	———	——	1. 12.	S.b.	——— 199.
96	retinervia.	netted-nerved.	Hybrid.	1822.	10. 6.	S.b.	
97	tortuosa.	twisted.	———	——	——	S.b.	
98	quadricolor.	four-coloured.	———	——	——	S.b.	
99	multistriata.	many-lined.	———	——	——	S.b.	Miss Chapman ic.
100	canaliculata.	channelled.	———	——	——	S.b.	
101	retiflora.	net-flowered.	———	——	——	S.b.	
102	recurviflora.	recurved-petal'd.	———	——	——	S.b.	
103	sexmaculata	six-spotted.	———	——	——	S.b.	
104	campanulata.	bell-flowered.	———	——	——	S.b.	
105	formosissima. W.	Jacobea Lily.	S. America.	1658.	5. 6.	F.b.	Botan. magaz. 47.
NERINE. H.A.		NERINE. Hexandria Monogynia.					
1	curvifolia. H.A.	curve-leaved.	C. B. S.	1794.	7. 9.	F.b.	Botan. magaz. 725.
	Amaryllis curvifolia. B.M. *Fothergillia.* A.R. 163.						
2	corusca. H.A.	brilliant.	———	1809.	——	F.b.	Botan. magaz. 1089.
3	rosea. B.M.	rose-coloured.	———	....	——	F.b.	——— 2124.
4	venusta. H.A.	poppy-colored.	———	1806.	6. 8.	F.b.	——— 1090.
5	sarniensis. H.A.	Guernsey Lily.	———	1659.	9. 10.	F.b.	——— 294.
6	radiata.	Snowdrop-ld.	China.	1758.	. 9.	G.b.	Botan. regist. 596.
	Amaryllis radiata. B.R. *Lycoris radiata.* H.A.						
7	aurea.	golden.	———	1777.	8. 12.	G.b.	Botan. regist. 611.
	Amaryllis aurea. B.R. *Lycoris aurea.* H.A.						
8	pulchella. H.A.	pretty.	C. B. S.	1820.	7. 9.	F.b.	Botan. magaz. 2407.

9 flexuosa. H.A.	zigzag.	C. B. S.	1795.	9. 10.	F.b.	Botan. regist. 172.
10 humilis. H.A.	small.	———	——	7. 10.	F.b.	Botan. magaz. 736.
11 undulata. H.A.	waved-flow'r'd.	———	1767.	7. 10.	F.b.	——— 369.
12 versicolor. H.A.	changeable-col'd.	Hybrid.	1815.	——	F.b.	Herb, append. ic.
STRUMARIA. Ker.	STRUMARIA. Hexandria Monogynia. L.					
1 truncata. W.	truncated.	C. B. S.	1795.	4. 5.	F.b.	Jacq. ic. 2. t. 357.
2 rubella. W.	pale red.	———	——	5. 6.	F.b.	——— 2. t. 356.
3 angustifolia. W.	narrow-leaved.	———	——	4. 5.	F.b.	——— 2. t. 359.
4 linguæfolia. W.	tongue-leaved.	———	....	——	F.b.	——— 2. t. 356.
5 filifolia. B.R.	fine-leaved.	———	1774.	10. 12.	F.b.	Botan. regist. 440.
6 spiralis. B.M.	spiral-stalked.	———	——	4. 8.	F.b.	Botan. magaz. 1382.
7 crispa. B.M.	curled-flower'd.	———	1790.	——	F.b.	——— —— 1363.
Amaryllis crispa. Jacq. schœn. t. 72.						
8 undulata. W.	waved.	———	1825.	——	F.b.	Jacq. ic. t. 360.
9 stellaris. B.M.	starry.	———	1794.	10. 11.	F.b.	Jacq. schœn. 1. t. 71.
10 gemmata. B.M.	gynandrous.	———	1810.	8. 10.	F.b.	Botan. magaz. 1620.
BRUNSVIGIA. Ker.	BRUNSVIGIA. Hexandria Monogynia. H.K.					
1 laticoma.	broad-headed.	C. B. S.	1818.	3. 6.	F.b.	Botan. regist. 497.
lucida. H.A. *Amaryllis laticoma.* B.R.						
2 minor. B.R.	lesser.	———	1820.	——	F.b.	Botan. regist. 954.
3 multiflora. B.M.	many-flowered.	———	1752.	6. 8.	F.b.	Bot. magaz. 1619.
Amaryllis orientalis. W.						
4 Josephinæ. B.R.	Josephine's.	———	1814.	——	F.b.	Redout. lil. t. 370-372.
β minor. B.R.	*smaller.*	———	——	——	F.b.	Botan. regist. 192, 198.
γ striata. B.M.	*striped-flowered.*	———	1823.	——	F.b.	Botan. magaz. 2578.
5 striata. H.K.	striated.	———	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 70.
6 radula. H.K.	rasp-leaved.	———	1790.	4. 8.	F.b.	——— 1. t. 68.
7 marginata. H.K.	red-margined.	———	1795.	9. 10.	F.b.	——— 1. t. 65.
8 falcata. B.M.	sickle-leaved.	———	1774.	5. 6.	F.b.	Botan. magaz. 1443.
Amaryllis falcata. W. *Ammocharis falcata.* H.A.						
9 coranica.	Mr. Burchell's.	———	1816.	7. 8.	F.b.	Botan. regist. 139.
Amaryllis coranica. B.R. *Ammocharis coranica.* H.A.						
10 ciliaris. B.R.	fringed-leaved.	———	1752.	6. 8.	F.b.	Breyn. cent. t. 39.
Hæmanthus ciliaris. W. *Buphane ciliaris.* H.A.						
11 toxicaria. B.R.	Poison-bulb.	———	1774.	9. 10.	F.b.	Botan. regist. 567.
Hæmanthus toxicarius. W. *Buphane toxicaria.* H.A.						
12 disticha.	distichous.	———	1823.	....	F.b.	Patters. iter. t. 1.
Amaryllis disticha. Pat. *Buphane disticha.* B.M.						
PHYCELLA. B.R.	PHYCELLA. Hexandria Monogynia.					
1 iguea. B.R.	fiery.	Chili.	1824.	8. 10.	G.b.	Botan. regist. 909.
2 cyrtanthoides. B.R.	Cyrtanthus-like.	———	1821.	6. 8.	G.b.	Botan. magaz. 2399.
Amaryllis cyrtanthoides. B.M.						
GRIFFINIA. B.R.	GRIFFINIA. Hexandria Monogynia. B.R.					
1 hyacinthina. B.R.	largest.	Brazil.	1815.	6. 9.	S.b.	Botan. regist. 168.
Amaryllis hyacinthina. B.R.						
2 intermedia. B.R.	intermediate.	———	1825.	5. 7.	S.b.	——— —— 990.
3 parviflora. B.R.	small flowered.	———	1820.	——	S.b.	——— 511.
HÆMANTHUS. W.	BLOOD-FLOWER. Hexandria Monogynia. L.					
1 coccineus. S.s.	salmon-colour'd.	C. B. S.	1629.	8. 10.	F.b.	Botan. magaz. 1075.
2 coarctatus. S.s.	compressed.	———	1795.	2. 3.	F.b.	Botan. regist. 181.
3 tigrinus. S.s.	Tiger-spotted.	———	1790.	12. 2.	F.b.	Botan. magaz. 1705.
4 rotundifolius. S.s.	round-leaved.	———	——	6. 10.	F.b.	——— 1618.
5 crassipes. S.s.	thick-leaved.	———	1816.	——	F.b.	
6 hyalocarpus. S.s.	clear-berried.	———	——	——	F.b.	
7 quadrivalvis. S.s.	four-valved.	———	1790.	9. 10.	G.b.	Botan. magaz. 1522.
8 humilis. S.s.	small.	———	1825.	——	F.b.	
9 Pumilio. S.s.	dwarf.	———	1789.	8. 9.	F.b.	Jacq. schœn. 1. t. 61.
10 pubescens. S.s.	villous-leaved.	———	1774.	——	F.b.	Botan. regist. 382.
11 albiflos. W.	smooth broad-l'd.	———	1791.	4. 8.	F.b.	——— 984.
12 carneus. S.s.	flesh-coloured.	———	1819.	6. 8.	F.b.	——— 509.
13 lanceæfolius. S.s.	spear-leaved.	———	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 69.
14 carinatus. P.s.	keel-leaved.	———	1759.	8. 9.	F.b.	
15 amaryllioides. S.s.	Amaryllis-like.	———	1825.	——	F.b.	
16 moschatus. S.s.	musk-scented.	———	1816.	——	F.b.	
17 sanguineus. S.s.	crimson.	———	1820.	6. 8.	F.b.	
18 puniceus. S.s.	waved-leaved.	———	1722.	5. 9.	G.b.	Botan. magaz. 1315.
19 multiflorus. S.s.	many-flowered.	SierraLeon.	1783.	5. 9.	S.b.	——— 1095 & 961.
CRINUM. H.A.	CRINUM. Hexandria Monogynia. L.					
1 longiflorum. H.A.	long-flowered.	W. Indies.	1816.	5. 8.	S.b.	Botan. regist. 303.
Amaryllis longifolia γ longiflora. B.R.						

2	aquaticum. H.A.	water.	C. B. S.	1816.	5. 8.	G.b.	Botan. magaz. 2862.
3	revolutum. H.A.	revolute.	———	1774.	9.	G.b.	Botan. regist. 628.
	Amaryllis revoluta. A.-B.R.						
4	crassifolium. H.A.	thick-leaved.	———	——	——	G.b.	——— 615.
	Amaryllis revoluta. B.-B.R.						
5	riparium. H.A.	bank.	———	1816.	6. 9.	G.b.	Botan. regist. 546.
6	capense. H.A.	common Cape.	———	1752.	7. 9.	H.b.	Botan. magaz. 661.
	Amaryllis longifolia. B.M.						
7	flaccidum. H.A.	flaccid.	N. S. W.	1820.	——	G.b.	——— 2133.
	Amaryllis australasica. B.R. 422.						
8	arenarium. B.M.	sand.	N. Holland.	1818.	5. 8.	S.b.	Botan. magaz. 2865.
	β blandum.	*blush-flowered.*	———	1821.	——	S.b.	——— —— 2531.
9	confertum. B.M.	crowded-fld.	———	1822.	6. 7.	S.b.	Botan. magaz. 2522.
10	angustifolium. B.P.	rough-edged.	———	1823.	——	S.b.	
11	Goweni.	Gowen's hybrid.	Hybrid.	....	——	H.b.	Hort. trans. ic.
12	formosum. H.A.	handsome.	Brazil.	1820.	....	S.b.	
13	moluccanum. H.A.	Molucca.	Moluccas.	1819.	——	S.b.	Botan. magaz. 2202.
14	speciosum. H.A.	specious.	E. Indies.	——	——	S.b.	——— 2217.
15	insigne.	noble.	———	——	4. 8.	S.b.	Botan. regist. 570.
	Amaryllis insignis. B.R.						
16	latifolium. H.A.	broad-leaved.	———	1806.	7. 9.	S.b.	Rheed. mal. 11. t. 39.
17	zeylanicum. H.A.	Ceylon.	Ceylon.	1771.	7. 8.	S.b.	Botan. magaz. 1171.
	Amaryllis zeylanica. B.M.						
18	scabrum. H.A.	rough-leaved.	S. America.	1810.	1. 12.	S.b.	Botan. magaz. 2180.
19	Careyanum. B.M.	Dr. Carey's.	Mauritius.	1820.	——	S.b.	——— —— 2466.
20	submersum. B.M.	lake.	Brazil.	1823.	8. 10.	S.b.	——— —— 2463.
21	giganteum. A.R.	gigantic.	Sierra Leon.	1792.	7. 8.	S.b.	Andr. reposit. 169.
	petiolatum. H.A. *Amaryllis gigantea.* B.M. 202.						
22	distichum. H.A.	distichous.	Sierra Leon.	1740.	6. 10.	S.b.	Botan. magaz. 1253.
	Amaryllis ornata. B.M.						
23	yuccæides. H.A.	Yucca-flow'r'd.	———	——	——	S.b.	
24	Broussoneti. H.A.	Broussonet's.	———	——	——	S.b.	Botan. magaz. 2121.
25	macrocarpon. H.A.	large-fruited.	Pegu.	1820.	6. 8.	S.b.	
26	brevilimbum. H.A.	short-limbed.	Pacific Isl.	——	——	S.b.	
27	sumatranum. K.R.	Sumatra.	Sumatra.	1810.	——	S.b.	
28	sinicum. H.A.	Chinese.	China.	1819.	——	S.b.	
29	procerum. H.A.	lofty.	Pegu.	1820.	——	S.b.	
30	anomalum. H.A.	plaited-leaved.	China.	1822.	....	S.b.	
31	canaliculatum. K.R.	channel-leaved.	E. Indies.	1810.	4. 8.	S.b.	
32	exaltatum. H.A.	high.	———	1820.	——	S.b.	
33	pedunculatum. R.P.	New Holland.	N. S. W.	1790.	——	G.b.	Botan. regist. 52.
34	bracteatum, B.R.	short-leaved.	Mauritius.	1810.	6. 8.	S.b.	——— 179.
	brevifolium. H.A.						
	β angustifolium. H.A.	*narrow-leaved.*	———	——	——	S.b.	
35	asiaticum. K.R.	Poison-bulb.	China.	1732.	——	S.b.	Botan. magaz. 1073.
	toxicarium. H.A.						
36	elegans. H.A.	elegant.	Pegu.	1820.	9. 11.	S.b.	——— 2502.
37	verecundum. H.A.	blush.	E. Indies.	——	6. 9.	S.b.	
38	canalifolium. H.A.	channelled.	———	——	——	S.b.	
39	Commelini. K.R.	Commelin's.	S. America.	1798.	——	S.b.	Jacq. schœn. 2. t. 202.
40	lorifolium. K.R.	lorate-leaved.	E. Indies.	1819.	——	S.b.	
41	longifolium. K.R.	long-leaved.	———	1810.	——	S.b.	
42	mauritianum. B.M.	Mauritius.	Mauritius.	1816.	——	S.b.	Lodd. bót. cab. 650.
43	venustum. H.A.	pretty.	E. Indies.	1820.	....	S.b.	
44	multiflorum. Desf.	many-flowered.	.....	1822.	4. 8.	S.b.	
45	amœnum. K.R.	delightful.	E. Indies.	1810.	——	S.b.	
46	humile. B.M.	humble.	———	1816.	——	S.b.	Botan. magaz. 2066.
47	americanum. W.	American.	S. America.	1752.	7. 8.	S.b.	——— —— 1084.
48	strictum. B.M.	upright.	———	1820.	4. 8.	S.b.	——— 2038.
49	ensifolium. K.R.	sword-leaved.	E. Indies.	——	——	S.b.	——— 2301.
50	defixum. K.R.	marsh.	———	1810.	——	S.b.	——— 2206.
51	declinatum. H.A.	declined.	———	1819.	——	S.b.	——— 2231.
52	brachyandrum. K.R.	short-anthered.	N. Holland.	——	——	S.b.	
53	augustum. K.R.	august.	Mauritius.	——	——	S.b.	Botan. magaz. 2207.
54	amabile. K.R.	beautiful.	E. Indies.	1810.	1. 12.	S.b.	——— 1605.
55	cruentum. B.R.	red-flowered.	S. America.	——	6. 8.	S.b.	Botan. regist. 171.
56	erubescens. K.R.	blush-coloured.	———	1789.	——	S.b.	Botan. magaz. 1262.
	α rubrilimbum H.A.	*red-limbed.*	———	——	——	S.b.	
	β major. H.A.	*larger.*	———	——	——	S.b.	
	γ minor. H.A.	*smaller.*	———	——	——	S.b.	

57 hybridum. B.M.	hybrid.	Hybrid.	....	——	S.b.	Botan. magaz. 2836.
VALLOTA. H.A.	VALLOTA.	Hexandria Monogynia.				
purpurea. H.A.	purple-stalked.	C. B. S.	1774.	5. 8.	F.b.	
Amaryllis purpurea. W.						
α major.	*larger.*	————	——	——	F.b.	Botan. magaz. 1430.
β minor.	*lesser.*	————	——	——	F.b.	Botan. regist. 552.
GASTRONEMA. H.A.	GASTRONEMA.	Hexandria Monogynia.				
clavatum. H.A.	clavate.	C. B. S.	1816.	5. 8.	F.b.	Botan. magaz. 2291.
Cyrtanthus uniflorus. B.R. 168.						
CYRTANTHUS. W.	CYRTANTHUS.	Hexandria Monogynia. W.				
1 obliquus. W.	oblique-leaved.	C. B. S.	1774.	5. 8.	G.b.	Botan. magaz. 1183.
2 striatus. B.M.	striped.	————	1823.	——	G.b.	———— 2534.
3 spiralis. B.R.	spiral-leaved.	————	1790.	——	G.b.	Botan. regist. 167.
4 collinus. B.R.	hill.	————	1816.	——	G.b.	———— 162.
5 pallidus. B.M.	pale-flowered.	————	1822.	——	G.b.	Botan. magaz. 2471.
6 ventricosus. W.	bellied.	————	1770.	——	G.b.	Jacq. schœn. 1. t. 76.
7 angustifolius. W.	narrow-leaved.	————	1774.	5. 6.	G.b.	Botan. magaz. 271.
8 odorus. B.R.	sweet-scented.	————	1818.	5. 7.	G.b.	Botan. regist. 508.
STENOMESSON. H.A.	STENOMESSON.	Hexandria Monogynia.				
1 flavum. B.M.	slender-tooth'd.	Peru.	1823.	5. 11.	G.b.	Botan. magaz. 2641.
Chrysiphiala flava. B.R. 772.						
2 curvidentatum. B.M.	curve-toothed.	————	1824.	——	G.b.	Botan magaz. 2640.
3 paucifloruin.	few-flowered.	————	1822.	——	G.b.	Hook. ex. flor. 182.
Chrysiphiala pauciflora. H.E.F.						
CHLIDANTHUS. H.A.	CHLIDANTHUS.	Hexandria Monogynia.				
fragrans. H.A.	yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Botan. regist. 640.
EUCROSIA. B.R.	EUCROSIA.	Hexandria Monogynia.				
bicolor. B.R.	two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Botan. regist. 207.
CALOSTEMMA. B.P.	CALOSTEMMA.	Hexandria Monogynia.				
1 luteum. B.R.	yellow.	N. Holland.	1819.	8. 10.	F.b.	Botan. regist. 421.
2 purpureum. B.P.	purple.	————	——	——	F.b.	———— 422.
3 album. B.P.	white-flowered.	————	1824.	——	G.b.	
EURYCLES. Sal.	EURYCLES.	Hexandria Monogynia.				
1 nuda.	naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
Crinum nervosum. H.B.						
2 alata.	wing-stamen'd.	N. Holland.	1821.	——	S.b.	Botan. regist. 715.
Pancratium australasicum. B.R.						
3 coronata.	crowned.	E. Indies.	1759.	——	S.b.	Botan. magaz. 1419.
Pancratium amboinense. B.M. *Proiphys amboinensis.* H.A.						
PANCRATIUM. W.	PANCRATIUM.	Hexandria Monogynia.				
1 speciosum. K.R.	large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Botan. magaz. 1452.
2 ovatum. K.R.	oval-leaved.	————	....	——	S.b.	Botan. regist. 48.
3 amœnum. K.R.	handsome.	Guiana.	1790.	——	S.b.	Botan. magaz. 1457.
4 fragrans. L.T.	fragrant.	W. Indies.	....	——	S.b.	Lodd. bot. cab. 834.
5 guianense. B.R.	Guiana.	Guiana.	1818.	——	S.b.	Botan. regist. 265.
6 caribæum. K.R.	Caribean.	W. Indies.	1730.	——	S.b.	Botan. magaz. 826.
7 declinatum. B.C.	declining.	Brazil.	....	——	S.b.	Lodd. bot. cab. 558.
8 undulatum. K.R.	wave-leaved.	S. America.	....	——	S.b.	
9 expansum. B.M.	expanded.	W. Indies.	1818.	——	S.b.	Botan. magaz. 1941.
10 pedale. B.C.	foot-flowered.	Brazil.	1815.	——	S.b.	Lodd. bot. cab. 809.
11 patens. K.R.	spreading.	W. Indies.	....	——	S.b.	Redout. lil. 6. t. 380.
12 littorale. K.R.	sea side.	S. America.	1758.	——	S.b.	Jacq. vind. 3. t. 75.
13 Dryandri. K.R.	Dryander's.	————	....	——	S.b.	Botan. magaz. 826.
14 distichum. H.A.	two-ranked.	————	....	——	S.b.	
15 angustum. K.R.	narrow-leaved.	————	....	——	S.b.	Botan. regist. 221.
16 crassifolium. H.A.	thick-leaved.	————	....	——	S.b.	
17 acutifolium.	acute-leaved.	Mexico.	1824.	——	G.b.	Botan. regist. 940.
mexicanum. B.R. *nec aliorum. Hymenocallis litoralis. δ acutifolia.* B.M. 2031.						
18 rotatum. K.R.	large-crowned.	Carolina.	1803.	7. 9.	G.b.	Botan. magaz. 827.
19 mexicanum. K.R.	Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl. 3. f. 2.
20 carolinianum. K.R.	Carolina.	Carolina.	1759.	6. 7.	G.b.	———— pl. 3. f. 1.
21 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Botan. regist. 162.
carolinianum. B.R. 927. *nec aliorum.*						
22 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Botan. regist. 174.
23 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Botan. magaz. 718.
24 verecundum. K.R.	Narcissus-ld.	E. Indies.	1776.	6. 8.	G.b.	Botan. regist. 413.
25 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	——	S.b.	Botan. magaz. 2633.

ISMENE. Sal.	**Ismene.**	**Hexandria Monogynia.**					
1 nutans. H.A.	nodding.	Brazil.	1810.	6. 8.	S.b.	Botan. magaz. 1561.
Pancratium calathinum. B.M. *non* R.L.						
2 calathinum. H.A.	cup-flowered.	———	——	6. 7.	S.b.	Botan. regist. 215.
3 Amancaes. H.A.	Narcissus-fl^d.	Peru.	1804.	——	S.b.	Botan. magaz. 1224.
Pancratium Amancaes. B.M. *Narcissus Amancaes.* R.P. s. t. 223. f. a.						
NARCISSUS. L.	**Narcissus.**	**Hexandria Monogynia. L.**				
1 obvallaris. H.S.S.	Sibthorp's.	S. Europe.	....	3. 4.	H.b.	Bot. mag. 1301. f. inf.
2 bicolor. B.M.	two-coloured.	Spain.	1629.	4. 5.	H.b.	——— 1187.
Ajax lorifolius. H.S.S.						
3 tubæflorus. S.P.	tube-flowered.	S. Europe.	....	3. 5.	H.b.	
Ajax bicolor. H.S.S.						
4 moschatus. B.M.	greater white.	Spain.	1629.	4.	H.b.	Botan. magaz. 924.
5 albus. L.T.	white flowered.	———	1759.	3. 4.	H.b.	——— —— 1300.
moschatus, δ. B.M. *Ajax albus.* H.S.S.						
6 abscissus. H.S.S.	clipt trunk.	.....	....	——	H.b.	Park. parad. t. 107. f. 1.
7 major. B.M.	large.	Spain.	1629.	——	H.b.	Botan. magaz. 51.
8 propinquus. S.P.	great jagged.	S. Europe.	....	——	H.b.	—— —— 1301. f. sup.
major β. B.M. *Ajax propinquus.* H.S.S.						
9 Telamonius. H.S.S.	Telamonian.	———	....	——	H.b.	
β plenus. H.S.S.	*double Daffodil.*	———	....	——	H.b.	
γ grandiplenus. H.S.S.	*great double.*	———	....	——	H.b.	Park. parad. t. 101. f. 7.
10 nobilis. H.S.S.	noble.	———	....	——	H.b.	
11 spurius. H.S.S.	spurious.	England.	....	——	H.b.	
12 serratus. H.S.S.	serrate.	———	....	——	H.b.	
β suavis. H.S.S.	*sweet-scented.*	———	....	——	H.b.	
13 Pseudo-Narcissus.	Daffodil.	———	....	3. 4.	H.b.	Eng. bot. t. 17.
β scoticus. H.S.S.	*Scotch Daffodil.*	Scotland.	....	——	H.b.	
γ plenus. H.S.S.	*double French.*	.....	....	——	H.b.	Park. parad. t. 101. f. 9.
δ plenissimus. H.S.S.	*rose double.*	.....	....	——	H.b.	——— t. 101. f. 6.
14 pumilus. S.P.	small wedge-fl^d.	S. Europe.	....	3.	H.b.	Besl. eyst. 3. fol. 5. f. 4.
Ajax cuneiflorus. H.S.S.						
15 minor. B.M.	small.	Spain.	1629.	3. 5.	H.b.	Botan. magaz. 6.
16 Macleaii. B.M.	Macleay's.	Levant.	....	4. 5.	H.b.	——— —— 2588.
17 Sabini. B.R.	Sabine's.	———	....	——	H.b.	Botan. regist. 762.
18 tenuifolius. L.T.	slender-leaved.	Biscay.	1760.	3. 4.	H.b.	Swt. br. fl. gar. 114.
19 lobulatus. H.S.S.	lobed.	.....	....	——	H.b.	
20 obesus. S.P.	inflated.	Portugal.	1796.	——	H.b.	
21 albicans. H.S.S.	Trompet Marin.	.....	1629.	——	H.b.	Lobel. advers. 462. ic.
22 Bulbocodium. W.	hoop petticoat.	S. Europe.	——	——	H.b.	Botan. magaz. 88.
Corbularia Bulbocodium. H.S.S.						
23 aurantius. H.S.S.	orange rimmed.	———	——	——	H.b.	Park. parad. t. 71. f. 2.
Queltia aurantia. H.S.S.						
β luteo-aurantius.	*Butter and eggs.*	———	——	——	H.b.	
24 incomparabilis. B.M.	peerless.	Portugal.	——	4. 5.	H.b.	Botan. magaz. 121.
25 sulphureus.	self coloured peerless.	....	1629.	4. 5.	H.b.	
Queltia concolor. H.S.S.						
β plenus.	*double orange crown.*	....	——	——	H.b.	
26 semipartitus. H.S.S.	cloven-cupped.	.....	1818.	3. 4.	H.b.	
27 Queltia.	peerless white.	.....	——	4.	H.b.	
Queltia alba. H.S.S.						
β niveo-aurantius.	*Orange Phœnix.*	.....	....	——	H.b.	
28 montanus. B.R.	mountain.	Pyrenees.	1620.	——	H.b.	Botan. regist. 123.
29 galanthifolius. H.S.	Snowdrop-l^d.	———	1720.	5.	H.b.	Park. parad. 73.
30 capax. H.S.S.	capacious.	.....	....	——	H.b.	Redout. lil. 177.
calathinus. R.L. *Queltia capax.* H.S.S.						
31 orientalis. L.	oriental.	Levant.	1778.	4. 5.	H.b.	Botan. magaz. 948.
incomparabilis. β. B.M. *Schisanthes orientalis.* H.S.S.						
32 cernuus. S.P.	drooping.	Portugal.	1620.	4.	H.b.	Botan. magaz. 48.
triandrus. B.M. *non* L. *Ganymedes cernuus.* H.S.S. *ochroleucus.* H.R.						
33 triandrus. L.	white drooping.	S. Europe.	1629.	——	H.b.	Park. parad. t. 93. f. 2.
Ganymedes albus. H.R.						
34 nutans. H.S.S.	yellow cupped.	———	1789.	3. 5.	H.b.	Botan. magaz. 945.
trilobus. B.M. *Ganymedes nutans.* H.S.S.						
35 concolor. H.S.S.	self-coloured.	———	1626.	4.	H.b.	
36 striatulus. H.S.S.	faint-striped.	———	....	——	H.b.	
37 pulchellus. H.S.S.	white-cupped.	———	1620.	——	H.b.	
38 rugulosus. H.S.S.	wrinkle-cupp'd.	———	....	——	H.b.	
39 odorus. L.	starry-flower'd.	Corsica.	1720.	3.	H.b.	Botan. magaz. 934.
calathinus. α. B.M. *Phylogyne odora.* H.S.S.						

40	interjectus. H.S.S.	great curled cup.	....	4.	H.b.		
41	triloba. L.	three-lobed.	Spain.	1629.	3.	H.b.	Botan. magaz. 78.
	odorus. B.M. *Phylogyne triloba.* H.S.S. *calathina.* Sal.						
42	heminalis. H.S.S.	lesser curled cup.	....	4.	H.b.		Park. parad. t. 23. f. 4.
43	Jonquilla. B.M.	Jonquil.	Spain.	1596.	4. 5.	H.b.	Botan. magaz. 15.
	β *plenus.*	*double Jonquil.*	———	....	——	H.b.	
44	similis. H.S.S.	lesser Jonquil.		1626.	——	H.b.	
45	bifrons. B.M.	double-faced.		1807.	4.	H.b.	Botan. magaz. 1186.
46	compressus. L.T.	Jasmine Jonquil.		1790.	3. 4.	H.b.	
47	primulinus. H.S.	Cowslip-cupp'd.	———	——	H.b.		Botan. magaz. 1209.
	bifrons. β. B.M. *Hermione primulina.* H.S.S.						
48	tereticaulis. L.T.	cream-colour'd.	Levant.	....	4.	H.b.	Botan. magaz. 1298?
49	citrinus. H.S.S.	Citroniere.	———	....	——	H.b.	——— 946.
	orientalis. γ. B.M.						
50	floribundus. H.S.S.	grand monarque.	———	....	——	H.b.	
51	Trewianus. B.M.	Bazelman major.	———	....	——	H.b.	Botan. magaz. 940.
	Hermione grandiflora. H.S.S.						
52	crenulatus. H.S.	Bazelman minor.	———	....	——	H.b.	Park. parad. t. 81. f. 5.
53	Tazetta. L.	French Daffodil.	———	1626.	——	H.b.	——— t. 81. f. 3.
54	fistulosus. H.S.	pipe-stemmed.	———	....	——	H.b.	
55	cerinus. H.S.	waxen cupped.	———	....	5.	H.b.	
56	Luna. H.S.S.	broad white.	———	....	4.	F.b.	
57	papyratius. B.M.	paper white.	Italy.	....	2. 3.	F.b.	Botan. magaz. 947.
	unicolor. T.N. *Hermione papyratia.* H.S.S.						
58	italicus. B.M.	Italian.	———	....	——	F.b.	——— 1188.
	præcox. T.N. *Hermione italica.* H.S.S.						
	γ *semiplenus.*	*semidouble.*	———	....	3.	F.b.	
	δ *plenus.*	*double Roman.*	———	....	——	F.b.	
59	gracilis. B.R.	slender.		....	4.	H.b.	Botan. regist. 816.
60	tenuior. B.M.	slender 2-flow'r'd.	Italy.	1626.	——	H.b.	Botan. magaz. 379.
61	latifolius. H.S.S.	broad-l'd. orange.	Levant.	....	4. 5.	H.b.	
62	multiflorus. H.S.S.	common yellow.	———	....	——	H.b.	Botan. magaz. 925.
	Tazetta. B.M. *non* L.						
	α *aurantius.*	*great orange.*	———	....	——	H.b.	
	β *aureus.*	*golden.*	———	....	——	H.b.	Botan. magaz. 1096.
63	obsoletus. H.S.S.	leafy autumnal.	Spain.	1629.	9. 10.	H.b.	Park. parad. t. 89. f. 4.
64	viridiflorus. B.M.	green-flower'd.	Barbary.	1620.	——	F.b.	Botan. magaz. 1687.
	Chloraster fissus. H.P.						
65	poeticus. L.	Poet's.	Greece.	——	4.	F.b.	Park. parad. t. 75. f. 3.
66	angustifolius. B.M.	narrow-leaved.	Switzerland.	1626.	——	H.b.	Botan. magaz. 198.
67	majalis. B.M.	May-flowering.	England?	....	5.	H.b.	Eng. bot. 275.
	poeticus. E.B. *non* L. *patellaris.* S.P.						
	β *exsertus.* H.S.S.	*long-stamen'd.*	———	....	——	H.b.	
	γ *plenus.* H.S.S.	*double-flowered.*	———	....	——	H.b.	Park. parad. t. 75. f. 1.
68	biflorus. B.M.	two-flowered.	———	....	4. 5.	H.b.	Eng. bot. 276.
GALANTHUS. L.		SNOWDROP.	Hexandria Monogynia. L.				
1	nivalis. W.	common.	Britain.	....	1. 2.	H.b.	Eng. bot. 19.
2	plicatus. B.R.	plaited.	S. Europe.	1818.	2. 4.	H.b.	Botan. regist. 545.
LEUCOJUM. L.		SNOWFLAKE.	Hexandria Monogynia. L.				
1	vernum. W.	spring.	Germany.	1596.	2. 4.	H.b.	Botan. magaz. 46.
	β *carpathicum.*	*Carpathian.*	Carp. mount.	1816.	——	H.b.	——— 1993.
2	æstivum. W.	summer.	England.	....	4. 5.	H.b.	——— 1210.
3	pulchellum. P.L.	neat.	———	....	——	H.b.	Sal. par. lond. 21.
4	trichophyllum. P.S.	winter.	Barbary.	1812.	1. 2.	F.b.	Botan. regist. 544.
5	autumnale. W.	autumnal.	Portugal.	1629.	9.	F.b.	Botan. magaz. 960.
GETHYLLIS. L.		GETHYLLIS.	Hexandria Monogynia. L.				
1	spiralis. W.	spiral-leaved.	C. B. S.	1780.	6. 7.	G.b.	Botan. magaz. 1068.
2	ciliaris. W.	fringed.	———	1788.	——	G.b.	Jacq. schœn. 1. t. 79.
3	villosa. W.	hairy.	———	1787.	——	G.b.	
4	lanceolata. W.	spear-leaved.	———	1790.	——	G.b.	
ALSTRŒMERIA. W.		ALSTRŒMERIA.	Hexandria Monogynia. L.				
1	Ligtu. W.	striped-flow'r'd.	Lima.	1776.	2. 4.	S. 4.	Botan. magaz. 125.
2	Pelegrina. W.	spotted flower'd.	Peru.	1753.	6. 9.	F. 4.	Botan. magaz. 139.
3	Simsii. S.S.	red-flowered.	Chili.	1822.	——	F. 4.	——— 2353.
	pulchella. B.M. & H.E.F. 64. *non* L.						
4	Hookeri.	rose-coloured.	———	——	——	F. 4.	Hork. ex. flor. 181.
	rosea. H.E.F. *non* R.P.						
5	Flos Martini. B.R.	St. Martin's.	———	——	——	F. 4.	Botan. regist. 731.
	pulchra. B.M. 2421. *tricolor.* H.E.F. 65.						

6 ovata. S.S.	oval-leaved.	Mexico.	1824.	....	F.4.⏑.	Cavan. ic. 1. t. 76.
7 Salsilla. W.	climbing.	S.America.	1806.	6. 7.	S.4.⏑.	Botan. magaz. 1613.
edulis. A.R. 649.						
8 hirtella. K.S.	hairy.	Mexico.	1824.	....	S.4.⏑.	
DORYANTHES. B.P.	DORYANTHES.	Hexandria Monogynia. S.S.				
excelsa. B.P.	gigantic.	N.S.W.	1800.	7. 10.	G.$\frac{1}{2}$.	Botan. magaz. 1685.

ORDO CLXXXII.

HEMEROCALLIDEÆ. *Brown' prodr.* 1. *p.* 295.

HEMEROCALLIS. S.S.	DAY LILY.	Hexandria Monogynia. L.				
1 graminea. B.M.	narrow-leaved.	Siberia.	1759.	6. 7.	H.4.	Botan. magaz. 873.
2 flava. B.M.	yellow.	———	1596.	——	H.4.	——— 19.
3 disticha. B.F.G.	fan-like.	China.	1798.	5. 7.	H.4.	Swt. br. fl. gar. 28.
4 fulva. B.M.	copper-colour'd.	Levant.	1596.	6. 8.	H.4.	Botan. magaz. 64.
FUNKIA. S.S.	FUNKIA.	Hexandria Monogynia. S.S.				
1 alba.	white-flower'd.	Japan.	1790.	8. 9.	H.4.	Botan. magaz. 1433.
subcordata. S.S. *Hemerocallis japonica.* B.M. *alba.* A.R. 75.						
2 cœrulea.	blue-flowered.	———	——	6. 8.	H.4.	Botan. magaz. 894.
ovata. S.S. *Hemerocallis cærulea.* B.M.						
AGAPANTHUS. W.	AFRICAN LILY.	Hexandria Monogynia. L.				
1 umbellatus. W.	large-flowered.	C. B. S.	1692.	8. 9.	G.4.	Botan. magaz. 500.
β variegatus.	*striped-leaved.*	———	....	——	G.4.	
2 præcox. W.en.	early-flowering.	———	....	1. 4.	G.4.	
3 minor. B.C.	small.	———	....	——	G.4.	Lodd. bot. cab. 42.
POLIANTHES. L.	POLIANTHES.	Hexandria Monogynia. L.				
1 gracilis. L.en.	slender.	Brazil.	1822.	8. 10.	S.4.	
2 tuberosa. W.	common.	E. Indies.	1629.	——	S.4.	Botan. regist. 63.
β flore pleno.	*double-flowered.*	———	——	——	S.4.	
BLANDFORDIA. B.P.	BLANDFORDIA.	Hexandria Monogynia. S.S.				
1 nobilis. B.P.	noble.	N.S.W.	1803.	7. 8.	G.4.	Botan. regist. 286.
2 grandiflora. B.P.	large-flowered.	———	1812.	——	G.4.	——— 911.
TRITOMA. B.M.	TRITOMA.	Hexandria Monogynia. S.S.				
1 Uvaria. H.K.	great.	C. B. S.	1707.	8. 9.	H.4.	Botan. magaz. 758.
2 media. H.K.	lesser.	———	1789.	12. 6.	H.4.	——— 744.
3 pumila. H.K.	least.	———	1774.	9. 11.	F.4.	——— 764.
VELTHEIMIA. B.M.	VELTHEIMIA.	Hexandria Monogynia. W.				
1 viridifolia. W.	green-leaved.	C. B. S.	1768.	11. 4.	G.b.	Botan. magaz. 501.
Aletris capensis. B.M.						
2 intermedia.	subglaucous.	———	1819.	——	G.b.	
3 glauca. W.	glaucous.	———	1781.	1. 4.	G.b.	Botan. magaz. 1091.
ALETRIS. W.	COLIC-ROOT.	Hexandria Monogynia. L.				
1 farinosa. W.	common.	N.America.	1768.	6.	H.4.	Botan. magaz. 1418.
2 aurea. Ph.	golden tipped.	———	1811.	7. 8.	H.4.	Willd. hort. ber. 8.
SANSEVIERA. W.	SANSEVIERA.	Hexandria Monogynia. W.				
1 glauca. H.S.	glaucous.	Sierra Leon.	....	....	S.4.	
2 polyphylla. H.S.	upright-glaucous.	———	....	....	S.4.	
3 guineensis. H.S.	Guinea.	Guinea.	1690.	6. 11.	S.4.	Botan. magaz. 1180.
4 lætevirens. H.S.	light green.	.....	....	....	S.4.	
5 longiflora. B.M.	long-flowered.	.....	....	7. 8.	S.4.	Botan. magaz. 2634.
6 spicata. H.S.	spiked.	.....	.. .	——	S.4.	Cavan. ic. 3. t. 246.
7 fulvocincta. H.S.S.	brown-edged.	Brazil.	1818.	....	S.4.	
8 zeylanica. H.S.	Ceylon.	Ceylon.	1731.	6. 11.	S.4.	Botan. regist. 160.
9 lanuginosa. W.	woolly.	E. Indies.	....	——	S.4.	Rheed. mal. 11. t. 42.
10 ensifolia. H.S.	sword-leaved.	———	....	....	S.4.	
11 grandicuspis. H.S.	large-pointed.	.....	....	....	S.4.	
12 pumila. H.S.	dwarf.	C. B. S.	1796.	....	S.4.	
13 stenophylla. L.en.	slender-leaved.	.....	1818.	....	S.4.	
14 carnea. A.R.	flesh-coloured.	China.	1792.	4. 10.	H.4.	Andr. reposit. 361.
TULBAGIA. W.	TULBAGIA.	Hexandria Monogynia. L.				
1 alliacea. W.	Narcissus-l.	C. B. S.	1774.	5. 7.	G.4.	Botan. magaz. 806.
2 affinis. L.en.	linear-leaved.	———	1820.	——	G.4.	
3 cepacea. W.	Onion-scented.	———	1795.	4.	G.4.	

BRODIÆA, L.T. BRODIÆA. Triandria Monogynia. L.T.

1 grandiflora, L.T. large-flowered. Georgia. 1806. 6. G.b. Sal. par. lond. t. 98.
Hookera coronaria, P.L.
2 congesta. L.T. close-headed. ——— —— 5. G.b. Linn. trans. v. 10. t. 1.
3 ixioides. B.M. Ixia-like. Chili. 1821. 7. H.b. Botan. magaz. 2382.

PACHIDENDRON. H.R. PACHIDENDRON. Hexandria Monogynia. H.R.

1 africanum. H.R. African. C. B. S. 1731. 7. D.G. ♄.
a latum. H.R. *broad-leaved*. ——— —— —— D.G. ♄.
β angustum. H.R. *narrow-leaved*. ——— —— —— D.G. ♄. Botan. magaz. 2517.
Aloe pseudo-africana. L.en. *Aloe africana. β. angustior*. B.M.
2 principis. H.R. revolving red-spin'd. —— .... D.G. ♄.
3 angustifolium. H.R. narrow-leaved. ——— 1812. .... D.G. ♄.
4 ferox. H.R. great hedgehog. ——— 1759. 4. 5. D.G. ♄. Botan. magaz. 1975.
Aloe ferox. B.M.
5 pseudo-ferox. H.R. false hedgehog. ——— .... —— D.G. ♄. Comm. prælud. t. 28.
6 supralæve. H.R. upright hedgehog. —— 1731. .... D.G. ♄.

ALOE. H.R. ALOE. Hexandria Monogynia. L.

1 dichotoma. H.S. smooth-stem'd. C. B. S. 1780. .... D.G. ♄.
2 purpurascens. H.S. purple. ——— 1789. 7.10. D.G. ♄. Botan. magaz. 1474.
3 soccotrina. H.S. soccotrine. ——— 1731. 4. 6. D.G. ♄. ——— 472.
4 spicata. H.R. white spotted. ——— 1795. —— D.G. ♄.
5 pluridens. H.P. many-toothed. ——— 1822. .... D.G. ♄.
6 arborescens. H.S. tree. ——— 1731. 11. 3. D.G. ♄. Botan. magaz. 1306.
7 gracilis. H.P. slender-stalk'd. ——— 1822. .... D.G. ♄.
8 flavispina. H.S. yellow-spined. ——— 1790. 8. D.G. ♄.
9 mitræformis. H.S. mitre. ——— 1732. —— D.G. ♄. Botan. magaz. 1270.
10 nobilis. H.S. great mitre. ——— 1800. 7. 8. D.G. ♄.
11 Commelini. H.R. Commeline's. ——— 1813. .... D.G. ♄.
β mitræformis. H.R. *yellowish-tooth'd*. ——— .... D.G. ♄.
12 distans. H.S. small mitre. ——— 1732. 8. D.G. ♄. Botan. magaz. 1362.
γ depressa. H.R. *depressed*. ——— .... —— D.G. ♄.
13 xanthacantha. H.S.S. yellow mitre. ——— 1817. .... D.G. ♄.
14 vulgaris. DC. yellow-flow'r'd. W. Indies. 1596. 8. D.S. ♄. DC. plant. gras. 27.
barbadensis. H.S.
15 chinensis. H.S.S. Chinese. China. 1817. .... D.G. ♄.
16 cæsia. H.S.S. cæsious tree. C. B. S. 1818. .... D.G. ♄.
β elatior. H.S.S. *tall*. ——— —— .... D.G. ♄.
17 frutescens. H.S.S. lesser tree. ——— .... D.G. ♄.
18 albispina. H.S. white-spined. ——— 1796. .... D.G. ♄.
19 glauca. H.S. glaucous red-spin'd. ——— 1731. 1. 9. D.G. ♄.
a major. H.S. *larger*. ——— —— —— D.G. ♄.
β rhodocantha. B.M. *lesser red-spined*. ——— —— —— D.G. ♄. Botan. magaz. 1278.
γ spinosior. H.R. *long-spined*. ——— 1820. .... D.G. ♄.
20 lineata. H.S. striped red-spined. ——— 1789. .... D.G. ♄.
a viridis. H.R. *greenest-leaved*. ——— —— .... D.G. ♄.
β glaucescens. H.R. *glaucescent*. ——— —— .... D.G. ♄.
21 depressa. H.S. depressed. ——— 1731. 8. D.G. ♄. Botan. magaz. 1332.
22 brevifolia. H.S. short-leaved. ——— —— 6. 8. D.G. ♄. Botan. regist. 996.
23 prolifera. H.R. proliferous. ——— 1818. —— D.G. ♄.
24 serra. DC. saw-leaved. ——— —— .... D.G. ♄. Jacq. eclog. ic.
25 striata. H.S. streaked. ——— 1795. .... D.G. ♄.
26 striatula. H.P. stripe-sheath'd. ——— 1820. .... D.G. ♄.
27 ciliaris. H.P. fringe-leaved. ——— —— .... D.G. ♄.
28 tenuior. H.P. green-sheathed. ——— 1819. .... D.G. ♄.
29 albocincta. H.S.S. pearl edged. ——— 1812. .... D.G. ♄.
30 serrulata. H.S. serrulated. ——— 1789. 7. 8. D.G. ♄. Botan. magaz. 1415.
31 obscura. H.S. great soap. ——— 1727. 6. 10. D.G. ♄. ——— 1323.
picta. a. B.M.
β glaucior. H.R. *glaucous-leaved*. ——— 1819. —— D.G. ♄.
γ magnidens. H.R. *large-toothed*. ——— .... —— D.G. ♄.
32 pallescens. H.R. pale serrulate. ——— 1820. —— D.G. ♄.
33 latifolia. H.S. broad-leaved. ——— 1795. 7. 8. D.G. ♄. Botan. magaz. 1346.
34 saponaria. H.S. common soap. ——— 1727. —— D.G. ♄. ——— 1460.
β luteo-striata. H.R. *yellow striped*. ——— 1821. —— D.G. ♄.
35 microcantha. H.S.S. small-spined. ——— 1819. —— D.G. ♄. Botan. magaz. 2272.
36 virens. H.S. apple green. ——— 1790. 8. 9. D.G. ♃. ——— 1355.
37 suberecta. H.S. lesser hedgehog. ——— 1789. 8. 6. D.G. ♃.
β semiguttata. H.R. *half-warted*. ——— 1819. —— D.G. ♃.
38 acuminata. H.S. middle hedgehog. ——— 1795. —— D.G. ♃. Botan. magaz. 767.
humilis. B.M. *non* H.S.

39 echinata. H.R. greattubercled. C. B. S. 1821. 3. 6. D.G. ♃.
40 tuberculata. H.S. tubercled. —— 1796. —— D.G. ♃.
41 aristata. H.P. bearded many-ld. —— 1819. —— D.G. ♃.
42 subtuberculata. H.P. rough & smooth. —— —— —— D.G. ♃.
43 humilis. H.S. dwarfhedgehog. —— 1731. —— D.G. ♃. DC. plant. gras. 39.
44 incurva. H.S. incurved hedgehog. —— 1796. —— D.G. ♃. Botan. magaz. 828.
humilis β incurva. B.M.
45 tennifolia. H.R. thin-leaved. —— 1821. —— D.G. ♃.
46 variegata. H.S. partridge-breast. —— 1720. 3. 12. D.G. ♃. Botan. magaz. 518.

RHIPIDODENDRON. W. RHIPIDODENDRON. Hexandria Monogynia.
plicatile. H.R. fan. Africa. 1723. 6. 7. D.G. ½. Botan. magaz. 457.
distichum. W. *Aloe plicatilis.* B.M.
β major. H.R. *larger fan.* —— 1820. —— D.G. ½.

GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.
1 obliqua. H.S. broad-marbled. C. B. S. 1759. 6. 8. D.G. ½. Botan. magaz. 979.
Aloe lingua. a. B.M.
2 pulchra. H.S. narrow-marbl'd. —— —— 7. 8. D.G. ½. Botan. magaz. 765.
Aloe maculata. B.M.
3 acinacifolia. H.R. long sword-ld. —— 1818. —— D.G. ♃. Botan. magaz. 2369.
4 nigricans. H.S. dark-leaved. —— 1790. 6. 7. D.G. ♃. —— 838.
β crassifolia. H.R. *thick-leaved.* —— 1820. —— D.G. ♃.
γ fasciata. H.R. *fasciated.* —— —— —— D.G. ♃.
δ marmorata. H.R. *marbled.* —— —— —— D.G. ♃.
5 mollis. H.R. soft muddy ld. —— 1819. .... D.G. ♃.
6 candicans. H.R. rough marbled white. —— 1818. 7. 8. D.G. ♃.
7 nitida. B.M. shining. —— 1820. —— D.G. ♃. Botan. magaz. 2304.
α parvipunctata. H.R. *small dotted.* —— —— —— D.G. ♃.
β grandipunctata. H.R. *large-dotted.* —— —— —— D.G. ♃.
8 trigona. H.R. trigonal. —— —— —— D.G. ♃.
α elongata. H.R. *elongated.* —— —— —— D.G. ♃.
β obtusa. H.R. *blunt.* —— —— —— D.G. ♃.
9 glabra. H.S. smooth-keeled. —— 1796. 6. 7. D.G. ♃.
β minor. H.R. *smaller.* —— 1820. —— D.G. ♃.
10 subcarinata. H.S.S. partly keeled. —— —— —— D.G. ♃.
β striata. H.R. *striated.* —— —— —— D.G. ♃.
11 carinata. H.S. rough keeled. —— 1731. —— D.G. ♃. Botan. magaz. 1331.
12 latifolia. H.S. acute tongue. —— .... 3. 11. D.G. ♃.
β multifaria. H.S. *multifarious.* —— .... —— D.G. ♃.
13 denticulata. H.S.S. denticulated. —— 1818. 6. 7. D.G. ♃.
14 ensifolia. H.P. long sword-ld. —— 1820. .... D.G. ♃.
15 angulata. H.S. retuse. —— 1791. 3. 11 D.G. ♃.
16 angustifolia. H.S. narrow. —— 1731. —— D.G. ♃.
β lævis. H.R. *smooth.* —— 1820. —— D.G. ♃.
17 longifolia. H.S. long-leaved. —— 1796. —— D.G. ♃.
18 conspurcata. H.R. dirtied. —— —— —— D.G. ♃.
19 obtusifolia. H.R. blunt-leaved. —— —— .... D.G. ♃.
20 excavata. L.en. excavated. —— 1824. .... D.G. ♃.
21 pseudo-angulata. L.en. false-angled. —— —— .... D.G. ♃.
22 pseudo-nigricans. H.R. blackish. —— 1820. .... D.G. ♃.
β glabra. *smooth.* —— —— .... D.G. ♃.
23 subverrucosa. L.en. large-warted. —— —— .... D.G. ♃.
α grandipunctata. H.R. *large-dotted.* —— —— .... D.G. ♃.
β parvipunctata. H.R. *small-dotted.* —— —— .... D.G. ♃.
24 brevifolia. H.S. short-leaved. —— 1809. 7. 8. D.G. ♃.
25 intermedia. H.S. intermediate. —— 1790. 3. 11. D.G. ♃.
β asperrima. H.R. *rough-leaved.* —— 1820. —— D.G. ♃.
26 repens. H.R. creeping-root'd. —— —— .... D.G. ♃.
27 verrucosa. H.S. pearl. —— 1731. 3. 11. D.G. ♃. Botan. magaz. 837.
β latifolia. H.R. *broad-leaved.* —— 1820. —— D.G. ♃.

BOWIEA. H.P. BOWIEA. Hexandria Monogynia.
africana. H.P. African. C. B. S. 1820. 4. 10. D.G. ♃.

HAWORTHIA. H.S.S. HAWORTHIA. Hexandria Monogynia. H.S.
1 viscosa. H.S. clammy. C. B. S. 1732. 5. 7. D.G. ♃. Botan. magaz. 814.
Aloe viscosa. B.M.
2 aspera. H.S. rough triangular. —— 1795. —— D.G. ♃.
3 indurata. H.R. hard branchy. —— 1819. —— D.G. ♃.
4 pseudo-tortuosa. H.S.S. twisted triangular. —— 1818. .... D.G. ♃.
5 concinna. H.S.S. neat triangular. —— —— .... D.G. ♃.
6 cordifolia. H.S.S. heart-leaved. —— —— 5. 7. D.G. ♃.

7	asperiuscula. H.S.S.	roughish.	C. B. S.	1818.	5. 7.	D.G.♃.
8	tortuosa. H.S.	twisted.	——	1794.	5. 9.	D.G.♃. Botan. magaz. 1337.
	Aloe rigida. B.M. *non* DC.					
	β curta. H.R.	*short twisted.*	——	1817.	——	D.G.♃.
	γ tortella. H.R.	*lesser twisted.*	——	——	——	D.G.♃.
9	expansa. H.S.	spreading-ld.	——	1795.	7. 10.	D.G.♃. DC. plant. gras. 62.
	Aloe rigida. DC.					
10	hybrida. H.R.	bastard pearl.	——	1821.	5. 9.	D.G.♃.
11	scabra. H.R.	rugged.	——	1818.	——	D.G.♃.
12	sordida. H.R.	sordid.	——	——	——	D.G.♃.
13	recurva. H.R.	recurved.	——	1795.	8.	D.G.♃. Botan. magaz. 1353.
14	nigricans. H.P.	granulated black.	——	1820.	5. 9.	D.G.♃.
15	parva. H.P.	dwarf.	——	——	——	D.G.♃.
16	tessellata. H.P.	dark chequer'd.	——	1822.	——	D.G.♃.
17	asperula. H.P.	pale rough.	——	——	——	D.G.♃.
18	multifaria. H.P.	many-leaved.	——	——	——	D.G.♃.
19	retusa. H.S.	smooth cushion.	——	1720.	——	D.G.♃. Botan. magaz. 455.
	Aloe retusa. B.M.					
20	mutica. H.R.	blunt cushion.	——	1819.	——	D.G.♃.
21	mirabilis. H.S.S.	rough cushion.	——	1795.	——	D.G.♃. Botan. magaz. 1354.
22	turgida. H.S.S.	turgid cushion.	——	1818.	——	D.G.♃.
23	læte-virens. H.S.S.	light-green.	——	——	——	D.G.♃.
24	papillosa. H.S.S.	papillose.	——	——	——	D.G.♄.
	β semipapillosa. H.R.	*partly warted.*	——	....	——	D.G.♄.
25	erecta. H.R.	upright pearl.	——	1818.	——	D.G.♃. DC. plant. gras. 57.
	margaritifera. DC.					
26	fasciata. H.S.S.	barred pearl.	——	——	——	D.G.♃.
	β major. H.R.	*larger.*	——	....	——	D.G.♃.
27	granata. H.S.S.	small pearl.	——	1732.	——	D.G.♃. Dill. elth. t. 16. f. 18.
	Aloe margaritifera. γ. minima. Dill.					
28	brevis. H.S.S.	short-leaved.	——	1810.	——	D.G.♃. Botan. magaz. 1960.
	Aloe margaritifera. γ. minima. B.M.					
29	minor. H.S.	lesser pearl.	——	....	5. 8.	D.G.♃. Botan. magaz. 815.
30	margaritifera. H.S.S.	pearl.	——	1725.	——	D.G.♃. Bradl. succ. 3. t. 21.
31	semiglabrata. H.S.S.	half-smoothed.	——	1810.	——	D.G.♃.
32	radula. H.S.	raspy pearl.	——	1805.	6. 9.	D.G.♃. Jacq. schœn. t. 35.
33	attenuata. H.S.	chalky pearl.	——	1790.	5. 8.	D.G.♃. Botan. magaz. 1345.
	Aloe radula. B.M. *non* Jacq.					
34	Reinwardti. H.R.	chequer'd-pearl.	——	1821.	——	D.G.♃.
35	semimargaritifera.	semi-pearly.	——	1801.	——	D.G.♃.
	a maxima. H.S.S.	*largest.*	——	——	——	D.G.♃. Comm. hort. 2. t. 10.
	β major. H.S.S.	*large.*	——	1817.	——	D.G.♃.
	γ minor. H.S.S.	*smaller.*	——	1818.	——	D.G.♃.
	δ multiperlata.	*many pearled.*	——	——	——	D.G.♃.
36	coarctata. H.P.	upright dull-spotted.	——	1822.	——	D.G.♃.
37	albicans. H.S.	white-edged.	——	1795.	9. 10.	D.G.♃. Botan. magaz. 1452.
38	lævis. H.R.	narrow-border'd.	——	1820.	——	D.G.♃. Comm. hort. 2. t. 7.
39	ramifera. H.R.	branching white.	——	——	——	D.G.♃.
40	virescens. H.R.	bordered green.	——	——	——	D.G.♃.
	β minor. H.R.	*lesser.*	——	——	——	D.G.♃.
41	arachnoides. H.S.	cobweb.	——	1727.	8. 9.	D.G.♃. Botan. magaz. 756.
42	translucens. H.S.S.	transparent.	——	1795.	5. 8.	D.G.♃. —— —— 1417.
	Aloe arachnoides β translucens. B.M.					
43	setata. H.S.S.	bristle edged.	——	1818.	——	D.G.♃.
	β nigricans. H.R.	*blackish.*	——	——	——	D.G.♃.
	γ media. H.R.	*middle.*	——	——	——	D.G.♃.
	δ major. H.R.	*larger.*	——	——	——	D.G.♃.
44	pallida. H.R.	pale green.	——	——	——	D.G.♃.
45	atrovirens. H.R.	dark green.	——	1752.	5.	D.G.♃. Botan. magaz. 1361.
	Aloe atrovirens. D.C. *arachnoides pumila.* B.M.					
46	chlorocantha. H.R.	green-toothed.	——	1820.	5. 8.	D.G.♃.
47	angustifolia. H.P.	slender-leaved.	——	——	6. 7.	D.G.♃.
48	reticulata. H.S.	netted.	——	1794.	5. 8.	D.G.♃. Botan. magaz. 1314.
	Aloe arachnoides γ reticulata. B.M.					
49	cymbiformis. H.S.	boat-leaved.	——	1795.	6. 8.	D.G.♃. Botan. magaz. 802.
	concava. H.R.					
50	altilinea. H.P.	ridge-lined.	——	1821.	——	D.G.♃.
51	obtusa. H.P.	small blunt-ld.	——	——	——	D.G.♃.
52	planifolia. H.P.	flat oval-ld.	——	——	——	D.G.♃.

53	mucronata. H.R.	membrane-point'd.	C. B. S.	1818	6. 8.	D.G.¼.	
54	limpida. H.R.	limpid.	———	——	——	D.G.¼.	
55	aristata. H.R.	pin-pointed.	———	——	——	D.G.¼.	
56	cuspidata. H.R.	sharp-pointed.	———	——	——	D.G.¼.	
57	denticulata. H.R.	pale pin-point'd.	———	——	——	D.G.¼.	
APICRA. H.S.S.		APICRA. Hexandria Monogynia. H.S.S.					
1	spiralis. H.S.S.	great spiral.	C. B. S.	1790.	8. 9.	D.G.½.	
2	spirella. H.S.S.	small spiral.	———	1806.	——	D.G.½.	
3	bullulata. H.S.S.	blistered.	———	1818.	——	D.G.½.	Jacq. frag. t. 109.
4	pentagona. H.S.S.	five sided.	———	1731.	6. 8.	D.G.½.	Botan. magaz. 1338.
	β torta. H.S.S.	*twisted.*	———	....	——	D.G.½.	
5	rigida. W.	gunpowdered.	———	1818.	——	D.G.½.	Jacq. fragm. t. 108.
	pseudo-rigida. H.S.S.						
6	aspera. H.S.S.	rough triangled.	———	——	——	D.G.½.	
	α minor. H.S.S.	*lesser.*	———	——	——	D.G.½.	
	β major. H.S.S.	*larger.*	———	1795.	——	D.G.½.	
7	bicarinata. H.S.S.	double-keeled.	———	1819.	——	D.G.½.	
8	nigra. H.P.	rough black.	———	1820.	5. 8.	D.G.½.	
9	imbricata. H.R.	rough-flowered.	———	1731.	6. 7.	D.G.½.	Botan. magaz. 1455.
	Aloe spiralis. B.M. *non* H.S.						
10	foliolosa. H.P.	many small-l^d.	———	1795.	6. 8.	D.S.½.	Botan. magaz. 1352.

ORDO CLXXXII.

DIOSCOREÆ. *Brown prodr.* 1. *p.* 294.

RAJANIA. W.		RAJANIA. Dicœcia Hexandria. L.					
1	hastata. W.	halberd-leaved.	W. Indies.	1822.	7. 8.	S.¼.⌣.	Plum. amer. 84. t. 98.
2	cordata. W.	heart-leaved.	———	1786.	———	S.¼.⌣.	Plum. ic. 155. f. 1.
3	quinquefolia. W.	five-leaved.	———	1820.	——	S.¼.⌣.	——— 155. f. 2.
DIOSCOREA. W.		YAM. Dicœcia Hexandria. L.					
1	pentaphylla. W.	five-leaved.	E. Indies.	1768.	....	S.¼.⌣.	Rheed. mal. 7. t. 35.
2	triphylla. W.	three-leaved.	———	1818.	....	S.¼.⌣.	Jacq. ic. t. 627.
3	quinqueloba. W.	five-lobed.	Japan.	1822.	7. 9.	G.¼.⌣.	Kæmpf. ic. t. 15.
4	brasiliensis. W.	Brasilian.	Brazil.	1818.	——	S.¼.⌣.	
5	heterophylla. H.B.	various-leaved.	E. Indies.	———	....	S.¼.⌣.	
6	aculeata. W.	prickly-stem'd.	———	1803.	7. 9.	S.¼.⌣.	Rheed. mal. 7. t. 37.
7	rubella. H.B.	reddish.	———	——	——	S.¼.⌣.	
8	purpurea. H.B.	purple.	———	1816.	——	S.¼.⌣.	
9	nummularia. W.	Money-wort.	———	1820.	....	S.¼.⌣.	Rumph. amb. 5. t. 162.
10	alata. W.	wing-stalked.	———	1739.	....	S.¼.⌣.	Rheed. mal. 7. t. 38.
11	bulbifera. W.	bulb-bearing.	———	1692.	7. 9.	S.¼.⌣.	Sal. par. lond. 17.
12	crispata. H.B.	curl-stalked.	———	1818.	——	S.¼.⌣.	
13	anguina. H.B.	snake.	———	1803.	——	S.¼.⌣.	
14	pulchella. H.B.	pretty.	———	1810.	....	S.¼.⌣.	
15	atropurpurea. H.B.	dark purple.	———	1820.	....	S.¼.⌣.	
16	globosa. H.B.	globular.	———	1818.	....	S.¼.⌣.	
17	fasciculata. H.B.	bundled.	———	1817.	....	S.¼.⌣.	
18	glabra. H.B.	smooth.	———	1803.	7. 9.	S.¼.⌣.	
19	sativa. W.	common.	W. Indies.	1783.	——	S.¼.⌣.	Rheed. mal. 8. t. 31.
20	piperifolia. W.	Pepper-leaved.	S. America.	1817.	....	S.¼.⌣.	Plum. ic. 117. f. 1.
21	nepalensis.	Nepaul.	Nepaul.	1816.	7. 8.	H.¼.⌣.	
22	quaternata. Ph.	four-leaved.	N. America.	1811.	7.	H.¼.⌣.	
23	villosa. Ph.	pubescent.	———	1752.	8.	H.¼.⌣.	Jacq. ic. 3. t. 626.
24	oppositifolia.	opposite-leav'd.	E. Indies.	1803.	....	S.¼.⌣.	Petiv. gaz. t. 31. f. 6.
TESTUDINARIA. B.T.		TESTUDINARIA. Dicœcia Hexandria.					
1	Elephantipes. B.R.	Elephant's-foot.	C. B. S.	1774.	7. 8.	G.¼.⌣.	Botan. regist. 92.
	Tamus Elephantipes. B.M. 1847.						
2	montana. B.T.	glaucous-l^d.	———	1816.	——	G.¼.⌣.	

ORDO CLXXXIII.

TAMEÆ. *Brown prodr.* 294 *in obs.*

TAMUS. L.	Black Bryony.	Dioecia Hexandria. L.						
1 communis. W.	common.	England.		5. 8.	H. ♃ .⌣.	Eng. bot. 91.
2 cretica. W.	Cretan.	Candia.	1739.	7. 8.	H. ♃ .⌣.	

ORDO CLXXXIV.

SMILACEÆ. *Brown prodr.* 292.

SMILAX. L.	Smilax.	Dioecia Hexandria. L.						
1 aspera. S.S.	rough bindweed.	S. Europe.	1648.	9.	H. ♄ .⌣.	Schk. handb. 3. t. 328.
β *auriculata.*	*ear-leaved.*	———	——	——	H. ♄ .⌣.	Pluk. alm. t. 110. f. 3.
2 nigra. S.S.	black.	———	1817.	——	H. ♄ .⌣.	
3 catalonica. S.S.	Catalonian.	———	——	——	H. ♄ .⌣.	
4 mauritanica. S.S.	red-berried.	———	1820.	8. 10.	F. ♄ .⌣.	
5 excelsa. S.S.	tall.	Syria.	1739.	8. 9.	F. ♄ .⌣.	Buxb. cent. 1. t. 32.
6 horrida. S.S.	straight-spined.	N. America.	1820.	——	H. ♄ .⌣.	
7 zeylanica. S.S.	Ceylon.	E. Indies.	1778.	——	S. ♄ .⌣.	Rumph. amb. 5. t. 161.
8 quadrangularis. S.S.	square-stalked.	N. America.	1812.	6. 8.	H. ♄ .⌣.	Wats. dend. brit. 109.
9 longifolia. S.S.	long-leaved.	Cayenne.	1823.	....	S. ♄ .⌣.	
10 Watsoni.	Watson's.	N. America.	1811.	7. 8.	H. ♄ .⌣.	Wats. dend. brit. 110.
longifolia. W.D. *non* Rich.						
11 Sarsaparilla. S.S.	medicinal.	———	1664.	——	H. ♄ .⌣.	Wats. dend. brit. 111.
12 brasiliensis. S.S.	Brazilian.	Brazil.	1820.	——	S. ♄ .⌣.	
13 hastata. S.S.	halberd-leaved.	Carolina.	1822.	——	F. ♄ .⌣.	Pluk. alm. t. 111. f. 3.
14 China. S.S.	Chinese.	China.	1759.	....	G. ♄ .⌣.	Kæmpf. amœn. t. 782.
15 acuminata. S.S.	sharp-pointed.	W. Indies.	1822.	6. 7.	S. ♄ .⌣.	Plum. ic. 83.
16 glauca. B.M.	glaucous-l^d.	N. America.	1811.	5. 7.	H. ♄ .⌣.	Botan. magaz. 1846.
17 australis. B.P.	oblong-leaved.	N. S. W.	1815.	....	G. ♄ .⌣.	
18 rotundifolia. S.S.	round-leaved.	N. America.	1760.	7. 8.	H. ♄ .⌣.	
19 laurifolia. S.S.	Laurel-leaved.	———	1739.	——	H. ♄ .⌣.	Catesb. car. 1. t. 15.
20 tamnoides. S.S.	Tamus-leaved.	———	——	6. 7.	H. ♄ .⌣.	——— 1. t. 52.
21 caduca. S.S.	deciduous.	———	1759.	——	H. ♄ .⌣.	
22 havanensis. S.S.	Havannah.	S. America.	1823.	....	S. ♄ .⌣.	Jacq. amer. t. 179. f. 102.
23 ovalifolia. D.P.	oval-leaved.	Nepaul.	1822.	....	H. ♄ .⌣.	
24 Bona-nox. S.S.	fringed.	N. America.	1739.	6. 7.	H. ♄ .⌣.	Pluk. alm. t. 111. f. 1.
25 maculata. D.P.	spotted.	Nepaul.	1819.	....	H. ♄ .⌣.	
26 prolifera. H.B.	proliferous.	E. Indies.	——	....	S. ♄ .⌣.	
27 glabra. H.B.	smooth.	———	1820.	....	S. ♄ .⌣.	
28 Alpini. S.S.	Grecian.	Greece.	——	6. 8.	F. ♄ .⌣.	
29 latifolia. B.P.	broad-leaved.	N. Holland.	1791.	....	F. ♄ .⌣.	
30 lanceolata. Ph.	spear-leaved.	N. America.	1785.	5. 6.	H. ♄ .⌣.	Catesb. car. 2. t. 84.
31 herbacea. S.S.	herbaceous.	———	1699.	7.	H. ♃ .⌣.	Botan. magaz. 1920.
32 pedunculatis. S.S.	long-peduncl'd.	———	1812.	5. 7.	H. ♃ .⌣.	
33 globifer. S.S.	Surinam.	Surinam.	1819.	....	S. ♄ .⌣.	
34 macrophylla. S.S.	large-leaved.	W. Indies.	1822.	....	S. ♄ .⌣.	
35 Pseudo-china. S.S.	Bastard China.	S. America.	1739.	5. 6.	S. ♄ .⌣.	Sloan. jam. 1. t. 143. f. 1.
36 glyciphylla. B.P.	Botany-bay Tea.	N. S. W.	1815.	——	S. ♄ .⌣.	
37 canariensis. S.S.	Canary.	Canaries.	1816.	——	F. ♄ .⌣.	
38 pubera. S.S.	downy.	N. America.	1806.	——	H. ♄ .⌣.	
39 rubens. W.D.	pink-flowered.	———	1811.	7. 8.	H. ♄ .⌣.	Wats. dend. brit. 108.
RIPOGONUM. B.P.	Ripogonum.	Hexandria Monogynia.				
album. B.P.	white-flowered.	N. S. W.	1820.	4. 6.	G. ♄ .⌣.	

RUSCUS. L.	**Butcher's-broom.**	**Dioecia Monadelphia. L.**					
1 aculeatus. W.	prickly.	England.	....	12. 6.	H. ♄.	Eng. bot. 560.	
2 laxus. L.T.	loose.	Europe.	....	1. 6.	H. ♄.		
3 Hypophyllum. W.	thick-leaved.	Italy.	1640.	5. 6.	H. ♄.	Botan. magaz. 2049.	
β *latifolius.* W.	*broad-leaved.*	S. Europe.	——	——	H. ♄.	Dill. elt. t. 251. f. 303.	
4 Hypoglossum. W.	double-leaved.	Italy.	1596.	4. 5.	H. ♄.	Schk. handb. 3. t. 340.	
5 androgynus. W.	climbing.	Canaries.	1713.	——	G. ♄. ⌣	Botan. magaz. 1893.	
6 reticulatus. W.	netted-leaved.	C. B. S.	1816.	——	G. ♄. ⌣		
7 volubilis. W.	many-nerved.	——	——	——	G. ♄. ⌣		
8 racemosus. W.	Alexandrian Laurel.	Portugal.	1713.	6.	H. ♄.	Wats. dend. brit. 145.	
POLYGONATUM. D.	**Solomon's-seal.**	**Hexandria Monogynia.**					
1 leptophyllum. D.P.	slender-leaved.	Nepaul.	1816.	6. 7.	H. ♃.		
2 oppositifolium. D.P.	opposite-leaved.	——	——	——	H. ♃.	Lodd. bot. cab. 640.	
Convallaria oppositifolia. B.C.							
3 vulgare. D.	common.	England.	....	5. 6.	H. ♃.	Eng. bot. 280.	
Convallaria Polygonatum. E.B.							
4 pubescens. Ph.	pubescent.	N. America.	1812.	——	H. ♃.	Willd. hort. ber. t. 45.	
5 canaliculatum. Ph.	channel-leaved.	——	——	6.	H. ♃.		
6 angustifolium. Ph.	narrow-leaved.	——	1824.	5. 6.	H. ♃.		
7 multiflorum. D.	many-flowered.	Britain.	....	——	H. ♃.	Eng. bot. 279.	
8 latifolium. D.	broad-leaved.	Europe.	1802.	——	H. ♃.	Jacq. aust. 3. t. 282.	
9 macrophyllum.	large-leaved.	N. America.	1823.	——	H. ♃.		
latifolium. Ph. *nec aliorum.*							
10 polyanthemum. M.B.	many-flowered.	Caucasus.	——	——	H. ♃.		
SMILACINA. D.	**Smilacina.**	**Hexandria Monogynia. Ph.**					
1 racemosa. D.	cluster-flow'r'd.	N. America.	1640.	5. 6.	H. ♃.	Botan. magaz. 809.	
Convallaria racemosa. B.M.							
2 stellata. D.	star-flowered.	——	1683.	——	H. ♃.	—— 1043.	
3 trifolia. D.	three-leaved.	——	1812.	6. 7.	H. ♃.	Gmel. sib. 1. t. 6.	
4 canadensis. Ph.	Canadian.	——	——	——	H. ♃.	Pluk. alm. t. 434. f. 4.	
5 bifolia. D.	least.	N. Europe.	1596.	5. 6.	H. ♃.	Botan. magaz. 510.	
Convallaria bifolia. B.M.							
6 borealis. B.M.	oval-leaved.	N. America.	1778.	5. 6.	H. ♃.	Botan. magaz. 1403.	
7 umbellata. D.	umbel-flower'd.	——	——	——	H. ♃.	—— 1155.	
OPHIOPOGON. B.M.	**Snake's-beard**	**Hexandria Monogynia. B.M.**					
1 japonicus. B.M.	Japan.	Japan.	1784.	6.	F. ♃.	Botan. magaz. 1063.	
2 spicatus. B.R.	spiked.	China.	1821.	8. 10.	F. ♄.	Botan. regist. 593.	
3 intermedius. D.P.	intermediate.	Nepaul.	1824.	——	F. ♃.		
CONVALLARIA. D.	**Lily of the Valley.**	**Hexandria Monogynia. L.**					
majalis. E.B.	common.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 1035.	
α *alba.*	*white-flowered.*	——	....	——	H. ♃.		
β *rosea.*	*rose-coloured.*	——	....	——	H. ♃.		
γ *plena.*	*double-flowered.*	——	....	——	H. ♃.		
STREPTOPUS. M.	**Streptopus.**	**Hexandria Monogynia. Ph.**					
1 amplexifolius. R.L.	heart-leaved.	Europe.	1752.	5.	H. ♃.	W. et K. hung. t. 167.	
2 distortus. M.	distorted.	N. America.	——	——	H. ♃.		
3 roseus. M.	rose-coloured.	——	1806.	6. 7.	H. ♃.	Botan. magaz. 1489.	
Uvularia rosea. B.M.							
4 lanuginosus. M.	woolly.	——	1812.	——	H. ♃.	Botan. magaz. 1490.	
5 simplex. D.P.	simple-stalked.	Nepaul.	1822.	——	H. ♃.		
MEDEOLA. S.S.	**Indian Cucumber.**	**Hexandria Trigynia. L.**					
virginica. S.S.	Virginian.	Virginia.	1759.	6.	H. ♃.	Botan. magaz. 1316.	
Gyromia virginica. N.							
TRILLIUM. L.	**Trillium.**	**Hexandria Trigynia. L.**					
1 sessile. S.S.	sessile-flow'r'd.	N. America.	1759.	4. 5.	H. ♃.	Botan. magaz. 40.	
2 petiolatum. S.S.	Plantain-leav'd.	——	1811.	——	H. ♃.		
3 erythrocarpum. M.	painted-fld.	——	——	5. 6.	H. ♃.		
pictum. Ph.							
4 undulatum. S.S.	wave-flower'd.	——	——	——	H. ♃.		
5 pusillum. S.S.	dwarf.	Carolina.	1812.	——	F. ♃.		
6 ovatum. S.S.	purple-flow'r'd.	N. America.	——	——	F. ♃.		
7 cernuum. S.S.	drooping-fld.	——	1758.	4. 5.	H. ♃.	Botan. magaz. 954.	
8 erectum. W.	stinking.	——	1759.	——	H. ♃.	—— 470.	
9 pendulum. S.S.	white-flow'r'd.	——	1805.	——	H. ♃.	W. hort. ber. 1. t. 35.	
erectum β. B.M. 1027.							
10 obovatum. S.S.	obovate-petal'd.	——	1824.	——	H. ♃.		
11 grandiflorum. S.S.	large-flowered.	——	1799.	4. 6.	H. ♃.	Sal. par. lond. 1.	
erythrocarpum. B.M. *non* M.							
12 stylosum. N.	long-styled.	Carolina.	1823.	——	F. ♃.		

PARIS. L.	Herb-Paris. Octandria Tetragynia. L.						
1 quadrifolia. E.B.	True-love or 1-berry. Engld.				5. 6.	H. 4.	Eng. bot. 7.
2 verticillata. M.B.	whorl-leaved.	Siberia.		1825.	——	H. 4.	
3 polyphylla. D.P.	many-leaved.	Nepaul.		1816.	——	H. 4.	

ORDO CLXXXV.

ASPHODELEÆ. *Brown prodr.* 1. *p.* 274.

ASPHODELUS. L.	Asphodel. Hexandria Monogynia. L.						
1 clavatus. H.B.	club-seeded.	E. Indies.		1808.	7. 10.	S. ☉.	
2 fistulosus. S.S.	Onion-leaved.	S. Europe.		1596.	6. 9.	H. 4.	Botan. magaz. 984.
3 intermedius. Lin.	intermediate.	Canaries.		1824.	——	F. 4.	
4 albus. S.S.	upright.	S. Europe.		....	5. 7.	H. 4.	Blackw. t. 288.
5 æstivus. S.S.	summer.	Portugal.		1819.	——	H. 4.	
6 ramosus. S.S.	branched.	S. Europe.		1551.	——	H. 4.	Botan. magaz. 790.
7 tenuior. S.S.	slender-leaved.	Caucasus.		1823.	7.	H. 4.	—— —— 2626.
8 creticus. S.S.	Cretan.	Candia.		1821.	6. 7.	H. 4.	Lodd. bot. cab. 915.
9 tauricus. S.S.	Taurian.	Tauria.		1812.	5. 7.	H. 4.	
10 luteus. S.S.	common yellow.	Sicily.		1596.	5. 6.	H. 4.	Botan. magaz. 772.
EREMURUS. S.S.	Eremurus. Hexandria Monogynia. S.S.						
spectabilis. S.S.	channel-leaved.	Caucasus.		1800.	5. 6.	H. 4.	Swt. br. fl. gar. ic.
Asphodelus altaicus. W.							
CZACKIA. S.S.	St. Bruno's Lily. Hexandria Monogynia. S.S.						
Liliastrum. S.S.	Savoy Spiderwort.	Switzerld.		1629.	5. 6.	H. 4.	Botan. magaz. 318.
Anthericum Liliastrum. B.M. *Hemerocallis Liliastrum.* W.en.							
PHALANGIUM. J.	Phalangium. Hexandria Monogynia.						
1 Liliago. B.M.	grass-leaved.	S. Europe.		1596.	5. 6.	H. 4.	Redout. lil. t. 269.
α major. B.M.	*larger.*	——		——	——	H. 4.	Botan. magaz. 1635.
β minor. B.M.	*lesser.*	——		——	——	H. 4.	—— —— 914.
2 ramosum. B.M.	branching.	——		1570.	——	H. 4.	—— —— 1055.
Anthericum ramosum. W.							
3 nepalense. B.R.	Nepaul.	Nepaul.		1822.	6. 10.	F. 4.	Botan. regist. 996.
4 glaucum P.S.	glaucous.	S. America.		1816.	——	G. 4.	
5 pomeridianum.	afternoon fig.	——		1818.	——	G. 4.	Botan. regist. 864.
Anthericum pomeridianum. B.R. *Scilla pomeridiana.* DC.							
6? sulphureum.	pale yellow.	Hungary.		1818.	——	H. 4.	Botan. magaz. 2028.
Anthericum sulphureum. B.M.							
ANTHERICUM.	Anthericum. Hexandria Monogynia. L.						
1 canaliculatum. W.	channel-leaved,	C. B. S.		1774.	4. 5.	G. 4.	Botan. magaz. 1124.
2 bipedunculatum. W.	two-flowered.	——		1825.	——	G. 4.	Jacq. ic. 2. t. 410.
3 triflorum. W.	three-flowered.	——		1782.	8. 10.	G. 4.	
4 undulatum. W.	wave-leaved.	——		1825.	4. 6.	G. 4.	
5 pilosum. W.	pilose.	——		——	——	G. 4.	Jacq. ic. 2. t. 416.
6 hirsutum. W.	hairy.	——		1822.	——	G. 4.	
7 longifolium. W.	long-leaved.	——		1825.	——	G. 4.	Jacq. ic. 2. t. 413.
8 graminifolium. W.	grass-leaved.	——		1794.	6. 7.	G. 4.	—— —— 2. t. 411.
9 vespertinum. W.	afternoon-fig.	——		1803.	5. 9.	G. 4.	Botan. magaz. 1040.
10 falcatum. W.	sickle-leaved.	——		1825.	——	G. 4.	
11 revolutum. W.	curled-flow'r'd.	——		1731.	9. 12.	G. 4.	Botan. magaz. 1044.
12 floribundum. W.	thick-spiked.	——		1774.	3. 4.	G. 4.	
13 squameum. W.	scaly.	——		1820.	——	G. 4.	
14 filiforme. W.	thread-leaved.	—— ——		1774.	4.	G. 4.	
15 flexifolium. W.	flexnose-leav'd.	—— ——		1795.	5. 6.	G. 4.	Jacq. ic. 2. t. 412.
BULBINE. L.	Bulbine. Hexandria Monogynia. L.						
1 hispida. L.	hairy-leaved.	C. B. S.		1774.	5. 6.	D.G. 4.	Jacq. ic. 2. t. 409.
2 semibarbata. S.S.	half bearded.	N. S. W.		1820.	4. 8.	D.G. 4.	Lodd. bot. cab. 320.
Anthericum semibarbatum. B.P.							
3 australis. S.S.	bulbous.	——		1819.	——	D.G. 4.	
Anthericum bulbosum. B.P.							
4 annua. S.S.	annual.	C. B. S.		1731.	5. 6.	H. ☉.	Botan. magaz. 1451.
Anthericum annuum. B.M.							
5 longiscapa. S.S.	glaucous-leav'd.	——		1759.	4. 8.	D.G. 4.	Botan. magaz. 1339.
6 asphodeloides. S.S.	upright-leav'd.	——		——	6. 8.	D.G. 4.	Jacq. vind. t. 181.

7 rostrata. S.S.	glaucous shrubby.	C. B. S.	1812.	8. 8.	D.G. ½.	Jacq. ic. 2. t. 403.
8 frutescens. W.	shrubby.	———	1702.	——	D.G. ½.	Botan. magaz. 816.
9 pugioniformis. S.S.	dagger-leaved.	———	1793.	4. 6.	D.G. ¼.	——— 1454.
10 triquetra. S.S.	triquetrous.	———	1825.	——	D.G. ¼.	
11 scabra. S.S.	rough.	———	——	——	D.G. ¼.	
12 ciliata. S.S.	fringed.	———	——	——	D.G. ¼.	
13 præmorsa. S.S.	bitten-rooted.	———	1816.	——	D.G. ¼.	Jacq. ic. 2. t. 466.
14 graminea. H.R.	Grass-leaved.	———	1819.	6. 8.	D.G. ¼.	
15 aloides. W.	Aloe-leaved.	———	1732.	4. 8.	D.G. ¼.	Botan. magaz. 1317.
Anthericum aloides. B.M.						
16 nutans. S.S.	nodding.	———	1812.	——	D.G. ¼.	Jacq. ic. 2. t. 407.
17 latifolia. S.S.	broad-leaved.	———	——	——	D.G. ¼.	——— 2. t. 408.
ARTHROPODIUM. B.P.	ARTHROPODIUM.	Hexandria Monogynia. S.S.				
1 cirrhatum. B.R.	large-flowered.	N. Zealand.	1819.	5. 8.	F. ¼.	Botan. regist. 709.
2 paniculatum. B.P.	panicled.	N. S. W.	1800.	6. 9.	F. ¼.	Botan. magaz. 1421.
minus. B.R. not B.P.						
3 minus. B.P.	simple-racem'd.	———	1819.	——	F. ¼.	
4 pendulum. S.S.	pendulous-fld.	N. Holland.	1817.	——	F. ¼.	
Anthericum pendulum. W.en.						
5 fimbriatum. B.P.	fringe-flow'r'd.	N. S. W.	1825.	——	F. ¼.	
STYPANDRA. B.P.	STYPANDRA.	Hexandria Monogynia.				
1 glauca. B.P.	glaucous.	N. S. W.	1819.	4. 6.	F. ¼.	
2 cæspitosa. B.P.	turfy.	———	1824.	——	F. ¼.	
3 umbellata. B.P.	umbel-flow'r'd.	———	1820.	——	F. ¼.	
CÆSIA. B.P.	CÆSIA.	Hexandria Monogynia. S.S.				
vittata. B.P.	nodding-fld.	N. S. W.	1816.	7. 8.	F. ¼.	
TRICORYNE. B.P.	TRICORYNE.	Hexandria Monogynia. S.S.				
1 simplex. B.P.	simple-stalked.	N. S. W.	1819.	7. 9.	H. ☉.	
2 elatior. B.P.	tall.	———	1825.	——	G. ¼.	
CHLOROPHYTUM. B.P.	CHLOROPHYTUM.	Hexandria Monogynia. S.S.				
1 inornatum. B.M.	green-flowered.	Sierra Leon.	....	6. 8.	S. ¼.	Botan. magaz. 1071.
2 orchidastrum. B.R.	Orchis-like.	———	1822.	1. 12.	S. ¼.	Botan. regist. 813.
3 elatum. B.P.	tall.	C. B. S.	1751.	8. 9.	G. ¼.	Redout. lil. 191.
PUSCHKINIA. M.B.	PUSCHKINIA.	Hexandria Monogynia. M.B.				
scilloides. M.B.	Squill-like.	Iberia.	1819.	5. 6.	H.b.	Lindl. col. bot. 24.
ALBUCA. Ker.	ALBUCA.	Hexandria Monogynia. L.				
1 altissima. W.	tall.	C. B. S.	1780.	4. 5.	F.b.	Jacq. ic. 1. t. 63.
2 major. W.	great.	———	1759.	——	F.b.	Botan. magaz. 804.
3 minor. W.	small.	———	1768.	5. 6.	F.b.	——— 720.
4 flaccida. W.	flaccid.	———	1791.	——	F.b.	Jacq. ic. 2. t. 444.
5 viridiflora. W.	green-flowered.	———	1794.	6. 7.	F.b.	Botan. magaz. 1656.
6 coarctata. W.	channel-leaved.	———	1774.	5. 6.	F.b.	
7 fastigiata. W.	level-topped.	———	——	——	F.b.	Andr. reposit. 450.
8 caudata. W.	upright-fld.	———	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
9 setosa. W.	bristly-rooted.	———	1795.	——	F.b.	Botan. magaz. 1481.
10 aurea. W.	golden-flower'd.	———	1825.	——	F.b.	Jacq. ic. 2. t. 441.
11 abyssinica. W.	African.	———	——	——	F.b.	
12 fragrans. W.	sweet-scented.	———	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 81.
13 viscosa. W.	clammy-leaved.	———	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
14 spiralis. W.	spiral-leaved.	———	1795.	6.	F.b.	——— 2. t. 439.
15 vittata. B.M.	ribbon.	———	1802.	7. 8.	F.b.	Botan. magaz. 1329.
16 physodes. B.M.	dingy-flowered.	———	1804.	6. 7.	F.b.	——— 1046.
17 exuviata. B.M.	Adder skin.	———	1795.	5. 7.	F.b.	——— 371.
Anthericum exuviatum. Jacq. ic. 2. t. 415.						
18 anthericoides.	Anthericum-like.	———	1788.	8.	F.b.	
Anthericum albucoides. W.						
19 filifolia. Ker.	filiform-leaved.	———	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 414.
20 fugax. B.R.	fugacious.	———	1795.	4. 6.	F.b.	Botan. regist. 311.
Anthericum fragrans. Jacq. schœn. 1. t. 86.						
ORNITHOGALUM. L.	STAR OF BETHLEHEM.	Hexandria Monogynia. L.				
1 uniflorum. W.	one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov. act. pet. 13. t. 6. f. 3.
2 ixioides. H.K.	Ixia-like.	California.	1796.	——	H.b.	
3 montanum. T.N.	mountain.	Naples.	1825.	——	H.b.	Ten. fl. nap. 1. t. 33.
4 umbellatum. E.B.	common.	England.	....	4. 6.	H.b.	Eng. bot. 130.
5 refractum. W.en.	reflexed.	S. Europe.	1825.	——	H.b.	
6 exscapum. T.N.	short-stalked.	Naples.	1823.	——	H.b.	Ten. fl. nap. 1. t. 34.
7 fimbriatum. M.B.	fringed.	Tauria.	1820.	2. 3.	H.b.	Botan. regist. 555.
8 comosum. W.	short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 426.
9 conicum. W.	conical.	C. B. S.	1818.	——	F.b.	———2. t. 428.

10	niveum. W.	snowy.	C. B. S.	1774.	6. 8.	F.b.	Botan. regist. 235.
11	ovatum. W.	oval-leaved.	———	1816.	4. 8.	F.b.	
12	ciliatum. W.	ciliated.	———	1818.	4. 6.	F.b.	
13	crenulatum. W.	crenulate.	———	1825.	6. 8.	F.b.	
14	maculatum. W.	spotted-fld.	———	——	——	F.b.	
15	tenellum. W.	slender.	———	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
16	pilosum. W.	hairy-leaved.	———	——	——	F.b.	
17	revolutum. W.	revolute-fld.	———	1795.	4. 8.	F.b.	Botan. regist. 315.
18	corymbosum. B.R.	corymbose.	Peru.	1822.	——	H.b.	——— 906.
19	tenuifolium. S.S.	slender-leaved.	C. B. S.	1812.	——	F.b.	Redout. lil. t. 312.
	Rudolphi. Jacq. ecl. t. 20.						
20	prasinum. B.R.	green-flow'r'd.	———	1816.	6. 7.	F.b.	Botan. regist. 158.
21	virens. B.R.	greenish.	———	1823.	——	F.b.	——— 814.
22	suaveolens. W.	fragrant.	———	1816.	——	F.b.	Jacq. ic. 2. t. 431.
23	barbatum. W.	bearded.	———	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
24	polyphyllum. W.	many-leaved.	———	1825.	——	F.b.	Jacq. ic. 2. t. 430.
25	rupestre. W.	rock.	———	1795.	5. 8.	F.b.	
26	juncifolium. W.	Rush-leaved.	———	1794.	7. 8.	F.b.	Botan. magaz. 792.
27	fuscatum. W.	brown-flow'r'd.	———	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
28	odoratum. W.	sweet-scented.	———	1795.	5. 6.	F.b.	Andr. reposit. 260.
29	elatum. A.R.	Egyptian.	Egypt.	1804.	6. 7.	H.b.	——— 528.
30	pyramidale. W.	pyramidal.	Spain.	1752.	——	H.b.	Jacq. ic. 2. t. 425.
31	latifolium. W.	broad-leaved.	Egypt.	1629.	——	H.b.	Botan. magaz. 876.
32	japonicum. W.	Japanese.	Japan.	1821.	——	H.b.	
33	longebracteatum. W.	long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
34	caudatum. W.	long-spiked.	———	1774.	2. 8.	F.b.	Botan. magaz. 805.
35	scilloides. W.	Squill-like.	———	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 88.
36	narbonense. W.	Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Botan. magaz. 2510.
37	pyrenaicum. W.	spiked.	England.	....	6. 7.	H.b.	Eng. bot. 499.
38	stachyoides. W.	close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renealm. spec. t. 90.
39	lacteum. W.	milk white.	C. B. S.	1796.	6. 7.	F.b.	Botan. magaz. 1134.
40	nutans. W.	nodding.	Britain.	....	4. 5.	H.b.	Eng. bot. 1997.
41	coarctatum. W.	close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.
42	aureum. W.	golden.	———	1790.	——	F.b.	Botan. magaz. 190.
	miniatum. Jacq. ic. t. 488.						
43	flavissimum. Jacq.	great yellow.	———	——	——	F.b.	Jacq. ic. 2. t. 436.
44	thyrsoides. W.	thyrse-flow'r'd.	———	1757.	——	F.b.	Botan. magaz. 1164.
	α album.	*white-flowered.*	———	——	——	F.b.	Botan. regist. 316.
	β flavescens.	*pale-yellow.*	———	——	——	F.b.	——— 305.
45	arabicum. W.	great-flowered.	Egypt.	1629.	3. 4.	F.b.	Botan. magaz. 728.
46	maritimum.	officinal Squill.	S. Europe.	——	4. 5.	F.b.	——— 918.
	Squilla. B.M. *Scilla maritima.* W.						
47	unifolium. B.M.	one-leaved.	Gibraltar.	1805.	6. 7.	F.b.	Bot. magaz. 953 & 985.
GAGEA. S.A.B.		GAGEA. Hexandria Monogynia.					
1	striata.	streak-flow'r'd.	Siberia.	1789.	5. 7.	H.b.	
	Ornithogalum striatum. S.S.						
2	serotina. Ker.	mountain.	Wales.	....	6.	H.b.	Eng. bot. 793.
	Anthericum serotinum. E.B.						
3	fascicularis. S.A.B.	bundle-flow'r'd.	Britain.	....	3. 4.	H.b.	Swt. br. fl. gar. 182.
	lutea. B.M. 1200. *Ornithogalum luteum.* E.B. 21. *non* L.						
4	glauca. B.F.G.	glaucous-leav'd.	Switzerland.	1825.	——	H.b.	Swt. br. fl. gar. 177.
5	bracteolaris. S.A.B.	sheathing-bracted.	———	....	——	H.b.	——— 158.
	Ornithogalum luteum. L. *non* E.B.						
6	minima.	corn-field.	Europe.	1825.	——	H.b.	Pers. in Ust. an. t. 1. f. 2.
	stellaris. S.A.B. *Ornithogalum arvense.* S.S.						
7	villosa. M.B.	villous.	Caucasus.	——	——	H.b.	
8	Sternbergii. Hop.	Sternberg's.	Switzerland.	——	——	H.b.	
9	spathacea. W.	sheathed.	Germany.	1759.	5.	H.b.	Hayn. in Ust. an. 15. t. 1.
10	pusilla. Schm.	small.	Bohemia.	1823.	——	H.b.	
11	circinata. L.	netted.	Siberia.	1789.	5. 6.	H.b.	Pall. it. 3. ap. t. D. f. 2.
SCILLA. W.		SQUILL. Hexandria Monogynia. L.					
1	non scripta. L. en.	Harebells.	Britain.	....	3. 6.	H.b.	Eng. bot. 377.
	nutans. E.B. *Hyacinthus non scriptus.* L.						
2	cernua. L. en.	flesh-coloured.	Spain.	....	——	H.b.	Botan. magaz. 1461.
3	campanulata. W.	bell-flowered.	———	1683.	5. 6.	H.b.	——— 128. 1162.
4	corymbosa. S.S.	Cape.	C. B. S.	1793.	8. 12.	F.b.	——— 991.
	Massonia corymbosa. B.M. *Hyacinthus corymbosus.* L.						
5	brevifolia. B.M.	short-leaved.	———	1811.	1. 3.	F.b.	Botan. magaz. 1468.
6	sibirica. H.M.	Siberian.	Siberia.	1796.	2. 3.	H.b.	——— 1325.

7 pumila. S.S.	small.	Portugal.	1819.	4. 5.	H.b.		
8 bifolia. W.	two-leaved.	England.	....	2. 4.	H.b.	Eng. bot. 24.	
α cærulea.	*blue-flowered.*	———	....	——	H.b.		
β alba.	*white-flowered.*	———	....	——	H.b.		
9 præcox. W.	early-flowering.	.....	1790.	3. 4.	H.b.		
10 Lilio-hyacinthus. W.	Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. 205.	
11 verna. W.	vernal.	Britain.	....	4. 5.	H.b.	Eng. bot. 23.	
12 amœna. W.	nodding.	Levant.	1596.	3. 4.	H.b.	Botan. magaz. 341.	
13 umbellata. S.S.	umbel-flower'd.	Pyrenees.	1817.	——	H.b.		
14 italica. S.S.	Italian.	Italy.	1605.	4. 7.	H.b.	Botan. magaz. 668.	
15 autumnalis. W.	autumnal.	England.	....	8.	H.b.	Eng. bot. 78.	
16 peruviana. W.	corymbose.	Spain.	1607.	5.	H.b.	Botan. magaz. 749.	
α cærulea.	*blue-flowered.*	———	——	——	H.b.		
β alba.	*white-flowered.*	———	——	——	H.b.		
17 lusitanica. B.M.	Portugal.	Portugal.	1777.	——	H.b.	Botan. magaz. 1999.	
18 hyacinthoides. W.	Hyacinth-like.	Madeira.	1585.	8.	H.b.	——— 1140.	
19 monophylla. Lk.	one-leaved.	Portugal.	....	5. 6.	H.b.		
20 esculenta. B.M.	Quamash.	N. America.	1811.	5. 7.	H.b.	Botan. magaz. 1574.	
HYACINTHUS. S.S.	HYACINTH.	Hexandria Monogynia. L.					
1 orientalis. W.	common.	Levant.	1596.	3. 5.	H.b.	Botan. regist. 995.	
α cæruleus.	*blue-flowered.*	———	——	——	H.b.		
β ruber.	*red-flowered.*	———	——	——	H.b.		
γ flavus.	*yellow-flowered.*	———	——	——	H.b.		
δ albus.	*white-flowered.*	———	——	——	H.b.		
ε semiplenus.	*semidouble.*	———	——	——	H.b.		
ζ plenus.	*double-flowered.*	———	——	——	H.b.		
η multiplex.	*full-flowered.*	———	——	——	H.b.		
2 amethystinus. W.	Amethyst-colour'd.	S Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. 135.	
UROPETALON. B.R.	UROPETALON.	Hexandria Monogynia. B.R.					
1 viride. B.R.	green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. 203.	
Hyacinthus viridis. L. *Zuccagnia viridis.* Th. *Lachenalia viridis.* W.							
2 glaucum. B.R.	glaucous-leav'd.	———	1816.	7. 8.	F.b.	Botan. regist. 156.	
3 crispum. B.R.	curled-leaved.	———	——	——	F.b.		
4 longifolium. B.R.	long-leaved.	———	1822.	——	F.b.	Botan. regist. 974.	
5 serotinum. B.R.	late-flowering.	Spain.	1629.	6. 8.	F.b.	Botan. magaz. 859.	
6 fulvum. H.S.L.	tile-red.	Mogador.	1808.	6. 9.	F.b.	——— 1185.	
Scilla serotina β. B.M.							
BELLEVALIA. Lap.	BELLEVALIA.	Hexandria Monogynia.					
romana.	Roman.	Italy.	1596.	5.	H.b.	Botan. magaz. 939.	
operculata. Lap. *Scilla romana.* B.M. *Hyacinthus romanus.* L.							
MUSCARI. S.S.	GRAPE HYACINTH.	Hexandria Monogynia. S.S.					
1 moschatum. S.S.	musk.	Levant.	1596.	4. 5.	H.b.	Botan. magaz. 734.	
β flavum. B.M.	*yellow.*	———	1812.	——	H.b.	——— 1565.	
2 comosum. S.S.	purple.	S. Europe.	1596.	——	H.b.	——— 133.	
β monstrosum.	*feathered.*	———	——	——	H.b.	Moris. s. 4. t. 11. f. 2.	
3 ciliatum. S.S.	ciliated.	Tauria.	1818.	——	H.b.	Botan. regist. 394.	
4 pallens. S.S.	pale-flowered.	———	——	——	H.b.		
5 racemosum. S.S.	starch.	Britain.	....	——	H.b.	Eng. bot. 1391.	
α major.	*larger.*	.....	....	——	H.b.		
β minor.	*smaller.*	.....	....	——	H.b.	Botan. magaz. 122.	
6 botryoides. S.S.	bunch-flower'd.	Italy.	1596.	——	H.b.	——— 157.	
α azureum. B.F.G.	*bright-blue.*	———	——	——	H.b.	Swt. br. fl. gar. 15. f.a.	
β pallidum. B.F.G.	*pale blue.*	———	——	——	H.b.	——— 15. f.c.	
γ album. B.F.G.	*white-flowered.*	———	——	——	H.b.	——— 15. f.b.	
LACHENALIA. W.	LACHENALIA.	Hexandria Monogynia. W.					
1 pendula. W.	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.	
α viridifolia.	*green-leaved.*	———	——	——	F.b.	Botan. magaz. 590.	
β maculata.	*spotted-leaved.*	———	——	——	F.b.		
2 quadricolor. B.M.	four-coloured.	———	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.	
α viridifolia.	*green-leaved.*	———	——	——	F.b.	Botan. magaz. 588.	
β colorata.	*coloured-leaved.*	———	——	——	F.b.	——— 1097.	
3 luteola. Jacq.	yellow-flow'r'd.	———	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.	
α viridifolia.	*green-leaved.*	———	——	——	F.b.	Botan. magaz. 1020.	
β maculata.	*spotted-leaved.*	———	——	——	F.b.	——— 1704.	
4 tricolor. B.M.	three-coloured.	———	——	——	F.b.	——— 82.	
5 rubida. W.	dotted-flower'd.	———	1803.	9. 10.	F.b.	——— 903.	
6 punctata. S.S.	spotted-flow'r'd.	———	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.	
7 flava. A.R.	bright-yellow.	———	1805.	5. 6.	F.b.	Andr. reposit. 77.	
8 isopetala. W.	equal-flowered.	———	1804.	——	F.b.	Jacq. ic. 2. t. 401.	

9	sessiliflora. A.R.	sessile-flower'd.	C. B. S.	1804.	5. 6.	F.b.	Andr. reposit. 466.
10	unifolia. W.	one-leaved.	———	1795.	3. 4.	F.b.	Botan. magaz. 766.
11	rosea. A.R.	rose-coloured.	———	1800.	4. 5.	F.b.	Andr. reposit. 296.
12	pusilla. W.	dwarf.	———	1825.	——	F.b.	Jacq. ic. 2. t. 385.
13	bifolia. B.M.	cowl-leaved.	———	1813.	3. 4.	F.b.	Botan. magaz. 1611.
14	contaminata. W.	contaminated.	———	1774.	2. 4.	F.b.	——— 1491.
15	purpurea. W.	purple.	———	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 392.
16	violacea. W.	violet.	———	1795.	3. 4.	F.b.	——— 2. t. 394.
17	lucida. B.M.	glossy-leaved.	———	1798.	3. 5.	F.b.	Botan. magaz. 1372.
18	racemosa. B.M.	racemed.	———	1811.	5.	F.b.	——— 1517.
19	fragrans. W.	sweet-scented.	———	1798.	3. 5.	F.b.	Jacq. schœn. 1. t. 82.
20	unicolor. B.M.	self-coloured.	———	1806.	5. 6.	F.b.	Botan. magaz. 1378.
21	anguinea. B.F.G.	snake.	———	1825.	4. 5.	F.b.	Swt. br. fl. gar. 178.
22	purpureo-cœrulea.	purple-blue.	———	1798.	——	F.b.	Botan. magaz. 745.
23	pustulata. W.	blistered.	———	1790.	1. 4.	F.b.	——— 817.
24	liliiflora. W.	Lily-flowered.	———	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.
25	patula. W.	spreading-fld.	———	1795.	4. 5.	F.b.	———2. t. 384.
26	nervosa. B.M.	nerved-leaved.	———	1810.	6.	F.b.	Botan. magaz. 1497.
27	angustifolia. W.	narrow-leaved.	———	1793.	4. 5.	F.b.	——— 786.
28	hyacinthoides. W.	Hyacinth-fld.	———	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.
29	pallida. W.	pale-flowered.	———	1782.	——	F.b.	Botan. regist. 314.
30	mutabilis. B.F.G.	changeable.	———	1825.	2. 5.	F.b.	Swt. br. fl. gar. ic.
31	orchioides. W.	Orchis-like.	———	1752.	2. 4.	F.b.	Botan. magaz. 1269.
32	glaucina. W.	sea-green.	———	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.

DRIMIA. S.S. DRIMIA. Hexandria Monogynia. S.S.

1	revoluta. H.S.L.	revolute-fld.	C. B. S.	1774.	8. 10.	F.b.	Botan. magaz. 1380.
	lanceæfolia β. B.M.	*Hyacinthus revolutus.* H.K.	*Lachenalia reflexa.* A.R. 187.				
2	lanceæfolia. B.M.	lance-leaved.	———	1800.	9. 10.	F.b.	Botan. magaz. 643.
	Lachenalia lanceæfolia. B.M.						
3	undulata. S.S.	wave-leaved.	———	1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
4	purpurascens. S.S.	purplish.	———	——	——	F.b.	
5	ciliaris. S.S.	ciliated.	———	....	——	F.b.	Botan. magaz. 1444.
6	pusilla. S.S.	dwarf.	———	1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
7	media. S.S.	semicylindrical-ld.	———	1818.	7. 8.	F.b.	Jacq. ic. 2. t. 375.
8	elata. S.S.	tall.	———	1799.	10. 11.	F.b.	Botan. magaz. 822.
9	altissima. S.S.	tallest.	———	1791.	8. 9.	F.b.	——— 1074.

ERIOSPERMUM. W. ERIOSPERMUM. Hexandria Monogynia. W.

1	parvifolium. S.S.	small-leaved.	C. B. S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
2	latifolium. S.S.	broad-leaved.	———	1800.	——	F.b.	——— 2. t. 420.
3	Bellendeni.	Mr. Ker's.	———	——	——	F.b.	Botan. magaz. 1362.
	latifolium α. B.M. *non* Jacq.						
4	lanceæfolium. S.S.	lance-leaved.	———	1795.	——	F.b.	Jacq. ic. 2. t. 421.
5	pubescens. S.S.	pubescent.	———	1820.	——	F.b.	Botan. regist. 578.
6	lanuginosum. S.S.	woolly-leaved.	———	——	——	F.b.	Jacq. schœn. 3. t. 265.
7	foliolliferum. B.M.	leaflet-bearing.	———	1806.	——	F.b.	Andr. reposit. 521.
8	paradoxicum. B.M.	paradoxical.	———	1820.	——	F.b.	Jacq. col. sup. 81. t. 1.

MASSONIA. S.S. MASSONIA. Hexandria Monogynia. W.

1	grandiflora. B.R.	honey-bearing.	C. B. S.	1825.	1. 4.	F.b.	Botan. regist. 958.
2	candida. Burch.	white-flowered.	———	1816.	2. 5.	F.b.	——— 694.
	longifolia β. candida. B.R.						
3	longifolia. S.S.	long-leaved.	———	——	——	F.b.	
4	latifolia. S.S.	broad-leaved.	———	1775.	3. 4.	F.b.	Botan. magaz. 848.
5	cordata. S.S.	heart-leaved.	———	1820.	——	F.b.	
6	muricata. S.S.	prickly-leaved.	———	1790.	4. 5.	F.b.	Botan. magaz. 559.
7	scabra. H.K.	shagreen-ld.	———	——	1. 4.	F.b.	Andr. reposit. 220.
	pustulata. B.M. 642.						
8	echinata. S.S.	rough-leaved.	———	——	5.	F.b.	
9	pauciflora. S.S.	few-flowered.	———	——	——	F.b.	
10	angustifolia. S.S.	narrow-leaved.	———	1775.	3. 4.	F.b.	Botan. magaz. 736.
11	undulata. S.S.	wave-leaved.	———	1791.	4.	F.b.	
12	ensifolia. S.S.	trumpet-fld.	———	1790.	9. 2.	F.b.	Botan. magaz. 554.
	violacea. A.R. 42.	*Agapanthus ensifolius.* W.	*Hyacinthus bifolius.* Cav.				

EUCOMIS. S.S. EUCOMIS. Hexandria Monogynia. W.

1	nana. S.S.	dwarf.	C. B. S.	1774.	5.	F.b.	Botan. magaz. 1495.
2	bifolia. S.S.	two-leaved.	———	1792.	4. 5.	F.b.	——— 840.
3	purpureocaulis. S.S.	purple-stalked.	———	1794.	3. 4.	F.b.	Andr. reposit. 369.
4	regia. S.S.	tongue-leaved.	———	1702.	3. 5.	F.b.	Dill. elth. t. 92. f. 109.
5	undulata. S.S.	wave-leaved.	———	1760.	——	F.b.	Botan. magaz. 1068.
6	punctata. S.S.	spotted.	———	1788.	7.	F.b.	——— 913.
7	striata. H.K.	streaked.	———	1790.	6. 12.	F.b.	——— 1539.

ALLIUM. L.		GARLIC.	Hexandria Monogynia. L.					
1	sativum. G.D.	common.	Sicily.	1548.	6. 7.	H.b.	Lobel. ic. t. 158.
2	Ophioscorodon. G.D.	Rocambole.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 210.
3	contraversum. G.D.	simple-rooted.	Egypt.	1823.	—	H.b.	Cord. hist. p. 144. f. 1.
	Ophioscorodon. L. en.						
4	arenarium. G.D.	sand.	Britain.	....	6. 8.	H.b.	Eng. bot. 1358.
5	Scorodoprasum. G.D.	wild Rocambole.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 1455.
6	littoreum. G.D.	Italian sand.	Italy.	1824.	8.	H.b.	
	monspessulanum. W.						
7	vineale. G.D.	Crow.	Britain.	....	6. 8.	H.b.	Eng. bot. 1974.
8	pruinatum. G.D.	frosted.	Spain.	1819.	—	H.b.	
9	compactum. G.D.	two-headed crow.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 3.
10	Pursh*ii*. G.D.	Pursh's crow.	N. America.	1824.	—	H.b.	
	vineale. Ph. *nec aliorum.*						
11	carneum. G.D.	blush-coloured.	France.	1816.	6. 7.	H.b.	
12	prolifera. G.D.	tree Onion.	Egypt.	....	7.	H.b.	Botan. magaz. 1469.
	Cepa β bulbifera. B.M.						
13	Porrum. G.D.	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.
14	Ampeloprasum. G.D.	blue Leek.	England.	....	7. 8.	H.b.	Eng. bot. 1657.
15	rubicundum. G.D.	marbled leek.	C. B. S.	....	—	F.b.	Botan. magaz. 1560.
	ampeloprasum β. B.M.						
16	erectum. G.D.	upright leek.	——	1824.	—	F.b.	
17	exsertum. G.D.	long-stamen'd.	Russia.	1819.	7.	H.b.	
18	pedemontanum. G.D.	Piedmont.	Piedmont.	1820.	6. 7.	H.b.	Allion. ped. t. 254.
	nigrum. All.						
19	rotundum. G.D.	round headed.	S. Europe.	1819.	—	H.b.	Clus. hist. p. 195. t. 220.
	β majus. G.D.	*pale flowered.*	——	1818.	—	H.b.	Flor. græc. t. 312.
	Ampeloprasum. F.G.						
20	acutiflorum. G.D.	sharp-flower'd.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 4.
21	lineare. G.D.	linear-leaved.	Siberia.	1819.	—	H.b.	Gmel. sib. 1. t. 18 et 14. f. 1
22	descendens. G.D.	early flowering.	Switzerland.	1766.	6.	H.b.	Hall. all. p. 355. f. 2.
23	sphærocephalon. G.D.	late-flowered.	Germany.	1759.	7.	H.b.	Botan. magaz. 1764.
24	Synnotii. G.D.	Synnot's.	C. B. S.	1825.	6. 7.	F.b.	
25	ascalonicum. G.D.	Shallot.	Palestine.	1548.	6. 7.	H.b.	Moris. sect. 4. t. 14. f. 4.
	β chinense. G.D.	*Chinese Shallot.*	China.	....	—	H.b.	
	γ majus. G.D.	*Scallion.*	Asia minor.	....	—	H.b.	Matt. opus. p. 420. ic.
	Cepa fissilis. Matt.						
26	Cepa. G.D.	Onion.	.....	....	6.	H. ♂ .b.	Flor. græc. t. 326.
	β aggregatum. G.D.	*Potatoe Onion.*	.....	....	—	H.b.	
27	Schœnoprasum. G.D.	Chives.	Britain.	....	5. 6.	H.b.	Eng. bot. 2438.
28	foliosum. G.D.	leafy Chives.	France.	1820.	—	H.b.	Redout. lil. 4. t. 214.
29	sibiricum. G.D.	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Botan. magaz. 1141.
30	fistulosum. G.D.	Welsh Onion.	——	1629.	4. 5.	H. ♂ .b.	—— 1230.
	β majus. G.D.	Altaic.	Altay.	1823.	—	H.b.	
31	obliquum. G.D.	oblique-leaved.	Siberia.	1759.	6. 7.	H.b.	Botan. magaz. 1408.
32	ramosum. G.D.	branching Chives.	——	1824.	6.	H.b.	
33	Pallasii. G.D.	Pallas's Chives.	Russia.	....	—	H.b.	Murr. c. got. 6. 1775. t. 3.
34	pusillum. G.D.	small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. ic.
35	oxypetalum. G.D.	acute-petal'd.	Switzerland.	1822.	7.	H.b.	
36	oleraceum. G.D.	purple-striped.	England.	....	7.	H.b.	Eng. bot. 488.
37	carinatum. G.D.	keeled.	——	....	5. 6.	H.b.	—— 1658.
38	fœtidum. G.D.	twisted.	Siberia.	1823.	—	H.b.	
39	violaceum. G.D.	violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
	flexum. W.K.						
40	flexuosum. G.D.	flexuose.	Greece.	1826.	—	F.b.	
41	fuscum. G.D.	brown.	Hungary.	1823.	—	H.b.	W. et K. hung. ic.
42	asperum. G.D.	rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
	carinatum. D.C. *nec aliorum.*						
43	longispathum. G.D.	long-spathed.	——	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
	pallens. B.M. 1420.						
44	paniculatum. G.D.	panicled.	——	1780.	—	H.b.	Botan. magaz. 1432.
45	pallens. G.D.	pale-flowered.	——	1779.	—	H.b.	Redout. lil. 5. t. 272.
46	parviflorum. G.D.	small-flowered.	——	1781.	—	H.b.	
47	pulchellum. G.D.	beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
	paniculatum. R.L. *coloratum.* S.S.						
48	flavum. G.D.	yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Botan. magaz. 1330.
49	caucaseum. G.D.	Caucasian.	Caucasus.	1810.	—	H.b.	—— 978.
50	rupestre. G.D.	small Caucasian.	——	1824.	—	H.b.	
51	montanum. G.D.	mountain.	Greece.	—	—	H.b.	

52	saxatile. G.D.	rock.	Caucasus.	1825.	6. 7.	H.b.	
53	globosum. G.D.	globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 1
54	moschatum. G.D. *setaceum.* W.K.	small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t.
55	strictum. G.D.	upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t.
56	nutans. G.D.	great nodding.	———	1785.	7. 8.	H.b.	Botan. magaz. 1143
57	senescens. G.D.	Narcissus-ld.	———	1596.	7.	H.b.	Gmel. sib. 1. t. 11.
58	Andersonii. G.D.	Anderson's.	———	1819.	——	H.b.	
59	hybridum. G.D.	bastard.	Germany.	——	——	H.b.	
60	glaucum. G.D. *senescens.* B.M. *non* L.	glaucous.	———	1596.	6. 7.	H.b.	Botan. magaz. 1158. *baicalense.* W. en.
61	angulosum. G.D.	angular-stalk'd.	———	1739.	6. 7.	H.b.	Botan. magaz. 1148.
62	acutangulum. G.D.	acute-angled.	———	1816.	——	H.b.	Ger. emac. p. 186.
63	danubiale. G.D.	short-leaved.	———	——	——	H.b.	
64	laxum. G.D.	loose umbelled.	Russia.	1824.	——	H.b.	
65	serotinum. G.D.	late-flowering.	Switzerland.	——	8.	H.b.	
66	albidum. G.D.	whitish-flow'r'd.	Caucasus.	1823.	6. 8.	H.b.	
67	denudatum. G.D.	half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 257.
68	rubens. G.D. *bisulcum.* B.M.	red-rooted.	S. Europe.	1805.	5.	H.b.	Botan. magaz. 1318.
69	prostratum. G.D.	small trailing.	Siberia.	....	6.	H.b.	
70	congestum. G.D.	crowded-fld.	———	....	6.	H.b.	
71	narcissiflorum. G.D.	large-flowered.	France.	1818.	——	H.b.	Vill. dauph. 2. t. 6.
72	suaveolens. G.D.	sweet-scented.	———	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
73	ochroleucum. G.D.	cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 1
74	cernuum. G.D.	drooping.	N. America.	1806.	6. 7.	H.b.	Botan. magaz. 1325.
75	stellatum. G.D.	starry-flower'd.	———	1811.	——	H.b.	——— 1576.
76	reticulatum. G.D.	net-rooted.	———	——	7.	H.b.	——— 1840.
77	carolinianum. G.D.	Carolina.	———	1819.	——	H.b.	Redout. lil. 2. t. 101.
78	paradoxum. G.D.	paradoxical.	Siberia.	1823.	4.	H.b.	
79	canadense. G.D.	Canadian.	N. America.	1739.	6. 7.	H.b.	Kalm. it. v. 3. p. 79.
80	mutabile. G.D.	changeable.	———	....	7.	H.b.	Redout. lil. 4. t. 246.
81	magicum. G.D.	broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
82	palustre. G.D.	marsh.	———	1823.	——	H.b.	
83	incarnatum. G.D.	flesh-coloured.	Greece.	....	5.	H.b.	Botan. magaz. 978.
84	amœnum. G.D. *carneum.* Best.	fine red-fld.	Italy.	1820.	——	H.b.	Ten. fl. nap. t. 28.
85	roseum. G.D.	rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 215.
86	subhirsutum. G.D. *β obtusum.*	hairy. *blunt-flowered.*	S. Europe. ———	1596.	—— ——	H.b. H.b.	Cyr. pl. r. nap. 2. t. 3. Botan. magaz. 774.
87	Clusianum. G.D.	Clusius's.	———	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
88	Chamæ-Moly. G.D.	dwarf-Moly.	———	1774.	2. 4.	F.b.	Botan. magaz. 1293.
89	majale. G.D.	large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
90	Cowani. G.D.	Cowan's.	Chili.	1824.	5.	F.b.	Botan. regist. 758.
91	neapolitanum. G.D. *album.* Bivon.	Neapolitan.	Italy.	——	4. 5.	H.b.	Swt. br. fl. gar. ic.
92	triquetrum. G.D.	triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Botan. magaz. 869.
93	pendulinum. G.D.	pendulous Italian.	Italy.	1824.	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
94	nigrum. G.D. *magicum.* B.M.	black.	S. Europe.	1596.	6.	H.b.	Botan. magaz. 1148.
	β rubescens.	*pale red-flow'r'd.*	Greece.	....	——	H.b.	Flor. græc. t. 323.
95	Moly. G.D.	large yellow.	S. Europe.	1604.	——	H.b.	Botan. magaz. 499.
96	tricoccum. G.D.	three-seeded.	N. America.	1770.	7.	H.b.	
97	ursinum. G.D.	sharp-fld.	Ramson. Britain.	....	4. 5.	H.b.	Eng. bot. 122.
98	ursinoides. G.D.	blunt fld.	Ramson. Europe.	....	——	H.b.	Redout. lil. 6. t. 303.
99	Victorialis. G.D.	long-rooted.	Austria.	1739.	5.	H.b.	Botan. magaz. 1232.
100	odorum. G.D. *tataricum.* B.M. 1142.	sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
101	inodorum. B.M. *fragrans.* Vent. cels. t. 26.	fragrant.	Carolina.	1776.	3. 4.	H.b.	Botan. magaz. 1139. *gracile.* W.
102	striatum. G.D. *Ornithogalum gramineum.* B.M. 2419.	striated.	America.	1800.	5. 6.	H.b.	Bot. mag. 1524 & 1681
103	caspium. G.D. *Amaryllis caspica.* W.	Caspian.	Astracan. *Crinum caspicum.* Pal.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
SOWERBÆA. B.P.		SOWERBÆA.	Hexandria Monogynia. S.S.				
	juncea. B.P.	Rush-leaved.	N. S. W.	1792.	5. 7.	G.♃.	Botan. magaz. 1104.
LAXMANNIA. B.P.		LAXMANNIA.	Hexandria Monogynia. S.S.				
	gracilis. B.P.	slender.	N. S. W.	1822.	5. 7.	G.♃.	
APHYLLANTHES. L.		LILY PINK.	Hexandria Monogynia.				
	monspeliensis. L.	Rush-like.	France.	1791.	6. 7.	H.♃.	Botan. magaz. 1132.

THYSANOTUS. B.P.	**Thysanotus.**	**Hexandria Monogynia. S.S.**				
1 tuberosus. B.P.	tuberous-root'd.	N. S. W.	1822.	7. 9.	G.4.	
2 elatior. B.P.	tall.	———	——	——	G.4.	
3 isantherus. B.P.	equal-anther'd.	V.Diem.Isl.	——	——	G.4.	Botan. regist. 655.
4 junceus. B.P.	rush-like.	N. S. W.	——	——	G.4.	——— 656.
Chlamysporum juncifolium. P.L. 108.						
CYANELLA. L.	**Cyanella.**	**Hexandria Monogynia. L.**				
1 alba. S.S.	1-flower'd white.	C. B. S.	1825.	4. 6.	F.b.	
2 lutea. S.S.	yellow-flower'd.	———	1788.	5. 12.	F.b.	Botan. magaz. 1252.
3 orchidiformis. S.S.	Orchis-like.	———	1825.	4. 8.	F.b.	Jacq. ic. 2. t. 447.
4 lineata. B.T.	lined.	———	1816.	——	F.b.	
5 capensis. S.S.	purple-flowerd.	———	1768.	——	F.b.	Botan. magaz. 568.
CONANTHERA. R.P.	**Conanthera.**	**Hexandria Monogynia. P.S.**				
1 bifolia. R.P.	two-leaved.	Chili.	1823.	3. 5.	F.b.	Lodd. bot. cab. 904.
2 Simsii.	Sims's.	———	——	——	F.b.	Botan. magaz. 2496.
bifolia. B.M. *non* R.P.						
3 campanulata. H.E.F.	bell-flowered.	———	——	4. 6.	F.b.	Hook. ex. flor. 214.
DIANELLA. B.P.	**Dianella.**	**Hexandria Monogynia. W.**				
1 ensifolia. B.M.	whitish-fld.	E. Indies.	1731.	8.	S.4.	Botan. magaz. 1404.
Dracæna ensifolia. H.K.						
2 nemorosa. Lam.	blue Indian.	———	....	6. 8.	S.4.	Rumph. amb. 5. t. 73.
3 cærulea. B.P.	rough edged.	N. S. W.	1783.	5. 8.	F.4.	Botan. magaz. 505.
4 longifolia. B.P.	long-leaved.	———	1820.	——	F.4.	Botan. regist. 734.
5 lævis. B.P.	smooth-leaved.	———	1823.	——	F.4.	
6 revoluta. B.P.	revolute-margin'd.	———	1822.	——	F.4.	
7 divaricata. B.P.	divaricated.	N. Holland.	1805.	7. 8.	G.4.	
8 strumosa. B.R.	strumous.	———	1822.	5. 8.	G.4.	Botan. regist. 751.
LUZURIAGA. B.P.	**Luzuriaga.**	**Hexandria Monogynia. S.S.**				
1 cymosa. B.P.	cymose.	N. S. W.	1820.	4. 6.	G.½.	
2 montana. B.P.	mountain.	———	1823.	——	G.½.	
EUSTREPHUS. B.P.	**Eustrephus.**	**Hexandria Monogynia. S.S.**				
1 latifolius. B.P.	broadest-leav'd.	N. S. W.	1800.	6. 9.	G.½.⌣.	Botan. magaz. 1245.
2 angustifolius. B.P.	narrow-leaved.	N.Holland.	1816.	——	G.½.⌣.	
MYRSIPHYLLUM. S.S.	**Myrsiphyllum.**	**Hexandria Trigynia. S.S.**				
1 asparagoides. S.S.	broadest-leav'd.	C. B. S.	1702.	10. 3.	G.½.⌣.	Herm. lugd. t. 681.
Medeola asparagoides. L.						
2 angustifolium. S.S.	narrow-leaved.	———	1752.	12. 3.	G.½.⌣.	Till. pis. 17. t. 12. f. 2.
ASPARAGUS. L.	**Asparagus.**	**Hexandria Monogynia. L.**				
1 amarus. S.S.	bitter.	S. France.	1820.	6. 8.	H.4.	
2 officinalis. S.S.	common.	England.	....	——	H.4.	Eng. bot. 339.
3 sylvaticus. S.S.	wood.	Hungary.	....	——	H.4.	W.et K. hung. 3. t. 201.
4 declinatus. S.S.	long-leaved.	C. B. S.	1759.	....	F.4.	
5 decumbens. S.S.	decumbent.	———	1792.	5.	F.½.	Jacq. schœn. 1. t. 97.
6 flexuosus. S.S.	flexuose.	———	.. .	7. 8.	F.½.⌣.	
7 dauricus. S.S.	Daurian.	Dauria.	1819.	6. 8.	H.4.	
8 maritimus. S.S.	sea-side.	Siberia.	1820.	——	H.4.	
9 verticillaris. S.S.	whorl-leaved.	Caucasus.	1752.	——	H.4.	Buxb. cent. 5. ap. t. 37.
10 acutifolius. S.S.	needle-leaved.	Spain.	1640.	——	H.½.	Park. theat. f. 3.
11 racemosus. S.S.	branching.	E. Indies.	1808.	....	S.½.	
12 sarmentosus. S.S.	linear-leaved.	Ceylon.	1710.	8.	S.½.	Rheed. mal. 10. t. 10.
13 falcatus. S.S.	sickle-leaved.	E. Indies.	1792.	....	S.½.	Burm. zeyl. t. 13. f. 2.
14 retrofractus. S.S.	Larch-leaved.	Africa.	1759.	8. 9.	G.4.	Pluk. alm. t. 375. f. 3.
15 capensis. S.S.	Cape.	C. B. S.	1691.	4. 5.	G.½.	Jacq. schœn. 3. t. 266.
16 æthiopicus. W.	angular-stalk'd.	———	1816.	....	G.½.	
17 scandens. W.	climbing.	———	1795.	5. 6.	G.½.⌣.	
18 asiaticus. S.S.	Asiatic.	Asia.	1759.	——	G.½.	Pluk. alm. t. 15. f. 4.
19 subulatus. S.S.	awl-leaved.	C. B. S.	1811.	....	G.½.	
20 albus. S.S.	white.	Spain.	1540.	5. 7.	F.½.	Moris. s. 1. t. 1. f. 3.
21 aphyllus. S.S.	prickly.	S. Europe.	1640.	——	F.½.	——— sect. 1. t. 1. f. 2.
22 horridus. S.S.	long-spined.	———	1819.	——	F.½.	Cavan. ic. 2. t. 136.
23 Broussoneti. Less.	Broussonet's.	Canaries.	1815.	——	F.4.	Jacq. eclog. 2. t. 40.
PHYLLOMA. B.M.	**Phylloma.**	**Hexandria Monogynia.**				
1 aloiflorum. B.M.	Aloe-like.	Bourbon.	1766.	4. 6.	S.½.	Botan. magaz. 1585.
Lomatophyllum borbonicum. W. *Dracæna marginata.* H.K. *dentata.* P.S.						
2 macra. Lem.	lean.	Mauritius.	1817.	6. 7.	S.½.	
Aloe macra. H.S.S.						
3 rufocincta.	rosy-edged.	E. Indies.	1818.	....	S.½.	
Aloe rufocincta. H.S.S.						

DRACÆNA. W.	Dragon-tree.	Hexandria Monogynia. L.					
1 Draco. S.S.	common.	E. Indies.	1640.	....	S. ħ.	Blackw. t. 358.
2 ensifolia. H.S.	sword-leaved.	.....	1800.	....	S. ħ.	
3 indivisa. S.S.	undivided.	N.Zealand.	1819.	....	G. ħ.	
4 australis. S.S.	Forster's.	———	——	....	G. ħ.	
5 stricta. R.R.	loose-panicled.	N.Holland.	1821.	3. 5.	S. ħ.	Botan. regist. 956.
6 congesta.	crowded-panicl'd.	———	——	——	S. ħ.	
7 arborea. S.S.	tree.	Africa.	1810.	——	S. ħ.	
8 fragrans. S.S.	fragrant.	———	1768.	2. 5.	S. ħ.	Botan. magaz. 1081.
9 ferrea. L.	dark-purple.	China.	1771.	3. 4.	S. ħ.	Redout. lil. 91.
10 terminalis. W.	red-leaved.	India.	1812.	....	S. ħ.	Rumph.amb.4.t.34.f.1.
11 umbraculifera. S.S.	umbrella.	Mauritius.	1788.	4. 6.	S. ħ.	Lodd. bot. cab. 288.
12 cernua. S.S.	drooping.	———	....	——	S. ħ.	Jacq. schœn. 1. t. 96.
13 tessellata. S.S. *marginata.* P.S.	red-margined.	Madagascar.	1816.	....	S. ħ.	
14 mauritiana. S.S.	Mauritius.	Mauritius.	——	....	S. ħ.	
15 undulata. S.S.	wave-leaved.	C. B. S.	——	....	G. ħ.	
16 ovata. B.M.	oval-leaved.	SierraLeon.	1790.	8. 9.	S. ħ.	Botan. magaz. 1188.
17 nodosa. L.C.	knotted.	.....	1822.	....	S. ħ.	
18 reflexa. S.S.	reflex-leaved.	Madagascar.	1816.	....	S. ħ.	
CORDYLINE. B.P.	Cordyline.	Hexandria Monogynia.				
hemichrysa. P.S.	golden-leaved.	Bourbon.	1823.	....	S. ħ.	
PHORMIUM. W.	Flax-Lily.	Hexandria Monogynia. W.				
tenax. W.	Iris-leaved.	N.Zealand.	1768.	8.	F. ↄ.	Cook.it. v. 2. t. 96.
XANTHORRHŒA. B.P.	Gum-tree.	Hexandria Monogynia. S.S.				
1 australis. B.P.	southern.	V.Diem.Isl.	1820.	....	F. ħ.	
2 hastile. B.P.	yellow gum.	N. S. W.	1803.	4. 5.	F. ħ.	
3 media. B.P.	intermediate.	———	1819.	....	F. ħ.	
4 minor. B.P.	small.	———	1804.	....	F. ↄ.	
5 bracteata. B.P.	long-bracted.	———	1810.	4. 5.	F. ↄ.	

ORDO CLXXXVI.

BROMELIACEÆ. *Juss. gen.* 49.

AGAVE. L.	Agave.	Hexandria Monogynia. L.				
1 americana. H.S.	largeAmerican.	S. America.	1640.	8. 10.	D.G. ↄ.	Andr. reposit. 438.
2 Milleri. H.S.	Miller's.	———	1768.	....	D.G. ↄ.	
3 flaccida. H.S.	flaccid.	———	1790.	....	D.S. ↄ.	
4 lurida. B.M.	Vera Cruz.	Vera Cruz.	1731.	6. 7.	D.S. ↄ.	Botan. magaz. 1522.
5 angustifolia. H.S.	narrow-leaved.	St. Helena.	1770.	....	D.S. ↄ.	
6 yuccæfolia. H.S.S.	Yucca-leaved.	.....	1817.	....	D.S. ↄ.	
7 mexicana. H.S.S.	Mexican.	Mexico.	1818.	....	D.G. ↄ.	
8 Karatto. H.S.	Karatto.	S. America.	1768.	....	D.S. ↄ.	
9 vivipara. H.S.	viviparous.	———	1731.	8. 10.	D.S. ↄ.	Comm. præl. t. 15.
10 polyacantha. H.R.	black spined.	.....	1800.	....	D.S. ↄ.	
11 virginica. H.S.	Virginian.	N.America.	1765.	9.	F. ↄ.	Botan. magaz. 1157.
FURCRŒA. V.	Furcrœa.	Hexandria Monogynia. H.S.				
1 gigantea. *Agave fœtida.* W.	gigantic.	S. America.	1690.	9. 1.	D.S. ħ.	DC. plant. gras. 128.
2 tuberosa. H.K.	tuberous.	———	1789.	8. 9.	D.S. ħ.	
3 cubensis. H.S.	Cuba.	———	——	....	D.S. ħ.	Jacq. amer. t. 260. f. 25.
4 rigida. H.S.	Vera Cruz.	———	1768.	....	D.S. ħ.	
5 australis. H.S.	entire-leaved.	.....	1811.	....	D.S. ↄ.	
6 madagascariensis. H.	Madagascar.	Madagascar.	1818.	....	D.S. ↄ.	
7 cantala. H.S.S.	Canton.	China.	——	....	D.G. ↄ.	
LITTÆA. H.S.S.	Littæa.	Hexandria Monogynia. H.S.S.				
geminiflora. H.S.S. *Agave geminiflora.* Ker. *Bonapartea juncea.* H.S. *nec aliorum.*	twin-flowered.	S. America.	1810.	....	S. ħ.	Journ. of sc. n.S. t. 1.
BROMELIA. L.	Pine-Apple.	Hexandria Monogynia. L.				
1 Ananas. S.S.	common.	S.America.	1690.	1. 12.	S. ↄ.	Botan. magaz. 1554.
2 semiserrata. S.S.	semiserrate.	———	....	——	S. ↄ.	
3 lucida. W.en.	shining-leaved.	———	....	——	S. ↄ.	
4 lingulata. S.S.	tongue-leaved.	———	1759.	5. 6.	S. ħ.	Plum. ic. t. 64. f. 1.

5	**bracteata.** S.S.	red-bracted.	Jamaica.	1785.	9. 10.	S. ♄.	Sal. par. lond. 40.
6	**fastuosa.** L.col.	noble.	S. America.	1815.	8. 10.	S. ♄.	Lind. coll. t. 1.
7	**melanantha.** B.R.	black-flowered.	Trinidad.	1823.	5. 7.	S. ♃.	Botan. regist. 766.
8	**nudicaulis.** B.R.	naked-stalked.	S. America.	....	2. 3.	S. ♄.	——— —— 203.
	pyramidalis. B.M.						
9	**Hookeri.**	Hooker's.	Trinidad.	1822.	4. 6.	S. ♃.	Hook. ex. flor. 143.
	nudicaulis. H.E.F. non B.R.						
10	**Karatas.** S.S.	upright-leaved.	W. Indies.	1789.	....	S. ♄.	Jacq. vind. 1. t. 31. 32.
11	**humilis.** S.S.	dwarf.	———	1789.	3.	S. ♃.	Jacq. ic. 1. t. 60.
12	**pallida.** B.R.	pale.	S. America.	1810.	6. 11.	S. ♃.	Botan. regist. 344.
13	**Pinguin.** S.S.	broad-leaved.	W. Indies.	1699.	3. 4.	S. ♄.	Jacq. am. ed. pict. t. 91.
14	**chrysantha.** S.S.	yellow-flow'r'd.	S. America.	1820.	——	S. ♄.	Jacq. schœn. 1. t. 55.
15	**exudans.** B.C.	clammy.	———	1816.	——	S. ♃.	Lodd. bot. cab. 801.
16	**paniculigera.** S.S.	panicled.	W. Indies.	1822.	——	S. ♃.	
17	**sylvestris.** S.S.	wild.	S. America.	1820.	7. 8.	S. ♃.	Botan. magaz. 2392.
18	**Acanga.** S.S.	recurved.	———	1824.	....	S. ♃.	Pis. bras. t. 91.
19	**sessiliflora.** L.C.	sessile-flow'r'd.	———	——	....	S. ♃.	
GUZMANNIA. R.P.		GUZMANNIA.	Hexandria Monogynia. S.S.				
	tricolor. R.P.	three-coloured.	S. America.	1818.	5. 6.	S. ♃.	Lind. coll. bot. 8.
HTCAIRNIA. S.S.		PITCAIRNIA.	Hexandria Monogynia. L.				
1	**staminea.** S.S.	long-stamen'd.	S. America.	1823.	1. 3.	S. ♃.	Botan. magaz. 2411.
2	**integrifolia.** S.S.	entire-leaved.	W. Indies.	1800.	8.	S. ♃.	——— —— 1462.
3	**latifolia.** S.S.	broad-leaved.	———	1785.	8. 9.	S. ♃.	——— —— 856.
4	**bracteata.** R.L.	large bract^{d}.red.	———	1799.	4. 5.	S. ♃.	Redout. lil. 73. 74.
5	**sulphurea.** A.R.	yellow-flow'r'd.	———	1797.	6. 8.	S. ♃.	Andr. reposit. 249.
	bracteata β sulphurea. B.M. 1416.						
6	**albiflos.** B.M.	white-flowered.	Brazil.	1824.	9. 12.	S. ♃.	Botan. magaz. 2642.
7	**bromeliæfolia.** S.S.	Pine-apple-l^{d}.	Jamaica.	1781.	6. 8.	S. ♃.	——— —— 824.
8	**angustifolia.** S.S.	narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. ♃.	——— —— 1547.
9	**furfuracea.** B.M.	mealy.	S. America.	1818.	7. 9.	S. ♃.	——— —— 2657.
10	**media.** L.C.	intermediate.	———	1823.	——	S. ♃.	
11	**iridiflora.** L.C.	Iris-flowered.	———	——	——	S. ♃.	
12	**humilis.** L.C.	dwarf.	———	——	——	S. ♃.	
OURRETIA. R.P.		POURRETIA.	Hexandria Monogynia. S.S.				
1	**pyramidata.** K.S.	pyramidal.	S. America.	1822.	4. 6.	S. ♃.	Flor. Peruv. 3. t. 257.
2	**coarctata.** R.P.	crowded-spik'd.	Chili.	——	....	S. ♃.	Feuil. per. 3. t. 39.
ILLANDSIA. L.		TILLANDSIA.	Hexandria Monogynia. L.				
1	**Bartramii.** S.S.	Bartram's.	Carolina.	1825.	....	S. ♃.	
2	**recurvata.** S.S.	recurve-leaved.	Jamaica.	1793.	7.	S. ♃.	Sloan. jam. 1. t. 121. f. 1.
3	**xiphioides.** B.R.	Xiphium-like.	Buenos Ayres.	1815.	——	S. ♃.	Botan. regist. 105.
4	**serrata.** S.S.	saw-leaved.	Jamaica.	1793.	6. 7.	S. ♃.	Plum. ic. 63. t. 75. f. 1.
5	**lingulata.** S.S.	tongue-leaved.	———	1776.	——	S. ♃.	Jacq. amer. t. 62.
6	**setacea.** S.S.	bristle-leaved.	———	1822.	——	S. ♃.	
7	**stricta.** S.S.	stiff-leaved.	Brazil.	1810.	11.	S. ♃.	Botan. magaz. 1529.
8	**bulbosa.** H.E.F.	bulbous.	Trinidad.	1823.	8. 9.	S. ♃.	Hook. ex. flor. 173.
9	**aloifolia.** H.E.F.	Aloe-leaved.	———	1824.	11. 12.	S. ♃.	——— —— 205.
10	**pulchra.** H.E.F.	pretty.	———	1822.	10. 11.	S. ♃.	——— —— 154.
11	**anceps.** B.C.	two-edged.	W. Indies.	1819.	7.	S. ♃.	Lodd. bot. cab. 771.
12	**utriculata.** S.S.	bottle.	S. America.	1793.	7. 8.	S. ♃.	
13	**tenuifolia.** S.S.	slender-leaved.	W. Indies.	1822.	——	S. ♃.	Plum. ic. 232. f. 2.
14	**acutifolia.** L.en.	acute-leaved.	Brazil.	1815.	——	S. ♃.	Botan. regist. 749.
	flexuosa β pallida. B.R.						
15	**flexuosa.** S.S.	flexuose.	W. Indies.	1790.	——	S. ♃.	Jacq. amer. t. 63.
16	**nutans.** S.S.	nodding-spik'd.	———	1793.	——	S. ♃.	
17	**fasciculata.** S.S.	bundled.	———	1822.	——	S. ♃.	
18	**nitida.** H.E.F.	shining broad-l^{d}.	Jamaica.	1823.	11. 12.	S. ♃.	Hook. ex. flor. 218.
19	**polystachya.** S.S.	many-spiked.	W. Indies.	1820.	7. 9.	S. ♃.	
20	**angustifolia.** S.S.	narrow-leaved.	———	1822.	——	S. ♃.	
21	**paniculata.** S.S.	panicled.	———	1817.	——	S. ♃.	Plum. ic. 237.
22	**coarctata.** G.C.	crowded.	———	1822.	....	S. ♃.	
23	**compressa.** G.C.	compressed.	———	——	....	S. ♃.	
24	**gracilis.** G.C.	slender.	———	——	....	S. ♃.	
25	**ramosa.** G.C.	branching.	———	——	....	S. ♃.	
26	**rigida.** G.C.	rigid.	———	——	....	S. ♃.	
ONAPARTEA. R.P.		BONAPARTEA.	Hexandria Monogynia.				
	juncea. R.P.	rush-leaved.	Peru.	1800.	....	S. ♃.	Flor. peruv. 3. t. 242.

ORDO CLXXXVII.

TULIPACEÆ. *Kth. synops.* 1. *p.* 292.

YUCCA. L.	ADAMS-NEEDLE.	Hexandria Monogynia. L.					
1 conspicua. H.S.S.	broad rough-edg'd.	.....	1810.	8. 10.	F. ħ.		
2 aloifolia. H.S.S.	Aloe-leaved.	W. Indies.	1696.	——	G. ħ.	Botan. magaz. 1768.	
3 serrulata. H.S.S.	narrow saw-l'd.	Carolina.	1808.	....	F. ħ.		
4 Draconis. H.S.S.	drooping-l'd.	————	1732.	8. 9.	F. ħ.	Dill. elt. t. 324. f. 417.	
5 crenulata. H.S.S.	rough-edged oblique.	....	1818.	....	F. ħ.		
6 arcuata. H.S.S.	arcuated.	.....	1817.	....	F. ħ.		
7 tennifolia. H.S.S.	slender-leaved.	Malta?	——	....	F. ħ.		
8 concava. H.S.S.	hollow-thready.	N.America.	1816.	7. 8.	H. ♃.		
9 filamentosa. H.S.S.	common-thready.	Virginia.	1675.	7. 10.	H. ♃.	Botan. magaz. 900.	
10 flaccida. H.S.S.	flaccid thready.	N.America.	1816.	——	H. ♃.		
11 recurva. H.S.S.	recurve-leaved.	Georgia.	1795.	8. 9.	H. ħ.	Sal. par. lond. 31.	
12 glaucescens. H.S.S.	glaucescent.	N.America.	1815.	7. 8.	H. ♃.	Swt. br. fl. gar. 53.	
glauca. B.M. 2662?							
13 stricta. B.M.	straight-leaved.	Carolina.	1811.	——	H. ħ.	Botan. magaz. 2222.	
14 angustifolia. H.S.S.	narrow-leaved.	Missouri.	——	——	H. ħ.	———— 2236.	
15 superba. H.S.S.	superb.	.....	....	8. 10.	G. ħ.	Andr. reposit. 473.	
gloriosa. A.R. *nec aliorum.*							
16 gloriosa. H.S.S.	handsome.	America.	1596.	7. 8.	H. ħ.	Botan. magaz. 1260.	
17 rufocincta. H.S.S.	red-edged.	.....	1816.	——	H. ♃.		
18 obliqua. H.S.S.	oblique-leaved.	.....	1808.	——	H. ♃.		
β major. H.S.S.	*larger.*	.....	——	——	H. ♃.		
TULIPA. L.	TULIP.	Hexandria Monogynia. L.					
1 biflora. S.S.	two-flowered.	Russia.	1806.	4.	H.b.	Botan. regist. 535.	
2 tricolor. F.	three-coloured.	————	1823.	....	H.b.		
3 Celsiana. S.S.	Cels's.	Levant.	....	6. 7.	H.b.	Botan. magaz. 717.	
Breyniana. B.M. *nec aliorum.*							
4 sylvestris. S.S.	wild.	England.	....	4. 5.	H.b.	Eng. bot. 63.	
5 turcica. W.en.	Florentine.	S.Europe.	....	——	H.b.		
6 altaica. S.S.	Altaic.	Altay.	1824.	——	H.b.		
7 oculus solis. S.S.	Sun's-eye.	S. Europe.	1816.	——	H.b.	Botan. regist. 204.	
8 præcox. S.S.	early-flowering.	Naples.	1825.	3. 4.	H.b.	Swt. br. fl. gar. 157.	
9 cornuta. R.L.	horn-petaled.	Levant.	1816.	5.	H.b.	Botan. regist. 127.	
13 Clusiana. S.S.	Clusius's.	Sicily.	1636.	6.	H.b.	Botan. magaz. 1390.	
11 suaveolens. S.S.	Van-Thol.	S. Europe.	1603.	3. 4.	H.b.	———— 823.	
12 pubescens. S.S.	woolly-stalked.	————	....	——	H.b.	Swt. br. fl. gar. 78.	
13 Gesneriana. S.S.	common.	Levant.	1577.	4. 5.	H.b.	Botan. regist. 380.	
β versicolor.	*various-colour'd.*	————	——	——	H.b.	Botan. magaz. 1135.	
γ plena.	*double-flower'd.*	————	——	——	H.b.		
δ laciniata.	*Parrot.*	————	——	——	H.b.		
FRITILLARIA. L.	FRITILLARY.	Hexandria Monogynia. L.					
1 præcox.	early white.	Europe.	....	3. 4.	H.b.		
Meleagris β præcox. P.S.							
2 Meleagris. E.B.	chequered.	Britain.	....	3. 5.	H.b.	Eng. bot. 622.	
3 tenella. M.B.	slender.	Caucasus.	1824.	——	H.b.	Botan. magaz. 1216.	
racemosa. α. minor. B.M. *orientalis.* Adam.							
4 nervosa. S.S.	nerved-leaved.	————	....	4. 5.	H.b.	Botan. magaz. 853.	
latifolia. β minor. B.M.							
5 lutea. M.B.	large yellow.	————	1812.	——	H.b.	Botan. magaz. 1538.	
6 latifolia. W.	broad-leaved.	————	1604.	——	H.b.	———— 1267.	
7 ruthenica. S.S.	Russian.	————	1820.	——	H.b.		
8 verticillata. W.	whorl-leaved.	Siberia.	——	——	H.b.		
9 messanensis. S.S.	Italian.	Italy.	1825.	——	H.b.		
10 lusitanica. S.S.	Portugal.	Portugal.	——	——	H.b.		
11 nigra. B.M.	dark-flowered.	Pyrenees.	1596.	5.	H.b.	Botan. magaz. 664.	
pyrenaica. B.M. *nec aliorum. aquitanica.* Clus.							
12 pyrenaica. W.	cluster-flow'r'd.	Russia.	1605.	5. 6.	H.b.	Botan. magaz. 952.	
racemosa. B.M. 952.							

3 obliqua. B.M. *tulipifolia.* M.B. *caucasica.* Adam.	Tulip-leaved.	Caucasus.	....	4.	H.b.	Botan. magaz. 857.
4 persica. B.M.	Persian.	Persia.	1596.	4. 5.	H.b.	Botan. magaz. 1537.
β *minor.* B.M.	*lesser.*	———	——	——	H.b.	——— 962.
5 pudica. S.S. *Lilium pudicum.* Ph.	dwarf.	N.America.	1825.	....	H.b.	Pursh. fl. amer. t. 8.
6 lanceolata. Ph.	spear-leaved.	———	1823.	....	H.b.	
7 camtschatcensis. *Lilium camtschatcense.* W.	Camtschatka.	Camtschatka.	1759.	5.	H.b.	Linn. trans. 10. t. 11.
8 alba. N.	white-flowered.	N.America.	1825.	....	H.b.	
9 Imperialis. W.	Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
a rubra.	*red-flowered.*	———	——	——	H.b.	Botan. magaz. 194.
β *flava.*	*yellow-flowered.*	———	——	——	H.b.	——— 1215.

LILIUM. L. Lily. Hexandria Monogynia. L.

1 candidum. W.	common white.	Levant.	1596.	6. 7.	H.b.	Botan. magaz. 278.
β *striatum.*	*striped-flowered.*	.....	....	——	H.b.	
γ *spicatum.*	*monstrous-fld.*	.....	....	——	H.b.	
δ *variegatum.*	*striped-leaved.*	.....	....	——	H.b.	
2 bulbiferum. W.	bulb-bearing.	Italy.	1596.	——	H.b.	Botan. magaz. 36.
β *umbellatum.* B.M.	*umbel-flowering.*	———	——	——	H.b.	——— 1018.
3 croceum. L.en.	saffron-color'd.	S. Europe.	....	——	H.b.	
4 latifolium. L.en.	broad-leaved.	———	....	——	H.b.	
5 spectabile. F. *pensylvanicum.* B.M. 872.	showy Siberian. *dauricum.* B.M. 1210. *in note.*	Siberia.	1754.	——	H.b.	Swt. br. fl. gar. 75.
6 lancifolium. S.S.	lance-leaved.	China.	1824.	....	H.b.	
7 concolor. S.S.	self-coloured.	—— ——	1806.	7. 8.	F.b.	Botan. magaz. 1165.
8 pumilum. S.S. *angustifolium.* F. *linifolium.* Horn.	dwarf.	Dahuria.	1816.	6. 8.	H.b.	Botan. regist. 132.
9 andinum. N. *umbellatum.* Ph.	umbel-flower'd. *philadelphicum* β *andinum.* B.R.	Andes.	1811.	7. 8.	H.b.	Botan. regist. 504.
10 philadelphicum. W.	Philadelphian.	N.America.	1757.	——	H.b.	Botan. magaz. 519.
11 Catesbæi. W.	Catesby's.	Carolina.	1787.	7. 9.	H.b.	——— 259.
12 carolinianum. M.	Carolina.	—— ——	1820.	——	H.b.	Botan. regist. 580.
13 longiflorum. W.	long-flowered.	Japan.	1819.	——	F.b.	——— 560.
14 japonicum. W.	Japan.	———	1804.	7. 8.	F.b.	Botan. magaz. 1591.
15 pyrenaicum. S.S.	Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	
16 pomponium. W.	scarlet pompone.	Siberia.	1629.	5. 6.	H.b.	Botan. magaz. 971.
17 chalcedonicum. W.	scarlet Martagon.	Levant.	1596.	6. 7.	H.b.	——— 30.
18 monadelphum. M.B.	monadelphous.	Caucasus.	1800.	——	H.b.	——— 1405.
19 tigrinum. B.M.	tiger-spotted.	China.	1804.	7. 9.	H.b.	——— 1237.
20 canadense. B.M.	Canadian.	N.America.	1629.	7. 8.	H.b.	——— 800.
β *pendulifloruin.* B.L. *canadense* β. *rubra.* B.M. 858.	*red-flowered.*	———	——	——	H.b.	Redout. lil. t. 105.
21 superbum. W.	superb.	———	1727.	6. 8.	H.b.	Botan. magaz. 936.
22 glabrum. S.S.	smooth.	.....	....	——	H.b.	
23 Martagon. W.	Turk's-cap.	Germany.	1596.	6. 7.	H.b.	Redout. lil. t. 146.
a glabrum.	*smooth-stalked.*	———	——	——	H.b.	Botan. magaz. 1634.
β *pubescens.*	*hairy-stalked.*	———	——	——	H.b.	——— 893.

GLORIOSA. L. Gloriosa. Hexandria Monogynia. L.

1 virescens. B.M.	greenish-fld.	Mozambique.	1822.	7. 8.	S.♃.⌣	Botan. magaz. 2539.
2 superba. L.	superb.	E. Indies.	1690.	——	S.♃.⌣	Botan. regist. 77.
3 simplex. L. *Methonica gloriosa.* Sal.	simple-leaved.	Senegal.	1756.	——	S.♃.	

ERYTHRONIUM. L. Dog's-Tooth Violet. Hexandria Monogynia. L.

1 Dens canis. W.	common.	Europe.	1596.	3. 4.	H.b.	Botan. magaz. 5.
a major.	*large-flowered.*	———	——	——	H.b.	
β *minor.*	*smaller-flowered.*	———	——	——	H.b.	
γ? *album.*	*white-flowered.*	———	....	——	H.b.	
2 americanum. B.M. *lanceolatum.* Ph.	yellow-flow'r'd.	N.America.	1665.	4. 5.	H.b.	Botan. magaz. 1113.
3 albidum. N.	white American.	———	1825.	——	H.b.	

ORDO CLXXXVIII.

MELANTHACEÆ. *Brown prodr.* 272.

BULBOCODIUM. W. BULBOCODIUM. Hexandria Monogynia. L.

1 vernum. s.s.	spring-flowering.	Spain.	1629.	2. 3.	H.b.	Botan. magaz. 153.
2 versicolor. s.s.	various-colored.	Russia.	1820.	9. 10.	H.b.	Botan. regist. 571.
Colchicum versicolor. B.R.						

COLCHICUM. S.S. MEADOW SAFFRON. Hexandria Trigynia. L.

1 byzantinum. s.s.	broad-leaved.	Levant.	1629.	9. 10.	H.b.	Botan. magaz. 1122.
2 autumnale. E.B.	common.	Britain.	....	——	H.b.	Eng. bot. 133.
β album.	*white flowered.*	——	....	——	H.b.	
γ multiplex.	*double-flowered.*	——	....	——	H.b.	
3 crociflorum. B.M.	Crocus-flower'd.	——	....	——	H.b.	Botan. magaz. 2673.
4 variegatum. W.	chequer-flower'd.	Greece.	1629.	8. 10.	H.b.	—— 1028.
5 arenarium. s.s.	sand.	Hungary.	1816.	9. 10.	H.b.	W. et K. hung. 2. t. 173.
β umbrosum. B.R.	*wood.*	——	——	——	H.b.	Botan. regist. 541.
6 montanum. s.s.	mountain.	S. Europe.	1818.	——	H.b.	

UVULARIA. S.S. UVULARIA. Hexandria Monogynia. L.

1 perfoliata. s.s.	perfoliate.	N. America.	1710.	5. 6.	H. 4.	Sm. exot. bot. 1. t. 49.
2 flava. s.s.	yellow-flow'r'd.	——	....	——	H. 4.	—— 1. t. 50.
3 lanceolata. H.K.	spear-leaved.	——	1710.	7. 8.	H. 4.	Cornut. canad. t. 41.
4 grandiflora. H.K.	large yellow.	——	1802.	5. 6.	H. 4.	Sm. exot. bot. 1. t. 51.
5 sessilifolia. s.s.	sessile-leaved.	——	1790.	6.	H. 4.	—— 1. t. 52.
6 puberula. s.s.	pubescent.	——	1818.	——	H. 4.	

DISPORUM. D.P. DISPORUM. Hexandria Monogynia.

1 parviflorum. D.P.	small-flowered.	Nepaul.	1823.	6. 8.	F. 4.	
2 fulvum. Sal.	brown-flower'd.	China.	1801.	6. 11.	F. 4.	Botan. magaz. 916.
Uvularia chinensis. B.M.						

SCHELHAMMERA. B.P. SCHELHAMMERA. Hexandria Monogynia. S.S.

undulata. B.P.	wave-leaved.	N. S. W.	1823.	6. 9.	F. 4.	

BURCHARDIA. B.P. BURCHARDIA. Hexandria Monogynia. S.S.

umbellata. B.P.	umbel-flower'd.	N. S. W.	1825.	6. 8.	F. 4.	

ANGUILLARIA. B.P. ANGUILLARIA. Hexandria Trigynia.

1 dioica. B.P.	dioecious.	N. S. W.	1826.	....	F. 4.	
2 biglandulosa. B.P.	two-glanded.	——	1822.	6. 8.	F. 4.	
3 indica. B.P.	Indian.	E. Indies.	——	——	F. 4.	
Melanthium indicum. L.						

ORNITHOGLOSSUM. S.S. BIRD'S-TONGUE. Hexandria Trigynia. S.S.

1 undulatum. B.P.G.	wave-leaved.	C. B. S.	1825.	8. 10.	F.b.	Swt. br. fl. gar. 131.
2 viride. s.s.	green-flowered.	——	1788.	10. 11.	F.b.	Sal. par. lond. 54.
Melanthium viride. B.M. 994.						

ANDROCYMBIUM. W. ANDROCYMBIUM. Hexandria Trigynia. S.S.

1 melanthioides. s.s.	narrow-leaved.	C. B. S.	1825.	8. 10.	F.b.	
2 eucomoides. s.s.	Tulip-leaved.	——	1794.	3. 5.	F.b.	Swt. br. fl. gar. 165.
Melanthium eucomoides. B.M. 641.						
3 volutare. B.T.	rolled-leaved.	——	1816.	——	F.b.	

MELANTHIUM. W. MELANTHIUM. Hexandria Trigynia. L.

1 uniflorum. W.	yellow.	C. B. S.	1787.	6. 7.	F.b.	Botan. magaz. 767.
2 junceum. W.	Rush-leaved.	——	1788.	6. 11.	F.b.	—— 558.
3 secundum. W.	side-flowering.	——	1812.	——	F.b.	Lam. ill. t. 269. f. 2.
4 capense. W.	spotted-fl^d.	——	1768.	5. 6.	F.b.	
5 ciliatum. W.	fringed.	——	1825.	——	F.b.	

WURMBEA. W. WURMBEA. Hexandria Trigynia. W.

1 campanulata. W.	bell-flowered.	C. B. S.	1786.	5. 6.	F.b.	Botan. magaz. 1291.
Melanthium monopetalum. B.M.						
2 purpurea. H.K.	purple.	——	——	——	F.b.	Botan. magaz. 694.
Melanthium spicatum. B.M. *Wurmbea capensis.* A.R. 221.						
3 pumila. W.	dwarf.	——	1800.	5. 6.	F.b.	
4 longiflora. W.	long-flowered.	——	——	——	F.b.	

TOFIELDIA. L.T. TOFIELDIA. Hexandria Trigynia. S.S.

1 palustris. L.T.	Scotch.	Britain.	....	7. 8.	H. 4.	Eng. bot. 536.

2 alpina. L.T. *palustris.* DC.	Alpine.	Europe.	....	7. 8.	H.4.	Redout. lil. t. 256.
3 pubens. L.T.	downy.	N.America.	1790.	4. 5.	H.4.	Pluk.mant.29.t.342.f.3
XEROPHYLLUM. M.	XEROPHYLLUM. Hexandria Trigynia. S.S.					
1 gramineum. S.S. *Helonias graminea.* B.M.	grass-leaved.	N.America.	1812.	5. 6.	H.4.	Botan. mag. 1599.
2 tenax. S.S.	tough-leaved.	———	1811.	——	H.4.	Ph. amer. 1. t. 9.
3 asphodeloides. S.S. *Helonias asphodeloides.* B.M.	Asphodel-like.	———	1765.	——	H.4.	Botan. magaz. 748.
HELONIAS. W.	HELONIAS. Hexandria Trigynia. L.					
1 bullata. W. *latifolia.* M.	broad-leaved.	N.America.	1758.	4. 5.	H.4.	Botan. magaz. 747.
2 erythrosperma. M. *læta.* B.M. *Melanthium lætum.* W.	channel-leav'd.	———	1770.	6.	H.4.	Botan. magaz. 863.
3 angustifolia. M.	narrow-leaved.	———	1812.	——	H.4.	Botan. magaz. 1540.
ZIGADENUS. M.	ZIGADENUS. Hexandria Monogynia. S.S.					
1 glaberrimus. W. *Helonias glaberrima.* B.M. 1660.	smooth-leaved.	N. America.	1811.	5. 6.	H.4.	Mich. amer. 1. t. 22.
2 bracteatus. *Helonias bracteata.* B.M.	bracted.	———	——	——	H.4.	Botan. magaz. 1703.
NOLINA. M.	NOLINA. Hexandria Trigynia. S.S.					
georgiana. M.	Georgian.	Georgia.	1812.	7. 8.	H.4.	Pluk. mant. t. 342. f. 1.
LEIMANTHIUM. W.	LEIMANTHIUM. Polygamia Monœcia.					
1 virginicum. W. *Helonias virginica.* B.M. *Melanthium virginicum.* Ph.	Virginian.	N.America.	1768.	6. 7.	H.4.	Botan. magaz. 985.
2 monoicum. *Melanthium monoicum.* Ph.	monoecious.	———	1817.	——	H.4.	
3 hybridum. *Melanthium hybridum.* Ph. *racemosum.* M.	hybrid.	———	1822.	——	H.4.	
VERATRUM. L.	WHITEHELLEBORE. Polygamia Monœcia. L.					
1 nigrum. W.	dark-flowered.	Siberia.	1596.	6. 7.	H.4.	Botan. magaz. 963.
2 album. W.	white-flowered.	S. Europe.	1548.	6. 8.	H.4.	Flor. dan. 1120.
3 Lobelianum. W.en.	Lobel's.	———	1818.	——	H.4.	
4 viride. W.	green-flower'd.	N.America.	1742.	7. 8.	H.4.	Botan. magaz. 1096.
5 parviflorum. M.	small-flowered.	———	1809.	——	H.4.	
6 angustifolium. Ph.	narrow-leaved.	———	1823.	——	H.4.	
CHAMÆLIRIUM. W.	CHAMÆLIRIUM. Dicœcia Hexandria.					
carolinianum. W. *Helonias lutea.* B.M. *dioica.* Ph. *Ophyostachys virginica.* R.L.	spiked-flowered.	N.America.	1759.	7. 8.	H.4.	Botan. magaz. 1062.

ORDO CLXXXIX.

PONTEDEREÆ. *Kth. synops.* 1. *p.* 273.

PONTEDERIA. L.	PONTEDERIA. Hexandria Monogynia. L.					
1 cordata. S.S.	heart-leaved.	N.America.	1759.	6. 8.	H.w.4.	Botan. magaz. 1156.
2 azurea. S.S.	blue-flowered.	Jamaica.	1822.	——	S.w.4.	
3 lanceolata. S.S.	lanceolate.	Carolina.	....	8. 9.	G.w.4.	Lodd. bot. cab. 613.
4 angustifolia. S.S.	narrow-leaved.	N.America.	1806.	6. 8.	H.w.4.	
5 crassipes. S.S.	thick footstalk'd.	Brazil.	1822.	——	S.w.4.	Mart. n. pl. bras. t. 4.
6 dilatata. S.S.	spreading.	E. Indies.	1806.	5.	S.w.4.	Andr. reposit. 490.
HETERANTHERA. R.S.	HETERANTHERA. Triandria Monogynia. W.					
1 reniformis. R.S.	kidney-leaved.	S. America.	1812.	6. 7.	G.w.4.	Flor. per. 1. t. 71. f. a.
2 acuta. W.	acute-leaved.	N. America.	——	——	H.w.4.	
3 limosa. R.S.	oval-leaved.	W. Indies.	1822.	——	S.w.4.	
LEPTANTHUS. M.	LEPTANTHUS. Triandria Monogynia. Ph.					
gramineus. M. *Heteranthera graminea.* Ph. *Schollera graminifolia.* W.	grass-like.	N.America.	1823.	7. 8.	H.w.4.	Hook. ex. flor. 94.

ORDO CXC.

COMMELINEÆ. *Brown prodr. p.* 268.

DICHORISANDRA. S.S. DICHORISANDRA. Hexandria Monogynia. S.S.

1 thyrsiflora. S.S.	bunch-flow'r'd.	Brasil.	1820.	8. 10.	S.♄.	Botan. regist. 682.
2 gracilis. S.S.	slender.	———	——	——	S.♄.	
3 pubernla. S.S.	pubescent.	———	——	——	S.♃.	

CAMPELIA. K.S. CAMPELIA. Hexandria Monogynia. S.S.

Zanonia. K.S.	Gentian-leav'd.	S.America.	1759.	7. 12.	S.♃.	Redout. lil. 4. t. 192.

Commelina Zanonia. R.L. *Tradescántia Zanonia.* W. *Zanonia bibracteata.* Cram.

TRADESCANTIA. L. SPIDERWORT. Hexandria Monogynia. L.

1 fuscata. S.S.	rusty.	S. America.	1820.	8. 12.	S.♃.	Botan. regist. 482.
2 malabarica. S.S.	Grass-leaved.	E. Indies.	1776.	7. 8.	S.♃.	Rheed. mal. 9. t. 63.
3 tuberosa. S.S.	tuberous-root'd.	———	1817.	——	S.♃.	
4 speciosa. S.S.	handsome.	Mexico.	1825.	——	S.♃.	
5 discolor. S.S.	purple-leaved.	S. America.	1783.	4. 9.	S.♄.	Botan. magaz. 1192.
6 cordifolia. S.S.	heart-leaved.	Jamaica.	1822.	——	S.☉.	
7 erecta. S.S.	upright.	Mexico.	1794.	7. 8.	H.☉.	Botan. magaz. 1346.
8 undata. S.S.	wave-leaved.	S. America.	1817.	8. 10.	H.☉.	
9 pulchella. S.S.	pretty.	Mexico.	1825.	——	G.♃.	
10 crassifolia. S.S.	thick-leaved.	———	1796.	7. 10.	H.♃.	Botan. magaz. 1598.
11 subaspera. S.S.	Lyon's.	N.America.	1812.	5. 10.	H.♃.	——— 1597.
12 virginica. S.S.	Virginian.	———	1629.	5. 8.	H.♃.	Park. parad. t.151. f.4.
α cærulea.	*blue-flowered.*	———	——	——	H.♃.	Botan. magaz. 105.
β rubra.	*red-flowered.*	———	——	——	H.♃.	
γ albida.	*whitish-flowered.*	———	——	——	H.♃.	
δ nivea.	*snowy white.*	———	1824.	——	H.♃.	
13 rosea. S.S.	rose-colour'd.	Carolina.	1802.	5. 10.	H.♃.	Swt. br. fl. gar. 181.
14 multiflora. S.S.	many-flowered.	Jamaica.	1824.	——	S.♃.	
15 procumbens. S.S.	procumbent.	Caracas.	1823.	——	S.♃.	Jacq. ic. 2. t. 355.
multiflora. Jacq. *non* W.						
16 parviflora. S.S.	small-flowered.	Peru.	1822.	——	H.♃.	Flor. per. 3. t. 272. f.2.
17 latifolia. S.S.	broad-leaved.	Lima.	1820.	9. 11.	H.☉.	——— 3. t. 272.
18 divaricata. S.S.	spreading.	Trinidad.	——	5. 8.	S.♃.	Aub. gui. 1. t. 12.
19 geniculata. S.S.	knotted.	W. Indies.	1783.	7. 8.	S.♃.	Jacq. amer. t. 64.
20 paniculata. S.S.	panicled.	E. Indies.	1824.	——	S.☉.	

CYANOTIS. D.P. CYANOTIS. Hexandria Monogynia.

1 axillaris. D.P.	axil-flowered.	E. Indies.	1822.	8. 10.	S.☉.	Rheed. mal. 10. t. 13.
2 cristata. D.P.	crest-bunched.	Ceylon.	1770.	7. 9.	S.☉.	Botan. magaz. 1435.
Tradescantia cristata. B.M.						
3 barbata. D.P.	bearded.	Nepaul.	1824.	——	H.☉.	

CARTONEMA. B.P. CARTONEMA. Hexandria Monogynia.

spicatum. B.P.	spiked.	N. Holland.	1822.	7. 8.	S.♃.	

CALLISIA. L. CALLISIA. Triandria Monogynia. L.

repens. L.	creeping.	W. Indies.	1776.	6. 7.	S.♃.	Jacq. amer. t. 11.

ANEILEMA. B.P. ANEILEMA. Triandria Monogynia.

1 biflora. B.P.	two-flowered.	N. S. W.	1820.	7. 8.	F.♃.	
2 acuminata. B.P.	sharp-pointed.	———	1822.	——	F.♃.	
3 longifolia. H.E.F.	long-leaved.	Zanzibar.	1823.	8. 9.	S.♃.	Hook. ex. flor. 204.
4 sinica. B.R.	Chinese.	China.	1820.	5. 6.	G.♃.	Botan. regist. 659.
5 nudiflora. B.P.	naked-flower'd.	E. Indies.	——	8. 10.	S.☉.	Rheed. mal. 9. t. 63.
6 spirata. B.P.	spear-leaved.	———	1783.	7. 8.	S.☉.	
Commelina spirata. L.						
7 affinis. B.P.	rough-angled.	N. S. W.	1825.	——	F.♃.	

COMMELINA. B.P. COMMELINA. Triandria Monogynia L.

1 angustifolia. R.S.	narrow-leaved.	Carolina.	1812.	7. 8.	F.♃.	
2 cyanea. B.P.	bright-blue.	N. S. W.	1820.	——	F.♃.	
3 dianthifolia. DC.	Pink-leaved.	.....	1816.	——	S.♃.	Redout. lil. 7. t. 390.
4 longicaulis. R.S.	long-stalked.	Caracas.	1806.	8.	S.♃.	Jacq. ic. 2. t. 294.
5 hirtella. R.S.	hairy.	N.America.	1820.	7. 8.	H.♃.	
6 virginica. R.S.	Virginian.	———	1779.	——	H.♃.	Pluk. alm. t. 174. f. 4.
7 africana. R.S.	yellow-flow'r'd.	C. B. S.	1759.	5. 10.	G.♃.	Botan. magaz. 1431.
8 fasciculata. R.S.	woolly tuber'd.	Lima.	1817.	——	H.♃.	Flor. peruv. 1. t. 72. f. b.

9 communis. R.s.	common.	America.	1732.	6. 7.	H.⊙.	Redout. lil. 4. t. 206.
10 polygama. R.s.	polygamous.	Japan.	....	——	H.♃.	Kæmpf. am. p.888. ic.
11 caroliniana. R.s.	Carolina.	Carolina.	....	——	H.♃.	
12 dubia. R.s.	dubious.	.....	1819.	7. 9.	H.♃.	Redout. lil. 6. t. 359.
13 tuberosa. R.s.	tuberous-root'd.	Mexico.	1732.	——	H.♃.	Andr. reposit. 399.
14 cœlestis. R.s.	sky-blue.	.....	1818.	7. 10.	H.♃.	Swt. br. fl. gar. 8.
15 pallida. R.s.	pale-flowered.	Mexico.	1822.	——	H.♃.	Willd. hort.ber.2. t.87.
16 erecta. R.s.	upright.	Virginia.	1732.	8. 9.	H.♃.	Dill. elt. 94. t. 77. f.88.
17 mollis. R.s.	soft.	Caracas.	1804.	——	H.♃.	Jacq. ic. 2. t. 293.
18 bengalensis. R.s.	Bengal.	Bengal.	1794.	6.	S.♃.	Burm. ind. t. 7. f. 3.
19 parviflora. L.en.	small-flowered.	.....	1823.	——	S.♃.	
20 deficiens. B.M.	deficient.	Brazil.	1825.	1. 12.	S.♃.	Botan. magaz. 2644.

ORDO CXCI.

PALMÆ. *Brown prodr. p.* 266.

CHAMÆDOREA. W.	CHAMÆDOREA.	Dicœcia Hexandria. W.				
1 gracilis. W.	slender.	Caracas.	1803.	....	S.♄.	Jacq. schœn.2. t.247-8.
2 fragrans. M.P.	fragrant.	Peru.	1823.	....	....	Martius Palm. ic.
SABAL. P.S.	SABAL.	Hexandria Trigynia. P.S.				
1 Adansoni. B.M.	dwarf.	Florida.	1810.	6. 8.	S.♃.	Botan. magaz. 1434.
Corypha minor. Jacq. vind. a. t. s. *Chamærops acaulis.* M.						
2 Blackburniana. L.C.	Blackburn's.	S. America.	1824.	....	S.♃.	
3 graminifolia. L.C.	grass-leaved.	——	1822.	....	S.♃.	
4 umbraculifera. L.C.	umbrella.	——	——	....	S.♃.	
RHAPIS. W.	RHAPIS.	Polygamia Monœcia. W.				
1 flabelliformis. W.	creeping-root'd.	China.	1774.	8.	S.♄.	Botan. magaz. 1371.
2 arundinacea. W.	simple-leaved.	Carolina.	1765.	9.	G.♄.	
CHAMÆROPS. W.	CHAMÆROPS.	Polygamia Dicœcia. W.				
1 excelsa. L.C.	tall.	Nepaul.	1822.	....	S.♄.	
2 gracilis. L.C.	slender.	S. America.	——	....	S.♄.	
3 guianensis. L.C.	Guiana.	Guiana.	1824.	....	S.♄.	
4 humilis. S.s.	dwarf fan palm.	S. Europe.	1731.	2. 8.	G.♄.	Andr. reposit. 599.
5 serrulata. S.s.	saw-leaved.	N.America.	1809.	....	G.♄.	
6 Hystrix. S.s.	Porcupine.	Georgia.	1801.	....	G.♄.	
7 Palmetto. S.s.	smooth-stemm'd.	Carolina.	1809.	....	G.♄.	
LIVISTONA. B.P.	LIVISTONA.	Hexandria Monogynia. S.S.				
1 inermis. B.P.	spineless.	N.Holland.	1823.	....	S.♄.	
2 humilis. B.P.	dwarf spiny.	——	——	....	S.♄.	
LATANIA. W.	LATANIA.	Dicœcia Monadelphia. W.				
1 rubra. W.	red.	Mauritius.	1788.	....	S.♄.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	glaucous-leav'd.	——	1821.	....	S.♄.	
3 borbonica. W.	Bourbon.	Bourbon.	——	....	S.♄.	Jacq. frag. 1. t. 11.
chinensis. Jacq. *Livistona species?* B.P.						
CORYPHA. L.	FAN PALM.	Hexandria Monogynia. W.				
1 australis. B.P.	New Holland.	N. S. W.	1822.	....	S.♄.	
2 elata. H.B.	tall.	E. Indies.	1820.	....	S.♄.	
3 glaucescens. L.C.	glaucescent.	——	——	....	S.♄.	
4 umbraculifera. W.	great.	——	1742.	....	S.♄.	Rheed. mal. 3. t. 1-12.
5 Utan. S.s.	Molucca.	——	1822.	....	S.♄.	
TALIERA. S.S.	TALIERA.	Hexandria Monogynia. S.S.				
bengalensis. S.s.	Bengal.	E. Indies.	1822.	....	S.♄.	
Corypha Taliera. H.B.						
PHŒNIX. W.	DATE PALM.	Dicœcia Hexandria. W.				
1 dactylifera. W.	common.	Levant.	1597.	....	G.♄.	Kæmpf. am.686, t.1.2.
2 sylvestris. H.B.	wood.	E. Indies.	1820.	....	S.♄.	
3 paludosa. H.B.	marsh.	——	——	....	S.♄.	
4 reclinata. W.	reclining.	C. B. S.	1792.	....	G.♄.	Jacq. frag. 1. t. 24.
5 farinifera. W.	small.	E. Indies.	1800.	....	S.♄.	Roxb. corom. 1. t. 74.
6 acaulis. S.s.	stalkless.	——	1820.	....	S.♃.	
7 leonensis. L.C.	African.	SierraLeon.	——	....	S.♄.	
8 pygmæa. L.C.	pigmy.	.....	——	....	S.♃.	

SAGUS. W.	Sago Palm.	Monœcia Hexandria. W.					
1 Rumphii. W.	Rumphius's.	E. Indies.	1800.	....	S. ħ.	Rumph. amb. 1. t. 17. 18.
2 vinifera. P.S.	prickly-leaved.	Africa.	1820.	....	S. ħ.	Beauv. fl. d'ow. t. 45.
3 Ruffia. W.	Madagascar.	Madagascar.	——	....	S. ħ.	Jacq. frag. p. 7. t. 4. f. 2.
4 pedunculata. Poir.	peduncled.	——	——	....	S. ħ.	
HYPHÆNE. G.	Hyphæne. Dioecia Hexandria.					
coriacea. G.	leathery.	Egypt.	1822.	....	S. ħ.	
Cucifera thebaica. Del.						
ARECA. W.	Cabbage-tree. Monœcia Monadelphia. W.					
1 Catechu. W.	medicinal.	E. Indies.	1690.	....	S. ħ.	Roxb. corom. 1. t. 75.
2 humilis. W.	dwarf.	——	1814.	....	S. ħ.	Rumph. amb. 1. t. 7.
3 rubra. W.	red.	Isl. France.	1823.	....	S. ħ.	
4 crinita. W.	hairy.	——	1819.	....	S. ħ.	
5 oleracea. W.	esculent.	W. Indies.	1656.	....	S. ħ.	Jacq. amer. t. 170.
6 triandra. H.B.	three-anther'd	E. Indies.	1819.	....	S. ħ.	
7 lutescens. W.	yellowish.	Mauritius.	——	....	S. ħ.	
8 exilis. L.C.	slender.	.....	1822.	....	S. ħ.	
9 Manicot. L.C.	Manicot.	.....	——	....	S. ħ.	
10 montana. L.C.	mountain.	.....	1819.	....	S. ħ.	
ŒNOCARPUS. M.P.	Œnocarpus. Monœcia Hexandria.					
Batana. M.P.	American.	S. America.	1822.	....	S. ħ.	Martius. palm. ic.
EUTERPE. G.	Euterpe. Polygamia Monœcia.					
1 globosa. G.	globular.	E. Indies.	1819.	....	S. ħ.	
Areca spicata. Lam.						
2 pisifera. G.	Pea-bearing.	——	——	....	S. ħ.	
WALLICHIA. S.S.	Wallichia. Polygamia Monœcia.					
caryotoides. S.S.	Caryota-like.	E. Indies.	1818.	....	S. ħ.	Roxb. corom. ic.
ELAIS. W.	Oily Palm. Dioecia Hexandria. W.					
1 guineensis. W.	Guinea.	Guinea.	1730.	....	S. ħ.	Jacq. amer. t. 172.
2 melanococca. G.	black-fruited.	S. America.	1820.	....	S. ħ.	
3 pernambucana. L.C.	Pernambuca.	——	——	....	S. ħ.	
SYAGRUS. M.P.	Syagrus. Polygamia Monœcia.					
cocoides. M.P.	Cocoa-like.	Brazil.	1823.	....	S. ħ.	Martius palm. ic.
ELATE. W.	Elate. Monœcia Hexandria.					
sylvestris. W.	prickly-leaved.	E. Indies.	1763.	4. 6.	S. ħ.	Rheed. mal. 3. t. 23-25.
ACROCOMIA. M.P.	Acrocomia. Monœcia Hexandria.					
1 sclerocarpa. M.P.	dry-fruited.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
2 aculeata. L.C.	prickly.	W. Indies.	1796.	....	S. ħ.	Jacq. amer. 278. t. 169.
Cocos aculeata. W.						
3 fusiformis.	great Macaw-tree.	——	1731.	....	S. ħ.	
Cocos fusiformis. W.						
4 minor. L.C.	lesser.	S. America.	1823.	....	S. ħ.	
COCOS. W.	Cocoa-nut-tree. Monœcia Hexandria. W.					
1 nucifera. W.	common.	E. Indies.	1690.	....	S. ħ.	Roxb. corom. 1. t. 73.
2 flexuosa. M.P.	flexuose.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
3 plumosa. L.C.	feathered.	W. Indies.	——	....	S. ħ.	
MAXIMILIANA. M.P.	Maximiliana. Polygamia Monœcia.					
regia. M.P.	membranous-fld.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
THRINAX. W.	Thrinax. Hexandria Monogynia. W.					
parviflora. W.	small.	Jamaica.	1778.	....	S. ħ.	
ASTROCARYUM. M.P.	Astrocaryum. Monœcia Hexandria.					
1 acaule. M.P.	stalkless.	Brazil.	1823.	....	S. ♃.	Mart. palm. ic.
2 campestre. M.P.	field.	——	1824.	....	S. ħ.	—— ic.
3 aculeatum. S.S.	prickly.	Guiana.	——	....	S. ħ.	
4 vulgare. M.P.	common.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
5 Murumuru. M.P.	tall.	——	——	....	S. ħ.	—— —— ic.
GEONOMA. W.	Geonoma. Dioecia Hexandria.					
1 simplicifrons. W.	simple-fronded.	S. America.	1823.	....	S. ♃.	
2 macrostachys. M.P.	large-spiked.	——	——	....	S. ♃.	Mart. palm. ic.
3 acaulis. M.P.	stalkless.	Brazil.	1822.	....	S. ♃.	—— —— ic.
4 pinnatifrons. W.	pinnated.	S. America.	——	....	S. ♃.	
5 Schottiana. L.C.	Schott's.	Brazil.	——	....	S. ♃.	
MAURITIA. L.	Mauritia. Dioecia Hexandria. W.					
1 flexuosa. W.	flexuose.	W. Indies.	1819.	....	S. ħ.	
2 armata. M.P.	spiny.	Brazil.	1822.	....	S. ħ.	Mart. palm. ic.
3 vinifera. M.P.	straight-stem'd.	——	——	....	S. ħ.	—— —— ic.
LICUALA. W.	Licuala. Hexandria Monogynia. W.					
1 spinosa. W.	spiny.	E. Indies.	1802.	....	S. ħ.	Rumph. amb. 1. t. 9.
2 peltata. H.B.	peltate.	——	1819.	....	S. ħ.	

CALAMUS. W.	CALAMUS. Hexandria Monogynia. S.S.						
1 verus. S.S.	true.	E. Indies.	1820.	....	S. ½.	Rumph. amb. 5. t. 54.
2 niger. S.S.	black.	———	——	....	S. ½.	——— 5. t. 52.
3 Zalacca. S.S.	Java.	———	1812.	....	S. ½.	Gært. fr. 2. t. 130. f. 2.
4 albus. P.S.	common.	———	——	....	S. ½.	Rumph. amb. 5. f. 52.
5 Draco. S.S.	Dragon.	———	1819.	....	S. ½.	——— 5. t. 58. f. 1.
SEAFORTHIA. B.P.	SEAFORTHIA. Polygamia Monœcia.						
elegans. B.P.	elegant.	N. Holland.	1822.	....	S. ½.	
CARYOTA. W.	CARYOTA. Monœcia Polyandria. W.						
1 urens. W.	torn-leaved.	E. Indies.	1788.	....	S. ½.	Rheed. mal. 1. t. 11.
2 horrida. W.	horrid.	S. America.	1820.	....	S. ½.	
DIPLOTHEMIUM. M.P.	DIPLOTHEMIUM. Polygamia Monœcia.						
1 maritimum. M.P.	sea-side.	Brazil.	1823.	....	S. ¼.	Mart. palm. ic.
2 campestre. M.P.	field.	———	——	....	S. ¼.	——— ——— ic.
ATTALEA. K.S.	ATTALEA. Monœcia Polyandria.						
1 humilis. M.P.	dwarf.	Brazil.	1823.	....	S. ½.	Mart. palm. ic.
2 compta. M.P.	decked.	———	——	....	S. ½.	——— ——— ic.
3 funifera. M.P.	rope-bearing.	———	——	....	S. ½.	——— ——— ic.
4 excelsa. M.P.	lofty.	———	——	....	S. ½.	——— ——— ic.
5 speciosa. M.P.	handsome.	———	1824.	....	S. ½.	——— ——— ic.
6 Rossii. L.C.	Ross's.	———	——	....	S. ½.	
7 spectabilis. L.C.	showy.	———	——	....	S. ½.	
GOMUTUS. S.S.	GOMUTUS. Monœcia Polyandria.						
saccharifer. S.S.	sugar-bearing.	E. Indies.	1820.	....	S. ½.	
MANICARIA. G.	MANICARIA. Polygamia Monœcia.						
saccifera. G.	bag-like.	E. Indies.	1822.	....	S. ½.	Gært. sem. 2. t. 176.
BORASSUS. W.	BORASSUS. Dicœcia Hexandria. W.						
flabelliformis. W.	fan-leaved.	E. Indies.	1771.	....	S. ½.	Roxb. corom. 1. t. 71. 72.
NIPA. W.	NIPA. Monœcia Monadelphia. W.						
fruticans. W.	shrubby.	E. Indies.	1822.	....	S. ½.	Rumph. amb. 1. t. 16.
DESMONCUS. M.P.	DESMONCUS. Monœcia Monadelphia.						
1 polyacanthus. M.P.	many-spined.	Brazil.	1822.	....	S. ½.	Mart. palm. ic.
2 orthacanthus. M.P.	long-spined.	———	——	....	S. ½.	——— —— ic.
3 americanus. L.C.	American.	S. America.	1823.	....	S. ½.	
4 dubius. L.C.	doubtful.	———	——	....	S. ½.	
BACTRIS. W.	BACTRIS. Monœcia Hexandria. W.						
1 pectinata. M.P.	pectinated.	Brazil.	1825.	....	S. ½.	Mart. palm. ic.
2 cuspidata. M.P.	sharp-pointed.	———	——	....	S. ½.	
3 minor. W.	lesser.	S. America.	1691.	....	S. ½.	Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	large-spined.	Brazil.	1822.	....	S. ½.	Mart. palm. ic.
5 major. W.	greater.	Carthagena.	1800.	....	S. ½.	Jacq. amer. t. 171. f. 2.
6 caryotæfolia. M.P.	Caryota-leaved.	Brazil.	1825.	....	S. ½.	Mart. palm. ic.

ORDO CXCII.

JUNCEÆ. *Brown prodr.* 1. *p.* 257.

XEROTES. B.P.	XEROTES. Dicœcia Hexandria.					
1 flexifolia. B.P.	bending-leav'd.	N. S. W.	1819.	6. 8.	F. ¼.	Thunb. diss. drac. 17. f. 2
2 mucronata. B.P.	mucronated.	———	1823.	——	F. ¼.	
3 filiformis. B.P.	filiform.	———	——	——	F. ¼.	Th. dis. drac. n. 1. ic.
Dracæna filiformis. Th.						
4 denticulata. B.P.	toothed.	———	1825.	——	F. ¼.	
5 laxa. B.P.	loose-flowered.	———	1819.	——	F. ¼.	
6 rigida. B.P.	stiff-leaved.	N. Holland.	1796.	6. 7.	F. ¼.	Lodd. bot. cab. 798.
Lomandra rigida. Lab. n. hol. 1. t. 120.						
7 montana. B.P.	mountain.	N. S. W.	1824.	——	F. ¼.	
8 longifolia. B.P.	long-leaved.	———	1796.	——	F. ¼.	Lab. nov. hol. 1. t. 19.
Lomandra longifolia. Lab.						
9 Hystrix. B.P.	Porcupine.	———	1823.	——	F. ¼.	
10 æmula. B.P.	rival.	———	——	——	F. ¼.	
PLEEA. M.	PLEEA. Enneandria Trigynia. Ph.					
tenuifolia. M.	slender-leaved.	Carolina.	1812.	5. 8.	F. ¼.	Botan. magaz. 1956.

ARTHECIUM. E.B.	NARTHECIUM.	Hexandria Monogynia.					
1 ossifragum. E.B.	Lancashire Asphodel.	Britain.	....	7. 8.	H.4.	Eng. bot. 535.
2 americanum. B.M.	American.	N.America.	1811.	——	H.4.	Botan. magaz. 1505.
LUZULA. DC.	WOODRUSH.	Hexandria Monogynia. S.S.				
1 vernalis. DC.	spring.	Britain.	....	3. 5.	H.4.	Eng. bot. 736.
Juncus pilosus. E.B.						
2 flavescens. S.S.	yellowish.	S. Europe.	1817.	——	H.4.	Host. gram. 3. t. 94.
3 Forsteri. DC.	Forster's.	England.	....	5. 6.	H.4.	Eng. bot. 1293.
4 glabratus. S.S.	smooth.	Switzerland.	1825.	——	H.4.	
5 albida. DC.	white.	——	1815.	——	H.4.	Leers. herb. t. 13. f. 6.
6 lutea. DC.	yellow.	——	——	——	H.4.	
7 spadicea. DC.	light red.	Europe.	1816.	——	H.4.	Vill. delph. 2. t. 6.
8 nivea. DC.	snowy.	Switzerland.	1770.	——	H.4.	Scheuch. gram. t. 7. f. 7.
9 maxima. DC.	wood.	Britain.	....	5.	H.4.	Eng. bot. 737.
Juncus sylvaticus. E.B.						
10 arcuata. S.S.	fringe-bracted.	Scotland.	....	7.	H.4.	Wahl. lapp. t. 4.
11 spicata. DC.	spiked.	——	....	——	H.4.	Eng. bot. 1176.
12 congesta. S.S.	close-headed.	Britain.	....	6.	H.4.	Purt. suppl. t. 9.
Juncus liniger. PURT.						
13 sudetica. DC.	Swedish.	Sweden.	1824.	——	H.4.	Krock. siles. t. 52.
14 pediformis. DC.	foot-shaped.	S. Europe.	1822.	5. 6.	H.4.	
15 campestris. DC.	field.	Britain.	....	4. 5.	H.4.	Eng. bot. 672.
16 multiflora. S.S.	many-flowered.	Europe.	1822.	5. 6.	H.4.	
JUNCUS. DC.	RUSH.	Hexandria Monogynia. L.				
1 polycephalus. E.F.	many-headed.	Scotland.	....	6. 7.	H.4.	
2 obtusiflorus. L.T.	blunt-flowered.	Britain.	....	7. 8.	H.4.	Eng. bot. 2144.
3 lampocarpus. L.T.	shining-fruited.	——	....	——	H.4.	—— 2143.
4 acutiflorus. L.T.	sharp-flowered.	——	....	6. 7.	H.4.	—— 238.
articulatus. E.B.						
5 subverticillatus. L.T.	whorled.	——	....	7. 8.	H.4.	Flor. dan. t. 817.
6 castaneus. E.B.	black-spiked.	Scotland.	....	7.	H.4.	Eng. bot. 900.
7 biglumis. E.B.	two-flowered.	——	....	8.	H.4.	—— 898.
8 triglumis. E.B.	three-flowered.	Britain.	....	7.	H.4.	—— 899.
9 capitatus. S.S.	headed.	——	....	5. 7.	H.⊙.	Weig. obs. t. 2. f. 5.
10 supinus. L.T.	dwarf.	——	....	7.	H.4.	Flor. dan. 1099.
11 uliginosus. E.B.	little bulbous.	——	....	7. 8.	H.4.	Eng. bot. 801.
12 trifidus. E.B.	three-leaved.	Scotland.	....	——	H.4.	—— 1482.
13 Gesneri. E.F.	Gesner's.	——	....	7.	H.4.	—— 2174.
gracilis. E.B. not B.P.						
14 bufonius. E.B.	toad.	Britain.	....	6. 8.	H.4.	Eng. bot. 802.
15 cœnosus. L.T.	mud.	——	....	7. 8.	H.4.	
16 compressus. L.T.	round-fruited.	——	....	——	H.4.	Eng. bot. 934.
bulbosus. E.B.						
17 squarrosus. E.B.	Goose-corn.	——	....	6. 7.	H.4.	—— 933.
18 Tenageia. S.S.	annual.	Europe.	1816.	——	H.⊙.	Flor. dan. t. 1160.
19 aristatus. M.	awned.	N.America.	1820.	——	H.4.	
20 plebeius. B.P.	linear-leaved.	N. S. W.	1816.	——	F.4.	
21 planifolius. B.P.	flat-leaved.	——	1822.	7. 8.	F.4.	
22 pauciflorus. B.P.	few-flowered.	——	——	——	F.4.	
23 vaginatus. B.P.	sheathed.	——	1823.	——	F.4.	
24 filiformis. E.B.	least.	Britain.	....	8.	H.4.	Eng. bot. 1175.
25 arcticus. W.	arctic.	Scotland.	....	7. 8.	H.4.	Flor. dan. t. 1095.
26 effusus. E.B.	soft.	Britain.	....	5. 8.	H.4.	Eng. bot. 836.
27 conglomeratus. E.B.	common.	——	....	6. 7.	H.4.	—— 835.
28 glaucus. E.B.	glaucous.	——	....	7. 8.	H.4.	—— 665.
29 maritimus. E.B.	sea-side.	——	....	8.	H.4.	—— 1725.
30 acutus. E.B.	great sharp sea.	——	....	7. 8.	H.4.	—— 1614.
? FLAGELLARIA. L.	FLAGELLARIA.	Hexandria Trigynia. L.				
indica. L.	Indian.	India.	1782.	6. 7.	S.ħ.	Redout. lil. 257.
? PHILYDRUM. B.P.	PHILYDRUM.	Monandria Monogynia. B.M.				
lanuginosum. B.P.	woolly.	N. S. W.	1801.	6. 7.	S.w.♂.	Botan. magaz. 783.
? BURMANNIA. L.	BURMANNIA.	Triandria Monogynia.				
1 distachya. B.P.	two-spiked.	N. S. W.	1822.	6. 8.	G.w.4.	Burm. zeyl. t. 20. f. 1.
2 biflora. L.	two-flowered.	Virginia.	....	9.	G.w.4.	
? GILLIESIA. B.R.	GILLIESIA.	Hexandria Monogynia.				
graminea. B.R.	Grass-like.	S. America.	1824.	5. 7.	G.4.	Botan. regist. 992.

ORDO CXCIII.

RESTIACEÆ. *Brown prodr. p.* 243.

XYRIS. B.P. XYRIS. Triandria Monogynia. L.

1 lævis. B.P.	smooth.	N. S. W.	1819.	6. 8.	G. 4.	
2 bracteata. B.P.	bracteate.	———	1825.	——	G. 4.	
3 juncea. B.P.	rushy.	———	1822.	——	G. 4.	
4 gracilis. B.P.	slender.	V.Diem.Isl.	1821.	——	G. 4.	
5 operculata. B.P.	rush-leaved.	N. S. W.	1804.	6. 7.	G. 4.	Botan. magaz. 1158.
6 brevifolia. M.	short-leaved.	Carolina.	1812.	6. 8.	F. 4.	

ERIOCAULON. L. PIPEWORT. Triandria Trigynia. L.

1 septangulare. B.B.	jointed.	Scotland.	....	9.	H.w.4.	Eng. bot. 783.
2 australe. B.P.	New Holland.	N. S. W.	1822.	8. 10.	G.w.4.	

HYPOLÆNA. B.P. HYPOLÆNA. Dicœcia Triandria.

1 fastigiata. B.P.	crowded.	N. S. W.	1821.	6. 8.	F.4.	
2 exsulca. B.P.	round-stalked.	———	——	——	F.4.	

LEPTOCARPUS. B.P. LEPTOCARPUS. Dicœcia Triandria.

tenax. B.P.	tough.	N. S. W.	1824.	6. 8.	F.4.	Lab. nov. holl. 2. t.229.
Schœnodum tenax femina. Lab.						

ELEGIA. W. ELEGIA. Dicœcia Triandria. W.

1 juncea. W.	Rush-like.	C. B. S.	1789.	7. 8.	F.4.	Rottb. gram. 10.t.3.f.2
2 racemosa. W.	racemed.	———	1804.	5. 6.	F.4.	Lam. ill. t. 884. f. 4.

LEPYRODIA. B.P. LEPYRODIA. Dicœcia Triandria.

gracilis. B.P.	slender.	N. S. W.	1823.	5. 6.	F.4.	

WILLDENOVIA. S.S. WILLDENOVIA. Dicœcia Triandria. W.

1 striata. S.S.	striated.	C. B. S.	1816.	6. 8.	F.4.	Th.act.hol.1790.t.2.f.1.
2 teres. S.S.	round-stalked.	———	1790.	——	F.4.	——— 1790.t.2.f.2.

THAMNOCHORTUS. B.P. THAMNOCHORTUS. Dicœcia Triandria.

dichotomus. B.P.	forked.	C. B. S.	1816.	6. 8.	F.4.	Rottb. gram. t. 2. f. 1.

RESTIO. B.P. ROPE-GRASS. Dicœcia Triandria. L.

1 australis. B.P.	southern.	V.Diem.Isl.	1812.	4. 6.	F.4.	
2 gracilis. B.P.	slender.	N. S. W.	1823.	6. 8.	F.4.	
3 tectorum. S.S.	thatch.	C. B. S.	1793.	5. 6.	F.4.	Rottb.gram.10. t.3. f.2.
4 vaginatus. S.S.	sheathed.	———	1816.	——	F.4.	
5 fastigiatus. B.P.	crowded.	N. S. W.	1824.	——	F.4.	
6 virgatus. S.S.	twiggy.	C. B. S.	1816.	——	F.4.	Rottb. gram. t. 1. f. 2.
7 paniculatus. S.S.	panicled.	———	——	——	F.4.	——— t. 2. f. 3.
8 laterifloras. B.P.	side-flowering.	N. S. W.	1819.	——	F.4.	Labil. nov. hol.2. t.226.
Calorophus elongata. Lab.						
9 tetraphyllus. B.P.	four-leaved.	———	1825.	——	F.4.	——— 2. t. 226.

ORDO CXCIV.

CYPERACEÆ. *Brown prodr.* 1. *p.* 212.

CAREX. L. SEDGE. Monœcia Triandria. L.

1 dioica. W.	dicœcious.	Britain.	....	5. 6.	H.4.	Eng. bot. 543.
2 Davalliana. W.	Davall's.	———	....	——	H.4.	——— 2123.
3 pauciflora. E.B.	few-flowered.	———	....	6.	H.4.	——— 2041.
4 pyrenaica. S.S.	Pyrenean.	Pyrenees.	1816.	——	H.4.	
5 pulicaris. E.B.	Flea.	Britain.	....	6. 7.	H.4.	Eng. bot. 1051.
6 Fraseriana. H.K.	Fraser's.	N.America.	1809.	4. 6.	H.4.	Botan. magaz. 1391.
7 cyperoides. S.S.	Bohemian.	Bohemia.	1801.	6. 7.	H.4.	Schk. caric. t. A. f. 5.
8 fœtida. S.S.	stinking.	Switzerland.	1791.	7. 8.	H.4.	——— t. Hh. f. 96.
9 incurva. E.B.	curved.	Scotland.	....	——	H.4.	Eng. bot. 927.
10 stenophylla. S.S.	slender-leaved.	Europe.	1824.	——	H.4.	Schk. caric. t. G. f. 32.

11	chordorrhiza. s.s.	creeping-root'd.	Germany.	1824.	7. 8.	H.4.	Schk. caric. t. G. f. 31.
12	stellulata. E.B.	little prickly.	Britain.	....	5. 6.	H.4.	Eng. bot. 806.
13	rosea. s.s.	Rose.	N.America.	1812.	——	H.4.	Schk. caric. Zzz. f.179.
14	fœnea. s.s.	short-spiked.	———	1819.	——	H.4.	
15	muricata. E.B.	greater prickly.	Britain.	....	——	H.4.	Eng. bot. 1097.
16	brizoides. s.s.	Briza-like.	Germany.	1815.	5. 7.	H.4.	Host. gram. 36. t. 47.
17	argyroglochin. s.s.	silver-spiked.	———	1823.	——	H.4.	
18	straminea. s.s.	slender-stalked.	N.America.	1803.	6. 7.	H.4.	Schk.caric.t.Xxx.f.174
19	stipata. s.s.	sharp-scaled.	———	1820.	——	H.4.	——— t.Hhh.f.132.
20	Schreberi. s.s.	Schreber's.	Germany.	1800.	——	H.4.	Host. gram. 1. t. 46.
21	ovalis. E.B.	oval-spiked.	Britain.	....	——	H.4.	Eng. bot. 806.
22	curta. E.B.	white.	———	....	6.	H.4.	——— 1386.
23	divisa. E.B.	bracteated.	———	....	5. 7.	H.4.	——— 1096.
24	sparganioides. s.s.	Sparganium-like.	N. Amer.	1822.	——	H.4.	Schk.caric.t.Lll.f.142.
25	arenaria. E.B.	sand.	Britain.	....	6. 7.	H.4.	Eng. bot. 928.
26	intermedia. E.B.	soft brown.	———	....	5. 7.	H.4.	——— 2042.
27	schœnoides. W.	Schœnus-like.	Austria.	1819.	——	H.4.	Host. gram. 1. t. 45.
28	lagopodioides. W.	Hare's-foot.	N.America.	1805.	6. 7.	H.4.	Schk.caric.t.Yyy.f.177
29	elongata. E.B.	elongated.	England.	....	5. 6.	H.4.	Eng. bot. 1920.
30	remota. E.B.	remote.	Britain.	....	——	H.4.	——— 832.
31	axillaris. E.B.	axillary.	England.	....	——	H.4.	——— 993.
32	divulsa. E.B.	gray.	Britain.	...	5.	H.4.	——— 629.
33	nemorosa. s.s.	shady wood.	Germany.	....	5. 7.	H.4.	
34	vulpina. E.B.	great spiked.	Britain.	....	5. 8.	H.4.	Eng. bot. 807.
35	appressa. E.P.	close-spiked.	N. S. W.	1802.	——	F.4.	
36	inversa. E.P.	inversed.	———	1820.	——	F.4.	
37	scoparia. W.	broom.	N.America.	1812.	6. 7.	H.4.	Schk.caric.t.Xxx.f.175
38	multiflora. W.	many-flowered.	———	1819.	——	H.4.	——— t. Lll. f. 144.
39	paradoxa. W.	paradoxical.	Germany.	——	——	H.4.	——— t. E. f. 21.
40	teretiuscula. E.B.	lesser-panicled.	Britain.	....	5. 6.	H.4.	Eng. bot. 1065.
41	paniculata. E.B.	great panicled.	England.	....	6. 7.	H.4.	——— 1064.
42	tenella. E.P.	slender.	Scotland.	....	6.	H.4.	Schk. caric. t. P. f.104.
43	norvegica. W.	Norway.	Norway.	1823.	——	H.4.	——— t. S. f. 66.
44	atrata. E.B.	black.	Britain.	....	6. 7.	H.4.	Eng. bot. 927.
45	bicolor. W.	two-coloured.	Switzerland.	1823.	——	H.4.	Sch.car. t.Aaaa. f.181.
46	pedunculata. W.	peduncled.	N. America.	——	——	H.4.	——— t. Ggg. f. 131.
47	longifolia. E.P.	long-leaved.	N. S. W.	——	——	F.4.	
48	thuringiaca. W.	Thuringian.	Hungary.	——	——	H.4.	Schk.caric.t.Ppp.f.155
49	Buxbaumii. W.	Buxbaum's.	S. Europe.	1819.	5. 6.	H.4.	——— t. X. f. 76.
50	glareosa. W.	narrow-leaved.	Norway.	——	——	H.4.	——— t.Aaa.f.97.
51	clandestina. E.B.	dwarf silvery.	Britain.	....	5.	H.4.	Eng. bot. 2124.
52	digitata. E.B.	fingered.	England.	....	5. 6.	H.4.	——— 615.
53	plantaginea. W.	broad-leaved.	N.America.	1805.	——	H.4.	Schk. caric. t.U. f.70.
54	pilulifera. E.B.	round-headed.	Britain.	....	4. 6.	H.4.	Eng. bot. 885.
55	montana. s.s. *collina.* W.	mountain.	Europe.	1819.	5. 6.	H.4.	Schk. caric. t.F. f. 29.
56	ciliata. W.	fringed.	Germany.	——	——	H.4.	Schk. caric. t. I. f. 42.
57	præcox. E.B.	vernal.	Britain.	....	4.	H.4.	Eng. bot. 1099.
58	tomentosa. E.B.	downy-fruited.	England.	....	6.	H.4.	——— 2046.
59	extensa. E.B.	long-bracted.	Britain.	....	——	H.4.	——— 838.
60	flava. E.B.	yellow.	———	....	5. 6.	H.4.	——— 1294.
61	Œderi. E.B.	Œder's.	England.	....	6. 7.	H.4.	——— 1773.
62	alba. W.	bristle-leav'd.	Germany.	1819.	——	H.4.	Host. gram. 1. t. 59.
63	Mielichoferi. E.B.	loose-spiked.	Scotland.	....	7. 8.	H.4.	Eng. bot. 2293.
64	ferruginea. W.	ferruginous.	Europe.	1820.	6. 8.	H.4.	Schk. caric. t.M. f. 48.
65	saxatilis. W.	rock.	N. Europe.	——	——	H.4.	——— t. I. f. 40.
66	rigida. E.B.	rigid.	Britain.	....	6. 7.	H.4.	Eng. bot. 2047.
67	pulla. E.B.	russet.	Scotland.	....	7.	H.4.	——— 2045.
68	cæspitosa. E.B.	tufted bog.	Britain.	....	5. 6.	H.4.	——— 1507.
69	stricta. E.B.	straight-leaved.	———	....	4. 5.	H.4.	——— 914.
70	alpestris. W.	Alpine.	Europe.	1804.	5. 6.	H.4.	Schk. caric. t.G. f. 35.
71	nitida. W.	glossy.	Austria.	1805.	——	H.4.	Host. gram. 1. t. 71.
72	umbrosa. W.	shade.	———	1818.	6. 7.	H.4.	——— 1. t. 69.
73	granularis. W.	grain-seeded.	N.America.	1807.	——	H.4.	Schk.caric.t.Vvv.f.169
74	anceps. W.	two-edged.	———	1805.	7. 8.	H.4.	——— t.Fff. f.128.
75	demissa. s.s.	low.	Norway.	1825.	——	H.4.	
76	binervis. E.B.	green-ribbed.	Britain.	....	6.	H.4.	Eng. bot. 1235.
77	distans. E.B.	loose.	———	....	——	H.4.	——— 1234.
78	fulva. E.B.	tawny.	———	....	6. 7.	H.4.	——— 1295.

79	Michelii. W.	Michell's.	Europe.	1818.	6. 7.	H. 4.	Host. gram. 1. t. 72.
80	pendula. E.B.	great pendulous.	Britain.	....	5. 6.	H. 4.	Eng. bot. 2315.
81	strigosa. E.B.	loose pendulous.	———	....	——	H. 4.	——— 994.
82	depauperata. E.B.	starved-wood.	England.	....	6. 7.	H. 4.	——— 1098.
83	pilosa. S.S.	hairy.	Germany.	1819.	——	H. 4.	Schk. caric. t. M. f.49.
84	panicea. E.B.	Pink-leaved.	Britain.	....	5. 7.	H. 4.	Eng. bot. 1505.
85	oligocarpa. W.	few-seeded.	N.America.	1825.	——	H. 4.	Schk.caric.t.Vvv.f.178
86	rostrata. W.	beaked.	———	1818.	——	H. 4.	——— t.Hhh.f.134.
87	conglobata. W.	globular-fruit'd.	Hungary.	——	——	H. 4.	
88	sylvatica. E.B.	wood.	Britain.	....	5. 6.	H. 4.	Eng. bot. 995.
	Drimeja. W.						
89	Pseudocyperus. W.	Bastard Cypress.	———	....	6. 7.	H. 4.	Eng. bot. 242.
90	juncea. S.S.	rush-like.	N.America.	1823.	——	H. 4.	
91	pallescens. E.B.	pale.	Britain.	....	4. 6.	H. 4.	Eng. bot. 2185.
92	limosa. E.B.	green and gold.	———	....	6.	H. 4.	——— 2043.
93	rariflora. E.B.	loose-flowered.	Scotland.	....	——	H. 4.	——— 2516.
94	capillaris. E.B.	capillary.	Britain.	....	7. 8.	H. 4.	——— 2069.
95	lævigata. E.B.	smooth-stalked.	———	....	5. 6.	H. 4.	——— 1387.
96	ustulata. E.B.	scorched alpine.	Scotland.	....	6. 7.	H. 4.	——— 2404.
97	flexuosa. W.	bending.	N.America.	1807.	——	H. 4.	Schk.car.t.Ddd.f.124.
98	recurva. E.B.	glaucous heath.	England.	....	5. 6.	H. 4.	Eng. bot. 1506.
	β *Micheliana.* E.B.	*smooth-fruited.*	———	....	——	H. 4.	——— 2236.
99	nutans. W.	nodding.	Austria.	1815.	6. 7.	H. 4.	Host. gram. 1. t. 83.
100	acuminata. W.	taper-pointed.	Istria.	1819.	——	H. 4.	——— 1. t. 97.
101	hirta. E.B.	hairy.	Britain.	....	5. 6.	H. 4.	Eng. bot. 685.
102	filiformis. E.B.	slender-leaved.	———	....	6. 7.	H. 4.	——— 904.
103	acuta. E.B.	slender-spiked.	———	....	5. 6.	H.w. 4.	——— 580.
104	paludosa. E.B.	lesser common.	———	....	——	H.w. 4.	——— 807.
105	riparia. E.B.	great common.	———	....	4. 6.	H.w. 4.	——— 579.
106	vesicaria. E.B.	short-spiked.	———	....	5. 6.	H. 4.	——— 779.
107	ampullacea. E.B.	slender-beak'd.	———	....	——	H. 4.	——— 780.
108	bullata. W.	blistered.	N.America.	1811.	6.	H. 4.	Schk.caric.Uuu.f.166.
109	hordeiformis. W.	Barley-like.	France.	1805.	6. 7.	H. 4.	
110	crinita. W.	haired.	N.America.	1807.	——	H. 4.	Schk.caric.t.Eee.f.125
111	aquatilis. W.	water.	Lapland.	1819.	——	H.w. 4.	
112	secalina. W.	rye-like.	Europe.	1820.	——	H. 4.	Schk.caric.t.Ddd.f.121
113	salina. W.	salt marsh.	Norway.	....	6.	H. 4.	
KOBRESIA. W.		KOBRESIA.	Monœcia Triandria. W.				
	caricina. W.	Carex-like.	Britain.	....	8.	H. 4.	Eng. bot. 1410.
	Schœnus monoicus, E.B. *Carex hybrida.* S.S.						
SCLERIA. W.		SCLERIA.	Monœcia Triandria. W.				
1	hirtella. W.	hairy.	N.America.	1822.	6. 7.	H. 4.	
2	ciliata. W.	fringed.	———	1823.	——	H. 4.	
SCHŒNUS. B.P.		BOG-RUSH.	Triandria Monogynia. L.				
1	nigricans. W.	black.	Britain.	....	7.	H.w. 4.	Eng. bot. 1121.
1	mucronatus. R.S.	clustered.	S. Europe.	1781.	4. 5.	H.w. 4.	Flor. græc. 1. t. 43.
3	imberbis. B.P.	beardless.	N. S. W.	1818.	4. 5.	F. 4.	
4	melanostachys. B.P.	black-spiked.	———	1822.	6. 8.	F. 4.	
CHÆTOSPORA. B.P.		CHÆTOSPORA.	Triandria Monogynia. S.S.				
1	ferruginea. S.S.	brown.	Switzerland.	1818.	7. 8.	H.w. 4.	Host. gram. 4. t. 71.
	Schœnus ferrugineus. R.S.						
2	turbinata. B.P.	turbinate.	N. S. W.	1822.	——	F. 4.	
LEPIDOSPERMA. B.P.		LEPIDOSPERMA.	Triandria Monogynia. S.S.				
1	gladiata. B.P.	flat-stemmed.	N.Holland.	1819.	7. 8.	F.w. 4.	Lab. nov. hol. 1. t. 12.
DULICHIUM. P.S.		DULICHIUM.	Triandria Monogynia. S.S.				
	spathaceum. P.S.	sheathed.	N.America.	1818.	7. 8.	H.w. 4.	Pluk. alm. t. 301. f. 1.
RHYNCHOSPORA. R.S.		RHYNCHOSPORA.	Triandria Monogynia. S.S.				
1	alba. R.S.	white headed.	Britain.	....	8.	H.w. 4.	Eng. bot. 985.
	Schœnus albus. E.B.						
2	fusca. R.S.	brown-headed.	———	....	——	H.w. 4.	Eng. bot. 1575.
3	distans. Ph.	filiform-leaved.	N.America.	1820.	7. 8.	H.w. 4.	
4	comata. R.S.	leafy.	Brazil.	——	——	S.w. 4.	
CLADIUM. B.P.		CLADIUM.	Diandria Monogynia. S.S.				
1	Mariscus. B.P.	prickly.	England.	....	7. 8.	H.w. 4.	Eng. bot. 950.
	Schœnus Mariscus. E.B. *Mariscus germanicus.* R.S.						
2	glomeratum. B.P.	close-headed.	N. S. W.	1819.	——	F.w. 4.	
3	junceum. B.P.	rushy.	———	1823.	——	F.w. 4.	
4	schœnoides. B.P.	Bogrush-like.	———	——	——	F.w. 4.	Lab. nov. hol. 1. t. 18.
	Schœnus acutus. Lab.						

FIMBRISTYLIS. B.P. FIMBRISTYLIS. Triandria Monogynia. R.S.

1	annua. R.S.	annual.	S. Europe.	1818.	7. 9.	H.w.⊙.	Host. gram. 3. t. 63.
2	pubernla. R.S.	pubescent.	N.America.	1820.	7. 8.	H.4.	
3	dichotoma. R.S.	forked.	E. Indies.	1817.	7. 9.	S.w.⊙.	Rottb. gram. t. 13. f.1.

ABILDGAARDIA. B.P. ABILDGAARDIA. Triandria Monogynia. R.S.

1	monostachya. B.P.	one-spiked.	W. Indies.	1819.	6. 8.	S.4.	Sloan. jam. 1. t.79. f.2.

ELEOCHARIS. B.P. ELEOCHARIS. Triandria Monogynia. R.S.

1	acuta. B.P.	acute-scaled.	N. S. W.	1819.	7. 8.	F.w.4.	
2	geniculata. R.S.	jointed.	America.	——	——	F.w.4.	Sloan. hist. 1. t. 88. f.1.
3	palustris. R.S. *Scirpus palustris.* E.B.	marsh.	Britain.	....	7.	H.w.4.	Eng. bot. 181.
4	ovata. R.S.	ovate.	Germany.	1818.	7. 8.	H.w.4.	Host. gram. 3. t. 56.
5	multicaulis. E.B. *Scirpus multicaulis.* E.B.	many-stalked.	Britain.	....	7.	H.w.4.	Eng. bot. 1187.
6	acicularis. R.S.	upright needle.	————	....	——	H.w.4.	Eng. bot. 749.
7	obtusa. R.S.	obtuse-scaled.	N.America.	1818.	7. 8.	H.w.4.	
8	glaucescens. R.S.	glaucous.	————	1819.	——	H.w.4.	
9	tenuis. R.S.	slender.	————	——	——	H.w.4.	

ISOLEPIS. B.P. ISOLEPIS. Triandria Monogynia. R.S.

1	fluitans. R.S. *Scirpus fluitans.* E.B.	floating.	Britain.	....	7. 8.	H.w.4.	Eng. bot. 216.
2	gracilis. *nodosa.* E.B. *Scirpus gracilis.* L.T. 10. f. 15. f.2.	knotted.	N. Holland.	1820.	——	G.w.4.	Rottb. gram. 52. t.8. f.1.
3	setacea. R.S.	bristle-like.	Britain.	....	7. 8.	H.w.⊙.	Eng. bot. 1698.
4	Holoschœnus. R.S.	round-headed.	————	....	——	H.w.4.	———— 1612.
5	romana. R.S.	Roman.	S. Europe.	....	——	H.w.4.	Jacq. aust. 5. t. 446.
6	complanata. R.S.	flat-stemmed.	E. Indies.	1823.	....	S.w.4.	

SCIRPUS. B.P. CLUB-RUSH. Triandria Monogynia. L.

1	cæspitosus. E.B.	scaly-stalked.	Britain.	....	7.	H.w.4.	Eng. bot. 1029.
2	pauciflorus. E.B. *Bæothryon.* R.S.	chocolate-headed.	————	....	8.	H.w.4.	———— 1122.
3	mucronatus. R.S.	mucronated.	————	....	——	H.w.4.	Scheuch. agr. t.9.f.14.
4	Luzulæ. R.S.	clustered.	E. Indies.	1776.	7. 9.	S.w.4.	
5	lacustris. E.B.	tall.	Britain.	....	7.	H.w.4.	Eng. bot. 666.
6	glaucus. E.B.	glaucous.	England.	....	7. 8.	H.w.4.	———— 2321.
7	caricinus. S.S. *Schœnus compressus.* E.B.	compressed.	Britain.	....	7.	H.w.4.	———— 791.
8	rufus. S.S. *Schœnus rufus.* E.B.	rusty.	————	....	6. 7.	H.w.4.	Eng. bot. 1010.
9	triqueter. E.B.	triangular.	England.	....	8.	H.w.4.	Eng. bot. 1696.
10	carinatus. E.B.	blunt-edged.	————	....	7. 8.	H.w.4.	———— 1963.
11	maritimus. E.B.	salt marsh.	Britain.	....	7. 9.	H.w.4.	———— 542.
12	sylvaticus. E.B.	wood.	————	....	——	H.w.4.	———— 919.
13	radicans. R.S.	rooting.	Germany.	....	——	H.w.4.	Schk. in Ust. an. 4. t.1.
14	atrovirens. R.S.	dark-green.	N.America.	1818.	——	H.w.4.	
15	quinquangularis. R.S.	five-angled.	E. Indies.	1823.	....	S.w.4.	

CYPERUS. L. CYPERUS. Triandria Monogynia. L.

1	Aitoni. R.S.	Aiton's.	C. B. S.	....	6. 8.	G.w.4.	
2	articulatus. R.S.	jointed.	S. America.	1820.	——	S.w.4.	Sloan. hist. 1. t. 81. f.1.
3	viscosus. R.S.	clammy.	Jamaica.	1781.	5. 8.	S.w.4.	Jacq. ic. 2. t. 295.
4	tenellus. R.S.	slender.	C. B. S.	1819.	7. 9.	H.⊙.	
5	mucronatus. R.S.	pointed.	Levant.	——	——	F.w.4.	Flor. græc. 1. t. 49.
6	pannonicus. R.S.	dwarf.	Hungary.	1781.	7. 8.	H.⊙.	Jacq. aust. ap. t. 6.
7	brizæus. R.S.	Briza-like.	W. Indies.	1824.	——	S.w.4.	
8	alternifolius. R.S.	alternate-le.	Madagascar.	1781.	——	S.w.4.	Jacq. ic. 2. t. 296.
9	elegans. R.S.	elegant.	Jamaica.	1801.	5. 9.	S.♂.	Sloan. jam. 1. t.75. f.1.
10	compressus. R.S.	compressed.	S. America.	1819.	——	S.w.4.	Rottb. gram. t. 9. f. 3.
11	vegetus. R.S. *compressus.* Jacq. *non* W.	smooth.	America.	1790.	——	G.w.4.	Jacq. vind. 3. t. 12.
12	Luzulæ. R.S. *polycephalus.* Lam. *non.* L.en.	compact.	W. Indies.	....	——	S.w.4.	Rottb. gram. t. 13. f.2.
13	paniculatus. R.S.	panicled.	————	1804.	5. 7.	S.w.4.	
14	flavescens. R.S.	yellowish.	Germany.	1776.	6. 9.	F.w.4.	Flor. græc. t. 47.
15	fuscus. R.S.	brown.	England.	1777.	7. 9.	H.⊙.	Host. gram. 3. t. 73.
16	conglomeratus. R.S.	many-flowered.	Java.	1820.	5. 9.	S.w.4.	Rottb. gram. t. 15. f.7.
17	erubescens. L.en.	blush.	.....	——	——	S.w.4.	
18	australis. R.S.	southern.	S. Europe.	——	——	H.⊙.	Seguier. veron. 3. t.2.f.2
19	esculentus. R.S.	Rush-nut.	————	1597.	7.	H.4.	Host. gram. 3. t. 75.
20	Hydra. M.	American.	N.America.	1812.	——	H.4.	

21 Pangorei. R.S.	Ceylon.	Ceylon,	1823.	7. 9.	S.w.4.	Rottb. gram. t. 7. f. 3,
22 badius. R.S.	saw-leaved.	Algiers.	1800.	——	F.w.4.	Desf. atl. 1. t. 7. f. 2.
23 patulus. R.S.	spreading.	Hungary.	1818.	——	H.w.⊙.	Host. gram. 3. t. 74.
24 longus. E.B.	sweet.	England.	....	7.	H.w.4.	Eng. bot. 1309.
25 tenuiflorus. R.S.	slender-flower'd.	S. Europe.	1818.	7. 8.	H.w.4.	Jacq. ic. 2. t. 296.
26 Monti. R.S.	spreading-spiked.	——	——	——	H.w.4.	Host. gram. 4. t. 67.
27 Paramatta. R.S.	tuberous-root'd.	——	——	——	H.w.4.	
28 strigosus. R.S.	bristle-spiked.	W. Indies.	1786.	7. 9.	S.w.4.	
29 Iria. R.S.	tall.	E. Indies.	1802.	7.	S.w.4.	Rheed. mal. 12. t. 56.
30 distans. R.S.	distant.	W. Indies.	1820.	7. 8.	S.w.4.	Jacq. ic. t. 299.
31 fastigiatus. R.S.	lofty.	E. Indies.	1800.	5. 8.	S.w.4.	Rottb. gram. t. 7. f. 2.
32 alopecuroides. R.S.	fox-tailed.	C. B. S.	1804.	——	G.w.4.	—— 33. t. 8. f. 2.
33 cruentus. R.S.	purple-spotted.	Arabia.	1820.	——	S.w.4.	—— —— 31. t. 5. f. 1.
34 glomeratus. R.S.	round-headed.	Italy.	1804.	——	H.⊙.	
35 polycephalus. L.en.	many-headed.	S. Europe.	1819.	6. 8.	H.w.4.	
36 polystachyos. R.S.	many-spiked.	E. Indies.	——	——	S.w.4.	Rottb. gram. t. 11. f. 1.
37 difformis. R.S.	deformed.	——	——	——	S.w.4.	—— —— t. 9. f. 2.
38 protractus. L.en.	protracted.	Egypt.	1820.	——	H.4.	Delil. æg. 152. t. 5. f. 3.
39 dives. S.S.	large-bracted.	——	——	7.	H.4.	
PAPYRUS. S.S.	PAPER-RUSH.	Triandria Monogynia. S.S.				
1 antiquorum. S.S.	common.	Egypt.	1802.	7. 9.	S.w.4.	Michel. gen. pl. t. 19.
Cyperus Papyrus. R.S.						
2 laxiflorus. S.S.	loose-flowered.	Madagascar.	1822.	——	S.w.4.	
3 odoratus. S.S.	fragrant.	W. Indies.	1819.	——	S.w.4.	Rudg. gui. 17. t. 20.
MARISCUS. R.S.	MARISCUS.	Triandria Monogynia. R.S.				
1 aggregatus. R.S.	clustered.	.....	1820.	7. 9.	S.w.4.	
2 lævis. B.P.	smooth.	N. S. W.	1819.	6. 8.	G.w.4.	
3 ovularis. R.S.	oval-spiked.	Carolina.	1818.	——	F.w.4.	Pluk. alm. t. 91. f. 4.
4 umbellatus. R.S.	umbelled.	E. Indies.	1789.	——	S.w.4.	Rottb. gram. t. 4. f. 2.
5 elatus. R.S.	tall.	——	1805.	——	S.w.4.	Jacq. ic. 2. t. 300.
6 conflexus. L.en.	contracted.	Brazil.	1819.	7. 8.	S.w.4.	
KYLLINGA. W.	KYLLINGA.	Triandria Monogynia. L.				
1 monocephala. R.S.	one-headed.	India.	1793.	6. 7.	S.w.4.	Rottb. gram. t. 4. f. 4.
2 intermedia. B.P.	intermediate.	N. S. W.	1822.	——	G.w.4.	
3 triceps. R.S.	three-headed.	E. Indies.	1776.	9. 11.	S.w.4.	Rottb. gram. t. 4. f. 6.
4 uncinata. L.en.	hook-seeded.	Brazil.	1820.	7. 8.	S.w.4.	
5 polycephala. L.en.	many-headed.	——	——	——	S.w.4.	
FUIRENA. B.P.	FUIRENA.	Triandria Monogynia. L.				
umbellata. R.S.	umbelled.	W. Indies.	1822.	6. 8.	S.w.4.	Rottb. gram. t. 19. f. 3.
ELYNA. R.S.	ELYNA.	Triandria Monogynia. R.S.				
apicata. R.S.	simple-spiked.	Europe.	1819.	6. 8.	H.w.4.	Vill. delph. 2. t. 6.
Carex Bellardi. Hort. gram. 4. t. 77.						
TRICHOPHORUM. P.S.	TRICHOPHORUM.	Triandria Monogynia. P.S.				
1 cyperinum. P.S.	cyperine.	N. America.	1802.	5. 9.	H.w.4.	Pluk. mant. t. 419. f. 3.
2 alpinum. P.S.	Alpine.	Scotland.	....	7.	H.w.4.	Eng. bot. 311.
Eriophorum alpinum. E.B.						
ERIOPHORUM. L.	COTTON-GRASS.	Triandria Monogynia. L.				
1 vaginatum. E.B.	Hare's-tail.	Britain.	....	3. 4.	H.w.4.	Eng. bot. 873.
2 capitatum. E.B.	round-headed.	Scotland.	....	8. 9.	H.w.4.	—— 2387.
3 gracile. E.B.	slender.	——	....	7. 8.	H.w.4.	—— —— 2402.
4 angustifolium.	narrow-leaved.	Britain.	....	4. 5.	H.w.4.	—— 564.
5 virginicum. R.S.	Virginian.	N. America.	1802.	5. 8.	H.w.4.	Pluk. alm. t. 299. f. 4.
6 polystachion. E.B.	broad-leaved.	Britain.	....	4.	H.w.4.	Eng. bot. 563.
7 pubescens. E.B.	pubescent.	——	....	4. 5.	H.w.4.	

ORDO CXCV.

GRAMINEÆ. *Juss. gen. p.* 28.

NARDUS. R.S.	MAT-GRASS.	Triandria Monogynia. L.				
stricta. E.B.	upright.	Britain.	....	6. 7.	H.w.4.	Eng. bot. 290.
ORYZOPSIS. M.	ORYZOPSIS.	Triandria Monogynia. R.S.				
asperifolia. M.	rough-leaved.	N. America.	1822.	7. 8.	H.4.	Mich. amer. 1. t. 9.

LYGEUM. R.S.	LYGEUM. Triandria Monogynia. L.						
Spartum. R.S.	rush-leaved.	Spain.	1776.	5. 6.	H.4.	Schreb. gram. t. 52.53
CORNUCOPIÆ. R.S.	HORN OF PLENTY. Triandria Monogynia. L.						
cucullatum. R.S.	hooded.	Levant.	1788.	8.	H.⊙.	Flor. græc. 1. t. 51.
CENCHRUS. R.S.	CENCHRUS. Triandria Monogynia. L.						
1 tribuloides. R.S.	spinous.	N.America.	1818.	5. 8.	H.⊙.	Sloan. hist. 1. t. 65. f. 1
2 echinatus. R.S.	rough-spiked.	W. Indies.	1691.	8. 12.	S.♂.	Cavan. ic. 5. p. 39. t. 488
3 australis. B.P.	New Holland.	N. S. W.	1822.	6. 8.	H.⊙.	
PENNISETUM. R.S.	PENNISETUM. Triandria Monogynia. R.S.						
1 setosum. R.S.	setose.	W. Indies.	1804.	7. 8.	H.⊙.	
2 polystachyum. R.S.	many-spiked.	E. Indies.	——	——	H.⊙.	Rumph. amb. 6. t. 7. f. 2.
3 cenchroides. R.S.	ciliated.	C. B. S.	1777.	7. 8.	H.⊙.	Giseck. ic. 1. t. 23.
Cenchrus ciliaris. L.						
4 orientale. R.S.	oriental.	Levant.	1819.	——	F.4.	
5 compressum. B.P.	flat-stemmed.	N. S. W.	1820.	——	H.4.	
6 holcoides. R.S.	Holcus-like.	E. Indies.	1823.	——	S.⊙.	
Panicum holcoides. F.I.						
7 barbatum. R.S.	bearded.	———	——	——	S.⊙.	
8 dichotomum. R.S.	forked.	Egypt.	1824.	——	H.4.	Delil. ægyp. t. 8. f. 1.
9 nepalense. S.S.	Nepaul.	Nepaul.	1822.	——	H.⊙.	
PENICILLARIA. R.S.	PENICILLARIA. Polygamia Monœcia. W.						
1 spicata. R.S.	spiked.	E. Indies.	1592.	6. 7.	H.⊙.	Pluk. alm. t. 32. f. 4.
2 alopecuroides.	Fox-tail.	Jamaica.	1739.	7. 10.	H.⊙.	——— t. 92. f. 5.
ciliata. W.en. *cylindrica.* R.S. *Panicum alopecuroides.* L. *Alopecurus indicus.* D.							
SETARIA. R.S.	SETARIA. Triandria Digynia. R.S.						
1 sericea. R.S.	silky.	W. Indies.	1780.	5. 9.	H.⊙.	
2 verticillata. R.S.	rough.	England.	....	7. 8.	H.⊙.	Eng. bot. 874.
3 viridis. R.S.	green.	———	....	——	H.⊙.	——— 875.
Panicum viride. E.B. *Pennisetum viride.* B.P.						
4 pumila. R.S.	dwarf.	.....	1819.	——	H.⊙.	
5 macrochæta. R.S.	long-spiked.	.....	——	——	H.⊙.	
6 purpurascens. R.S.	purplish.	S. America.	1822.	——	H.⊙.	
7 intermedia. R.S.	intermediate.	E. Indies.	1819.	8. 10.	H.⊙.	
8 Weinmanni. R.S.	Weinman's.	Teneriffe.	1816.	——	H.⊙.	
9 glauca. R.S.	glaucous.	S. Europe.	1771.	7. 8.	H.⊙.	Host. gram. 2. t. 16.
10 helvola. R.S.	pale red.	E. Indies.	1822.	8. 10.	H.⊙.	
11 erubescens. R.S.	blush.	S. America.	——	——	H.⊙.	
12 geniculata. R.S.	jointed.	Antilles.	1805.	7. 8.	H.⊙.	
13 maritima. R.S.	sea-side.	.....	1818.	——	H.⊙.	
14 germanica. R.S.	German.	Germany.	1548.	——	H.⊙.	Host. gram. 2. t. 15.
15 italica. R.S.	Italian.	Italy.	1616.	——	H.⊙.	Rumph. amb. 3. t. 76. f. 2.
Panicum italicum. Host. gram. 4. t. 14. *Pennisetum italicum.* B.P.							
16 composita. R.S.	compound.	S. America.	1823.	——	H.⊙.	
17 cylindrica. R.S.	cylindrical.	.....	——	——	H.⊙.	
18 setosa. R.S.	bristly.	W. Indies.	1822.	——	H.⊙.	
19 polystachia. R.S.	many-spiked.	Brazil.	1824.	——	S.♂.	
20 tenacissima. R.S.	tough.	———	1819.	——	H.⊙.	
21 Pennisetum. R.S.	Indian.	E. Indies.	1820.	6. 8.	S.⊙.	
22 scandens. R.S.	climbing.	.....	——	——	H.⊙.	
23 muricata. R.S.	sea-side.	N.America.	1819.	——	H.⊙.	
24 auricoma. Lk.	golden-headed.	.....	1826.	——	H.⊙.	
ANTHOXANTHUM. R.S.	SPRING-GRASS. Diandria Digynia. L.						
1 odoratum. E.B.	sweet-scented.	Britain.	....	5.	H.4.	Eng. bot. 647.
β *laxa.*	*loose-spiked.*	———	....	——	H.4.	Loes. ic. 22.
γ *pubescens.*	*downy-spiked.*	———	....	——	H.4.	
δ *ramosa.*	*branching-spiked*	———	....	——	H.4.	
2 amarum. R.S.	bitter.	S. Europe.	1810.	7.	H.4.	
3 gracile. R.S.	slender.	Italy.	1825.	7. 8.	H.⊙.	Biv. Bern. st. rar. t. 1. f. 1
4 ovatum. R.S.	oval-spiked.	Spain.	1824.	——	H.⊙.	
SPARTINA. R.S.	SPARTINA. Triandria Monogynia. R.S.						
1 cynosuroides. R.S.	Dog's-tail.	N.America.	1781.	8. 9.	H.4.	Linn. fil. fasc. 1. t. 9.
Dactylis cynosuroides. L. *Trachynotia cynosuroides.* M. *Limnetis cynosuroides.* P.S.							
2 stricta. R.S.	upright.	Britain.	....	8.	H.4.	Eng. bot. 380.
Dactylis stricta. E.B. *Limnetis pungens.* P.S.							
3 polystachia. R.S.	many-spiked.	N.America.	1781.	8. 9.	H.4.	
4 pumila. R.S.	dwarf.	———	1820.	——	H.4.	
5 juncea. R.S.	rushy.	———	1781.	7. 8.	H.4.	
6 patens. R.S.	spreading.	———	——	——	H.4.	
7 geniculata. R.S.	jointed.	Java.	1822.	——	S.4.	Burm. ind. t. 12. f. 3.

ZOYSIA. R.S.	Zoysia.	Triandria Digynia. W.					
pungens. R.S.	pungent.	E. Indies.	1819.	6. 8.	S.4.		
LEERSIA. B.P.	Leersia.	Triandria Digynia. W.					
1 oryzoides. S.S.	Rice-like.	S. Europe.	1793.	7. 8.	H.4.	Host. gram. 1. t. 35.	
2 virginica. S.S.	Virginian.	N. America.	——	——	H.4.		
3 australis. B.P.	southern.	N. S. W.	1819.	——	H.4.		
PEROTIS. R.S.	Perotis.	Triandria Digynia. W.					
latifolia. R.S.	broad-leaved.	E. Indies.	1777.	8. 9.	S.⊙.	Rheed. mal. 12. t. 62.	
ALOPECURUS. R.S.	Foxtail-grass.	Triandria Digynia. L.					
1 agrestis. E.B.	slender.	Britain.	—••	7. 8.	H.⊙.	Eng. bot. 848.	
2 utriculatus. R.S.	bladdered.	Italy.	1777.	——	H.⊙.	Flor. græc. t. 63.	
3 pratensis. E.B.	meadow.	Britain.	••••	5.	H.4.	Eng. bot. 759.	
4 nigricans. R.S.	blackish.	Europe.	1815.	6. 7.	H.4.	Jacq. ecl. gram. t. 13.	
Tauntoniensis. S.G.W.							
5 geniculatus. E.B.	floating.	Britain.	••••	5. 8.	H.w.4.	Eng. bot. 1250.	
6 fulvus. E.B.	orange-spiked.	England.	••••	6.	H.w.4.	———— 1467.	
7 alpinus. E.B.	Alpine.	Scotland.	••••	5. 6.	H.4.	———— 1126.	
8 ramosus. R.S.	branching.	N. America.	1823.	——	H.4.		
9 arundinaceus. R.S.	Reed-like.	••••••••	1819.	——	H.4.		
10 macrostachyos. R.S.	large-spiked.	Barbary.	1824.	6. 8.	H.4.		
11 bulbosus. E.B.	bulbous.	England.	••••	7.	H.4.	Eng. bot. 1249.	
12 colobachnoides. R.S.	Siberian.	Siberia.	1826.	6. 7.	H.4.		
13 Gerardi. Trin.	Gerard's.	S. Europe.	1820.	6. 8.	H.4.	Jacq. ic. t. 301.	
Phleum Gerardi. R.S.							
PHLEUM. R.S.	Cat's-tail-grass.	Triandria Digynia. L.					
1 pratense. R.S.	common.	Britain.	••••	7.	H.4.	Eng. bot. 1076.	
α *majus.* S.G.W.	*greater.*	————	••••	——	H.4.	Sinc. gr. wob. p. 195. ic.	
β *minus.* S.G.W.	*lesser.*	————	••••	7. 8.	H.4.	———— p. 197. ic.	
2 nodosum. W.	knotted.	————	••••	7. 9.	H.4.	Flor. dan. t. 880.	
3 Bertolonii. R.S.	Bertoloni's.	France.	1818.	——	H.4.		
4 alpinum. R.S.	alpine.	Scotland.	••••	7.	H.4.	Eng. bot. 519.	
5 commutatum. R.S.	confused.	Piedmont.	1819.	——	H.4.		
6 felinum. R.S.	Grecian.	Greece.	1822.	——	H.⊙.		
7 echinatum. R.S.	hedgehog.	Dalmatia.	——	8. 9.	H.⊙.	Host. gram. 3. t. 11.	
ACHNODONTON. R.S.	Achnodonton.	Triandria Digynia. R.S.					
1 Bellardi. R.S.	bulbous.	Spain.	1798.	6. 7.	H.⊙.		
Phalaris Bellardii. W. *bulbosa.* L.							
2 tenue. R.S.	slender.	S. Europe.	1826.	——	H.⊙.	Host. gram. t. 36.	
3 arenaria. Lam.	sand.	Britain.	••••	6. 7.	H.⊙.	Eng. bot. 222.	
Phalaris arenaria. E.B. *Phleum arenarium.* F.D. t. 915. *Chilochloa arenaria.* R.S.							
CHILOCHLOA. R.S.	Chilochloa.	Triandria Digynia. R.S.					
1 Bœhmeri. R.S.	Phalaris-like.	England.	••••	7. 9.	H.4.	Eng. bot. 459.	
Phalaris phleoides. E.B. *Phleum phalaroides.* Koel. *Bœhmeri.* W.							
2 cuspidata. R.S.	sharp-pointed.	Tyrol.	1824.	7. 8.	H.4.	Host. gram. 4. t. 20.	
3 Michelii. Lam.	Micheli's.	Scotland.	••••	6. 7.	H.4.	Eng. bot. 2265.	
Phleum Michelii. E.B.							
4 aspera. R.S.	rough.	England.	••••	7.	H.⊙.	Eng. bot. 1077.	
Phleum paniculatum. E.B. *Phleum asperum.* Jacq. ic. t. 14. *Phalaris aspera.* W.							
5 annua. R.S.	annual.	Caucasus.	1825.	7. 8.	H.⊙.		
SCHMIDTIA. S.S.	Schmidtia.	Diandria Digynia. S.S.					
subtilis. S.S.	close umbelled.	Bohemia.	1824.	6. 8.	H.⊙.	Tratt. fl. aus. t. 451.	
Coleanthus subtilis. R.S.							
POLYPOGON. R.S.	Polypogon.	Triandria Digynia. W.					
1 monspeliensis. R.S.	chaffy.	Britain.	••••	7. 8.	H.⊙.	Eng. bot. 1704.	
Agrostis panicea. E.B.							
2 littoralis. E.F.	sea-side.	————	••••	8.	H.4.	Eng. bot. 1251.	
3 maritimus. R.S.	shore.	S. Europe.	1822.	——	H.⊙.		
4 glomeratus. R.S.	clustered.	N. America.	——	7. 8.	H.4.		
5 tataricus. F.	Tartarian.	Tartary.	1825.	——	H.⊙.		
CERESIA. P.S.	Ceresia.,	Triandria Digynia. P.S.					
elegans. P.S.	elegant.	Peru.	1818.	8, 9.	H.4.	Jacq. frag. t. 86.	
Paspalum membranaceum. S.S.							
PASPALUM. W.	Paspalum.	Triandria Digynia. L.					
1 dissectum. S.S.	dissected.	S. America.	1822.	8. 10.	H.⊙.		
2 scrobiculatum. S.S.	dimpled.	E. Indies.	1778.	7. 9.	S.4.	Hout. n. his. t. 89. f. 3.	
3 stoloniferum. S.S.	purple.	Peru.	1794.	——	G.4.	Jacq. ic. 2. t. 302.	
4 paniculatum. S.S.	panicled.	W. Indies.	1782.	——	S.⊙.	Sloan. hist. 1. t. 72. f. 2.	
5 virgatum. S.S.	twiggy.	————	1822.	——	S.4.	————1. t. 69. f. 2.	
6 læve. M.	smooth.	N. America.	1818.	——	H.4.	Lecomt. pasp. t. 91.	

7 difforme. R.S.	deformed.	———	——	——	H.4.	Lecomt.pas.t.91.p.284
8 pusillum. R.S.	small.	St.Thomas.	1822.	——	S.4.	
9 conjugatum. S.S.	conjugate.	W. Indies.	——	——	S.4.	Gært.fruct.2. t. 80. f.4.
10 notatum. S.S.	two-spiked.	———	1776.	7.	S.♂.	Swartz obs. t. 2. f. 1.
11 molle. S.S.	soft.	St.Thomas.	1822.	——	S.4.	
12 Kora. R.S.	smooth-fld.	E. Indies.	1818.	7. 8.	S.4.	
13 setaceum. M.	bristly.	N.America.	——	——	H.4.	
14 dubium. S.S.	doubtful.	.....	——	——	H.4.	
15 glabrum. S.S.	smooth.	W. Indies.	1823.	——	S.4.	
16 tenellum. W.	elegant.	.....	1817.	——	S.4.	
eleguns. S.S.						
17 laxum. R.S.	loose.	S. America.	1819.	——	S.4.	
18 inæquale. L.en.	unequal-valv'd.	Manilla.	1822.	——	S.4.	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia. S.S.				
strictus. B.P.	upright.	N. S. W.	1823.	5. 6.	G.4.	
GASTRIDIUM. R.S.	GASTRIDIUM.	Triandria Digynia. R.S.				
1 australe. R.S.	yellow.	England.	....	8.	H.⊙.	Eng. bot. 1107.
Milium lendigerum. E.B.						
2 muticum. R.S.	beardless.	Sicily.	1819.	7. 8.	H.⊙.	
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia. R.S.				
fasciculatus. R.S.	fascicled.	S. Europe.	1815.	7. 9.	H.⊙.	
MILIUM. R.S.	MILLET-GRASS.	Triandria Digynia. L.				
1 effusum. E.B.	common.	Britain.	....	6. 7.	H.4.	Eng. bot. 1106.
2 vernale. R.S.	vernal.	Caucasus.	1819.	4. 5.	H.⊙.	
3 gallecicum. R.S.	capillary.	Gallicia.	——	6. 8.	H.4.	
4 velutinum. R.S.	downy.	Mexico.	1823.	——	H.⊙.	
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia. R.S.				
1 paradoxum. R.S.	black-seeded.	France.	1771.	6. 7.	H.⊙.	Host. gram. 3. t. 23.
Agrostis paradoxa. L. *Milium paradoxum.* W. *Urachne virescens.* Trin.						
2 cærulescens. R.S.	blueish.	Barbary.	1819.	——	H.4.	Desf. atl. 1. t. 12.
3 multiflorum. R.S.	many-flowered.	S. Europe.	1778.	——	H.4.	Host. gram. 3. t. 45.
Milium arundinaceum. F.G. t. 66. *Agrostis miliacea.* L.						
CALAMAGROSTIS. S.S.	CALAMAGROSTIS.	Triandria Digynia. S.S.				
1 epigejos. S.S.	wood.	Britain.	....	7.	H.4.	Eng. bot. 403.
2 littorea. S.S.	sea-side.	Switzerland.	1824.	7. 8.	H.4.	Schrad.fl.ger.1.t.4.f.2.
3 laxa. Host.	loose.	———	——	——	H.4.	Host. gram. 4. t. 23.
4 glauca. R.S.	glaucous.	N.America.	——	——	H.4.	
5 Halleriana. S.S.	Haller's.	Switzerland.	1819.	——	H.4.	Schrad. fl.ger.1.t.4.f.1.
Arundo pseudophragmites. R.S.						
6 stricta. S.S.	upright.	Scotland.	....	7. 8.	H.4.	Eng. bot. 2160.
7 varia. Host.	various.	S. Europe.	1813.	——	H.4.	Host. gram. 4. t. 47.
8 acutiflora. R.S.	sharp-flowered.	Germany.	1819.	——	H.4.	
9 sylvatica. DC.	wood.	Europe.	1813.	——	H.4.	Host. gram. 4. t. 49.
arundinacea. Roth. *Agrostis arundinacea.* L. *pyramidalis.* Host.						
10 Langsdorffii. S.S.	Langsdorff's.	.....	1823.	——	H.4.	
11 confinis. S.S.	hairy-flowered.	N.America.	1820.	——	H.4.	
12 montana. Host.	mountain.	Europe.	——	——	H.4.	Host. gram. 4. t. 46.
13 Hostii. R.S.	Host's.	———	——	——	H.4.	——— 4. t. 48.
sylvatica. Host. *nec aliorum.*						
14 lanceolata. S.S.	common.	England.	....	7.	H.4.	Eng. bot. 2159.
Arundo Calamagrostis. E.B. *Agrostis lanceolata.* R.S.						
15 speciosa. Host.	beautiful.	Germany.	1813.	7. 8.	H.4.	Host. gram. 4. t. 45.
Agrostis Calamagrostis. R.S.						
STIPA. R.S.	FEATHER-GRASS.	Triandria Digynia. L.				
1 pennata. E.B.	common.	Britain.	....	7. 8.	H.4.	Eng. bot. 1356.
2 tortilis. R.S.	twisted-awned.	S. Europe.	1823.	——	H.⊙.	Desf. atl. 1. t. 31. f. 1.
3 juncea. R.S.	rushy.	France.	1772.	——	H.4.	Flor. græc. 1. t. 85.
4 gigantea. R.S.	gigantic.	Spain.	1823.	——	H.4.	
5 capillata. R.S.	capillary.	S. Europe.	——	——	H.4.	Host. gram. 3. t. 5.
6 tenacissima. R.S.	tough.	———	1822.	——	H.4.	Desf. atl. 1. t. 30.
7 Aristella. R.S.	awned.	Montpelier.	1806.	——	H.4.	Host. gram. 4. t. 34.
8 conferta. R.S.	close panicled.	.....	1819.	——	H.4.	
9 sibirica. R.S.	Siberian.	Siberia.	1777.	——	H.4.	Gmel. sib. 1. t. 22.
TRICHODIUM. R.S.	WINTER-GREEN-GRASS.	Triandria Digynia. R.S.				
1 caninum. R.S.	brown.	Britain.	....	7.	H.4.	Eng. bot. 1856.
Agrostis canina. E.B.						
2 alpinum. R.S.	Alpine.	S. Europe.	1818.	7. 8.	H.4.	Host. gram. 3. t. 49.
3 rupestre. R.S.	rock.	Pyrenees.	——	——	H.4.	——— 3. t. 50.
4 neglectum. R.S.	neglected.	Hungary.	1822.	——	H.4.	

5 flavescens. R.s.	yellowish.	S. Europe.	——	——	H.4.	Host. gram. 4. t. 52.
6 setaceum. R.s.	bristly.	Britain.	....	——	H.4.	Eng. bot. 1188.
Agrostis setacea. E.B.						
7 rubrum. R.s.	red.	Lapland.	1824.	——	H.4.	
8 hybridum. R.s.	hybrid.	Switzerland.	——	——	H.4.	
9 diffusum. L.en.	spreading.	.....	1823.	——	H.4.	
10 decumbens. R.s.	decumbent.	N. America.	1786.	6. 7.	H.4.	Fraser mon. c. ic.
11 laxiflorum. R.s.	loose-flowered.	———	1816.	——	H.♂.	Mich. amer. 1. t. 8.
12 elegans. R.s.	elegant.	France.	——	7. 9.	H.⊙.	Lois journ.bot.2.t.8.f.1.
AGROSTIS. R.S.	Bent-grass.	Triandria Digynia. R.S.				
1 stolonifera. R.s.	creeping.	Britain.	....	7. 8.	H.4.	Eng. bot. 1532.
α latifolia. s.G.W.	*Fiorin grass.*	———	....	——	H.4.	Sinc. gr. wob. p.225. ic.
β angustifolia. s.G.W.	*narrow-leaved.*	———	....	——	H.4.	——— p.346. ic.
γ aristata. s.G.W.	*awned.*	———	....	——	H.4.	——— p.345. ic.
δ nemoralis. s.G.W.	*wood.*	———	....	——	H.4.	
ε palustris. s.G.W.	*marsh.*	———	....	——	H.4.	
2 diffusa. R.s.	spreading.	Europe.	1816.	——	H.4.	Host. gram. 4. t. 55.
3 neglecta. R.s.	neglected.	Hungary.	——	——	H.4.	
4 capillaris. R.s.	capillary.	S. Europe.	——	——	H.⊙.	Sm. ic. ined. t. 54.
5 tenella. R.s.	slender.	Switzerland.	1824.	——	H.4.	Schad.fl.ger.1.t.5.f.1.
6 alba. R.s.	white rooted.	Britain.	....	7.	H.4.	Sinc. gr. wob. p.342.ic.
β purpurascens.	*purplish.*	———	....	——	H.4.	Eng. bot. 1189.
γ vivipara.	*viviparous.*	———	....	——	H.4.	
7 tenuifolia. R.s.	slender-leaved.	Caucasus.	1819.	7. 8.	H.4.	
8 patula. R.s.	knotted spreading.	Switzerl^d.	1824.	——	H.4.	
9 valentina. R.s.	Valentia.	Spain.	——	——	H.4.	
10 dubia. R.s.	doubtful.	Germany.	1818.	——	H.4.	Leers fl. herb. t. 4. f. 4.
11 gigantea. R.s.	gigantic.	Caucasus.	——	——	H.4.	
12 frondosa. R.s.	frondose.	Naples.	1824.	——	H.4.	
13 vulgaris. R.s.	fine.	Britain.	....	——	H.4.	Eng. bot. 1671.
14 ambigua. R.s.	ambiguous.	Germany.	1820.	——	H.4.	Host. gram. t. 56.
15 Juressi. R.s.	close panicled.	———	——	——	H.4.	
16 virginica. R.s.	Virginian.	N.America.	——	——	H.4.	Lab. nov. holl. 1. t. 23.
17 Forsteri. R.s.	Forster's.	N. Zealand.	1822.	——	H.4.	
Avena filiformis. Forst.						
18 Billardieri. B.P.	Labillardiere's.	N.Holland.	1806.	——	H.4.	Lab. nov. holl. 1. t. 31.
19 plebeia. B.P.	plebeian.	N. S. W.	1822.	——	H.4.	
20 æmula. B.P.	flat-leaved.	———	1806.	——	H.4.	
21 Spica venti. E.B.	silky.	England.	....	6. 7.	H.⊙.	Eng. bot. 951.
22 pallida. DC.	pale.	France.	1818.	——	H.⊙.	
23 interrupta. R.s.	interrupted.	S. Europe.	——	——	H.⊙.	Host. gram. 3. t. 48.
24 purpurea. R.s.	purple.	———	1820.	——	H.⊙.	
25 pauciflora. R.s.	few-flowered.	Switzerland.	1824.	6. 8.	H.4.	Schrad. fl.ger.1.t.3.f.2.
26 decumbens. Host.	decumbent.	Hungary.	——	——	H.4.	Host. gram. 4. t. 54.
SPOROBOLUS. B.P.	Sporobolus.	Triandria Digynia.				
1 diandrus. R.s.	diandrous.	E. Indies.	1820.	6. 8.	S.⊙.	
2 indicus. B.P.	Indian.	India.	1775.	8. 10.	H.⊙.	Sloan. hist. 1. t. 73. f.1.
3 purpurascens. R.s.	purplish.	Jamaica.	1820.	——	S.⊙.	
4 tenacissimus. L.en.	tough.	W. Indies.	1801.	——	S.4.	Jacq. ic. 1. t. 16.
5 elongatus. B.P.	elongated.	N. S. W.	1822.	——	H.⊙.	
COLPODIUM. Trin.	Colpodium.	Triandria Digynia.				
1 Steveni. Trin.	various-colour'd.	Caucasus.	1823.	7. 8.	H.4.	
Agrostis versicolor. Stev.						
2 latifolium.	broad-leaved.	Melville Isl.	1821.	——	H.⊙.	
TRICHOCHLOA. Tr.	Trichochloa.	Triandria Digynia.				
1 tenuiflora.	slender-fl^d.	N. America.	1820.	7. 8.	H.4.	Willd. hort. ber. t. 12.
longiseta. Tr. *Agrostis tenuiflora.* W. *Cinna tenuiflora.* L.en.						
2 mexicana. Tr.	Mexican.	America.	1780.	6. 9.	H.4.	
3 foliosa. Tr.	leafy.	N. America.	1819.	7. 8.	H.4.	
Agrostis filiformis. W.en. *Cinna filiformis.* L.en.						
4 sobolifera. Tr.	soboliferous.	———	——	——	H.4.	
5 microsperma. DC.	small-seeded.	Mexico.	1818.	8. 10.	H.⊙.	
6 capillaris. DC.	capillary.	Carolina.	——	——	H.4.	
CINNA. L.	Cinna.	Monandria Digynia. L.				
arundinacea. L.	Reed-like.	Canada.	1789.	7.	H.4.	Schreb. gram. t. 49.
KNAPPIA. E.B.	Knappia.	Triandria Digynia. S.S.				
agrostidea. E.B.	small.	Wales.	....	3. 4.	H.⊙.	Eng. bot. 1127.
Agrostis minima. W. *Chamagrostis minima.* R.s. *Sturmia verna.* P.s.						

COLOBACHNE. R.S.	Colobachne.	Triandria Digynia. R.S.					
vaginata. R.S.	sheathed.	Levant.	1818.	4.	H.♃.	Flor. græc. t. 64.
Alopecurus angustifolius. F.G. *Polypogon vaginatus.* W.						
CRYPSIS. R.S.	Crypsis.	Triandria Digynia. L.				
1 alopecuroides. R.S.	Foxtail-like.	Germany.	1816.	7. 8.	H.⊙.	Host. gram. 1. t. 29.
Helcochloa alopecuroides. Host.						
2 schœnoides. R.S.	Schœnus-like.	S. Europe.	1788.	——	H.⊙.	Jacq. ic. 1. t. 15.
3 aculeata. R.S.	prickly.	——	——	——	H.⊙.	Host. gram. 1. t. 31.
LAPPAGO. W.	Lappago.	Triandria Digynia. W.				
racemosa. W.	branching.	S. Europe.	1771.	7. 8.	H.⊙.	Flor. græc. t. 101.
Tragus racemosus. R.S. *Cenchrus racemosus.* L.						
MUHLENBERGIA. W.	Muhlenbergia.	Triandria Digynia. W.				
diffusa. R.S.	spreading.	N.America.	1816.	5. 6.	H.♃.	Schreb. gram. t. 51.
CHÆTARIA. R.S.	Chætaria.	Triandria Digynia. R.S.				
1 adscensionis. R.S.	West Indian.	W. Indies.	1822.	7. 8.	S.♃.	Sloan. hist. 1. t. 2. f. 56.
Aristida adscensionis. W.						
2 Hystrix. R.S.	Porcupine.	E. Indies.	——	....	S.♃.	Pluk. alm. t. 191. f. 5.
3 divaricata. R.S.	spreading.	S. America.	1818.	7. 8.	G.♃.	Jacq. eclog. gram. t. 6.
4 cœrulescens. R.S.	blueish.	Canaries.	——	——	H.⊙.	Desf. atl. t. 21. f. 2.
ARISTIDA. R.S.	Aristida.	Triandria Digynia. L.				
vagans. R.S.	spreading-panicled.	N. S. W.	1820.	7. 8.	F.♃.	Cavan. ic. 5. t. 471.
HORDEUM. R.S.	Barley.	Triandria Digynia. L.				
1 vulgare. R.S.	spring.	Levant.	....	7.	H.⊙.	Host. gram. 3. t. 24.
β *giganteum.*	*giant.*	——	....	——	H.⊙.	
2 cœleste. R.S.	naked-seeded.	——	....	——	H.⊙.	Viborg cereal. t. 1.
3 nigrum. R.S.	black-seeded.	——	....	——	H.☿.	
4 hexastichon. R.S.	winter.	——	....	——	H.⊙.	Viborg cereal. t. 2.
5 bulbosum. R.S.	bulbous.	S. Europe.	1770.	——	H.♃.	Flor. græc. 1. t. 98.
6 jubatum. R.S.	long-bearded.	N.America.	1762.	7. 8.	H.☿.	
7 distichon. R.S.	common.	Tartary.	....	7.	H.⊙.	Viborg cereal. t. 3.
β *imberbe.* R.S.	*beardless.*	——	....	——	H.⊙.	
8 nudum. R.S.	naked seeded.	——	....	——	H.⊙.	Arduin. sag. t. II. f. 4.
9 Zeocriton. R.S.	Battledore.	.....	....	8.	H.⊙.	Viborg cereal. t. 4.
10 murinum. R.S.	wall.	Britain.	....	4. 8.	H.⊙.	Eng. bot. 1971.
11 pratense. R.S.	meadow.	——	....	6.	H.♃.	—— 409.
12 secalinum. Roth.	rye-like.	Europe.	....	——	H.⊙.	Monti gram. p. 60. f. 98.
13 maritimum. E.B.	sea-side.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1205.
14 nepalense.	Nepaul.	Nepaul.	1825.	7. 8.	H.⊙.	
15 Hystrix. R.S.	hedgehog.	Spain.	1817.	——	H.⊙.	
ÆGOPOGON. R.S.	Ægopogon.	Triandria Digynia. R.S.				
1 pusillus. R.S.	small.	S. America.	1822.	7. 8.	H.⊙.	Cav. h. r. mad. 1. t. 5. f. 3.
2 trisetus. R.S.	three awned.	——	——	——	H.⊙.	—— 1. t. 5. f. 3.
MICROCHLOA. B.P.	Microchloa.	Triandria Digynia. R.S.				
setacea. B.P.	bristly.	Tropics.	1806.	7.	H.⊙.	Roxb. corom. 2. t. 132.
MELINIS. S.S.	Melinis.	Triandria Digynia. S.S.				
minutiflora. S.S.	glutinous.	Brazil.	1822.	6. 7.	S.♃.	Nees Hort. ber. 54. t. 7.
Tristegis glutinosa. Nees. *Suardia picta.* Schrank h. mon. 11. t. 88.						
DIGITARIA. R.S.	Digitaria.	Triandria Digynia. R.S.				
1 sanguinalis. R.S.	slender-spiked.	Britain.	....	8.	H.⊙.	Eng. bot. 849.
Panicum sanguinale. E.B.						
2 bicornis. R.S.	two-horned.	E. Indies.	1825.	8. 9.	H.⊙.	
3 affinis. R.S.	related.	S. America.	1820.	7. 8.	H.⊙.	
4 ægyptiaca. R.S.	Egyptian.	Egypt.	1794.	——	H.⊙.	Jacq. obs. 3. t. 80.
5 filiformis. S.S.	filiform.	N. America.	1781.	——	H.⊙.	
6 Roxburghii. S.S.	Roxburgh's.	E. Indies.	1823.	——	H.⊙.	
Panicum filiforme. F.I.						
7 villosa. S.S.	villous.	N.America.	1781.	7. 9.	H.⊙.	
8 glabra. R.S.	smooth.	S. Europe.	1817.	——	H.⊙.	Schrad. germ. 1. t. 3. f. 6.
Syntherisma glabrum. Schrad.						
9 paspalodes. R.S.	trailing.	N. America.	——	——	H.⊙.	
10 ciliaris. R.S.	fringed.	S. Europe.	1804.	——	H.⊙.	Host. gram. 4. t. 15.
11 biformis. R.S.	two-formed.	Canaries.	1820.	——	H.⊙.	
12 marginata. R.S.	margined.	Brazil.	1825.	——	H.⊙.	
13 linearis. R.S.	linear-spiked.	India.	1804.	——	H.⊙.	Burm. ind. 25. t. 19. f. 2.
CYNODON. R.S.	Cynodon.	Triandria Digynia. R.S.				
1 Dactylon. R.S.	creeping.	England.	...	7. 8.	H.♃.	Eng. bot. 850.
β *indicus.*	*Doob-grass.*	India.	1820.	——	S.♃.	Sinc. gr. wob. p. 290, ic.
2 linearis. R.S.	linear-leaved.	E. Indies.	1796.	——	S.♃.	
3 stellatus. R.S.	starry.	St. Helena.	1823.	——	S.♃.	

4 præcox. R.S. early-flow'ring. N.America. 1823. 6. 7. H.♃.
Digitaria sanguinalis. M.

PHALARIS. R.S. CANARY-GRASS. Triandria Digynia. R.S.
1 canariensis. R.S. common. Britain. .... 6. 8. H.⊙. Eng. bot. 1310.
2 microstachya. DC. small-spiked. N.America. 1816. —— H.⊙.
3 aquatica. R.S. water. Egypt. 1778. 6. 7. H.⊙. Host. gram. 2. t. 39.
4 commutata. R.S. changed. Italy. 1823. —— H.⊙. Barrel. ic. 700. f. 2.
5 capensis. R.S. Cape. C. B. S. 1804. —— H.⊙.
6 bulbosa. R.S. bulb-bearing. Spain. 1824. —— H.♃.
7 cœrulescens. R.S. blueish. S. Europe. —— —— H.⊙. Buxb. cent. 4. t. 53.
8 paradoxa. R.S. paradoxical. ———— —— —— H.⊙. Flor. græc. 1. t. 58.
9 appendiculata. R.S. appendaged. Egypt. 1823. —— H.⊙.

DIGRAPHIS. Tr. DIGRAPHIS. Triandria Digynia.
1 arundinacea. Tr. Reed-like. Britain. .... 7. H.w.♃. Eng. bot. 402.
Arundo colorata. E.B. *Phalaris arundinacea.* L. *Baldingera.* Fl. wet.
β *variegata.* *striped-leaved.* ———— .... —— H.♃.
2 americana. S.S. American. N. America. .... —— H.♃.

LAGURUS. R.S. HARE'S-TAIL-GRASS. Triandria Digynia. L.
ovatus. E.B. oval-spiked. Guernsey. .... 6. H.⊙. Eng. bot. 1334.

ECHINOPOGON. R.S. ECHINOPOGON. Triandria Digynia.
ovatus. R.S. ovate panicled. N.Holland. 1820. 7. 8. H.♃. Lab. nov. holl. 1. t. 21.
Agrostis ovata. Lab.

HIEROCHLOE. P.B. HIEROCHLOE. Triandria Digynia. R.S.
1 borealis. R.S. northern. Scotland. .... 5. 6. H.♃. Sinc. gr. wob. p. 167. ic.
Holcus odoratus. F.D. t. 965. *repens.* Host. gram. 2. t. 3.
2 australis. R.S. southern. S. Europe. 1777. 6. 7. H.♃.
3 fragrans. R.S. fragrant. N.America. —— —— H.♃.

CATABROSA. R.S. CATABROSA. Triandria Digynia. R.S.
1 aquatica. R.S. water. Britain. .... 5. 6. H.w.♃. Eng. bot. 1557.
Aira aquatica. E.B.
2 viridula. R.S. close-panicled. .... 1718. —— H.w.♃.
3 humilis. Tr. dwarf. Caucasus. 1824. 6. 7. H.♃.

AIRA. R.S. HAIR-GRASS. Triandria Digynia. L.
1 flexuosa. E.B. waved. Britain. .... 7. 8. H.♃. Eng. bot. 1519.
2 versicolor. R.S. various-color'd. S. Europe. 1823. —— H.♃.
3 caryophyllea. E.B. silver. Britain. .... —— H.⊙. Eng. bot. 812.
4 elegans. R.S. elegant. Switzerland. 1824. —— H.⊙. Host. gram. 4. t. 35.
5 pulchella. R.S. pretty. Spain. 1820. —— H.⊙.
6 pallens. R.S. pale. N.America. —— —— H.♃.
7 arundinacea. R.S. Reed-like. Cumana. 1823. —— H.♃.
8 seminentra. S.S. doubtful. Hungary. 1819. 6. 7. H.♃.

DESCHAMPSIA. R.S. DESCHAMPSIA. Triandria Digynia. R.S.
1 cæspitosa. R.S. turfy. Britain. .... 8. H.♃. Eng. bot. 1453.
Aira cæspitosa. E.B.
2 Biebersteiniana. Bieberstein's. Caucasus. 1823. 6. 8. H.♃.
3 alpina. R.S. Alpine. Scotland. .... 5. 6. H.♃. Eng. bot. 2102.
Aira lævigata. E.B. *alpina.* L. *Avena alpina.* Tr.
4 bottnica. Tr. bristle-leaved. Bottnia. 1824. —— H.♃.
Aira bottnica. R.S.

SCHISMUS. R.S. SCHISMUS. Triandria Digynia. R.S.
1 Gouani. Tr. Gouan's. Montpelier. 1820. 6. 7. H.♃.
Aira media. Gouan. *Deschampsia media.* R.S.
2 marginatus. R.S. margined. Spain. 1781. —— H.⊙. Cavan. ic. 1. t. 44. f. 2.
Festuca calycina. W.

CORYNEPHORUS. R.S. CORYNEPHORUS. Triandria Digynia. R.S.
1 canescens. R.S. canescent. England. .... 7. 8. H.♃. Eng. bot. 1190.
Aira canescens. E.B.
2 articulatus. R.S. jointed. S. Europe. 1824. —— H.♃. Desf. atl. 1. t. 18.

PERIBALLIA. Tr. PERIBALLIA. Triandria Digynia. R.S.
hispanica. Tr. Spanish. Spain. 1820. 6. 7. H.⊙. Cavan. ic. 1. t. 44. f. 1.
Aira involucrata, Cav. *Airopsis involucrata,* R.S.

AIROPSIS. R.S. AIROPSIS. Triandria Digynia. R.S.
1 globosa. R.S. globe-flowered. S. Europe. 1823. 6. 8. H.⊙. Cavan. ic. 3. t. 274. f. 1.
2 obtusata. R.S. blunt-flowered. N.America. —— 6. 7. H.♃.
3 brevifolia. R.S. short-leaved. Missouri. 1818. —— H.♃.
4 agrostidea. R.S. Agrostis-like. S. Europe. 1823. —— H.♃. DC. ic. rar. t. 1.
Poa agrostidea. DC. *Aira agrostidea.* Lois.

MELICA. R.S. MELIC-GRASS. Triandria Digynia. L.
1 ciliata. R.S. ciliated. Europe. 1771. 7. H.♃. Flor. græc. 1. t. 70.

2 nutans. R.S.	mountain.	Britain.	....	6. 7.	H.4.	Eng. bot. 1059.
3 uniflora. R.S.	wood.	———	....	5. 6.	H.4.	——— 1058.
4 Bauhini. R.S.	Italian.	Italy.	1806.	6. 7.	H.4.	Host. gram. 4. t. 23.
5 pyramidalis. R.S.	pyramidal.	Barbary.	1804.	——	H.4.	Barrel. ic. t. 96. f. 1.
6 speciosa. R.S. *glabra.* Ph.	handsome.	N.America.	1812.	——	H.4.	Schreb. gram. t. 54.
7 altissima. R.S.	tallest.	Siberia.	1770.	7. 8.	H.4.	Host. gram. 2. t. 9.
8 sylvatica. Lk.	wood.	Europe.	1824.	——	H.4.	
MOLINIA. P.B.	MOLINIA. Triandria Digynia. R.S.					
cœrulea. P.B. *varia.* S.S. *Melica cærulea.* E.B. *Enodium cæruleum.* R.S.	purple.	Britain.	....	8.	H.4.	Eng. bot. 750.
DINEBA. R.S.	DINEBA. Triandria Digynia. R.S.					
1 arabica. R.S.	Arabian.	Levant.	1816.	8. 9.	H.⊙.	Jacq. fragm. t. 121. f.1.
2 divaricata. R.S.	spreading.	Egypt.	1823.	——	H.⊙.	
WANGENHEIMIA. Tr.	WANGENHEIMIA. Triandria Digynia. R.S.					
Lima. Tr. *Cynosurus Lima.* Cav. *Dineba Lima.* R.S.	imbricated.	Spain.	1776.	7. 8.	H.⊙.	Cavan. ic. 1. t. 91.
SACCHARUM. R.S.	SUGAR-CANE. Triandria Digynia. L.					
1 officinarum. R.S.	common.	India.	1597.	....	S.4.	Rumph. amb. 5. t. 74. f. 1.
2 sinense. F.I.	Chinese.	China.	1822.	....	S.4.	
3 procerum. F.I.	lofty.	E. Indies.	——	....	S.4.	
4 violaceum. R.S.	violet-coloured.	W. Indies.	1816.	....	S.4.	
5 caudatum. R.S.	tailed.	———	——	....	S.4.	Sloan. hist. 1. t. 70. f. 1.
6 contractum. R.S.	contracted.	S. America.	1823.	....	S.4.	
7 Munja. F.I.	slender.	E. Indies.	1805.	....	S.4.	
IMPERATA. R.S.	IMPERATA. Triandria Digynia. R.S.					
1 arundinacea. R.S.	Reed-like.	N. Holland.	1820.	7. 8.	F.4.	Cyril. ic. fasc. 2. t. 11.
2 spontanea. R.S.	spontaneous.	E. Indies.	1818.	....	S.4.	Rheed. mal. 12. t. 46.
TRICHOLÆNA. R.S.	TRICHOLÆNA. Triandria Digynia. R.S.					
micrantha. R.S. *Saccharum Teneriffæ.* Jacq.	small-flowered.	S. Europe.	1816.	7. 8.	H.4.	Jacq. ecl. gram. t. 34.
ERIANTHUS. R.S.	ERIANTHUS. Triandria Digynia. R.S.					
1 saccharoides. R.S. *Saccharum giganteum.* Ph.	Sugar-cane-like.	N.America.	1816.	7. 8.	H.4.	
2 brevibarbis. R.S.	short-bearded.	———	1822.	——	H.4.	
RIPIDIUM. Tr.	RIPIDIUM. Polygamia Monœcia. Tr.					
1 Ravennæ. Tr. *Andropogon Ravennæ.* Host. *Saccharum Ravennæ.* W.	rough.	S. Europe.	1816.	7. 8.	H.4.	Host. gram. 3. t. 1.
2 strictum. Tr. *Saccharum adpressum.* Kit. *Andropogon strictus.* Host.	upright.	Hungary.	1802.	——	H.4.	——— 3. t. 2.
ANDROPOGON. R.S.	ANDROPOGON. Polygamia Monœcia. L.					
1 argenteus. DC.	silvery.	Mexico.	1822.	....	G.4.	
2 saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	——	S.4.	
3 laguroides. R.S.	hares-tail-like.	New Spain.	1820.	....	S.4.	DC.h.mons.ined.t.69.
4 hirtus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S.4.	Host. gram. 4. t. 1.
5 angustifolius. R.S.	narrow-leaved.	———	1818.	——	H.4.	Jacq. aust. 4. t. 384.
6 Ischæmum. R.S.	woolly.	———	1768.	——	H.4.	Gerard. gall. p. 107. t. 4.
7 serratus. R.S. *laxus.* W.	saw-leaved.	Japan.	1816.	....	G.4.	
8 comosus. R.S.	tufted.	Egypt.	1824.	....	H.4.	
9 annulatus. R.S.	annular.	———	——	....	S.4.	Forsk. egyp. t. 7.
10 furcatus. R.S.	forked.	N.America.	1818.	7. 8.	H.4.	
CHRYSOPOGON. Tr.	CHRYSOPOGON. Polygamia Monœcia.					
Gryllus. Tr. *Andropogon Gryllus.* F.G. *Holcus Gryllus.* E.B.	purple-fld.	S. Europe.	1791.	6. 7.	H.4.	Flor. græc. 1. t. 67.
POLLINIA. R.S.	POLLINIA. Polygamia Monœcia.					
1 distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H.4.	Flor. græc. 1. t. 69.
2 striata. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S.4.	
3 undata. R.S.	waved.	Mauritius.	1823.	....	S.4.	Jacq. ic. 3. t. 361.
CYMBOPOGON. R.S.	CYMBOPOGON. Polygamia Monœcia.					
Schœnanthus. R.S. *Andropogon Schœnanthus.* W.	Lemon-grass.	E. Indies.	1786.	....	S.4.	Rumph. amb. 5. t. 72. f. 2.
HETEROPOGON. R.S.	HETEROPOGON. Polygamia Monœcia.					
1 Allionii. R.S.	Allioni's.	S. Europe.	1816.	7. 8.	H.4.	Allion. fl. ped. t. 91. f. 4.
2 contortus. R.S. *Andropogon contortus.* W.	twisted.	E. Indies.	1779.	7. 9.	S.4.	Schk. hand. t. 342. f. a.
APLUDA. R.S.	APLUDA. Polygamia Monœcia. L.					
aristata. R.S.	awned.	E. Indies.	1820.	....	S.4.	Schreb. gram. 2. t. 42.

ANATHERUM. R.S. ANATHERUM. Polygamia Monœcia.
1 muricatum. R.S. muricate. E. Indies. 1823. ..... S.♃.
Andropogon muricatus. Retz. *squarrosus.* W.
2 virginicum. R.S. Virginian. N.America. 1819. 7. 8. H.♃. Sloan. jam. 1. t. 68. f. 1?
3 muticum. R.S. smooth spiked. C. B. S. 1794. 7. 9. G.♃.

ANTHISTIRIA. R.S. ANTHISTIRIA. Polygamia Monœcia. L.
1 ciliata. R.S. fringed. Jamaica. 1821. 8. 10. S.⊙. Cavan. ic. 5. t. 459.
2 australis. B.P. New Holland. N.Holland. 1818. —— F.♃.

SORGHUM. R.S. SORGHUM. Polygamia Monœcia.
1 vulgare. R.S. Indian Millet. India. 1596. 7. H.⊙. Host. gram. 4. t. 2.
2 nigrum. R.S. black-glumed. .... —— H.⊙. Ard. sag. pad. 1. t. 5. f. 1.
3 bicolor. R.S. two-coloured. Persia. 1731. —— H.⊙. Mieg. ac. helv. 8. t. 4. f. 4.
4 cernuum. R.S. nodding. .... —— H.⊙. Host. gram. 4. t. 3.
5 rubens. R.S. red. Africa. 1817. —— H.⊙.
6 saccharatum. R.S. yellow-seeded. India. 1759. 7. 8. S.♂. Host. gram. 4. t. 4.
7 caffrorum. R.S. Cape. C. B. S. 1816. —— H.⊙. Ard. sag. pad. 1. t. 1. f. 1.
Arduini. Jacq. ecl. gram. t. 18.
8 avenaceum. R.S. Oat-like. —— 1816. 7. 9. H.⊙.
9 halepense. R.S. panicled. Syria. 1691. 7. 8. H.♃. Flor. græc. 1. t. 68.
10 elongatum. R.S. long-panicled. N.Holland. 1823. —— F.♃.

HOLCUS. R.S. SOFT-GRASS. Polygamia Monœcia. L.
1 mollis. R.S. creeping. Britain. .... 7. 8. H.♃. Eng. bot. 1170.
2 lanatus. R.S. meadow. —— .... 6. 7. H.♃. —— 1169.

ARRHENATHERUM. R.S. ARRHENATHERUM. Polygamia Monœcia.
1 avenaceum. R.S. Oat-like. Britain. .... 6. 7. H.♃. Eng. bot. 813.
Holcus avenaceus. E.B. *Avena elatior.* F.D. t. 165.
β *muticum.* *awnless.* Scotland. .... —— H.♃.
2 bulbosum. bulbous. Germany. .... —— H.♃. Host. gram. 4. t. 30.
Holcus bulbosus. Host. *Avena bulbosa.* W.

ATHEROPOGON. R.S. ATHEROPOGON. Polygamia Monœcia.
apludoides. R.S. Apluda-like. N.America. 1808. 6. 7. H.♃. Jacq. ecl. gram. t. 7.
Chloris curtipendula. M.

CHLORIS. R.S. CHLORIS. Polygamia Monœcia. L.
1 ciliata. R.S. ciliated. Jamaica. 1779. 7. 9. S.♃.
2 radiata. R.S. many-spiked. W. Indies. 1739. 8. 9. S.⊙. Hayn. term. bot. t. 40. f. 2
3 pallida. R.S. pale-spiked. S. France. 1816. —— H.⊙.
4 barbata. R.S. bearded. E. Indies. 1777. 6. 7. S.⊙. Jacq. ecl. gram. 1. t. 8.
5 Roxburghiana. R.S. Roxburgh's. —— 1824. 7. 8. S.⊙.
6 inflata. R.S. inflated. California. —— —— H.♃.
7 fasciculata. R.S. crowded. Brazil. —— —— H.⊙.
8 polydactyla. R.S. many-spiked. W. Indies. 1818. —— S.⊙. Jacq. ecl. gram. 1. t. 9.
9 elegans. R.S. elegant. Mexico. 1825. —— H.⊙. H. et B. n. gen. 1. t. 49.
10 compressa. R.S. compressed. S. France. 1820. 6. 8. H.⊙.
11 ventricosa. B.P. swelled. N. S. W. 1818. —— G.♃.
12 truncata. B.P. truncated. —— 1822. —— G.♃.
13 dolichostachya. R.S. long-spiked. Philippine Isl. 1824. 7. 8. H.⊙.
14 retusa. R.S. retuse-glumed. Buenos Ayres. —— —— H.⊙.
15 gracilis. S.S. slender. ..... —— —— H.⊙.
Durandiana. R.S.

EUSTACHYS. R.S. EUSTACHYS. Polygamia Monœcia.
petræa. R.S. flat-stalked. Jamaica. 1779. 7. 8. S.♃. Jacq. ecl. gram. 1. t. 11.
Chloris petræa. W.

CHRYSURUS. R.S. CHRYSURUS. Polygamia Monœcia.
1 aureus. S.S. golden-spiked. Levant. 1770. 7. H.⊙. Host. gram. 3. t. 4.
cynosuroides. R.S. *Cynosurus aureus.* F.G. 1. t. 79. *Lamarckia aurea.* DC.
2 echinatus. R.S. rough. England. .... 8. H.⊙. Eng. bot. 1333.
Cynosurus echinatus. E.B.
3 effusus. R.S. spreading. S. Europe. 1824. 7. 8. H.⊙.
4 elegans. R.S. elegant. —— —— —— H.⊙. Desf. atl. 1. t. 17.

ISCHÆMUM. S.S. ISCHÆMUM. Polygamia Monœcia. L.
1 aristatum. S.S. bearded. E. Indies. 1803. 6. 7. S.♃.
2 australe. B.P. southern. N. S. W. 1822. 7. 8. F.♃.
3 rugosum. S.S. rough. E. Indies. 1791. —— S.⊙. Sal. stirp. rar. 1. t. 1.

ROTTBOELLIA. R.S. RÖTTBOELLIA. Triandria Digynia. L.
1 exaltata. R.S. tall. E. Indies. 1806. .... S.♂.
2 perforata. R.S. perforated. —— 1822. .... S.♃. Roxb. corom. t. 182.

LEPTURUS. B.P. HARD-GRASS. Triandria Digynia.
1 incurvatus. Tr. sea-side. Britain. .... 7. H.⊙. Eng. bot. 760.
Rottboellia incurvata. E.B.

2 filiformis. Tr.	thready.	S. Europe.	1800.	7.	H.♃.	Barrel. ic. t. 6.
3 cylindricus. Tr.	cylindrical.	Portugal.	1806.	——	H.⊙.	Giorn. pis. 4. f. 4-8.
Rottboellia cylindrica. W. *subulata.* DC. *Monerma subulata.* R.S.						
PHOLIURUS. Tr.	PHOLIURUS.	Triandria Digynia.				
pannonicus. Tr.	Hungarian.	Hungary.	1804.	——	H.⊙.	Host. gram. 1. t. 24.
MONERMA. R.S.	MONERMA.	Monandria Digynia.				
monandra. R.S.	monandrous.	Spain.	1804.	7.	H.⊙.	Cavan. ic. t. 89. f. 1.
Rottboellia monandra. Cav. *Nardus aristata.* L. *Psilurus nardoides.* Tr.						
MANISURIS. R.S.	MANISURIS.	Polygamia Monœcia. W.				
granularis. R.S.	round grained.	E. Indies.	1784.	6. 7.	S.⊙.	Roxb. corom. 2. t. 118.
ANTHEPHORA. R.S.	ANTHEPHORA.	Triandria Monogynia.				
elegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S.⊙.	Schreb. gram. t. 44.
Tripsacum hermaphroditum. L. *Cenchrus lævigatus.* S.S.						
TRIPSACUM. S.S.	TRIPSACUM.	Monœcia Triandria. L.				
1 dactyloides. S.S.	rough-seeded.	Virginia.	1640.	8.	H.♃.	Lam. ill. t. 750.
2 monostachyon. S.S.	single-spiked.	N.America.	1815.	——	H.♃.	Willd. hort. ber. t. 1.
ECHINOCHLOA. R.S.	ECHINOCHLOA.	Triandria Digynia. R.S.				
1 stagnina. R.S.	pond.	E. Indies.	1802.	7. 8.	H.⊙.	
2 commutata. R.S.	Hungarian.	Hungary.	——	——	H.⊙.	Host. gram. 3. t. 51.
Panicum stagninum. Host.						
3 intermedia. R.S.	intermediate.	.....	1816.	——	H.⊙.	
4 erythrosperma. R.S.	red-seeded.	.....	1825.	——	H.⊙.	
5 Crus-Corvi. R.S.	Crow's-foot.	E. Indies.	1781.	——	H.⊙.	
6 Crus-Galli. R.S.	Cock's-foot.	England, ...	——	——	H.⊙.	Eng. bot. 876.
Panicum Crus-Galli. R.B.						
7 echinata. R.S.	bristly.	N.America.	1825.	——	H.⊙.	
8 setigera. R.S.	setigerous.	E. Indies.	1820.	——	S.⊙.	
ORTHOPOGON. B.P.	ORTHOPOGON.	Triandria Digynia. S.S.				
1 hirtellus. S.S.	hairy.	W. Indies.	1795.	6. 7.	S.♂.	
2 undulatifolius. S.S.	wave-leaved.	S. Europe.	——	——	H.⊙.	Host. gram. 3. t. 52.
Panicum hirtellum. Host. *non* L.						
3 Burmanni. R.S.	Burman's.	E. Indies.	1819.	....	S.⊙.	Burm. ind. t. 12. f. 1.
4 africanus.	African.	Africa.	1822.	7. 9.	S.⊙.	Pal. fl. d'ow. 2. t. 67. f. 1.
Oplismenus africanus. R.S.						
5 compositus. S.S.	compound spiked.	E. Indies.	1819.	——	S.⊙.	Linn. pfl. sys. 12. t. 96. f. 1
PANICUM. R.S.	PANIC-GRASS.	Triandria Digynia. R.S.				
1 colonum. R.S.	purple.	E. Indies.	1699.	7. 8.	H.⊙.	Ehret pict. t. 3. f. 3.
2 brizoides. R.S.	Briza-like.	————	1801.	6. 7.	S.♂.	Jacq. gram. fasc. t. 2.
3 flavidum. R.S.	yellowish.	————	1823.	——	S.♂.	
4 fasciculatum. R.S.	fascicled.	Jamaica.	1801.	——	H.⊙.	
5 plicatum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S.♃.	
6 palmifolium. R.S.	Palm-leaved.	————	1804.	——	S.♃.	Jacq. ecl. gram. t. 1.
7 neurodes. R.S.	nerved-leaved.	Nepaul.	1823.	——	G.♃.	
nervosum. F.I. *non* Lam.						
8 costatum. F.I.	ribbed.	Mauritius.	1805.	——	S.♃.	
9 carthaginense. R.S.	Carthagena.	S. America.	1818.	——	S.♃.	
10 indicum. F.I.	Indian.	E. Indies.	——	——	S.♃.	
11 hispidulum. R.S.	hispid.	————	1804.	7. 8.	H.⊙.	
12 frumentaceum. F.I.	cultivated.	————	1810.	——	H.⊙.	
13 dichotomum. R.S.	forked.	N.America.	1817.	——	H.⊙.	Sp. in. act. pet. 1819. t. 4.
14 coloratum. R.S.	coloured.	Egypt.	1771.	7. 9.	H.⊙.	Jacq. ic. 1. t. 58?
15 repens. R.S.	slender.	S. Europe.	1777.	——	H.⊙.	Flor. græc. 1. t. 61.
16 proliferum. R.S.	proliferous.	N.America.	1816.	——	H.⊙.	
17 numidianum. R.S.	Numidian.	Barbary.	——	——	H.⊙.	Desf. atl. 1. t. 11.
18 miliaceum. R.S.	Millet.	E. Indies.	1596.	——	H.⊙.	Host. gram. 2. t. 29.
19 attenuatum. R.S.	attenuated.	.....	1825.	——	H.⊙.	
20 muricatum. R.S.	prickly.	E. Indies.	1805.	7. 9.	H.⊙.	
21 capillare. R.S.	hair-panicled.	America.	1758.	6. 8.	H.⊙.	
β *minor.* R.S.	*smaller.*	————	——	——	H.⊙.	Host. gram. 4. t. 16.
22 maximum. R.S.	Guinea-grass.	Tropics.	1822.	——	S.♃.	Jacq. ic. 1. t. 13.
23 asperrimum. R.S.	rough.	S. America.	1824.	7. 9.	H.⊙.	
24 fuscum. R.S.	brown.	Jamaica.	1822.	——	S.♃.	
25 latifolium. R.S.	broad-leaved.	N.America.	1765.	8. 9.	H.♃.	Moris. his. 3. t. 5. f. 4.
26 clandestinum. R.S.	hidden-flow'r'd.	————	1802.	7.	H.♃.	
27 virgatum. R.S.	twiggy.	————	1781.	8. 9.	H.♃.	Spr. m. act. pet. 3. t. 5.
28 anceps. R.S.	flat-edged.	————	1816.	7. 8.	H.♃.	
29 uliginosum. R.S.	marsh.	E. Indies.	1819.	——	S. *w.* ♃.	
30 nitidum. R.S.	glossy.	N.America.	1811.	——	H.⊙.	
31 arundinaceum. R.S.	Reed-like.	Jamaica.	1819.	——	S.♃.	

32 brevifolium. R.S.	short-leaved.	E. Indies.	1800.	7. 8.	S.⊙.	Plnk. alm. t. 189. f. 4.
33 divaricatum. R.S.	divaricate.	Jamaica.	1800.	——	S.♃.	Jacq. schœn. 1. t. 25.
34 interruptum. R.S.	interrupted.	E. Indies.	1820.	——	S.♃.	
35 arborescens. R.S.	arborescent.	————	1776.	3. 4.	S.ħ.	
36 patens. R.S.	spreading.	————	1804.	7. 8.	S.♂.	Burm. ind. t. 10. f. 3.
37 altissimum. R.S.	lofty.	.....	1816.	——	H.⊙.	
38 marginatum. B.P.	margin-leaved.	N. S. W.	1822.	——	F.♃.	
39 bicolor. B.P.	two-coloured.	————	——	——	F.♃.	
ISACHNE. B.P.	Isachne. Triandria Digynia. R.S.					
australis. B.P.	New Holland.	N. S. W.	1820.	6. 8.	H.w.♃.	
MONACHNE. R.S.	Monachne. Triandria Digynia. R.S.					
unilateralis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S.♃.	Sloan. hist. 1. t. 14. f. 2.
Milium villosum. W.						
AXONOPUS. R.S.	Axonopus. Triandria Digynia. R.S.					
1 digitatus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H.⊙.	
2 cimicinus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H.⊙.	
Panicum cimicinum. W. *Milium cimicinum.* L.						
BECKMANNIA. R.S.	Beckmannia. Triandria Digynia. R.S.					
erucæformis. R.S.	linear-spiked.	Europe.	1773.	7.	H.⊙.	Host. gram. 3. t. 6.
SECALE. R.S.	Rye. Triandria Digynia. R.S.					
1 cereale. R.S.	common.	Tauria.	....	6. 7.	H.⊙.	
α hybernum. R.S.	*winter.*	————	....	——	H.♂.	Blackw. t. 424.
β vernum. R.S.	*spring.*	————	....	——	H.⊙.	Host. gram. 2. t. 48.
γ compositum. R.S.	*compound-spiked.*	————	....	——	H.⊙.	
2 fragile. R.S.	brittle.	————	1816.	——	H.⊙.	
TETRAPOGON. S.S.	Tetrapogon. Triandria Digynia. S.S.					
villosus. S.S.	villous.	Barbary.	1818.	7. 8.	H.⊙.	Desf. atl. 2. t. 255.
TRITICUM. R.S.	Wheat. Triandria Digynia. L.					
1 æstivum. R.S.	summer.	Baschiros.	....	6. 7.	H.⊙.	Host. gram. 3. t. 26.
2 hybernum. R.S.	Lammas.	.....	....	——	H.♂.	———— 3. t. 26. f. 3.
3 sibiricum. R.S.	Siberian.	Siberia.	....	——	H.⊙.	
4 velutinum. R.S.	velvet-spiked.	.....	....	——	H.♂.	Rod.Schub.cer.n.4.f.4.
5 compositum. R.S.	Egyptian.	Egypt.	1799.	——	H.⊙.	Host. gram. 3. t. 27.
6 Linnæanum. R.S.	Linnean.	————	....	——	H.⊙.	
7 turgidum. R.S.	turgid.	.....	....	——	H.⊙.	Host. gram. 3. t. 28.
8 fastuosum. R.S.	thick-grained.	.....	....	——	H.⊙.	
9 Gærtnerianum. R.S.	Gærtner's.	.....	....	....	H.⊙.	
10 platystachyum. R.S.	flat-spiked.	.....	....	——	H.⊙.	
11 cochleare. R.S.	spoon-like.	.....	....	——	H.⊙.	
12 Cevallos. R.S.	Trigo Moro.	.....	....	——	H.⊙.	
13 durum. R.S.	Barbary.	.....	....	——	H.⊙.	
β villosum. Host.	*villous.*	.....	....	——	H.⊙.	Host. gram. 4. t. 6.
14 siculum. R.S.	Sicilian.	.....	....	——	H.⊙.	
15 hordeiforme. R.S.	Barley form.	.....	....	——	H.⊙.	Host. gram. 4. t. 5.
16 compactum. R.S.	compact.	.....	....	——	H.⊙.	———— 4. t. 7.
17 polonicum. R.S.	Polish.	.....	1692.	——	H.⊙.	———— 3. t. 31.
18 monococcon. R.S.	one-grained.	.....	1648.	——	H.⊙.	———— 3. t. 32.
19 dicoccum. R.S.	two-grained.	.....	....	——	H.⊙.	Rod.Schub.cer.n.15.f.3
α album.	*white-spiked.*	.....	....	——	H.⊙.	
β rufum.	*brown-spiked.*	.....	....	——	H.⊙.	
20 atratum. R.S.	dark-spiked.	.....	....	——	H.⊙.	Host. gram. 4. t. 8.
21 tricoccum. R.S.	three-grained.	.....	....	——	H.⊙.	Rod.Schub.cer.n.17.f.3
22 Cienfugos. R.S.	tooth-valved.	.....	....	——	H.⊙.	
23 Banbini. R.S.	truncate-valved.	.....	....	——	H.⊙.	
24 Spelta. R.S.	Spelt.	.....	....	——	H.⊙.	Host. gram. 3. t. 29.
Zea. Host.						
25 venulosum. R.S.	veined.	Egypt.	....	——	H.⊙.	
26 villosum. R.S.	villous.	S. Europe.	1790.	——	H.⊙.	Flor. græc. t. 97.
Secale villosum. F.G.						
27 campestre. R.S.	field.	Hungary.	1816.	——	H.⊙.	Host. gram. 4. t. 3.
28 creticum. R.S.	Cretan.	Candia.	——	——	H.⊙.	
Secale creticum. L.						
AGROPYRUM. R.S.	Couch-grass. Triandria Digynia. R.S.					
1 junceum. R.S.	rushy.	England.	....	6. 7.	H.♃.	Eng. bot. 814.
Triticum junceum. E.B.						
2 acutum. R.S.	acute-glumed.	France.	1816.	——	H.♃.	Host. gram. 4. t. 9.
Triticum littorale. Host.						
3 rigidum. R.S.	rigid.	S. Europe.	1805.	——	H.♃.	
4 intermedium. Host.	intermediate.	Germany.	——	——	H.♃.	Host. gram. 2. t. 32.

5	glaucum. R.S.	glaucous.	Switzerland.	1824.	6. 7.	H.$\mathcal{U}$.	Host. gram. 4. t. 10?
6	rupestre. R.S.	rock.	Siberia.	1822.	——	H.$\mathcal{U}$.	
7	obtusiflorum. R.S.	blunt-flowered.	.....	....	——	H.$\mathcal{U}$.	
8	pungens. R.S.	pungent.	S. Europe.	1824.	——	H.$\mathcal{U}$.	
9	densiflorum. R.S.	close flowered.	Siberia.	——	——	H.$\mathcal{U}$.	
10	giganteum. R.S.	gigantic.	S. Europe.	1805.	——	H.$\mathcal{U}$.	Host. gram. 2. t. 23.
	Triticum elongatum. Host.						
11	repens. R.S.	common.	Britain.	....	7. 8.	H.$\mathcal{U}$.	Eng. bot. 909.
	α *arvense.* R.S.	*field.*	——	....	——	H.$\mathcal{U}$.	Trattin. tab. t. 566.
	β *subulatum.* R.S.	*subulate-glumed.*	——	....	——	H.$\mathcal{U}$.	Schreb. gram. t. 26. f. 2
	γ *dumetorum.* R.S.	*many-flowered.*	——	....	——	H.$\mathcal{U}$.	—— f. II. IV. f.
	δ *Vaillantianum.* R.S.	*Vaillant's.*	——	....	——	H.$\mathcal{U}$.	—— f. 6.
	ε *Leersianum.* R.S.	*Leers's.*	——	....	——	H.$\mathcal{U}$.	Leers fl. herb. t. 12. f. 4
	ζ *capillare.* R.S.	*hair-awned.*	——	....	——	H.$\mathcal{U}$.	
12	sibiricum. R.S.	Siberian.	Siberia.	1825.	——	H.$\mathcal{U}$.	
13	dasyanthum. R.S.	thick-flowered.	Russia.	——	——	H.$\mathcal{U}$.	
14	caninum. R.S.	bearded.	Britain.	....	——	H.$\mathcal{U}$.	Eng. bot. 1372.
15	distichum. R.S.	two-ranked.	C. B. S.	1816.	——	G.$\mathcal{U}$.	
16	prostratum. R.S.	prostrate.	Siberia.	1780.	6.	H.⊙.	Jacq. vind. 3. t. 44.
17	orientale. R.S.	hairy-spiked.	Levant.	1807.	6. 7.	H.♂.	Will. n. act. ber. 2. t. 4. f. 3
	Secale orientale. W.						
18	patulum. Tr.	spreading.	Egypt.	1800.	——	H.⊙.	
	Triticum squarrosum. R.S. *Buonapartis.* Spr.						
19	imbricatum. R.S.	imbricated.	Caucasus.	1824.	6. 8.	H.$\mathcal{U}$.	Gmel. sib. 1. n. 51. t. 18.
20	pectiniforme. R.S.	comb-like.	Tauria.	——	——	H.$\mathcal{U}$.	Buxb. cent. 1. t. 50. f. 1.
21	cristatum. R.S.	crested.	——	——	——	H.$\mathcal{U}$.	Host. gram. 2. t. 24.
22	desertorum. R.S.	desert.	Cumana.	1822.	——	H.$\mathcal{U}$.	
23	angustifolium. R.S.	narrow-leaved.	Siberia.	——	——	H.$\mathcal{U}$.	
24	muricatum. R.S.	bristly.	——	1825.	——	H.$\mathcal{U}$.	
25	pectinatum. R.S.	pectinated.	V. Diem. Isl.	1822.	——	H.$\mathcal{U}$.	
26	variegatum. R.S.	variegated.	.....	1818.	——	H.$\mathcal{U}$.	
LOLIUM. R.S.		DARNEL.	Triandria Digynia. L.				
1	perenne. R.S.	Rye-grass.	Britain.	....	5. 6.	H.$\mathcal{U}$.	Eng. bot. 315;
	α *vulgare.* R.S.	*common.*	——	....	——	H.$\mathcal{U}$.	Host. gram. 1. t. 25.
	β *tenue.* R.S.	*slender.*	——	....	——	H.$\mathcal{U}$.	Sinc. gra. wob. p. 211. ic.
	γ *compositum.* R.S.	*compound.*	——	....	——	H.$\mathcal{U}$.	Scheuch. agr. 1. f. 7. D.
	δ *ramosum.* R.S.	*branching.*	——	....	——	H.$\mathcal{U}$.	Leers gram. t. 12. f. 1.
	ε *Russellianum.* H.G.W.	*Russell's.*	——	....	——	H.$\mathcal{U}$.	Sinc. gra. wob. p. 216. ic.
	ζ *Whitworthii.* H.G.W.	*Whitworth's.*	——	....	——	H.$\mathcal{U}$.	
	η *Stickneyanum.* H.G.W.	*Stickney's.*	——	....	——	H.$\mathcal{U}$.	
	ϑ *paniculatum.* H.G.W.	*panicled.*	——	....	——	H.$\mathcal{U}$.	
	ι *monstrosum.* H.G.W.	*monstrous-fld.*	——	....	——	H.$\mathcal{U}$.	
	κ *viviparum.* R.S.	*viviparous.*	——	....	——	H.$\mathcal{U}$.	
	λ *multiflorum.* P.S.	*many-flowered.*	——	——	——	H.$\mathcal{U}$.	
	μ *humile.* R.S.	*dwarf.*	——	....	——	H.$\mathcal{U}$.	
2	multiflorum. R.S.	many-flowered.	Europe.	1816.	——	H.⊙.	Vaill. par. t. 17. f. 3.
3	arvense. R.S.	beardless.	England.	....	7.	H.⊙.	Eng. bot. 1125.
4	complanatum. L. en.	rigid.	Switzerland.	1825.	——	H.⊙.	
	rigidum. R.S.						
5	temulentum. R.S.	bearded.	Britain.	....	7. 8.	H.⊙.	Eng. bot. 1124.
6	speciosum. R.S.	pretty.	Tauria.	1824.	——	H.⊙.	
ÆGILOPS. R.S.		HARD-GRASS.	Polygamia Monœcia. L.				
1	caudata. R.S.	tailed.	Candia.	1820.	7. 8.	H.⊙.	
2	cylindrica. R.S.	cylindrical.	Hungary.	1805.	6. 7.	H.⊙.	Host. gram. 2. t. 7.
3	ovata. R.S.	oval-spiked.	S. Europe.	1683.	——	H.⊙.	Flor. græc. 1. t. 93.
4	triaristata. R.S.	three-awned.	——	1739.	7. 8.	H.⊙.	Host. gram. 2. t. 6.
	triuncialis. Host. non W.						
5	triuncialis. R.S.	long-spiked.	——	——	——	H.⊙.	Schreb. gram. t. 10. f. 1.
6	squarrosa. W.	rough-spiked.	Levant.	1794.	6. 7.	H.$\mathcal{U}$.	—— 2. t. 27. f. 2.
	Triticum squarrosum. R.S.						
7	Hystrix. N.	hedgehog.	Missouri.	1819.	7. 8.	H.$\mathcal{U}$.	
ELYMUS. R.S.		LYME-GRASS.	Triandria Digynia. L.				
1	arenarius. E.B.	sand.	Britain.	....	4. 6.	H.$\mathcal{U}$.	Eng. bot. 1672.
2	geniculatus. E.B.	pendulous.	England.	....	7.	H.$\mathcal{U}$.	—— 1586.
3	sabulosus. R.S.	glaucous.	Siberia.	1806.	6. 7.	H.$\mathcal{U}$.	
4	giganteus. R.S.	gigantic.	N. America.	1790.	7. 8.	H.$\mathcal{U}$.	
5	mexicanus. R.S.	Mexican.	Mexico.	1823.	6. 8.	H.$\mathcal{U}$.	Jacq. ecl. gr. t. 19.
6	sibiricus. R.S.	Siberian.	Siberia.	1758.	6. 7.	H.$\mathcal{U}$.	Schreb. gram. 1. t. 21. f. 1.
7	racemosus. R.S.	racemed.	.....	1816.	——	H.$\mathcal{U}$.	

8	tener. R.S.	tender.	Siberia.	1801.	6. 7.	H.♃.	
9	philadelphicus. R.S.	Philadelphian.	N.America.	1790.	7. 8.	H.♃.	
10	canadensis. R.S.	Canadian.	———	1699.	——	H.♃.	Moris. s. 8. t. 2. f. 10.
11	glaucifolius. R.S.	glaucous.	———	1816.	——	H.♃.	
12	villosus. R.S.	villous.	———	1802.	6. 7.	H.♃.	
13	virginicus. R.S.	Virginian.	———	1781.	——	H.♃.	
14	striatus. R.S.	striated.	———	1790.	——	H.♃.	
	β *minor*. R.S.	*lesser*.	———	....	——	H.♃.	
15	europæus. R.S.	European.	England.	....	——	H.♃.	Eng. bot. 1317.
16	crinitus. R.S.	long-awned.	Smyrna.	1806.	7. 8.	H.⊙.	Host. gram. 1. t. 27.
17	intermedius. R.S.	intermediate.	Iberia.	1819.	7. 9.	H.⊙.	Buxb. cent. 1. t. 52.
18	Caput-Medusæ. R.S.	Portuguese.	Portugal.	1784.	——	H.⊙.	Schreb.gram.2.t.24.f.2
19	junceus. R.S.	rushy.	Siberia.	1823.	7. 8.	H.♃.	
20	hordeiformis. R.S.	Barley-like.	.....	1816.	——	H.⊙.	
21	Hystrix. R.S.	rough.	Levant.	1770.	——	H.⊙.	Jacq. ic. 2. t. 305.
	Asprella Hystrix. W.en.						
22	pseudo-hystrix. R.S.	roughAmerican.	N.America.	1818.	——	H.⊙.	

PAPPOPHORUM. B.P. PAPPOPHORUM. Triandria Digynia. R.S.

1	nigricans. B.P.	black.	N.Holland.	1822.	7. 8.	F.♃.	
2	phleoides. S.S.	Phleum-like.	S. America.	——	——	S.♃.	

ECHINARIA. R.S. ECHINARIA. Triandria Digynia. R.S.

	capitata. R.S.	headed.	S. Europe.	1771.	5. 8.	H.⊙.	Flor. græc. 1. t. 100.
	Cenchrus capitatus. F.G. *Sesleria echinata*. Host. gram. 3. t. 3.						

SESLERIA. R.S. SESLERIA. Triandria Digynia. R.S.

1	elongata. R.S.	long-spiked.	Austria.	1805.	6. 7.	H.♃.	Host. gram. 2. t. 97.
2	cylindrica. R.S.	cylindrical.	S. Europe.	1818.	——	H.♃.	Sav. Ust. ann. 1800. ic.
3	tenuifolia. R.S.	slender-leav'd.	———	——	4. 6.	H.♃.	Host. gram. 4. t. 22.
4	cærulea. R.S.	blue.	Britain.	....	4. 5.	H.♃.	Eng. bot. 1613.
5	nitida. R.S.	glossy.	Italy.	1825.	5. 6.	H.♃.	
6	tenella. R.S.	weak.	Switzerland.	1819.	——	H.♃.	Host. gram. 2. t. 100.
7	sphærocephala. R.S.	round-headed.	———	——	——	H.♃.	——— 2. t. 99.
8	disticha. R.S.	distichous.	———	1824.	——	H.♃.	——— 2. t. 76.
	Poa disticha. Host.						

TRIODIA. B.P. TRIODIA. Triandria Digynia. R.S.

	decumbens. R.S.	decumbent.	Britain.	....	7. 8.	H.♃.	Eng. bot. 792.
	Poa decumbens. E.B. *Festuca decumbens*. W. *Danthonia decumbens*. DC.						

TRIDENS. R.S. REDTOP-GRASS. Triandria Digynia. R.S.

	quinquefida. R.S.	five-cleft.	N.America.	1816.	7. 8.	H.♃.	Jacq. ecl. gr. 2. t. 16.
	Triodia cuprea. Jacq. *Windsoria poæformis*. N. *Poa quinquefida*. Ph.						

DANTHONIA. DC. DANTHONIA. Triandria Digynia. R.S.

1	longifolia. B.P.	long-leaved.	N. S. W.	1823.	7. 8.	F.♃.	
2	semiannularis. B.P.	semiannular.	N.Holland.	1822.	7. 8.	F.♃.	Labill. n. holl. 1. t. 33.
	Arundo semiannularis. Lab.						
3	pilosa. B.P.	hairy.	N. S. W.	1823.	——	F.♃.	
4	provincialis. R.S.	Provence.	S. Europe.	1818.	6. 7.	H.♃.	Vill. delph. 2. t. 2. f. 9.
5	spicata. R.S.	spiked.	N.America.	1823.	——	H.♃.	
6	strigosa. R.S.	bristle-pointed.	Britain.	....	——	H.♃.	Eng. bot. 1266.
	Avena strigosa. E.B.						
7	macrantha. R.S.	large-flowered.	C. B. S.	1816.	——	H.⊙.	
8	curvifolia. R.S.	curve-leaved.	———	——	——	G.♃.	
9	calycina. R.S.	glossy-calyxed.	———	1822.	——	G.♃.	

KŒLERIA. R.S. KŒLERIA. Triandria Digynia. R.S.

1	cristata. R.S.	crested.	Europe.	....	6. 8.	H.♃.	Host. gram. 2. t. 75.
	β *glabra*. R.S.	*smooth*.	Britain.	....	7. 8.	H.♃.	Eng. bot. 648.
	Aira cristata. E.B. *Poa cristata*. W.						
2	grandiflora. R.S.	large-flowered.	S. Europe.	1824.	6. 8.	H.♃.	
3	glauca. DC.	glaucous.	Germany.	1816.	——	H.♃.	
4	pensylvanica. DC.	Pensylvanian.	N.America.	1818.	——	H.♃.	Spr.mem.p.2.1810.t.7.
5	macrantha. R.S.	large-flowered.	Russia.	1824.	——	H.♃.	
6	valesiaca. R.S.	Swiss.	Switzerland.	——	——	H.♃.	
7	tuberosa. P.S.	tuberous.	S. Europe.	1802.	7. 8.	H.♃.	Lam. ill. t. 45. f. 4.
8	hirsuta. R.S.	hairy.	Switzerland.	1824.	——	H.♃.	
9	villosa. R.S.	villous.	S. Europe.	1800.	6. 7.	H.♃.	
	Aira pubescens. W. *Phalaris pubescens*. Lam.						
10	phleoides. R.S.	cat's-tail.	Portugal.	1802.	7. 8.	H.⊙.	Desf. atl. 1. t. 23.
11	hispida. R.S.	hispid.	S. Europe.	1819.	6. 7.	H.⊙.	Savi fl. pis. t. 1. f. 5.
12	brachystachya. R.S.	short-spiked.	.....	——	——	H.⊙.	
13	parviflora. Lex.	small-flowered.	S. Europe.	——	——	H.⊙.	Desf. atl. 1. t. 32.
	Avena parviflora. Desf. *Trisetum parviflorum*. R.S.						

AVENA. R.S.	Oat-grass.	Triandria Digynia. L.					
1 præcox. R.S.	early-flowering.	Britain.	....	5. 6.	H.⊙.	Eng. bot. 1296.
Aira præcox. R.B.						
2 brevis. R.S.	short.	Germany.	1804.	——	H.⊙.	Host. gram. 3. t. 42.
3 alba. R.S.	white.	France.	....	6. 7.	H.⊙.	
4 sativa. R.S.	common.	S. America.	....	——	H.⊙.	Host. gram. 2. t. 59.
α melanosperma.	*black Oat.*	———	....	——	H.⊙.	
β leucosperma.	*white Oat.*	———	....	——	H.⊙.	
5 orientalis. R.S.	Tartarian.	Levant.	1796.	——	H.⊙.	Host. gram. 3. t. 44.
6 nuda. R.S.	naked.	.....	....	——	H.⊙.	——— 3. t. 43.
7 fatua. R.S.	wild.	Britain.	....	8.	H.⊙.	Eng. bot. 2231.
8 hirsuta. R.S.	hairy.	S. Europe.	——	6. 8.	H.⊙.	
9 sterilis. R.S.	bearded.	———	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10 sempervirens. R.S.	evergreen.	Pyrenees.	1816.	6. 7.	H.♃.	Host. gram. 3. t. 41.
11 pratensis. R.S.	narrow-leaved.	Britain.	....	——	H.♃.	Eng. bot. 1264.
12 bromoides. R.S.	Bromus-like.	S. Europe.	....	——	H.♃.	
13 planiculmis. R.S.	flat-stalked.	Hungary.	1822.	——	H.♃.	Schrad. fl. ger. 1. t. 6. f. 1
latifolia. Host. gram. 4. t. 32.						
14 versicolor. R.S.	various-colored.	Europe.	1816.	6. 8.	H.♃.	Host. gram. 2. t. 52.
GAUDINIA. R.S.	Gaudinia.	Triandria Digynia. R.S.				
fragilis. R.S.	brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
Avena fragilis. Host.						
TRISETUM. R.S.	Trisetum.	Triandria Digynia. R.S.				
1 tenue. R.S.	slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 56.
striatum. P.S. *Avena tenuis.* Host.						
2 pensylvanicum. R.S.	Pensylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3 micranthum. R.S.	small-flowered.	S. Europe.	1823.	——	H.⊙.	
4 neglectum. R.S.	neglected.	———	——	——	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5 alopecurus. R.S.	Foxtail.	.....	1816.	——	H.⊙.	
6 Loeflingianum. R.S.	Loefling's.	S. Europe.	1770.	——	H.⊙.	Willd. ber. mag. 3. t. 8. f.
7 condensatum. R.S.	close-flowered.	Sicily.	1824.	——	H.⊙.	
8 pilosum. R.S.	hairy.	Iberia.	——	——	H.⊙.	
9 pubescens. R.S.	pubescent.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1640.
Avena pubescens. E.B.						
10 rigidum. R.S.	rigid.	Caucasus.	1825.	——	H.♃.	
11 alpinum. R.S.	Alpine.	Scotland.	....	7.	H.♃.	Eng. bot. 2141.
Avena planiculmis. E.B. *non* Schrad.						
12 carpathicum. R.S.	Carpathian.	Carp. mount.	1818.	7. 8.	H.♃.	Host. gram. 4. t. 31.
13 flavescens. R.S.	golden.	Britain.	....	6. 7.	H.♃.	Eng. bot. 952.
pratense. P.S. *Avena flavescens.* E.B.						
14 alpestre. R.S.	mountain.	S. Europe.	1816.	——	H.♃.	Host. gram. 3. t. 38.
15 brevifolium. R.S.	short-leaved.	———	——	——	H.♃.	——— 3. t. 40.
16 argenteum. R.S.	silvery.	Switzerland.	1791.	——	H.♃.	——— 2. t. 53.
17 distichophyllum.	fan-leaved.	———	1796.	——	H.♃.	Vill. delph. 2. t. 4. f. 4.
18 airoides. R.S.	Aira-like.	———	1800.	——	H.♃.	Flor. dan. t. 228.
Avena airoides. DC. *Aira subspicata.* W.						
19 glabratum. R.S.	smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S.	Centotheca.	Triandria Digynia. R.S.				
lappacea. R.S.	Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7.
Cenchrus lappaceus. L.						
POA. R.S.	Meadow-grass.	Triandria Digynia. L.				
1 pratensis. R.S.	smooth-stalk'd.	Britain.	....	5. 6.	H.♃.	Eng. bot. 1073.
2 angustifolia. DC.	narrow-leaved.	———	....	5.	H.♃.	Sinc. gra. wob. p. 184. ic.
3 humilis. R.S.	short-blueish.	———	....	5. 6.	H.♃.	Eng. bot. 1004.
subcærulea. E.B.						
4 viridis. R.S.	green.	N. America.	1816.	——	H.♃.	
5 hybrida. R.S.	hybrid.	Switzerland.	1824.	——	H.♃.	
6 trivialis. E.B.	common.	Britain.	....	6. 8.	H.♃.	Eng. bot. 1072.
7 annua. E.B.	annual.	———	....	1. 12.	H.⊙.	——— 1141.
8 cæspitosa. R.S.	tufted.	N. Zealand.	1822.	6. 8.	H.♃.	
9 gracilis. R.S.	slender.	....	1818.	——	H.♃.	
10 bulbosa. R.S.	bulbous.	England.	....	5. 6.	H.♃.	Eng. bot. 1071.
11 laxa. R.S.	loose.	Scotland.	....	7.	H.♃.	Host. gram. 3. t. 15.
flexuosa. E.B. 1122.						
12 Halleri. R.S.	Haller's.	Switzerland.	——	——	H.♃.	
pallens. Hall.						
13 cenisia. R.S.	soft.	Mt. Cenis.	1791.	7. 8.	H.♃.	Host. gram. 3. t. 16.
14 alpina. R.S.	Alpine.	Scotland.	....	6. 7.	H.♃.	Eng. bot. 1003.
15 collina. R.S.	hill.	Europe.	1800.	——	H.♃.	Host. gram. 2. t. 66.

6	concinna. R.S.	neat.	Switzerland.	1815.	6. 7.	H.4.		
7	Molineri. R.S.	Molineri's.	———	1816.	——	H.4.	Balb. misc. t. 5. f. 1.	
8	supina. R.S.	trailing.	———	——	——	H.4.	Host. gram. 4. t. 27.	
9	miliacea. R.S.	Millet like.	Hungary.	1824.	——	H.4.		
10	nemoralis. R.S.	wood.	———	....	6.	H.4.	Host. gram. 1265.	
	β angustifolia. H.G.W.	*narrow-leaved.*	———	....	——	H.4.	Sinc. gr. wob. p. 182. ic.	
11	versicolor. R.S.	various-color'd.	Tauria.	1825.	6. 7.	H.4.		
12	coarctata. L.en.	crowded.	Europe.	....	——	H.4.		
13	glauca. E.B.	glaucous.	Britain.	....	——	H.4.	Eng. bot. 1720.	
14	cæsia. E.B.	sea-green.	Scotland.	....	——	H.4.	——— 1719.	
15	brachyphylla. R.S.	short-leaved.	N. America.	1816.	——	H.4.		
16	depauperata. R.S.	few-flowered.	Hungary.	——	——	H.4.		
17	sterilis. R.S.	barren-ground.	Tauria.	1824.	——	H.4.		
18	nervata. R.S.	nerved.	N. America.	1812.	——	H.4.	Sinc. gr. wob. p. 190. ic.	
19	imbecilla. R.S.	weak.	N. Zealand.	1822.	7. 8.	H.4.		
20	flava. R.S.	yellow.	N. America.	——	——	H.4.		
21	hirsuta. R.S.	hairy.	———	——	——	H.4.		
22	capillaris. R.S.	hair-panicled.	———	1781.	10. 11.	H.⊙.	Moris. s. 8. t. 6. f. 23.	
23	Poiretii. R.S.	Poiret's.	.....	1816.	6. 8.	H.⊙.		
24	serotina. R.S.	late-flowering.	Germany.	1800.	7. 9.	H.4.		
	β palustris. R.S.	*marsh.*	———	——	——	H.w.4.	Vill. cat. j. Stras. t. 2. f. 2.	
25	effusa. R.S.	spreading.	Hungary.	1823.	6. 8.	H.4.		
26	sudetica. R.S.	broad-leaved.	Germany.	1802.	7. 8.	H.4.	Vill. delph. 2. t. 3.	
27	viridis. Ph.	green.	N. America.	1812.	——	H.4.		
28	amboinensis. R.S.	Amboyna.	E. Indies.	1800.	6. 7.	S.4.	Rumph. amb. 6. t. 7. f. 3.	
29	cilianensis. R.S.	Piedmont.	Piedmont.	1818.	7. 8.	H.⊙.	All. ped. t. 91. f. 2.	
40	caroliniana. R.S.	Carolina.	Carolina.	——	——	H.⊙.		
41	chinensis. R.S.	China.	China.	——	——	H.⊙.		
42	australis. B.P.	southern.	N. S. W.	1822.	——	H.4.	Lab. nov. hol. 1. t. 35.	
	Arundo poæformis. Lab.							
43	plebeia. B.P.	plebeian.	———	——	——	H.4.		
44	compressa. E.B.	compressed.	Britain.	....	6. 8.	H.⊙.	Eng. bot. 365.	
45	festucæformis. R.S.	Fescue-like.	Dalmatia.	1800.	7. 9.	H.4.	Host. gram. 3. t. 17.	
46	convoluta. R.S.	convolute.	.....	1819.	——	H.4.		
47	atrovirens. R.S.	dark green.	Barbary.	1825.	——	H.4.	Desf. atl. 1. t. 17.	
48	pallida. R.S.	pallid.	.....	——	——	H.⊙.		
49	peruviana. R.S.	Peruvian.	Peru.	1802.	7. 8.	H.⊙.	Jacq. ic. 1. t. 18.	
50	papillosa. R.S.	papillose.	C. B. S.	1816.	——	H.⊙.		
51	digitata. B.P.	fingered.	N. S. W.	1800.	——	H.⊙.		
SCLEROCHLOA. R.S.		SCLEROCHLOA.	Triandria Digynia. R.S.					
1	divaricata. R.S.	spreading.	S. Europe.	1802.	7. 8.	H.⊙.	Gouan. ill. 4. t. 2. f. 1.	
2	procumbens. R.S.	procumbent.	Britain.	.....	——	H.⊙.	Eng. bot. 532.	
	Poa procumbens. E.B.	*Glyceria procumbens.* E.F.						
3	dura. R.S.	rigid.	S. Europe.	1776.	7. 8.	H.⊙.	Host. gram. 2. t. 73.	
	Poa dura. Host.	*Cynosurus durus.* L.						
4	rigida. L.en.	hard.	England.	....	6. 7.	H.⊙.	Eng. bot. 1371.	
	Poa rigida. E.B.	*Glyceria rigida.* E.F.	*Megastachya rigida.* R.S.					
5	articulata. L.en.	jointed.	Barbary.	1816.	——	H.⊙.	Desf. atl. 1. t. 22.	
6	maritima.	sea-side.	Europe.	....	——	H.⊙.	Cyrill. neap. fasc. 2. t. 2.	
	dichotoma. L.en.	*Triticum maritimum.* L.	*Festuca maritima.* DC.					
HYDROCHLOA. Har.		HYDROCHLOA.	Triandria Digynia.					
1	distans. Har.	distant.	Britain.	....	7.	H.w.4.	Eng. bot. 986.	
	Poa distans. E.B.	*Glyceria distans.* E.F.						
2	aquatica. Har.	water.	———	....	——	H.w.4.	Eng. bot. 1315.	
	Poa aquatica. E.B.	*Glyceria aquatica.* E.F.						
3	arundinacea.	Reed like.	Caucasus.	1825.	——	H.w.4.		
	Poa arundinacea. M.B.							
4	maritima. Har.	sea-side.	Britain.	....	——	H.w.4.	Eng. bot. 1140.	
	Poa maritima. E.B.	*Glyceria maritima.* E.F.						
GLYCERIA. B.P.		SWEET-GRASS.	Triandria Digynia. R.S.					
	fluitans. B.P.	floating.	Britain.	....	5. 8.	H.4.	Eng. bot. 1520.	
	Poa fluitans. E.B.	*Festuca fluitans.* W.						
ERAGROSTIS. R.S.		ERAGROSTIS.	Triandria Digynia. R.S.					
1	poæoides. R.S.	Poa-like.	Italy.	1699.	7.	H.⊙.	Flor. græc. t. 73.	
	Poa Eragrostis. F.G.							
2	tephrosanthos. R.S.	Martinica.	Martinica.	1824.	7. 9.	S.⊙.		
3	pilosa. R.S.	hairy.	Italy.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 68.	
4	verticillata. R.S.	whorled.	S. Europe.	1816.	——	H.⊙.	Cavan. ic. 1. t. 93.	
5	punctata. R.S.	spotted.	E. Indies.	——	——	S.⊙.		

6 ægyptiaca. R.S.	Egyptian.	Egypt.	1812.	7. 8.	H.⊙.	Descr.de l'Egyp. t.16.
7 purpurascens. R.S.	purplish.	.....	1822.	——	H.⊙.	
8 decipiens. R.S.	doubtful.	.....	——	——	H.⊙.	
9 tenella. R.S.	slender.	E. Indies.	1781.	——	S.⊙.	Rheed. mal. 12. t. 41.
10 cynosuroides. R.S.	Dogstail.	Egypt.	1824.	——	H.⊙.	Descr.de l'Egyp. t. 16.
Poa cynosuroides. W.						
11 capillaris. Lam.	hair-panicled.	N.America.	1781.	10.11.	H.⊙.	Moris. s. 8. t. 6. f. 23.
Poa capillaris. R.S.						
12 mexicana. Lam.	Mexican.	Mexico.	1816.	9.10.	H.⊙.	
MEGASTACHYA. R.S. MEGASTACHYA. Triandria Digynia. R.S.						
1 Eragrostis. R.S.	Love-grass.	S. Europe.	1776.	7. 8.	H.⊙.	Schreb. gram. t. 38.
Poa megastachya. P.S. *Briza Eragrostis.* W. *Eragrostis major.* Host. gram. 4. t. 24.						
2 nigricans. R.S.	blackish.	S. America.	1823.	——	S.♃.	
3 amabilis. R.S.	purple.	E. Indies.	1802.	——	S.⊙.	L. pfl. syst. 12. t.91.f.2.
Poa amabilis. L.						
4 spectabilis. R.S.	showy.	N. America.	1816.	——	H.⊙.	
5 pulchella. R.S.	pretty.	Tauria.	1825.	——	H.⊙.	
6 elongata. R.S.	long-panicled.	E. Indies.	1812.	——	S.♃.	Jacq. ecl. gr. t. 3.
7 ciliaris. R.S.	ciliated.	Jamaica.	1776.	——	S.⊙.	Jacq. ic. 2. t. 304.
8 rupestris. R.S.	rock.	E. Indies.	1823.	——	S.⊙.	
DACTYLIS. R.S.	COCK'S-FOOT-GRASS. Triandria Digynia. L.					
1 glomerata. R.S.	rough.	Britain.	....	6. 7.	H.♃.	Eng. bot. 335.
2 glaucescens. R.S.	glaucescent.	Europe.	1816.	——	H.♃.	
3 hispanica. R.S.	Spanish.	Spain.	1814.	——	H.♃.	
4 glauca. R.S.	glaucous.	.....	1823.	——	H.♃.	
5 maritima. R.S.	sea-side.	Caucasus.	——	——	H.♃.	Schrad.fl.ger.1. t.6.f.1.
6 littoralis. R.S.	shore.	S. Europe.	1816.	——	H.♃.	Lam. ill. t. 45. f. 5.
7 repens. R.S.	creeping.	————	1824.	——	H.♃.	Desf. atl. 1. t. 15.
8 adscendens. R.S.	ascending.	C. B. S.	1823.	——	G.♃.	
9 cynosuroides. R.S.	Dog's-tailed.	E. Indies.	——	——	S.♃.	
BRIZA. R.S.	QUAKING-GRASS. Triandria Digynia. R.S.					
1 minor. R.S.	small.	England.	....	7.	H.♃.	Eng. bot. 1816.
2 virens. R.S.	green.	S. Europe.	1800.	7. 8.	H.⊙.	Hayn.term.bot.t.25.f.8
3 media. E.B.	common.	Britain.	....	5. 6.	H.♃.	Eng. bot. 340.
4 Clusii. R.S.	Clusius's.	S. Europe.	1823.	——	H.♃.	Fouc. j. bot.3. t.24. f.2.
5 geniculata. R.S.	jointed.	C.B.S.	1816.	7. 8.	H.⊙.	
6 elatior. R.S.	tall.	Greece.	1788.	7. 8.	H.♃.	Flor. græc. 1. t. 75.
7 maxima. R.S.	great-spiked.	S. Europe.	1633.	6. 7.	H.⊙.	———— 1. t. 76.
8 humilis. R.S.	dwarf.	Tauria.	1818.	——	H.⊙.	Scheuch.agr.4.t.4.f.10.
9 rubra. R.S.	red.	S. Europe.	——	——	H.⊙.	
CYNOSURUS. R.S.	DOGSTAIL-GRASS. Triandria Digynia. L.					
cristatus. E.B.	crested.	Britain.	....	8.	H.♃.	Eng. bot. 816.
UNIOLA. R.S.	SEASIDE OAT. Triandria Digynia. L.					
1 paniculata. R.S.	panicled.	N.America.	1793.	6. 7.	H.♃.	Catesb. car. 1. t. 22.
2 latifolia. R.S.	broad-leaved.	————	1809.	——	H.♃.	
3 spicata. R.S.	spiked.	————	1790.	7.	H.♃.	
4 distichophylla. R.S.	two-ranked.	————	1789.	6. 7.	H.♃.	
Festuca distichophylla. Ph.						
CERATOCHLOA. R.S.	CERATOCHLOA. Triandria Digynia. R.S.					
unioloides. R.S.	Uniola-like.	N.America.	1796.	6. 7.	H.♃.	Willd. h. ber. t. 3.
Festuca unioloides. W.						
LEPTOCHLOA. R.S.	LEPTOCHLOA. Triandria Digynia. R.S.					
1 cynosuroides. R.S.	filiform.	E. Indies.	1818.	8. 9.	H.⊙.	
2 procera. R.S.	tall.	Brazil.	1823.	——	S.♃.	
3 filiformis. R.S.	slender.	S.America.	1818.	——	H.⊙.	Jacq. ecl. gram. t. 4.
4 virgata. R.S.	fine-spiked.	————	1727.	7. 9.	H.⊙.	Sloan. jam. 1. t. 70. f. 2.
5 tenerrima. R.S.	slenderest.	China.	1820.	——	H.⊙.	
6 domingensis. Lam.	close-spiked.	W. Indies.	——	6. 8.	S.♃.	
ELEUSINE. R.S.	ELEUSINE. Triandria Digynia. R.S.					
1 coracana. R.S.	thick-spiked.	E. Indies.	1714.	7. 9.	H.⊙.	Schreb. gram. 2. t. 35.
2 indica. R.S.	Indian.	India.	——	——	H.⊙.	Rheed. mal. 12. t. 69.
3 verticillata. R.S.	whorled.	E. Indies.	1823.	——	H.⊙.	
4 calycina. R.S.	calycine.	————	——	——	H.⊙.	
DACTYLOCTENIUM.	DACTYLOCTENIUM. Triandria Digynia. R.S.					
ægyptiacum. R.S.	Egyptian.	Egypt.	1770.	7. 9.	H.⊙.	Moris. s. 8. t. 3. f. 7.
Cynosurus ægyptius. L. *Eleusine ægyptiaca.* P.S.						
RHABDOCHLOA. R.S.	RHABDOCHLOA. Triandria Digynia. R.S.					
1 cruciata. R.S.	cross-spiked.	W. Indies.	1818.	7. 9.	H.⊙.	Sloan. his. 1. t. 69. f. 1.
Chloris cruciata. W. *Agrostis cruciata.* L.						

2 mucronata. R.S.	mucronate.	N.America.	1820.	7. 9.	H.⊙.	Lam. ill. t. 48. f. 2.
3 virgata. R.S.	slender.	W. Indies.	——	——	H.⊙.	
HONDROSIUM. K.S. CHONDROSIUM.		Triandria Digynia. R.S.				
1 procumbens. Desv.	procumbent.	Philippines.	1816.	7. 9.	H.⊙.	Jacq. ecl. gr. t. 12.
Actinochloa procumbens. R.S. *Atheropogon procumbens.* Jacq.						
2 tenue. R.S.	slender.	Mexico.	1823.	——	H.⊙.	H. et B. n. gen. 1. t. 57.
3 prostratum.	prostrate.	——	——	——	H.⊙.	
Actinochloa prostrata. R.S. *Bouteloua prostrata.* Lag.						
4 hirsutum.	hairy.	——	——	——	H.⊙	
ORYCARPUS. Zea. CORYCARPUS.		Diandria Digynia. S.S.				
arundinaceus. S.S.	Reed-like.	N.America.	1810.	6. 7.	H.4.	Mich. amer. 1. t. 10.
Festuca diandra. M. *Diarrhena americana.* R.S. *Ramenia Zea.* R.S.						
IPLACHNE. R.S. DIPLACHNE.		Triandria Digynia. R.S.				
fascicularis. R.S.	fascicled.	N.America.	1818.	6. 8.	H.⊙.	
Festuca polystachya. M.						
CHEDONORUS. R.S. SCHEDONORUS.		Triandria Digynia. R.S.				
1 pratensis. R.S.	meadow.	Britain.	....	6. 7.	H.⊙.	Eng. bot. 1592.
Festuca pratensis. E.B.						
2 phœnicoides. R.S.	creeping-rooted.	Switzerland.	1824.	——	H.4.	
3 elatior. R.S.	tall.	Britain.	....	——	H.4.	Eng. bot. 1593.
Festuca elatior. E.B. *et* Sinc. gr. wob. p. 361. ic.						
4 cærulescens. R.S.	blueish.	Barbary.	1818.	6. 7.	H.4.	
5 spadiceus. R.S.	Gerard's.	Italy.	1775.	4. 6.	H.4.	Host. gram. 3. t. 20.
6 inermis. R.S.	naked-spiked.	Hungary.	1816.	6. 7.	H.4.	—— 1. t. 9.
7 calamarius. R.S.	Reed-like.	Scotland.	....	7. 8.	H.4.	Eng. bot. 1005.
8 deciduus.	deciduous.	England.	....	6. 7.	H.4.	—— 2266.
Festuca decidua. E.B.						
9 sylvaticus. R.S.	wood.	Germany.	1804.	7. 8.	H.4.	Host. gram. 2. t. 78.
10 serotinus. R.S.	late-flowering.	S. Europe.	1818.	7. 9.	H.4.	—— 2. t. 92.
11 loliaceus. R.S.	spiked.	England.	....	6. 7.	H.4.	Eng. bot. 1821.
12 Scheuchzeri. R.S.	Scheuchzer's.	S. Europe.	1822.	——	H.4.	
13 violaceus. R.S.	violet coloured.	Europe.	....	——	H.4.	
14 nutans. R.S.	nodding.	Hungary.	1823.	——	H.4.	Host. gram. 4. t. 61.
15 nigrescens. R.S.	blackish.	Switzerland.	——	——	H.4.	
16 poæformis. R.S.	Poa-like.	——	1818.	——	H.4.	Host. gram. 2. t. 81.
17 pumilus. R.S.	dwarf.	S. Europe.	——	——	H.4.	—— 2. t. 91.
18 tenellus. R.S.	slender.	N.America.	1804.	7. 8.	H.⊙.	
Festuca tenella. Ph. *Brachypodium festucoides.* Lam.						
ESTUCA. R.S. FESCUE-GRASS.		Triandria Digynia. L.				
1 cynosuroides. R.S.	dogs-tail.	Barbary.	1825.	6. 8.	H.⊙.	Desf. atl. 1. t. 21.
2 Fenas. R.S.	tough.	Spain.	1822.	——	H.4.	
Poa tenax. Lam.						
3 ovina. R.S.	Sheep's.	Britain.	....	6.	H.4.	Eng. bot. 585.
4 tennifolia. Lam.	slender-leaved.	——	....	——	H.4.	
5 cæsia. E.B.	gray.	England.	....	6. 7.	H.4.	Eng. bot. 1917.
6 vivipara. E.B.	viviparous.	Britain.	....	7.	H.4.	—— 1355.
7 glauca. R.S.	glaucous.	S. Europe.	....	6. 7.	H.4.	
8 pallens. R.S.	pale.	Germany.	1816.	——	H.4.	Host. gram. 2. t. 88.
9 stricta. Host.	upright.	——	——	——	H.4.	—— 2. t. 86.
10 hirsuta. Host.	hairy.	——	——	——	H.4.	—— 2. t. 85.
11 Halleri. R.S.	Haller's.	Europe.	1820.	——	H.4.	
12 curvula. R.S.	curved.	Switzerland.	——	——	H.4.	
13 alpina. R.S.	Alpine.	——	——	——	H.4.	
14 amethystina. R.S.	blue.	S. Europe.	1804.	——	H.4.	
15 varia. R.S.	variable.	——	1823.	——	H.4.	Host. gram. 2. t. 90.
16 valesiaca.	Vallesian.	Vallesia.	——	——	H.4.	
17 pannonica. R.S.	Hungarian.	Hungary.	——	——	H.4.	Host. gram. 4. t. 62.
18 xanthina. R.S.	yellow.	Switzerland.	1818.	——	H.4.	—— 3. t. 19.
flavescens. Host. *non* Bellardi.						
19 flavescens. DC.	yellowish.	——	——	——	H.4.	
20 duriuscula. E.B.	hard.	Britain.	....	——	H.4.	Eng. bot. 470.
21 dumetorum. S.G.W.	pubescent.	——	....	——	H.4.	
22 glabra. S.G.W.	smooth.	——	....	6.	H.4.	Sinc. gr. wob. p. 180. ic.
23 hordeiformis. S.G.W.	Barley like.	.....	....	——	H.4.	—— p. 159. ic.
24 cambrica. S.G.W.	Welsh.	Wales.	....	——	H.4.	—— p. 157. ic.
25 heterophylla. R.S.	various-leaved.	S. Europe.	1812.	6. 7.	H.4.	Host. gram. 3. t. 18.
26 rubra. E.B.	red creeping.	Britain.	....	7.	H.4.	Eng. bot. 2056.
27 vaginata. R.S.	sheathed.	Hungary.	1804.	6. 7.	H.4.	

28	Kitaibeliana. R.S.	Kitaibel's.	Hungary.	1818.	6. 7.	H.$\mathcal{U}$.	
	pubescens. L.en. *non* Zea.							
29	laxa. R.S.	loose.	Switzerland.	1824.	——	H.$\mathcal{U}$.	Host. gram. 2. t. 8
30	nutans. R.S.	nodding.	N. America.	1805.	——	H.$\mathcal{U}$.	
31	mexicana. R.S.	Mexican.	Mexico.	1816.	7. 9.	H.$\odot$.	
32	rubens. R.S.	red.	S. Europe.	1776.	6. 7.	H.$\odot$.	Flor. græc. t. 88.
	Bromus rubens. F.G.							
33	lævis. F.	smooth.	Russia.	1806.	7.	H.$\mathcal{U}$.	
34	grandiflora. Ph.	large-flowered.	N. America.	1812.	6. 7.	H.$\mathcal{U}$.	
MYGALURUS. L.en.		Mousetail-grass.	Triandria Digynia. L.en.					
1	bromoides. L.en.	barren.	Britain.	....	6.	H.$\odot$.	Eng. bot. 1411.
2	caudatus. L.en.	wall.	England.	....	——	H.$\odot$.	———— 1412.
	Festuca Myurus. E.B.							
3	alopecuroides. L.en.	Fox-tail.	Barbary.	1799.	6. 8.	H.$\odot$.	Desf. atl. 1. t. 25.
4	uniglumis. L.en.	single-husked.	England.	....	——	H.$\odot$.	Eng. bot. 1430.
5	delicatulus. L.en.	delicate.	Spain.	1817.	7. 8.	H.$\odot$.	
6	geniculatus. L.en.	jointed.	S. Europe.	1793.	6. 7.	H.$\odot$.	
	Bromus geniculatus. R.S. *Festuca stipoides.* R.S.							
BRACHYPODIUM. R.S.		Brachypodium.	Triandria Digynia. R.S.					
1	pinnatum. R.S.	spiked heath.	Britain.	....	6. 8.	H.$\mathcal{U}$.	Eng. bot. 730.
	Bromus pinnatus. E.B. *Triticum pinnatum.* DC. *Festuca pinnata.* E.F.							
2	rupestre. R.S.	rock.	S. Europe.	1816.	——	H.$\mathcal{U}$.	Host. gram. 4. t. 17.
3	strigosum. R.S.	strigose.	Tauria.	1824.	——	H.$\mathcal{U}$.	
4	cæspitosum. R.S.	tufted.	S. Europe.	——	——	H.$\mathcal{U}$.	Host. gram. 4. t. 18.
5	ramosum. R.S.	branched.	————	1818.	——	H.$\mathcal{U}$.	Desf. atl. 1. t. 24. f.
6	phœnicoides. R.S.	pointed-leaved.	S. France.	1824.	——	H.$\mathcal{U}$.	
7	obtusifolium. R.S.	blunt-leaved.	Spain.	1818.	——	H.$\mathcal{U}$.	
8	Tenorianum. R.S.	Tenore's.	Naples.	1824.	——	H.$\mathcal{U}$.	
9	longifolium. R.S.	long-leaved.	Barbary.	1818.	——	H.$\mathcal{U}$.	
10	sylvaticum. R.S.	wood.	Britain.	....	——	H.$\mathcal{U}$.	Eng. bot. 729.
	Bromus sylvaticus. E.B. *Triticum sylvaticum.* DC. *Festuca sylvatica.* E.F.							
11	distachyum. R.S.	two-spiked.	S. Europe.	1772.	——	H.$\mathcal{U}$.	Host. gram. 1. t. 20.
12	asperum. R.S.	stiff-leaved.	Spain.	1818.	——	H.$\odot$.	
13	Halleri. R.S.	Haller's.	S. Europe.	——	——	H.$\odot$.	Vivian. fr. fl. it. t. 26. f.
14	tenuiculum. R.S.	slender-stem'd.	————	——	——	H.$\odot$.	———— t. 28. f. 2.
15	tenuiflorum. R.S.	slender-fld.	————	1823.	——	H.$\odot$.	Host. gram. 2. t. 28.
16	Nardus. L.en.	slender.	————	——	——	H.$\odot$.	
	tenellum. R.S. *Triticum Nardus.* DC.							
17	loliaceum. R.S.	spiked sea.	Britain.	....	6. 7.	H.$\odot$.	Eng. bot. 231.
	Triticum loliaceum. E.B.							
18	bicuniale. R.S.	small.	S. Europe.	1818.	6. 8.	H.$\odot$.	Viv. fl. it. fr. t. 24.
19	unilaterale. R.S.	one-sided.	————	1824.	——	H.$\odot$.	Bocc. mus. t. 57. f. 2.
TRICHÆTA. R.S.		Trichæta.	Triandria Digynia. R.S.					
	ovata. R.S.	oval-spiked.	Spain.	1824.	6. 8.	H.$\mathcal{U}$.	Cavan. ic. 6. t. 591. f. 1
	Bromus ovatus. Cav. *Trisetum ovatum.* P.S.							
BROMUS. R.S.		Brome-grass.	Triandria Digynia. R.S.					
1	secalinus. R.S.	smooth Rye.	England.	....	6. 8.	H.$\odot$.	Eng. bot. 1171.
2	elongatus. R.S.	elongated.	Switzerland.	1823.	——	H.$\odot$.	
3	commutatus. R.S.	downy Rye.	Britain.	....	——	H.$\odot$.	Host. gram. 1. t. 11.
4	velutinus. R.S.	hairy-headed.	————	....	——	H.$\odot$.	Eng. bot. 1894.
	multiflorus. E.B.							
5	mollis. R.S.	soft.	————	....	5. 7.	H.$\odot$.	Eng. bot. 1078.
6	confertus. R.S.	close-spiked.	Iberia.	1825.	——	H.$\odot$.	
7	racemosus. R.S.	smooth.	England.	....	6. 8.	H.$\odot$.	Eng. bot. 1079.
8	erectus. E.B.	upright.	————	....	——	H.$\mathcal{U}$.	———— 471.
9	Bieberstenii. R.S.	Bieberstein's.	Caucasus.	1825.	——	H.$\mathcal{U}$.	
10	australis. B.F.	southern.	N. S. W.	1823.	——	H.$\odot$.	
11	lanceolatus. R.S.	spear-leaved.	Canaries.	1798.	——	H.$\odot$.	Buxb. cent. ap. t. 18.
12	lanuginosus. R.S.	woolly.	S. Europe.	1824.	——	H.$\odot$.	
13	variegatus. R.S.	variegated.	Caucasus.	——	——	H.$\mathcal{U}$.	
14	squarrosus. R.S.	corn.	England.	....	——	H.$\mathcal{U}$.	Eng. bot. 1885.
15	vestitus. R.S.	clothed.	C. B. S.	1816.	——	G.$\mathcal{U}$.	
16	wolgensis. R.S.	Wolga.	Caucasus.	——	——	H.$\odot$.	Jacq. ecl. gr. t. 16.
17	laxus. R.S.	loose.	.....	——	——	H.$\mathcal{U}$.	
18	alopecuroides. R.S.	Fox-tail.	S. Europe.	1799.	——	H.$\mathcal{U}$.	Desf. atl. 1. t. 25.
	contortus. Desf.							
19	purgans. R.S.	purging.	Canada.	1793.	——	H.$\mathcal{U}$.	
20	pubescens. R.S.	pubescent.	N. America.	1816.	——	H.$\mathcal{U}$.	
21	asper. E.B.	hairy wood.	England.	....	——	H.$\mathcal{U}$.	Eng. bot. 1172.

pendulinus. R.s.	pendulous.	Spain.	1823.	6. 8.	H.⊙.		
glaucus. R.s.	glaucous.	Pyrenees.	——	——	H.♃.	Lap.fl.pyren.t.53.bis.	
altissimus. R.s.	tallest.	N.America.	1812.	——	H.♃.		
giganteus. R.s.	gigantic.	Britain.	....	7. 8.	H.♃.	Eng. bot. 1820.	
β triflorus.	*three-flowered.*	——	....	——	H.♃.	——	1918.
Festuca triflora. E.B.							
longiflorus. R.s.	long-flowered.	.....	1818.	——	H.♃.		
ciliatus. R.s.	ciliated.	N.America.	1802.	6. 8.	H.♃.		
arvensis. R.s.	field.	Britain.	....	7.	H.♃.	Eng. bot. 1984.	
sterilis. R.s.	barren.	——	....	6. 7.	H.⊙.	——	1030.
tectorum. R.s.	nodding.	Europe.	1776.	6. 8.	H.♂.	Flor. græc. t. 82.	
matritensis. R.s.	wall.	Britain.	....	6.	H.⊙.	Eng. bot. 1006.	
diandrus. E.B							
ligusticus. R.s.	contracted.	Italy.	1824.	6. 8.	H.⊙.	Barrel. ic. 76. n. 2.	
rigidus. R.s.	rigid.	S. France.	1822.	6. 8.	H.⊙.	Host. gram. 1. t. 18.	
pilosus. R.s.	hairy wall.	S. Europe.	——	——	H.⊙.		
jubatus. R.s.	loose panicled.	Italy.	1824.	——	H.⊙.		
maximus. R.s.	great.	Morocca.	1804.	——	H.⊙.	Desf. atl. 1. t. 26.	
scoparius. R.s.	broom.	S. Europe.	1824.	——	H.⊙.	Cavan. ic. 1. t. 45. f. 2.	
humilis. R.s.	low.	Spain.	——	——	H.⊙.	——	ic.6.t.589.f.2.
stenophyllus. L.en.	narrow-leaved.	.....	——	——	H.♃.		
scaberrimus. R.s.	roughest.	Italy.	——	——	H.⊙.		
OSTRARIA. Tr.	ROSTRARIA.	Triandria Digynia.					
pubescens. Tr.	pubescent.	.....	1824.	6. 8.	H.⊙.		
Bromus dactyloides. Roth. *Dactylis pungens.* Horn.							
HRAGMITES. Tr.	REED.	Triandria Digynia. R.S.					
communis. Tr.	common.	Britain.	....	7. 8.	H.w.♃.	Eng. bot. 401.	
Arundo phragmites. E.B.							
UNDO. S.S.	REED-GRASS.	Triandria Digynia. S.S.					
Donax. s.s	manured.	S. Europe.	1648.	7. 8.	H.♃.	Host. gram. 4. t. 38.	
β versicolor.	*striped.*	——	....	——	H.♃.	Moris. s. 8. t. 8. f. 9.	
tenax. s.s.	tough.	——	1823.	——	H.♃.	Cyril. neap. f. 2. t. 12.	
festucacea. W.en.	Fescue-like.	Germany.	——	——	H.w.♃.		
AMMA. R.S.	SEA MATWEED.	Triandria Trigynia. R.S.					
arenaria. R.s.	common.	Britain.	....	6. 7.	H.♃.	Eng. bot. 520.	
Arundo arenaria. E.B.							
UNDINARIA. R.S.	CANE-BRAKE.	Triandria Monogynia. S.S.					
glaucescens. R.s.	glaucous.	E. Indies.	1818.	....	S.ħ.		
Ludolfia glaucescens. W.							
macrosperma. R.s.	long-seeded.	N.America.	1800.	7.	H.♃.		
Miegia macrosperma. P.s. *Ludolfia macrosperma.* W.							
YRA. W.	OLYRA.	Monœcia Triandria. L.					
paniculata. W.	broad-leaved.	W. Indies.	1783.	7.	S.♃.	Sloan. jam. 1. t. 64. f. 2.	
A. W.	INDIAN CORN.	Monœcia Triandria. L.					
Mays. W.	common.	America.	1562.	6. 7.	H.⊙.	Lam. ill. t. 749.	
IX. W.	JOB'S-TEARS.	Monœcia Triandria. L.					
Lachryma. s.s.	common.	E. Indies.	1596.	6. 7.	S.♃.	Botan. magaz. 2479.	
agrestis. s.s.	round-fruited.	——	1812.	——	S.♃.	Rumph. amb. 6. t. 9. f. 1.	
exaltata. s.s.	tall.	China.	1816.	——	S.♃.	Jacq. ic. gram.	
arundinacea. s.s.	reed-like.	Mexico.	1824.	——	S.♃.		
Kœnigii. s.s.	Kœnig's.	E. Indies.	1818.	——	S.♃.		
MBUSA. W.	BAMBOO-CANE.	Hexandria Monogynia. W.					
arundinacea. W.	common.	India.	1730.	....	S.ħ.	Roxb. corom. 1. t. 79.	
verticillata. W.	whorl-flowered.	——	1802.	....	S.ħ.	—— ——	1. t. 80.
ELOCANNA. Tr.	MELOCANNA.	Hexandria Monogynia. S.S.					
bambusoides. Tr.	berry bearing.	E. Indies.	1818.	....	S.ħ.		
Bambusa baccifera. Roxb.							
IARUS. W.	PHARUS.	Monœcia Hexandria. W.					
latifolius. W.	broad-leaved.	Jamaica.	1793.	7. 8.	S.♃.	Brown. jam. t. 38. f. 3.	
IRHARTA. W.	EHRHARTA.	Hexandria Monogynia. S.S.					
panicea. W.	Panic-grass.	C. B. S.	1790.	5. 7.	G.♃.	Sm. ined. 1. t. 9.	
melicoides. s.s.	Melica-like.	——	1816.	——	G.♃.		
ICROLÆNA. B.P.	MICROLÆNA.	Tetrandria Digynia. B.P.					
stipoides. B.P.	Stipa-like.	N. S. W.	1822.	7. 8.	F.♃.	Lab. n. hol. 1. t. 118.	
Ehrharta stipoides. Lab.							
OTAMOPHILA. B.P.	POTAMOPHILA.	Polygamia Monœcia. B.P.					
parviflora. B.P.	small-flowered.	N. S. W.	1820.	6. 7.	F.w.♃.		
ZYZA. W.	RICE.	Hexandria Digynia. L.					
sativa. W.	common.	Ethiopia.	1596.	7.	S.w.⊙.		

ZIZANIA. W.	CANADA RICE.	Monœcia Hexandria. W.					
1 aquatica. H.K.	water.	N.America.	1790.	7. 9.	H.w.4.	Linn. trans. 7. t. 13.	
2 miliacea. M.	Millet-like.	Carolina.	1816.	——	H.w.4.		
3 fluitans. M.	floating.	N.America.	1824.	7: 8.	H.w.4.		
PARIANA. W.	PARIANA.	Monœcia Polyandria. W.					
campestris. W.	Cayenne.	Cayenne.	1803.	....	S.h.	Aubl. gui. 2. t. 337.	

** *SUBCLASSIS* II. *CRYPTOGAMEÆ.* DC.

ORDO CXCVI.

CHARACEÆ. *Kth. synops. v.* 1. *p.* 102.

CHARA. L.	CHARA.	Monœcia Monandria. W.					
1 vulgaris. E.B.	common.	Britain.	....	7. 8.	H.w.⊙.	Eng. bot. 836.	
2 gracilis. E.B.	slender.	England.	....	——	H.w.⊙.	——— 2140.	
3 hispida. E.B.	prickly.	Britain.	....	6. 9.	H.w.⊙.	——— 463.	
4 tomentosa. W.	tomentose.	.....	....	6. 7.	H.w.⊙.	Moris. s. 15. t. 4. f. 3.	
5 flexilis. E.B.	smooth.	England.	....	7. 8.	H.w.⊙.	Eng. bot. 1070.	
6 translucens. E.B.	great transparent.	———	....	——	H.w.⊙.	——— 1855.	
7 nidifica. E.B.	proliferous.	———	....	——	H.w.⊙.	——— 1768.	

ORDO CXCVII.

EQUISETACEÆ. *DC. fl. fr. ed.* 3. *v.* 2. *p.* 580.

EQUISETUM. W.	HORSE-TAIL.	Cryptogamia Gonopterides. W.				
1 arvense. W.	corn.	Britain.	....	3. 4.	H.4.	Eng. bot. 2020.
2 fluviatile. W.	great water.	———	....	4. 5.	H.4.	——— 2022.
3 umbrosum. W.en.	shade.	Germany.	1818.	——	H.4.	
4 sylvaticum. W.	wood.	Britain.	....	——	H.4.	Eng. bot. 1874.
5 limosum. W.	smooth naked.	———	....	6. 7.	H.4.	——— 929.
6 palustre. W.	marsh.	———	....	——	H.4.	——— 2021.
7 pratense. W.	meadow.	Germany.	1820.	——	H.4.	
8 scirpoides. W.	American.	N.America.	1812.	——	H.4.	
9 hyemale. W.	Shave grass.	Britain.	....	7. 8.	H.4.	Eng. bot. 915.
10 variegatum. W.	variegated.	Scotland.	....	6. 7.	H.4.	—— 1967.
11 filiforme.	thready.	N.America.	1800.	7. 8.	H.4.	

ORDO CXCVIII.

MARSILEACEÆ. *Brown prodr. p.* 166.

PILULARIA. W.	PILLWORT.	Cryptogamia Hydropterides. W.				
globulifera. W.	Pepper-grass.	Britain.	....	6. 9.	H.w.4.	Eng. bot. 521.
ISOETES. W.	QUILLWORT.	Cryptogamia Hydropterides. W.				
lacustris. W.	marsh.	Britain.	....	5, 10	H.w.4.	Eng. bot. 1084.

SALVINIA. W.	SALVINIA.	Cryptogamia Hydropterides. W.						
natans. W.	floating.	Europe.	1818.	5. 8.	H.w.♃.	Schkuhr filic. t. 173.		
MARSILEA. W.	MARSILEA.	Cryptogamia Hydropterides. W.						
quadrifolia. W.	four-leaved.	S. Europe.	1820.	6. 8.	H.w.♃.	J.mem.ac.sci.par.1740		

ORDO CXCIX.

LYCOPODIACEÆ. *Kth. synops.* 1. *p.* 95.

LYCOPODIUM. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.					
1 carolinianum. W.	Carolina.	Carolina.	1812.	7. 8.	H.♃.	Dill. musc. t. 62. f.5.	
2 clavatum. W.	common.	Britain.	....	——	H.♃.	Eng. bot. 224.	
3 complanatum. W.	Arbor Vitæ-ld.	N.America.	1770.	——	H.♃.	Flor. dan. 78.	
4 alpinum. W.	Savin-leaved.	Britain.	....	8.	H.♃.	Eng. bot. 234.	
5 dendroideum. W.	fan.	N.America.	1770.	7.	H.♃.	Hook. ex. flor. 7.	
6 annotinum. W.	interrupted.	Britain.	....	6. 8.	H.♃.	Eng. bot. 1727.	
7 inundatum. W.	marsh.	——	....	——	H.w.♃.	—— —— 239.	
8 alopecuroides. W.	Fox-tail.	N.America.	1816.	——	H.♃.	Schkuhr filic. t. 160.	
9 Selaginoides. W.	prickly.	Britain.	....	8.	H.♃.	Eng. bot. 1148.	
10 ornithopodioides. W.	Bird's-claw.	.....	1812.	6. 8.	H.♃.	Dill. musc. t. 66. f.1.B.	
11 helveticum. W.	Swiss.	Switzerland.	1779.	——	H.♃.	—— t. 64. f. 2.	
12 rupestre. W.	rock.	N.America.	1818.	——	H.♃.	—— t. 63. f. 11.	
13 denticulatum. W.	toothed.	Switzerland.	1779.	7.	H.♃.	—— —— t. 66. f.1.A.	
14 depressum. W.	depressed.	C. B. S.	1816.	7. 8.	G.♃.		
15 Selago. W.	Fir.	Britain.	....	6. 8.	H.♃.	Eng. bot. 233.	
16 apodum. W.	distichous.	N.America.	1815.	7.	H.♃.	Dill. musc. t. 64. f.3.	
17 lucidulum. W.	glossy.	——	1822.	——	H.♃.	Schkuhr filic. t. 159.	
18 densum. B.P.	dense.	N. S. W.	——	7. 8.	G.♃.	Lab.nov.hol.2.t.251.f.1	
PSILOTUM. B.P.	PSILOTUM.	Cryptogamia Stachyopterides. W.					
triquetrum. B.P.	triangular.	N. S. W.	1793.	7. 8.	G.♃.	Schkuhr fil. t. 165. b.	

Lycopodium nudum. L. *Bernhardia dichotoma.* W.

ORDO CC.

FILICES. *Juss. gen.* 14.

SUBORDO I. *OPHIOGLOSSEÆ.* Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.					
1 vulgatum. E.B.	common.	Britain.	....	5. 6.	H.♃.	Eng. bot. 108.	
2 lusitanicum. W.	Portugal.	Portugal.	....	——	H.♃.		
3 gramineum. W.	grass-like.	N.Holland.	1822.	——	G.♃.	Willd.s.erf.1802.t.1.f.1	
4 costatum. B.P.	ribbed.	N. S. W.	——	——	G.♃.		
5 reticulatum. W.	netted.	W. Indies.	1793.	——	S.♃.	Plum. fil. t. 164.	
6 petiolatum. W.	petiolate.	——	1822.	1. 8.	S.♃.	Hook. ex. flor. 56.	
BOTRYCHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.					
1 Lunaria. W.	common.	Britain.	....	5. 6.	H.♃.	Eng. bot. 318.	
Osmunda lunaria. E.B.							
2 fumarioides. W.	Fumitory-ld.	Carolina.	1806.	7. 8.	H.♃.	Schkuhr fil. t. 157.	
3 dissectum. W.	cut-leaved.	N.America.	——	7.	H.♃.	—— —— t. 158.	
4 virginicum. W.	Virginian.	——	1790.	8.	H.♃.	—— —— t. 156.	
5 australe. B.P.	southern.	N. S. W.	1823.	7. 8.	H.♃.		
6 gracile. Ph.	slender.	N.America.	1824.	——	H.♃.		

SUBORDO II. *OSMUNDACEÆ.* Brown prodr. p. 161.

LYGODIUM. B.P.	SNAKE'S-TONGUE.	Cryptogamia Schismatopterides. W.						
1 polymorphum. K.S.	variable.	S. America.	1816.	5. 9.	S.4.	Cav. ic. 6. t. 595. f. 1
venustum. Spr. *Ugena polymorpha.* Cav. *Hydroglossum hirsutum.* W.						
2 scandens. Sw.	climbing.	E. Indies.	1793.	5. 9.	S.4.	Lodd. bot. cab. 742.
3 circinatum. Sw.	rounded.	W. Indies.	1818.	——	S.4.	
4 palmatum. Sw.	palmate.	N. America.	1823.	——	S.4.	Schkuhr filic. t. 188.
Hydroglossum palmatum. W.						
ANEMIA. W.	ANEMIA.	Cryptogamia Schismatopterides. W.				
1 hirsuta. W.	hairy.	W. Indies.	1794.	....	S.4.	Plum. fil. t. 162.
2 adiantifolia. W.	Maiden-hair-lf.	——	1793.	8. 9.	S.4.	—— t. 158.
3 lanceolata. W.	spear-leaved.	——	1820.	——	S.4.	
OSMUNDA. W.	OSMUNDA.	Cryptogamia Schismatopterides. W.				
1 cinnamomea. W.	woolly.	N. America.	1772.	6.	H.4.	Schkuhr fil. t. 146.
2 regalis. W.	flowering fern.	Britain.	....	7. 8.	H.4.	Eng. bot. 209.
3 Claytoniana. W.	Clayton's.	N. America.	1772.	8.	H.4.	
4 interrupta. W.	interrupted.	——	....	6. 7.	H.4.	Schkuhr fil. t. 144.
5 spectabilis. W.	showy.	——	1811.	7.	H.4.	Pluk. alm. t. 184. f. 4.
6 humilis. W.	dwarf.	——	1823.	6. 8.	H.4.	Hook. ex. flor. 28.
TODEA. W.	TODEA.	Cryptogamia Schismatopterides. W.				
africana. W.	African.	C. B. S.	1805.	5. 8.	G.4.	Schkuhr fil. t. 147.
Osmunda barbata. B.P.						
SCHIZÆA. W.	SCHIZÆA.	Cryptogamia Schismatopterides. W.				
1 penicillata. W.	pencilled.	S. America.	1816.	6. 7.	S.4.	
2 rupestris. B.P.	rock.	N. S. W.	1822.	——	G.4.	
3 bifida. B.P.	bifid.	——	——	——	G.4.	Willd. mem. farr. t. 3. f. 3

SUBORDO III. *GLEICHENEÆ.* Brown prodr. p. 160.

GLEICHENIA. B.P.	GLEICHENIA.	Cryptogamia Poropterides. W.				
1 pubescens. K.S.	pubescent.	Vera Cruz.	1822.	6. 8.	S.4.	
Mertensia pubescens. W.						
2 speluncæ. B.P.	various-leaved.	N. S. W.	——	——	G.4.	
3 microphylla. B.P.	small-leaved.	——	1825.	——	G.4.	
4 flabellata. B.P.	fan-leaved.	——	1823.	——	G.4.	
MARATTIA. W.	MARATTIA.	Cryptogamia Poropterides. W.				
alata. W.	winged.	Jamaica.	1793.	5. 8.	S.4.	Sm. ic. ined. t. 46.

SUBORDO IV. *POLYPODIACEÆ.* Brown prodr. p. 145.

ACROSTICHUM. W.	ACROSTICHUM.	Cryptogamia Filices. L.				
1 simplex. W.	simple.	Jamaica.	1793.	....	S.4.	Lodd. bot. cab. 709.
2 lingua. W.	tongue-leaved.	China.	1817.	5. 7.	G.4.	Thunb. fl. jap. t. 33.
3 crinitum. W.	hairy.	W. Indies.	1793.	——	S.4.	Plum. fil. t. 125.
4 alcicorne. B.P.	Elk's-horn.	N. S. W.	1808.	8. 10.	G.4.	Botan. regist. 262-3.
5 Stemaria. Beau.	Stag's-horn.	Guinea.	1822.	5. 8.	S.4.	Bean. fl. d'ow. v. 1. pl. 2.
6 appendiculatum. H.	appendaged.	W. Indies.	1824.	6. 8.	S.4.	Hook. ex. flor. 108.
7 sorbifolium. W.	Sorbus-leaved.	—— ——	1793.	——	S.4.	Plum. fil. t. 117.
8 velleum. W.	woolly.	Madeira.	1778.	8. 9.	G.4.	Desf. atl. 2. t. 256.
9 calomelanus. W.	mealy.	W. Indies.	1790.	7. 8.	S.4.	Willd. h. ber. t. 41.
10 aureum. W.	golden.	America.	1820.	——	G.4.	Schkuhr fil. t. 1.
NOTHOLÆNA. B.P.	NOTHOLÆNA.	Cryptogamia Filices.				
1 Marantæ. B.P.	Swiss.	Switzerland.	1824.	6. 8.	H.4.	Spreng. crypt. t. 2. f. 18.
Acrostichum Marantæ. W.						
2 distans. B.P.	distant.	N. S. W.	1823.	——	G.4.	
HEMIONITIS. W.	HEMIONITIS.	Cryptogamia Filices. W.				
1 lanceolata. W.	spear-leaved.	W. Indies.	1793.	6. 8.	S.4.	Schkuhr fil. t. 6.
2 palmata. W.	palmated.	—— ——	——	——	S.4.	Hook. ex. flor. 33.
3 rufa. W.	rusty-haired.	Jamaica.	——	——	S.4.	Schkuhr fil. t. 17. 21.
4 dealbata. W.	mealy.	S. America.	1818.	——	S.4.	Willd. h. ber. 1. t. 40.

GYMNOGRAMMA.	GYMNOGRAMMA.	Cryptogamia Filices.					
peruvianum. Desv.	Peruvian.	Peru.	1822.	6. 8.	G.¼.		
MENISCIUM. W.	MENISCIUM.	Cryptogamia Filices. W.					
reticulatum. W.	netted.	Martinico.	1793.	6. 8.	S.¼.	Plum. fil. t. 110.	
GRAMMITIS. Sw.	GRAMMITIS.	Cryptogamia Filices. W.					
1 serrulata. W.	saw-leaved.	W. Indies.	1823.	6. 8.	S.¼.	Hook. ex. flor. 78.	
2 australis. B.P.	southern.	N. S. W.	1822.	——	G.¼.		
3 Ceterach. Sw.	common.	Britain.	....	5. 10.	H.¼.	Lodd. bot. cab. 15.	
Scolopendrium Ceterach. E.B. 1244.		*Ceterach officinarum.* W.					
POLYPODIUM. W.	POLYPODY.	Cryptogamia Filices. L.					
1 serpens. W.	trailing.	W. Indies.	1822.	3. 8.	S.¼.	Plum. fil. 105. t. 121.	
2 angustifolium. W.	narrow-leaved.	S. America.	——	——	S.¼.		
3 lanceolatum. W.	spear-leaved.	—— ——	1824.	——	S.¼.	Plum. fil. t. 137.	
4 rupestre. B.P.	woolly-leaved.	N. S. W.	——	——	G.¼.		
5 confluens. B.P.	confluent.	—— ——	1822.	——	G.¼.		
6 attenuatum. B.P.	attenuated.	—— ——	1825.	——	G.¼.		
7 lineare. W.	linear-leaved.	Japan.	1822.	——	G.¼.	Thunb. ic. jap. t. 18.	
8 piloselloides. W.	Mouse-ear.	W. Indies.	1703.	——	S.¼.	Plum. fil. t. 118.	
9 lycopodioides. W.	Club-moss.	—— ——	——	——	S.¼.	Schkuhr fil. t. 8. c. p.	
10 phyllitidis. W.	Hart's-tongue.	—— —	——	——	S.¼.	Plum. fil. 114. t. 136.	
11 crassifolium. W.	thick-leaved.	—— ——	1816.	——	S.¼.	—— —— 107. t. 127.	
12 repens. W.	creeping.	S. America.	——	——	S.¼.	—— —— 115. t. 131.	
13 Billardieri. B.P.	LaBillardiere's.	V. Diem. Isl.	1823.	——	G.¼.	Lab. nov. hol. 2. t. 240.	
14 aureum. W.	golden.	W. Indies.	1742.	3. 5.	S.¼.	Plum. fil. 59. t. 76.	
15 phymatodes. W.	warted.	—— ——	1816.	——	S.¼.		
16 vulgare. E.B.	common.	Britain.	....	5. 10.	H.¼.	Eng. bot. 1149.	
β cambricum.	*Welsh.*	Wales.	....	——	H.¼.	Bolt. fil. t. 2. f. 5. a.	
17 virginianum. W.	Virginian.	N. America.	....	7.	H.¼.	Plum. fil. t. 77.	
18 pectinatum. W.	comb-leaved.	W. Indies.	1793.	6. 9.	S.¼.	Lodd. bot. cab. 748.	
19 Plumula. W.	feather.	S. America.	1822.	5. 8.	S.¼.		
20 tenuifolium. W.	slender-leaved.	—— ——	——	——	S.¼.	Plum. fil. 66. t. 85.	
21 asplenifolium. W.	Spleenwort-ld.	Martinico.	1790.	——	S.¼.	—— —— 85. t. 102. f. A.	
22 incanum. W.	hoary.	America.	1811.	7.	H.¼.	Schkuhr fil. t. 11. b.	
23 trichomanoides. W.	Trichomanes like.	W. Indies.	1822.	5. 8.	S.¼.	—— —— p. 11. t. 10.	
24 juglandifolium. W.	Wallnut-leav'd.	S. America.	——	——	S.¼.		
25 crenatum. W.	crenated.	—— ——	1824.	....	S.¼.		
26 fraxinifolium. W.	Ash-leaved.	Caracas.	1822.	5. 8.	S.¼.		
27 tenellum. B.P.	slender.	N. S. W.	——	5. 7.	G.¼.		
28 pertusum. H.E.F.	bored.	China.	1817.	7. 10.	G.¼.	Hook. ex. flor. 162.	
29 Phegopteris. E.B.	sun-fern.	Britain.	....	6. 7.	H.¼.	Eng. bot. 2224.	
30 hexagonopterum. W.	triangular.	N. America.	1811.	——	H.¼.	Pluk. alm. t. 284. f. 2.	
31 pruinatum. W.	white-leaved.	Jamaica.	1793.	5. 8.	S.¼.		
32 effusum. W.	spreading.	—— ——	1769.	11.	S.¼.	Sloan. jam. 1. t. 57. f. 3.	
33 Dryopteris. W.	tender-branch'd.	Britain.	....	6. 9.	H.¼.	Eng. bot. 616.	
34 connectile. W.	connected.	N. America.	1812.	7.	H.¼.		
35 calcareum. W.	rigid-branch'd.	Britain.	....	——	H.¼.	Eng. bot. 1525.	
WOODSIA. L.T.	WOODSIA.	Cryptogamia Filices. L.					
1 hyperborea. L.T.	hairy Alpine.	Scotland.	....	7. 9.	H.¼.	Eng. bot. 2023.	
2 ilvensis. L.T.	rock.	N. America.	1812.	6. 7.	H.¼.	Schkuhr fil. t. 19.	
PLEOPELTIS. K.S.	PLEOPELTIS.	Cryptogamia Filices.					
1 ensifolia. H.E.F.	sword-leaved.	S. America.	1823.	5. 6.	S.¼.	Hook. ex. flor. 62.	
2 latifolia. L.C.	broad-leaved.	—— ——	——	——	S.¼.		
3 nuda. D.P.	naked.	Nepaul.	——	——	S.¼.	Hook. ex. flor. 63.	
ASPIDIUM. B.P.	SHIELD-FERN.	Cryptogamia Filices. W.					
1 trifoliatum. W.	three-leaved.	W. Indies.	1769.	4. 8.	S.¼.	Jacq. ic. 3. t. 638.	
2 cicutarium. W.	Cicuta-leaved.	N. America.	1823.	——	H.¼.	Pluk. alm. t. 289. f. 4.	
3 patens. W.	pubescent.	W. Indies.	1784.	7. 9.	S.¼.	Schkuhr fil. t. 334.	
4 dentatum. W.	toothed.	Scotland.	....	7.	H.¼.	Eng. bot. 1588.	
Cyathea dentata. E.B.							
5 Halleri. W.	Haller's.	Switzerland.	1824.	4. 8.	H.¼.		
6 bulbiferum. W.	bulbiferous.	N. America.	1688.	7. 8.	H.¼.		
7 rhæticum. W.	stone.	Switzerland.	....	——	H.¼.		
8 axillare. W.	slender Madeira.	Madeira.	1779.	6. 9.	G.¼.		
9 fragile. W.	brittle.	Britain.	....	6. 8.	H.¼.	Eng. bot. 1587.	
10 regium. W.	laciniated.	—— ——	....	6.	H.¼.	—— —— 163.	
Cyathea incisa. E.B.							
11 æmulum. W.	dwarf.	Madeira.	1779.	....	F.¼.		
12 alpinum. W.	Alpine.	S. Europe.	1825.	6. 8.	H.¼.	Jacq. ic. 3. t. 642.	
13 montanum. W.	mountain.	—— ——	——	——	H.¼.		

14	irriguum. E.B.	brook.	Britain.	....	6.	H.4.	Eng. bot. 2199.
15	atomarium. W.	small.	N.America.	1822.	6. 8.	H.4.	
NEPHRODIUM. B.P.		Nephrodium.	Cryptogamia Filices.				
1	Lonchitis. H.S.L.	rough Alpine.	Britain.	....	5. 8.	H.4.	Eng. bot. 797.
	Aspidium Lonchitis. E.B.						
2	auriculatum. H.S.L.	eared.	E. Indies.	1793.	7.	S.4.	Burm. zeyl. t. 44. f. 2.
3	exaltatum. B.P.	lofty.	Jamaica.	——	5. 8.	S.4.	Schkuhr fil. t. 32. b.
4	unitum. B.P.	smooth united.	E. Indies.	——	——	S.4.	Burm. zeyl. t. 44. f. 1.
5	propinquum. B.P.	pubescent.	———	——	——	S.4.	
6	molle. B.P.	soft.	N. S. W.	1822.	——	G.4.	Jacq. ic. t. 640.
7	noveboracense. H.S.L.	river-side.	N.America.	1812.	7.	H.4.	Schkuhr fil. t. 46.
8	pectinatum.	comb-like.	.....	1823.	5. 8.	S.4.	——— t. 296.
	Aspidium trapezoides. Schk.						
9	Oreopteris. H.S.L.	Heath.	Britain.	....	7.	H.4.	Eng. bot. 1019.
10	Thelypteris. H.S.L.	Lady fern.	———	....	7. 8.	H.4.	——— 1018.
11	serra. W.	saw-like.	Jamaica.	1819.	——	S.4.	
12	parasiticum. W.	parasitical.	E. Indies.	1824.	——	S.4.	
13	cristatum. H.S.L.	crested heath.	Britain.	....	6. 7.	H.4.	Eng. bot. 2125.
14	aculeatum. H.S.L.	common prickly.	———	....	6. 8.	H.4.	——— 1562.
15	marginale. H.S.L.	marginal-fig.	N.America.	1772.	6. 9.	H.4.	Schkuhr fil. t. 45. b.
16	Filix-mas. H.S.L.	Male fern.	Britain.	....	6. 8.	H.4.	Eng. bot. 1458.
	β *Smithii.*	*Smith's.*	———	....	——	H.4.	——— 1949.
	Aspidium cristatum. E.B. 1949. not 2125.						
	γ *crosum.* Ph.	*jagged.*	N.America.	1812.	——	H.4.	Schkuhr fil. t. 45.
17	fragrans. Spr.	fragrant.	Europe.	....	——	H.4.	
18	lobatum. H.S.L.	close-leaved.	England.	....	6. 9.	H.4.	Eng. bot. 1563.
19	intermedium. W.	intermediate.	N.America.	1816.	——	H.4.	
20	spinulosum. H.S.L.	crested prickly.	Britain.	....	6. 8.	H.4.	Eng. bot. 1460.
21	dilatatum. H.S.L.	great crested.	———	....	——	H.4.	——— 1461.
22	rigidum. W.	rigid.	Germany.	1816.	——	H.4.	
23	elongatum. H.S.L.	cut-leaved.	Madeira.	1779.	7. 8.	F.4.	
24	villosum. H.S.L.	villous.	W. Indies.	1793.	7.	S.4.	Schkuhr fil. t. 46. b.
25	decompositum. B.P.	decompound.	N. S. W.	1820.	6. 8.	F.4.	
26	asplenioides. M.	Spleenwort-like.	N.America.	——	——	H.4.	Schkuhr filic. t. 78.
ALLANTODIA. B.P.		Allantodia.	Cryptogamia Filices.				
1	umbrosa. B.P.	Madeira.	Madeira.	1779.	6. 9.	F.4.	Schkuhr fil. t. 61.
2	australis. B.P.	southern.	V.Diem.Isl.	1820.	——	F.4.	
3	tenera. B.P.	membranaceous.	N. S. W.	——	——	F.4.	
ASPLENIUM. B.P.		Spleenwort.	Cryptogamia Filices. L.				
1	fontanum. B.P.	smooth rock.	England.	....	6. 8.	H.4.	Eng. bot. 2024.
	Aspidium fontanum. E.B.						
2	Filix-femina. B.P.	female fern.	Britain.	....	6. 9.	H.4.	Eng. bot. 1459.
3	Adiantum-nigrum. W.	black.	———	....	4. 10.	H.4.	——— 1950.
4	lanceolatum. E.B.	lanceolate.	England.	....	6. 10.	H.4.	——— 240.
5	zamiæfolium. B.C.	Zamia-leaved.	W. Indies.	1818.	——	S.4.	Lodd. bot. cab. 854.
6	montanum. W.	mountain.	N.America.	1812.	7.	H.4.	
7	ambiguum. W.	ambiguous.	Java.	1818.	6. 8.	S.4.	
8	fragrans. W.	fragrant.	Jamaica.	1793.	7.	S.4.	
9	Ruta muraria. W.	Wall-rue.	Britain.	....	6. 10.	H.4.	Eng. bot. 150.
10	cicutarium. K.S.	Cicuta-like.	S. America.	1822.	——	S.4.	Plum. fil. t. 48. a.
11	formosum. W.	handsome.	Santa Cruz.	——	——	S.4.	
12	præmorsum. W.	snip-leaved.	Jamaica.	1793.	——	S.4.	Pluk. alm. t. 78. f. 5.
13	striatum. W.	striated.	W. Indies.	——	6. 8.	S.4.	Plum. fil. t. 18. 19.
14	thelypteroides. W.	Ladyfern-like.	N.America.	1823.	7.	H.4.	Schkuhr fil. t. 76. b.
15	rhizophorum. W.	root-bearing.	Jamaica.	1793.	6. 8.	S.4.	Sloan. j. 1. t. 29. 30. f. 1.
16	viride. W.	green.	Britain.	....	6. 9.	H.4.	Eng. bot. 2257.
17	melanocaulon. W.	black-stalked.	N.America.	1812.	7.	H.4.	
18	Trichomanes. W.	Maiden hair.	Britain.	....	5. 10.	H.4.	Eng. bot. 576.
19	germanicum. W.	alternate-leav'd.	Scotland.	....	6. 10.	H.4.	——— 2258.
	alternifolium. E.B. *Breynii.* Sw.						
20	ebeneum. W.	ivory striped.	N.America.	1779.	9.	H.4.	Lodd. bot. cab. 5.
21	angustifolium. W.	narrow-leaved.	———	1812.	6. 7.	H.4.	Schkuhr fil. t. 67. 68.
22	monanthemum. W.	one-flowered.	C. B. S.	1790.	7.	G.4.	Sm. ined. t. 73.
23	marinum. W.	sea-side.	Britain.	....	6. 10.	H.4.	Eng. bot. 392.
24	odontites. B.P.	long-leaved.	N. Holland.	1822.	——	G.4.	Thunb. n. a. p. 9. t. E. f. 1.
25	dentex. W.	toothed.	C. B. S.	1790.	——	G.4.	
26	laxum. B.P.	loose.	V.Diem.Isl.	1822.	6. 7.	F.4.	Lab. n. holl. 2. t. 243.
27	difforme. B.P.	deformed.	N. S. W.	——	——	F.4.	
28	falcatum. B.P.	sickle-leaved.	———	1825.	——	F.4.	

29 attenuatum. B.P.	slender.	N. S. W.	1825.	6. 7.	F. ♃.		
30 septentrionale. W.	forked.	Britain.	....	6. 10.	H. ♃.	Eng. bot. 1017.	
31 Hemionitis. L.	Mule's-fern.	Canaries.	1779.	6. 7.	G. ♃.	Schkuhr fil. t. 66.	
palmatum. B.C. ses.							
32 flabellifolium. W.	fan-leaved.	N. S. W.	1825.	——	G. ♃.	Hook. ex. flor. 208.	
33 rhizophyllum. W.	rooting-leaved.	N.America.	1680.	——	H. ♃.		
34 Nidus. B.P.	nest.	N.Holland.	1822.	——	F. ♃.		
35 serratum. W.	saw-leaved.	W. Indies.	1793.	——	S. ♃.	Schkuhr fil. t. 64.	
SCOLOPENDRIUM. W.	HART'S-TONGUE.	Cryptogamia Filices. W.					
officinarum. W.	common.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1150.	
β *crispum*.	*curled-leaved*.	——	....	——	H. ♃.		
γ *undulatum*.	*waved-leaved*.	——	....	——	H. ♃.	Pluk. phyt. 248. f. 1.	
δ *multifidum*.	*clustered*.	——	——	——	H. ♃.		
ε *ramosum*.	*branching*.	——	....	——	H. ♃.	Pluk. phyt. 248. f. 2.	
DOODIA. B.P.	DOODIA.	Cryptogamia Filices.					
1 aspera. B.P.	rough-stalked.	N. S. W.	1808.	8. 9.	G. ♃.	Hook. ex. flor. 8.	
2 caudata. B.P.	tailed.	——	1822.	——	G. ♃.	—— 25.	
WOODWARDIA. W.	WOODWARDIA.	Cryptogamia Filices. W.					
1 onocleoides. W.	Onoclea-like.	N.America.	1812.	8.	H. ♃.	Schkuhr fil. t. 111.	
2 virginica. W.	Virginian.	——	1774.	8. 9.	H. ♃.	Pluk. alm. t. 179. f. 2.	
3 radicans. W.	rooting-leaved.	Madeiria.	1779.	9.	G. ♃.	Schkuhr fil. t. 112.	
BLECHNUM. W.	BLECHNUM.	Cryptogamia Filices. W.					
1 cartilagineum. B.P.	cartilaginous.	N. S. W.	1822.	6. 8.	F. ♃.		
2 boreale. W.	northern.	Britain.	....	7.	H. ♃.	Eng. bot. 1159.	
3 australe. W.	Cape.	C. B. S.	1691.	8. 9.	G. ♃.	Schkuhr fil. t. 110. b.	
4 occidentale. W.	American.	S. America.	1777.	——	S. ♃.	Jacq. ic. 3. t. 644.	
5 lævigatum. B.P.	smooth.	N. S. W.	1820.	——	G. ♃.		
6 glandulosum. Lem.	glandular.	Brazil.	1823.	——	S. ♃.		
LOMARIA. W.	LOMARIA.	Cryptogamia Filices. W.					
1 nuda.	naked.	V.Diem.Isl.	1822.	4. 8.	F. ♃.	Lab. n. hol. 2. t. 246.	
Onoclea nuda. Lab. *Stegania nuda*. B.P.							
2 procera.	lofty.	N. Holland.	——	——	F. ♃.	Lab. n. hol. 2. t. 247.	
Blechnum procerum. Lab. *Stegania procera*. B.P.							
ONOCLEA. W.	ONOCLEA.	Cryptogamia Filices. L.					
1 sensibilis. W.	sensitive fern.	Virginia.	1799.	8.	H. ♃.	Schkuhr fil. t. 102.	
2 obtusilobata. Ph.	blunt-lobed.	N.America.	1812.	7.	H. ♃.	—— t. 103.	
3 Struthiopteris. Sw.	Russian.	Europe.	1760.	7. 8.	H. ♃.	—— —— t. 105.	
Struthiopteris germanica. W.en. *Osmunda Struthiopteris*. L.							
VITTARIA. W.	VITTARIA.	Cryptogamia Filices. W.					
lineata. W.	linear-leaved.	America.	1793.	....	S. ♃.	Schkuhr fil. t. 101. b.	
DIPLAZIUM. W.	DIPLAZIUM.	Cryptogamia Filices. W.					
1 grandifolium. W.	large-leaved.	Jamaica.	1793.	....	S. ♃.		
2 plantaginifolium. W.	Plantain-leav'd.	W. Indies.	1822.	....	S. ♃.		
3 barbadense. W.	Barbadoes.	——	——	....	S. ♃.		
4 esculentum. W.	eatable.	Ceylon.	——	....	S. ♃.		
PTERIS. W.	BRAKE.	Cryptogamia Filices. L.					
1 pedata. W.	pedate.	W. Indies.	1816.	5. 8.	S. ♃.	Pet. fil. 176. t. 8. f. 12.	
2 argentea. W.	silvery.	Siberia.	——	——	H. ♃.		
3 longifolia. W.	long-leaved.	W. Indies.	1770.	7. 9.	S. ♃.	Jacq. sch. 3. t. 339. 400.	
4 grandifolia. W.	large-leaved.	——	1793.	....	S. ♃.	Schkuhr fil. t. 89.	
5 serrulata. W.	various-leaved.	India.	1770.	8. 9.	S. ♃.	—— t. 91.	
6 cretica. W.	Cretan.	Candia.	1818.	5. 7.	G. ♃.		
7 atropurpurea. W.	dark purple.	N.America.	1770.	8. 9.	H. ♃.	Schkuhr fil. t. 101.	
8 nemoralis. W.en.	wood.	Africa.	1823.	5. 8.	S. ♃.		
9 Plumieri. L.en.	Plumier's.	S.America.	1818.	——	S. ♃.		
10 arguta. W.	sharp-notched.	Madeira.	1778.	8. 9.	F. ♃.	Pluk. alm. t. 290. f. 2.	
11 umbrosa. B.P.	shade.	N. S. W.	1823.	5. 8.	F. ♃.		
12 vespertilionis. B.P.	Bat-winged.	——	——	——	F. ♃.	Lab. nov. hol. 2. t. 245.	
13 tremula. B.P.	trembling.	——	1822.	——	F. ♃.		
14 esculenta. B.P.	esculent.	——	1815.	——	F. ♃.	Lab. nov. hol. 2. t. 244.	
15 gracilis. W.	slender.	Canada.	1823.	7.	H. ♃.		
16 hastata. W.	hastate.	W. Indies.	——	5. 8.	S. ♃.		
17 crispa. W.	curled.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1160.	
18 aculeata. W.	prickly-stem'd.	W. Indies.	1793.	....	S. ♄.	Plum. fil. t. 5. et 11.	
19 falcata. B.P.	falcate.	N. S. W.	1820.	5. 7.	F. ♃.		
20 caudata. W.	American.	N.America.	1777.	9. 12.	H. ♃.	Jacq. ic. 3. t. 645.	
21 aquilina. E.B.	common.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1679.	
22 lanuginosa. W.	woolly.	Bourbon.	1818.	——	S. ♃.		
23 podophylla. W.	pedated.	Jamaica.	1793.	6. 7.	S. ♃.	Brown jam. 89. t. 1.	

Systematic Names.	English Names.	Native Soil.	Introduced.	Flowering.	Reference to Figures.
24 palmata. w.	palmated.	W. Indies.	1823.	6. 7. S. ♃.	
25 sagittata. w.	arrow-leaved.	S. America.	1820.	—— S. ♃.	
26 cordata. w.	heart-leaved.	Mexico.	1825.	—— G. ♃.	
TÆNITIS. W.	TÆNITIS. Cryptogamia Filices. W.				
graminifolia. H.E.F.	grass-leaved.	Trinidad.	1820.	6. 8. S. ♃.	Hook. ex. flor. 77.
ADIANTUM. W.	MAIDENHAIR. Cryptogamia Filices. L.				
1 reniforme. w.	kidney-leaved.	Madeira.	1699.	6. 9. G. ♃.	Lodd. bot. cab. 841.
2 radiatum. w.	radiated.	W. Indies.	1776.	4. 8. S. ♃.	Plum. fil. t. 100.
3 macrophyllum. w.	large-leaved.	Jamaica.	1793.	.... S. ♃.	Brown jam. t. 38. f. 1.
4 pedatum. w.	Canadian.	N. America.	1640.	8. 9. H. ♃.	Schkuhr fil. t. 116.
5 hispidulum. B.P.	bristly.	N. Holland.	1822.	5. 8. G. ♃.	
6 formosum. B.P.	handsome.	N. S. W.	——	—— G. ♃.	
7 villosum. w.	hairy-stalked.	Jamaica.	1775.	6. 9. S. ♃.	Schkuhr fil. t. 120.
8 pulverulentum. w.	dusty.	W. Indies.	1793.	.... S. ♃.	—— —— t. 119.
9 trapeziforme. w.	rhomb-leaved.	——	——	.... S. ♃.	—— —— t. 122.
10 assimile. B.P. *trigonum.* Lab.	likened.	N. S. W.	1823.	5. 8. G. ♃.	Lab. n. hol. 2. t. 248. f. 2.
11 Capillus-veneris. w.	true.	Britain.	....	5. 9. H. ♃.	Eng. bot. 1564.
12 tenerum. w.	tender.	Jamaica.	1793.	7. S. ♃.	Pluk. alm. t. 254. f. 1.
13 serrulatum. w.	saw-leaved.	——	1823.	6. 8. S. ♃.	Sloan. j. 17. t. 36. f. 2.
CHEILANTHES. W.	CHEILANTHES. Cryptogamia Filices. W.				
1 vestita. w. *Aspidium lanosum.* Sw. *Woodsia vestita.* Spr.	clothed.	N. America.	1812.	7. H. ♃.	Schkuhr fil. t. 124.
2 pteroides. w.	Pteris-like.	C. B. S.	1775.	7. 9. G. ♃.	Hout. n. hist. t. 96. f. 2.
3 odora. w.	sweet-scented.	.....	1824.	—— S. ♃.	
4 fragrans. w.	fragrant.	Madeira.	1778.	—— G. ♃.	Sw. syn. fil. t. 3, f. 6.
5 hirta. w.	hairy.	C. B. S.	1816.	5. 8. G. ♃.	
6 ferruginea. L.en.	ferruginous.	.....	——	—— S. ♃.	
7 microphylla. w.	small-leaved.	W. Indies.	1822.	—— S. ♃.	
8 lentigera. w.	chaffy.	S. America.	——	—— S. ♃.	
LONCHITIS. W.	LONCHITIS. Cryptogamia Filices. W.				
hirsuta. w.	hairy.	W. Indies.	1793.	.... S. ♃.	Schkuhr fil. t. 96.
LINDSÆA. B.P.	LINDSÆA. Cryptogamia Filices. W.				
1 linearis. B.P.	linear-leaved.	N. S. W.	1820.	4. 6. G. ♃.	Sw. fil. 118. t. 3. f. 3.
2 microphylla. B.P.	small-leaved.	——	——	—— G. ♃.	
DAVALLIA. W.	DAVALLIA. Cryptogamia Filices. W.				
1 pyxidata. B.P.	shining.	N. S. W.	1808.	4. 9. G. ½.	
2 canariensis. w.	Hare's-foot fern.	Canaries.	1699.	—— G. ♃.	Jacq. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA. Cryptogamia Filices. W.				
1 Culcita. w.	shining-leaved.	Madeira.	1779.	9. 10. G. ♃.	
2 arborescens. w.	tree.	S. Helena.	1786.	6. 12. S. ½.	Jacq. ic. 201.
3 dissecta. w.	cut-leaved.	Jamaica.	1793.	9. 10. S. ♃.	
4 pilosiuscula. w.	hairy.	N. America.	1811.	7. 9. H. ♃.	Schkuhr fil. t. 131.
CYATHEA. B.P.	CYATHEA. Cryptogamia Filices. W.				
1 arborea. w.	tree.	W. Indies.	1793.	.... S. ♃.	Plum. fil. 1. t. 1. 2.
2 excelsa. Boj.	tall.	Mauritius.	1825.	.... S. ½.	
ALSOPHILA. B.P.	ALSOPHILA. Cryptogamia Filices.				
australis. B.P.	southern.	N. S. W.	1820.	.... G. ½.	
TRICHOMANES. W.	TRICHOMANES. Cryptogamia Filices. W.				
1 brevisetum. H.K. *Hymenophyllum alatum.* E.B.	short-styled.	Britain.	....	5. 6. H. ♃.	Eng. bot. 1417.
2 membranaceum. w.	membranaceous.	W. Indies.	1820.	5. 8. S. ♃.	Hook. ex. flor. 76.
HYMENOPHYLLUM. FILMY-LEAF. Cryptogamia Filices. W.					
tunbridgense. w.	Tunbridge.	Britain.	....	5. 6. H. ♃.	Eng. bot. 162.
POLYBOTRYA. K.S.	POLYBOTRYA. Cryptogamia Filices.				
vivipara. H.E.F.	viviparous.	W. Indies.	1823.	5. 8. S. ♃.	Hook. ex. flor. 107.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. *p.* 1.

CLEMATIS. p. 1.	VIRGIN'S-BOWER.						
33 campaniflora. DC.	bell-flowered.	Portugal.	1822.	6. 8.	H. ♄. ⌣.	Lodd. bot. cab. 987.
34 paniculata. DC.	panicled.	Japan.	1789.	——	G. ½. ⌣.	Hout. pflanz. 7. f. 2.
THALICTRUM. 2.	MEADOW-RUE.					
48 polygamum. s.s.	polygamous.	N. America.	....	5. 7.	H. ♃.	
RANUNCULUS. 4.	CROWFOOT.					
62 cymbalariæ. DC.	Cymbalaria-l^d.	———	1823.	——	H. ♃.	Amm. ruth. t. 13. f. 2.
63 millefoliatus. DC.	many-leaved.	Greece.	1824.	4. 7.	H. ♃.	Flor. græc. t. 521.
64 tuberosus. DC.	tuberous-root'd.	Pyrenees.	——	——	H. ♃.	
65 napellifolius. DC.	Napellus-l^d.	Greece.	1825.	5. 7.	H. ♃.	
66 dissectus. DC.	cut-leaved.	Siberia.	1823.	——	H. ♃.	
67 plebeius. DC.	Plebeian.	N. S. W.	——	——	H. ♃.	
68 hirtus. DC.	New Zealand.	N. Zealand.	——	——	H. ♃.	
69 fascicularis. DC.	fascicled.	N. America.	——	4. 5.	H. ♃.	
70 tuberculatus. DC.	tubercled.	.....	——	5. 6.	H. ♃.	
71 trilobus. DC.	three-lobed.	S. Europe.	1824.	——	H. ⊙.	Desf. atl. 1. t. 118.
72 filiformis. M.	filiform.	N. America.	1816.	——	H. ♃. ♃.	
TROLLIUS. 6.	GLOBE-FLOWER.					
6 patulus. DC. ranunculinus. Sm.	spreading.	Greece.	....	5. 6.	H. ♃.	Sm. ic. ined. 1. t. 37.
DELPHINIUM. 7.	LARKSPUR.					
1 virgatum. DC.	twiggy.	Syria.	1824.	6. 9.	H. ⊙.	Deless. ic. sel. 1. t. 55.
2 albiflorum. DC.	white-flowered.	Armenia.	1823.	——	H. ♃.	——— 1. t. 58.
3 spurium. F.	spurious.	Siberia.	1824.	——	H. ♃.	
ACONITUM. 7.	MONKSHOOD.					
1 albidum. R.U.	whitish.	Europe.	1824.	6. 8.	H. ♃.	
2 decorum. R.U.	neat.	———	——	——	H. ♃.	
3 Kœhleri. R.U.	Koehler's.	———	1823.	——	H. ♃.	
4 meloctonum. R.U.	Badger-bane.	———	——	——	H. ♃.	
5 nasutum. F.	nosed.	Siberia.	——	——	H. ♃.	
6 nemorosum. M.B.	wood.	Tauria.	——	——	H. ♃.	
7 oligocarpum. R.U.	few-podded.	Europe.	——	——	H. ♃.	
8 pubescens. R.U.	pubescent.	———	1824.	——	H. ♃.	
9 recognitum. R.U.	recognised.	———	——	——	H. ♃.	
10 Schleicheri. R.U.	Schleicher's.	Switzerland.	——	——	H. ♃.	
11 versicolor. R.U.	various-color'd.	Europe.	....	——	H. ♃.	Lodd. bot. cab. 794.
12 zooctonum. R.U.	Beast-bane.	———	1824.	——	H. ♃.	

DILLENIACEÆ. *p.* 10.

TETRACERA. p. 10.	TETRACERA.					
4 obovata. DC.	obovate-leaved.	Senegal.	1822.	....	S. ½. ⌣.	
CURATELLA. 10.	CURATELLA.					
2 alata. V.	wing'd-petioled.	Guiana.	....	....	S. ½.	Venten. choix. t. 49.
PLEURANDRA. 10.	PLEURANDRA.					
4 cneorum. DC.	blunt-leaved.	N. S. W.	1824.	5. 7.	G. ½.	
5 stricta. DC.	upright.	———	1822.	——	G. ½.	
6 calycina. DC.	linear-leaved.	———	——	——	G. ½.	
CANDOLLEA. DC.	CANDOLLEA.	Polyadelphia	Polyandria.			
cuneiformis. DC.	wedge-leaved.	N. Holland.	1803.	5. 8.	G. ½.	Lab. n. holl. 2. t. 176.
HIBBERTIA. 10.	HIBBERTIA.					
7 saligna. DC.	Willow-leaved.	N. S. W.	1824.	5. 8.	G. ½.	
COLBERTIA. 10.	COLBERTIA.					
2 scabrella. D.P.	rough.	Nepaul.	1826.	....	S. ½.	

WINTEREÆ. *p.* 11.

TASMANNIA. DC.	TASMANNIA.	Dicœcia Polyandria.				
dipetala. DC.	two-petaled.	N. S. W.	1824.	5. 8.	G. ♄.	

ANONACEÆ. *p.* 11.

ANONA. p. 11.	CUSTARD-APPLE.					
14 laurifolia. DC.	Laurel-leaved.	W. Indies.	1824.	....	S. ♄.	Catesb. car. 2. t. 67.
15 amplexicaulis. DC.	stem-clasping.	Mauritius.	——	....	S. ♄.	
UVARIA. 12.	UVARIA.					
5 velutina. DC.	velvetty.	E. Indies.	1825.	....	S. ♄.	
6 lucida. Boj.	shining.	E. Africa.	——	....	S. ♄.	

SARRACENIÆ. *p.* 14.

SARRACENIA. W.	SIDE-SADDLE-FLOWER. Polyandria Monogynia. L.					
1 purpurea. W.	purple.	N.America.	1640.	6. 7.	H. ♃.	Botan. magaz. 849.
2 rubra. W.	red-flowered.	——	1786.	——	H. ♃.	Hook. ex. flor. 12.
psittacina. M ?						
3 variolaris. W.	hook-leaved.	——	1803.	——	H. ♃.	Botan. magaz. 1710.
adunca. Ex. bot. t. 88.						
4 flava. W.	yellow.	——	1752.	——	H. ♃.	—— —— 788.

PAPAVERACEÆ. *p.* 15.

PAPAVER. 15.	POPPY.					
19 horridum. DC.	prickly-stalked.	N. S. W.	1825.	6. 8.	H. ☉.	Swt. br. fl. gar. 173.
MACLEAYA. Br.	MACLEAYA. Polyandria Monogynia.					
cordata. Br.	heart-leaved.	China.	1795.	5. 8.	H. ♃.	Botan. magaz. 1905.
Bocconia cordata. p. 16.						

FUMARIACEÆ. *p.* 16.

DICLYTRA. 16.	DICLYTRA.					
7 tenuifolia. DC.	slender-leaved.	Kamtschatka.	1824.	5. 7.	H. ♃.	
CORYDALIS. 17.	CORYDALIS.					
19 stricta. DC.	upright.	Siberia.	1825.	5. 7.	H. ♃.	
20 sibirica. DC.	Siberian.	——	——	——	H. ♃.	Amm. ruth. t. 20.
21 acaulis. DC.	stalkless.	Hungary.	——	7. 9.	H. ☉.	Jacq. ic. 3. t. 554.
FUMARIA. 17.	FUMITORY.					
8 micrantha. Lag.	small-blossom'd.	Spain.	1824.	5. 7.	H. ☉.	

CRUCIFERÆ. *p.* 17.

MATHIOLA. 17.	STOCK.					
15 torulosa. DC.	twisted-podded.	C. B. S.	1816.	5. 8.	G. ♄.	
16 tatarica. DC.	Tartarian.	Tartary.	1826.	——	H. ♃.	Pall. it. 1. app. t. O.
17 coronopifolia. DC.	Buckshorn-ld.	S. Europe.	1825.	——	H. ♃.	Flor. græc. t. 657.
BARBAREA. p. 19.	WINTER CRESS.					
5 taurica. DC.	Taurian.	Tauria.	1825.	7. 9.	H. ♃.	
ARABIS. 19.	WALL-CRESS.					
34 mollis. DC.	soft.	Caucasus.	1825.	5. 7.	H. ♂.	
35 curtisiliqua. DC.	short-podded.	Scania.	——	——	H. ♂.	
36 præcox. DC.	early.	Hungary.	1822.	4. 6.	H. ♃.	
37 ambigua. DC.	ambiguous.	Siberia	1824.	5. 7.	H. ♃.	
38 cebennensis. DC.	pale violet.	S. France.	——	——	H. ♂.	
39 lasioloba. DC.	woolly podded.	Mexico.	——	——	H. ♂.	
CARDAMINE. 19.	LADY'S-SMOCK.					
18 rhomboidea. DC.	rhomboid.	N.America.	1825.	5. 7.	H.w. ♃.	
19 granulosa. DC.	granular.	Italy.	1824.	——	H. ♃.	
20 uliginosa. DC.	marsh.	Caucasus.	——	——	H.w. ♃.	
21 prorepens. DC.	creeping.	Siberia.	1825.	——	H.w. ♃.	
22 pensylvanica. DC.	Pensylvanian.	N.America.	1823.	——	H. ♃.	
23 umbrosa. DC.	shade.	Europe.	——	6. 8.	H. ☉.	

24 glauca. DC.	glaucous.	Italy.	1824.	5. 7.	H.♃.	
DENTARIA. 20.	TOOTH-WORT.					
10 trifolia. DC.	three-leaved.	Hungary.	1824.	5. 6.	H.♃.	W. et K. hung. 2. t. 139.
11 tennifolia. DC.	slender-leaved.	Siberia.	1825.	——	H.♃.	Gmel. sib. 3. n. 41. t. 65.
FIBIGIA. Med.	FIBIGIA. Tetradynamia Siliculosa.					
1 suffruticosa.	suffrutescent.	Persia.	1820.	4. 5.	G.♄.	Vent. cels. t. 19.
Farsetia suffruticosa. p. 20.						
2 lunarioides.	oriental.	Greece.	1731.	6. 7.	H.♃.	Tourn. ic. ed. ger. 1. t. 30
3 clypeata. Med.	buckler podded.	S. Europe.	1596.	——	H.♂.	Swt. br. fl. gar. ic.
Farsetia clypeata. p. 20.						
KONIGA. Br.	KONIGA. Tetradynamia Siliculosa.					
maritima. Br.	sweet.	England.	....	5. 10.	H.♄.	Eng. bot. 1729.
Alyssum maritimum. p. 21.						
VESICARIA. 20.	VESICARIA.					
5 Ludoviciana. DC.	Missouri.	Missouri.	1825.	5. 6.	H.♃.	
ADYSETON. Scop.	ADYSETON. Tetradynamia Siliculosa.					
1 saxatile.	rock.	Russia.	1710.	4. 5.	H.♄.	Botan. magaz. 159.
Alyssum saxatile. p. 21. *Aurinia saxatilis.* Desv.						
2 gemonense.	canescent.	Germany.	——	——	H.♄.	Jacq. ic. 3. t. 503.
3 orientale.	oriental.	Crete.	....	——	H.♄.	Flor. græc. t. 625.
4 spathulatum.	spathulate.	Siberia.	1821.	4. 6.	H.♄.	Deles. ic. sel. 2. t. 37.
Alyssum spathulatum. p. 21.						
5 argenteum.	silvery.	Switzerland.	——	5. 6.	H.♄.	All. ped. t. 54. f. 3.
6 Bertolonii.	Bertoloni's.	Italy.	1825.	——	H.♄.	
7 murale.	wall.	Europe.	1801.	6. 8.	H.♄.	W. et K. hung. 1. t. 6.
8 obtusifolium.	blunt-leaved.	Siberia.	1812.	——	H.♄.	Deles. ic. sel. 2. t. 38.
9 serpyllifolium.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H.♄.	
10 tortuosum.	twisted.	Hungary.	1804.	6. 7.	H.♄.	W. et K. hung. 1. t. 91.
11 vernale.	vernal.	.....	1823.	4. 5.	H.♃.	Schrank. h. mon. t. 96.
12 alpestre.	Italian.	Italy.	1777.	6. 10.	H.♄.	Flor. græc. t. 624.
13 montanum. *Sc.*	mountain.	Germany.	1713.	5. 8.	H.♃.	Botan. magaz. 419.
14 cuneifolium.	wedge-leaved.	Naples.	1825.	——	H.♃.	
15 diffusum.	spreading.	———	——	——	H.♃.	
16 Wulfenianum.	Wulfen's.	Carinthia.	1821.	——	H.♃.	
Alyssum Wulfenianum. p. 21.						
ANODONTEA. DC.	ANODONTEA.	Tetradynamia Siliculosa.				
1 edentula.	toothless.	Hungary.	1821.	5. 6.	H.♂.	W. et. K. hung. 1. t. 92.
Alyssum edentulum. p. 21.						
2 rupestris.	silvery rock.	Italy.	1824.	——	H.♄.	Ten. fl. nap. t. 60.
3 halimifolia.	Halimus-leav'd.	———	——	——	H.♄.	All. ped. t. 54. f. 1.
Alyssum halimifolium. p. 21.						
4 spinosum.	thorny.	S. Europe.	1683.	6. 8.	F.♄.	Barrel. ic. t. 808.
5 macrocarpum.	large-podded.	———	1825.	——	F.♄.	
Alyssum macrocarpum. DC.						
DRABA. 21.	WHITLOW-GRASS.					
21 bruniæfolia. DC.	Brunia-leaved.	Caucasus.	1825.	6.	H.♃.	
22 pilosa. DC.	pilose.	Siberia.	——	5. 6.	H.♃.	
23 glacialis. DC.	starry-haired.	———	——	——	H.♃.	
24 repens. DC.	creeping.	Caucasus.	1823.	——	H.♃.	
25 Gmelini. DC.	Gmelin's.	Siberia.	——	——	H.♃.	
26 muricella. DC.	tufted.	N. Europe.	1825.	——	H.♃.	Wahl. fl. lapp. t. 11. f. 2.
27 nivalis. DC.	snowy.	———	1824.	——	H.♃.	Flor. dan. t. 142.
28 lapponica. DC.	Lapland.	———	——	——	H.♃.	Wahl. fl. lap. t. 11. f. 5.
29 daurica. DC.	Daurian.	Dauria.	——	——	H.♂.	
30 aurea. DC.	golden.	Greenland.	——	——	H.♂.	Flor. dan. t. 1460.
31 lutea. DC.	yellow.	Caucasus.	1825.	5. 8.	H.☉.	Desf. ann. mus. 11. t. 38.
KERNERA. Br.	KERNERA. Tetradynamia Siliculosa.					
1 saxatilis.	rock.	Europe.	1775.	6. 7.	H.♃.	Jacq. aust. 2. t. 128.
myagroides. Med. *Cochlearia saxatilis.* p. 22. *Myagrum saxatile.* L.						
β *incisa.*	*cut-leaved.*	———	——	——	H.♃.	Moris. ox. 2. s. 3. t. 17.
2 auriculata.	eared.	Pyrenees.	1824.	5. 6.	H.♃.	Berg. phyt. 3. p. 140. ic.
Cochlearia auriculata. p. 22.						
COCHLEARIA. p. 22.	SCURVY-GRASS.					
12 fenestrata. DC.	fenestrate.	N. Europe.	1820.	4. 5.	H.♃.	
13 acaulis. DC.	stalkless.	Portugal.	1823.	3. 4.	H.♃.	Jacq. ecl. t. 132.
pusilla. Jacq.						
CAPSELLA. 22.	SHEPHERD'S-PURSE.					
2 procumbens. Br.	procumbent.	Europe.	1823.	3. 5.	H.☉.	Hill. veg. syst. t. 42. f. 1.
Hutchinsia procumbens. p. 22. *Lepidium procumbens.* L.						

IBERIS. 22.	CANDYTUFT.					
19 contracta. DC.	contracted.	Spain.	1824.	4. 6.	H.♄.	
HESPERIS. 24.	ROCKET.					
10 heterophylla. DC.	various-leaved.	Naples.	1825.	5. 6.	H.♃.	
11 elata. DC.	tall.	.....	——	5. 8.	H.♃.	
12 grandiflora. B.M.	large-flowered.	.....	1818.	——	H.♃ ?	
SISYMBRIUM. 24.	SISYMBRIUM.					
31 Tillieri. W.	Tillier's.	Switzerland.	1824.	6. 8.	H.☉.	
32 rigidum. DC.	rigid.	Tauria.	——	——	H.☉.	Pall.it.3.ap.t.Mm.f.1.
ERYSIMUM. 25.	ERYSIMUM.					
22 gracile. DC.	slender.	Caucasus.	1824.	6. 8.	H.♂.	
23 asperum. DC.	rough.	N.America.	——	——	H.♂.	
24 Redowskii. DC.	Redowski's.	Siberia.	1825.	——	H.♂.	
25 pumilum. DC.	dwarf.	Switzerland.	1824.	——	H.♂.	
26 patulum. DC.	spreading.	.....	——	——	H.♂.	
STANLEYA. DC.	STANLEYA.	Tetradynamia Siliquosa.				
pinnatifida. DC.	pinnatifid.	Missouri.	1812.	5. 6.	H.♃.	
Cleome pinnata. Ph.						
LEPIDIUM. p. 26.	PEPPERWORT.					
26 vesicarium. DC.	bladdered.	Levant.	....	4. 8.	H.☉.	Hill.veg.sys.11.t.41.f.3
SINAPIS. 28.	MUSTARD.					
24 geniculata. DC.	jointed.	Barbary.	1824.	7. 9.	H.☉.	
25 cernua. DC.	drooping.	China.	——	——	H.☉.	
26 hastata. DC.	hastate-leaved.	N.Holland.	——	——	H.☉.	
27 ramosa. H.B.	branching.	E. Indies.	1823.	——	H.☉.	

CAPPARIDEÆ. *p.* 31.

GYNANDROPSIS. 31.	GYNANDROPSIS.					
5 Candelábrum.	Chandelier.	.....	1824.	6. 8.	H.☉.	Botan. magaz. 2656.
Cleome Candelabrum. B.M.						
CLEOME. 32.	CLEOME.					
rosea. DC.	rose-coloured.	Brazil.	1825.	5. 8.	S.☉.	Botan. regist. 960.
CRATÆVA. 32.	CRATÆVA.					
3 Roxburghii. Br.	Roxburgh's.	E. Indies.	1822.	....	S.♄.	
Capparis trifoliata. H.B.						
RITCHIEA. Br.	RITCHIEA.	Dodecandria Monogynia.				
fragrans.	fragrant.	Sierra Leon.	1795.	6. 7.	S.♄.	Botan. mag. 596.
Cratæva fragrans. p. 32.						
CAPPARIS. 33.	CAPER-TREE.					
28 verrucosa. DC.	warted.	S. America.	1823.	....	S.♄.	Jacq. amer. t. 29.
MORISONIA. DC.	MORISONIA.	Monadelphia Polyandria. L.				
americana. DC.	American.	Caribees.	1824.	....	S.♄.	Jacq. amer. t. 97.

RESEDACEÆ. *p.* 33. *misplaced at p.* 150.

RESEDA. 150.	RESEDA.					
23 chinensis. s.s.	Chinese.	China.	1824.	6. 8.	H.☉.	

DATISCEÆ. *Brown in app. to Denham and Clap. trav.*

DATISCA. L.	DATISCA.	Dioecia Dodecandria. L.				
1 cannabina. L.	Hemp-like.	Candia.	1640.	7. 9.	H.♃.	Schkuhr hand. 3. t. 336.
2 hirta. W.	hairy.	Pensylvania.	1826.	9. 10.	H.♃.	

CISTINEÆ. *p.* 34.

CISTUS. p. 34.	ROCK-ROSE.					
29 canescens. s.c.	canescent.	S. Europe.	....	6. 8.	H.♄.	Swt. cist. t. 25.
30 obtusifollus. s.c.	blunt-leaved.	Crete.	1822.	6. 8.	H.♄.	——— t. 42.
31 platysepalus. s.c.	broad-sepaled.	———	....	——	H.♄.	——— t. 27.
32 psilosepalus. s.c.	smooth-sepaled.	S. Europe.	1822.	——	H.♄.	——— t. 28.
HELIANTHEMUM. 34.	SUN-ROSE.					
34 involucratum. DC.	short pedicled.	S. Europe.	1826.	6. 8.	F.♄.	
35 candidum. s.c.	white-leaved.	Spain.	1822.	——	F.♄.	Swt. cist. t. 25.
36 brasiliense. DC.	Brazilian.	Brazil.	1823.	——	F.♄.	——— t. 48.
37 polygalæfolium. s.c.	Milkwort-l^d.	———	——	——	F.♄.	——— t. 31.

88 lignosum. S.C.	woody-stem'd.	S. Europe.	1810.	——	F. ½.	Swt. cist. t. 46.
89 obovatum. DC.	obovate.	Spain.	1826.	——	F. ½.	
90 rotundifolium. DC.	round-leaved.	——	——	——	F. ½.	Cavan. ic. 2. t. 142.
91 crassifolium. DC.	thick-leaved.	——	——	——	F. ½.	
92 nudicaule. DC.	naked-stalked.	——	——	——	F. ½.	
93 lineare. D.C.	linear-leaved.	S. Europe.	1824.	——	F. ½.	Cavan. ic. 3. t. 216.
94 virgatum. DC.	slender.	Barbary.	——	——	F. ½.	
95 variegatum. S.G.	variegated.	.....	——	——	H. ½.	Swt. cist. t. 38.
96 eriosepalon. S.G.	woolly-calyxed.	S. Europe.	....	——	H. ½.	—— ic.
HUDSONIA. 36.	HUDSONIA.					
1 ericoides. p. 36.	Heath-leaved.	N. America.	1805.	5. 5.	H. ½.	Swt. cist. 36.
2 tomentosa. N.	tomentose.	——	1826.	....	H. ½.	

VIOLARIEÆ. *p.* 36.

NOISETTIA. p. 36.	NOISETTIA.					
2 pyrifolia. Mart.	Pear-leaved.	Brazil.	1822.	....	S. ½.	Mart. n. pl. bras. ic.
VIOLA. 36.	VIOLET.					
61 cæspitosa. D.P.	tufted.	Nepaul.	1825.	7. 10.	H. ¼.	
Patrinii γ nepaulensis. DC. *primulæfolia.* Buch. non L.						
62 palmaris. D.P.	long-petioled.	——	——	——	H. ¼.	
63 pygmæa. DC.	pigmy.	Peru.	1822.	7. 11.	H. ¼.	
64 collina. R.S.	hill.	Volhynia.	1824.	6. 8.	H. ¼.	
65 campestris. R.S.	field.	Tauria.	——	——	H. ¼.	
66 sylvestris. R.S.	wood.	Hungary.	——	——	H. ¼.	
67 neglectum. R.S.	neglected.	——	——	——	H. ¼.	
68 Hornemanniana. R.S.	Horneman's.	.....	1822.	——	H. ¼.	
69 chrysantha. Schr.	golden-flow'r'd.	.....	1823.	——	H. ¼.	
70 hastata. M.	hastate.	N. America.	——	——	H. ¼.	
ERPETION. B.F.G.	SPURLESS VIOLET. Pentandria Monogynia.					
reniforme. B.F.G.	kidney-leaved.	N. S. W.	1823.	5. 9.	H. ¼.	Swt. hr. fl. gar. 130.
CERANTHERA. DC.	CERANTHERA. Pentandria Monogynia.					
dentata. DC.	tooth-leaved.	Sierra Leone.	1822.	....	S. ½.	Beau. fl. ow. 11. t. 65.

POLYGALEÆ. *p.* 38.

POLYGALA. p. 38.	MILKWORT.					
36 attenuata. B.C.	taper-pointed.	C. B. S.	1823.	5. 12.	G. ½.	Lodd. bot. cab. 1000.
COMESPERMA. DC.	COMESPERMA. Monadelphia Octandria.					
1 ericina. DC.	Heath-like.	N. S. W.	1822.	5. 6.	G. ½.	
2 cordifolia. F.T.	heart-leaved.	——	——	——	G. ½.	

TREMANDREÆ. *p.* 39.

TETRATHECA. p. 39.	TETRATHECA.					
5 rubioides. F.T.	Rubia-like.	N. S. W.	1823.	6. 8.	G. ½.	

MALVACEÆ. *p.* 48.

HIBISCUS. 50.	HIBISCUS.					
71 spiralis. DC.	spiral.	Mexico.	1826.	....	G. ½.	Cavan. ic. 2. t. 162.
72 racemosus. B.R.	racemed.	Nepaul.	1824.	8. 2.	G. ½.	Botan. regist. 917.
NUTTALLIA. B.A.	NUTTALLIA. Monadelphia Polyandria.					
1 digitata. B.A.	digitate-leaved.	N. America.	1824.	7. 10.	H. ¼.	Swt. br. fl. gar. 129.
2 pedata. B.A.	pedate-leaved.	——	——	——	H. ¼.	Hook. ex. flor. 172.

CAMELLIEÆ. *p.* 61.

CAMELLIA. p. 61.	CAMELLIA.					
japonica. 61.	common.	China.	1739.	12. 5.	G. ½.	
ββ Chandleri. C.C. *versicolor.* p. 62.	*striped Waratah.*	Seedling.	1822.	——	G. ½.	Chandl. camel. t. 1. 2.
γγ Rossii.	*Ross's.*	——	——	....	G. ½.	
δδ Aitoni. C.C.	*large single red.*	——	——	....	G. ½.	Chandl. camel. t. 3.
εε althæifolia. C.C.	*Hollyhock-fld.*	——	——	....	G. ½.	—— t. 4.
ζζ corallina. C.C.	*coral-flowered.*	——	——	....	G. ½.	—— t. 5.
ηη insignis. C.C.	*splendid.*	——	——	....	G. ½.	—— t. 6.
θθ florida. C.C.	*cluster-flowered.*	——	——	....	G. ½.	—— t. 7.
ιι anemoneflora alba.	*white Anemone-fld.*	——	——	....	G. ½.	—— t. 8.
7 euryoides. B.R.	small-flowered.	——	1824.	——	G. ½.	Botan. regist. 963.

AURANTIACEÆ. *p.* 62.

GLYCOSMIS. DC. GLYCOSMIS.
3 citrifolia. H.T. Citron-leaved. China. 1820. 2. 6. G. ½. Botan. magaz. 3410
Limonia citrifolia. DC. *parviflora.* B.M.

HYPERICINEÆ. *p.* 63.

HARONGA. DC. HARONGA. Polyadelphia Dodecandria.
madagascariensis. DC. Madagascar. Madagascar. 1824. .... S. ½.
Arongana paniculata. P.S.
HYPERICUM. p. 63. ST. JOHN'S-WORT.
68 virgatum. DC. twiggy. N. America. 1823. 6. 8. S. ¼.
69 empetrifolium. DC. Crowberry-l^d. S. Europe. .... —— H. ½. Wats. dend. brit. l
70 cochinchinense. DC. Cochin China. Cochin China. 1822. —— G. ½.

GUTTIFERÆ. *p.* 65.

XANTHOCHYMUS. 65. XANTHOCHYMUS.
4 luteus. L.C. yellow. E. Indies. 1823. .... S. ½.
5 macrophyllus. L.C. large-leaved. ——— —— .... S. ½.
6 purpureus. L.C. purple. ——— —— .... S. ½.

VOCHISIÆ. *Martius.*

VOCHISIA. J. VOCHISIA. Monandria Monogynia. W.
excelsa. LAM. tall. Guiana. 1823. .... S. ½. Aub. gui. 1. t. 6.
Cucullaria excelsa. W.

HIPPOCRATEACEÆ. *p.* 66.

TRIGONIA. DC. TRIGONIA. Monadelphia Pent-Decandria.
1 villosa. DC. villous. Cayenne. 1820. .... S. ½. Aub. gui. 1. t. 148.
2 mollis. DC. soft-leaved. Brazil. 1823. .... S. ½.

MALPIGHIACEÆ. *p.* 67.

MALPIGHIA. 67. MALPIGHIA.
11 dubia. DC. doubtful. Jamaica. 1824. .... S. ½. Cav. dis. 8. t. 243.

ACERINEÆ. *p.* 68.

ACER. 68. MAPLE.
1 neapolitanum. T.N. Neapolitan. Naples. 1826. .... H. ½. Ten. at. ac. nea. 1819. t

MELIACEÆ. *p.* 71.

AITONIA. W. AITONIA. Monadelphia Octandria. W.
capensis. W. Cape. C. B. S. 1774. 5. 9. G. ½. Botan. magaz. 173.
CARAPA. 72. CARAPA.
2 guianensis. DC. Guiana. Guiana. 1820. .... S. ½. Aub. gui. t. 337.

GERANIACEÆ. *p.* 73.

HOAREA. p. 75. HOAREA.
67 congesta. S.G. crowded-fl^d. C. B. S. 1820. 5. 10. G. ¼. Swt. ger. t. 302.
68 orobifolia. S.G. Orobus-leaved. Hybrid. 1823. —— G. ¼. ——— t. 304.
69 retusa. S.G. notched petal'd. ——— 1824. —— G. ¼. ——— t. 307.
70 colutæfolia. S.G. Bladder Senna-l^d. ——— 1823. —— G. ¼. ——— t. 311.
DIMACRIA. p. 76. DIMACRIA.
39 rumicifolia. S.G. Dock-leaved. C. B. S. 1825. 5. 8. G. ¼. Swt. ger. t. 316.
PELARGONIUM. 77. STORK'S-BILL.
403 pedunculatum. S.G. long-peduncl'd. Hybrid. 1823. 7. 10. G. ½. Swt. ger. ic. incd.

104	Francisii. s.G.	Mr. Francis's.	———	1824.	5. 10.	G. ½.	Swt. ger. ic. ined.
105	basilicum. s.G.	princely.	———	——	——	G. ½.	——— ic. ined.
106	flaccidum. s.G.	flaccid-petal'd.	———	——	——	G. ½.	——— ic. ined.
107	cartilagineum. s.G.	horny-toothed.	———	——	——	G. ½.	——— ic. ined.
108	suffusum. s.G.	mixed-colour'd.	———	——	——	G. ½.	——— ic. ined.
109	chelidoniifolium. s.G.	Chelidonium-ld.	———	——	——	G. ½.	——— ic. ined.
110	argutum. s.G.	sharp-toothed.	———	——	——	G. ½.	——— ic. ined.
111	ramigerum. s.G.	branching-vein'd.	———	——	——	G. ½.	——— ic. ined.
112	Goweri. s.G.	Mr. Levison Gower's.	———	1825.	——	G. ½.	——— t. 333.
113	cuneiflorum. s.G.	wedge-petaled.	———	——	——	G. ½.	——— t. 330.
114	chenopodiifolium. s.G.	Goose-foot-ld.	———	——	——	G. ½.	——— t. 328.
115	congestum. s.G.	close-headed.	———	——	——	G. ½.	——— t. 325.
116	magnistipulatum. s.G.	large-stipuled.	———	——	——	G. ½.	——— t. 313.
117	dilatatum. s.G.	dilated-leaved.	Hybrid.	1824.	5. 10.	G. ½.	——— t. 314.
118	verecundum. s.G.	blushing.	———	——	——	G. ½.	——— t. 316.
119	Foljambeæ. s.G.	Mrs. Foljambe's.	———	——	——	G. ½.	——— t. 312.
120	salebrosum. s.G.	rugged-leaved.	———	——	——	G. ½.	——— t. 309.
121	incarnatum. s.G.	pale flesh-col'd.	———	——	——	G. ½.	——— t. 308.
122	conclausum. s.G.	shut-petal'd.	———	1823.	——	G. ½.	——— t. 305.
123	insignitum. s.G.	marked-flow'rd.	———	——	——	G. ½.	——— t. 300.
124	biflorum. s.G.	two-flowered.	———	1822.	——	G. ½.	——— t. 287.
125	Humei. s.G.	Sir A. Hume's.	———	1824.	——	G. ½.	——— t. 324.
126	quadriflorum. s.G.	four-flowered.	———	——	——	G. ½.	——— t. 321.
127	bryoniæfolium. s.G.	Bryony-leaved.	———	——	——	G. ½.	——— t. 320.
128	latifolium. s.G.	broad-leaved.	———	——	——	G. ½.	——— t. 335.
129	platanifolium. s.G.	Plane-leaved.	———	——	——	G. ½.	——— t. 326.
130	purum. s.G.	pure-flowered.	———	——	——	G. ½.	——— t. 334.
131	recurvifolium. s.G.	recurve-leaved.	———	——	——	G. ½.	——— ic. ined.
132	veniferum. s.G.	veined-petaled.	———	——	——	G. ½.	——— t. 322.
133	foliosum. s.G.	many-leaved.	———	——	——	G. ½.	——— ic. ined.
134	tanacetifolium. s.G.	Tansy-leaved.	———	——	——	G. ½.	——— t. 336.
135	sphærocephalon. s.G.	round-headed.	———	——	——	G. ½.	——— t. 317.
136	Spinii. Col. *dianthiflorum*. p. 82.	Spin's. n. 323.	———	....	——	G. ½.	Colla. h. rip. t. 7.
CICONIUM. p. 84.		Cicónium.					
24	fulgens. s.G.	Basilisk.	Hybrid.	1823.	5. 10.	G. ½.	Swt. ger. ic. ined.

ZYGOPHYLLEÆ. *p.* 87.

LARREA. DC.	Larrea. Decandria Monogynia.					
nitida. DC.	glossy-leaved.	S. America.	1823.	....	S. ½.	Cavan. ic. 6. t. 559.
PORLIERA. DC.	Porliera. Octandria Monogynia.					
hygrometrica. DC.	pinnate-leaved.	Peru.	1820.	....	S. ½.	R. et. P. prod. t. 9.

RUTACEÆ. *p.* 88.

PHEBALIUM. 89.	Phebalium.					
2 elatum. F.T.	tall.	N. S. W.	1823.	4. 8.	G. ½.	
3 aureum. F.T.	golden.	———	——	——	G. ½.	
4 lachnoides. F.T.	Lachnæa-like.	———	——	——	G. ½.	
5 linearis. ψ.	linear-leaved.	N. Holland.	1825.	....	G. ½.	
6 salicifolium. ψ.	Willow-leaved.	———	——	....	G. ½.	
ERIOSTEMON. 89.	Eriostemon.					
3 cuspidatum. F.T.	sharp-pointed.	N. S. W.	1823.	4. 8.	G. ½.	
4 linearifolium. DC.	linear-leaved.	———	——	——	G. ½.	
5 lanceolatum. DC.	spear-leaved.	———	——	——	G. ½.	Gært. fruct. 3. t. 210.
6 squammeum. DC.	scaly.	N. Holland.	1822.	——	G. ½.	Labill. n. hol. 1. t. 141.
7 obovale. F.T.	oboval-leaved.	———	1823.	——	G. ½.	
8 ericifolium. ψ.	Heath-leaved.	———	1825.	——	G. ½.	
BORONIA. 89.	Boronia.					
6 alata. DC.	winged-leaved.	N. Holland.	1825.	....	G. ½.	
7 anemonæfolia. F.T.	Anemone-ld.	N. S. W.	1824.	....	G. ½.	
8 denticulata. DC.	tooth-leaved.	N. Holland.	1823.	5. 8.	G. ½.	Botan. regist. 1000.
9 paradoxa. DC.	paradoxical.	———	1825.	....	G. ½.	
ZIERIA. 90.	Zieria.					
7 obcordata. F.T.	obcordate.	N. S. W.	1824.	....	G. ½.	
8 revoluta. F.T.	revolute.	———	——	3. 5.	G. ½.	

OCHNACEÆ. *p.* 91.

WALKERA. DC.	WALKERA.					
serrata, DC.	saw-leaved.	E. Indies.	1824.	....	S. ½.	Rheed. mal. 5. t. 4

RHAMNEACEÆ. *p.* 91.

HOVENIA. 91.	HOVENIA.					
2 inæqualis. DC.	Nepaul.	Nepaul.	1823.	....	G. ½.	
pubescens. p. 91. *dulcis.* D.P. et F.I. *nec aliorum.*						
GOUANIA. p. 92.	GOUANIA.					
4 integrifolia. DC.	entire-leaved.	.....	1824.	....	S. ½.~	
5 Retinaria. DC.	oval-leaved.	Mauritius.	——	....	S. ½.~	Gært. fruct. 2. t. 120.
6 leptostachya. DC.	slender-spiked.	E. Indies.	1810.	4. 6.	S. ½.~	Roxb. corom. 1. t.
tiliæfolia. ROXB. *non* LAM.						
CRYPTANDRA. 92.	CRYPTANDRA.					
4 obovata. DC.	obovate-leaved.	N. S. W.	1824.	5. 7.	G. ½.	
5 spinescens. DC.	spiny.	——	——	——	G. ½.	
COLLETIA. 92.	COLLETIA.					
3 spinosa. DC.	spiny.	S. America.	1823.	....	G. ½.	
POMADERRIS. 92.	POMADERRIS.					
6 intermedia. DC.	intermediate.	N. S. W.	1818.	4. 6.	G. ½.	
7 discolor. DC.	two-coloured.	N. Holland.	1803.	4. 5.	G. ½.	Venten. malm. t. 8.
Ceanothus discolor. p. 93.						
8 phillyreoides. DC.	Phillyrea-l.	——	——	——	G. ½.	
9 ledifolia. F.T.	Ledum-leaved.	N. S. W.	1824.	——	G. ½.	
10 aspera. DC.	rough.	——	1818.	——	G. ½.	
ZIZYPHUS. 93.	ZIZYPHUS.					
14 sinensis. DC.	China.	China.	1818.	5. 6.	H. ½.	
BERCHEMIA. DC.	BERCHEMIA.					
1 volubilis. DC.	twining.	Carolina.	1714.	6. 7.	H. ½.~	Jacq. ic. 2. t. 338.
Œnoplia volubilis. p. 94. *Zizyphus volubilis.* W. *Rhamnus volubilis.* L.						
2 ? lineata. DC.	lined.	China.	1804.	....	G. ½.	Oab. it. 19. t. 7.
Zizyphus lineatus. W. *Œnoplia lineata.* p. 94.						
DARWINIA. F.T.	DARWINIA. Decandria Monogynia.					
1 fascicularis. L.T.	close-leaved.	N. S. W.	1820.	5. 7.	G. ½.	Linn. trans. 11. t. 22.
2 taxifolia. F.T.	yew-leaved.	——	1824.	....	G. ½.	

CELASTRINEÆ. *DC. prodr.* 2. *p.* 2.

Tribus I. *STAPHYLEACEÆ.* DC. l. c.

STAPHYLEA. DC.	BLADDER-NUT. p. 95.					
3 Bumalda. DC.	Japan.	Japan.	1804.	6. 9.	G. ½.	
Bumalda trifolia. p. 96.						
TURPINIA. DC.	TURPINIA. Pentandria Monogynia.					
pomifera. DC.	Apple bearing.	E. Indies.	1823.	....	S. ½.	Roxb. corom. 3. t. 271
Dalrymplea pomifera. ROXB.						

Tribus II. *EUONYMEÆ.* DC.

EUONYMUS. 95.	SPINDLE-TREE.					
14 chinensis. DC.	Chinese.	China.	1823.	5. 6.	H. ½.	
CELASTRUS. p. 98.	STAFF-TREE.					
19 oleoides. DC.	Olive-leaved.	C. B. S.	1816.	5. 8.	G. ½.	
20 pterocarpus. DC.	wing-capsuled.	——	——	——	G. ½.	Burm. afr. t. 27. f. 1.
21 ilicinus. DC.	Ilex-like.	——	——	——	G. ½.	
22 flexuosus. DC.	flexuose.	——	——	——	G. ½.	
PLECTRONIA. p. 94.	PLECTRONIA.					
ventosa. p. 94.	corymbed.	C. B. S.	1816.	....	G. ½.	Burm. prod. afr. t. 2.
Celastrus ? Plectronia. DC.						
MAYTENUS. DC.	MAYTENUS. Pentandria Monogynia.					
1 octogonus. DC.	angular-leaved.	Peru.	1786.	10. 11.	G. ½.	
2 verticillatus. DC.	whorled.	——	1823.	....	G. ½.	Flor. peruv. 3. t. 239. f. 1
ELÆODENDRON. 95.	OLIVE-WOOD.					
4 xylocarpum. DC.	leathery-leav'd.	St. Thomas.	1816.	....	S. ½.	Vent. cheix. t. 29.
Cassine xylocarpa. p. 95.						
5 ? croceum. DC.	Holly-leaved.	C. B. S.	1794.	5. 6.	G. ½.	
Ilex crocea. W.						

PTELIDIUM. DC. PTELIDIUM. Pentandria Monogynia.
ovatum. DC. oval-leaved. Madagascar. 1825. .... S. ½.
CASSINE. 95. CASSINE.
7 oppositifolia. DC. opposite-leav'd. .... 5. 8. S. ½.
HARTOGIA. DC. HARTOGIA. Pentandria Monogynia. L.
capensis. DC. Cape. C. B. S. 1816. .... G. ½. Thunb. n. gen. 5. p. 55. ic.
CURTISIA. DC. CURTISIA. Tetrandria Monogynia.
faginea. DC. Hassagay-tree. C. B. S. 1775. .... G. ½. Burm. afr. 235. t. 82.
MYGINDA. 94. MYGINDA. *misplaced in Rhamneaceæ.*
4 myrtifolia. DC. Myrtle-leaved. N. America. 1818. 5. 8. H. ½.
Ilex Myrsinites. Ph.
ILEX. 94. HOLLY. *misplaced in Rhamneaceæ.*
19 canariensis. DC. Canary. Canaries. 1818. 5. 6. F. ½.
PRINOS. 94. WINTER-BERRY. *misplaced in Rhamneaceæ.*
9 deciduus. DC. deciduous-ld. N. America. 1760. 6. 7. H. ½. Wats. dend. brit. 115.
Ilex prinoides. p. 94.
NEMOPANTHES. DC. NEMOPANTHES. Pentandria Tetragynia.
canadensis. DC. Canadian. N. America. 1812. 6. 7. H. ½. DC. pl. rar. h. gen. t. 8.
Ilex canadensis. M. 2. t. 49.

SAMYDEÆ. *p.* 96.

CASEARIA. 96. CASEARIA.
8 ramiflora. DC. branch-flg. Guiana. 1824. .... S. ½. Aub. gui. 1. t. 127.
9 nitida. DC. shining. S. America. —— .... S. ½. Act. helv. 8. p. 58. ic.

HOMALINEÆ. *p.* 132.

ASTRANTHUS. 335. ASTRANTHUS. *misplaced p.* 335.
cochinchinensis. DC. Chinese. China. 1821. 6. 7. S. ½. Botan. magaz. 2659.
? ARISTOTELIA. DC. ARISTOTELIA. Dodecandria Monogynia. L.
Maqui. DC. shining-leaved. Chili. 1773. 4. 5. H. ½. Wats. dend. brit. t. 44.

CHAILLETIACEÆ. *DC. prodr. v.* 2. *p.* 57.

CHAILLETIA. DC. CHAILLETIA. Pentandria Di-Trigynia.
toxicaria. G.D. poisonous. SierraLeone. 1822. .... S. ½.

CASSUVIÆ. *p.* 98.

PICRAMNIA. DC. PICRAMNIA. Dioecia Pentandria. L.
1 Antidesma. DC. Ash-leaved. Jamaica. 1793. .... S. ½. Sloan. hist. 208. f. 2.
2 pentandra. DC. pentandrous. W. Indies. 1822. .... S. ½.
RHUS. 97. SUMACH.
60 acuminata. DC. pointed-leaved. Nepaul. 1823. .... G. ½.
61 Cavanillesii. DC. Cavanille's. Mexico. .... 7. 8. G. ½. Cavan. ic. 2. t. 132.
62 Burmanni. DC. Burman's. C. B. S. 1697. —— G. ½. Burm. afr. t. 91. f. 2.
lucidum. a. H.K.
lucida. DC. shining-leaved. ——— —— —— G. ½. Comm. hort. 1. t. 98.

AMYRIDEÆ. *p.* 98.

DUVAUA. DC. DUVAUA. Monœcia Octandria.
dependens. DC. dependent. Chili. 1790. 6. 7. H. ½. Cavan. ic. 3. t. 259.
Amyris polygama. p. 98. *Schinus dependens.* H.K.
SCHINUS. 98. SCHINUS.
4 terebinthifolius. DC. Terebinthus-ld. Brazil. 1822. .... S. ½.

CONNARACEÆ. *p.* 99.

OMPHALOBIUM. DC. OMPHALOBIUM. Monadelphia Decandria.
1 indicum. DC. Indian. E. Indies. .... S. ½. Gært. fruct. 1. t. 46.
2 africanum. DC. African. SierraLeone. 1822. .... S. ½. Cav. diss. 7. t. 221.
Connarus africanus. p. 99.

TEREBINTHACEÆ. *p.* 99.

BRUCEA. 100.	BRUCEA.					
4 gracilis. DC.	slender.	E. Indies.	....	....	S. ½.	

LEGUMINOSÆ. *DC. prodr. v.* 2. *p.* 93.

Subordo. I. PAPILIONACEÆ.—Tribus I. *SOPHOREÆ.* DC.

MYROSPERMUM. DC.	MYROSPERMUM.	Decandria Monogynia.				
toluiferum. DC.	Balsam of Tolu.	S. America.	....	....	S. ½.	Woodv. m. bot. 3. t. 196.
SOPHORA. p. 106.	SOPHORA.					
9 glauca. DC.	glaucous.	E. Indies.	1818.	....	S. ½.	
10 secundiflora. DC.	side-flowering.	New Spain.	——	....	S. ½.	Cavan. ic. 5. t. 401.
11 littoralis. DC.	sea-side.	Brazil.	1824.	....	S. ½.	
VIRGILIA. 107.	VIRGILIA.					
intrusa. DC.	yellow-flow'r'd.	C. B. S.	1790.	5. 8.	G. ½.	Botan. magaz. 2617.
Sophora sylvatica. p. 107.						
MACROTROPIS. DC.	MACROTROPIS.	Decandria Monogynia.				
fœtida. DC.	strong-scented.	China.	1822.	4. 5.	F. ½.	
Anagyris chinensis. p. 106.						
THERMOPSIS. 107.	THERMOPSIS.					
corgonensis. DC.	Alpine.	Altay.	1824.	6. 7.	H. ¼.	Pall. astr. t. 90. f. 1.
Sophora alpina. Pal.	*Podalyria alpina.* W.en.					
CYCLOPIA. 107.	CYCLOPIA.					
galioides. DC.	Galium-leaved.	C. B. S.	1818.	7. 8.	G. ½.	Pluk. alm. t. 413. f. 4.
elata. p. 107.						
CHORIZEMA. 108.	CHORIZEMA.					
4 Henchmanni. B.R.	Mr. Henchman's.	N. Holland.	1825.	5. 9.	G. ½.	Botan. regist. 986.
PODOLOBIUM. 108.	PODOLOBIUM.					
staurophyllum. DC.	spiny-leaved.	N. S. W.	1821.	3. 5.	G. ½.	Botan. regist. 959.
spinosum. p. 108.						
OXYLOBIUM. 107.	OXYLOBIUM.					
5 spinosum. DC.	spine-leaved.	N. S. W.	1823.	5. 8.	G. ½.	
6 obtusifolium. ψ.	blunt whorl-ld.	N. Holland.	1825.	2. 5.	G. ½.	
7 Pultenæa. DC.	wood.	N. S. W.	1823.	4. 6.	G. ½.	
CALLISTACHYS. 107.	CALLISTACHYS.					
8 linariifolia. ψ.	Linaria-leaved.	N. Holland.	1825.	....	G. ½.	
GOMPHOLOBIUM. 109.	GOMPHOLOBIUM.					
10 barbigerum. DC.	bearded-fld.	N. S. W.	1824.	5. 8.	G. ½.	
11 virgatum. DC.	twiggy.	———	——	——	G. ½.	
12 tenellum. ψ.	slender sharp-ld.	N. Holland.	1825.	....	G. ½.	
13 reticulatum. ψ.	netted-leaved.	———	——	....	G. ½.	
14 pedunculare. DC.	peduncled.	N. S. W.	1822.	5. 7.	G. ½.	
BURTONIA. 108.	BURTONIA.					
2 minor. DC.	hairy-stalked.	N. S. W.	1812.	3. 8.	G. ½.	
Gompholobium minus. p. 109.						
JACKSONIA. p. 108.	JACKSONIA.					
3 furcellata. DC.	forked.	N. Holland.	1822.	4. 6.	G. ½.	Bonpl. nav. t. 11.
4 reticulata. DC.	netted-leaved.	N. S. W.	——	4. 8.	G. ½.	
Daviesia reticulata. p. 108.						
AOTUS. 108.	AOTUS.					
2 virgata. DC.	slender.	N. S. W.	1820.	4. 8.	G. ½.	
DILLWYNIA. 108.	DILLWYNIA.					
7 acicularis. DC.	needle-leaved.	N. S. W.	1822.	5. 7.	G. ½.	
8 pungens. ψ.	pungent.	N. Holland.	1825.	....	G. ½.	
9 rudis. DC.	villous-branch'd.	N. S. W.	1812.	5. 7.	G. ½.	
10 tenuifolia. DC.	slender-leaved.	———	1820.	——	G. ½.	
11 phylicifolia. F.T.	Phylica-leaved.	N. S. W.	1824.	5. 8.	G. ½.	
12 sericea. F.T.	silky.	———	——	——	G. ½.	
PULTENÆA. 107.	PULTENÆA.					
20 canescens. F.T.	white-leaved.	N. Holland.	1825.	5. 7.	G. ½.	
21 echinula. DC.	harsh-leaved.	N. S. W.	1823.	——	G. ½.	
22 aristata. DC.	awned-calyx'd.	———	——	——	G. ½.	
23 microphylla. DC.	small-leaved.	———	——	——	G. ½.	
24 euchila. DC.	wedge-leaved.	———	1824.	——	G. ½.	
25 villifera. DC.	wool-bearing.	———	——	——	G. ½.	

26	hypolampra. DC.	whorl-branch'd.	N. S. W.	1822.	5. 7.	G. ♄.	
27	thymifolia. DC.	Thyme-leaved.	———	——	——	G. ♄.	
28	plumosa. DC.	feathered.	———	——	——	G. ♄.	
29	parviflora. DC.	small-flowered.	———	1824.	——	G. ♄.	
30	racemulosa. DC.	racemed.	———	1821.	——	G. ♄.	
31	polifolia. F.T.	Poley-leaved.	———	1824.	5. 8.	G. ♄.	
32	argentea. F.T.	silvery.	———	——	——	G. ♄.	
33	procumbens. F.T.	procumbent.	———	——	——	G. ♄.	
34	aspera. DC.	rough.	———	——	——	G. ♄.	
35	comosa. DC.	tufted.	———	——	——	G. ♄.	
36	squarrosa. DC.	squarrose.	———	——	——	G. ♄.	
37	phylicoides. DC.	Phylica-like.	———	1823.	——	G. ♄.	
DAVIESIA. 108.		DAVIESIA.					
10	squarrosa. DC.	squarrose.	N. S. W.	1822.	5. 7.	G. ♄.	
MIRBELIA. 108.		MIRBELIA.					
3	speciosa. DC.	handsome.	N. S. W.	1824.	5. 8.	G. ♄.	
4	pungens. ♆.	pungent.	N. Holland.	——	——	G. ♄.	

To this TRIBE belongs *Edwardsia, Ormosia, Anagyris, Baptisia, Podalyria, Brachysema, Viminaria, Sphærolobium, Eutaxia, Sclerothamnus, Gastrolobium*, and *Euchilus*.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.

HOVEA. p. 115.		HOVEA.					
7	chorizemæfolia. DC. *ilicifolia*. p. 111.	Holly-leaved.	N. Holland.	1824.	5. 7.	G. ♄.	
8	rosmarinifolia. F.T.	Rosemary-l^d.	N. S. W.	——	——	G. ♄.	
PLATYLOBIUM. 110.		FLAT-PEA.					
4	ovatum. DC.	oval-leaved.	N. S. W.	1820.	5. 7.	G. ♄.	
BOSSIÆA. 110.		BOSSIÆA.					
8	ensata. DC.	sword-stem'd.	N. Holland.	1822.	5. 7.	G. ♄.	
9	foliosa. F.T.	leafy.	N. S. W.	1823.	——	G. ♄.	
10	buxifolia. F.T.	Box-leaved.	———	——	——	G. ♄.	
11	rotundifolia. DC.	round-leaved.	———	1822.	——	G. ♄.	
12	rhombifolia. DC.	rhomb-leaved.	———	——	——	G. ♄.	
13	lenticularis. DC.	orbicular-leaved.	———	——	——	G. ♄.	
VASCOA. DC.		VASCOA. Monadelphia Decandria.					
1	amplexicaulis. DC. *Rafnia amplexicaulis*. p. 111.	stem-clasping.	C. B. S.	1816.	6. 7.	G. ♄.	Seb. thes. 1. t. 24. f. 5.
2	perfoliata. DC.	perfoliate.	———	1812.	7. 8.	G. ♄.	
Borbonia perfoliata. p. 109. *Crotalaria amplexicaulis*. Lam.							
PRIESTLEYA. DC.		PRIESTLEYA.	Diadelphia Decandria.				
1	myrtifolia. DC. *Liparia myrtifolia*. p. 110.	Myrtle-leaved.	C. B. S.	1825.	----	G. ♄.	
2	hirsuta. DC.	shaggy-stem'd.	———	1792.	12. 4.	G. ♄.	Botan. regist. 8.
3	lævigata. DC. *Borbonia lævigata*. p. 109.	polished.	———	1799.	7. 8.	G. ♄.	Lodd. bot. cab. 247.
4	capitata. DC.	headed.	———	1812.	——	G. ♄.	
5	graminifolia. DC.	narrow-leaved.	———	1800.	6. 7.	G. ♄.	
6	teres. DC.	smooth-stalked.	———	1816.	——	G. ♄.	
7	ericæfolia. DC. *Borbonia ericifolia*. p. 109.	Heath-leaved.	———	1812.	7. 8.	G. ♄.	
8	sericea. DC.	silky-leaved.	———	1794.	6. 7.	G. ♄.	
9	elliptica. DC.	elliptic-leaved.	———	1816.	——	G. ♄.	DC. leg. mem. 6. t. 3.
10	villosa. DC.	villous-leaved.	———	1774.	——	G. ♄.	Seb. thes. 1. t. 24. f. 1.
11	vestita. DC. *Liparia vestita*. B.M.	concave-leaved.	———	1800.	5. 6.	G. ♄.	Botan. magaz. 2223.
		Liparia villosa. A.R. 852. *nec aliorum*.					
12	tomentosa. DC.	downy.	———	1812.	7. 8.	G. ♄.	
13	umbellifera. DC.	umbel-flow'r'd.	———	1825.	6. 7.	G. ♄.	
CROTALARIA. 110.		CROTALARIA.					
55	platycarpa. DC.	flat-podded.	N. America.	1824.	7. 9.	H. ☉.	
56	benghalensis. DC.	Bengal.	E. Indies.	——	——	S. ☉.	Pluk. alm. t. 169. f. 5.
57	novæ hollandiæ. DC.	New Holland.	N. S. W.	1820.	——	S. ♄.	
58	paulina. DC.	St. Paul.	Brazil.	——	——	S. ♄.	Schrank pl. rar. t. 88.
59	pellita. DC.	villous-podded.	Jamaica.	1822.	——	S. ♄.	
60	calycina. DC.	hispid-calyx'd.	E. Indies.	1818.	——	S. ☉.	Schr. pl. rar. t. 12.
61	Roxburghiana. DC.	Roxburgh's.	———	1823.	——	S. ♃.	
	arborescens. DC. *incanescens*. p. 111.	spreading. *aspensis*. Jacq.	C. B. S.	1774.	6. 10.	G. ♄.	Jacq. vind. 3. t. 64.

62	cytisoides. DC.	Cytisus-like.	E. Indies.	1823.	....	S. ♄.	
63	purpurascens. DC.	purplish.	Mauritius.	——	8. 10.	S. ☉.	
64	microphylla. DC.	small-leaved.	Arabia.	——	——	H. ☉.	
65	villosa. DC.	villous.	C. B. S.	——	5. 8.	G. ♃.	
66	fruticosa. DC.	shrubby.	Jamaica.	....	——	S. ♄.	
67	angulata. DC.	angular.	Campeachy.	....	8. 10.	S. ☉.	

HYPOCALYPTUS. DC. HYPOCALYPTUS. Monadelphia Decandria.

	obcordatus. DC.	obcordate-ld.	C. B. S.	1790.	4. 6.	G. ♄.	
	Crotalaria cordifolia. p. 111.						

VIBORGIA. DC. VIBORGIA. Monadelphia Decandria.

1	obcordata. DC.	many-flowered.	C. B. S.	1812.	7. 9.	G. ♄.	Lodd. bot. cab. 509.
	Crotalaria floribunda. B.C. *Anthyllis cuneata.* Hort.						
2	sericea. DC.	silky.	——	1780.	——	G. ♄.	
	Wiborgia sericea. p. 110.						

ADENOCARPUS. 112. ADENOCARPUS.

	parvifolius. DC.	small-leaved.	France.	....	7. 8.	H. ♄.	
	parviflorus. p. 112. *errata.*						
5	intermedius. DC.	intermediate.	S. Europe.	....	——	H. ♄.	Clus. hist. 1. p. 94. f. 1.
6	telonensis. DC.	loose-flowered.	——	....	——	H. ♄.	Duh. ar. ed. n. 5. t. 47. f. 2.
7	frankenioides. DC.	clammy.	Canaries.	1815.	——	G. ♄.	
	Genista viscosa. p. 112. *Adenocarpus anagyrus.* S.S.						

CYTISUS. 112. CYTISUS.

	calycinus. DC.	dwarf.	Caucasus.	1816.	6. 8.	H. ♄.	Lodd. bot. cab. 673.
	nanus. p. 112.						
25	grandiflorus. DC.	great-flowered.	Portugal.	——	——	H. ♄.	
26	orientalis. DC.	oriental.	Levant.	....	——	G. ♄.	
27	glomeratus. Boj.	Zanzibar.	Zanzibar.	1825.	8. 10.	S. ♄.	

ONONIS. 113. REST-HARROW.

40	emarginata. Boj.	emarginate.	Mauritius.	1824.	....	S. ♄.	
41	longifolia. DC.	long-leaved.	Canaries.	1816.	5. 6.	G. ♄.	
42	geminiflora. DC.	twin-flowered.	Spain.	1825.	8. 10.	H. ☉.	

MEDICAGO. 117. MEDICK.

56	applanata. DC.	obovate-leav'd.	.....	1824.	7. 9.	H. ☉.	
57	ægagrophila. DC.	goats.	.....	——	——	H. ☉.	

TRIGONELLA. 117. FENUGREEK.

23	cœrulea. DC.	blue.	Germany.	1562.	8. 9.	H. ☉.	Botan. magaz. 2283.
	Trifolium cœruleum. B.M. *Melilotus cœrulea.* p. 115.						
24	uncinata. DC.	hooked.	Siberia.	1823.	6. 9.	H. ☉.	
	Melilotus hamosa. p. 115.						
25	prostrata. DC.	prostrate.	S. Europe.	1824.	——	H. ☉.	J. Bauh. his. 2. p. 365. f. 2
	Fischeriana. DC.	Fischer's.	Tiflis.	1818.	——	H. ☉.	
	flexuosa. M.B. *non Poir.*						
26	ornithorynchos. DC.	rostrate-pod.	Russia.	1825.	6. 9.	H. ☉.	
27	ornithopodioides. DC.	Bird's-foot.	Britain.	....	——	H. ☉.	Eng. bot. 1070.
	Melilotus ornithopodioides. p. 115. *Trifolium ornithopodioides.* S.B.						

POCOCKIA. DC. POCOCKIA. Diadelphia Decandria.

	cretica. DC.	Cretan.	Candia.	1713.	6. 9.	H. ☉.	Moris. s. 2. t. 14. f. 3.
	Melilotus cretica. p. 115. *Trifolium creticum.* L.						

MELILOTUS. 115. MELILOT.

	leucantha. DC.	white-flowered.	Europe.	....	6. 9.	H. ♂.	Stur. deut. 1. fas. 15. f. K.
	vulgaris. p. 115. n. 13.						
18	melánosperma. DC.	black-seeded.	Tauria.	1825.	——	H. ♂.	
19	palustris. DC.	marsh.	Hungary.	1824.	6. 8.	H. ♂.	W. et K. hung. 3. t. 266.
20	segetalis. DC.	hedge.	Portugal.	——	——	H. ☉.	
21	gracilis. DC.	slender.	France.	——	——	H. ☉.	
22	suaveolens. DC.	sweet-scented.	Daburia.	1826.	....	H. ♃.	
23	arvensis. DC.	corn-field.	Germany.	1822.	6. 9.	H. ☉.	

DORYCNIUM. 118. DORYCNIUM.

	suffruticosum. DC.	suffruticose.	S. Europe.	1640.	7. 9.	F. ♄.	Lob. ic. 2. p. 51. f. 1. 2.
	monspeliense. p. 118.						
4	rectum. DC.	upright.	——	——	6. 8.	H. ♃.	Barrel. ic. t. 544.
	Lotus rectus. p. 118.						
5	hirsutum. DC.	hairy.	——	1683.	——	H. ♄.	Botan. magaz. 336.
6	sericeum.	silky.	——	1820.	——	H. ♄.	
	Lotus sericeus. p. 118.						
7	parviflorum. DC.	small-flowered.	——	1824.	7. 8.	H. ☉.	Desf. atl. 2. t. 211.
	Lotus parviflorus. p. 118.						

LOTUS. 118. BIRD'S-FOOT TREFOIL.

30	sessilifolius. DC.	sessile-leaved.	Canaries.	1816.	6. 9.	G. ♃.	

31	atropurpureus. DC.	dark-purple.	.....	1823.	6. 9.	G. ♄.	
32	Candolleanus.	De Candolle's.	N. S. W.	1812.	——	G. ♄.	
	australis β angustifoliola. DC.						
33	obovatus. ♆.	glaucous obovate.	—— ——	——	——	G. ♃.	
PSORALEA. 114.		PSORALEA.					
	sericea. DC.	flat-headed.	C. B. S.	1815.	1. 12.	G. ♄.	Botan. regist. 228.
	pubescens. B.R.	pubescent.	Lima.	1823.	7. 9.	G. ♂.	—— —— 968.
INDIGOFERA. 124.		INDIGO.					
	juncea. DC.	Rushy.	C. B. S.	....	7. 10.	G. ♄.	Botan. regist. 164.
	filifolia. p. 124. *Lebeckia contaminata.* B.R. *Lebeckia nuda.* B.M. 2214.						
42	angulata. B.R.	angular-stalk'd.	N. S. W.	1824.	4. 8.	G. ♄.	Botan. regist. 991.
43	cylindrica.	cylindrical.	C. B. S.	1822.	——	G. ♄.	
44	macrostachya. DC.	long-spiked.	China.	——	——	G. ♄.	Venten. malm. t. 44.
45	divaricata. DC.	spreading.	.....	1824.	——	G. ♄.	Jacq. schœnb. t. 365.
46	polyphylla. DC.	many-leaved.	Nepaul.	1825.	——	G. ♄.	
47	alopecuroides. DC.	Fox-tail.	C. B. S.	——	——	G. ♄.	
48	digitata. DC.	finger-leaved.	——	1820.	——	G. ♄.	
CLITORIA. 120.		CLITORIA.					
11	lascivia. Bej.		Madagascar.	1826.	....	S. ♄. ⌣.	
VILMORINIA. DC.		VILMORINIA.	Diadelphia Decandria.				
	multiflora. DC.	many-flowered.	W. Indies.	1823.	7. 8.	S. ♄. ⌣.	
	Clitoria multiflora. p. 120.						
PUERARIA. DC.		PUERARIA.					
	tuberosa. DC.	tuberous.	E. Indies.	1806.	....	S. ♄. ⌣.	
	Hedysarum tuberosum. p. 130.						
DUMASIA. DC.		DUMASIA.					
1	villosa. DC.	villous.	Nepaul.	1824.	8. 12.	G. ♄. ⌣.	DC. leg. mem. 6. t. 44.
2	pubescens. DC.	pubescent.	——	——	——	G. ♄. ⌣.	Botan. regist. 962.
GLYCINE. DC.		GLYCINE. 121.					
	minima. DC.	small.	N. S. W.	1812.	4. 10.	G. ♃. ⌣.	
CHÆTOCALYX. DC.		CHÆTOCALYX.	Diadelphia Decandria.				
	vincentina. DC.	St. Vincent.	St. Vincent's.	1823.	6. 8.	S. ♄. ⌣.	Botan. regist. 799.
	Glycine vincentina. p. 121.						
DALEA. 114.		DALEA.					
13	sericea. DC.	silky.	Mexico.	1825.	....	G. ♃.	Kth. mim. t. 48.
14	tuberculata. DC.	tubercled.	——	——	....	G. ♄.	
15	reclinata. DC.	reclining.	——	1824.	5. 8.	G. ♃.	
16	Thouini. DC.	Thouin's.	.....	——	——	H. ☉.	Schrank. h. mon. t. 9.
TEPHROSIA. 124.		TEPHROSIA.					
16	suberosa. DC.	cork-barked.	E. Indies.	1818.	....	S. ♄.	
	Robinia suberosa. p. 126.						
17	fruticosa. DC.	frutescent.	——	1820.	....	S. ♄. ⌣.	
	Robinia fruticosa. p. 126.						
18	candida. DC.	white-leaved.	—— ——	1810.	....	S. ♄.	
	Robinia candida. p. 126.						
19	capensis. DC.	Cape.	C. B. S.	1823.	5. 9.	G. ♄.	Jacq. ic. t. 574.
20	hypargyrea. DC.	various-leaved.	E. Indies.	——	6. 9.	S. ♄.	
	Galega heterophylla. p. 124.						
21	caribæa. DC.	Caribean.	W. Indies.	1786.	6. 7.	S. ♄.	Jacq. amer. t. 125.
	Galega? caribæa. p. 124.						
NISSOLIA. 132.		NISSOLIA.					
4	racemosa. DC.	racemed.	W. Indies.	....	6. 8.	S. ♄. ⌣.	
5	robiniæfolia. DC.	Robinia-leav'd.	—— ——	1824.	....	S. ♄.	
6	microptera. DC.	small-winged.	.....	——	6. 8.	S. ♄.	
LONCHOCARPUS. DC.		LONCHOCARPUS.	Diadelphia Decandria.				
1	domingensis. DC.	Domingo.	St. Domingo.	1759.	....	S. ♄.	
	Dalbergia domingensis. p. 131.						
2	violaceus. DC.	violet.	W. Indies.	——	....	S. ♄.	Jacq. amer. t. 177. f. 49.
3	sericeus. DC.	silky.	——	1823.	....	S. ♄.	
4	pyxidarius. DC.	Cuba.	Cuba.	1822.	....	S. ♄.	
5	latifolius. DC.	broad-leaved.	S. America.	1814.	....	S. ♄.	
	Amerimnum latifolium. p. 131.						
6	? pubescens. DC.	pubescent.	Caracas.	1820.	....	S. ♄.	
7	roseus. DC.	rose-coloured.	S. America.	....	....	S. ♄.	
8	sepium. DC.	hedge.	W. Indies.	1820.	....	S. ♄.	Jacq. amer. t. 120. f. 101.
	Robinia sepium. p. 126.						
SESBANIA. 128.		SESBANIA.					
10	affinis. DC.	likened.	E. Indies.	1822.	5. 8.	S. ♂.	
11	macrocarpa. DC.	long-podded.	Louisiana.	——	7. 10.	H. ☉.	

12 gracilis. DC.	slender.	.....	1824.	7. 10.	S.⊙.		
AGATI. DC.	AGATI. Diadelphia Decandria.						
1 grandiflora. DC.	great-flowered.	E. Indies.	1768.	7. 8.	S. ♄.	Rheed. mal. 1. t. 61.	
Sesbania grandiflora. p. 128. *Æschynomene grandiflora.* L.							
2 coccinea. DC.	red-flowered.	———	1824.	....	S. ♄.	Rumph. amb. 1. t. 77.	
GLOTTIDIUM. DC.	GLOTTIDIUM. Diadelphia Decandria.						
floridanum. DC.	flat-podded.	Carolina.	1822.	7. 8.	G.⊙.	Jacq. ic. 1. t. 148.	
Sesbania platycarpa. p. 129. *Robinia vesicaria.* Jacq.							
DAUBENTONIA. DC.	DAUBENTONIA. Diadelphia Decandria.						
punicea. DC.	red-flowered.	Mexico.	1824.	....	S. ♄.	Cavan. ic. 4. t. 316.	
PISCIDIA. 122.	PISCIDIA.						
2 carthagenensis. DC.	villous-leaved.	W. Indies.	....	....	S. ♄.	Plum. ed. Burt. t. 133. f. 2	
HALIMODENDRON. DC.	SALT-TREE. Diadelphia Decandria.						
argenteum. DC.	silver-leaved.	Siberia.	1779.	5. 6.	H. ♄.	Botan. magaz. 1016.	
Robinia Halodendron. B.M. *Caragana Halodendron.* p. 125.							
COLUTEA. 124.	BLADDER-SENNA.						
haleppica. DC.	Pocock's.	Levant.	1752.	5. 10.	H. ♄.	Schmidt arb. t. 129.	
Pocockii. p. 124. *Istria.* Mill. ic. t. 100.							
5 nepalensis. B.M.	Nepaul.	Nepaul.	1822.	8. 9.	H. ♄.	Botan. magaz. 2622.	
LESSERTIA. 124.	LESSERTIA.						
7 falciformis. DC.	falcate-podded.	C. B. S.	1825.	5. 7.	G. ♂.		
SUTHERLANDIA. 124.	SUTHERLANDIA.						
2 microphylla. DC.	small-leaved.	C. B. S.	1816.	6. 9.	G. ♄.		

To this Tribe also belongs *Goodia, Scottia, Templetonia, Rafnia, Borbonia, Achyronia, Liparia, Hallia, Loddigesia, Lebeckia, Sarcophyllum, Aspalathus, Ulex, Spartium, Genista, Calycotome, Anthyllis, Hymenocarpos, Trifolium, Lupinaster, Tetragonolobus, Petalostemum, Glycirhiza, Galega, Amorpha, Mullera, Robinia, Calophaca, Swainsona, Phaca, Astragalus, Oxytropis,* and *Biserrula.*

Tribus III. *HEDYSAREÆ.* DC. prodr. 2. p. 307.

CORONILLA. 128.	CORONILLA.					
13 pentaphylla. DC.	five-leaved.	Algiers.	....	5. 10.	G. ♄.	Mill. ic. t. 289. f. 2?
14 montana. DC.	mountain.	Europe.	1816.	6. 9.	H. ♃.	Botan. magaz. 907.
coronata. B.M. *non* L.						
ASTROLOBIUM. DC.	ASTROLOBIUM.					
1 ebracteatum. DC.	round-podded.	Portugal.	....	5. 6.	H.⊙.	Dalech. his. 1. p. 487. f. 1.
Ornithopus ebracteatus. p. 128.						
2 durum. DC.	perennial.	Spain.	1805.	6. 7.	H. ♃.	Cavan. ic. 1. t. 41.
3 repandum. DC.	repand.	Barbary.	1805.	——	H.⊙.	Lam. ill. t. 631. f. 4.
4 scorpioides. DC.	Purslane-ld.	S. Europe.	1596.	——	H.⊙.	Cavan. ic. 1. t. 37.
Ornithopus scorpioides. p. 128.						
HIPPOCREPIS. 128.	HORSESHOE-VETCH.					
7 glauca. DC.	glaucous.	Naples.	1825.	5. 8.	H. ♃.	Ten. fl. neap. 2. t. 69.
8 monocarpa. DC.	one-podded.	Caucasus.	——	6. 8.	H.⊙.	
PICTETIA. DC.	PICTETIA. Diadelphia Decandria.					
1 aristata. DC.	awned.	St. Domingo.	1820.	....	S. ♄.	Jacq. schœn. 2. t. 237.
Æschynomene aristata. p. 129.						
ORMOCARPUM. DC.	ORMOCARPUM. Diadelphia Decandria.					
sennoides. DC.	Senna-like.	E. Indies.	1818.	6. 7.	S. ♄.	
Hedysarum sennoides. p. 131.						
ZORNIA. 129.	ZORNIA. Monadelphia Decandria.					
3 angustifolia. DC.	narrow-leaved.	E. Indies.	1733.	7. 8.	S.⊙.	Rheed. mal. 9. t. 82.
diphylla. p. 129.						
4 reticulata. DC.	netted-bracted.	W. Indies.	....	——	S.⊙.	
5 dyctiocarpa. DC.	netted-podded.	N. S. W.	1824.	——	H.⊙.	
ADESMIA. DC.	ADESMIA. Decandria Monogynia.					
1 muricata. DC.	prickly-podded.	Patagonia.	1793.	6. 7.	H. ♃.	Jacq. ic. 3. t. 568.
Hedysarum muricatum. p. 131.						
2 papposa. DC.	feathery-podd.	Chili.	1823.	——	H. ♃.	
ÆSCHYNOMENE. 129.	ÆSCHYNOMENE.					
7 patula. DC.	spreading.	Mauritius.	1826.	....	S. ♂.?	
8 pendula. Boj.	pendulous.	Madagascar.	1825.	....	S. ♂.?	
9 subviscosa. DC.	clammy.	E. Indies.	1820.	9. 10.	S.⊙.	
SMITHIA. 128.	SMITHIA.					
3 conferta. DC.	close-flowered.	N. Holland.	1820.	7. 9.	S. ♂.	
LOUREA. DC.	LOUREA. Diadelphia Decandria.					
1 Vespertilionis. DC.	bat-winged.	Cochinchina.	1780.	7. 8.	S. ♂.	Jacq. ic. 3. t. 566.
Hedysarum Vespertilionis. p. 130.						

URARIA. DC.	**Uraria.**	**Diadelphia Decandria.**					
1	picta. DC.	painted-leaved.	Guinea.	1788.	6. 8.	S. ♄.	Jacq. ic. 3. t. 567.
	Hedysarum pictum. p. 130.						
2	crinita. DC.	crook-podded.	E. Indies.	1780.	7. 9.	S. ♄.	Burm. ind. t. 56.
	Hedysarum crinitum. p. 131.						
3	lagocephala. DC.	hairy.	Brazil.	1823.	——	S. ♃.	
4	Lagopus. DC.	Hare's-foot.	Nepaul.	——	....	S. ♄.	
***DESMODIUM. DC.**	**Desmodium.**	**Diadelphia Decandria.**					
1	dubium. B.R.	doubtful.	Nepaul.	1823.	7. 8.	S. ♄.	Botan. regist. 967.
2	umbellatum. DC.	umbel-flower'd.	E. Indies.	1801.	6. 7.	S. ♄.	Jacq. schœnb. 3. t. 297.
	Hedysarum umbellatum. p. 130.						
3	triquetrum. DC.	triangular.	————	1802.	7. 8.	S. ♂.	Burm. ind. t. 52. f. 2.
4	pseudotriquetrum. DC.	triquetrous.	Nepaul.	1818.	——	S. ♂.	
5	alatum. DC.	winged-stalked.	E. Indies.	1809.	....	S. ♄.	
6	gyrans. DC.	moving-plant.	————	1775.	7. 9.	S. ♂.	Jacq. ic. 3. t. 565.
7	gyroides. DC.	gyrans-like.	————	1818.	——	S. ♄.	
8	gangeticum. DC.	oval-leaved.	————	1762.	——	S. ☉.	Burm. zeyl. t. 49.
9	maculatum. DC.	spotted.	————	1732.	6. 8.	S. ☉.	Dill. elt. t. 141. f. 168.
10	sagittatum. DC.	arrow-leaved.	————	1807.	....	S. ♄.	
11	angustifolium. DC.	narrow-leaved.	Mexico.	1825.	....	S. ♄.	
12	latifolium. DC.	broad-leaved.	E. Indies.	1809.	7. 8.	S. ♄.	Botan. regist. t. 856.
13	lasiocarpum. DC.	woolly-podded.	Guinea.	1822.	7. 9.	S. ♄.	Beau. fl. ow. 1. t. 18.
14	canadense. DC.	Canadian.	N. America.	1640.	——	H. ♃.	Corn. canad. t. 45.
15	canescens. DC.	canescent.	————	1733.	——	H. ♃.	
16	marylandicum. DC.	Maryland.	————	1725.	7. 10.	H. ♃.	Dill. elt. t. 144. f. 171.
17	obtusum. DC.	obtuse.	————	1805.	7. 8.	H. ♃.	
18	ciliare. DC.	fringed.	————	1823.	——	H. ♃.	
19	viridiflorum. DC.	green-flowered.	————	1787.	7. 9.	H. ♃.	Pluk. alm. t. 308. f. 5.
20	bracteosum. DC.	bracted.	————	1806.	7. 8.	H. ♃.	
21	glabellum. DC.	smooth.	————	1824.	7. 9.	H. ♃.	
22	paniculatum. DC.	panicled.	————	1781.	7. 8.	H. ♃.	Pluk. alm. t. 432. f. 6.
23	nudiflorum. DC.	naked-flower'd.	————	1823.	——	H. ♃.	
24	acuminatum. DC.	glutinous.	————	1805.	——	H. ♃.	
	Hedysarum glutinosum. p. 130.						
25	uncinatum. DC.	uncinate.	Caracas.	1823.	6. 7.	S. ♄.	Jacq. schœn. 3. t. 208.
26	incanum. DC.	hoary.	W. Indies.	1820.	7. 8.	S. ♄.	Plum. ic. 149. f. 1.
27	supinum. DC.	trailing.	Jamaica.	——	——	S. ♄.	Sloan. jam. 1. t. 118. f. 2.
28	tortuosum. DC.	twisted-podd'd.	————	1781.	——	S. ♄.	———— 1. t. 116. f. 2.
29	adscendens. DC.	ascending.	————	1820.	7. 9.	S. ♄.	
30	mexicanum.	Mexican.	Mexico.	——	11. 5.	S. ♄.	Botan. regist. 815.
	Hedysarum mexicanum. p. 130. *adscendens.* var. *cæruleum.* B.R.						
31	trigonum. DC.	three-sided.	Jamaica.	1788.	7. 9.	S. ♄.	
32	spirale. DC.	spiral.	————	....	——	S. ♄.	
33	Aparines. DC.	hairy-stalked.	Mexico.	1820.	——	S. ♄.	
34	asperum. DC.	harsh.	.....	——	6. 8.	S. ♄.	
35	cæspitosum. DC.	tufted.	Mauritius.	——	....	S. ♃.	
36	mauritianum. DC.	creeping-root^{d}.	————	1823.	7. 9.	S. ♃.	
37	diversifolium. DC.	different-leav'd.	Madagascar.	1820.	....	S. ♄.	
38	spectabile.	showy.	Zanzibar.	1825.	....	S. ♄.	
	Hedysarum spectabile. Boj.						
39	triflorum. DC.	three-flowered.	India.	1796.	6. 7.	S. ♃.	Burm. ind. t. 54. f. 2.
40	heterophyllum. DC.	various-leaved.	Ceylon.	1820.	——	S. ♃.	Burm. zeyl. t. 54. f. 1.
41	parvifolium. DC.	slender.	Nepaul.	1823.	7. 9.	S. ♄.	
	tenellum. D.P. *non* Kth.						
42	Scalpe. DC.	repand.	Bourbon.	——	7. 8.	S. ♄.	
	Hedysarum repandum. p. 130. *non* DC.						
43	Roxburghii.	Roxburgh's.	E. Indies.	1825.	....	S. ♄.	
	diffusum. DC. p. 335. *non* p. 336.						
44	floribundum. D.P.	abundant-flo.	Nepaul.	1823.	7. 9.	S. ♄.	
45	retusum. D.P.	retuse-leaved.	————	——	——	S. ♄.	
46	concinnum. DC.	neat.	————	——	——	S. ♄.	
47	capitatum. DC.	headed.	Ceylon.	....	7.	S. ♄.	Burm. ind. t. 54. f. 1.
48	tomentosum. DC.	woolly.	China.	1782.	6. 7.	G. ♃.	
49	malacophyllum. DC.	soft hairy-l^{d}.	Manilla.	1824.	....	S. ♃.	
50	grandifolium. DC.	large-leaved.	E. Indies.	——	....	S. ♄.	
51	serotinum. DC.	late-flowering.	————	1800.	7. 9.	S. ♃.	

* The species of this genus are referred to *Hedysarum*, p. 130 and 131.

DICERMA. DC.	DICERMA. Diadelphia Decandria.						
1 pulchellum. DC.	neat.	E. Indies.	1799.	7. 8.	S. ½.	Burm. zeyl. t. 52.	
Zornia pulchella. p. 129. *Hedysarum pulchellum.* w.							
2 biarticulatum. DC.	jointed.	———	1808.	....	S. ½.	——— t. 50. f. 2.	
Hedysarum biarticulatum. p. 130.							
HEDYSARUM. DC.	HEDYSARUM.						
1 lasiocarpum. DC.	woolly-podded.	Siberia.	1824.	6. 8.	H. ♃.		
2 ibericum. DC.	Iberian.	Iberia.	——	——	H. ♃.		
3 cretaceum. DC.	slender-spiked.	Volga.	1818.	——	H. ♃.		
4 consanguineum. DC.	kindred.	Siberia.	——	——	H. ♃.		
5 caucasicum. DC.	Caucasean.	Caucasus.	1824.	——	H. ♃.		
ONOBRYCHIS. 131.	SAINTFOIN.						
14 procumbens. DC.	procumbent.	Iberia.	1823.	7. 9.	H. ♃.		
15 radiata. DC.	rayed.	Caucasus.	——	——	H. ♃.		
ELEIOTIS. DC.	ELEIOTIS.						
sororia. DC.	sister.	E. Indies.	1820.	....	S. ♃.	Desv. j. bot. 8. t. 6. f. 31.	
Hedysarum sororium. p. 130.							
LESPEDEZA. 129.	LESPEDEZA.						
12 eriocarpa. DC.	woolly-podded.	Nepaul.	1812.	7. 9.	G. ½.		
13 villosa. DC.	villous.	N. America.	——	——	H. ♃.		
EBENUS. DC.	EBENUS. Monadelphia Decandria.						
1 cretica. DC.	Cretan.	Crete.	1737.	6. 7.	F. ½.	Botan. magaz. 1092.	
Anthyllis cretica. p. 114.							
2 pinnata. DC.	wing-leaved.	Barbary.	1786.	7. 8.	G. ♂.	Desf. act. par. 1. t. 8.	
Anthyllis sericea. p. 114.							
ALHAGI. DC.	ALHAGI. Diadelphia Decandria.						
1 maurorum. DC.	Levant.	Levant.	1714.	7. 8.	G. ½.	Tourn. cor. 54. t. 480.	
Manna hebraica. p. 131. *Hedysarum Alhagi.* w.							
2 camelorum. DC.	Caspian.	Caucasus.	1824.	——	H. ♃.		
ALYSICARPUS. DC.	ALYSICARPUS. Diadelphia Decandria.						
1 bupleurifolius. DC.	Bupleurum-l$_d$.	India.	1793.	7. 8.	S. ♂.	Botan. magaz. 1722.	
Hedysarum bupleurifolium. p. 129.							
2 vaginalis. DC.	sheathed.	E. Indies.	1790.	——	S. ☉.	Burm. zeyl. t. 49. f. 1.	
3 nummularifolius.	moneywort-l^d.	———	1777.	7. 9.	S. ☉.	Pet. gaz. t. 26. f. 4.	
Hedysarum nummularifolium. p. 129.							
4 monilifer. DC.	neck-lace.	———	1824.	——	S. ♃.	Burm. ind. t. 52. f. 2.	
5 styracifolius. DC.	Storax-leaved.	———	1796.	——	S. ½.		

To this Tribe also belongs *Scorpiurus*, *Stylosanthes*, *Securigera*, and *Flemingia*.

Tribus IV. *VICIEÆ*. DC. prodr. 2. p. 353.

ERVUM. 128.	TARE.					
10 Ervilia. DC.	officinal.	S. Europe.	1596.	6. 8.	H. ☉.	Blackw. t. 208. f. 3.
Vicia Ervilia. p. 127.						
11 monanthos. DC.	single-flower'd.	———	1790.	7. 8.	H. ☉.	Sturm. fl. germ. 1. f. 32.
LATHYRUS. 126.	LATHYRUS.					
37 intermedius. DC.	intermediate.	N. Europe.	1818.	7. 9.	H. ♃.	Mull. fl. dan. t. 785.
38 longepedunculatus.	long-peduncl'd.	.....	1824.	——	H. ☉.	
39 hirtus. DC.	hairy.	.....	——	——	H. ☉.	
OROBUS. 126.	BITTER VETCH.					
22 formosus. DC.	handsome.	Caucasus.	1824.	4. 6.	H. ♃.	Linn. trans. 11. t. 36.
23 sessilifolius .DC.	sessile-leaved.	Greece.	——	5. 7.	H. ♃.	
24 multiflorus. DC.	many-flowered.	Italy.	——	——	H. ♃.	
25 vicioides. DC.	Vicia-like.	Carniola.	1818.	6. 8.	H. ♃.	W. et K. hung. 3. t. 242.
Vicia oroboides. p. 127.						
26 aurantius. DC.	orange-color'd.	Iberia.	1824.	——	H. ♃.	
27 erectus. DC.	upright.	.....	1820.	——	H. ♃.	

To this Tribe also belongs *Cicer*, *Faba*, *Vicia*, and *Pisum*.

Tribus V. *PHASEOLEÆ*. DC. prodr. 2. p. 381.

SWEETIA. DC.	SWEETIA. Diadelphia Decandria.					
1 longifolia. DC.	long-leaved.	S. America.	1824.	6. 7.	S. ½. ⌣.	Jacq. ic. 3. t. 572.
Tephrosia longifolia. p. 124. *Galega longifolia.* Jacq.						
2 filiformis. DC.	slender.	Mexico.	1826.	....	S. ½. ⌣.	——— 3. t. 573.
ROTHIA. DC.	ROTHIA.					
trifoliata. DC.	trifoliate.	S. America.	1820.	6. 8.	S. ☉.	
Glycine humifusa. p. 121.						

KENNEDIA. 121.	KENNEDIA.						
7? heterophylla. ψ.	various-leaved.	N. Holland.	1826.	....	G. ♄. ⌣.		
8? inophylla. ψ.	few-leaved.	———	1825.	....	S. ♄. ⌣.		
9? dilatata. ψ.	dilated-leaved.	———	———	....	S. ♄. ⌣.		
RHYNCHOSIA. DC.	RHYNCHOSIA. Diadelphia Decandria.						
1 reniformis. DC.	kidney-leaved.	Carolina.	1806.	7. 8.	F. ♃.		
Glycine reniformis. p. 121.							
2 difformis. DC.	downy climbing.	N. America.	1732.	6. 9.	H. ♃. ⌣.	Dill. elt. t. 26. f. 29.	
Glycine tomentosa. p. 121.							
3 erecta. DC.	upright.	———	....	———	H. ♃.		
4 caribæa. DC.	trailing.	W. Indies.	1742.	9. 10.	S. ♄. ⌣.	Jacq. ic. 1. t. 146.	
5 phaseoloides. DC.	Abrus-seeded.	———	1820.	6. 7.	S. ♄. ⌣.	Botan. magaz. 2384.	
6 precatoria. DC.	Abrus-like.	S. America.	———	———	S. ♄. ⌣.		
7 reticulata. DC.	netted.	Jamaica.	1779.	7. 9.	S. ♄. ⌣.		
8 rhombifolia. DC.	rhomb-leaved.	E. Indies.	1815.	5. 8.	S. ♄. ⌣.		
9 viscida. DC.	viscous.	———	1823.	6. 7.	S. ♄. ⌣.		
10 angustifolia. DC.	narrow-leaved.	C. B. S.	1795.	6. 8.	G. ♄. ⌣.	Jacq. schœn. 2. t. 231.	
Glycine angustifolia. p. 121.							
11 suaveolens. DC.	sweet-scented.	E. Indies.	1816.	7. 9.	S. ♄.		
FAGELIA. DC.	FAGELIA. Diadelphia Decandria.						
bituminosa. DC.	clammy.	C. B. S.	1774.	4. 9.	G. ♄. ⌣.	Botan. regist. 261.	
Glycine bituminosa. p. 121.							
PHASEOLUS. 119.	KIDNEY-BEAN.						
34 macrostachyus. DC.	large-spiked.	N. America.	1824.	7. 9.	H. ♃. ⌣.		
35 compressus. DC.	flat-seeded.	.....	....	6. 9.	H. ⊙. ⌣.	Savi mem. 3. t. 10. f. 20.	
36 oblongus. DC.	oblong-seeded.	.....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 14.	
37 saponaceus. DC.	spotted white-seeded.	....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 15.	
38 tumidus. DC.	thick-seeded.	.....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 16.	
39 hæmatocarpus. DC.	red-spotted.	.....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 17.	
40 sphæricus. DC.	round-seeded.	.....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 18.	
41 gonospermus. DC.	angular-seeded.	.....	....	———	H. ⊙. ⌣.	——— 3. t. 10. f. 19.	
42 derasus. DC.	narrow-podded.	Brazil.	1823.	———	H. ⊙. ⌣.	Schr. h. monac. 1. t. 89.	
43 Xuaresii. DC.	pointed-leaved.	.....	———	———	H. ⊙. ⌣.		
44 microspermus. DC.	small-seeded.	Cuba.	....	....	S. ⊙. ⌣.		
45 chrysanthos. DC.	yellow-flow'r'd.	.....	....	———	S. ⊙. ⌣.		
46 violaceus. DC.	violet-flowered.	Africa?	....	———	H. ⊙.		
47 scaber. DC.	rough-podded.	....	....	———	H. ⊙.	Moris. ox. s. 2. t. 5. f. 8.	
SOJA. DC.	SOY. Diadelphia Decandria.						
hispida. DC.	hispid.	E. Indies.	1790.	7. 8.	S. ⊙.	Jacq. ic. 1. t. 145.	
Dolichos Soja. p. 119.							
DOLICHOS. 119.	DOLICHOS.						
39 Jacquini. DC.	Jacquin's.	W. Indies.	1822.	7. 9.	S. ♄. ⌣.		
40 melanophthalmus. DC.	black-circled.	.....	———	———	H. ⊙. ⌣.		
VIGNA. DC.	VIGNA.						
glabra. DC.	yellow.	America.	1805.	7. 8.	H. ⊙. ⌣.	Jacq. vind. 1. t. 90.	
Dolichos luteolus. p. 119.							
LABLAB. DC.	LABLAB. Diadelphia Decandria.						
1 vulgaris. DC.	common.	Egypt.	1694.	6. 7.	S. ⊙. ⌣.	Botan. magaz. 896.	
Dolichos Lablab. p. 119.							
2 purpureus.	purple.	E. Indies.	1790.	5. 10.	S. ♃. ⌣.	Exot. bot. 2. t. 74.	
Dolichos purpureus. B.R. 830.							
3 benghalensis.	Bengal.	Bengal.	1820.	7. 8.	S. ♄. ⌣.	Jacq. vind. 2. t. 124.	
vulgaris γ albiflorus. DC. *Dolichos benghalensis.* p. 119.							
4 nankinicus. DC.	Chinese.	China.	1821.	———	H. ⊙. ⌣.	Savi. dis. 1821. f. 8. d-g.	
5 leucocarpus. DC.	white-podded.	E. Indies.	———	———	S. ⊙. ⌣.	——— f. 9. a-d.	
6 cultratus. DC.	sharp-edged.	Japan.	1818.	6. 7.	H. ⊙. ⌣.	Banks ic. k. t. 25.	
Dolichos cultratus. p. 119.							
7 microcarpus. DC.	small-podded.	E. Indies.	1824.	———	S. ⊙. ⌣.	Rumph. am. 5. t. 141. f. 1.	
8 perennans. DC.	perennial.	China.	1823.	7. 8.	G. ♃. ⌣.	——— 5. t. 137.	
PACHYRHIZUS. DC.	PACHYRHIZUS. Diadelphia Decandria.						
angulatus. DC.	angular-leaved.	E. Indies.	1781.	7.	S. ♃. ⌣.	Rumph. amb. 5. t. 132.	
Dolichos bulbosus. p. 119.							
PSOPHOCARPUS. DC.	PSOPHOCARPUS. Diadelphia Decandria.						
tetragonolobus. DC.	square-podded.	E. Indies.	1816.	9. 11.	S. ⊙.	Rumph. amb. 5. t. 133.	
Dolichos tetragonolobus. p. 119.							
CANAVALIA. DC.	CANAVALIA. Monadelphia Decandria.						
1 obtusifolia. DC.	blunt-leaved.	E. Indies.	1818.	7. 8.	S. ♄. ⌣.	Rheed. mal. 8. t. 43.	
Dolichos retundifolius. p. 119.							
β *emarginatus.* DC.	*emarginate.*	———	———	———	S. ♄. ⌣.	Jacq. schœn. 2. t. 221.	

2 gladiata. DC.	sabre-podded.	E. Indies.	1801.	6. 7.	S. ♄. ⌣.	Jacq. ic. 3. t. 560.
Dolichos gladiata. p. 119. *Malocchia gladiata.* Savi.						
3 ensiformis. DC.	cimeter-podded.	———	1778.	7. 8.	S. ☉. ⌣.	Jacq. ic. 3. t. 589.
4 roseus. DC.	rose-coloured.	Jamaica.	1812.	——	S. ☉.	
Dolichos roseus. p. 119.						
MUCUNA. DC.	COWITCH. Diadelphia Decandria.					
1 urens. DC.	broad-podded.	W. Indies.	1691.	6. 7.	S. ♄. ⌣.	Plum. amer. t. 107.
Stizolobium urens. p. 119. *Dolichos urens.* Jacq. amer. t. 188. f. 84.						
2 altissima. DC.	tall.	Martinico.	1779.	....	S. ♄. ⌣.	Jacq. amer. t. 182. f. 85.
3 pruriens. DC.	common.	India.	1680.	....	S. ♄. ⌣.	Rheed. mal. 8. t. 85.
Stizolobium pruriens. p. 119. *Carpopogon pruriens.* H.B.						
4 gigantea. DC.	gigantic.	E. Indies.	1815.	7. 9.	S. ♄. ⌣.	Rheed. mal. 8. t. 86.
5 mitis. DC.	oblique-leaved.	Peru.	1823.	....	S. ♄. ⌣.	
6 monosperma. DC.	single-seeded.	E. Indies.	1818.	7. 9.	S. ♄. ⌣.	
Carpopogon monospermum. p. 119.						
7 atropurpurea. DC.	dark-purple.	———	1820.	——	S. ♄. ⌣.	
8 nivea. DC.	white.	———	——	——	S. ☉. ⌣.	
9 imbricata. DC.	imbricated.	———	1815.	——	S. ♄. ⌣.	
10 anguinea.	snake-like.	———	1822.	....	S. ♄. ⌣.	
Carpopogon anguineum. p. 119.						
11 bracteata. DC.	bracted.	———	——	....	S. ♄. ⌣.	
12 capitata.	capitate.	———	——	7. 9.	S. ☉. ⌣.	
Carpopogon capitatum. p. 119.						
ERYTHRINA. 120.	CORAL-TREE.					
26 enneandria. DC.	nine anther'd.	.....	....	....	S. ♄.	
27 macrophylla. DC.	large-leaved.	.....	1816.	....	S. ♄.	
28 umbrosa. DC.	deltoid-leaved.	Caracas.	1824.	....	S. ♄.	
RUDOLPHIA. DC.	RUDOLPHIA. Diadelphia Decandria.					
dubia. DC.	doubtful.	Havannah.	1815.	....	S. ♄. ⌣.	H. et B. n. gen. 6. t. 591.
Glycine sagittata. p. 121.						

To this Tribe also belongs *Abrus*, *Teramnus*, *Amphicarpæa*, *Wisteria*, *Apios*, *Cajanus*, *Lupinus*, *Cylista*, and *Butea*.

Tribus VI. *DALBERGIEÆ*. DC. prodr. 2. p. 415.

DREPANOCARPUS. DC.	DREPANOCARPUS. Monadelphia Decandria.					
lunatus. DC.	crescent-podded.	S. America.	1792.	....	S. ♄.	Plum. ed. Burm. t. 201. f. 2.
Pterocarpus lunatus. p. 132.						
BRYA. DC.	BRYA. Monadelphia Decandria.					
Ebenus. DC.	Jamaica Ebony.	W. Indies.	1713.	7. 8.	S. ♄.	Brown. jam. t. 31. f. 2.

To this Tribe belongs *Pongamia*, *Dalbergia*, *Pterocarpus*, *Amerimnum*, and *Ecastaphyllum*.

PHYLLOLOBIUM. 131.	PHYLLOLOBIUM.					
2 zanzibarense. Boj.	Zanzibar.	Zanzibar.	1825.	....	S. ♄.	

SUBORDO II.—Tribus VII. *SWARTZIEÆ*. DC. prodr. 2. p. 422.

SWARTZIA. DC.	SWARTZIA. Monadelphia Dec-Dodecandria.					
1 grandiflora. DC.	great-flower'd.	Trinidad.	1822.	....	S. ♄.	Vahl. ecl. pl. am. 1. t. 9.
2 pinnata. DC.	wing-leaved.	———	1820.	....	S. ♄.	Corr. an. mus. 9. t. 24. f. 2.
BAPHIA. DC.	BAPHIA. Decandria Monogynia.					
nitida. DC.	glossy.	Sierra Leone.	....	5. 9.	S. ♄.	Lodd. bot. cab. 367.

SUBORDO III.—Tribus VIII. *MIMOSEÆ*. DC. prodr. 2. p. 424.

ENTADA. p. 100.	ENTADA.					
1 Gigalobium. DC.	American.	W. Indies.	1780.	....	S. ♄. ⌣.	
2 Pursætha. DC.	Indian.	E. Indies.	——	....	S. ♄. ⌣.	Rheed. mal. 8. t. 32-34.
Parrana. p. 100. *Acacia scandens.* W.						
3 monostachya. DC.	single-spiked.	———	——	....	S. ♄. ⌣.	Rheed mal. 9. t. 77.
Rheedii. p. 100. *Mimosa Entada.* W.						
4 polystachya. DC.	many-spiked.	W. Indies.	1816.	4. 9.	S. ♄. ⌣.	Jacq. amer. t. 183. f. 93.
Mimosa polystachya. p. 100.						
GAGNEBINA. DC.	GAGNEBINA. Decandria Monogynia.					
1 tamariscina. DC.	Tamarisk-like.	Mauritius.	1824.	....	S. ♄.	DC. leg. me. 12. t. 64. f. 1.
Acacia tamariscina. p. 102.						
2 axillaris. DC.	axillary-spiked.	———	——	....	S. ♄.	DC. leg. me. 12. t. 64. f. 2.
ERYTHROPHLEUM. Br.	RED WATER-TREE. Decandria Monogynia.					
leonense. G.D.	Sierra Leone.	Sierra Leone.	1822.	....	S. ♄.	

PARKIA. Br.	PARKIA. Monadelphia Decandria.						
africana. Br.	African.	Africa.	1822.	....	S. ħ.	Bean. fl. d. ow. 2. t. 90.
Inga biglobosa. p. 101.							
INGA. 101.	INGA.						
21 pulcherrima. Cerv.	handsome.	Mexico.	1822.	....	S. ħ.	
22 setifera. DC.	setiferous.	Guiana.	1824.	....	S. ħ.	
23 Feuillei. DC.	Feuillee's.	Peru.	——	....	S. ħ.	Feuil. obs. 3. t. 19.
24 splendens. DC.	splendid.	Brazil.	1825.	....	S. ħ.	
25 emarginata. DC.	emarginate.	Mexico.	——	....	S. ħ.	Kth. mim. t. 17.
26 xylocarpa. DC.	woody-podded.	E. Indies.	1822.	....	S. ħ.	Roxb. corom. 1. t. 100.
Acacia xylocarpa. p. 102.							
DARLINGTONIA. DC.	DARLINGTONIA. Pentandria Monogynia.						
1 brachyloba. DC.	Illinois.	N.America.	1803.	9. 10.	H. ♃.	DC.leg.mem.12.t.66.
2 glandulosa. DC.	glandulous.	————	1806.	——	F. ħ.	Vent. choix. t. 27.
Acacia glandulosa. p. 102.							
DESMANTHUS. 100.	DESMANTHUS.						
10 callistachys. DC.	pretty-spiked.	.....	1820.	7. 10.	S. ħ.	
PROSOPIS. 101.	PROSOPIS.						
4 juliflora. DC.	long-flowered.	Jamaica.	1793.	5. 6.	S. ħ.	
Acacia juliflora. p. 103.							
LAGONYCHIUM. DC.	LAGONYCHIUM. Decandria Monogynia.						
Stephanianum. DC.	Stephan's.	Caucasus.	1825.	....	H. ħ.	Breyn.cent.1.t.56.f.4.
ACACIA. 101.	ACACIA. Polygamia Monœcia.						
140 dolabriformis. DC.	hatchet-leaved.	N. Holland.	1818.	4. 6.	G. ħ.	
141 hastulata. DC.	hastulate.	————	1824.	——	G. ħ.	
142 nervosa. DC.	nervose.	————	——	——	G. ħ.	
143 paradoxa. DC.	wave-leaved.	————	1818.	3. 6.	G. ħ.	Botan. regist. t. 843.
undulata. p. 102.							
144 Brownei. DC.	Brown's.	N. S. W.	1796.	——	G. ħ.	
acicularis. H.K. *pugioniformis.* p. 101. *non* W.A.							
145 echinula. DC.	pungent.	————	1824.	——	G. ħ.	
146 pugioniformis. DC.	needle-leaved.	————	1803.	——	G. ħ.	Wendl. ac. t. 9.
147 emarginata. DC.	emarginate.	N.Holland.	1816.	——	G. ħ.	
148 leprosa. DC.	leprous.	N. S. W.	1824.	——	G. ħ.	
149 multinervia. DC.	many-nerved.	N. Holland.	——	——	G. ħ.	
150 eglandulosa. DC.	glandless.	————	——	——	G. ħ.	
151 coriacea. DC.	leathery.	————	——	——	G. ħ.	
152 anceps. DC.	flat-edged.	————	——	——	G. ħ.	
153 elongata. DC.	elongated.	————	——	——	G. ħ.	
154 trinervata. DC.	three-nerved.	N. S. W.	1823.	4. 6.	G. ħ.	
155 quadrilateralis. DC.	four-sided.	N. Holland.	1822.	——	I. ħ.	
156 asparagoides. F.T	Asparagus-like.	N. S. W.	1824.	——	G. ħ.	
157 buxifolia. F.T.	Box-leaved.	————	——	——	G. ħ.	
158 rubida. F.T.	reddish.	————	——	——	G. ħ.	
159 vernicifiua. F.T.	varnished.	————	——	——	G. ħ.	
160 falciformis. DC.	sickle-shaped.	————	——	——	G. ħ.	
161 peminervis. DC.	wing-nerved.	————	——	——	G. ħ.	
162 amœna. DC.	handsome.	————	——	——	G. ħ.	Wendl. ac. t. 4.
163 pyrifolia. DC.	Pear-leaved.	————	——	——	G. ħ.	
164 binervata. DC.	two-nerved.	————	——	——	G. ħ.	
165 bivenosa. DC.	two-veined.	————	——	——	G. ħ.	
166 obtusata. DC.	blunt-leaved.	————	——	——	G. ħ.	
167 subulata. DC.	awl-leaved.	————	——	——	G. ħ.	
168 oxycedrus. DC.	Oxycedrus-ld.	————	——	——	G. ħ.	
169 homomalla. DC.	pubescent-ld.	————	——	——	G. ħ.	
170 intertexta. DC.	netted.	————	——	——	G. ħ.	
171 cinerascens. DC.	greyish.	————	——	——	G. ħ.	
172 lanigera. F.T.	wool-bearing.	————	——	——	G. ħ.	
173 Cyclopis. ♆.	Cyclopia-like.	N.Holland.	——	——	G. ħ.	
174 impressa. ♆.	impressed.	————	——	——	G. ħ.	
175 mucronulata. ♆.	sharp-pointed.	————	——	——	G. ħ.	
176 oleifolia. ♆.	Olive-leaved.	————	——	——	G. ħ.	
177 pendula. ♆.	pendulous.	————	——	——	G. ħ.	
178 rigens. ♆.	stiff.	————	——	——	G. ħ.	
179 thegonocarpa. ♆.	angular-podded.	————	——	——	G. ħ.	
180 dillwyniæfolia. ♆.	Dillwynia-ld.	————	——	——	G. ħ.	

181 cordifolia. ♆.	heart-leaved.	N. Holland.	1824.	4. 6.	G. ♄.	
182 hispidissima. DC.	hispid.	———	——	——	G. ♄.	
183 angulata. DC.	angular.	———	——	——	G. ♄.	

To this Tribe belongs *Mimosa*, *Schrankia*, and *Adenanthera*.

SUBORDO IV. *CÆSALPINEÆ*. Trib. IX. *GEOFFREÆ*. DC. prodr. 2. p. 473.

ANDIRA. DC.	ANDIRA. Diadelphia Decandria.					
1 racemosa. DC.	racemed.	Brazil.	1824.	....	S. ♄.	Aub. gui. sup. t. 373.
2 inermis. DC.	bastard cabbage-tree.	Jamaica.	1778.	....	S. ♄.	Phil. trans. 1777. t. 10.
Geoffroya inermis. p. 132.						
GEOFFROYA. DC.	GEOFFROYA.					
spinosa. DC.	spiny.	S. America.	1823.	....	S. ♄.	Jacq. amer. t. 180. f. 62.
BROWNEA. 106.	BROWNEA.					
2 Rosa. DC.	handsome.	S. America.	1816.	....	S. ♄.	Berg. act. ang. t. 8. 9.

To this Tribe belongs *Arachis* and *Dipterix*.

Tribus X. *CASSIEÆ*. DC. prodr. 2. p. 478.

MORINGA. DC.	HORSE-RADISH-TREE.					
pterygosperma. DC.	wing-seeded.	E. Indies.	1759.	....	S. ♄.	Rheed. mal. 6. t. 11.
Hyperanthera Moringa. p. 105.						
COULTERIA. DC.	COULTERIA. Decandria Monogynia.					
tinctoria. DC.	dyer's.	Peru.	1818.	....	S. ♄.	H. et B. n. gen. t. 569.
Cæsalpina Tara. p. 105.						
HARDWICKIA. DC.	HARDWICKIA. Oct-Decandria Monogynia.					
binata. DC.	two-leaved.	E. Indies.	1824.	....	S. ♄.	
JONESIA. DC.	JONESIA. Heptandria Monogynia.					
Asoca. DC.	winged-leaved.	E. Indies.	1796.	....	S. ♄.	Rheed. mal. 5. t. 59.
pinnata. W. *Saraca indica*. L.						
TAMARINDUS. 104.	TAMARIND.					
2 occidentalis. DC.	West Indian.	W. Indies.	....	6. 7.	S. ♄.	Jacq. amer. t. 10.
CASSIA. 104.	CASSIA.					
71 aversiflora. B.M.	contrary-fld.	Brazil.	1823.	1. 12.	S. ♄.	Botan. magaz. 2638.
72 australis. B.M.	New Holland.	N. S. W.	1820.	5. 12.	S. ♄.	——— 2676.
73 pulchella. BOJ.	pretty.	Zanzibar.	1825.	7. 9.	S. ♄.	
SCHOTIA. 104.	SCHOTIA.					
4 alata. DC.	winged.	C. B. S.	1816.	6. 7.	I. ♄.	
5? latifolia. DC.	broad-leaved.	———	——	4. 6.	I. ♄.	Hook. ex. flor. t. 159.
Omphalobium Schotia. p. 104.						
PARIVOA. DC.	PARIVOA. Diadelphia Decandria.					
grandiflora. DC.	large-flower'd.	Cayenne.	1816.	....	S. ♄.	Aub. gui. 2. t. 303.
Dimorpha grandiflora. L.T. 9. t. 20.						
OUTEA. DC.	OUTEA. Tri-Tetrandria Monogynia.					
bijuga. DC.	two-paired.	E. Indies.	1823.	....	S. ♄.	Linn. trans. 12. t. 17.
Macrolobium bijugum. p. 106.						
VOUAPA. DC.	VOUAPA. Triandria Monogynia.					
bifolia. DC.	two-leaved.	Guiana.	1823.	....	S. ♄.	Aub. gui. 1. t. 7.
CODARIUM. DC.	CODARIUM. Diandria Monogynia.					
1 acutifolium. DC.	acute-leaved.	Guinea.	1800.	....	S. ♄.	Rœm. arch 1. t. 6.
nitidum. Vahl. *Dialium guineense*. W.						
2 obtusifolium. DC.	blunt-leaved.	———	——	....	S. ♄.	

To this Tribe belongs *Gleditschia*, *Gymnocladus*, *Guilandina*, *Cæsalpinia*, *Poinciana*, *Hoffmanseggia*, *Hematoxylon*, *Parkinsonia*, *Cadia*, *Ceratonia*, *Cathartocarpus*, *Copaifera*, *Cynometra*, *Hymenæa*, *Bauhinia*, and *Cercis*.

Tribus XI. *DETARIEÆ*. DC. prodr. 2. p. 521.

DETARIUM. DC.	DETARIUM. Decandria Monogynia.					
senegalense. DC.	Senegal.	Senegal.	1822.	....	S. ♄.	

Omitted at p. 476.

GENISTA. p. 111.	GENISTA.					
æthnensis. DC.	three-seeded.	M. Ætna.	1821.	7. 8.	H. ♄.	Botan. magaz. 2674.
Spartium ætnense. B.M.						

CHRYSOBALANEÆ. *p.* 133.

GRANGERIA. DC.	GRANGERIA.	Dodecandria Monogynia.				
borbonica. DC.	Bourbon.	Bourbon.	1826.	....	S. ♄.	Lam. ill. t. 427.
HIRTELLA. 133.	HIRTELLA.					
1 triandra. DC. *americana.* Jacq.	triandrous.	W. Indies.	....	....	S. ♄.	Jacq. amer. 8. t. 8.
2 racemosa. DC. *americana.* Aub.	racemed.	———	1782.	....	S. ♄.	Aub. gui. 1. t. 98.

AMYGDALINEÆ. *p.* 133.

PRUNUS. 133.	PLUM.					
8 candicans. DC.	white-leaved.	.....	1818.	4. 5.	H. ♄.	
9 Cocomilia. DC.	twin-flowered.	Italy.	1826.	....	H. ♄.	
10 pubescens. DC.	pubescent.	.....	1819.	4. 5.	H. ♄.	
CERASUS. DC.	CHERRY.	Icosandria Monogynia.				
1 Juliana. DC.	July-fruited.	.....	....	4. 5.	H. ♄.	Duha. ed. no. 5. t. 15. f. A.
2 Caproniana. DC. *Prunus Cerasus.* p. 134.	common.	.....	....	——	H. ♄.	Eng. bot. 706.

To this genus also belongs *Prunus Chicasa, hyemalis, depressa, Susquehannæ, pumila, pygmæa, persicifolia, nigra, pensylvanica, borealis, duracina, macrophylla, avium, semperflorens, pendula, chamæcerasus, fruticosa, Mahaleb, paniculata, japonica, Laurocerasus, caroliniana, lusitanica, occidentalis, sphærocarpa, serotina, virginiana, rubra,* and *Padus.* p. 133 and 134.

POMACEÆ. *p.* 134.

MESPILUS. 134.	MESPILUS. *Mespilus et Cratægus.* DC.					
38 mexicana. DC.	Mexican.	Mexico.	1824.	....	G. ♄.	
39 prunifolia. DC.	Plum-leaved.	N. America.	1812.	5. 6.	H. ♄.	
40 ovalifolia. DC.	oval-leaved.	———	....	——	H. ♄.	
41 Poiretiana. DC.	Poiret's.	.....	....	——	H. ♄.	
42 florentina. DC.	Florentine.	Italy.	1824.	....	H. ♄.	
43 orientalis. DC.	oriental.	Levant.	——	5. 6.	H. ♄.	
44 heterophylla. DC.	various-leaved.	N. America.	1818.	——	H. ♄.	
COTONEASTER. 135.	COTONEASTER.					
tomentosa. DC. *tomentosa.* L.T. et *Mespilus eriocarpa.* DC.	Quince-leaved.	Europe.	1759.	4. 5.	H. ♄.	
ARONIA. 135.	ARONIA.					
floribunda. *Pyrus floribunda.* B.R.	many-flower'd.	.....	....	5.	H. ♄.	Botan. regist. 1006.
PYRUS. 135.	PEAR, APPLE, &c.					
34 amygdaliformis. DC.	Almond-like.	France.	1820.	5. 6.	H. ♄.	
35 lanuginosa. DC.	woolly-leaved.	Hungary.	——	——	H. ♄.	
spuria. DC. *hybrida.* p. 136.	spurious.	Hybrid.	....	——	H. ♄.	Mœnch. weis. t. 6.

ROSACEÆ. *p.* 136.

DRYAS. 145.	DRYAS.					
2 integrifolia. DC.	entire-leaved.	Greenland.	1824.	4. 8.	H. ♄.	Hook. ex. flor. 220.

ONAGRARIEÆ. *p.* 151.

FUCHSIA. 153.	FUCHSIA.					
virgata.	Colvill's.	Mexico.	1825.	5. 8.	F. ♄.	
VISNEA. W.	VISNEA.	Dodecandria Trigynia. W.				
Mocanera. W.	Canary.	Canaries.	1815.	8. 12.	G. ♄.	

COMBRETACEÆ. *p.* 153.

COMBRETUM. 153.	COMBRETUM.					
8 elegans. K.S. *laxum.* Aub. *nec aliorum.*	elegant.	S. America.	1823.	....	S. ♄. ⌣.	Aub. gui. 1. t. 137.
9 farinosum. K.S.	mealy-leaved.	Mexico.	——	....	S. ♄. ⌣.	
TERMINALIA. 153.	TERMINALIA.					
14 Fatræa. Bej. *madagascarensis.* S.S.	Madagascar.	Madagascar.	1826.	....	S. ♄.	*Mirobolanus Fatræa.* Poir.

LOASEÆ. *p.* 154.

BLUMENBACHIA. BLUMENBACHIA. Polyandria Monogynia.
insignis. B.F.G. elegant. Chili. 1826. 7. 10. H.⊙. Swt. br. fl. gar. 171.

PHILADELPHEÆ. D. Don.

To this order belongs *Philadelphus*. p. 155.

MYRTACEÆ. *p.* 155.

LEPTOSPERMUM. 155. LEPTOSPERMUM.
23 thymifolium. F.T. Thyme-leaved. N. S. W. 1823. .... G. ½.
24 multicaule. F.T. many-branch'd. ——— —— .... G. ½.
CALLISTEMON. 155. CALLISTEMON.
9 microphyllum. ψ. small-leaved. N. Holland. 1825. .... G. ½.
10 formosum. ψ. handsome. ——— —— .... G. ½.
MELALEUCA. 155. MELALEUCA.
21 tenuifolia. ψ. slender-leaved. N. Holland. 1825. .... G. ½.
TRISTANIA. 156. TRISTANIA.
6 persicæfolia. F.T. Peach-leaved. N. S. W. 1824. .... G. ½.
BILLOTIA. Colla. BILLOTIA. Polyadelphia Polyandria.
acerosa. Colla. needle-leaved. N. Holland. 1820. 6. 9. G. ½. Coll. hort. rip. t. 23.
CALOTHAMNUS. 156. CALOTHAMNUS.
clavatus. ψ. club-leaved. N. Holland. 1825. .... G. ½.
BÆCKEA. 156. BÆCKEA.
6 gracilis. F.T. slender. N. S. W. 1824. .... G. ½.
7 ramosissima. F.T. branching. ——— —— .... G. ½.
METROSIDEROS. 156. METROSIDEROS.
7 aspera. ψ. rough. N. Holland. 1824. .... G. ½.
8 capitata. L.T. headed. N. S. W. —— .... G. ½.
EUDESMIA. Br. EUDESMIA. Polyadelphia Polyandria. S.S.
tetragona. Br. four-sided. N. Holland. 1824. .... G. ½.
CALYTRIX. 157. CALYTRIX.
3 ericoides. F.T. Heath-like. N. S. W. 1823. .... G. ½.
LECYTHIS. 158. LECYTHIS.
3 grandiflora. S.S. large-flowered. W. Indies. 1822. .... S. ½. Aub. gui. 2. t. 283.
4 amara. S.S. bitter. Guiana. —— .... S. ½. ——— 2. t. 286.
5 Idatimon. S.S. glandular-peduncled. —— —— .... S. ½. ——— 2. t. 289.
6 parviflora. S.S. small-flowered. ——— —— .... S. ½.
7 minor. S.S. smaller. S. America. 1823. .... S. ½.

MYRTACEIS AFFINE.

CAREYA. R.C. CAREYA. Monadelphia Polyandria.
1 sphærica. H.B. spherical. E. Indies. 1823. .... S. ½.
2 arborea. H.B. tree. ——— —— .... S. ½. Roxb. corom. ic.
3 herbacea. H.B. herbaceous. ——— 1808. 7. 8. S. ¼. ——— 3. t. 217.

MELASTOMACEÆ. *p.* 159.

MELASTOMA. 159. MELASTOMA.
11 villosa. B.M. villous. ..... 1820. 5. 8. S. ½. Botan. magaz. 2630.

CUCURBITACEÆ. *p.* 161.

FEUILLÆA. B.M. FEUILLÆA. Dicœcia Pentandria.
pedata. B.M. pedate-leaved. E. Africa. 1825. 6. 8. S. ¼. Botan. magaz. 2681.

FICOIDEÆ. *p.* 162.

MESEMBRYANTHEMUM. FIG-MARYGOLD.
292 albinotum. H.P. keeled, white-dotted. C. B. S. 1823. 9. G. ¼.
293 albipunctum. H.P. small-keeled. ——— —— —— G. ¼.

294	erminium. H.P.	Ermine-chop.	C. B. S.	1823.	5.	G.4.	
295	agninum. H.P.	lamb's-chop.	———	1824.	——	G.4.	
296	inconspicuum. H.P.	small-fld. rigid.	———	1822.	6. 10.	G.4.	
297	luteum. H.P.	upright yellow.	———	——	——	G.½.	
298	luteolum. H.P.	small yellow.	———	——	——	G.½.	
299	clandestinum. H.P.	minute-flg.	———	——	5. 8.	G.½.	
300	lepidum. H.P.	pretty white.	———	——	8.	G.½.	
301	subcompressum. H.P.	slender upright.	———	1825.	6.	G.½.	
	β *minus.* H.P.	*smaller.*	———	——	——	G.½.	

ARALIACEÆ. *p.* 193.

CUSSONIA. 193.	Cussonia.						
triptera. Col.	tripterous.	C. B. S.	1816.	....	G.½.	Col. h. rip. t. 26.	

LOPHIREÆ. *G. Don. next to Rhizophoreæ.*

LOPHIRA. S.S.	Scrubby Oak.	Icosandria Monogynia. S.S.					
alata. S.S.	winged.	SierraLeone.	1822.	....	S.½.		

RUBIACEÆ. *p.* 196.

GARDENIA. 197.	Gardenia.						
propinqua. B.R.	strong-spined.	.....	1816.	5. 8.	S.½.	Botan. regist. 975.	
AZIMA. Lam.	Azima. Tetrándria Monogynia.						
tetracantha. P.S.	four-spined.	E. Indies.	1758.	7.	S.½.	L'Herit. st. nov. 1. t. 1.	
Monetia barlerioides. W.							
CEPHÆLIS. 200.	Cephælis.						
4 involucrata. S.S.	large-bracted.	Guiana.	1824.	....	S.½.	Aub. gui. 1. t. 64.	
Carapichea guianensis. Aub.							
5 violacea. S.S.	violet-bracted.	———	——	....	S.½.	Aub. gui. 1. t. 60.	
Tapogomea violacea. Aub.							
PÆDERIA. 200.	Pæderia.						
Lingun. Boj.	tongue.	Madagascar.	1823.	....	S.½.		

COMPOSITEÆ. *p.* 206.

COREOPSIS. 227.	Coreopsis.						
grandiflora. B.F.G.	large-flowered.	N.America.	1826.	8. 9.	H.4.	Swt. br. fl. gar. 175.	
HELIOPSIS. 235.	Heliopsis.						
2 lævis.	smooth.	Mexico.	1825.	8. 9.	H.4.		
3 helianthoides.	roughish.	N.America.	1714.	7. 10.	H.4.	L'Herit. stirp. t. 45.	
Buphthalmum helianthoides. L.							
4 scabra. S.S.	rough-leaved.	———	....	——	H.4.		
VERBESINA. 235.	Verbesina.						
13 atriplicifolia. Col.	Atriplex-ld.	Trinidad.	1822.	9. 11.	S.½.	Coll. hort. rip. t. 31.	
TAGETES. 233.	Tagetes.						
10 glandulifera. Schr.	glanduliferous.	Mexico.	1826.	10. 11.	G.⊙.		
CHRYSANTHEMUM. 245.	Chrysanthemum.						
sinense. p. 245.	Chinese.	China.	1824.	10. 12.	H.4.		
ζζ *chrysocomum.*	*tasselled yellow.*	———	——	——	H.4.		
ηη *Waratah.*	*yellow Waratah.*	———	——	——	H.4.		
ϑϑ *Sabini.*	*golden Lotus.*	———	——	——	H.4.		
ιι *chryseides.*	*double indian yellow.*	———	——	——	H.4.		
κκ *Parkii.*	*Park's small yellow.*	———	——	——	H.4.		
λλ *pallens.*	*semidouble quill'd pale orange.*	——	——	——	H.4.		
μμ *stamineum.*	*pale buff.*	———	——	——	H.4.		
νν *mutabile.*	*changeable pale buff.*	———	——	——	H.4.		
ξξ *bicolor.*	*two-coloured incurv'd.*	——	——	——	H.4.		
οο *versicolor.*	*two-colour'd red.*	———	——	——	H.4.		
ππ *stellatum.*	*starry purple.*	———	——	——	H.4.		
ρρ *ornatum.*	*tasselled lilac.*	———	——	——	H.4.		
σσ *fulvescens.*	*brown purple.*	———	——	——	H.4.		
ττ *rubicundum.*	*early blush.*	———	——	——	H.4.		
υυ *blandum.*	*blush.*	———	——	——	H.4.		
φφ *leucanthum.*	*double indian white.*	———	——	——	H.4.		

GOODENOVIEÆ. *p.* 248.

GOODENIA. 248.	GOODENIA.						
gracilis. B.C.	slender.	N. Holland.	1824.	5. 8.	G. ½.	Lodd. bot. cab. 1032.
DAMPIERA. 249.	DAMPIERA.						
2 ovalifolia. B.P.	oval-leaved.	N. S. W.	1823.	5. 9.	G. ½.	

GESNEREÆ. *p.* 252.

SINNINGIA. B.R.	SINNINGIA. Didynamia Angiospermia.					
Helleri. B.R.	Heller's.	Brazil.	1824.	6. 8.	S. ½.	Botan. regist. 997.
GLOXINIA. 252.	GLOXINIA.					
3 hirsuta. B.R.	hairy.	Brazil.	1825.	5. 8.	S. ¼.	Botan. regist. 1004.

EPACRIDEÆ. *p.* 266.

Sect. I. *EPACRIDEÆ VERÆ.*

DRACOPHYLLUM. 266.	DRACOPHYLLUM.					
2 secundum. B.P.	long-reflex-ld.	N. S. W.	1824.	....	G. ½.	
3 longifolium.	long-leaved.	———	——	....	G. ½.	
PONCÉLETIA. B.P.	PONCELETIA. Pentandria Monogynia. S.S.					
sprengelioides. B.P.	Sprengelia-like.	N. S. W.	1826.	....	G. ½.	
COSMELIA. B.P.	COSMELIA. Pentandria Monogynia.					
rubra. B.P.	red-flowered.	N. Holland.	1826.	....	G. ½.	
LYSINEMA. 266.	LYSINEMA.					
3 pentapetalum. B.P.	five-petaled.	N. Holland.	1826.	....	G. ½.	
EPACRIS. 266.	EPACRIS.					
9 mucronulata. B.P.	pointed.	V.Diem.Isl.	1824.	....	G. ½.	
10 ruscifolia. B.P.	Ruscus-leaved.	———	——	....	G. ½.	
11 heteronema. B.P.	hairy-branch'd.	———	——	....	G. ½.	Labil. n. holl. 1. t. 56.
12 sparsa. B.P.	scattered.	N. S. W.	1825.	....	G. ½.	
13 onosmæflora. F.T.	Onosma-flᵈ.	———	1823.	5. 8.	G. ½.	
14 apiculata. F.T	pointed.	———	——	....	G. ½.	

Sect. II. *STYPHELIÆ.*

ACROTRICHE. B.P.	ACROTRICHE. Pentandria Monogynia..					
1 cordata. B.P.	heart-leaved.	N. Holland.	1825.	....	G. ½.	Labil. n. hol. 1. t. 63.
2 divaricata. B.P.	divaricate.	N. S. W.	1822.	...	G. ½.	
MONOTOCA. 267.	MONOTOCA.					
3 albens. B.P.	white-leaved.	N. S. W.	1823.	....	G. ½.	
4 scoparia. B.P.	Broom.	———	——	....	G. ½.	
LEUCOPOGON. 267.	LEUCOPOGON.					
1 appressus. B.P.	pressed-leaved.	N. S. W.	1824.	....	G. ½.	
2 setiger. B.P.	bristle-pointed.	———	——	....	G. ½.	
3 striatus. B.P.	striated.	N. Holland.	——	....	G. ½.	
4 collinus. B.P.	hill.	V.Diem.Isl.	1822.	5. 6.	G. ½.	
5 ericoides. B.P.	heath-leaved.	N. Holland.	1815.	4. 7.	G. ½.	Cavan. ic. 4. t.347. f.1.
LISSANTHE. 267.	LISSANTHE.					
3 sapida. B.P.	recurved-racemed.	N. S. W.	1823.	....	G. ½.	
4 ciliata. B.P.	fringed.	V.Diem.Isl.	——	....	G. ½.	
CYATHODES. 267.	CYATHODES.					
2 oxycedrus. B.P.	linear-leaved.	V.Diem.Isl.	1822.	5. 8.	G. ½.	Labil. n. hol. 1. t. 69.
MELICHRUS. B.P.	MELICHRUS. Pentandria Monogynia.					
1 medius. F.T.	middle.	N.S.W.	1823.	5. 8.	G. ½.	
2 rotatus. B.P.	rotate-flow'r'd.	———	1822.	——	G. ½.	Cavan. ic.4. t.349. f.1.
ASTROLOMA. 267.	ASTROLOMA.					
2 denticulatum. B.P.	tooth-leaved.	N. Holland.	1825.	....	G. ½.	
STYPHELIA. 267.	STYPHELIA.					
6 læta. B.P.	fruitful.	N. S. W.	1822.	....	G. ½.	
7 adscendens. B.P.	ascending.	V.Diem.Isl.	——	....	G. ½.	

PENÆACEÆ.

PENÆA. R.S.	PENÆA. Tetrandria Monogynia. R.S.					
1 myrtoides. W.	Myrtle-like.	C. B. S.	1816.	5, 7.	G. ½.	

2 fruticulosa. W.	blunt-leaved.	C. B. S.	1822.	5. 7.	G. ♄.	
3 mucronata. R.S.	sharp-pointed.	———	1787.	——	G. ♄.	Venten. malm. t. 87.
4 squamosa. R.S.	scaly.	———	——	——	G. ♄.	Botan. regist. 106.
5 Sarcocolla. R.S.	rhomb-leaved.	———	1816.	——	G. ♄.	Pluk.mant.t.446.f.6.
6 marginata. R.S.	thick-edged.	———	——	——	G. ♄.	

OLEINÆ. *p.* 270.

OLEA. 271.	OLIVE & PHILLYREA.					
21 robusta.	large Phillyrea.	E. Indies.	1818.	....	S. ♄.	
Phillyrea robusta. F.I.						

APOCINEÆ. *p.* 273.

PLUMERIA. 275.	PLUMERIA.					
20 Cowani. D.D.	Cowan's.	Mexico.	1824.	5. 8.	S. ♄.	
CRYPTOLEPIS. Br.	CRYPTOLEPIS.	Pentandria Monogynia.				
elegans. L.C.	elegant.	E. Indies.	1823.	....	S. ♄.	

ASCLEPIADEÆ. *p.* 276.

OXYPETALUM. Br.	OXYPETALUM.	Pentandria Digynia.				
appendiculatum. Mar.	appendaged.	Brazil.	1824.	....	S. ♄.	Mart. n. pl. bras. t. 80.

GENTIANEÆ. *p.* 280.

VOHIRIA. R.S.	VOHIRIA. Pentandria Monogynia. R.S.					
1 rosea. R.S.	rose-colour'd.	Guiana.	1822.	6. 8.	S. ♃.	Aub. gui. 1. t. 83. f. 1.
MITRASACME. 282.	MITRASACME.	Tetrandria Digynia.				
3 serpyllifolia. B.P.	creeping.	N. S. W.	1826.	....	G. ♃.	

SESAMEÆ. *p.* 285.

MARTYNIA. 285.	MARTYNIA.					
4 lutea. B.R.	yellow.	S. America.	1824.	7. 9.	H. ☉.	Botan. regist. 934.

CONVOLVULACEÆ. *p.* 286.

IPOMŒA. 287.	IPOMŒA.					
pudibunda.	blush-flowered.	W. Indies.	1825.	7. 10.	S. ☉.	Botan. regist. 999.
CALYSTEGIA. B.P.	CALYSTEGIA. p. 287.					
9 marginata. B.P.	margined.	N. S. W.	1824.	7. 8.	H. ♃.	

SOLANEÆ. *p.* 295.

DATURA. 297.	THORN-APPLE.					
11 guayaquilensis. K.S.	Guayaquil.	S. America.	....	8. 10.	H. ☉.	
SOLANDRA. 302.	SOLANDRA.					
oppositifolia.	opposite-leav'd.	W. Indies.	1824.	....	S. ♄.	
? CODON. W.	CODON. Decandria Monogynia. W.					
Royeni. W.	prickly.	C. B. S.	1801.	9.	G. ♂.	Andr. reposit. 325.

SCROPHULARINÆ. *p.* 302.

RHINANTHUS. 307.	YELLOW-RATTLE.					
3 major. E.F.	larger.	England.	....	6. 8.	H. ♃.	
VERONICA. 306.	SPEEDWELL.					
101 falcata. Mart.	falcate-leaved.	.....	1820.	6. 7.	H. ♃.	
102 melancholica. Df.	melancholy.	.....	——	——	H. ♃.	
103 Stephaniana. R.S.	Stephan's.	Persia.	1821.	——	H. ♃.	
104 prælta. R.S.	lofty.	.....	1817.	——	H. ♃.	
105 grandis. F.	large white.	Siberia.	1826.	——	H. ♃.	
106 confusa. R.S.	confused.	.....	1819.	——	H. ♃.	
107 corymbosa. R.S.	corymbose.	.....	1817.	——	H. ♃.	
108 incarnata. G.D.	flesh-coloured.	.....	....	——	H. ♃.	

109 carnea. Rœm.	pale red.	.....	....	——	H. ♃.	
110 leucantha. F.	white-flowered.	Siberia.	1824.	——	H. ♃.	
111 Wormskioldii. R.S.	Wormskiold's.	Greenland.	1819.	——	H. ♃.	
112 cretica. R.S.	Cretan.	Crete.	——	5. 6.	H. ♃.	
113 microphylla. W.K.	small-leaved.	Hungary.	1824.	4. 5.	H. ♃.	
114 caroliniana. Poir.	Carolina.	Carolina.	1821.	6. 7.	H. ♃.	
115 tenuifolia. Stev.	fine-leaved.	Iberia.	1821.	6.	H. ♃.	
116 Tournefortii. Vill.	Tournefort's.	France.	——	5. 6.	H. ♃.	
117 pilosa. W.	pilose.	Bohemia.	1819.	——	H. ♃.	
118 acutiflora. Lap.	acute-flowered.	France.	1821.	——	H. ♃.	
119 petræa. Stev.	Caucasean rock	Caucasus.	——	——	H. ♃.	
120 lamiifolia. Hayn.	Lamium-leav'd.	.....	1825.	——	H. ♃.	
121 maxima. Stev.	large.	Caucasus.	1824.	——	H. ♃.	
122 pinnatifida. W.	pinnatifid.	.....	1817.	——	H. ♃.	
123 amœna. Stev.	fine blue.	Iberia.	1824.	4. 5.	H. ☉.	
124 biloba. Vahl.	two-lobed.	———	1819.	——	H. ☉.	Buxb. cent. 1. t. 36.

LABIATÆ. *p.* 310.

PROSTANTHERA. 315. PROSTANTHERA.

5 incisa. B.P.	cut-leaved.	N. S. W.	1825.	....	G. ♄.

VERBENACEÆ. *p.* 322.

PETRÆA. p. 323. PETRÆA.

3 erecta. L.C.	upright.	S. America.	1824.	....	S. ♄.

AMARANTHACEÆ. *p.* 335.

OPLOTHECA. N. OPLOTHECA. Pentandria Monogynia. B.M.

1 floridana. N.	Florida.	Arkansa.	1823.	8. 10.	H. ♃.	Botan. magaz. 2603.
2 interrupta. N.	trailing.	W. Indies.	1733.	7. 10.	S. ♂.	Jacq. ic. 1. t. 51.

Gomphrena interrupta. p. 337.

PROTEACEÆ. *p.* 345.

PETROPHILA. 346. PETROPHILA.

4 teretifolia. B.P.	round-leaved.	N. Holland.	1824.	....	G. ♄.
5 filifolia. B.P.	thread-leaved.	———	——	....	G. ♄.
6 acicularis. B.P.	needle-leaved.	———	——	....	G. ♄.
7 pedunculata. B.P.	peduncled.	———	——	....	G. ♄.

ISOPOGON. 346. ISOPOGON.

8 propinquus. ♆.	related.	N. Holland.	1824.	....	G. ♄.
9 polycephalus. B.P.	many-headed.	———	——	....	G. ♄.
10 axillaris. B.P.	axillary.	———	——	....	G. ♄.

ADENANTHOS. B.P. ADENANTHOS. Tetrandria Monogynia.

1 obovata. B.P.	obovate-leaved.	N. Holland.	1824.	....	G. ♄.	Labil. n. hol. 1. t. 37.
2 cuneata. B.P.	wedge-leaved.	———	——	....	G. ♄.	——— 1. t. 36.
3 sericea. B.P.	silky-leaved.	———	——	....	G. ♄.	——— 1. t. 38.

CONOSPERMUM. B.P. CONOSPERMUM. p. 348.

4 taxifolium. B.P.	Yew-leaved.	N. Holland.	1823.	....	G. ♄.

PERSOONIA. 348. PERSOONIA.

10 chamæpitys. F.T.	ground pine.	N. S. W.	1824.	....	G. ♄.
11 scabra. B.P.	rough.	N. Holland.	——	....	G. ♄.
12 nutans. B.P.	nodding-fld.	N. S. W.	——	....	G. ♄.
13 pruinosa. ♆.	frosted.	N. Holland.	——	....	G. ♄.

GREVILLEA. 348. GREVILLEA.

22 Flindersii. ♆.	Flinders's.	N. Holland.	1823.	....	S. ♄.
23 podocarpifolia.	Podocarpus-ld.	———	——	....	S. ♄.
24 concinna. B.P.	pretty.	———	1824.	....	S. ♄.
25 montana. B.P.	mountain.	N. S. W.	——	....	G. ♄.
26 Baueri. B.P.	Bauer's.	———	——	....	G. ♄.
27 pubescens. H.E.F.	pubescent.	———	1822.	4. 8.	G. ♄.	Hook. ex. flor. 216.

HAKEA. 349. HAKEA.

30 flexilis. B.T.	bending.	N. Holland.	1824.	....	G. ♄.

31 subulata. ♆.	awl-leaved.	N.Holland.	1824.	....	G. ½.	
32 petrophiloides. ♆.	Petrophila-like.	———	1825.	....	G. ½.	
33 echinata. ♆.	bristly-podded.	———	——	....	G. ½.	
34 angustifolia. ♆.	narrow-leaved.	———	1824.	....	G. ½.	
35 repanda. ♆.	repand.	———	——	....	G. ½.	
36 cuculiata. ♆.	hollow-leaved.	———	——	....	G. ½.	
LOMATIA. 349.	LOMATIA.					
5 ilicifolia. B.P.	Holly-leaved.	N. Holland.	1824.	....	G. ½.	
AGASTACHYS. B.P.	AGASTACHYS.					
odorata. B.P.	sweet-scented.	V. Diem. Isl.	——	....	G. ½.	

THYMELEÆ. *p.* 350.

PIMELEA. 351.	PIMELEA.					
10 filamentosa. L.T.	filamentose.	N. Holland.	1826.	....	G. ½.	Linn. trans. 10. t. 14. f. 1.
11 incana. B.P.	hoary.	V. Diem. Isl.	——	4. 8.	G. ½.	
? TROPHIS. W.	RAMOON-TREE.	Dicœcia Tetrandria. W.				
1 americana. W.	American.	W. Indies.	1789.	4. 5.	S. ½.	Brown. jam. t. 37. f. 1.
2 aspera. W.	rough-leaved.	E. Indies.	1802.	....	S. ½.	

EUPHORBIACEÆ. *p.* 355.

SARCOCOCCA. B.R.	SARCOCOCCA.	Monœcia Tetrandria.				
coriacea.	leathery.	Nepaul.	1820.	4. 6.	G. ½.	Botan. regist. 358.
pruniformis. B.R.	*Pachysandra coriacea.* H.E.F. 148.					
ACIDOTON. W.	ACIDOTON.	Monœcia Polyandria. W.				
urens. W.	stinging.	Jamaica.	1793.	. .	S. ½.	Sloan. j. 1. t. 88. f. 1.
HYÆNANCHE. H.K.	HYÆNA-POISON.	Dicœcia Dodecandria.				
globosa. H.K.	Cape.	C. B. S.	1788.	4. 9.	G. ½.	Lamb. cinch. 52. t. 10.
Toxicodendron capense. W.						
EUCLEA. W.	EUCLEA.	Dicœcia Dodecandria. W.				
1 racemosa. W.	round-leaved.	C. B. S.	1722.	11. 12.	G. ½.	Jacq. frag. 3. t. 1. f. 5.
2 undulata. W.	wave-leaved.	—— ——	1794.	....	G. ½.	
GELONIUM. W.	GELONIUM.	Dicœcia Icosandria. W.				
bifarium. W.	oval-leaved.	E. Indies.	1793.	6. 8.	S. ½.	
ROTTLERA. W.	ROTTLERA.	Dicœcia Icosandria. W.				
tinctoria. W.	dyer's.	E. Indies.	1810.	....	S. ½.	Roxb. corom. 2. t. 168.
TREWIA. W.	TREWIA.	Dicœcia Polyandria. W.				
nudiflora. W.	naked-flower'd.	E. Indies.	1796.	....	S. ½.	Rheed. mal. 1. t. 42.

URTICEÆ. *p.* 361.

BROSIMUM. W.	BREAD-NUT.	Polygamia Dicœcia. W.				
1 Alicastrum. W.	Jamaica.	Jamaica.	1776.	....	S. ½.	Sw. fl. ind. oc. 1. t. 1. f. 1.
2 spurium. W.	Milkwood.	—— ——	1789.	....	S. ½.	

CONIFERÆ. *p.* 371.

SALISBURIA. L.T.	SALISBURIA. *Misplaced at* p. 370.					
adiantifolia. L.T.	maiden-hair-l^d.	Japan.	1754.	4. 5.	H. ½.	Wats. dend. brit. 168.

Subordo IV. *EMPETREÆ.* Nuttall.

CERATIOLA. M.	CERATIOLA.	Monœcia Diandria. N.				
ericoides. M.	Heath-like.	N. America.	1820.	....	H. ½.	Pursh. amer. 1. t. 13.
EMPETRUM. W.	EMPETRUM.	Dicœcia Triandria. L.				
1 album. W.	white-berried.	Portugal.	1774.	4. 6.	G. ½.	
2 nigrum. W.	black-berried.	Britain.	...	4. 5.	H. ½.	Eng. bot. 526.

PANDANEÆ. *p.* 377.

PANDANUS. 377.	PANDANUS.					
sessilis. Boj.	sessile.	Pembu.	1825.	....	S. ½.	

ORCHIDEÆ.

BLETIA. 385. guineensis. G.D.	BLETIA. Guinea.	Guinea.	1822.	....	S. 4.		
ONCIDIUM. 386. pubes. B.R.	ONCIDIUM. pubescent.	Brazil.	1824.	8. 4.	S. 4.	Botan. regist. 1007.	
EULOPHIA. 388. streptopetala. B.R.	EULOPHIA. twisted-petal'd.	S. America.	1822.	12. 6.	S. 4.	Botan. regist. 1002.	

MELANTHACEÆ. *p.* 428.

PELIOSANTHES. A.R.	PELIOSANTHES.	Hexandria Monogynia.					
1 humilis. A.R.	small.	E. Indies.	1809.	5. 6.	S. 4.	Botan. magaz. 1532.	
2 Teta. A.R.	large.	———	1807.	4.	S. 4.	——— ———	1302.

JUNCEÆ.

XEROTES. echinata. ♆.	XEROTES. bristly.	N. Holland.	1824.	....	G. 4.		

GRAMINEÆ. *p.* 439.

POA. p. 452. mucronata. Beau.	MEADOW-GRASS. mucronated.	Africa.	1822.	7. 9.	S. 4.	Beauv. fl. ow. pl. 4.	

Omitted in their proper places.

STACKHOUSEÆ. Brown.

STACKHOUSIA. S.S. linariifolia. F.T.	STACKHOUSIA. Linaria-leaved.	Pentandria Trigynia. N. S. W.	1823.	....	G. ½.		

BREXIA. p. 65.	BREXIA.	Pentandria Monogynia. S.S.					
1 spinosa. B.R.	spiny.	Madagascar.	1815.	7. 8.	S. ½.	Botan. regist. 872.	
2 madagascariensis.	Madagascar.	———	———	———	S. ½.	——— ———	730.
Venana madagascariensis. Lam.							
3 chrysophylla.	golden-leaved.	———	1820.	....	S. ½.		

LAUROPHYLLUS. W. capensis. W.	LAUROPHYLLUS. Cape.	Polygamia Dicœcia. W. C. B. S.	1801.	....	G. ½.		

SCHÆFFERIA. 472. completa. W.	SCHÆFFERIA. white-flowered.	Dicœcia Tetrandria. W. W. Indies.	1793.	....	S. ½.	Lam. ill. t. 809.	

PORANTHERA. p. 89. ericifolia. L.T.	PORANTHERA. Heath-leaved.	Pentandria Trigynia. N. S. W.	1825.	5. 8.	G. ½.	Linn. trans. 10. t. 22. f. 2.	

RULINGIA. 55. 4 corylifolia. ♆.	RULINGIA. Nut-leaved.	N. Holland.	1824.	....	G. ½.		

GERANIUM. 73. 51 Lamberti. S.G.	CRANE'S-BILL. Mr. Lambert's.	Nepaul.	1825.	8. 10.	H. 4.	Swt. ger. 4. t. 338.	

MIRBELIA. p. 475. 5 Baxteri. ♆.	MIRBELIA. Baxter's.	N. Holland.	1826.	....	G. ½.		

SCHELHAMMERA. 428. multiflora. B.P.	SCHELHAMMERA. many-flowered.	N. Holland.	1824.	7. 8.	H. b.		

INDEX GENERUM.

Page.

Abroma 55
Abrus 121
Abuta 13
Abutilon 53
Acacia 101
Acacia .. 100, 101
Acæna 148
Acarna 216
Acer 68
Acer 68
Aceratium 60
ACERINEÆ .. 68
Achania 50
Achyrophorus 212
Acicarpha 205
Aciotis 160
Acisanthera 151
Acmella 224
Aconitum 7
Actæa 9
Actæa 9
Actinomeris 230
Actinophyllum 193
Actinotus 184
Adansonia 54
Adenandra 88
Adenanthera .. 105
Adenocarpus 112
Adenostyles 230
Adina 199
Adlumia 16
Adonis 4
Adoxa 183
Adysetum 21
Ægle 62
Ægopodium 186
Æschynomene .. 129
Æschynomene .. 129
Æsculus 69
Æsculus 69
Æthionema 26
Æthusa 188
Æthusa 187
Afzelia 72
Agathæa 232
Agathosma 89
Ageratum 229
Ageratum 229
Aglaia 62
Agrimonia 147
Agrimonia 147
Agrostemma .. 44
Agrostemma .. 44, 45
Ailanthus 100
Aizoon 163
Alangium 155
Alchimilla 148
Alcina 239
Alhagi 139
Alliaria 25
Alomia 229
Alsine 46
ALSINEÆ 45

Page.

Alsodeia 37
ALSODINEÆ 37
Althæa 49
ALYSSINEÆ 20
Alyssum 21
Alyssum 20, 21
Ambrosia 240
AMBROSIACEÆ 240
Amelanchier 135
Amellus 227
Amellus 227
Amerimnum 131
Amerimnum 132
Ammannia 151
Ammi 190
Ammi 189
Ammobium 221
Amorpha 121
AMPELIDEÆ 72
Ampelopsis 72
Ampherephis 219
Amphicarpa 121
AMYGDALINEÆ 133
Amygdalus 133
AMYRIDEÆ .. 98
Amyris 98
Anacampseros .. 170
Anacampseros 179
Anacardium 97
Anacardium 97
Anagyris 106
Anastatica 23
ANASTATICEÆ .. 23
ANCHONIEÆ 27
Ancistrum 148
Andreoskia 24
Andromachia 227
Androsæmum 63
Andryala 211
Andryala 210
Anemone 3
ANEMONEÆ 2
Anethum 187
Anethum 187
Angelica 192
Angelica 186, 191, 192
Angianthus 219
Anguria 161
Anisum 186
Anneslea 14
Annesleia 102
Anoda 52
Anoda 52
Anona 11
ANONACEÆ .. 11
Antennaria 221
Anthodon 66
Antholoma 66
Anthospermum .. 201
Anthriscus 190
Anthyllis 114

Page.

Anthyllis 111, 123
Antiphylla 182
Anychia 176
Aotus 108
Apargia 208
Apeiba 59
Aphanes 148
Aphelexis 223
Apios 121
Apios 121
Apium 187
Aquilegia 6
ARABIDEÆ 17
Arabis 19
Arabis 20
Arachis 114
Arachis 129
Aralia 193
Aralia 193
ARALIACEÆ .. 193
Arctium 213
Arctium 215
Arctotheca 238
Arctotis .. 239
Arctotis 238, 239
Aremonia 147
Arenaria 46
Argemone 16
Argemone 16
Armeniaca 133
Armoracia 22
Arnica 228
Arnica 228
Arnopogon 206
Arnoseris 211
Aronia 135
Aronia 135
Artabotrys 12
Artedia 193
Ascaricida 219
Asimina 12
Aspalathus 109
Asperula 200
Asperula 201
Assonia 57
Astelma 222
Astelma 222
Aster 224
Aster 224, 226
Asterocephalus .. 204
Astilbe 133
Astragalus 122
Astragalus 107, 123, 130
Astrantia 184
Astrantia 184
Astrapæa 58
Atalantia 62
Athamanta 189
Athamanta .. 189, 190
Athrixia 235
Atractylis 216
Atractylis 216
Atragene 2

Page.

Atragene 3
Aubletia 59
Aubrietia 20
Aucuba 94
Aulaxis 181
AURANTIACEÆ 62
Averrhoa 85
Ayenia 55
Baccharis 220
Baccharis 220
Bactyrilobium .. 104
Bæckia 156
Balanites 88
Balbisia 235
BALSAMINEÆ 85
Balsamina 85
Baltimora 240
Banisteria 68
BANISTERIEÆ 67
Baptisia 107
Baptisia 107
Barbarea 19
Barosma 88
Barringtonia 159
Barringtonia 159
Bartonia 154
Baryosma 132
Bastardia 53
Bauera 183
Bauhinia 106
Beaufortia 150
Bellidiastrum 228
Bellis .. 228
Bellium 228
Berardia 215
BERBERIDEÆ 13
Berberis 13
Berckheya 238
Bergenia 180
Bergera 62
Berrya 59
Berteroa 20
Bidens 237
Bidens 233
Biforis 187
Bigelovia 200
Billardiera 40
Biophytum 86
Biscutella 23
Biserrula 123
Bivonæa 26
Bixa 33
BIXINEÆ 33
Blackwellia 132
Blakea 159
Blighia 70
Bocconia 16
Bœbera 233
Boltonia 227
BOMBACEÆ .. 54
Bombax 54
Bombax 54, 60
Borbonia 109

INDEX GENERUM. I

Page.

Borbonia 111
Borkhausia 210
Boronia 89
Boscia 32
Bossiæa 110
Boswellia 99
Bouvardia 198
Brachylæna 220
Brachysema 108
Brasenia 14
Brassica 27
Brassica 25, 29
BRASSICEÆ 27
Braya 19
Brotera 219
Brotera 57, 218
Brownea 106
Brownlowia 59
Brucea 100
Brunelia 100
Brunia 96
Brunia 95
BRUNIACEÆ .. 95
Bryonia 161
Bryophyllum 179
Bubon 189
Bubon 192
Bubrona 55
Bucida 153
Buffonia 45
Bulliarda 176
Bumalda 96
Bunchosia 67
BUNIADEÆ 30
Bunias 30
Bunias 28, 29
Bunium 189
Bunium 189, 190
Bupleurum 185
Buphthalmum 236
Buphthalmum 235
Burchellia 197
Bursaria 40
Bursera 99
Burtonia 108
Butea 120
Butonica 169
Buttneria 55
BUTTNERIACEÆ 55
Byblis 38
Byrsonima 67
Byttneria 55
Cabomba 14
Cacalia 260
Cachrys 187
Cachrys .. 187, 188, 189
Cacoucia 153
Cactus 170
Cactus 171, 172
Cadia 106
CÆSALPINEÆ 103
Cæsalpinia 105
Cæsalpinia 105
Cæsulia 219
Cajanus 118
Cakile 23
Cakile 30
Calcilineæ 28
Calcitrapa 218

Page.

Calcitrapa 217
Calea 234
Calea 220, 233, 234
Caleacte 234
Calendula 239
Calepina 29
Calinea 10
Callicoma 183
Callisace 188
Callistachys 107
Callistema 226
Callistemon 155
Callitriche 169
Calodendron 88
Calophaca 118
CALOPHYLLEÆ .. 65
Calophyllum 65
Calothamnus 156
Calotis 224
Caltha 6
CALYCANTHACEÆ 132
Calycanthus 132
Calycanthus 132
CALYCIFLORÆ 91
Calycotome 112
Calyptranthes .. 158
CALYCEREÆ .. 205
Calyptrion 36
Calytrix 157
Camelina 25
CAMELINEÆ .. 25
Camellia 61
Camellia 61
CAMELLIEÆ 61
Campylia 75
Canarium 99
Canella 65
Canthium 197
Capnophyllum .. 189
CAPPAREÆ .. 32
CAPPARIDEÆ 31
Capparis 32
Capparis .. 32, 33
CAPRIFOLIACEÆ 194
Caprifolium 195
Capsella 22
Caragana 125
Carapa 72
Cardamine 19
Cardamine 19, 20
Cardiospermum .. 69
Cardopatum 218
CARDUACEÆ 213
Carduncellus 216
Carduus 213
Carduus 214, 215
Carica 168
Carlina 215
Carlina .. 213, 214
Carlowizia 216
Carmichælia 121
Carolinea 54
Carpesium 221
Carpodontos 64
Carpopogon 119
Carrichtera 20
Carthamus 215

Page.

Carthamus .. 215, 216
Carum 186
Carum 186
Carya 97
Caryocar 69
CARYOPHYLLEÆ 40
Caryophyllus 157
Casearia 96
Cassia 104
Cassia 104
Cassine 95
Cassine 95
Cassinia 221
Cassinia 219
CASSUVIÆ 97
Cassuvium 97
Castalia 15
Catananche 212
Catesbæa 198
Cathartocarpus .. 104
Caucalis 188
Caucalis 189
Caulophyllum 14
Ceanothus 92, 93
Ceanothus 92, 93
Cedrela 72
CEDRELEÆ 72
Celastrus 94
CELASTRINÆ 94
Centaurea 216
Centaurea 213, 214, 215, ... 216, 217, 218
Centranthus 203
Cephælis 200
Cephalanthus 199
CEPHALANTHEÆ 199
Cephalotus 148
Cerastium 47
Cerastium 45, 46
Cerasus 134
Ceratocephalus .. 4
Ceratonia 104
Ceratopetalum .. 183
Ceratosanthes .. 162
Cercis 106
Cercodia 169
Cereus 171
Cestrinus 215
Chærophyllum .. 190
Chærophyllum 189
Chamænerium 153
Chaptalia 212
Cheiranthus 18
Cheiranthus 19, 20, 24, ... 25, 27
Cheirinia 24, 25
Cheirostemon .. 54
Chelidonium 16
Cherleria 47
Chimonanthus .. 132
Chiococca 200
Chiranthodendron 54
Chitonia 159
CHLENACEÆ 60
Chloroxylon .. 72
Chomelia 199
Chondrilla 208
Chondrilla 208

Page.

Chondrocarpus .. 185
Chondrosea .. 181, 182
Chorispora 23
Chorizema 108
Chorizema 108
Chrysanthellum .. 235
CHRYSOBALANEÆ 133
Chrysobalanus .. 133
Chrysocoma 227
Chrysocoma .. 221, 227
Chrysosplenium .. 183
Chuquiraga 212
Cicer 128
Cicer 128
CICHORACEÆ 206
Cichorium 212
Ciconium 84
Cicuta 188
Ciliaria 181
Cimicifuga 9
Cimicifuga 9
Cinchona 197, 198
Cineraria 232
Cineraria 232
CINCHONEÆ 198
Circæa 151
Cirsium 214
Cissampelos 13
Cissus 72
Cissus 72
CISTINEÆ 34
Cistus 34
Cistus 34, 35, 36
Citrus 68
Clausenia 62
Claytonia 169
CLEMATIDEÆ 1
Clematis 1
Clematis 2
Cleome 32
Cleome 31, 32
CLEOMEÆ 31
Cleyera 60
Clidemia 160
Chiffortia 148
Clitoria 120
Clusia 65
Clusia 65
CLUSIEÆ 65
Clypeola 21
Cneorum 99
Cnestis 99
Cnidium 186
Cnicus 217
Coccocypselum .. 198
Coccocypselum 198
Cocculus 12
Cocculus 13
Cochlearia 22
Cochlearia 26
Coelestina 220
Coffea 200
Coffea 200
COFFEACEÆ 199
Colbertia 10
Colletia 92
Columellia 235
Colutea 124

Page.
Colutea 124
Comaropsis 147
Comarum 145
Comarum 147
COMBRETACEÆ 153
Combretum 153
Commersonia 55
Comocladia 99
COMPOSITÆ .. 206
Conium 190
Conium 187, 189
CONNARACEÆ 99
Connarus 99
Conocarpus 154
Conringia 25
Conyza 220
Conyza 219, 220, 224
Cookia 62
Copaifera 106
Corchorus 58
Cordylocarpus 30
Coreopsis 237
Coreopsis 234, 236, 238
Coriandrum 187
Coriandrum 187
Coriaria 91
CORIARIEÆ .. 91
Corion 187
Cornus 194
Coronilla 128
Coronilla 128
Coronopus 26
Corræa 89
Corrigiola 170
Corydalis 17
Cosciniun 12
Cosmea 237
Cosmea 237
Cossignia 70
Cotoneaster 135
Cotyledon 178
Cotyledon 178, 179
Coumarouna 132
Couroupita 158
Coutarea 198
Crambe 30
Crassula 177
Crassula 176, 177, 178, ... 179
CRASSULACEÆ 176
Cratægus 134, 135
Cratæva 32
Crepis 211
Crepis 208, 209, 210
Cristaria 52
Crithmum 187
Crithmum 185
Critonia 228
Crocodilium 217
Crotalaria 110
Crowea 89
CRUCIFERÆ .. 17
Cruciancella 201
Crupina 216
Cryptandra 92
Cryptospermum .. 203
Cucubalus 42
Cucubalus 42, 44
Page.
Cucumis 161
Cucurbita 162
CUCURBITACEÆ, ... 161
Cullumia 238
Cuminum 199
Cunonia 183
CUNONIACEÆ 183
Cupania 70
Cuphea 151
Curatella 10
Curtogyne 177
CUSPARIEÆ 90
Cussonia 193
Cyamus 14
Cyanus 217
Cyclopia 107
Cydonia 136
Cylista 121
Cyminosma 90
Cynara 215
Cynara 215
Cynometra 106
Cysticapnos 16
Cytisus 112
Cytisus, 107, 112, 113, 126
Dahlia 237
Dalbergia 131
Dalbergia 131
Dalea 114
Dalea 114
Dalibarda 145
Dalibarda 147
Dalrymplea 93
Daucus 188
Daucus 189
Daviesia 108
Decumaria 148
Delima 10
DELIMACEÆ 10
Delphinium 7
Dentaria 20
Dentella 199
Dermasea 181
Desmanthus 100
Dianthus 41
Dicera 60
Diclytra 16
Dictamnus 88
Didelta 238
Diervilla 195
Dietrichia .. 177, 178
Dillenia 10
Dillenia 10
DILLENIACEÆ 10
Dillwynia 108
Dillwynia 108
Dimacria 76
Dimocarpus 70
Diodia 200
Diomedea 235
Dionæa 38
Diosma 88, 89
Diosma 89
DIPSACEÆ 204
Dipsacus 204
Diphylleia 14
DIPLECOLOBEÆ 29
Page.
Diplopappus 224
Diplotaxis 20
Diptera 181
Dipterix 132
Dodonæa 70
DODONÆACEÆ .. 70
Dolichos 119
Dolichos 119
Dombeya 57
DOMBEYACEÆ .. 57
Dondia 184
Donia 227
Doronicum 228
Doronicum 227, 228
Dorycnium 118
Draba 21
Draba 21, 22
Drepania 211
Drosera 38
DROSERACEÆ 38
Dryas 145
Dryas 145
Drymaria 45
Drypis 45
Duchesnea 147
Duroia 197
Dysodia 233
Ebenus 114
Ecastaphyllum .. 132
Echinophora 184
Echinops 218
ECHINOPSIDEÆ .. 218
Eclipta 235
Edwardsia 106
Ekebergia 71
ELÆOCARPEÆ 59
Elæocarpus 59
Elæocarpus 60
Elæodendron 95
Elæodendrum 95
Elaphrium 99
Elaterium 161
Elatine 45
Elephantopus 219
Elichrysum 222, 223
Elodea 63
Emilea 230
Empleurum 89
Encelia 235
Entada 100
Entelea 58
Ephiellis 70
Epilobium 153
Epimedium 14
Epiphyllum 172
Epyphyllum 172
Eranthis 6
Erigeron 224
Erigeron 221, 224
Eriobotrya 135
Eriocalia 184
Eriodendron 54
Eriolæna 58
Eriostemon 89
Erithalis 196
Ernodea 200
Erodium 74
Erophila 22
Page.
Eruca 29
Erucaria 30
ERUCARIEÆ 30
Ervilia 127
Ervum 128
Eryngium 184
Erysimum 25
Erysimum ..9, 24, 25
Erythrina 120
Erythrolæna 215
ERYTHROXYLEÆ, ... 66
Erythroxylon 66
Eucalyptus 156
Euchilus 107
EUCLIDIEÆ 23
Euclidium 23
Eugenia 157
Eugenia 157, 158, 159
Euonymus 95
EUPATOREÆ 228
Eupatorium 228
Eupatorium .. 221, 229
Euphoria 70
Eurya 60
Euryale 14
Eutaxia 108
Euthamia 227
Euxonium 29
Euax 223
Evodia 90
Exostemma 198
Faba 128
Fabricia 155
Fabricia 155
Fagara 90
Fagonia 87
Farsetia 20
Farsetia 20
Fedia 203
Fernelia 198
Feronia 62
Ferula 192
Ficaria 5
Ficoideæ 162
Filago 223
Flacourtia 33
FLACOURTIANEÆ 33
Flaveria 240
Flemingia 129
Florestina 233
Fœniculum 187
Fothergilla 150
Fragaria 147
Fragaria 147
Frankenia 40
FRANKENIACEÆ 40
Franseria 240
Freziera 60
FREZIEREÆ 60
Friesia 60
Fuchsia 153
Fumaria 17
Fumaria 16, 17
FUMARIACEÆ .. 16
Gærtnera 67
Galactia 121

Page.

Galactites 216
Galardia 236
GALEÆ 201
Galedupa 131
Galega 124
Galega 124
Galinsogea 235
Galipea 90
Galium 201
Garcinia 65
GARCINIEÆ 65
Gardenia 197
Gardenia 197
GARDENIEÆ 197
Garidella 6
Garuga 99
Gastonia 193
Gastrolobium 107
Gaura 152
Gaya 53
Gazania 238
Genipa 197
Genista 111
Geoffroya 132
Geophila 200
Geranium 73
Geranium 73, 85
GERANIACEÆ 73
Gerberia 228
Geropogon 206
Getonia 154
Geum 145
Geum 145
Gillenia 149
Githago 45
Glaucium 16
Glaucium 16
Gleditschia 103
Glinus 163
Globulea 176
Glyceria 185
Glycine 121
Glycine 120, 121
Glycirrhiza 124
Glycosmis 62
Gnaphalium 222
Gnaphalium 221,222,235
Goldbachia 27
Gomphia 91
Gompholobium 109
Gompholobium 107
Gonocarpus 151
Goodia 110
Gordonia 61
GORDONIEÆ 61
Gorteria 238
Gossypium 52
Gouania 92
Grenvillea 75
Grewia 58
GREWIEÆ 75
Grielum 75
Grindelia 227
Grindelia 225
Grislea 150
Gronovia 161
GROSSULARIEÆ 173
Guaiacum 87

Page.

Guarea 71
Guatteria 12
Guazuma 55
Guettarda 196
GUETTARDEÆ 196
Guilandina 106
Guilandina 104
Gundelia 219
Gustavia 159
GUTTIFERÆ 65
Gymnocladus 104
Gymnoloma 236
Gynandropsis 81
Gypsophila 40
Gyrostemon 59
Hæmatoxylon 105
Hagea 176
Hallia 129
Haloragis 169
Hamelia 196
HAMELIACEÆ 196
Hamiltonia 199
Hapalostephium 210
Hasselquistia 188
Havetia 65
Hedera 193
Hedera 72
HEDYOTIDEÆ 198
Hedyotis 198
Hedynois 211
Hedypnois 208
Hedysarum 129
Hedysarum 129, 131
Helenium 234
Helianthemum 84
Helianthus 236
Helianthus 235
Helichrysum 222
Helicteres 54
Heliocarpus 58
Heliophila 81
HELIOPHILEÆ 81
Heliopsis 235
Helleborus 6
HELLEBOREÆ 6
Helminthia 211
Hepatica 3
Heracantha 215
Heracleum 191
Heracleum 189, 191
Heritiera 55
Hermannia 56
Hermannia 57
HERMANNIEÆ 56
Hermas 185
Herniaria 176
Hesperis 24
Hesperis 19, 24, 25
Heteropteris 68
Heterospermum 233
Heuchera 183
Heynea 71
Hibbertia 10
Hibiscus 50
Hibiscus 52
Hieracium 209
Hieracium 208, 210
Hillia 198

Page.

HIPPOCASTANEÆ 69
Hippocratea 66
HIPPOCRATEACEÆ 66
Hippocrepis 128
Hippomarathrum 187
Hippuris 169
Hirtea 67
Hirculus 181
Hirtella 133
Hoarea 75
Hoffmanseggia 106
Holosteum 45
Holosteum 45
HOMALINEÆ 132
Homalium 132
Houstonia 198
Hovea 111
Hovenia 91
Hudsonia 36
Hugonia 60
Humea 221
Hutchinsia 22
Hydrangea 183
Hydrastis 3
Hydrocotyle 184
Hydrocotyle 185
HYDROPELTIDEÆ 14
Hydropeltis 14
HYGROBIÆ 169
Hymenæa 106
Hymenocarpos 117
Hymenodictyon 198
Hymenogyne 169
Hymenopappus 233
Hyoseris 211
Hyoseris 208, 211
Hypecoum 16
Hyperanthera 105
HYPERICINEÆ 63
Hypericum 63
Hypochæris 212
Hyptage 67
HYPTAGEÆ 67
Ibbetsonia 107
Iberis 22
Iberis 22
Ilex 94
Illecebrum 175
Illecebrum 175
Illicium 11
Impatiens 85
Impatiens 85
Imperatoria 192
Imperatoria 191
Indigofera 124
Inga 101
Inula 221
ISATIDEÆ 26
Isatis 26
Isertia 197
Isnardia 152
Isocarpha 234
Isopetalum 85
Isopyrum 6
Iva 240
Ixodia 221

Page.

Ixora 199
Ixora 199
Jacksonia 108
JACOBEÆ 230
Jamboliféra 90
Jasonia 224
Jeffersonia 14
Jenkinsonia 84
Johnia 66
Jonidium 37
Jonidium 36, 37
JUGLANDEÆ 96
Juglans 96
Juglans 97
Jussiæa 152
Kalanchoe 178
Kalmia 264
Kalosanthes 177
Kaulfussia 233
Kennedia 121
Kerria 149
Kiggelaria 33
KIGGELARIEÆ 33
Kitaibelia 49
Kleinhovia 56
Kleinia 230
Kleinia 230
Knautia 205
Knautia 205
Knowltonia 3
Knoxia 201
Kœlpinia 212
Kœlreuteria 70
Krigia 211
Kuhnia 220
Kydia 58
LABIATIFLORÆ 212
Lactuca 207
Lætia 84
Lagasca 219
Lagascea 219
Lagerstrœmia 150
Lagœcia 193
Lagoseris 210
Lagoseris 211
Lagunea 54
Lahaya 176
Lamarckia 95
LAPLACEÆ 61
Lappa 213
Lapsana 212
Lapsana 211, 212
Larbrea 45
Larochea 178
Laserpitium 192
Laserpitium 188,190,192
LASIOPETALEÆ 56
Lasiopetalum 56
Lasiopetalum 56
Lathyrus 126
Lathyrus 126
Laugeria 196
Lavatera 49
Lavenia 234
Lawsonia 150
Lebeckia 111
Lebeckia 124
Lebretonia 50

Page.

Lechea 96
LECYTHIDEÆ 158
Lecythis 158
Ledeburia 186
Leea 73
LEEACEÆ 73
LEGUMINOSÆ 100
Lens 128
Leontice 13
Leontodon 208
Leontopodium 222
LEPIDINEÆ 26
Lepidium 26
Lepidium 26
Leptasea 181
Leptocarpæa 18
Leptospermum 155
Leria 212
Lespedeza 129
Lessertia 124
Lettsomia 60
Leucostemma 223
Leuzea 216
Leysera 230
Liatris 219
Ligularia 181
Ligusticum 190
Ligusticum 186, 188
Limeum 170
Limonia 62
Limonia 62
Linconia 95
LINEÆ 47
Linnæa 195
Linum 47
Linum 48
Liparia 100
Liriodendron 11
Loasa 154
LOASEÆ 154
Lobadium 98
Lobaria 181
Loddigesia 110
Læflingia 175
Longchampia 235
Lonicera 195
Lonicera 195
Lopezia 151
Lopimia 52
LORANTHEÆ 196
Loranthus 196
Lotus 118
Lotus 118, 121
Luculia 197
Ludia 34
Ludia 34
Ludwigia 152
Luffa 161
Lunaria 20
Lupinaster 115
Lupinus 113
Lychnis 44
Lychnis 43, 44
Lythrum 150
Lythrum 151
Macrocnemum .. 198
Macrolobium 106
Macropodium 19
Macrotys 9
Madia 234
Magnolia 11
MAGNOLIACEÆ 11
Mahernia 57
Mahonia 13
Malachodendron 61
Malachra 50
Malcomia 24
Mallococca 58
Malope 48
Malpighia 67
Malpighia 67
MALPIGHIACEÆ 67
Malva 48
Malva 52
MALVACEÆ .. 48
Malvaviscus 50
Mammillaria 171
Mammea 65
Manettia 198
Mangifera 97
Manna 120
Marcgravia 66
MARCGRAVIACEÆ 66
Marshallia 234
Matayba 70
Mathiola 17
Matthiola 196
Meconopsis 16
Medicago 117
Medicago 117
Megacarpæa 23
Megasea .. 180, 181
Melaleuca 155
Melaleuca 156
Melampodium .. 239
Melananthera .. 233
Melanoselinum .. 190
Melastoma 159
Melastoma .. 159, 160
MELASTOMACEÆ, ... 159
Melhania 57
Melia 71
Melia 71
MELIACEÆ .. 71
Melianthus 88
Melicocca 70
Melicope 90
Melicytus 33
Melilotus 115
Melilotus 115
Melochia 56
Melochia 56
Melothria 161
Memecylon 159
Meniocus 21
MENISPERMACEÆ 12
Menispermum .. 13
Menispermum .. 13
Mentzelia 154
Meriania 160
Mesembryanthemum 163
Mesembryanthemum 169
Mespilus 134
Mespilus 135
Metalasia 222
Metrosideros 156
Metrosideros 155
Meum 187
Meum 187
Michelia 11
Miconia 159
Micranthera 65
Micranthes 181
Microces 59
Micropus 223
Mikania 229
Milleria 240
Mimosa ... 100
Mimosa 100, 101, 102, 103
MIMOSEÆ 100
Minuartia 175
Miscopetalum .. 181
Mitchella 199
Mitella 183
Mniarum 175
Mœhringia 45
Mœnchia 45
Molinæa 70
Mollia 176
Mollugo 45
Mollugo 45
Momordica 161
Monanthes 180
Monniera 90
Monodora 12
Monsonia 73
Monsonia 73
Montia 170
Montinia 151
Moricandia 28
Morina 204
Morinda 199
Moringa 105
Mougeotia 56
Mullera 109
Mundia 39
Muntingia 59
Muraltia 39
Murraya 62
Muscaria 182
Mussænda 197
Mussænda 197
Myagrum 27
Myagrum 22, 26, 30
Myginda 94
Myoseris 211
Myosurus 4
Myriophyllum .. 169
Myrodia 54
Myrrhis 189
MYRTACEÆ .. 155
Myrtus 158
Myrtus 157
Nandina 13
Napæa 53
Naravelia 2
Nasturtium 18
Nauclea 190
Nauenburgia 219
Nectris 14
Negundo 68
NELUMBONÆ .. 14
Nelumbium 14
Nephelium 240
Nephelium 70
Nessæa 151
Neslia 26
Nestlera 235
Neurolæna 234
Neuroloma .. 20
Niebuhria 32
Nigella 6
Nissolia 132
Nitraria 162
Nocca 219
Noisettia .. 36
Norantea 66
NORANTEÆ 66
Nothria 40
Notoceras 18
NOTORHIZEÆ 24
Nuphar 15
Nymphæa 15
Nymphæa 15
NYMPHÆACEÆ 14
Ochna 91
Ochna 91
OCHNACEÆ .. 91
Ochroma 54
Ochrus 126
Ochthodium .. 28
Odontites .. 185
Œdera 219
Œnanthe 186
Oenoplia 94
Œnothera 152
OLACINEÆ .. 62
Olax 62
Oldenlandia 198
Oliveria 189
Omphalobium 104
ONAGRARIÆ .. 151
Onobroma 216
Onobroma 216
Onobrychis 131
Ononis 113
Onopordum 215
Onopordum 215
Opercularia 203
OPERCULARIEÆ, ... 203
Opuntia 172
OPUNTIACEÆ 170
Orchidocarpum .. 12
Oreoselinum 191
Ormosia 107
Ornithopus 128
Ornithrophe 70
Orobus 126
Orostachys 178
Ortegia 45
ORTHOPLOCEÆ 27
Osbeckia 160
Osmites 238
Osteospermum .. 240
Othonna 233
Otidia 75
OXALIDEÆ 85

Page.
Oxalis 86
Oxalis 86
Oxyanthus 197
Oxylobium 107
Oxytropis 193
Ozothamnus .. 221
Pachira 54
Pæderia 200
Pæonia 9
PÆONIACEÆ .. 9
Palafoxia 229
Palavia 52
Paliurus 94
Pallasia 235
Panax 193
Papaver 15
Papaver 16
PAPAVERACEÆ 15
PAPILIONACEÆ 106
Parinarium 133
Parkinsonia 104
Parnassia 38
Paronychia 175
PARONYCHIEÆ 175
Parthenium 240
Pascalia 235
Pastinaca 191
Pastinaca .. 187, 192
Patrinia 203
Patrisia 33
PATRISIEÆ 33
Paullinia 69
Paullinia 69
PAULLINIEÆ .. 69
Pavetta 199
Pavia 69
Pavonia 50
Pavonia 51
Pectis 233
Peganum 88
Peganum 88
PELARGONIEÆ .. 75
Pelargonium 77
Pelargonium .. 75, 85
Peltaria 21
Pentadesma 65
Pentapetes 57
Pentaphyllon 115
Penthorum 180
Peplis 151
Perdicium 212
Pereskia 172
Periptera 52
Peritoma 31
Persoonia 234
Petaloma 159
Petalostemon 114
Petrobium 234
Petrocallis 21
Peucedanum 191
Peucedanum 192
Phaca 123
Phaca 123
Pharnaceum 45
Phaseolus 119
Phebalium 89
Phellandrium 167
Philotheca 89
Page.
Phœnocoma 223
Photinia 135
Phylica 92
Phyllis 200
Phyllolobium 131
Phymatanthus .. 75
Physospermum .. 188
Picridium 207
Picris 206
Picris 211
Pimpinella 185
Pimpinella 185, 186
Pinckneya 198
Piqueria 230
Pirigara 159
Piriqueta 154
Piscidia 122
Pistacia 99
Pisum 126
Pisum 126
PITTOSPOREÆ 40
Pittosporum 40
Pittosporum 156
Plagianthus 54
Platylobium 110
Platylobium 110
Platypteris 234
Plectronia 91
Pleroma 159
Pleurandra 10
PLEURORHIZEÆ 17
Pleurospermum .. 188
Plocama 200
Podalyria 107
Podalyria 107
PODOPHYLLEÆ 14
Podophyllum 14
Podophyllum 14
Podospermum 206
Poinciana 105
Poiretia 111
Polanisia 32
Pollichia 175
Polycarpon 175
Polygala 38
Polygala 39
POLYGALEÆ 38
Polymnia 239
Polyspora 61
POMACEÆ 134
Pomaderris 92
Pombalia 37
Pongamia 131
Porcelia 12
Portenschlagia .. 95
Portlandia 198
Portlandia 198
Portulaca 170
Portulacaria 170
PORTULACEÆ 169
Posoqueria 197
Potentilla 145
Potentilla 145
POTENTILLÆ 144
Poterium 148
Prenanthes 208
Prenanthes 207
Prinos 94
Page.
Prinos 94
Prockia 34
Proserpinaca 109
Prosopis 101
Prunus 133
Prunus 133
Psiadia 228
Psidium 158
Psoralea 114
Psoralea 114
Psychine 29
PSYCHINEÆ 29
Psychotria 200
Psychotria 200
Ptelea 100
Pterocarpus 132
Pterocarpus 132
Pterocephalus 205
Pteroneurum 20
Pteronia 216
Pterospermum .. 57
Ptilostephium .. 235
Pulicaria 221
Pulsatilla 3
Pultenæa 107
Pultenæa 108
Punica 158
Pyrus 135
Pyrus 135, 136
Quassia 90
Quassia 91
Queria 175
Queria 176
Quisqualis 153
Quivisia 71
Radiola 48
Ræmeria 16
Rafnia 111
Rafnia 107
Ramonda 296
Randia 197
RANUNCULACEÆ 1
RANUNCULEÆ .. 4
Ranunculus 4
Ranunculus 5
RAPHANEÆ 30
Raphanus 30
Raphiolepis 135
Rapistrum 30
Rapistrum 23, 26
Rauwolfia 273
Rauwolfia 273
Reaumuria 162
Redoutea 52
Relhania 234
Reseda 150
RESEDACEÆ .. 150
Retzia 236
Rhagadiolus 212
Rhagadiolus 212
RHAMNEACEÆ 91
Rhamnus 93
Rhamnus 94
Rhaponticum 217
Rhexia 160
Rhexia 159, 160
Rhinanthus 207
Rhipsalis 172
Page.
RHIZOBOLEÆ 69
Rhizophora 196
RHIZOPHOREÆ 196
Rhodiola 179
Rhododendron .. 264
Rhodora 264
RHODORACEÆ 264
Rhus 97
Rhus .. 70, 97, 98
Ribes 173
Richardsonia 200
Ricotia 20
Riedleia 56
Rindera 203
Robertia 212
Robertsonia 161
Robinia 125
Robinia 125, 131
Rochea 178
Rochelia 293
Roella 251
Roella 250
Rolandra 218
Rosa 136
ROSACEÆ 136
Rosmarinus 211
Rothia 211
Royena 270
Rubentia 95
Rubia 201
RUBIACEÆ 196
Rubus 144
Rudbeckia 236
Ruellia 326
Ruellia 327
Ruizia 57
Ruizia 70
Rulingia 55
Rulingia 170
Rumia 187
Rumia 189
Russelia 303
Ruta 88
RUTACEÆ 86
Ruyschia 66
Ryanæa 33
Sagina 45
Sagina 45
SALICARIÆ .. 150
Salmea 234
Sambucus 194
Samyda 96
SAMYDEÆ .. 96
Sandoricum 71
Sanguinaria 16
Sanguisorba 148
SANGUISORBEÆ .. 148
Sanicula 184
Sanvitalia 235
SAPINDACEÆ 69
Sapindus 70
Sapindus 90
Saponaria 42
Sarcocapnos 17
Sarcocaulon 73
Sarcocephalus .. 199
Sarcophyllum 109
Saurauja 60

INDEX GENERUM. I

Page.

SAURAUJEÆ 60
Saussurea 213
SAUVAGEÆ 38
Sauvagesia 38
Saxifraga 180
SAXIFRAGEÆ 180
Scabiosa 204
Scabiosa 204, 205
Scalea 227
Scandix 189
Scandix 190
Schinus 98
Schinus 98
Schivereckia 21
Schizandra 13
Schizopetalum .. 31
Schkuhria 233
Schmaltzia 98
Schmidelia 70
Schotia 104
Schotia 104
Schousboea 153
Schrankia 100
Sciodaphyllum 193
Scleranthus 175
Sclerocarpus 238
Sclerothamnus .. 108
Scolymus 212
Scopolia 99
Scorpiurus 128
Scorzonera 206
Scorzonera .. 206, 207
Scottia 110
Scytalia 70
Sechium 161
Securidaca 39
Securigera 128
Sedum 179
Selinum 191
Selinum 186, 188, 191, ... 192
Selloa 230
Semecarpus 97
Sempervivum 180
Sempervivum 179, 180
Senacia 40
Senebiera 26
Senecio 231
Septas 178
Seriana 69
Seridia 218
Seringia 56
Seriola 211
Seriola 212
Seriphium 219
Serissa 200
Serpicula 169
Serratula 213
Serratula 213, 214, 215
Sesbania 128
Seseli 186
Seseli 186, 189
Sesuvium 162
Sethia 66
Seymouria 77
Sherardia 201
Sibbaldia 147
Sicyos 161

Page.

Sida 52
Sida 52, 53, 54
Sideranthus 227
Siderodendron .. 190
Siegesbeckia .. 235
Sieversia 145
Silene 42
SILENEÆ 40
Siler 188
Silphium 240
Silybum 214
Simaba 91
Simaruba 91
SIMARUBEÆ .. 90
Simsia 234
Sinapis 28
Sinapis 29
Sison 186
Sison 185, 186, 188, 189, ... 190
SISYMBREÆ 24
Sisymbrium 24
Sisymbrium 18, 24, 29
Sium 190
Sium 192
Sloanea 59
Smithia 128
Smyrnium 187
Smyrnium .. 186, 192
Sobolewskia 27
Solea 37
Solidago 226
Solidago .. 227, 234
Sonchus 207
Sonchus 207
Sophora 106
Sophora 106, 107
Southwellia 55
Spallanzania 147
Spananthe 185
Sparmannia 58
Spartianthus 111
Spartium 111
Spartium 111, 112
Spathelia 99
Spatularia 181
Spergula 45
Spermacoce 200
Spermacoce .. 200, 201
SPERMACOCEÆ .. 200
Spermadictyon .. 199
Spermaxyrum .. 62
Sphæranthus 219
Sphærolobium .. 108
Sphenogyne 238
Spilanthes 234
Spilanthes 234
Spiræa 149
Spiræa 149
SPIRÆACEÆ 149
Spiralepis 222
Spiranthera 90
Spondias 99
Staavia 95
Stæhelina 216
Staphylea 95
Starkea 227
Stauracanthus .. 109

Page.

Stellaria 46
Stellaria 45
Stephania 33
Sterculia 55
STERCULIEÆ .. 55
Sterigma 27
Stevenia 19
Stevi a 229
Stevia 229, 233
Stizolobium 119
Stobæa 215
Stœbe 219
Stokesia 216
Stravadium 159
Stuartia 61
Stuartia 61
Stylosanthes 129
Subularia 31
SUBULARIEÆ .. 31
Succisa 204
Succowia 29
Sutherlandia 124
Swainsona 124
Swietenia 72
Swietenia 72
SYMPHONIEÆ .. 65
Symphoria 195
Synedrella 235
Syrenia 25
Tagetes 233
Tagetes 233
Talinum 170
Talinum 170
Tamarindus 104
TAMARISCINEÆ 160
Tamarix 160
Taraxacum 208
Teesdalia 22
Telephium 170
Templetonia 110
Tenoria 185
Tephrosia 124
Teramnus 120
TEREBINTHACEÆ 99
Terminalia 153
Ternstrœmia 60
TERNSTRŒMIACEÆ 60
Terpnanthus 90
Tetracera 10
Tetracera 10
Tetragonia 169
Tetragonolobus .. 118
Tetragonotheca .. 234
Tetramerium 199
Tetrapteris 68
Tetratheca 39
Thalictrum 2
Thapsia 192
Thapsia 186
Theobroma 55
Thermopsis 107
Thespesia 52
Thlaspi 22
Thlaspi 22, 26
THLASPIDEÆ .. 22
Thomasia 56

Page.

Thrincia 206
Thysselinum 188
Thysselinum 188
Tiarella 183
Tiarella 183
Tilia 59
TILIACEÆ 58
Tiliacora 13
Tiliæa 176
Tithonia 238
Tococa 160
Toddalia 99
Tolpis 211
Tordylium 188
Tordylium 187, 188, 191
Torilis 189
Tormentilla 145
Trachymene 185
Trachyspermum 189
Tragium 186
Tragium 186
Tragopogon 206
Trapa 153
Trattinickia 234
TREMANDREÆ 39
Trianthema 170
Tribulus 87
Trichera 204
Trichilia 71
TRICHILIEÆ 71
Trichosanthes .. 162
Trichosanthes .. 162
Tridactylites 182
Tridax 234
Trifolium 115
Trifolium 115
Trigonella 117
Trigonella 115
Trigonis 70
Trinia 186
Triopteris 68
Triosteum 195
Triphasia 62
Triptilion 212
Tristania 156
Triumfetta 58
Trixis 212
Trollius 6
TROPŒOLEÆ 85
Tropœolum 85
Troximon 206
Troximon 211
Turgosea 176
Turnera 154
Turnera 154
TURNERACEÆ .. 154
Turræa 71
Turritis 19
Turritis .. 18, 19, 20
Tussilago 230
Tussilago 212
Ulex 109
Ulospermum 187
UMBELLIFERÆ 184
Unona 12
Urena 50
Urvillæa 69
Uvaria 12

	Page.
Uvaria	12
Valantia	201
Valantia	201, 202
Valeriana	203
Valeriana	203, 204
VALERIANEÆ	203
Valerianella	203
Vangueria	196
Vananthes	176
Velezia	45
Vella	29
Vella	29
VELLEÆ	29
Ventilago	91
Verbesina	235
Verbesina	235, 236
Verea	179
Vernonia	219
Vernonia	219
VERNONIACEÆ	219
Vesicaria	20
Viburnum	194
Vicia	127
Vicia	128
Vigniera	236
Viminaria	108
VINIFERÆ	72
Viola	36
Viola	36
VIOLARIEÆ	36
Virgilia	107
Viscaria	44
Viscum	196
Vismia	63
VISMIEÆ	63
Vismaga	190
Vitis	72
Vitis	72
Waldsteinia	147
WALLICHIEÆ	58
Waltheria	56
Webera	197
Wedelia	236
Weinmannia	183
Wendlandia	13
Wiborgia	110
Wiborgia	235
WINTEREÆ	11
Wisteria	121
Woodfordia	150
Wormia	10
Xanthium	240
Xanthochymus	65
Xeranthemum	228
Xeranthemum	223
Ximenesia	234
Ximenia	62
Ximenia	88
Xylopia	12
Xylosteum	195
Zacintha	188
Zaluzania	235
Zanthorhiza	9
Zanthoxylon	90
Zieria	90
Zilla	29
ZILLEÆ	29
Zinnia	234
Zizyphus	93
Zizyphus	94
Zœgea	216
Zornia	129
Zornia	129
Zosimia	188
Zwingera	91
ZYGOPHYLLEÆ	87
Zygophyllum	87
Zygophyllum	88

INDEX GENERUM to PART II.

Page.
ABIETINÆ 372
Abildgaardia 438
Abronia 335
Acacia 483
Acacia 482, 483
Acalypha 358
ACANTHACEÆ 326
Acanthus 326
Acer 470
Aceras 382
Acerates 279
Achillea 244
Achillea 241, 242
Achimenes 303
Achnodonton .. 441
Achras 269
Achyranthes .. 337
Achyranthes 336, 337
Acianthus 384
Acidoton 491
Acinos 315
Acnida 340
Aconitum 465
Acorus 378
Acrocomia 432
Acrostichum 460
Acrostichum 460
Acrotriche ... 488
Actinocarpus ... 375
Actinochloa 455
Adelia 361
Adelia 361
Adenanthos 490
Adenocarpus ... 476
Adenophora 240
Adesmia 478
Adiantum 464
Adyseton 467
Ægilops 450
Ægiphila 322
Ægopogon 444
Aeranthes 388
Aerides 388
Aerides 388
Ærua 337
Æschynomene .. 478
Æschynomene 478
Ætheilema 327
Afzelia 307
Agapanthus 409
Agapanthus 421
Agastachys 491
Agathis 372
Agati 478
Agave 424
Agave 424
Agrostis 443
Agrostis 442, 443, 445
Agyneja 360
Aira 445
Aira 445, 451
Airopsis 445

Page.
Aitonia 476
Ajax 407
Ajuga 315
Ajuga 316
Albuca 417
Aldea 295
Aletris 409
Aletris 409
Aleurites 359
Aleurites 359
Alhagi 480
Alisma 375
Alisma 375
ALISMACEÆ .. 375
Allamanda 274
Allantodia 462
Allionia 335
Allionia 334
Allium 421
Alnus 368
Alnus 368
Aloe 410
Aloe 411, 412, 413, 423
Alonsoa 306
Alopecurus 441
Aloysia 324
Alpinia 390
Alpinia 390
Alsophila 464
Alstonia 275
Alstrœmeria 408
Alternanthera .. 337
Alysicarpus 480
Alyssum 467
Alyxia 273
AMARANTHACEÆ 335
Amaranthus .. 335
AMARYLLIDEÆ 401
Amaryllis 402
Amaryllis 401, 403, 404, 405, 406, 422
Amasonia 324
Ambrosinia 379
AMENTACEÆ 365
Amerimnum 477
Amethystea 310
Ammocharis 404
Ammyrsine 266
Amomum 390
Amomum 390
Amphilophium .. 284
Amphipogon 442
Amsonia 275
Anabasis 338
Anacyclus 243
Anagallis 331
Anantherix 280
Anarrhinum 303
Anatherum 447
Anchusa 292

Page.
Anchusa 292, 293, 294
Andersonia 266
Andira 484
Andrachne 360
Androcera 301
Androcymbium .. 428
Andromeda 254
Andromeda ... 254
Andropogon 446
Andropogon 446, 447
Androsace 330
Androsace 330
Aneilema 430
Anemia 460
Angelonia 306
Angræcum 388
Anguillaria 428
Anguloa 386
Anigosanthos 400
Anisanthus 390
Anisodus 298
Anisomeles 316
Anisopetalum .. 386
Anodontea 467
Anomatheca 396
Anona 466
Anredera 338
ANTHEMIDEÆ 241
Anthemis 243
Anthemis 243, 244, 245
Anthephora 448
Anthericum 416
Anthericum 416, 417, 418
Anthistiria 447
Anthocercis 295
Antholyza 396
Antholyza 396, 397, 398
Anthoxanthum .. 440
Antidesma ... 361
ANTIDESMEÆ 361
Antirrhinum 303
Antirrhinum 303, 304
Aotus 474
Aphelandra ... 327
Aphyllanthes .. 422
Apicra 413
Apluda 446
APOCINEÆ .. 273
Apocynum 276
Apocynum 280
Aponogeton .. 376
Arabis 466
Araucaria 372
Arbutus 253
Arbutus 253
Arctostaphylos .. 253
Ardisia 268
Arduina 273
Areca 432
Arethusa 385
Arethusa 384
Aretia 330

Page.
Argania 269
Argyreia 289
Aristea 395
Aristida 444
Aristida 444
Aristolochia 353
Aristotelia 473
Aronia 485
AROIDEÆ .. 377
Arrhenatherum 447
Artemisia 242
Arthropodium .. 417
Artocarpus 362
Arum 379
Arum 379
Arundinaria ... 457
Arundo 457
Arundo 442, 445, 451, 453, 457
ASARINÆ .. 353
Asarum 353
ASCLEPIADEÆ 276
Asclepias 279
Asclepias .. 279, 280
Asparagus 423
Asperugo 292
ASPHODELEÆ 416
Asphodelus 416
Asphodelus 416
Aspidistra 378
Aspidium 461
Aspidium .. 462, 464
Asplenium 462
Asprella 451
Astephanus 280
Asterolinon 331
Astranthus 473
Astrocaryum 432
Astrolobium 478
Astroloma .. 267, 448
Athanasia 241
Atheropogon 447
Atheropogon 455
Atraphaxis 342
Atriplex 339
Atropa 298
Atropa 298
Attalea 433
Aulax 345
Aurinia 467
Avena 452
Avena 443, 451, 452
Avicennia 326
Axonopus 449
Axyris 340
Axyris 340
Azalea 264
Azalea 266
Azima 487
Babiana 396
Bactris 433
Bæckia 486

Page.

Bæobotrys 268
Ballota 321
Ballota 321
Balsamita 241
Bambusa 457
Bambusa 457
Banksia 349
Baphia 482
Barbarea 466
Barleria 326
Bartholina 382
Bartsia 306
Bartsia 307
Basella 338
Basella 338
Bassia 269
Batschia 291
Beaumontia 275
Beckmannia 449
Befaria 266
Begonia 341
BEGONIACEÆ 341
Bejaria 266
Belamcanda 395
Belis 373
Bellevalia 419
Bellinia 298
Berchemia 472
Bernhardia 459
Besleria 252
Beta 340
Betonica 321
Betula 368
BETULINÆ 368
Beurreria 294
Bignonia 283
Bignonia 273, 283, 284
BIGNONIACEÆ 283
Billotia 486
Blæria 255
Blæria 255
Blandfordia 409
Blandfordia 263
Blechnum 463
Blechnum 463
Blechum 327
Blepharis 326
Bletia 385, 492
Blitum 340
Blumenbachia .. 486
Bobartia 395
Bocconia 466
Bœhmeria 363
Boerhaavia 335
Boerhaavia 335
Boldoa 335
Bonapartea 425
Bonatea 382
Bonnaya 308
Bonplandia 286
Bontia 326
BORAGINEÆ 290
Borago 294
Borago 294
Borassus 433
Borbonia 475
Borkhausenia 303
Boronia 471

Page.

Borya 361
Bosea 340
Bossiæa 475
Botryceras 349
Botrychium 459
Bouteloua 455
Bowiea 411
Brabejum 348
Brachypodium .. 456
Brachypodium .. 455
Brachystelma .. 278
Bradleja 360
Brassavola 387
Brassia 386
Brexia 492
Briedelia 360
Briza 454
Brodiæa 410
Bromelia 424
BROMELIACEÆ 424
Bromus 456
Bromus 456, 457
Brosimum 491
Brossæa 254
Brotera 320
Broughtonia 387
Broussonetia 363
Broussonetia 362
Browallia 306
Brownea 484
Brucea 474
Brugmansia 297
Brunfelsia 302
Brunnichia 341
Brunsvigia 404
Brya 482
Buchnera 306
Buchnera 306
Buddlea 302
Bulbine 416
Bulbocodium 428
Bumelia 269
Buonapartea 424
Buphane 404
Burchardia 428
Burmannia 434
Burtonia 474
BUTOMEÆ 375
Butomus 375
Buxus 358
Bystropogon .. 318
CÆSALPINEÆ 484
Cæsia 417
Caladium 379
Caladenia 384
Calamagrostis .. 442
Calamintha 314
Calamus 432
Calanthe 388
Calathea 392
Calceolaria 307
Caldasia 286
Caleana 385
Caleya 385
Calla 378
Calla 378
Callicarpa 323

Page.

Calligonum 344
Callisia 430
Callistachys 474
Callistemon 486
Callitriche 376
Calluna 255
Calochilus 383
Calopogon 385
Calostemma 406
Calothamnus 486
Calotropis 280
Calymenia 384
Calypso 385
Calystegia .. 287, 489
Calytrix 486
Camaridium 387
Camellia 469
Cameraria 275
Cameraria .. 274, 275
Campanula 249
Campanula 249, 251, 331
CAMPANULACEÆ 249
Camphorosma .. 340
Canarina 249
Canavalia 481
Candollea 465
Canna 391
Cannabis 364
CANNEÆ 391
Cantua 286
Capparis 468
Capparis 468
Capraria 302
Capraria 302
Capsella 467
Capsicum 298
Caragana 478
Caralluma 278
Carapa 470
Carapichea 487
Cardamine 466
Carex 435
Carex 437, 439
Careya 486
Cargillia 270
Carissa 273
Carissa 273
Carludovica 378
Carpinus 368
Carpopogon 482
Cartonema 430
Caruncularia .. 278
Caryota 432
Casearia 473
Cassia 484
CASSIEÆ 484
Cassine 473
Cassytha 344
Castanea 370
Castilleja 307
Castilleja 307
Casuarina 371
Catabrosa 445
Catalpa 283
Catasetum 386
Cattleya 387
Ceeropia 364

Page.

Celastrus 472
Celosia 336
Celosia 336
Celsia 296
Celsia 306
Celtis 364
Celtis 364
Cenchrus 440
Cenchrus 440, 444, 452
Cenia 243
Centotheca 452
Centrospermum 246
Centunculus .. 331
Cephælis 487
Cephalophora .. 241
Ceranthera 469
Cerasus 485
Ceratiola 491
Ceratocarpus .. 340
Ceratochloa 454
Ceratophyllum .. 376
Ceratospermum 340
Cerbera 274
Cerbera 274
Ceresia 441
Cerinthe 291
Ceropegia 278
Cestrum 301
Ceterach 461
Chætaria 444
Chætocalyx 477
Chætospora 437
Chæturus 442
Chailletia 473
CHAILLETIACEÆ 473
Chamædorea 431
Chamæledon 266
Chamælirium .. 429
Chamærops 431
Chamærops 431
Chamissoa 336
Chamissoa 336
Chara 458
CHARACEÆ 458
Cheilanthes 464
Chelone 305
Chenolea 338
CHENOPODEÆ 338
Chenopodium .. 338
Chenopodium 336, 338, ... 340
Chilochloa 441
Chiloglottis 384
Chilopsis 283
Chimaphila 263
Chionanthus 271
Chironia 282
Chlidanthus 406
Chloanthes 323
Chlora 281
Chloraster 408
Chloris 447
Chloris 447
Chlorophytum .. 417
Chondrosium .. 455
Chorizema 474
Chrysanthemum 245, ... 487

Page.
Chrysanthemum 245, 246
Chrysiphiala 406
Chrysophyllum 269
Chrysopogon 446
Chrysurus 447
Cicca 358
Cicendia 282
Ciconium 471
Cinna 443
Cinna 443
Cinnamomum 344
Cipura 394
Cirrhæa 386
Cistus 468
Citharexylum 323
Cladanthus 244
Cladium 437
Cladostachys 356
Clematis 465
Cleome 468
Cleonia 314
Clerodendrum 322
Clethra 254
Cliftonia 254
Clinopodium 315
Clitoria 477
Clitoria 477
Cluytia 360
Cobœa 284
COBŒACEÆ 284
Cochlearia 467
Cocos 432
Codarium 484
Codon 489
Cœlogyne 386
Coix 457
Colbertia 465
Colchicum 428
Coleanthus 441
Colebrookia 324
Colletia 472
Collinsonia 312
Colobachne 444
Colpodium 443
Columnea 303
Colutea 478
Comandra 352
Combretum 485
Comesperma 469
Commelina 430
Commelina 430
COMMELINEÆ 430
Comptonia 370
Conanthera 423
Conchium 349
CONIFERÆ 371
Connarus 473
Conospermum 348, 490
Conostylis 400
Conostylis 400
Convallaria 415
Convallaria 415
CONVOLVULACEÆ 286
Convolvulus 286
Convolvulus 287, 289
Corallorrhiza 385
Corbularia 407
Page.
Cordia 294
Cordia 295
Cordyline 424
Coreopsis 487
Coris 331
Corispermum 340
Cornucopiæ 440
Cornutia 323
Cornutia 323
COROLLIFLORÆ, 267
Coronilla 478
Cortusa 329
Corybas 385
Corycarpus 455
Corylum 383
Corydalis 466
Corylus 368
Corynephorus 445
Corypha 431
Corypha 431
Corysanthes 385
Cosmelia 488
Costus 390
Cotoneaster 485
Cotula 243
Cotula 243
Coulteria 484
Craniolaria 285
Cratæva 468
Cratæva 468
Crepidaria 355
Crescentia 302
Crescentia 302
Cressa 290
Crinum 404
Crinum 406
Crocus 399
Crossandra 327
Crotalaria 474
Crotalaria 474, 476
Croton 359
CRUCIFERÆ 466
Crypsis 444
Cryptandra 472
Cryptarrhena 388
Cryptocarya 344
CRYPTOGAMEÆ 458
Cryptolepis 489
Cryptostegia 276
Cryptostylis 384
Cunila 310
Cunila 310
CUPRESSINÆ 372
Cupressus 372
Cupressus 372
CUPULIFERÆ 369
Curatella 469
Curculigo 401
Curcuma 389
Curtisia 473
Cuscuta 290
Cussonia 487
Cyanella 423
Cyanotis 430
Cyathea 464
Cyathodes 267, 488
Page.
CYCADEÆ 374
Cycas 374
Cyclamen 329
Cyclanthus 378
Cyclopia 474
Cymbaria 303
Cymbidium 386
Cymbidium 385, 386, 387, 388
Cymbopogon 446
Cymburus 324
Cynanchum 280
Cynanchum 279, 280
Cynodon 444
Cynoglossum 294
Cynoglossum 293, 294
Cynosurus 454
Cynosurus 446, 447
Cypella 394
CYPERACEÆ 435
Cyperus 438
Cyphia 248
Cypripedium 388
Cyrilla 254
Cyrilla 303
Cyrtanthus 406
Cyrtanthus 406
Cyrtopodium 386
Cyrtostylis 384
CYTINEÆ 381
Cytisus 476
Czackia 416
Dacrydium 372
Dactylanthes 356
Dactylis 454
Dactylis 440, 457
Dactyloctenium 454
Dæmia 280
Dais 351
DALBERGIEÆ 482
Dalbergia 477
Dalea 477
Dalechampia 358
Damasonium 374
Damasonium 375
Dammara 372
Dampiera 349, 488
Danthonia 451
Danthonia 451
Daphne 350
Darlingtonia 483
Darwinia 472
Datisca 468
DATISCEÆ 468
Datura 297, 489
Datura 297
Daubentonia 478
Davallia 464
Daviesia 475
Daviesia 474
Deeringia 336
Delphinium 465
Dendrobium 387
Dendrobium 387
Dentaria 467
Deschampsia 445
Desmanthus 483
Desmochæta 337
Page.
Desmochæta 330
Desmodium 478
Desmoncus 433
DETARIEÆ 484
Detarium 484
Dialium 484
Dianella 423
Diapensia 263
Diarrhena 455
Diascia 306
Diasia 309
Diastella 347
Dicerma 480
Dichondra 290
Dichorisandra 430
Dicksonia 464
Dicliptera 328
Diclytra 466
Digitalis 305
Digitaria 444
Digitaria 444, 445
Digraphis 445
Dilatris 400
Dilatris 400
DILLENIACEÆ, 465
Dillwynia 474
Dimacria 470
Dimorpha 484
Dineba 446
Dinetus 289
Dioscorea 413
DIOSCOREÆ 413
Diospyros 270
Diotis 340
Diplachne 455
Diplazium 463
Diplolepis 280
Diplophyllum 310
Dipodium 387
Dirca 359
Disa 383
Disandra 306
Dischidia 279
Disperis 383
Disporum 428
Dissolena 274
Diurus 384
Dodartia 303
Dodecatheon 339
Dolichos 481
Dolichos 481, 482
Dombeya 285, 372
Doodia 463
Doryanthes 409
Dorycnium 476
Dorstenia 364
Draba 467
Dracæna 424
Dracæna 423, 433
Dracocephalum 314
Dracontium 378
Dracontium 378
Dracophyllum 266, 488
Drepanocarpus 482
Drimia 420
Dryandra 350
Dryas 485
Dulichium 437

Page

Dumasia 477
Duranta 324
Duvallia 276
Duvaua 473
EBENACEÆ .. 270
Ebenus 480
Eccremocarpus .. 284
Echinaria 451
Echinochloa .. 448
Echinopogon .. 445
Echinospermum 293
Echites 275
Echites 275
Echium 291
Ehretia 294
Ehrharta 457
Ehrharta 457
ELÆAGNEÆ .. 353
Elæagnus 353
Elæodendron ... 472
Elæodendron 209
Elais 432
Elate 432
Elegia 435
Elelotis 480
Eleocharis 438
Elettaria 390
Eleusine 454
Ellisia 295
Elsholtzia 318
Elymus 450
Elyna 439
Elytraria 327
Embelia 268
Emblica 360
Embothrium .. 349
Embryopteris .. 270
Emericia 275
Emex 343
Empetrum 491
Enkianthus 254
Enodium 446
Entada 482
EPACRIDEÆ .. 266
Epacris 266, 488
Epacris 266
Epaltes 241
Ephedra 371
Epidendrum 387
Epidendrum 386, 387,
..... 388
Epigæa 264
Epipactis 384
Epipactis 384
ÆQUISETACEÆ 458
Equisetum 458
Eragrostis 453
Eranthemum .. 328
Eranthemum .. 330
Eremurus 416
Eria 387
Erianthus 446
Erica 255
Erica 255, 263
ERICEÆ 253
Erinus 306
Eriocaulon 435
Eriocephalus 243

Page.

Eriochilus 384
Eriogonum 343
Eriophorum 439
Eriophorum 439
Eriospermum .. 421
Eriostemon 471
Eriostemon 320
Erodendrum .. 346
Erpetion 469
Ervum 480
Erysimum 468
Erythræa 281
Erythrina 482
Erythronium 427
Erythrophleum .. 482
Esula 357
Ethulia 241
Euchroma 307
Euclea 491
Eucomis 420
Eucrosia 406
Eudesmia 486
Eulophia .. 388, 492
EUONYMEÆ .. 472
Euonymus 472
Euosma 282
Euphorbia 355
Euphorbia 355
EUPHORBIACEÆ
.. .. 355
Euphrasia 306
Eurycles 406
Eurycles 346
Eustachys 447
Eustegia 280
Eustoma 282
Eustrephus 423
Euterpe 432
Euthales 248
Evolvulus 289
Exacum 282
Exacum 282
Excœcaria 361
Exocarpos 352

Fagelia 481
Fagus 370
Falkia 290
Farsetia 467
Ferraria 396
Ferraria 396
Ferreola 270
Festuca 455
Festuca 454, 455, 456,
..... 457
Feuillæa 486
Fibigia 467
Ficus 361
Fieldia 284
FILICES 459
Fimbristylis 438
Flagellaria 434
FLUVIALES .. 376
Fontanesia 271
Forskohlea 364
Fothergilla 371
Frasera 281
Fraxinus 270
Fraxinus 271

Page.

Fritillaria 426
Fuchsia 485
Fuirena 439
Fumaria 466
Funkia 409
Furcræa 424
Fusanus 352

Gagea 418
Gagnebina 482
Galanthus 408
Galarhæus 357
Galax 263
Galaxia 396
Galaxia 396
Galega 477
Galenia 340
Galeobdolon 319
Galeopsis 319
Ganymedes 407
Gardenia 487
Gasteria 411
Gastronema 406
Gastridium 441
Gaudinia 452
Geissorhiza 399
Gelonium 491
Gelsemium 273
Genista 484
Genista 476
Gentiana 280
Gentiana 282
GENTIANEÆ 280
Geodorum 385
GEOFFREÆ .. 484
Geoffroya 484
Geoffroya 484
Geonoma 432
Geranium 492
Gerardia 307
Gerardia 307
GESNEREÆ .. 252
Gesneria 252
Gethyllis 408
Gethyra 390
Ghinia 324
Gilia 286
Gilliesia 434
Gingko 370
Gisekia 337
Gladiolus 397
Gladiolus 396, 397, 398,
..... 399
Glaux 331
Glechoma 319
GLEICHENEÆ 460
Gleichenia 460
Globba 389
Globba 389
Globularia 331
GLOBULARIÆ 331
Gloriosa 427
Glossodia 385
Glossula 383
Glottidium 478
Gloxinia 252, 488
Glyceria 453
Glycine 476
Glycine 481, 482

Page.

Glycosmis 470
Gmelina 328
Gnetum 364
Gnidia 351
Gomeza 385
Gomeza 386
Gomphocarpus .. 280
Gomphocarpus .. 279
Gompholobium .. 474
Gomphrena 337
Gomphrena 337
Gomutus 433
Gongora 387
Gonolobus 279
Gonostemon 278
Goodenia 248, 488
Goodenia .. 248, 249
GOODENOVIEÆ
..... 248
Goodyera 388
Goodyera 383
Gouania 472
Græmia 241
GRAMINEÆ .. 439
Grammitis 461
Grangea 243
Grangeria 495
Gratiola 308
Gratiola 308
Grevillea .. 348, 490
Griffinia 404
Gualtheria 253
Gualtheria 253
Gunnera 364
Guzmannia 425
Gymnadenia 382
Gymnema 279
Gymnogramma .. 461
Gymnostachys .. 378
Gymnostyles 243
Gynandropsis .. 468
Gyrocarpus 345
Gyromia 415
Gyrotheca 400

Habenaria 382
Habranthus 402
Hæmadictyon .. 275
Hæmanthus 404
Hæmanthus 404
HÆMODORACEÆ,
..... 400
Hæmodorum 400
Hakea 349, 490
Halesia 268
Halimodendron .. 478
Halleria 303
HAMAMELIDEÆ,
..... 371
Hamamelis 371
Hamiltonia 352
Hardwickia ... 484
Haronga 470
Harrachia 327
Hartogia 473
Hastingia 323
Haworthia 411
Hebenstreitia .. 325
Hedeoma 310

Page.

Hedychium 390
HEDYSAREÆ 478
Hedysarum 480
Hedysarum 477, 478, ... 479, 480
Heleochloa 444
Helianthemum .. 468
Heliconia 392
Heliopsis 487
Heliotropium .. 290
Heliotropium 290, 294
Helleborine 382
Hellenia 390
Helonias 429
Helonias 429
HEMEROCALLIDEÆ 409
Hemerocallis 409
Hemerocallis 416
Hemidesmus 276
Hemimeris 310
Hemimeris 306
Hemionitis 460
Heritiera 400
Herminium 382
Hermione 408
Hernandia 345
Herpestis 305
Hesperantha 399
Hesperis 468
Heteranthemis .. 240
Heteranthera ... 429
Heteranthera 429
Heteropogon 446
Hexaglottis 398
Hibbertia 465
Hibiscus 469
Hierochloe 445
Hippeastrum .. 403
Hippia 243
Hippia 243
Hippion 282
Hippocrepis 478
Hippomane 359
Hippophae 353
Hippophae 353
HIPPURIDEÆ 376
Hippuris 376
Hirtella 485
Hoarea 470
Hoitzia 286
Holcus 447
Holcus 447
Holmskioldia .. 323
Homeria 395
Hopea 267
Hordeum 444
Horminum 314
Hornemannia 306
Hosta 323
Hottonia 331
Houstonia 282
Houttuynia 378
Hovea 475
Hovenia 472
Hoya 278
Hudsonia 469
Huernia 278

Page.

Humulus 364
Hura 360
Hyacinthus 419
Hyacinthus 418, 419, ... 420, 421
Hyænanche 491
HYDROCHARIDEÆ 374
Hydrocharis 374
Hydrochloa 453
Hydroglossum 460
Hydrolea 286
HYDROLEACEÆ, ... 286
HYDROPHYLLEÆ 295
Hydrophyllum .. 295
Hydrophyllum .. 295
Hygrophila 326
Hymenocallis 406
Hymenophyllum 464
Hymenophyllum 464
Hyoscyamus 297
Hyoscyamus 297
Hyperanthera .. 484
Hypericum 470
Hyphæne 432
Hypocalyptus .. 476
Hypoestes 328
Hypolæna 435
Hypopithys 263
HYPOXIDEÆ 401
Hypoxis 401
Hyptis 320
Hyssopus 318
Hyssopus 320
Iantha 388
Iberis 468
Ichnocarpus 275
Ilex 473
Ilex 473
Illecebrum .. 336, 337
Imbricaria 209
Imperata 446
Incarvillea .. 283, 284
Indigofera 477
Inga 483
Inga 483
Inocarpus 269
Ionopsis 388
Ipomœa .. 287, 489
Ipomœa 289
Ipomopsis 286
Iresine 337
IRIDEÆ 393
Iris 393
Iris 394, 395
Isachne 449
Isanthus 317
Ischæmum 447
Ismene 407
Isochilus 387
Isœtes 458
Isolepis 438
Isopogon 340, 490
Isotoma 248
Itea 266
Itea 254

Page.

Ixia 398
Ixia .... 395 to 399
Jacaranda 284
Jacaranda 283
Jacksonia 474
Jacquinia 268
Janipha 359
Jasione 251
JASMINEÆ .. 272
Jasminum 272
Jatropha 359
Jatropha 359
Jonesia 484
JUNCAGINEÆ, 375
JUNCEÆ 433
Juncus 434
Juncus 434
Juniperus 372
Justicia 327
Justicia 326, 327, 328
Kæmpferia 389
Kalmia 264
Kennedia 481
Kernera 467
Kirganelia 360
Knappia 443
Kobresia 437
Kochia 338
Kochia .. 338, 339
Kœleria 451
Kœnigia 344
Koniga 467
Kyllinga 439
LABIATÆ 310
Lablab 481
Lachenalia 419
Lachenalia 419, 420, 421
Lachnanthes .. 400
Lachnæa 351
Lagetta 350
Lagonychium 483
Lagurus 445
Lamarckia 447
Lambertia 349
Lamium 319
Lanaria 400
Lancisia 243
Lantana 324
Lapeyrousia 396
Lapeyrousia 396
Lappago 444
Larrea 471
Latania 431
Lathræa 328
Lathyrus 480
LAURINÆ .. 344
Laurophyllus .. 492
Laurus 344
Laurus 344
Lavandula 316
Laxmannia 422
Lebeckia 477
Lechenaultia .. 248
Lecythis 486
Ledum 266
Ledum 266
Leersia 441
Leimanthium .. 429

Page.

Leiophyllum 266
Lemna 376
LENTIBULARIEÆ, ... 329
Leonotis 322
Leonurus 321
Lepechinia 315
Lepidagathis .. 327
Lepidium .. 468
Lepidosperma .. 437
Leptandra 308
Leptanthus 429
Leptocarpus 435
Leptochloa 454
Leptomeria 352
Leptospermum .. 486
Lepturus 447
Lepyrodia 435
Lessertia 478
Lestibudesia 336
Lettsomia 289
Leucadendron .. 345
Leucadendron .. 347
Leucas 321
Leucojum 408
Leucopogon 267, 488
Leucospermum .. 347
Licuala 432
Lidbeckia 243
Lidbeckia 243
Lightfootia 249
Ligustrum 272
Lilium 427
Lilium 427
Limnetis 440
Limnocharis 375
Limodorum 385, 388
Limosella 306
Linaria 303
Lindernia 306
Lindernia 306
Lindsæa 404
Linociera 271
Liparis 475
Liparis 384
Lippia 325
Lippia 325
Liquidambar 370
Lisianthus 282
Lissanthe .. 267, 488
Lissochilus 386
Listera 384
Lithospermum .. 290
Lithospermum .. 291
Littæa 424
Littorella 334
Livistona 431
Lobelia 246
Lobelia 248
LOBELIACEÆ 246
Logania 282
Loiseleuria 266
Lolium 450
Lomandra 433
Lomaria 463
Lomatia 491
Lomatophyllum .. 428
Lonchitis 464

INDEX GENERUM. II

Page.

Lonchocarpus .. 477
Lophiola 400
Lophira 487
LOPHIREÆ .. 487
LOTEÆ 475
Lotus 476
Lotus 476
Lourea 478
Loureira 361
Lubinia 331
Lucuma 269
Ludolfia 457
Ludovia 378
Lumnitzera 313
Luzula 434
Luzuriaga 423
Lycium 301
Lycopersicum .. 299
Lycopodium 459
Lycopodium 459
Lycopsis 292
Lycopsis .. 292, 293
Lycopus 310
Lycoris 403
LYCOPODIACEÆ
..... 459
Lygeum 440
Lygodium 460
Lyonia 254
Lyonsia 276
Lyperanthus 385
Lysimachia 331
Lysinema .. 266, 488
Maba 270
Macleaya 466
Maclura 362
Macradenia 386
Macrolobium 484
Macrotropis 474
Mæsa 268
Mairania 253
Malaxis 385
Malaxis 384
Malpighia 470
Mandragora 298
Manglilla 269
Manicaria 433
Manisurus 448
Manna 480
Mantisia 389
Manulea 306
Maranta 392
Maranta 392
Marattia 460
Marica 394
Marica 395
Mariscus 439
Mariscus 437
Marrubium 321
Marsdenia 279
Marsilea 459
MARSILEACEÆ
..... 458
Martynia .. 285, 489
Martynia 285
Massonia 420
Massonia 418
Mathiola 466

Page.

Matricaria 244
Mattia 293
Maurandia 303
Mauritia 432
Maxillaria 387
Maximiliana 432
Maytenus 472
Mazus 306
Medeola 423
Medeola 415
Medicago 476
Medusea 356
Megaclinium .. 386
Megastachya .. 454
Melaleuca 486
Melampyrum .. 307
MELANTHACEÆ
..... 428
Melanthium 428
Melanthium 428, 429
Melasphærula .. 399
Melastoma 486
Melica 445
Melichrus 488
Melinis 444
Melilotus 476
Melilotus 476
Melissa 313
Melissa 315
Melittis 315
Melocanna 457
Melodinus 276
Meniscium 461
Mentha 318
Menyanthes 282
Menyanthes 282
Menziesia 263
Mercurialis 385
Mertensia 364
Mertensia 460
Mesembryanthemum
..... 486
Mespilus 485
Messerschmidia .. 294
Messerschmidia .. 294
Methonica 427
Metrosideros 486
Michauxia 249
Microcale 282
Microchloa 444
Microlæna 457
Microloma 280
Microstylis 385
Microtea 338
Microtis 384
Miegia 457
Milium 442
Milium .. 442, 449
Millingtonia 283
Mimetes 347
MIMOSEÆ .. 482
Mimulus 306
Mimusops 269
Mirabilis 335
Mirbelia .. 475, 492
Mirobolanus 485
Mitrasacme 282, 489
Modecca 355

Page.

Molucella 322
Monachne 449
Monarda 310
Monerma 448
Monerma 448
MONOCHLAMY-
DEÆ 332
MONOCOTYLE-
DONEÆ 374
Monopsis 248
Monotoca .. 267, 488
Monotropa 264
Monotropa 263
MONOTROPEÆ .. 263
Moræa 394
Moræa 393, 394, 395, 396
Moringa 484
Morisonia 468
Morus 363
Morus 362
Mozinna 361
Mucuna 482
Muhlenbergia .. 444
Muruçuia 355
Musa 392
MUSACEÆ .. 392
Muscari 419
Mygalurus 456
Myginda 473
Mylocaryum 254
MYOPORINEÆ 325
Myoporum 325
Myosotis 293
Myosotis 290, 292, 293
Myrica 370
MYRICEÆ 370
Myristica 345
MYRISTICÆÆ 345
Myrospermum .. 474
Myrsine 268
Myrsine 268
MYRSINEÆ .. 268
Myrsiphyllum .. 423
Najas 376
Nama 286
Narcissus 407
Narcissus 407
Nardus 439
Nardus 448
Nartheclum 434
Nemesia 303
Nemopanthus .. 473
Nemophila 295
Neottia 383
Neottia 383
Nepenthes 381
Nepeta 319
Nepeta 314
Nephrodium 462
Nerine 403
Nerium 274
Nerium 274
Nicandra 298
Nicotiana 297
Nipa 433
Nissolia 477
Nivenia 348
Noisettia 409

Page.

Nolana 296
Nolina 429
Nonea 292
Notelæa 271
Notholæna 460
Notylia 386
Nuttallia 469
NYCTAGINEÆ, 334
Nyctanthes 272
Nycterisition 269
Nycterium 301
Nyssa 352
Obesia 278
Ochrosia 274
Octomeria 386
Ocymum 313
Ocymum 313
Œnocarpus 432
Olea 271, 480
Olea 271
OLEINÆ 270
Olyra 457
Omphalea 359
Omphalobium .. 473
Omphalodes 293
Oncidium .. 386, 492
Onobrychis 480
Onoclea 463
Onoclea 463
Ononis 476
Onosma 291
Onosmodium 211
OPHIOGLOSSEÆ,
..... 459
Ophioglossum 459
Ophiopogon 415
Ophioxylon 273
Ophioxylon 274
Ophrys 382
Ophrys 382, 383, 384
Ophyostachys 439
Oplismenus 448
Oplotheca 490
Orbea 276
ORCHIDEÆ .. 381
Orchis 381
Orchis 381
Origanum 317
Ormocarpum 478
Ornithidium 387
Ornithocephalus 386
Ornithogalum 417
Ornithogalum 418
Ornithoglossum 428
Ornus 271
Orobanche 328
OROBANCHEÆ,
..... 328
Orobus 480
ORONTIACEÆ .. 377
Orontium 378
Orontium 378
Orthoceras 384
Orthopogon 448
Oryza 457
Oryzopsis 439
Osmunda 460
Osmunda 459, 460, 463

Page.
OSMUNDACEÆ,460
Ostrya 368
OSYRIDEÆ .. 352
Osyris 352
Otanthus 241
Outea 484
Ovieda 322, 396
Oxybaphus 334
Oxycoccus 253
Oxypetalum 489
Oxyria 342
Oxystelma 280
Pachidendron .. 410
Pachyrhizus 481
Pachysandra 358
Pæderia 487
Pæderota 308
PALMÆ 431
Pancratium 406
Pancratium 406, 407
PANDANEÆ .. 377
Pandanus .. 377, 491
Panicum 448
Panicum 440
Papaver 466
PAPILIONACEÆ, ... 474
Pappophorum .. 451
Papyrus 439
Pardanthus 395
Pariana 458
Parietaria 364
Paris 415
Parivoa 484
Parkia 483
Parsonsia 275
Paspalum 441
Paspalum 441
Passerina 351
Passerina 351
Passiflora 354
Passiflora 355
PASSIFLOREÆ 354
Patagonula 295
Patersonia 395
Pectinaria 276
PEDALINÆ .. 284
Pedalium 284
Pedicularis 307
Pedilanthus 355
Pelargonium 470
Pelexia 383
Peliosanthes 491
Penæa 488
PENÆACEÆ ... 488
Penicillaria 440
Pennisetum 440
Pennisetum 440
Penstemon 305
Pentzia 241
Peperomia 380
Pergularia 279
Pergularia 275
Periballia 445
Perilla 318
Periploca 276
Periploca .. 276, 280
Perotis 441
Persea 344
Persea 344
Persoonia .. 348, 490
Petiveria 338
Petræa .. 323, 490
Petrophila .. 346, 490
Petunia 297
Phacelia 295
Phalangium 416
Phalaris 445
Phalaris 441, 445
Pharus 457
Phaseolus 481
Phaylopsis 327
Phebalium 471
PHILADELPHEÆ, ... 486
Phillyrea .. 272, 492
Philoxerus 337
Philydrum 434
Phleum 441
Phleum 441
Phlomis 321
Phlomis 322
Phlox 285
Phœnix 431
Pholidota 388
Phollurus 448
Phormium 424
Phragmites 457
Phryma 314
Phrynium 391
Phycella 404
Phyllanthus 360
Phyllanthus 360
Phyllolobium 482
Phylloma 423
Phylogyne .. 407, 408
Physalis .. 298
Phytalephas 377
Phyteuma 251
Phytolacca 337
PHYTOLACEÆ, 337
Piaranthus 278
Picotia 293
Picramnia 478
Pictetia 478
Pilea 364
Pilularia 458
Pimelea .. 351, 491
Pinguicula 329
Pinus 373
Pinus 372, 373
Piper 380
Piper 380, 381
PIPERACEÆ.. 380
Piptatherum 442
Piscidia 478
Pisonia 335
Pitcairnia 425
Planera 364
PLANTAGINEÆ, ... 333
Plantago 333
PLATANEÆ 370
Platanthera 382
Platanus 370
Platylobium 474
Pleotranthus 313
Plectranthus 317
Plectronia 472
Pleea 433
Pleopeltis 461
Pleurandra 465
Pleurothallis 386
Pleurothallis 386
Plukenetia 358
PLUMBAGINEÆ, ... 332
Plumbago 333
Plumeria .. 275, 489
Poa .. 452, 491
Poa .. 451, 453
Pocockia 476
Podalyria 474
Podanthes 278
Podocarpus 371
Podolobium 474
Podopterus 343
Podostigma 280
Pogonia 384
Pogonia 325
Pogostemon 318
POLEMONIACEÆ, ... 285
Polemonium 285
Polianthes 409
Pollinia 446
Polybotrya 464
Polycnemum 340
Polygala 469
Polygonatum .. 415
POLYGONEÆ 341
Polygonum .. 341
Polygonum .. 338, 342
POLYPODIACEÆ 460
Polypodium .. 461
Polypogon 441
Polypogon 444
Polystachya .. 387
Pomaderris 472
Ponceletia 488
PONTEDEREÆ 420
Pontederia 429
Ponthieva .. 383
Populus 367
Porana 289
Porana .. 289
Poranthera .. 491
Porliera 471
Potamogeton .. 376
Potamophila .. 457
Pothos 377
Pothos 378
Pourretia 425
Prasium 314
Prasophyllum .. 383
Premna 323
Prescotia 384
Prestonia 275
Priestleya 474
Primula 329
Primula 330
PRIMULACEÆ 329
Prinos 473
Prismatocarpus .. 251
Priva 324
Priva 324
Proiphys 406
Prosopis 483
Prostanthera 315, 490
Protea 346
Protea 345, 346, 347, 348
PROTEACEÆ 345
Prunella ....} 318
Prunus 485
Psamma 457
Psilotum 459
Psilurus 448
Psophocarpus .. 481
Psoralea 477
Ptelidium 473
Pteris 463
Pterostylis 385
Pterygodium 385
Pueraria 477
Pulmonaria 291
Pulmonaria 291
Pultenæa 474
Pupalia 337
Puschkinia 417
Pycnanthemum .. 317
Pycnostachys .. 322
Pyrethrum 246
Pyrola 263
Pyrola 263
Pyrularia 352
Pyrus 485
Pyxidanthera ... 263
Queltia 407
Quercus 369
Rafnia 475
Rajania 413
Ramonda 296
RANUNCULACEÆ 465
Ranunculus 465
Rauwolfia 273
Rauwolfia 273
Ravenalia 392
Renealmia 395
Renealmia 390
Reseda 468
RESEDACEÆ 468
RESTIACEÆ .. 435
Restio 435
Retzia 286
Rhabdochloa 454
Rhagodia 340
Rhamnus 364
Rhapis 431
Rheum 343
Rhinanthus 307
Rhipidodendron 411
Rhododendron 264
Rhodora 264
RHODORACEÆ, 264
Rhopala 349
Rhus 473
Rhynchosia 481
Rhynchospora .. 437
Richardia 378
Ricinus 359

Page.
Rindera 293
Ripidium 446
Ripogonum 414
Ritchiea 468
Rivina 338
Robinia 477, 478
Rochelia 293
Rodriguezia 385
Roella 251
Roella 250
Rohdea 378
Roscoea 389
Rosmarinus 310
Rostraria 457
Rothia 480
Rottboellia 447
Rottboellia 447
Royena 270
Rudolphia 482
Ruellia 326
Ruellia 327
Rulingia 492
Rumex 342
Rumex 342, 343
Ruppia 376
Ruscus 415
Russelia 303
Sabal 431
Sabbatia 481
Saccharum 446
Saccharum 446
Sagittaria 375
Sagus 432
SALICEÆ 365
Salicornia 340
Salisburia 370, 491
Salix 365
Salmia 378
Salpianthus 335
Salsola 338
Salsola 338, 339
Salvia 310
Salvinia 459
Samara 268
Samolus 331
Sanseviera 409
SANTALACEÆ, 352
Santalum 352
Santolina 241
Santolina 241
Sapium 359
SAPOTEÆ 269
Saracha 298
Sarcanthus 388
Sarcochilus 387
Sarcococca 491
Sarcolobus 279
Sarcostemma 280
Sarracenia 466
SARRACENIÆ 466
Satureja 317
Satyrium 383
Satyrium 382, 383
Saururus 380
Scævola 248
Schæfferia 492
Schelhammera 428, 492
Schenodorus 455
Page.
Scheuchzeria 375
Schinus 473
Shisanthes 407
Schismus 445
Shizæa 460
Shizanthus 308
Schmidtia 441
Schœnus 437
Schœnus 437, 438
Schollera 253, 420
Schotia 484
Schwenckia 308
Scilla 418
Scilla 416, 419
Scirpus 438
Scirpus 438
SCITAMINEÆ 389
Scleria 437
Sclerochloa 453
Scleroxylum 269
Scolopendrium 463
Scolopendrium 461
Scoparia 302
Scopolia 297
Scrophularia 304
SCROPHULARINÆ 302
Scutellaria 315
Seaforthia 433
Sebæa 282
Secale 449
Secale 449, 450
Secamone 276
Securinega 361
Selago 325
Serapias 382
Serapias 384
Serruria 347
Sersalisia 269
SESAMEÆ 285
Sesamum 285
Sesbania 477
Sesbania 478
Sesleria 451
Sesleria 451
Setaria 440
Seymeria 307
Shepherdia 353
Sibthorpia 306
Sideritis 317
Sideroxylon 269
Sideroxylon 268, 269
Sinapis 468
Sinningia 488
Siphonanthus 322
Siphonia 359
Sisymbrium 468
Sisyrinchium 395
Smeathmannia 355
SMILACEÆ 414
Smilacina 415
Smilax 414
Smithia 478
Soja 481
Solandra 302, 489
SOLANEÆ 295
Solanum 299
Solanum 299, 301
Page.
Soldanella 329
Soliva 243
Sophora 474
Sophora 474
SOPHOREÆ 474
Sorghum 447
Sorocephalus 348
Sowerbæa 422
Sparaxis 398
Sparaxis 398
Sparganium 377
Spartina 440
Spatalla 348
Spathodea 284
Sphærospora 398
Spielmannia 324
Spigelia 282
Spinacia 340
Sporobolus 443
Stachys 320
Stachytarpheta 324
STACKHOUSEÆ 492
Stackhousia 492
Stanleya 408
Stapelia 277
Stapelia 276, 277, 278
Staphylea 472
STAPHYLEACEÆ 472
Statice 332
Statice 332, 333
Stegania 463
Stelis 385
Stellera 351
Stemodia 303
Stenanthera 267
Stenocarpus 349
Stenochilus 326
Stenomesson 406
Sternbergia 401
Stilago 361
Stillingia 360
Stipa 442
Stizolobium 483
Stratiotes 374
Strelitzia 392
Streptium 324
Streptopus 415
Strophanthus 274
Strumaria 404
Struthiola 351
Struthiopteris 463
Strychnos 273
Stylandra 280
STYLIDEÆ 248
Stylidium 248
Stypandra 417
Styphelia 267, 488
Styphelia 267
STYPHELIÆ 267
STYRACINEÆ 267
Styrax 267
Suardia 444
Sutherlandia 478
Swartzia 482
SWARTZIEÆ 482
Sweetia 480
Page.
Swertia 281
Swertia 282
Syagrus 432
Symphytum 291
Sympieza 255
Symplocarpus 378
SYMPLOCINEÆ 267
Symplocos 267
Synnotia 398
Syntherisma 444
Syringa 272
Tabernæmontana 274
Tacca 379
TACCACEÆ 379
Tacsonia 355
Tænites 464
Tagetes 487
Taliera 431
Tamarindus 484
Tamonea 324
TAMEÆ 414
Tamus 414
Tamus 413
Tanacetum 241
Tanacetum 241
Tanæcium 302
Tarchonanthus 241
Tasmannia 466
Taxanthema 332
TAXINÆ 371
Taxodium 372
Taxus 371
Taxus 371
Tecoma 284
Tectona 324
Teedia 308
Telopea 349
Tephrosia 477
Terminalia 485
Testudinaria 413
Tetracera 465
Tetranthera 344
Tetrapogon 449
Tetratheca 409
Teucrium 316
Thalia 391
Thalictrum 465
Thamnochortus 435
Thelygonum 364
Thelymitra 384
Thenardia 275
Theophrasta 273
Thermopsis 474
Thesium 352
Thesium 352
Thrinax 432
Thuja 372
Thunbergia 326
Thymbra 315
THYMELÆÆ 350
Thymus 314
Thymus 314, 315
Thysanotus 423
Tiaridium 290
Tigridia 396
Tigridia 394
Tillandsia 425

INDEX GENERUM.

Page.

Tithymalus 356
Tittmannia 306
Todea 460
Tofieldia 428
Torenia 306
Tortula 324
Tournefortia 294
Tournefortia 290, 294
Tourrettia 285
Trachelium 251
Trachynotia 440
Tradescantia .. 430
Tradescantia 430
Tragia 361
Tragopyrum 342
Tragus 444
Treisia 356
Trevirania 303
Trewia 491
Tribrachia 386
Trichæta 456
Trichochloa 443
Trichodesma 294
Trichodium 442
Tricholæna 446
Trichomanes 464
Trichonema 399
Trichophorum .. 439
Trichorhiza 388
Trichostemma .. 314
Trichostemma .. 317
Tricoryne 417
Tridens 451
Tridentea 277
Trientalis 331
Trifolium 476
Triglochin 375
Trigonella 476
Trigonia 470
Trillium 415
Trimezia 394
Triodia 451
Triodia 451
Triphora 384

Page.

Triplinaria 302
Triplaris 343
Tripsacum 448
Tripsacum 448
Tristania 486
Tristegis 444
Triticum 449
Triticum 449, 450, 456
Tritoma 409
Tritonia 398
Trizeuxis 386
Trochocarpa 267
Trollius 465
Tromotriche 277
Trophis 491
Tulbagia 409
Tulipa 426
TULIPACEÆ .. 426
Tupistra 378
Turpinia 472
Tylophora 278
Typha 377
TYPHINÆ 377
Ugena 460
Ulmus 364
Ulmus 364
Uniola 454
Urania 392
Uraria 479
Uropetalum 419
Urtica 363
Urtica 363
URTICEÆ 361
Utricularia 329
Uvaria 466
Uvularia 428
Uvularia .. 415, 428
VACCINIEÆ 252
Vaccinium 252
Vaccinium 253
Vallaris 275
Vallesia 273
Vallisneria 374
Vallota 406

Page.

Vanda 388
Vanda 388
Vandellia 306
Vanilla 388
Varronia 295
Vasco 475
Velleia 248
Veltheimia 409
Ventenatia 248
Veratrum 429
Verbascum 296
Verbascum 296
Verbena 325
Verbena 324
VERBENACEÆ 322
Verbesina 487
Veronica 308, 489
Veronica 308, 310
Vesicaria 467
Vestia 297
Viborgia 476
Vicia 480
Vieusseuxia 394
Vigna 481
Villarsia 282
Vilmorinia 477
Vinca 274
Viola 469
Visnea 485
Vitex 323
Vitex 323
Vittaria 468
Vochisia 470
VOCHISIÆ .. 470
Vohiria 489
Volkameria 322
Volkameria 322
Vouapa 484

Wachendorfia .. 400
Wahlenbergia .. 249
Walkera 472
Wallichia 432
Wallrothia 323
Wangenheimia .. 446
Watsonia 397
Westringia 316
Whitleya 298
Willdenovia 435
Willughbeia 276
Windsoria 451
WINTEREÆ .. 466
Witheringia 301
Witsenia 395
Woodsia 461
Woodsia 464
Woodwardia .. 468
Wrightia 274
Wulfenia 308
Wurmbea 428

Xanthochymus .. 470
Xanthorrhœa 424
Xerophyllum 429
Xerotes 433, 492
Xiphidium 400
Xylobium 387
Xylomelum 349
Xylophylla 360
Xyris 435
Xysmalobium 280

Yucca 426

Zamia 374
Zannichellia 376
Zapania 324
Zea 457
Zephyranthes .. 481
Zieria 471
Zietenia 320
Zigadenus 429
Zingiber 389
Zizania 458
Ziziphora 310
Zizyphus 472
Zizyphus 364
Zornia 478
Zornia 480
Zostera 380
Zoysia 441
Zuccagnia 419

ENGLISH INDEX to PART II.

	Page.
ABELE-TREE	367
Adam's-needle	426
Adder's-tongue	459
African Almond	348
African fleabane	241
African Lily	409
Air-plant	388
Alder	368
Alligator-pear	344
All-seed	339
Amaranth	335
Amboyna-pitch-tree	372
American Cowslip	329
Arbor-vitæ	372
Archangel	319
Arrow-grass	375
Arrow-head	375
Arrow-root	392
Asarabacca	353
Ash-tree	270
Aspen	367
Asphodel	416
Auricula	330
Badger-bane	465
Balm	313
Balsam-herb	327
Balsam of Tolu	474
Bamboo-cane	457
Banana-tree	392
Banyan-tree	362
Barbadoes Lily	403
Barley	444
Basil	313
Bastard Balm	315
Bastard Cabbage-tree	484
Bastard Mangeneel	275
Bastard Orpine	360
Bastard Pimpernell	331
Bastard Vervain	324
Bay-tree	344
Bear-berry	263
Bear-bind	287
Bear's-breech	326
Bear's-ear Sanicle	329
Beast-bane	465
Beech	370
Bee Ophrys	382
Beet	340
Belladonna Lily	402
Benjamin-tree	344
Bent-grass	443
Bergamot	318
Bermudas Cedar	372
Betony	321
Bilberry	252
Bindweed	286
Birch	368
Bird's-eye	330
Bird's-foot Trefoil	476
Bird's-head	386
Bird's-nest	384
Bird's-tongue	428
Birthwort	353
Bitter Vetch	480
Black Bryony	414
Black Saltwort	331
Bladder-nut	472
Bladder-Senna	478
Blea-berry	252
Blood-flower	404
Bog-rush	437
Bonace-bark	351
Box-thorn	301
Box-tree	358
Brake	463
Brazil-Pine	372
Bread-fruit	362
Bread-nut	491
Brome-grass	456
Brook-weed	331
Broom-rape	328
Buckbean	282
Buckwheat	342
Buckwheat-tree	254
Bugle	315
Bugloss	292
Bulbous Iris	394
Bur-reed	377
Butcher's-broom	415
Butterwort	329
Cabbage-tree	432
Calabash-tree	302
Calamint	314
Calathian Violet	281
Calf's-snout	303
Camphire-tree	344
Canada-Rice	459
Canary-grass	445
Candleberry-Myrtle	370
Candy-tuft	468
Cane-brake	457
Canterbury-bells	250
Caper-spurge	357
Caper-tree	468
Cardamon	390
Cardinal-flower	247
Carrion-flower	277
Cascarilla	359
Cassava	359
Castor-oil-plant	359
Catalpa-tree	283
Catmint	319
Cat's-tail	377
Cat's-tail-grass	441
Cat-Thyme	316
Cedar of Goa	372
Cedar of Lebanon	373
Chamomile	243
Chaste-tree	323
Chestnut	370
Chili Pine	372
Chives	421
Cinnamon	344
Clary	312
Clearing-nut	273
Club-moss	459
Club-Rush	438
Cock's-comb	336
Cock's-foot-grass	454
Cocoa-nut-tree	432
Cogwood-tree	344
Colic-root	409
Comfrey	291
Contrajerva-root	364
Coral-tree	482
Cork-tree	369
Cornflag	397
Cornish moneywort,	306
Costmary	241
Cotton-grass	439
Couch-grass	449
Cowberry	253
Cowitch	482
Cowrie-tree	372
Cowslip	329
Cow-wheat	307
Cranberry	253
Crane's-bill	492
Crow-foot	465
Custard-Apple	466
Cypress	372
Darnel	450
Date-Palm	431
Date-Plum	270
Day-Lily	409
Deadly-nightshade	298
Dead-nettle	319
Dittany of Crete	317
Dock	342
Dodder	290
Dog's-bane	276
Dog's-cabbage	364
Dog's-tail-grass	440
Dog's-tooth Violet	427
Dragon	378, 379
Dragon's-head	314
Dragon-tree	424
Duck-weed	376
Dumb-cane	379
Egg-plant	300
Elastic-gum-tree	359
Elephant's-foot	413
Elm-tree	364
English Mercury	338
Evening-flower	399
Eye-bright	306
Fan-Palm	431
Feather-grass	442
Felwort	281
Fenugreek	476
Fescue-grass	455
Feverfew	246
Fiddle-wood	323
Fig Marygold	486
Fig-tree	361
Figwort	304
Filbert	368
Filmy-leaf	464
Fir-tree	373
Flat-pea	475
Flax-Lily	424
Flower de luce	393
Flowering Ash	271
Flowering Rush	375
Fly Ophrys	382
Foxglove	305
Foxtail-grass	441
Friar's-cowl	379
Fringe-tree	271
Fritillary	426
Frog-bit	374
Fumitory	466
Fustick-wood	362
Garden Balsam	328
Garland-flower	390
Garlic	421
Germander 309,	316
German Madwort	292
Gentian	280
Ginger	389
Glasswort	340
Globe Amaranth	337
Globe-flower	465
Goatweed	302
Golden-rod-tree	340
Goose-corn	434
Goose-foot	338
Grains of Paradise	390
Grape Hyacinth	419
Green-man	382
Greek Valerian	285
Gromwell	290
Ground Ivy	319
Ground-Pine	316
Guinea-grass	448
Gum-tree	424
Hair-grass	445
Hard-grass 447,	450
Harebell's	418
Hare's-foot-fern	464
Hare's-tail-grass	445
Hart's-tongue	463
Hassagay-tree	473
Heath	255
Hedge-hyssop	308
Hedge-nettle	320
Hemp	364
Hemp-nettle	319
Henbane	297
Henbit	319
Herbarota	244
Herb-Bennet	416
Hogweed	335

Page.

Holly 473
Honeywort 291
Hooded Milfoil 329
Hop 364
Hop-Hornbeam 368
Horehound 321
Hornbeam 368
Horn of plenty .. 440
Hornwort 376
Horse-radish-tree 484
Horse-shoe-Vetch 478
Horsetail 459
Horsetail-tree .. 371
Hound's-tongue 294
Hyacinth 419
Hyæna-poison .. 491
Hyssop 318
Indian corn 457
Indian Cucumber 415
Indian Millet .. 447
Indian Shot 391
Indigo 477
Ipecacuanha-spurge, ... 357
Irish Heath 263
Iron-wood 269
Ironwort 317
Jaca-tree 362
Jack in a box .. 345
Jacobea Lily 403
Jamaica Ebony 482
Jasmine 272
Jerusalem Sage 321
Job's-tears 457
Juniper 372
Kidney-bean 481
Knot-grass 342
Lace-bark 350
Ladies'-slipper .. 388
Ladies'-traces .. 383
Lady-fern 462
Lady's-smock .. 466
Lamp-wick 321
Larkspur 465
Lavender 316
Lavender cotton.. 241
Leadwort 333
Leatherwood .. 350
Leek 421
Lilac 272
Lily 427
Lily Pink 422
Lion's-ear 322
Lizard's-tail 380
Loose-strife 331
Lousewort 307
Love-Apple 299
Love-grass 454
Love lies bleeding 336
Lungwort 291
Lychnidea 285
Lyme-grass 450
Macaw-tree 432
Maidenhair 464
Maidenhair-tree 370, ... 491
Malabar Nightshade, ... 358

Page.

Malabar-nut 328
Male-fern .. 462, 463
Mammee 269
Manchineel-tree 359
Mandrake 298
Mangle wurzel 340
Mango-ginger .. 380
Manicot 432
Maple 470
Mare's-tail 376
Marjoram 317
Marvel of Peru 335
Mat-grass 439
Meadow-grass, 452, 492
Meadow-Rue .. 465
Meadow-Saffron 428
Medick 476
Medusa's-head .. 356
Melic-grass 445
Melilot 476
Mercury 355
Mexican Lily.... 402
Mezerion 359
Milfoil 244
Milk-tree 274
Milkwood 491
Milkwort 469
Millet-grass 442
Mint 318
Molucca-balm .. 322
Moneywort 331
Monkey-flower .. 306
Monk's Basil .. 318
Monkshood..... 465
Moonwort 459
Motherwort 321
Mousetail-grass 456
Mudwort 306
Mugwort 242
Mulberry 362
Mullein 296
Naseberry-tree 269
Nepaul Butter-tree 269
Nettle..... 363
Nettle-tree..... 364
New Zealand Spruce 372
Norfolk Island Pine 372
Nutmeg 345
Nut-tree 368
Oak 369
Oat-grass 452
Oil-nut 352
Oily-grain 285
Oily-Palm 432
Oleander 274
Oleaster 353
Olive 271, 489
Olive-wood 472
One-berry 416
Onion 421
Opera-girls 389
Orache 339
Osage Apple.... 362
Otaheite Chestnut 269
Otaheite Myrtle 361
Oxeye 244

Page.

Oxeye Daisy 245
Oxlip 330
Painted cup 307
Palma Christi .. 359
Panic-grass 448
Paper Mulberry 362
Paper-Rush 439
Passion-flower .. 354
Patience 343
Pear 485
Pellitory 364
Pellitory of Spain 243
Pennyroyal 319
Pepper 380
Perriwinkle 274
Persicaria 341
Phillyrea .. 272, 489
Physic-nut 359
Pillwort 458
Pimpernell 331
Pine Apple 424
Pine-tree 373
Pipewort 435
Pitcher-plant .. 381
Plane-tree 370
Plantain 333
Plantain-tree ... 393
Plum 485
Poet's Cassia.... 352
Poison-nut 273
Polyanthus 330
Polypody 461
Pond-weed 376
Poplar 367
Poppy 466
Potatoe 299
Potatoe Onion .. 421
Primrose 329
Prince's-feather 336
Privet 272
Quaking-grass .. 454
Quillwort 458
Ramoon-tree 491
Rampion 249
Red Cedar..... 372
Redtop-grass 451
Redwater-tree .. 482
Reed 457
Reed-grass..... 457
Rhubarb 343
Rice 457
Rocambole 421
Rocket 468
Rock-rose 468
Rope-grass..... 435
Rosemary 311
Rush 434
Rush-nut 438
Rye 449
Rye-grass 450
Sage 311
Sago-Palm 432
Saintfoin 480
Salep 379
Salt-tree 478
Saltwort 338
Sandal-wood 352
Sandbox-tree ... 360

Page.

Sapota 269
Sassafras-tree .. 344
Savanna-flower .. 275
Savory 317
Savoy Spiderwort 416
Scammony 286
Scorpion-grass .. 293
Screw-pine 377
Scrubby Oak.... 487
Scunkweed 378
Scurvy-grass 467
Sea Buckthorn .. 353
Sea Lavender .. 332
Sea Matweed 380, 457
Sea-side Grape .. 341
Sea-side Laurel.. 360
Sedge 435
Self-heal 313
Serpent-wood .. 273
Shallot 421
Shave-grass 458
Sheep's Scabious 251
Shepherd's-club 296
Shepherd's-purse 467
Shield-fern 461
Shoreweed 334
Side-saddle-flower 466
Silver-tree 345
Skull-cap 315
Slipper-spurge .. 355
Slipper-wort 307
Snakeroot 353
Snake's-beard .. 415
Snake's-tongue .. 460
Snake-wood 364
Snap-dragon .. 303
Sneezewort 244
Snowdrop 408
Snowdrop-tree .. 268
Snowflake 408
Solomon's-seal .. 415
Sorrel 343
Sorrel-tree 254
Southernwood .. 242
Spanish Elm 295
Spanish nut 394
Sparrow-wort .. 351
Speedwell 308, 489
Spider Ophrys.... 382
Spiderwort 430
Spinage 340
Spindle-tree 472
Spring-grass 440
Spurge 355
Spurge Laurel 351
Spurless Violet... 469
Squill 418
Staff-tree 472
Star-Apple..... 269
Star of Bethlehem 417
Star of the earth 334
St. Bruno's Lily 416
Stinking Horehound 321
St. John's-wort ... 470
Stock 466
Storax 267
Strawberry-blite 340

	Page.
Strawberry-tree	253
Sugar-cane	446
Sumach	473
Summer Cypress	338
Sun Rose	468
Swallow-wort	279
Sweet-Bay	344
Sweet-flag	378
Sweet-grass	453
Sweet gum-tree	371
Sweet Maudlin	244
Sweet Potatoe	288
Tacamahac	367
Tallow-tree	360
Tamarind	484
Tansy	241
Tare	480
Tarragon	242
Teak-wood	324
Thorn-Apple	297, 480
Thrift	332
Throat-wort	251
Tiger-flower	396
Tile-root	399
Toad-flax	303
Tobacco	297
Tomato	299
Tongue Aloe	411
Toothwort	328, 467
True-love	416
Trumpet-flower	283
Tulip	426
Tupelo	352
Turmeric	389
Turnsole	290
Tway-blade	384
Umbrella-wort	334
Venus'-looking-glass	251
Venus' Navelwort	293
Vervain	325
Viper's Bugloss	291
Virginian Hemp	340
Virginian Silk-tree	276
Virgin's-bower	465
Wall-cress	466
Wall-rue	462
Waratah	349
Water Horehound	310
Water-leaf	295
Water-pepper	342
Water-Plantain	375
Water-soldier	375
Water Starwort	376
Water-Violet	331
Water-weed	376
Wax Dammar	371
Wax-tree	272
Welsh Onion	421
Wheat	449
White Cedar	372
White Hellebore	429
Whitlow-grass	467
Whortle-berry	252
Wild Basil	315
Wild Bugloss	292
Wild Rosemary	254
Willow	365
Winter-berry	473
Winter-cherry	298, 299
Winter-cress	466
Winter-green	263, 331
Winter-green-grass	442
Witch-hazel	371
Wooden-pear	349
Woodrush	434
Woolhead	243
Wormwood	242
Yam	413
Yellow Bird's-nest	263
Yellow-rattle	307, 489
Yellow-wort	281
Yew-tree	371
Zedoary	389

ENGLISH INDEX. I

Achania 50
African Marygold 233
Agrimony 147
Akee-tree 70
Alaternus 93
Alexander's 187
All-seed .. 48, 175
Almond 133
Amber-tree 201
Angelica 192
Angelica-tree 193
Aniseed-tree .. 11
Anotta 33
Apple 188
Apple-berry 40
Apricot 133
Arracacha 190
Artichoke 215
Asafœtida 192
Avens 145
Awlwort 31
Azarole 134
Balsam 85
Balsam Apple .. 161
Balsam of Capevi 106
Balsam-tree 65
Bane-berries 9
Barbadoes Gooseberry 172
Barberry 13
Barrenwort 14
Bastard Cabbage-tree 132
Bastard Cedar 55, 72
Bastard Cress .. 22
Bastard Hare's-ear 200
Bastard Indigo .. 121
Bastard Quince .. 135
Bastard Saffron .. 215
Bastard Vetch .. 123
Bawd-money 187
Bead-tree 71
Bean 128
Bean-Caper 87
Bean Trefoil 106
Bear's-foot 6
Bedstraw 201
Bengal Quince .. 62
Bilimbi-tree 85
Bird's-foot 128
Bird's-foot Trefoil 118
Bishop's-weed 190
Bitter Vetch 126
Bladder Ketmia .. 51
Bladder-nut 95
Bladder-Senna .. 124
Black Parsley .. 190
Blue bottle 217
Borecole 27
Bramble 144
Brasiletto 105
Bread-root 115
Broccoli 28
Broom 111
Bryony 161
Buckler-mustard .. 23
Buckthorn 93
Bugwort 9
Bullace-tree 133
Burdock 213
Burnet 148
Bur-Parsley 188
Butter-bur 231
Butter-tree 65
Button-tree 154
Button-weed 200
Button-wood 199
Cabbage 27
Cajaputi-tree 155
Caltrops 87
Campion 42
Candy-carrot 189
Candy-tuft 22
Cape Aster 232
Cape-Jasmine 197
Cape Phillyrea .. 95
Caper-tree 32
Carambola-tree 85
Caraway 186
Cardoon 215
Carline-thistle 215
Carnation 41
Carob-tree 104
Carolina Allspice 132
Carrot 188
Cashew-nut 97
Cassioberry-bush 194
Catchfly 42
Caterpillar 128
Cats-ear 212
Cauliflower 28
Celandine 16
Celery 187
Centaury 216
Cheese Rennet .. 202
Cherimolli 11
Cherry 134
Chervil 190
Chick-Pea 128
Chickweed 46
China Aster 226
Chinese varnish .. 97
Chocolate-nut .. 55
Choko 161
Christmas Rose .. 6
Christ's-thorn 93, 94
Cicely 189
Cinquefoil 145
Clevers 202
Cloud-berry 145
Clove 41
Clove-tree 157
Cockspur-thorn 135
Cocoa-Plum 133
Codlins & Cream 153
Coffee-tree 200
Coleseed 28
Colewort 30
Colpoon-tree 95
Coltsfoot 230
Columbine 6
Common-Acacia .. 125
Common Broom .. 112
Coral-tree 120
Coriander 187
Corn Cockle 45
Cornelian Cherry 194
Cotton Rose 223
Cotton-thistle 215
Cotton-tree 52
Cowbane 188
Cowitch 119
Cow Parsnep 191
Crane's-bill 73
Cress 26
Cress-Rocket 29
Crosswort .. 200, 201
Crowfoot 4
Cuckold-tree 103
Cuckoo-flower .. 20
Cucumber 161
Cumin 190
Currant 173
Custard Apple .. 11
Daisy 228
Dandelion 208
Deadly Carrot .. 192
Devil's-bit 204
Dewberry 145
Dill 187
Dogwood 194
Dropwort 149
Drumstick-tree 104
Duck's-foot 14
Dyer's-green-weed 112
Earth-nut 114, 189
Earth Pea 126
Elder 194
Elecampane 221
Elephant Apple .. 62
Elephant's-foot .. 219
Enchanter's nightshade 151
Endive 212
Eryngo 184
Evening Primrose 152
Everlasting 222
Everlasting Pea .. 126
Fennel 187
Fennel-flower 6
Fenugreek 117
Feverwort 195
Fig Marygold 163
Flat Pea 110
Flax 47
Fleabane 220
Fleawort 221
Flix-weed 24
Flower-fence 105
Fool's Parsley 188
Fox-grape 73
Fraxinella 88
French Honeysuckle 131
French Marygold 233
Fumitory 17
Furze 109
Genip-tree 197
Giant Fennel 192
Gingerbread Plum 133
Ginseng 193
Glastonbury-thorn 134
Globe-flower 6
Globe-thistle 218
Goat's-beard 149, 206
Goat's-rue 124
Goat's-horn 122
Goat's-thorn 123
Golden-rod 226
Golden Saxifrage 97
Golden-thistle .. 212
Gold of pleasure .. 25
Goldilock's 5
Goldy-lock's 227
Gooseberry 173
Gourd 162

	Page.
Goutweed	186
Grape-vine	72
Great Burnet	148
Groundsel	231
Groundsel-tree	220
Guava	158
Guelder-Rose	194
Gum Succory	208
Hare's-ear	185
Hartwort	188
Hatchet Vetch,	123,128
Hawkweed	209
Hawthorn	134
Heart's-ease	87
Heart-seed	69
Hedge-mustard	24
Hellebore	6
Hemlock	190
Hemp Agrimony	229
Herb Robert	74
Heron's-bill	74
Hickory-tree	97
Hog-Plum	99
Holly	94
Hollyhock	49
Honesty	20
Honey-berry	70
Honey-flower	88
Honeysuckle	195
Horn Gourd	162
Horn Poppy	16
Horse Chestnut	69
Horse Radish	22
Horse-radish-tree	105
Horseshoe Vetch	128
Horse-thistle	214
Hottentot Cherry	95
Houseleek	180
Humble-plant	100
Ice-plant	167
Indian Cress	85
Indian Fig	172
Indian Lotus	15
Indian Madder	198
Indigo	124
Iron-tree	199
Ivy	193
Jamaica Dogwood	122
Jamaica Ebony	132
Jambolana-tree	158
Jersey-thistle	218
Judas-tree	106
Jupiter's-beard	114
Kangura Vine	72
Kidney-Bean	119
Kidney Vetch	114
Knapweed	217
Knawel	175
Knot-grass	175
Laburnum	112
Ladies's Bedstraw	45
Ladies' Mantle	148
Ladies' Smock	19
Lamb's Lettuce	203
Lance-wood	12
Larkspur	7
Laserwort	192
Laurel	134
Laurestine	195
Lee-Chee	70
Lemon	63
Lentil	128
Leopard's-bane	228
Lettuce	207
Licca-tree	90
Lignum-Vitæ	87
Lime	63
Lime-tree	59
Lion's-foot	208, 222
Liquorice	124
Locust-tree	106, 125
Logwood	105
London pride	181
London Rocket	24
Looking-glass-plant	55
Loquat	135
Lord Anson's Pea	126
Lovage	190
Lupine	113
Madder	201
Madwort	21
Mahogany-tree	72
Malay Apple	157
Mallow	48
Mammee-tree	65
Mangosteen	65
Mango-tree	97
Maple	68
Mare's-tail	169
Marsh cinquefoil	145
Marsh Mallow	49
Marsh Marygold	6
Marsh Pennywort	184
Marygold	239
Masterwort	192
Mastick-tree	98, 99
May Apple	14
Meadow Rue	2
Meadow Saxifrage	186
Meadow-sweet	149
Medick	117
Medlar	134
Melilot	115
Melon	162
Melon Thistle	170
Mignonette	150
Milk Parsley	191
Milk Vetch	122
Milkwort	38
Misseltoe	196
Monkshood	7
Moonseed	13
Moschatel	183
Mountain Ash	136
Mountain Ebony	106
Mountain Rose	160
Mouse-ear	209
Mouse-ear-chickweed	47
Mouse-tail	4
Moving-plant	130
Musk Okro	51
Mustard	28
Myrrh	189
Myrtle	158
Mysore-thorn	105
Navelwort	178
Nectarine	133
Necklace-tree	107
New Jersey Tea	92
NewZealand Cork-tree	58
New Zealand Tea	155
Nicker-tree	106
Nipplewort	212
Old man's beard	206
Olibanum-tree	99
Olive-bark-tree	153
Olive-wood	95
Orange-tree	63
Orpine	170
Ox-eye	236
Ox-tongue	208
Pæony	9
Papaw-tree	162
Paraguay Tea	94
Parsley	187
Parsley piert	148
Parsnep	191
Pasque-flower	3
Pea	126
Peach	133
Pear	135
Pearlwort	45
Penny-cress	143
Pennywort	178
Peppermint-tree	157
Pepper-Vine	72
Pepperwort	26
Petty Whin	112
Pheasant's-eye	4
Pigeon-pea	113
Pilewort	5
Pink	41
Pin-pillow	172
Pistachia-tree	99
Plank-plant	110
Plowman's Spikenard	220
Plum-tree	133
Poison Oak	97
Pomegranate	158
Poppy	15
Puccoon	16
Pumpkin	162
Purslane	170
Purslane-tree	170
Pyracantha	135
Quince	136
Radish	30
Ragged Robin	44
Ragwort	231, 232, 233
Rambootan	70
Rape	28
Raspberry	145
Rattlesnake-root	39
Red Lac	97
Rest-harrow	113
Rocket	24
Rock-Rose	34
Rose	136
Rose Acacia	126
Rose Campion	44
Rose of Jericho	23
Rose-root	17
Rough Chervil	19
Rough skin'd Plum	13
Rue	8
Rupture-wort	17
Sacred Bean	1
St. Andrew's cross	6
St. Barnaby's-thistle	21
Saintfoin	13
St. John's-bread	10
St. John's-wort	6
St. Peter's-wort	19
Salt-tree	12
Samphire	18
Sandwort	4
Sanicle	18
Sappan-fruit	16
Satin-wood	7
Savoy	2
Sawwort	21
Saxifrage	18
Scabious	20
Scorpion Senna	12
Screw-tree	6
Scurvy-grass	2
Sea Chickweed	4
Sea Heath	4
Sea Holly	18
Sea Kale	3
Sea Rocket	2
Sensitive plant	10
Septfoil	14
Service-tree	11
Shaddock	6
Sheep's-beard	20
Shepherd's-cress	1
Shepherd's-purse	2
Shrubby Trefoil	14
Siberian Crab	13
Silk-cotton-tree	6
Skirrett	19
Sloe-tree	13
Smooth Chestnut	6
Snake-Gourd	16
Snakeroot	
Snowball-tree	19
Snowberry	20
Soap-berry	7
Soapwort	4
Soldier-wood	10
Sour Gourd	5
Soursop	1
Sow-thistle	20
Spanish Broom	11
Spanish Cress	2
Spignell	18
Spindle-tree	9
Sponge-tree	10
Spurrey	4
Squash	16
Squirting Cucumber	16
Staff-tree	9
Star Thistle	21
Starwort	23
Stitchwort	4
Stock	17
Stonecrop	17
Stork's-bill	7

ENGLISH INDEX. I

	Page.
Strapwort	170
Strawberry	147
Succory	212
Sulphurwort	191
Sumach	97
Sundew	38
Sunflower	236
Sun-Rose	34
Supple-jack	69
Sweet-briar	138
Sweet-Pea	126
Sweetsop	11
Sweet Sultan	216
Sweet William	41
Swine's Succory	211
Syrian Rue	88
Syringa	155
Tamarind-tree	104
Tamarisk	160
Tare	128
Teasel	204
Tea-tree	61
Thistle	213
Tonquin Bean	132
Toothpick	190
Toothwort	20
Touch me not	85
Tower Mustard	19
Traveller's-joy	1
Treacle Mustard	21
Tree Celandine	16
Tree Mallow	50
Trefoil	115
Tulip-tree	11
Turnep	28
Valerian	203
Venus's-comb	189
Venus' Flytrap	38
Vetch	127
V. flower	176
Vine	72
Violet	36
Viper's Grass	206
Virginian Creeper	72
Virgin's-bower	1
Wall-Cress	19
Wallflower	18
Wall-Rocket	29
Walnut-tree	96
Wampee-tree	62
Wart-flower	75
Water Caltrops	153
Water Chickweed	170
Watercress	18
Water Dropwort	186
Water Hemlock	187
Water-Lily	15
Water Melon	162
Water Milfoil	169
Water Parsnep	190
Water Purslane	151
Water Starwort	169
Waterwort	45
Wayfaring-tree	194
Whitlow-grass,	21, 26
Widow-wail	99
Wild Cumin	193
Wild Liquorice	121
Willow-herb	153
Winter Aconite	6
Winter-berry	94
Winter-cress	19
Woad	26
Wolf's-bane	8
Woodbine	195
Woodruff	201
Wood-Sorrel	86
Yellow-root	8, 9

Tilling, Printer, Chelsea.

3 2044 103 115 432